

**A TAXONOMIC LISTING
MACRO- and MEGAINVERTEBRATES**

from
Infaunal & Epibenthic Monitoring Programs in the Southern California Bight

EDITION 6

1 July 2011



Prepared by

The Southern California Association of Marine Invertebrate Taxonomists
Natural History Museum of Los Angeles County Research & Collections
900 Exposition Boulevard Los Angeles, CA 90007

The editors of this list intend that it undergo regular updates. SCAMIT hopes to maintain the list as a useful document to those involved with monitoring programs within the Southern California Bight. To this end we solicit the users' assistance. Please forward any comments, corrections, or suggested additions you may have to:

Donald B. Cadien
dcadien@lacs.org
Marine Biology Laboratory
County Sanitation Districts
24501 S. Figueroa St.
Carson, CA 90745

or
Lawrence L. Lovell
llovell@lacs.org
Marine Biology Laboratory
County Sanitation Districts
24501 S. Figueroa St.
Carson, CA 90745

This document is available to members for downloading in Portable Document Format (pdf) at the SCAMIT web site (www.scamit.org). To view or download the document you must have the Adobe® Acrobat® Reader® which allows you to view or print pdf files. The reader is distributed by Adobe free of charge and may be downloaded from their web site (www.adobe.com).

Copyright © 2011 by the Southern California Association of Marine Invertebrate Taxonomists
This material may not be duplicated and resold.
Permission to copy or use is hereby granted subject to inclusion of this copyright notice.



Southern California Association of Marine Invertebrate Taxonomists

A TAXONOMIC LISTING OF BENTHIC MACRO- and MEGAINVERTEBRATES

from
Infaunal and Epifaunal Monitoring and Research Programs in the Southern California Bight

Prepared by
The Southern California Association of Marine Invertebrate Taxonomists
Donald B. Cadien and Lawrence L. Lovell, editors

EDITION 6

Taxonomic standardization, assuring that the same name is applied to an organism by different taxonomists each time that organism is encountered, is an important quality control concern in any biological monitoring program. Compatibility of taxonomy-based data generated by agencies and organizations contributing to a regional monitoring program is essential if the full value of these surveys is to be realized. There are two obstacles to achieving the goal of standardization: the complexity and fluidity of invertebrate taxonomy; and the differences in expertise, experience, and opinion of taxonomists involved in monitoring within the region. While these obstacles hinder us from fully achieving this goal, a great deal can be accomplished in its pursuit. Central to that effort is regional cooperation and communication among the taxonomists responsible for the surveys.

The Southern California Association of Marine Invertebrate Taxonomists (SCAMIT) was formed in 1982 to promote the study of invertebrate taxonomy and develop a standardized taxonomy of marine invertebrates within the region. Its membership includes most of the taxonomists responsible for conducting infaunal and epifaunal monitoring programs in Southern California coastal waters. SCAMIT's activities include monthly meetings, workshops, and communication of taxonomic information to its membership through a newsletter and website (www.scamit.org).

This list of invertebrates from benthic habitats of the Southern California Bight (SCB) is a contribution of SCAMIT toward the development of regionally coordinated monitoring within the Bight. This edition updates Edition 5 of July 2008, and continues SCAMIT's efforts to compile and maintain a list of species for which taxonomy is standard within the region. That is, a list of species names that are uniformly and consistently applied to organisms in research and monitoring programs within the Bight. Like earlier editions, this is a conservative document constrained by both the information base from which it is derived and by the criteria for including a taxon on the list. This sixth edition adds organisms encountered in infaunal and epifaunal surveys conducted subsequent to the compilation of Edition 5 and incorporation of nomenclatural changes prompted by recent revisionary studies. Notably, this edition incorporates species reported from the 2008 Southern California Bight Regional Monitoring Program (B'08), which included benthic samples to depths of 1000m in nearshore basins, and megainvertebrates from trawls to depths of 500m in the Bight as well as numerous samples from bays and estuaries. It also incorporates records gleaned from the California Fish and Game Introduced Species Surveys which originated within the area of coverage.

Caution is required in the use of this or any other "master species" list. Taxonomic listings do not in themselves constitute standardization of taxonomic usage. They are only tools that contribute to standardization, both as a product and in the process of their development and maintenance. Those responsible for developing regional monitoring should not attempt to impose on contributing surveys an artificially rigid taxonomy based upon a static list of standard names. Such an approach would inevitably lead to poorer quality survey data. Some differences in taxonomy and nomenclatural usage will continue to appear in data sets originating from contributing surveys. Most of these will reflect either change in the species encountered or new revisionary work. Some will represent non-standard usage despite efforts such as this listing and other activities of SCAMIT. Regional data-management systems must allow both growth and emendation to their species lists to conform to current usage. Ranasinghe *et al* (2003b) evaluated the success of quality assurance taxonomic standardization in the second regional monitoring survey (B'98) and provided some idea of both the value of the contributions to standardization made to date and the magnitude of the unresolved issues.

COVERAGE OF EDITION 6

This document provides a list of macroinvertebrates and megainvertebrates from both soft and hard bottom habitats of the Southern California Bight. Holoplanktonic species are not included in the list. For the purposes of the list, macroinvertebrates are defined as those organisms retained upon a 0.3 mm or larger mesh screen. Epibenthic megainvertebrates are defined as benthic organisms captured in otter trawls and having a body dimension greater than 1 cm. The list draws from sampling programs that have been in existence since as early as 1970 (see table of contributors). Over that period, sampling frequencies and station locations have varied but gear types and methods have been stable. The list reflects the organisms collected from thousands of samples within the habitats covered. Most records are from soft substrate on the inner to mid shelf within the SCB, but increasingly information on other habitats from the intertidal to the near-shore basins is also represented. Records in the published literature are not sufficient for inclusion, only actual examined specimens form the basis for this listing. There are 3004 species-level taxa on the list representing 18 phyla, 39 classes, 122 orders, and 654 families; almost an 18% increase in included species over the previous edition.

Geographic coverage is from Point Conception, California to Bahía Todos Santos, Baja California Sur, Mexico in depths to 1000 meters. As in previous editions, the information base from which the list is derived is primarily survey data collected in the environmental monitoring programs of publicly owned wastewater treatment works (POTWs). Therefore, coverage within the Bight is biased by the distribution of sampling efforts associated with these programs. The largest of these are centered on the metropolitan areas of Los Angeles/Orange County and San Diego. The fauna occurring at shelf and upper slope depths in these areas is well represented. North of the Los Angeles region, monitoring programs are fewer in number and smaller in scale. Consequently, the fauna of the northern area of the Bight is under-represented. Records from Regional Monitoring Surveys (Allen *et al.* 1998, 2002, 2007; Bergen *et al.* 1998; Ranasinghe *et al.* 2003a, 2007) improve coverage in this northern region as well as

Contributing Programs

LARGE DISCHARGE MONITORING PROGRAMS

- City of Los Angeles, Bureau of Sanitation, Environmental Monitoring Division
- County Sanitation Districts of Los Angeles County
- Orange County Sanitation District
- City of San Diego, Public Utilities Department

SMALL DISCHARGE MONITORING PROGRAMS

- Goleta Sanitary District
- City of Santa Barbara
- Carpenteria Sanitary District
- City of Oxnard
- South East Regional Reclamation Authority
- City of Oceanside
- Encina Water Pollution Control Facility
- San Elijo Joint Powers Authority
- City of Avalon
- Int'l Treatment Plant, South Bay Outfall

MISCELLANEOUS STUDIES

- Terminal Island Treatment Plant Outfall Study
- Tijuana Ocean Engineering Study
- LACSD Reference Survey
- CSDMWW Variability Study

REGIONAL SURVEYS

- Southern California Coastal Water Research Project Reference Surveys
- 1994 Southern California Bight Pilot Project (SCBPP)

those portions of the shelf lying between the individual POTW monitoring areas. Coverage is poorer south of the US/Mexico border where the only records come from recent monitoring of the International Treatment Plant's South Bay Outfall (south to Punta Banderas) and the Mexican component of the Bight'98 Regional Survey (south to Bahía Todos Santos). Edition 6 also includes Bight '08 records from estuaries, bays and harbors. Salinities may be reduced in such enclosed habitats, but records from waters of less than 12ppt salinity are excluded. This represents the midpoint of mesohaline water salinities, where euryhaline marine species reach their distributional endpoint, and estuarine endemics occur (Boesch 1978). Organisms from fresher oligohaline waters, those characterized as fresh-water species, are not covered in this document

Most sampling effort has been expended at mid shelf depths of 40 to 80 meters and the fauna from this range is better represented than that of shallower or deeper waters. More information on slope and basin habitats is becoming available, but depths between 300 and 1000m are still poorly represented in the Edition 6 list. It should also be noted that while most of the source programs are designed to provide soft-bottom community monitoring, habitats are not so clearly segregated in nature. Many of these programs, particularly those sampling inshore soft-bottom and shelf-break zones, include ecotonal areas and patches of cobble or hard bottom. These support communities significantly different from those of soft-bottoms, accounting for the presence of hard-bottom taxa on the list. Beginning with this edition, records from fouling and both rocky and soft intertidal habitats will be included. Coverage will be far less comprehensive for these habitats initially, but in future editions will approach that of the central shelf. These records will derive from a broad spectrum of sources. Many cooperative programs are underway by state, federal, and other agencies which sample embayments or open coastal intertidal and shallow subtidal habitats. In this edition numerous records from Introduced Species Studies conducted within the SCB were included. Other efforts designed to quantify effects of anthropogenic contaminants and other human usages in bays, harbors and estuaries are also continuing. These include the long series of EMAP programs along the entire west coast of North America, sampling to develop sediment quality objectives, and other efforts. Only records from within the covered geographic portion of these broad scale programs will be included in this listing. Only those records either generated by or subsequently reviewed by SCAMIT member taxonomists or SCAMIT associated taxonomists will be admissible. The requirement that use of the included taxon name be standardized within the region is in force here as well.

PROCESS OF COMPILED

Because all subsequent editions build on the original, the description of the information sources and compilation process used in producing Edition 1 (March, 1994) is restated below.

The base list was compiled from encountered-species lists from the infaunal monitoring programs of the Bureau of Sanitation, Environmental Monitoring Division, City of Los Angeles (CLA,EMD); the County Sanitation Districts of Los Angeles County (CSDLAC); the County Sanitation Districts of Orange County (CSDOC); and the Metropolitan Wastewater Department, City of San Diego (CSD,MWD). The encountered-species lists provided by these agencies covered a range of time spans, from eight to more than 20 years. The base list was broken into phylogenetic groupings (phylum or class level) for review by SCAMIT members with expertise in each group and knowledge of the history of the programs from which the data were derived. This latter factor is important given the long term nature of the programs from which the list was derived. These programs have been in place since as early as 1972. There is substantial potential for confusion of species identities because of the many taxonomists involved over the period. Every species name on the base list was subject to review and discussion prior to acceptance on the final list. Names retained were those 1) found to have been applied to taxa recognized as unique and 2) for which consensus among SCAMIT reviewers existed as to the name used to represent these taxa. Consensus here does not imply unanimity of opinion, but an agreement to accept a standard use of a name in the interest of regional conformity. Conflicts of opinion were resolved by review of appropriate literature and, in many cases, re-examination of voucher specimens by the reviewers.

Following compilation of the list from the four largest programs, encountered-species lists from monitoring programs conducted by the smaller POTWs in the Bight and studies by the Southern California Coastal Water Research Project (SCCWRP) were reviewed. This latter stage was hindered by the general absence in the smaller monitoring programs of easily accessible databases from which to draw encountered-species lists, frequent changes in contractors performing the sample analysis, and the unavailability of the taxonomists responsible for the data. The encountered-species lists received were typically from the most recent surveys, although the actual time spans were not given. Approximately 10% of the species on the final list were added as a result of review of the small POTW encountered-species lists.

The process of compilation resulted in a list, which is generally exclusive in nature. Many taxa names reported in the contributed species lists were eliminated by the reviewers, frequently because of the absence of voucher specimens or documentation allowing their confirmation. Inevitably, some taxa names eliminated will later be found acceptable. In addition, voucher specimens were not examined in all cases and some taxa deemed uncontroversial may later be discovered to be inconsistent in application or otherwise unacceptable. It is anticipated that this list will grow and change during future updates.

The first edition (1994) drew upon the encountered-species lists of 16 infaunal monitoring programs in the region. Subsequent editions built upon the first through a similar process of addition and emendation. In each edition newly detected taxa were added, nomenclatural revisions were incorporated, and errors in the previous edition corrected. Previously listed names found to be based upon doubtful or unverifiable records were dropped from the list. Provisional species names lacking adequate characterization or uniformity of application within the region were also dropped.

The second edition (1996) included, for the first time, epibenthic invertebrates taken in trawl surveys within the Bight as well as new records from the surveys conducted as part of the 1994 Southern California Bight Pilot Project. This regional project included surveys of mainland coastal soft-bottom infaunal and epibenthic communities from Pt. Conception to the US/Mexico border, employing the same techniques used in POTW monitoring programs.

The third edition (1998) was enlarged by the inclusion of abbreviated synonymies. These presented both valid synonyms and synonyms based upon nomenclatural usage. They were not exhaustive, but rather sought to provide examples of the various combinations under which a name has occurred with an emphasis on usage in the Southern California Bight and the Northeast Pacific. An explanation of the notation employed in synonymies is provided below.

The fourth edition (2001) continued to grow in coverage by accretion. Abbreviated synonymies were continued and enlarged as more information became available. The range of habitats examined expanded by inclusion of the results of the second regional survey (Bight '98), which added a number of additional samples from bays, estuaries, offshore island shelves, and northwestern Baja California.

The fifth edition (2008) incorporated additional records from habitats little covered in previous editions, particularly the upper continental slope, and bay/harbor habitats. It reflected many changes, particularly in the higher structure of the nomenclatural hierarchy, published in the last decade, even revising the number of phyla included in coverage. It reported on additional taxa taken in the B'03 Regional Monitoring Study, expanded coverage into the intertidal zone, and incorporated non-POTW or regional monitoring efforts within the acceptable coverage limits.

CONVENTIONS

Arrangement of the list is hierarchical. The categories used are phylum, subphylum, class, subclass, infraclass, superorder, order, suborder, infraorder, tribe, superfamily, family, subfamily, genus (subgenus) and species. For ease of use each taxonomic category is offset from the next higher category. Each category above genus is, moreover, indicated directly by inclusion with the taxon

name itself to avoid ambiguity (*e.g.*, Subphylum Echinozoa). Arrangement of families is phylogenetic when information is available, and alphabetic otherwise. Genera, and species within them, are arranged alphabetically within each family or subfamily, as appropriate. Authorship is attributed in conformance with ICZN rules. The listing of genus-level identifications (*e.g.*, *Bimeria* sp) represents the degree to which the identities of these taxa are known in the region. This form is also used in cases where the only specimens representing the genus were indeterminable due to absence of diagnostic characters. It is regional practice in monitoring programs to identify some groups of organisms at family or higher level. An example is harpacticoid copepods, which are reported at the ordinal level. For these taxa the term **unidentified** appears in the binomen position. The level at which they are typically reported is indicated by the lowest level taxon provided in the hierarchy.

The degree of detail in the use of higher taxonomic categories varies between groups. In groups where there are both large numbers of species and wide variations in form, numerous categories are listed between the phylum and genus level (arthropods, for example). In poorly represented groups with few species (*e.g.*, cephalochordates) there may be few categories listed between phylum and family.

To assist in navigation the list is line-numbered and an index to all names in the list (including synonyms) with their corresponding line numbers is provided. Within the list the following typographic conventions have been employed:

PHYLUM LEVEL IS ALL CAPS

Family and Subfamily levels are bolded

Genus and species are in italics

Synonyms are indented below currently accepted binomens and not italicized

Included in the list are a number of unpublished provisional species names erected by workers in the area. These names are applied to organisms suspected of being new species or whose identities cannot be determined from available literature. Provisional names are typically in the form of a genus name followed by the word **species** (abbreviated as **sp**) and an alphabetic, alphanumeric, or numeric designator. In provisional binomens, the generic level name is italicized, while the specific name is not. Synonyms are left un-italicized to help clarify their status. In cases where the allocation of a taxon is uncertain, the levels at which uncertainty exists are indicated (*e.g.*, family uncertain, suborder uncertain, *etc.*). Ideally, a provisional name is provided as a temporary designation pending resolution of the organism's identity through further research or publication. In practice, many have become long standing, stable, and widely recognized taxa names within the region. Of the 298 unpublished provisional taxa included in Edition 6, some date back to the 1970's. Many of the provisional taxa recognized by SCAMIT member taxonomists have now been described either by the members themselves or by other taxonomists. You will find them on this list as synonyms of the formally described taxa. All listed provisionals have been subject to examination and their descriptions distributed through the activities of SCAMIT (1982 to present) or its antecedent, the SCCWRP Taxonomic Standardization Program (1973-1980). For these reasons, as well as the significant proportion (9.5 %) of the listed taxa they represent, these provisional species names are included in the list. The unpublished provisional names are distinguished from formally erected species and provisional names published in the literature by the symbol § following the author. Authorship is attributed for provisional names to tie them to specific diagnoses. Attribution of authorship of these unpublished names **does not** follow a rule of priority, but attempts to indicate the most recent and/or complete source of information regarding the species. The date provided represents the date of distribution of diagnoses or descriptions. Provisional species names for which there is no regional recognition or available diagnoses are not included. These are numerous, and usually become provisional names whose usage is regionally standardized as voucher sheets on them are distributed.

Three conditional designations are used in the list. The terms ***conferre*** and ***near*** (abbreviated as *cf* and **nr**) inserted in the binomen indicates that the organism closely resembles the nominal species but its actual identity is in question. The term **Cmplx** appended to a name indicates that the listed taxon is recognized as having a high degree of poorly defined variability and may belong to an incompletely discriminated group of species.

The first entry in the synonymy is the name as originally described if it differs from that listed as currently used. Otherwise entries are in alphabetical order. The form in which authorship is provided is used to distinguish the nature of the entries. Examples of the forms used and their meaning are provided below.

| | |
|---------------------------------|--|
| Schmitt 1921 | Synonym |
| Schmitt 1921 in part | Partial synonymy |
| of Holmes 1900 | Variant generic placement or variant orthography |
| of Schmitt 1921 not Blazor 1899 | Specific instance of incorrect usage |
| of authors not Bates 1885 | Incorrect usage by several authors |
| of authors SCB not Baird 1863 | Incorrect usage regionally by several authors |

Usage cited as “of authors” is not restricted to usage in the literature, but also includes usage in survey results and reports. The acronyms NEP and SCB stand for Northeast Pacific and Southern California Bight respectively.

Each new edition in the past has had name changes and new entries from the previous edition. These modifications were not listed or noted prior to Ed 5, making them hard to find for taxonomists and database managers who were concerned with updating species lists. As in the previous edition, all changes from Ed 5 are noted in red colored font. This will make finding and noting all the changes much easier. Rules were established for red color fonting. The rules highlight the changes to Ed 5 that taxonomists and database managers should be aware of when reporting binomens, authors, or hierarchical position of taxa.

1. New name not in Ed 5 (upper hierarchical addition, new species addition either as valid name or synonym).
2. Change in status of synonym, elevation to valid name.
3. Change in status of valid name, placed in synonymy.
4. Spelling correction, red fonting the changed name either genus or species (not the entire binomen) or author.
5. Correction to authorship attribution.
6. Change in assigned genus.

AUTHORITY LIST FOR TAXONOMIC INFORMATION

A broad range of sources was used in construction of this hierarchical listing of organisms. The overall basis is that embodied in *An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific* (Austin 1985). This classification has been superceded in a number of areas by investigations over the past quarter century which aimed to put animal classification on a more phylogenetic basis. These investigations initially used cladistic methods to reassess relationships based on morphological characters. More recent contributions typically utilize molecular data based on sequencing of DNA or protein coding genes. Use of the weight of evidence approach, which combines molecular, morphological, paleontological, and developmental lines of evidence has become increasingly common. These investigations are ongoing, and much uncertainty remains for many groups. A recent synthesis (Cracraft and Donoghue 2004), while still imperfect, can serve as a consensus base for updating the hierarchical relationships used by Austin. Where groups have been revised at higher level based on phylogenetic information in Cracraft and Donoghue, it is so indicated under each group below.

The formation of superfamily names follows recommendation 29A of the *International Code of Zoological Nomenclature* (Ride 1999). With this exception and those listed below, all of the classification above genus-level is derived from Austin (*op. cit.*). Genus-level taxa names and the distribution of species among genera are derived from multiple sources in the recent literature. Congruence of this list with the World Register of Marine Species (<http://www.marinespecies.org>) is checked and differences are resolved on a case by case basis by the SCAMIT Species List Review Committee. Differences in this list from the treatment in WoRMS are intentional, and reflect the position of SCAMIT on issues in dispute within the taxonomic community.

Phylum Porifera

This taxon was found to be paraphyletic, and has been separated into two phyla Silicea and Calcarea (see Eernisse & Peterson 2004). In their taxonomic reassessment of the sponges Hooper & van Soest (2002) discussed, but did not adopt this conclusion. It is followed here. Silicea consists of Demospongia and Hexactinellida, while Calcarea consists of the calcareous sponges only. Organization within the sponges below phylum level follows Hooper and van Soest, although level of nominal categories may be changed in conformance with the adoption of the two phylum system. Exceptions to this are based on Lee et al 2007.

Use of subfamilial names in Geodiidae follows Cardenas et al 2010.

Phylum Cnidaria

Modifications follow Cairns *et al.* 2002 unless otherwise indicated.

Placement of Oplorhiza in Campanulinidae follows Hochberg & Ljubenkov 1998.

Placement of species not recorded by Austin follows Ljubenkov 1980.

Most cases which vary from Cairns *et al* are based on information in either the World Hexacorallian Database (<http://hercules.kgs.ku.edu/hexacoral/anemone2/index.cfm>) or the World Hydrozoan Database (<http://www.marinespecies.org/hydrozoa>).

Phylum Platyhelminthes

Developments in the understanding of this group have been numerous and far-reaching. The traditional phylum Platyhelminthes as used by Austin has been modified to exclude the Acoela, which with the Nemertodermatida form the Acelomorpha, now considered the sister taxon to all other bilaterians (see Eernisse & Peterson 2004, Littlewood *et al.* 2004). No acoels have yet been taken by surveys within the SCB, and so this change is not reflected in the listing. Other high-level changes within this phylum do require some modifications of the hierarchy as used in Austin, but are also only needed for forms not yet reported on the list. The classification of the Polycladida generally follows Faubel 1983 and 1984, with some input from Prudhoe 1985.

Phylum Nemertea

Treatment of Cerebratulidae as Cerebratulinae within Lineidae follows MacEwen 1980.

Phylum Mollusca

The Class Aplacophora as used by Austin has been suggested to be paraphyletic (see Salvini-Plawen & Steiner 1996, Haszprunar 2000), although there is still not complete agreement on the issue (see Scheltema 1996 for a dissenting opinion). The paraphyly seems clear, although just how the Solenogastres and Caudofoveata are related to the Polyplacophora is not (see discussions in Lindberg *et al.* 2004, Salvini-Plawen 2003). The use of the subphyla Adenopoda and Scutopoda follows the recommendations of Barwick & Cadien 2005.

Nomenclature within the chitons follows Stebbins & Eernisse 2009 where it differs from Austin.
Year of publication for taxa erected by Reeve and the Sowerbys follows Petit 2007 and Petit 2009.
Year of publication for taxa erected by P. P. Carpenter between 1864 and 1866 follows Palmer 1958.
General classification of the Gastropoda, and most specifics as well, follows Bouchet & Rocroi 2005 (with Linnaean categories assigned to their clades).
Nomenclature embodied in McLean 2007 was incorporated.
Elevation of Cysticinae to family rank follows Covert & Covert 1995.
Allocation of genera to families within the Superfamily Conoidea follows Taylor *et al.* 1993.
Allocation of heterobranch taxa at suprageneric levels follows Mikkelsen 1996.
Placement of *Iselica* in Amathinidae follows Turgeon *et al.* 1998.
Use of Stiligeridae instead of Hermaeidae follows Turgeon *et al.* 1998.
Placement of *Olea* in Stiligeridae follows Turgeon *et al.* 1998.
Use of Cylichnidae instead of Scaphandridae follows Turgeon *et al.* 1998.
Placement of *Pleurobranchaea* in Pleurobranchaeidae follows Behrens 2004.
Within the Order Nudibranchia superfamily-level taxa are from Abbott 1974; allocation of genera among families follows Behrens 2004.
Classification of the Bivalvia follows Coan, Valentich Scott & Bernard 2000, with modifications based on Taylor *et al* 2007, and Valentich-Scott & Skoglund 2010 (Pandoridae only), with additional modification based on Bieler *et al* 2010.
Genus and family allocations in Scaphopoda follow Shimek 1995; groups not covered in Shimek follow Turgeon *et al.* 1998.
Formulation of higher taxon names within cephalopods follows Sweeney & Roper 2000, as modified by Nishiguchi & Mapes 2008.

Phylum Sipuncula

Classification follows Cutler 1994, except that Golfingiformes rather than Golfiniiformes is used following Edmonds 2000b. The validity of this morphologically derived system was reinforced by recent combined evidence (morphological/mollecular) analysis (Schulze *et al.* 2007).

Phylum Echiura

Class Echiuridea is used rather than Class Echiurida following Edmonds 2000a.
(While recent evidence suggests this group nests within the Polychaeta, it has been retained separate here pending resolution of affinities within that group. The polychaete subclade that best accommodates the echirans remains at issue.)

Phylum Annelida

Classification of the Class Polychaeta follows Rouse & Fauchald 1997 and Rouse & Pleijel 2001.
Placement of *Raricirrus* in Ctenodrilidae, follows Petersen & George 1991.
Use of Longosomatidae instead of Heterospionidae follows Borowski 1995.
Use of Acoetidae instead of Polyodontidae follows Pettibone 1989.
Use of Pholoidae instead of Pholoididae follows Pettibone 1984.
Placement of *Pholoe* in Pholoidae follows Pettibone 1992.
Nomenclature within the Glyceridae follows the revision of Böggemann 2002.
Nomenclature within the Goniadidae follows the revision of Böggemann 2005.
Use of Pilargidae instead of Pilargiidae follows Licher 1994.
Use of Nereididae instead of Nereidae follows Pettibone 1971.
Use of Oenonidae instead of Arabellidae follows Orensanz 1990.
Placement of *Travisia* within the Scalibregmatidae follows Bleidorn *et al* 2003.

Placement of *Artacamella* in Trichobranchidae follows Holthe 1977.
Inclusion of the Siboglinidae in the Sabellida follows Rouse & Pleijel 2001.
Arrangements of subfamily assignments within the Polychaeta follow:

Ampharetidae - Fauchald 1977.
Maldanidae – Fauchald 1977.
Nereididae – Fitzhugh 1987.
Phyllodocidae – Pleijel 1991.
Polynoidae – Salazar-Silva 2006.
Sabellariidae – Kirtley 1994.
Sabellidae – Fitzhugh 1989.
Serpulidae – Fitzhugh 1989.
Syllidae – Fauchald 1977.
Terebellidae – Fauchald 1977.

Phylum Arthropoda

Subphylum taxa are from Brusca & Brusca 2003.
Arrangement and nomenclature within the Pycnogonida follows Bamber 2007.
Within Subphylum Crustacea the revised classification of Martin & Davis 2001 (with some emendation from McLaughlin *et al.* 2005) is adopted.
Mysid subfamily arrangement follows the cladistic analysis of Meland & Willassen 2007.
Ordering of the family taxa within Amphipoda follows Bousfield & Shih 1994 and Bousfield 2001, and adopts his infraordinal and superfamily concepts in most cases.
Allocations of taxa and systematic arrangement within superfamilies of amphipods follow:
Corophioidea – Myers & Lowry 2003.
Lysianassoidea – Cadien 2007.
Stegocephaloidea – Berge & Vader 2001.
Talitroidea – Serejo 2004.
Removal of the *Maera*-clade of amphipods from the Melitidae to their own family follows Krapp-Schickel 2008.
Subordinal and superfamilial taxa in Isopoda follow Brandt and Poore 2003.
Family allocations in the Tanaidacea were modified following Larson & Wilson 2002.
Nomenclature within the Order Decapoda follows De Grave *et al* 2009, with galatheoids after Ahyong *et al* 2010.

Phylum Echinodermata

Differences in classification above family are from Maluf 1988, or Kroh & Smith 2010.

Phylum Phorona

No exceptions.

Phylum Brachiopoda

Placement of *Terebratalia* in Dallinidae follows Hochberg 1996.

Phylum Ectoprocta

Use of Annectocymidae instead of Diaperoeciidae follows Soule *et al.* 1995.
Use of Candidae instead of Scrupocellariidae follows Soule *et al.* 1995.
Placement of *Cauloramphus* in Calloporidae follows Soule *et al.* 1995.
Placement of *Celleporaria* in Celloporariidae follows Soule *et al.* 1995.

Phylum Chordata

No exceptions.

ACKNOWLEDGEMENTS

The editors would like to thank the members of the Species List Review Committee and the large number of SCAMIT members who have devoted their time to the origination and maintenance of this taxonomic listing. Comments from non-SCAMIT members have also been received, and are always welcome. The application of many sets of eyes to this list has helped eliminate many errors during its development. While Edition 6, like previous ones, will undoubtedly have errors, these are the responsibility of the editors alone.

LITERATURE CITED

- Abbott RT.1974. American Seashells, second edition. New York (NY). Van Nostrand Reinholdt Co. 663pp.
- Ahyong ST, Baba K, MacPherson E, Poore GCB. 2010. A new classification of the Galatheoidea (Crustacea: Decapoda: Anomura). Zootaxa 2676:57-68.
- Allen MJ, Groce AK, Diener D, Brown J, Steinert SA, Deets G, Noblet JA, Moore SL, Diehl D, Jarvis ET, et al. 2002. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 1998 Regional Monitoring ProgramV: 1-572. Westminster (Ca). Southern California Coastal Water Research Project.
- Allen MJ, Mikel TK, Cadien DB, Kalman JE, Jarvis ET, Schiff KC, Diehl DW, Moore SL, Walther S, Deets G, et al. 2007. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 2003 Regional Monitoring Program IV: 1-339. Newport Beach (Ca). Southern California Coastal Water Research Project.
- Allen MJ, Moore SL, Schiff KC, Weisberg SB, Diener D, Stull JK, Groce A, Mubarak J, Tang CL, Gartman R.1998. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight Pilot Project V: 1-365. Westminster (Ca). Southern California Coastal Water Research Project.
- Austin WC. 1985. An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific, vols. 1, 2 & 3. Cowichan Bay (British Columbia). Khoyatan Marine Laboratory.
- Bamber RN. 2007. A holistic re-interpretation of the phylogeny of the Pycnogonida Latreille, 1810 (Arthropoda). Zootaxa 1668:295-312.
- Barwick K, Cadien DB. 2005. Aplacophore mollusks of the 2003 Regional Monitoring Survey of the Southern California Bight. SCAMIT Newsletter 23 (Supplement):1-73.
- Behrens DW. 2004. Pacific Coast Nudibranchs, Supplement II. New species to the Pacific Coast and new information on the oldies. Proceedings of the California Academy of Sciences 55(2): 11-54.
- Berge J, Vader W. 2001. Revision of the amphipod (Crustacea) family Stegocephalidae. Zoological Journal of the Linnean Society 133:531-592.
- Bergen M, Weisberg SB, Cadien DB, Dalkey A, Montagne D, Smith RW, Stull JK, Velarde RG. 1998. Benthic Infauna. Southern California Bight Pilot Project: IV:1-53. Westminster (Ca). Southern California Coastal Water Research Project.
- Bieler, R, Carter JC, Coan EV. 2010. Classification of Bivalve Families. *Malacologia* 52(2):113-184.
- Bleidorn C, Vogt L, Bartolomaeus T. 2003. New insights into polychaete phylogeny (Annelida) inferred from 18S rDNA sequences. *Molecular Phylogenetics and Evolution* 29: 279-288.
- Boesch DF. 1978. A new look at the zonation of benthos along the estuarine gradient. Pp. 245-266 IN: Coull BC, ed. *Ecology of Marine Benthos*. University of South Carolina Press. 467pp.
- Böggemann M. 2002. Revision of the Glyceridae Grube 1850 (Annelida: Polychaeta). *Abhandlungen der Senckenbergischen naturforschenden Gesellschaft Frankfurt am Main* 555:1-249.
- Böggemann M. 2005. Revision of the Goniadidae (Annelida, Polychaeta). *Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg (NF)* 39:1-354.
- Borowoski C. 1995. New records of Longosomatidae (Heteropionidae) (Annelida, Polychaeta) from the abyssal southeast pacific, with description of *Heterospio peruviana* sp. n. and general

- remarks on the Family. *Mittheilungen aus den Hamburgischen Zoologischen Museum und Institut* 92 (Ergänzungband 1):129-144.
- Bouchet P, Rocroi JP. 2005. Classification and Nomenclator of Gastropod Families. *Malacologia* 47 (1-2):1-397.
- Bousfield EL. 2001. An updated commentary on phyletic classification of the amphipod Crustacea and its application to the north American fauna. *Amphipacifica* 3(1):49-119.
- , Shih, CT. 1994. The phyletic classification of amphipod crustaceans: problems in resolution. *Amphipacifica* 1(3):76-134.
- Brandt, A, Poore GCB. 2003. Higher classification of the flabelliferan and related Isopoda based on a reappraisal of relationships. *Invertebrate Systematics* 17:893-923.
- Brusca RC, Brusca GJ. 2003. Invertebrates. 2nd Ed. Sunderland, Massachusetts: Sinauer Associates, Inc. 936pp.
- Cadien DB. 2007. Review of the Lysianassoidea of the Northeast Pacific (Equator to Aleutians, intertidal to abyssal). 63pp. Available at http://scamit.org/taxonomic_tools/Arthropoda/htm.
- Cairns SD, Calder DR, Brinkmann-Voss A, Castro CB, Fautin DG, Pugh PR, Mills CE, Japp WC, Arai MN, Haddock SHD, Opresko DM. 2002. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Cnidaria and Ctenophora, second edition. American Fisheries Society Special Publication 28. 115pp.
- Cardenas P, Rapp HT, Schander C, Tendal OS. 2010. Molecular taxonomy and phylogeny of the Geodiidae (Porifera, Demospongiae, Astrophorida) – combining phylogenetic and Linnaean classification. *Zoologica Scripta* 39(1):89-106.
- Coan EV, Valentich Scott PH, Bernard FR. 2000. Bivalve Seashells of Western North America: Marine Bivalve Mollusks from Arctic Alaska to Baja California. Santa Barbara Museum of Natural History Monographs 2. 764pp.
- Coovert GA, Coovert HK. 1995. Revision of the supraspecific classification of marginelliform gastropods. *The Nautilus* 109(2-3):43-110.
- Cracraft J, Donoghue MJ. 2004. Assembling the Tree of Life. New York (NY). Oxford University Press. 576pp.
- Cutler EB. 1994. The Sipuncula: Their Systematics, Biology, and Evolution. Ithaca (NY). Cornell University Press. 453pp.
- DeGrave, S, Pentcheff D, Ayhong ST, Chan T-Y, Crandall, KA, Dworschak, PC, Felder, DL, Feldman, RM, Fransen, CHJM, Goulding LYD, Lemaitre R, Low MEY, Martin JW, Schweitzer PKL, Ng CE, Tam SH, Tshudy D, Wetzer R. 2009. A classification of living and fossil genera of Decapod Crustaceans. *Raffles Bulletin of Zoology Supplement* 21:1-109.
- Edmonds SJ. 2000a. Phylum Echiura. In: Beesley PL, Ross GJB, Glasby CJ, editors. *Polychaetes & Allies: The Southern Synthesis*. Fauna of Australia, Vol. 44 (Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula). Melbourne (Aus). CSIRO Publishing. p.353-374.
- Edmonds SJ. 2000b. Phylum Sipuncula. In: Beesley PL, Ross GJB, Glasby CJ, editors. *Polychaetes & Allies: The Southern Synthesis*. Fauna of Australia, Vol. 44 (Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula). Melbourne (Aus). CSIRO Publishing. p.375-400
- Eernisse DJ, Peterson KJ. 2004. The history of animals. Chapter 13 IN: Cracraft J, Donoghue MJ, editors. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p.197-208
- Faubel A. 1983. The Polycladida, Turbellaria proposal and establishment of a new system Part I. The Acotylea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 80:17-121.
- 1984. The Polycladida, Turbellaria proposal and establishment of a new system Part Institut 81:189-259.
- Fauchald K. 1977. The Polychaete Worms: Definitions and Keys to the Orders, Families, and Genera. Natural History Museum of Los Angeles County, Science Series (28):1-190.
- Fitzhugh K. 1987. Phylogenetic relationships within the Nereididae (Polychaeta): implications at the subfamily level. *Bulletin of the Biological Society of Washington* (7):174-183.
- 1989. A systematic revision of the Sabellidae-Caobangiidae-Sabellongidae complex (Annelida: Polychaeta). *Bulletin of the American Museum of Natural History* (102):1-104.

- Haszprunar G. 2000. Is the Aplacophora monophyletic? A cladistic point of view. *American Malacological Bulletin* 15(2):115-130.
- Hochberg FG. 1996. Chapter 1 – The Brachiopoda. In: Blake JA, Scott PH, Lissner A, editors. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 14 – Miscellaneous Taxa.* Santa Barbara (Ca). Santa Barbara Museum of Natural History. p.1-47.
- , Ljubenkov JC. 1998. Chapter 1 – Class Hydrozoa. In: Valentich Scott PH, Blake JA, editors. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 3 – The Cnidaria.* Santa Barbara (Ca). Santa Barbara Museum of Natural History. p.1-54.
- Holthe T. 1977. The systematic position of *Artacamella* Hartman, 1955 (Polychaeta, Terebellomorpha). *Sarsia* 63(1):35-37.
- Hooper JNA, van Soest RWM, editors. 2002. *Systema Porifera: A guide to the Classification of Sponge.* New York (NY). Kluwer Academic/Plenum Publishers. 1708pp.
- Kirtley DW. 1994. A Review and Taxonomic Revision of the Family Sabellariidae Johnson, 1985 (Annelida; Polychaeta). Vero Beach (Fla). Sabecon Press. 223pp.
- Krapp-Schickel T. 2008. What has happened with the *Maera*-clade (Crustacea, Amphipoda) during the last decades? *Bulletino del Museo di Storia Naturale di Verona* 32:3-32.
- Kroh A, Smith AB. 2010. The phylogeny and classification of post-Paleozoic echinoids. *Journal of Systematic Palaeontology* 8(2):147-212.
- Larson K, Wilson GDF. 2002. Tanaidacean phylogeny, the first step: the superfamily Paratanaidoidea. *Journal of Zoological Systematics and Evolutionary Research* 40(4):205-222.
- Lee WL, Elvin DW, Reiswig, HM. 2007. The Sponges of California. A guide and key to the marine sponges of California. Monterey, California, USA: Monterey Bay Sanctuary Foundation.
- Licher F. 1994. Resurrection of *Glyphohesione* Friedrich, 1950, with redescription of *G. klatti* Friedrich, 1950 and description of *G. longocirrata* (Polychaeta: Hesionidae). *Proceedings of the Biological Society of Washington* 107(4): 600-608.
- Lindberg DR, Ponder WF, Haszprunar G. 2004. The Mollusca: relationships and patterns from their first half-billion years. Chapter 16 In: Cracraft J, Donoghue MJ, editors. *Assembling the Tree of Life.* New York (NY). Oxford University Press. p. 252-278.
- Littlewood DTJ, Telford MJ, Bray R. 2004. Protostomes and Platyhelminthes: the worm's turn. Chapter 14 In: Cracraft J, Donoghue MJ editors. *Assembling the Tree of Life.* New York (NY). Oxford University Press. p. 209-234.
- Ljubenkov, JC. 1980. Cnidaria. In: Straughan D, Klink RW, editors. *A Taxonomic Listing of Common Marine Invertebrate Species from Southern California.* Technical Reports of the Allan Hancock Foundation 3:44-68.
- MacEwen, P. 1980. Nemertea. In: Straughan D, Klink RW, editors. *A Taxonomic Listing of Common Marine Invertebrate Species from Southern California.* Technical Reports of the Allan Hancock Foundation 3: 69-76.
- Maluf, LY. 1988. Composition and Distribution of the Central Eastern Pacific Echinoderms. *Natural History Museum of Los Angeles County, Technical Report Number 2.* 242pp.
- Martin JW, Davis GE. 2001. An updated classification of the recent Crustacea. *Natural History Museum of Los Angeles County, Science Series,* 39:1-124.
- McLean JH. 2007. Shelled Gastropoda. In: Carlton JT, editor. *The Light and Smith Manual: Intertidal Invertebrates from Central California to Oregon,* 4th edition. University of California Press. p. 713-753.
- McLaughlin PA, Camp DK, Angel MV, Bousfield EL, Brunel P, Brusca RC, Cadine DB, Cohen AC, Conlan K, Eldredge LG, et al. 2005. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Crustaceans. *American Fisheries Society Special Publication 31.* 545pp.
- Meland K, Willassen E. 2007. The disunity of “Mysidacea” (Crustacea). *Molecular Phylogenetics and Evolution* 44(3): 1083-1104.
- Mikkelsen PM. 1996. The evolutionary relationships of Cephalaspidea s. l. (Gastropoda: Opisthobranchia): a phylogenetic analysis. *Malacologia* 37(2): 375-442.

- Myers AA, Lowry JK. 2003. A phylogeny and a new classification of the Corophiidea Leach, 1814 (Amphipoda). *Journal of Crustacean Biology* 23(2): 443-485.
- Nishiguchi MK, Mapes RH. 2008. Cephalopoda. Chapter 8 IN: Phylogeny and Evolution of the Mollusca. Ponder WF, Lindberg DR, editors. 163-199. Berkeley California USA, University of California Press.
- Orensanz JM. 1990. The Eunicemorph Polychaete Annelids from Antarctic and Subantarctic Seas. *Biology of the Antarctic Seas XXI. Antarctic Research Series* 52:1-183.
- Palmer KV. 1958. Type specimens of marine Mollusca described by P. P. Carpenter from the west coast [San Diego to British Columbia]. *Geological Society of America Memoir* 76. 376pp
- Peterson ME, George JD. 1991. A New Species of *Raricirrus* from northern Europe, with notes on its biology and a discussion of the affinities of the genus (Polychaeta: Ctenodrilidae) In: Peterson ME, Kirkegaard JB, editors. *Systematics, Biology and Morphology of World Polychaeta; Proceedings of the 2nd International Polychaete Conference, Copenhagen, 1986. Ophelia Supplement* 5:185-208.
- Petit, R.E. 2007. Lovell Augustus Reeve (1814-1865): malacological author and publisher. *Zootaxa* 1648:1-120.
- 2009. George Brettingham Sowerby, I, II & III: their concolorological publications and Molluscan taxa. *Zootaxa* 2189:1-218.
- Pettibone MH. 1971. Revision of some species referred to *Leptonereis*, *Nicon*, and *Laeonereis* (Polychaeta, Nereididae). *Smithsonian Contributions to Zoology* 104:1-53.
- 1984. Annelida. In: Parker SB, editor. *Synopsis and Classification of Living Organisms* 2 New York (NY). McGraw-Hill. pp 1-43.
- 1989. Revision of the Aphroditoid Polychaetes of the family Acoetidae Kinberg (=Polyodontidae Augener) and reestablishment of *Acoetes* Audouin and MilneEdwards, 1832, and *Euarche* Ehlers, 1887. *Smithsonian Contributions to Zoology* 464:1138.
- 1992. Contribution to the Polychaete family Pholoidae Kinberg. *Smithsonian Contributions to Zoology* 532:1-24.
- Pleijel F. 1991. Phylogeny and classification of the Phyllodocidae (Polychaeta). *Zoologica Scripta* 20: 225-261.
- Prudhoe S. 1985. A Monograph on Polyclad Turbellaria. New York (NY). British Museum (Natural History)/Oxford University Press. 259pp.
- Ranasinghe JA, Barnett AM, Schiff KC, Montagne DE, Brantley C, Beegan C, Cadine DB, Cash C, Deets GB, Diener DR, et al. 2007. Benthic Macrofauna. Southern California Bight 2003 Regional Monitoring Program 3: 66pp. Newport Beach (Ca). Southern California Coastal Water Research Project.
- , Montagne DE, Smith RW, Mikel TK, Weisberg SB, Cadine DB, Velarde RG, Dalkey A. 2003a. Southern California Bight 1998 Regional Monitoring Program VII: Benthic Macrofauna. Westminster (Ca). Southern California Coastal Water Research Project. 91pp.
- , -----, Weisberg SB, Bergen M, Velarde RG. 2003b. Variability in the identification and enumeration of marine benthic invertebrate samples and its effect on benthic assessment measures. *Environmental Monitoring and Assessment* 81:199-206.
- Ride WDL (chair). 1999. International Code of Zoological Nomenclature, Fourth Edition. International Trust for Zoological Nomenclature. 306pp.
- Rouse GW, Fauchald K. 1997. Cladistics and polychaetes. *Zoological Scripta* 26:139-204.
- Rouse GW, Pleijel F. 2001. Polychaetes. New York (NY). Oxford University Press. 354 pp.
- Salazar-Silva P. 2006. Scaleworms (Polychaeta: Polynoidae) from the Mexican Pacific and Eastern Pacific sites. *Investigaciones Marinas* 34(2): 143-161.
- Salvini-Plawen Lv. 2003. On the phylogenetic significance of the aplacophoran Mollusca. *Iberus* 21 (1): 67-97.
- , Steiner G. 1996. Synapomorphies and pleistomorphies in higher classificaiton of Mollusca. Chapter 2 In: Taylor, JD, editor. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press, p. 39-51.

- Scheltema AH. 1996. Phylogenetic position of Sipuncula, Mollusca and the progenetic Aplacophora. Chapter 3 In. Taylor, JD editor. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press. p. 53-58.
- Schulze A, Cutler EB, Giribet G. 2007. Phylogeny of sipunculan worms: a combined analysis of four gene regions and morphology. *Molecular Phylogenetics and Evolution* 42(1): 171-192.
- Serejo CS. 2004. Cladistic revision of talitroidean amphipods (Crustacea, Gammaridea), with a proposal of a new classification. *Zoologica Scripta* 33(6): 551-586.
- Shimek RL. 1995. Class Scaphopoda. Presentation at the Northern Association of Marine Invertebrate Taxonomists Molluscan Workshop, 18-19 November, 1995. Seattle Aquarium, Seattle Washington.
- Soule DF, Soule JD, Chaney HW. 1995. Volume 13 - The Bryozoa. In: *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel*. Blake JA, Chaney HW, Scott PH, Lissner AL, editors. Santa Barbara (Ca). Santa Barbara Museum of Natural History. 344pp.
- Stebbins TD, Eernisse DJ. 2009. Chitons (Mollusca: Polyplacophora) known from benthic monitoring programs in the Southern California Bight. *The Festivus* 41 [Special Issue]: 1-100.
- Sweeney MJ, Roper CFE. 2000. Classification, type localities and type repositories of recent Cephalopoda. In: Voss NA, Vecchione M, Toll RB, Sweeney MJ editors. *Systematics and Biogeography of Cephalopods*. Smithsonian Contributions To Zoology 586:561-582.
- Taylor JD, Kantor YI, Sysoev AV. 1993. Foregut anatomy, feeding mechanisms, relationships and classification of the Conoidea (=Toxoglossa)(Gastropoda). *Bulletin of the Natural History Museum, London (Zoology)* 59(2): 125-170.
- , Williams ST, Glover EA, Dyal P. 2007. A molecular phylogeny of heterodont bivalves (Mollusca: Bivalvia: Heterodonta): new analyses of 18S and 28S rRNA genes. *Zoologica Scripta* 36(6): 587-606.
- Turgeon DD, Quinn Jr JF, Bogan AE, Coan EV, Hochberg FG, Lyons WG, Mikkelsen PM, Neves RJ, Roper CF, Rosenberg G. 1998. *Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Mollusks*, Second Edition. American Fisheries Society Special Publication 26. 526pp.
- Valentich Scott P, Skoglund C. 2010. A review of the recent Pandoridae (Bivalvia) in the Panamic Province with descriptions of three new species. *The Nautilus* 124(3): 55-76.



| | |
|----|--|
| 1 | PHYLUM SILICEA |
| 2 | Class Hexactinellida |
| 3 | Subclass Hexasterophora |
| 4 | Order Hexactinosa |
| 5 | Suborder Scopularia |
| 6 | Family Aphrocallistidae |
| 7 | <i>Aphrocallistes vastus</i> |
| 8 | <i>Aphrocalistes intermedia</i> |
| 9 | <i>Aphrocallistes whiteavesianus</i> |
| 10 | <i>Aphrocallistes yatsui</i> |
| 11 | Order Lyssacinosa |
| 12 | Family Rossellidae |
| 13 | Subfamily Rossellinae |
| 14 | <i>Aphorme horrida</i> |
| 15 | Subfamily Acanthascininae |
| 16 | <i>Rhabdocalyptus dawsoni</i> |
| 17 | <i>Bathydorus dawsoni</i> |
| 18 | <i>Staurocalyptus dowlingi</i> |
| 19 | <i>Rhabdocalyptus dowlingi</i> |
| 20 | <i>Staurocalyptus solidus</i> |
| 21 | Class Demospongiae |
| 22 | Subclass Tetractinomorpha |
| 23 | Order Spirophorida |
| 24 | Family Tetillidae |
| 25 | <i>Craniella arb</i> |
| 26 | <i>Tetilla arb</i> |
| 27 | Order Astrophorida |
| 28 | Family Anchorinidae |
| 29 | <i>Penares saccharis</i> |
| 30 | <i>Papyrula saccharis</i> |
| 31 | <i>Stellella clarella</i> |
| 32 | <i>Stellella estrella</i> |
| 33 | Family Geodiidae |
| 34 | Subfamily Geodiniae |
| 35 | <i>Geodia gibberosa</i> |
| 36 | <i>Geodia mesotriena</i> |
| 37 | Family Pachastrellidae |
| 38 | <i>Poecillastra tenuilaminaris</i> |
| 39 | <i>Normania tenuilaminaris</i> |
| 40 | <i>Sphincturella</i> sp A |
| 41 | Order Hadromerida |
| 42 | Family Clionaidae |
| 43 | <i>Cliona californiana</i> |
| 44 | <i>Cliona celata californiana</i> |
| 45 | Family Spirastrellidae |
| 46 | <i>Spheciospongia confoederata</i> |
| 47 | Family Suberitidae |
| 48 | <i>Suberites latus</i> |
| 49 | <i>Suberites ficus</i> |
| 50 | <i>Suberites suberia</i> |
| 51 | Family Tethyidae |
| 52 | <i>Tethya californiana</i> |
| 53 | <i>Tethya aurantia</i> var <i>californiana</i> |
| 54 | <i>Tethya aurantium</i> |
| 55 | Family Timeidae |
| 56 | <i>Timea authia</i> |
| 57 | Subclass Ceractinomorpha |
| 58 | Order Poecilosclerida |
| 59 | Suborder Microcionina |
| 60 | Family Acarnidae |
| 61 | <i>Acarnus erithracus</i> |
| 62 | <i>Iophon rayae</i> |
| 63 | <i>Hymedesanisocheila rayae</i> |
| 64 | Family Microcionidae |
| 65 | Subfamily Microcioninae |
| 66 | <i>Clathria (Clathria) asodes</i> |
| 67 | <i>Eurypon asodes</i> |
| 68 | <i>Clathria (Microciona) microjoanna</i> |
| 69 | <i>Microciona microjoanna</i> |
| 70 | <i>Clathria (Microciona) parthena</i> |
| 71 | <i>Microciona parthena</i> |
| 72 | <i>Clathria (Microciona) pennata</i> |

| | | |
|-----|--|----------------------|
| 73 | Desmacella pennata | Lambe 1895 |
| 74 | <i>Clathria (Microciona) spongigartina</i> | (de Laubenfels 1930) |
| 75 | Anaata spongigartina | de Laubenfels 1930 |
| 76 | <i>Clathria (Thalysias) originalis</i> | (de Laubenfels 1930) |
| 77 | Esperiopsis originalis | de Laubenfels 1930 |
| 78 | Axiocielita originali | of authors NEP |
| 79 | Subfamily Ophelitaspongiinae | |
| 80 | <i>Antho (Acarnia) illgi</i> | (Bakus 1966) |
| 81 | Plocamia illgi | Bakus 1966 |
| 82 | <i>Antho (Acarnia) karykina</i> | (de Laubenfels 1927) |
| 83 | Plocamia karykina | de Laubenfels 1927 |
| 84 | Family Raspailiidae | |
| 85 | Subfamily Raspailiinae | |
| 86 | <i>Endectyon (Hemectyon) hyle</i> | (de Laubenfels 1932) |
| 87 | Hemectyon hyle | de Laubenfels 1932 |
| 88 | Subfamily Cyamoniniae | |
| 89 | <i>Cyamon neon</i> | J. E. Gray 1867 |
| 90 | Suborder Myxillina | |
| 91 | Family Hymedesmiidae | |
| 92 | <i>Acanthancora cyanocrypta</i> | (de Laubenfels 1930) |
| 93 | Hymenamphiaster cyanocrypta | de Laubenfels 1930 |
| 94 | Family Coelosphaeridae | |
| 95 | <i>Forcepia sp</i> | |
| 96 | Family Myxiliidae | |
| 97 | <i>Myxilla incrustans</i> | (Johnston 1842) |
| 98 | Halichondria incrustans | Johnston 1842 |
| 99 | <i>Myxilla barentsi</i> | Lambe 1895 |
| 100 | <i>Myxilla behringensis</i> | Lambe 1895 |
| 101 | <i>Myxilla rosacea</i> | Lambe 1893 |
| 102 | <i>Plocamiancora igzo</i> | (de Laubenfels 1930) |
| 103 | Plocamia igzo | de Laubenfels 1930 |
| 104 | Family Tedaniidae | |
| 105 | <i>Tedania (Trachytedania) gurjanovae</i> | Koltun 1958 |
| 106 | Suborder Mycalina | |
| 107 | Family Mycalidae | |
| 108 | <i>Mycale psila</i> | (de Laubenfels 1930) |
| 109 | Paresperella psila | de Laubenfels 1930 |
| 110 | Order Halichondrida | |
| 111 | Family Axinellidae | |
| 112 | <i>Axinella sp</i> | |
| 113 | Family Desmoxiyidae | |
| 114 | <i>Higginsia sp</i> | |
| 115 | Family Halichondriidae | |
| 116 | <i>Halichondria bowerbanki</i> | Burton 1930 |
| 117 | <i>Halichondria panicea</i> | (Pallas 1766) |
| 118 | Spongia panicea | Pallas 1766 |
| 119 | <i>Hymeniacidon sinapium</i> | de Laubenfels 1930 |
| 120 | <i>Hymeniacidon ungodon</i> | de Laubenfels 1932 |
| 121 | Order Haplosclerida | |
| 122 | Suborder Haplosclerina | |
| 123 | Family Chalinidae | |
| 124 | <i>Chalinula ecbasis</i> | (de Laubenfels 1930) |
| 125 | Haliclona ecbasis | de Laubenfels 1930 |
| 126 | <i>Haliclona (Halicoclona) gellindra</i> | (de Laubenfels 1932) |
| 127 | Halicoclona gellindra | de Laubenfels 1932 |
| 128 | <i>Haliclona (Rhizoniera) enamela</i> | de Laubenfels 1930 |
| 129 | Family Niphatidae | |
| 130 | <i>Niphates lunisimilis</i> | (de Laubenfels 1930) |
| 131 | Haliclona lunisimilis | de Laubenfels 1930 |
| 132 | Suborder Petrosina | |
| 133 | Family Petrosiidae | |
| 134 | <i>Neopetrosia zumi</i> | (Ristau 1978) |
| 135 | Toxadocia zumi | Ristau 1978 |
| 136 | <i>Xestospongia dubia</i> | (Ristau 1978) |
| 137 | Adocia dubia | Ristau 1978 |
| 138 | <i>Xestospongia edapha</i> | (de Laubenfels 1930) |
| 139 | Sigmadocia edaphus | de Laubenfels 1930 |
| 140 | Order Dictyoceratida | |
| 141 | Family Spongiidae | |
| 142 | <i>Spongia idia</i> | de Laubenfels 1932 |
| 143 | Family Dysideidae | |
| 144 | <i>Aplysinopsis sp</i> | |

| | | | |
|-----|--------------------------|----------------------------------|--|
| 145 | | <i>Dysidea amblia</i> | (de Laubenfels 1930) |
| 146 | | Duseideia amblia | de Laubenfels 1930 |
| 147 | | ? <i>Dysidea fragilis</i> | (Montagu 1818) |
| 148 | | Spongia fragilis | Montagu 1818' |
| 149 | Order Verongida | | |
| 150 | | Family Aplysinidae | |
| 151 | | <i>Ailochroia thiona</i> | (de Laubenfels 1930) |
| 152 | | Verongia thiona | de Laubenfels 1930 |
| 153 | | <i>Aplysina fistularis</i> | of Sim & Bakus 1986 |
| 154 | PHYLUM CALCAREA | | |
| 155 | Class Calcarea | | |
| 156 | Subclass Calcinea | | |
| 157 | Order Clathrinida | | |
| 158 | | Family Clathrinidae | |
| 159 | | <i>Clathrina clathrus</i> | (Schmidt 1864) |
| 160 | | Grantia clathrus | Schmidt 1864 |
| 161 | Subclass Calcaronea | | |
| 162 | Order Leucosoleniida | | |
| 163 | | Family Leucosoleniidae | |
| 164 | | <i>Leucosolenia eleanor</i> | Urban 1905 |
| 165 | | <i>Leucosolenia nautilia</i> | de Laubenfels 1930 |
| 166 | Order Scyecettida | | |
| 167 | | Family Grantiidae | |
| 168 | | <i>Leucandra heathi</i> | Urban 1905 |
| 169 | | Leuconia heathi | of de Laubenfels 1930 |
| 170 | | <i>Leucandra losangelensis</i> | (de Laubenfels 1930) |
| 171 | | Leucetta losangelensis | de Laubenfels 1930 |
| 172 | | Family Amphoriscidae | |
| 173 | | <i>Leucilla nuttingi</i> | (Urban 1902) |
| 174 | | Rhabdodermella nuttingi | Urban 1902 |
| 175 | PHYLUM CNIDARIA | | |
| 176 | Class Staurozoa | | |
| 177 | Order Stauromedusae | | |
| 178 | Suborder Eleuterocarpida | | |
| 179 | | Family Depastridae | |
| 180 | | <i>Manania distincta</i> | (Kishinouye 1910) |
| 181 | | <i>Thaumastocyphus distincta</i> | Kishinouye 1910 |
| 182 | | <i>Manania gwilliami</i> | Larsen & Fautin 1989 |
| 183 | Class Hydrozoa | | |
| 184 | Subclass Anthoathecatae | | |
| 185 | Order Capitata | | |
| 186 | | Family Candelabridae | |
| 187 | | <i>Candelabrum sp</i> | |
| 188 | | Family Corymorphidae | |
| 189 | | <i>Corymorpha bigelowi</i> | (Maas 1905) |
| 190 | | Euphsora bigelowi | Maas 1905 |
| 191 | | Euphsya bigelowi | of Uchida 1927 |
| 192 | | Steenstrupia bigelowi | of Mayer 1910 |
| 193 | | <i>Corymorpha palma</i> | Torrey 1902 |
| 194 | | <i>Corymorpha sp A</i> | Ljubenkov 1997 § |
| 195 | | <i>Corymorphidae sp SD1</i> | Pasko 1999 § |
| 196 | | <i>Euphsya sp A</i> | Hochberg & Ljubenkov 1998 |
| 197 | | Corymorpha aurata | of Fauchald & Jones 1976 not (Forbes 1848) |
| 198 | | Family Tubulariidae | |
| 199 | | <i>Pinauay crocea</i> | (L. Agassiz 1862) |
| 200 | | Parypha crocea | L. Agassiz 1862 |
| 201 | | Tubularia crocea | of authors NEP |
| 202 | | <i>Pinauay marina</i> | (Torrey 1902) |
| 203 | | Ectopleura marina | Torrey 1902 |
| 204 | | <i>Tubularia sp A</i> | Ljubenkov 1993 § |
| 205 | | Family Corynidae | |
| 206 | | <i>Coryne eximia</i> | Allman 1859 |
| 207 | | Syncoryne eximia | of authors NEP |
| 208 | | <i>Sarsia tubulosa</i> Cmplx | |
| 209 | | Family Pennariidae | |
| 210 | | unidentified | |
| 211 | Order Filifera | | |
| 212 | | Family Bougainvilliidae | |
| 213 | | <i>Bimeria sp</i> | (Ljubenkov 1976 §) |
| 214 | | Bougainvilleidae sp A | Ljubenkov 1976 § |
| 215 | | <i>Perigonimus sp A</i> | (Torrey 1902) |
| 216 | | <i>Garveia franciscana</i> | |

| | | |
|-----|--------------------------------------|--------------------------------|
| 217 | <i>Bimeria franciscana</i> | Torry 1902 |
| 218 | <i>Rhizorhagium formosum</i> | (Fewkes 1889) |
| 219 | Perigonimus formosus | Fewkes 1889 |
| 220 | <i>Bimeria formosa</i> | of Torrey 1902 |
| 221 | <i>Garveia formosa</i> | of Fraser 1948 |
| 222 | Perigonimus serpens Cmplx | of SCAMIT Ed 4 in part |
| 223 | | |
| 224 | | |
| 225 | Family Pandidae | Hartlaub 1913 |
| 226 | <i>Halitholus cirratus</i> | of authors NEP not Birula 1897 |
| 227 | Perigonimus yoldiarctiae | (Fleming 1823) |
| 228 | <i>Leuckartiara octona</i> | Fleming 1823 |
| 229 | Geryonia octona | Osborn & Hargitt 1894 |
| 230 | Perigonimus jonesi | of SCAMIT Ed 4 in part |
| 231 | Perigonimus serpens Cmplx | |
| 232 | | |
| 233 | | |
| 234 | Family Eudendriidae | Alder 1856 |
| 235 | <i>Eudendrium capillare</i> | (Pallas 1766) |
| 236 | <i>Eudendrium rameum</i> | Pallas 1766 |
| 237 | Tubularia ramea | (Linnaeus 1758) |
| 238 | <i>Eudendrium ramosum</i> | Linnaeus 1758 |
| 239 | Tubularia ramosa | |
| 240 | | |
| 241 | Family Hydractiniidae | |
| 242 | <i>Hydractinia</i> sp | |
| 243 | <i>Stylactis</i> sp | |
| 244 | | |
| 245 | Family Oceaniidae | |
| 246 | <i>Merona laxa</i> | (Fraser 1938) |
| 247 | Tubiclava laxa | Fraser 1938 |
| 248 | | |
| 249 | Family Olindiidae | Mereschkovsky 1877 |
| 250 | <i>Monobrachium parasitum</i> | Bonnevie 1899 |
| 251 | Monobrachium parasiticum | |
| 252 | | |
| 253 | Family Zancleidae | |
| 254 | <i>Zanclea bomala</i> | Boero, Bouillon & Gravili 2000 |
| 255 | | |
| 256 | Subclass Leptothecatae | |
| 257 | Order Proboscidea | |
| 258 | | |
| 259 | Family Campanulariidae | |
| 260 | <i>Campanularia volubilis</i> | (Linnaeus 1758) |
| 261 | Sertularia volubilis | Linnaeus 1758 |
| 262 | Campanularia groenlandica | Levensen 1893 |
| 263 | Campanularia hincksi | Alder 1857 |
| 264 | Campanularia urceolata | S. F. Clark 1876 |
| 265 | <i>Clytia universitatis</i> | Torrey 1904 |
| 266 | <i>Laomedea calceolifera</i> | (Hincks 1871) |
| 267 | Campanularia calceolifera | Hincks 1871 |
| 268 | Obelia sp A | MEC 1990 § |
| 269 | <i>Obelia dichotoma</i> Cmplx | |
| 270 | <i>Obelia geniculata</i> | (Linnaeus 1758) |
| 271 | Sertularia geniculata | Linnaeus 1758 |
| 272 | <i>Orthopyxis everta</i> | (S. F. Clark 1876) |
| 273 | Campanularia everta | S. F. Clark 1876 |
| 274 | Euycopella everta | of Fraser 1937 |
| 275 | <i>Rhizocaulus verticillatus</i> | (Linnaeus 1758) |
| 276 | Sertularia verticillata | Linnaeus 1758 |
| 277 | Campanularia verticillata | of Fraser 1937 |
| 278 | Verticillina verticillata | of Naumov 1960 |
| 279 | | |
| 280 | Order Conica | |
| 281 | Family Lovenellidae | |
| 282 | <i>Lovenella nodosa</i> | Fraser 1938 |
| 283 | | |
| 284 | Family Kirchenpaueridae | |
| 285 | <i>Kirchenpaueria plumularioides</i> | (S. F. Clark 1876) |
| 286 | Halecium plumularioides | S. F. Clark 1876 |
| 287 | Plumularia plumularioides | of authors NEP |
| 288 | <i>Pycnotheca allmani</i> | (Torrey 1902) |
| | Diplocheilus allmani | Torrey 1902 |
| | | |
| | Family Campanulinidae | |
| | <i>Campanulina</i> sp | |
| | | |
| | Family Calycellidae | |
| | <i>Calycella syringa</i> | (Linnaeus 1767) |
| | Sertularia syringa | Linnaeus 1767 |
| | Calicella syringa | of Naumov 1969 |
| | | |
| | Family Aglaopheniidae | |
| | <i>Aglaophenia diegensis</i> | Torrey 1904 |
| | <i>Aglaophenia fluxa</i> | Fraser 1948 |
| | <i>Aglaophenia inconspicua</i> | Torrey 1902 |
| | <i>Aglaophenia struthionides</i> | (Murray 1860) |

| | | |
|-----|-----------------------------------|--------------------------------|
| 289 | <i>Plumularia struthionides</i> | Murray 1860 |
| 290 | <i>Aglaophenia</i> sp A | MEC 1990 § |
| 291 | <i>Cladocarpus</i> sp A | MEC 1990 § |
| 292 | | |
| 293 | Family Plumulariidae | |
| 294 | <i>Antenella avalonia</i> | Torrey 1902 |
| 295 | <i>Plumularia alicia</i> Cmplx | Nutting 1900 |
| 296 | <i>Plumularia goodei</i> | Fraser 1948 |
| 297 | <i>Plumularia integra</i> | Allman 1885 |
| 298 | <i>Plumularia lagenifera</i> | (Linnaeus 1758) |
| 299 | <i>Plumularia setacea</i> | Linnaeus 1758 |
| 300 | <i>Plumularia corrugata</i> | Nutting 1900 |
| 301 | | |
| 302 | Family Haleciidae | |
| 303 | <i>Halecium beanii</i> | (Johnston 1838) |
| 304 | <i>Thoa beanii</i> | Johnston 1838 |
| 305 | <i>Halecium delicatulum</i> | Coughtrey 1876 |
| 306 | <i>Halecium flexile</i> | Allman 1888 |
| 307 | <i>Halecium densum</i> | Calkins 1899 |
| 308 | | |
| 309 | Family Syntheciidae | |
| 310 | <i>Synthecium cylindricum</i> | (Bale 1888) |
| 311 | <i>Sertularella cylindrica</i> | Bale 1888 |
| 312 | | |
| 313 | Family Sertulariidae | |
| 314 | <i>Abietenaria expansa</i> | Fraser 1938 |
| 315 | <i>Hebelllopsis expansa</i> | of authors NEP |
| 316 | <i>Abietenaria inconstans</i> | (Clark 1876) |
| 317 | <i>Sertularia inconstans</i> | Clark 1876 |
| 318 | <i>Abietinaria traski</i> | (Torrey 1902) |
| 319 | <i>Sertularia traski</i> | Torrey 1902 |
| 320 | <i>Amphisbeta furcata</i> | (Trask 1857) |
| 321 | <i>Sertularia furcata</i> | Trask 1857 |
| 322 | <i>Dynamena pumila</i> | (Linnaeus 1768) |
| 323 | <i>Sertularia pumila</i> | Linnaeus 1768 |
| 324 | <i>Salacia cornicina</i> | (McCrady 1858) |
| 325 | <i>Sertularia cornicina</i> | McCrady 1858 |
| 326 | <i>Selaginopsis cylindrica</i> | (S. F. Clark 1876) |
| 327 | <i>Thuiaria cylindrica</i> | S. F. Clark 1876 |
| 328 | <i>Sertularella rugosa</i> | (Linnaeus 1758) |
| 329 | <i>Sertularia rugosa</i> | Linnaeus 1758 |
| 330 | <i>Sertularella tenella</i> | (Alder 1857) |
| 331 | <i>Sertularia tenella</i> | Alder 1857 |
| 332 | <i>Symplectoscyphus pedrensis</i> | (Torrey 1904) |
| 333 | <i>Sertularella pedrensis</i> | Torrey 1904 |
| 334 | <i>Sertularella conica</i> | of Torrey 1902 not Allman 1877 |
| 335 | <i>Symplectoscyphus turgidus</i> | (Trask 1857) |
| 336 | <i>Sertularia turgida</i> | Trask 1857 |
| 337 | | |
| 338 | Family uncertain | |
| 339 | <i>Egmundella gracilis</i> | Stechow 1921 |
| 340 | <i>Oplorhiza gracilis</i> | of authors NEP |
| 341 | <i>Oplorhiza polynema</i> | (Fraser 1948) |
| 342 | <i>Egmundella polynema</i> | Fraser 1948 |
| 343 | | |
| 344 | Order Siphonophora | |
| 345 | Suborder Physonectae | |
| 346 | | |
| 347 | Family Rhodalidiidae | |
| 348 | <i>Dromalia alexandri</i> | Bigelow 1911 |
| 349 | | |
| 350 | Class Anthozoa | |
| 351 | Subclass Octocorallia | |
| 352 | Order Stolonifera | |
| 353 | | |
| 354 | Family Clavulariidae | |
| 355 | <i>Clavularia</i> sp H | Hochberg 1978 § |
| 356 | | |
| 357 | Family Telestidae | |
| 358 | <i>Telesto californica</i> | Kükenthal 1913 |
| 359 | <i>Telesto nuttingi</i> | Kükenthal 1913 |
| 360 | | |
| 361 | family uncertain | |
| 362 | <i>Stolonifera</i> gen 1 sp B | Hochberg 1978 § |
| 363 | | |
| 364 | Order Alcyonacea | |
| 365 | Suborder Holaxonia | |
| 366 | | |
| 367 | Family Gorgoniidae | |
| 368 | <i>Adelogorgia phyllosclera</i> | Bayer 1958 |
| 369 | <i>Adelogorgia</i> sp A | Ljubenkov 1994 § |
| 370 | <i>Eugorgia rubens</i> | Verrill 1868 |
| 371 | <i>Heterogorgia tortuosa</i> | Verrill 1868 |
| 372 | <i>Leptogorgia caryi</i> | Verrill 1868 |

| | | |
|-----|--|--|
| 361 | Euplexaura marki | Kükenthal 1913 |
| 362 | Psammogorgia arbuscula | Nutting 1909 |
| 363 | <i>Leptogorgia chilensis</i> | Verrill 1868 |
| 364 | Lophogorgia chilensis | of authors NEP |
| 365 | | |
| 366 | Family Plexauridae | Aurivillius 1931 |
| 367 | <i>Muricea californica</i> | |
| 368 | <i>Swiftia</i> sp | |
| 369 | <i>Thesea</i> sp A | Ljubenkov 1986 § |
| 370 | <i>Thesea</i> sp B | Ljubenkov 1986 § |
| 371 | | |
| 372 | Family Primnoidae | (Wright & Studer 1889) |
| 373 | <i>Parastenella ramosa</i> | Wright & Studer 1889 |
| 374 | | of SCAMIT Ed 5 not (Wright & Studer 1889) |
| 375 | Order Pennatulacea | |
| 376 | Suborder Sessiliflorae | |
| 377 | Family Renillidae | Pfeffer 1886 |
| 378 | <i>Renilla koellikeri</i> | Verrill 1864 |
| 379 | | |
| 380 | Family Stachyptiliidae | Studer 1894 |
| 381 | <i>Stachyptilum superbum</i> | |
| 382 | Suborder Subsessiliflorae | |
| 383 | Family Ombellulidae | Kölliker 1880 |
| 384 | <i>Umbellula magniflora</i> | Nutting 1909 |
| 385 | | |
| 386 | Family Anthoptilidae | (Verrill 1879) |
| 387 | <i>Anthoptilum grandiflorum</i> | Verrill 1879 |
| 388 | | of Nutting 1912 not Kölliker 1889 |
| 389 | <i>Virgularia grandiflora</i> | Kölliker 1881 |
| 390 | <i>Anthoptilum murrayi</i> | |
| 391 | | |
| 392 | Family Halipteridae | (Moroff 1902) |
| 393 | <i>Halipteris californica</i> | Moroff 1902 |
| 394 | | Nutting 1909 |
| 395 | <i>Pavonaria californica</i> | Nutting 1909 |
| 396 | | Nutting 1909 |
| 397 | Family Virgulariidae | |
| 398 | <i>Acanthoptilum</i> sp | (Gabb 1863) |
| 399 | <i>Stylatula elongata</i> | Gabb 1863 |
| 400 | | Verrill 1922 |
| 401 | <i>Virgularia elongata</i> | Verrill 1864 |
| 402 | | Pfeffer 1886 |
| 403 | <i>Stylatula ringei</i> | Ljubenkov 1991 § |
| 404 | | Studer 1894 |
| 405 | <i>Stylatula</i> sp A | Nutting 1909 |
| 406 | | of authors NEP not Kölliker 1880 |
| 407 | <i>Virgularia agassizii</i> | Ljubenkov 1991 § |
| 408 | | of authors NEP not Marshall 1877 |
| 409 | <i>Halisceptrum cystiferum</i> | Pfeffer 1886 |
| 410 | | of Ricketts <i>et al</i> 1968 not Hickson 1930 |
| 411 | <i>Virgularia bromleyi</i> | of Kukenthal 1915 not Herklots 1858 |
| 412 | | Ljubenkov 2011 § |
| 413 | <i>Virgularia</i> sp A | |
| 414 | | |
| 415 | Family Pennatulidae | Kükenthal 1913 |
| 416 | <i>Pennatula californica</i> | of Nutting 1909 not Danielssen 1858 |
| 417 | | Kükenthal 1913 |
| 418 | <i>Pennatula aculeata</i> | (Gray 1860) |
| 419 | <i>Pennatula phosphorea</i> var <i>californica</i> | Gray 1860 |
| 420 | | of Kükenthal 1913 |
| 421 | <i>Ptilosarcus gurneyi</i> | Pfeffer 1886 |
| 422 | | of Ricketts <i>et al</i> 1968 |
| 423 | <i>Sarcoptilus gurneyi</i> | Gould 1853 |
| 424 | | Moroff 1902 |
| 425 | <i>Leioptilum quadrangulare</i> | Gray 1860 |
| 426 | | |
| 427 | <i>Liopeltis verrilli</i> | |
| 428 | | |
| 429 | <i>Leiopeltis gurneyi</i> | |
| 430 | | |
| 431 | <i>Penatula tenua</i> | |
| 432 | | |
| 433 | <i>Ptilosarcus quadrangularis</i> | |
| 434 | | |
| 435 | <i>Sarcoptilus sinuosus</i> | |
| 436 | | |
| 437 | Subclass Ceriantipatharia | |
| 438 | Order Ceriantharia | |
| 439 | Suborder Spirularia | |
| 440 | Family Cerianthidae | Ljubenkov & Pasko 1998 § |
| 441 | <i>Arachnanthus</i> sp A | McMurrich 1910 |
| 442 | | |
| 443 | <i>Pachycerianthus fimbriatus</i> | Arai 1965 |
| 444 | | |
| 445 | <i>Pachycerianthus torreyi</i> | |
| 446 | | |
| 447 | family uncertain | |

| | | |
|-----|--|------------------------------------|
| 433 | Ceriantharia sp C | MEC 1986 § |
| 434 | Ceriantharia sp D | MEC 1986 § |
| 435 | Subclass Zoantharia | |
| 436 | Order Scleractinia | |
| 437 | Suborder Faviina | |
| 438 | Superfamily Favioidea | |
| 439 | Family Rhisangiidae | |
| 440 | <i>Astrangia haimei</i> | Verrill 1866 |
| 441 | <i>Astrangia lajollaensis</i> | Durham 1947 |
| 442 | Suborder Caryophylliina | |
| 443 | Superfamily Caryophylloidea | |
| 444 | Family Caryophylliidae | |
| 445 | <i>Caryophyllia alaskensis</i> | Vaughan 1941 |
| 446 | <i>Coenocyathus bowersi</i> | Vaughan 1906 |
| 447 | <i>Desmophyllum dianthus</i> | (Esper 1794) |
| 448 | <i>Madrepora dianthus</i> | Esper 1794 |
| 449 | <i>Desmophyllum cristagalli</i> | H. Milne Edwards & Haime 1848 |
| 450 | <i>Lophelia pertusa</i> | (Linnaeus 1758) |
| 451 | <i>Madrepora pertusa</i> | Linnaeus 1758 |
| 452 | <i>Dendrosmilia nomlandi</i> | Durham & Barnard 1952 |
| 453 | <i>Lophelia californica</i> | Durham 1947 |
| 454 | <i>Lophelia prolifera</i> | of Cairns 1979 |
| 455 | <i>Madrepora prolifera</i> | Pallas 1766 |
| 456 | <i>Paracyathus stearnsii</i> | Verrill 1869 |
| 457 | <i>Paracyathus caltha</i> | Verrill 1869 |
| 458 | <i>Paracyathus tiburonensis</i> | Durham 1947 |
| 459 | Suborder Dendrophylliina | |
| 460 | Family Dendrophylliidae | |
| 461 | <i>Balanophyllia elegans</i> | Verrill 1864 |
| 462 | Order Actiniaria | |
| 463 | Suborder Nyantheae | |
| 464 | Family Edwardsiidae | |
| 465 | <i>Drillactis</i> sp | McMurrich 1903 |
| 466 | <i>Edwardsia californica</i> | McMurrich 1903 |
| 467 | <i>Edwardsia</i> (Edwardsiella) <i>californica</i> | Daly & Ljubenkov 2008 |
| 468 | <i>Edwardsia juliae</i> | of authors NEP not (Stimpson 1853) |
| 469 | <i>Edwardsia sipunculides</i> | MEC 1992 § |
| 470 | <i>Edwardsia</i> sp G | Daly & Ljubenkov 2008 |
| 471 | <i>Edwardsia olgini</i> | Ljubenkov 1980 § in part |
| 472 | <i>Isoedwardsia</i> sp A | Ljubenkov 1980 § in part |
| 473 | <i>Isoedwardsia</i> sp B | SCAMIT 1983 § in part |
| 474 | <i>Scolanthus</i> sp A | Daly & Ljubenkov 2008 |
| 475 | <i>Edwardsia profunda</i> | SCAMIT 1983 § |
| 476 | <i>Edwardsia</i> sp A | Ljubenkov 1980 § |
| 477 | <i>Metedwardsia</i> sp A | Daly & Ljubenkov 2008 |
| 478 | <i>Scolanthus scamiti</i> | MEC 1992 § |
| 479 | <i>Scolanthus</i> sp B | Daly & Ljubenkov 2008 |
| 480 | <i>Scolanthus triangulus</i> | Ljubenkov 1980 § in part |
| 481 | <i>Isoedwardsia</i> sp A | Ljubenkov 1980 § in part |
| 482 | <i>Isoedwardsia</i> sp B | SCAMIT 1983 § in part |
| 483 | <i>Scolanthus</i> sp A | |
| 484 | Family Halcampoididae | |
| 485 | <i>Halcampoides purpurea</i> | (Studer 1879) |
| 486 | <i>Halcampa purpurea</i> | Studer 1879 |
| 487 | <i>Pentactinia californica</i> | Carlgren 1900 |
| 488 | Family Limnactiniidae | |
| 489 | Limnactiniidae sp A | SCAMIT 1989 § |
| 490 | Anthozoa #84 | Ljubenkov 1984 § |
| 491 | Family Haloclavidae | |
| 492 | <i>Anemonactis</i> sp A | Ljubenkov 1986 § |
| 493 | <i>Harenactis attenuata</i> | Torrey 1902 |
| 494 | <i>Peachia quinquecapitata</i> | McMurrich 1913 |
| 495 | Family Halcampidae | |
| 496 | <i>Cactosoma arenaria</i> | Carlgren 1931 |
| 497 | <i>Halcampa decenttentaculata</i> | Hand 1954 |
| 498 | Anthozoa #87 | Ljubenkov 1984 § |
| 499 | Anthozoa #92 | Ljubenkov 1984 § |
| 500 | Athenaria sp A | SCAMIT 1989 § |
| 501 | Halcampidae sp A | SCAMIT 1989 § |
| 502 | <i>Halianthella</i> sp A | SCAMIT 1989 § |
| 503 | Anthozoa #12 | Ljubenkov 1984 § |
| 504 | Anthozoa #21 | Ljubenkov 1984 § |

| | | |
|-----|-----------------------------------|---------------------------------|
| 505 | Anthozoa #85 | Ljubenkov 1984 § |
| 506 | Anthozoa #88 | Ljubenkov 1984 § |
| 507 | <i>Halianthella</i> sp B | Ljubenkov 1989 § |
| 508 | Anemone #109 | Ljubenkov 1984 § |
| 509 | | |
| 510 | Family Actiniidae | (Brandt 1835) |
| 511 | <i>Anthopleura elegantissima</i> | Brandt 1835 |
| 512 | <i>Anthopleura xanthogrammica</i> | (Brandt 1835) |
| 513 | <i>Actinia xanthogrammica</i> | Brandt 1835 |
| 514 | <i>Epiactis prolifera</i> | Verrill 1869 |
| 515 | <i>Epiactis fertilis</i> | Carlgren 1945 |
| 516 | <i>Urticina columbiana</i> | Verrill 1922 |
| 517 | <i>Tealia columbiana</i> | of Gotshall & Laurent 1979 |
| 518 | | |
| 519 | Family Isanthidae | SCAMIT 1989 § |
| 520 | <i>Isanthidae</i> sp A | Ljubenkov 1984 § |
| 521 | Anthozoa #96 | Hand 1955 |
| 522 | <i>Zaolutus actius</i> | of authors SCB not M. Sars 1835 |
| 523 | <i>Goniactinia prolifera</i> | |
| 524 | | Hand & Bushnell 1967 |
| 525 | Family Isopheliidae | |
| 526 | <i>Flosmaris grandis</i> | |
| 527 | | (McMurrich 1893) |
| 528 | Family Liponematidae | McMurrich 1893 |
| 529 | <i>Liponema brevicornis</i> | |
| 530 | Bolocera brevicornis | |
| 531 | | |
| 532 | Family Actinostolidae | |
| 533 | <i>Actinostola</i> sp A | Ljubenkov 1998 § |
| 534 | <i>Stomphia vinosa</i> | (McMurrich 1893) |
| 535 | <i>Paractis vinosa</i> | McMurrich 1893 |
| 536 | | |
| 537 | Family Hormathiidae | |
| 538 | <i>Amphianthus californicus</i> | Carlgren 1936 |
| 539 | <i>Stephanauge annularis</i> | Carlgren 1936 |
| 540 | <i>Stephanauge</i> sp A | Ljubenkov 1991 § |
| 541 | | |
| 542 | Family Sagartiidae | |
| 543 | <i>Sagartia catalinensis</i> | McPeak 1968 |
| 544 | | |
| 545 | Family Boloceroididae | |
| 546 | <i>Bunodeopsis</i> sp A | Ljubenkov 1998 § |
| 547 | | |
| 548 | Family Metridiidae | |
| 549 | <i>Metridium exile</i> | Hand 1956 |
| 550 | <i>Metridium farcimen</i> | (Brandt 1835) |
| 551 | Actinia farcimen | Brandt 1835 |
| 552 | Actinia priapus | Tilesius 1809 not Forskal 1775 |
| 553 | Isometridium rickettsii | Carlgren 1949 |
| 554 | Metridium giganteum | Fautin, Buckland & Hand 1990 |
| 555 | Medridium senile Cmplx | of SCAMIT Ed 3 <i>in part</i> |
| 556 | | |
| 557 | Family Diadumenidae | |
| 558 | <i>Diadumene</i> sp | |
| 559 | family uncertain | |
| 560 | Anthozoa #49 | Ljubenkov 1984 § |
| 561 | Anthozoa #76 | Ljubenkov 1984 § |
| 562 | Order Corallimorpharia | |
| 563 | | |
| 564 | Family Corallimorphidae | |
| 565 | <i>Corynactis californica</i> | Carlgren 1936 |
| 566 | | |
| 567 | Order Zoanthidea | |
| 568 | | |
| 569 | Family Zoanthidae | |
| 570 | | |
| 571 | Family Epizoanthidae | |
| 572 | <i>Epizoanthus induratum</i> | Cutress & Pequegnat 1960 |
| 573 | Epizoanthus induratus | of SCAMIT Ed 4 |
| 574 | <i>Epizoanthus leptoderma</i> | Cutress & Pequegnat 1960 |
| 575 | | |
| 576 | 562 PHYLUM PLATYHELMINTHES | |
| 577 | Class Turbellaria | |
| 578 | Order Polycladida | |
| 579 | Suborder Acotylea | |
| 580 | Superfamily Stylochoidea | |
| 581 | | |
| 582 | Family Plehnidae | |
| 583 | <i>Plehnia caeca</i> | Hyman 1953 |
| 584 | Plehnia caeca var oculifera | Hyman 1953 |
| 585 | Diplehnia caeca | of Faubel 1983 |
| 586 | Polycladida sp D | Phillips 1987 § |
| 587 | | |
| 588 | Family Latocestidae | |
| 589 | Latocestidae sp 1 | Phillips 2005 § |
| 590 | Polycladida sp S | Phillips 2004 § |
| 591 | Latocestidae sp 2 | Phillips 2006 § |
| 592 | | |
| 593 | Family Stylochidae | |

| | | |
|-----|--|---|
| 577 | <i>Kaburakia excelsa</i> | Bock 1925 |
| 578 | <i>Cryptophallus magnus</i> | Freeman 1933 |
| 579 | <i>Stylochus californicus</i> | Hyman 1953 |
| 580 | <i>Stylochus exiguus</i> | Hyman 1953 |
| 581 | <i>Imogine exiguus</i> | of SCAMIT Ed 4 |
| 582 | <i>Platyhelminthes sp E</i> | MBC 1978 § |
| 583 | <i>Platyhelminthes sp I</i> | MBC 1980 § |
| 584 | <i>Polycladida sp C</i> | Phillips 1987 § |
| 585 | <i>Polycladida sp F</i> | Phillips 1987 § |
| 586 | <i>Polycladida sp P</i> | Paquette 1980 § |
| 587 | <i>Stylochus franciscanus</i> | Hyman 1953 |
| 588 | <i>Stylochus tripartitus</i> | Hyman 1953 |
| 589 | Family Cryptocelidiidae | |
| 590 | <i>Cryptocelis occidentalis</i> | Hyman 1953 |
| 591 | <i>Polycladida sp G</i> | Phillips 1987 § |
| 592 | <i>Polycladida sp H</i> | Phillips 1987 § |
| 593 | Superfamily Planoceroidea | |
| 594 | Family Leptoplanidae | |
| 595 | <i>Armatopiana reishi</i> | (Hyman 1959) |
| 596 | <i>Stylochoplana reishi</i> | Hyman 1959 |
| 597 | <i>Stylochoplana sp HYP2</i> | Phillips 2006 § |
| 598 | <i>Diplandros singularis</i> | Hyman 1953 |
| 599 | <i>Notoplana sp</i> | |
| 600 | <i>Leptoplanidae sp A</i> | MEC 1988 § |
| 601 | <i>Polycladida sp SD1</i> | Pasko 1996 § |
| 602 | <i>Polycladida sp 41</i> | Ljubenkov 1989 § |
| 603 | <i>Leptoplanidae sp BL1</i> | Phillips 2005 § |
| 604 | <i>Leptoplanidae sp SD2</i> | Lilly & Pasko 1997 § |
| 605 | <i>Notocomplana acticola</i> | (Boone 1929) |
| 606 | <i>Notoplana acticola</i> | Boone 1929 |
| 607 | <i>Notocomplana rupicola</i> | (Heath & McGregor 1912) |
| 608 | <i>Notoplana rupicola</i> | Heath & McGregor 1912 |
| 609 | <i>Parviplana californica</i> | (Woodworth 1894) |
| 610 | <i>Stylochoplana californica</i> | Woodworth 1894 |
| 611 | <i>Polycladida sp I</i> | Phillips 1987 § |
| 612 | <i>Phaenoplana longipenis</i> | (Hyman 1953) |
| 613 | <i>Stylochoplana longipenis</i> | Hyman 1953 |
| 614 | <i>Pleioplana inquieta</i> | (Heath & McGregor 1912) |
| 615 | <i>Leptoplana inquieta</i> | Heath & McGregor 1912 |
| 616 | <i>Polycladida sp N</i> | Phillips 1987 § |
| 617 | <i>Stylochoplana heathi</i> | Boone 1929 |
| 618 | <i>Stylochoplana chloranota</i> | (Boone 1929) |
| 619 | <i>Phylloplana chloranota</i> | Boone 1929 |
| 620 | <i>Notoplana inquieta</i> | of Freeman 1933 not (Heath & McGregor 1912) |
| 621 | <i>Stylochoplana sp HYP1</i> | Phillips 1988 § |
| 622 | <i>Polycladida sp E</i> | Phillips 1988 § |
| 623 | <i>Stylochoplana sp HYP3</i> | Phillips 2006 § |
| 624 | <i>Polycladida sp A</i> | Phillips 1987 § |
| 625 | Family Hoploplanidae | |
| 626 | <i>Hoploplana californica</i> | Hyman 1953 |
| 627 | <i>Hoploplana sp A</i> | SCAMIT 2007 § |
| 628 | Family Gnesiocerotidae | |
| 629 | <i>Spinicirrus sp</i> | |
| 630 | Family Planoceridae | |
| 631 | <i>Paraplanocera oligoglena</i> | (Schmarda 1859) |
| 632 | <i>Stylochus oligoglenus</i> | Schmarda 1859 |
| 633 | <i>Polycladida sp K</i> | Phillips 1987 § |
| 634 | <i>Pseudalliotioplana californica</i> | (Heath & McGregor 1912) |
| 635 | <i>Planocera californica</i> | Heath & McGregor 1912 |
| 636 | <i>Pseudalliotioplana sandiegensis</i> | (Boone 1929) |
| 637 | <i>Planocera sandiegensis</i> | Boone 1929 |
| 638 | Family Callioplanidae | |
| 639 | <i>Discosolenia burchami</i> | (Heath & McGregor 1912) |
| 640 | <i>Planocera burchami</i> | Heath & McGregor 1912 |
| 641 | <i>Discosolenia (Planocera) burchami</i> | of Prudhoe 1985 |
| 642 | <i>Discosolenia washingtoniensis</i> | Freeman 1933 |
| 643 | <i>Koinostylochus burchami</i> | of Faubel 1983 |
| 644 | <i>Polycladida sp B</i> | Phillips 1987 § |
| 645 | <i>Pseudostylochus burchami</i> | of Hyman 1952 |
| 646 | Superfamily Cestoplanoidea | |
| 647 | Family Emprostropharyngidae | |
| 648 | <i>Emprostropharynx gracilis</i> | (Heath & McGregor 1912) |

| | | |
|-----|-------------------------------------|----------------------------------|
| 649 | Stylochoplana gracilis | Heath & MacGregor 1912 |
| 650 | superfamily uncertain | |
| 651 | family uncertain | |
| 652 | <i>Polycladida</i> sp T | Phillips 2006 § |
| 653 | <i>Polycladida</i> sp 27 | Ljubenkov 1986 § |
| 654 | Suborder Cotylea | |
| 655 | Superfamily Pseudocerotoidea | |
| 656 | Family Pseudocerotidae | |
| 657 | <i>Pseudoceros</i> sp | |
| 658 | <i>Platyhelminthes</i> sp G | Paquette 1979 § |
| 659 | Superfamily Euryleptoidea | |
| 660 | Family Euryleptidae | |
| 661 | <i>Acerotisa californica</i> | Hyman 1953 |
| 662 | <i>Polycladida</i> sp O | Phillips 1987 § |
| 663 | <i>Polycladida</i> sp P | Phillips 1990 § |
| 664 | <i>Eurylepta aurantiaca</i> | Heath & MacGregor 1912 |
| 665 | <i>Eurylepta</i> sp LA1 | Cadien 2001 § |
| 666 | <i>Eurylepta leoparda</i> | Freeman 1933 |
| 667 | <i>Prostheceraeus bellostriatus</i> | Hyman 1953 |
| 668 | <i>Stylostomum lentum</i> | Heath & MacGregor 1912 |
| 669 | Family Prostostomidae | |
| 670 | <i>Enchiridium punctatum</i> | Hyman 1953 |
| 671 | <i>Prostostomum latocelis</i> | Hyman 1953 |
| 672 | <i>Prostostomum multicelis</i> | Hyman 1953 |
| 673 | superfamily uncertain | |
| 674 | family uncertain | |
| 675 | <i>Polycladida</i> sp 43 | Ljubenkov 1989 § |
| 676 | <i>Polycladida</i> sp M | Phillips 1987 § |
| 677 | <i>Polycladida</i> sp R | Phillips 1991 § |
| 678 | suborder uncertain | |
| 679 | superfamily uncertain | |
| 680 | family uncertain | |
| 681 | <i>Polycladida</i> sp HYP2 | Phillips 2001 § |
| 682 | <i>Polycladida</i> sp SD2 | Pasko 2000 § |
| 683 | <i>Platyhelminthes</i> sp SD1 | Pasko 2000 § |
| 684 | Order Rhabdocoela | |
| 685 | <i>Neorhabdocoela</i> sp HYP1 | Phillips 2006 § |
| 686 | <i>Rhabdocoela</i> sp A | SCAMIT 1998 § |
| 687 | <i>Rhabdocoela</i> sp A | Lilly & Pasko 1997 § |
| 688 | <i>Rhabdocoela</i> sp HYP1 | Phillips 2006 § |
| 689 | <i>Rhabdocoela</i> sp HYP2 | Phillips 2006 § |
| 690 | Order Seriata | |
| 691 | Suborder Tricladida | |
| 692 | Superfamily Procerodoidea | |
| 693 | Family Procerodidae | |
| 694 | <i>Pacifides psammophilus</i> | Holmquist & Karling 1972 |
| 695 | PHYLUM NEMERTEA | |
| 696 | Class Anopla | |
| 697 | Order Archinemertea | |
| 698 | Family Cephalothricidae | |
| 699 | <i>Procephalothrix</i> sp | |
| 700 | Order Palaeonemertea | |
| 701 | Family Carinomidae | |
| 702 | <i>Carinoma mutabilis</i> | Griffin 1898 |
| 703 | <i>Carinoma griffini</i> | Coe 1901 |
| 704 | <i>Palaeonemertea</i> sp B | Paquette 1989 § |
| 705 | Family Tubulanidae | |
| 706 | <i>Carinomella lactea</i> | Coe 1905 |
| 707 | <i>Tubulanus albocinctus</i> | (Coe 1904) |
| 708 | <i>Carinella albocincta</i> | Coe 1904 |
| 709 | <i>Tubulanus capistratus</i> | (Coe 1901) |
| 710 | <i>Carinella capistrata</i> | Coe 1901 |
| 711 | <i>Tubulanus cingulatus</i> | (Coe 1904) |
| 712 | <i>Carinella cingulata</i> | Coe 1904 |
| 713 | <i>Tubulanus frenatus</i> | (Coe 1904) |
| 714 | <i>Carinella frenata</i> | Coe 1904 |
| 715 | <i>Tubulanus polymorphus</i> | Renier 1804 |
| 716 | <i>Carinella pellucida</i> | Coe 1895 |
| 717 | <i>Carinella rubra</i> | Griffin 1898 |
| 718 | <i>Carinella speciosa</i> | Coe 1901 |
| 719 | <i>Tubulanus</i> sp A | SCAMIT 2005 § |
| 720 | <i>Tubulanus nothus</i> | of authors NEP not (Bürger 1892) |

| | | |
|-----|---|--------------------------|
| 721 | <i>Tubulanus</i> sp SD1 | Pasko 2000 § |
| 722 | <i>Tubulanidae</i> sp A | SCAMIT 1995 § |
| 723 | Anopla sp A | Phillips 1987 § |
| 724 | <i>Tubulanidae</i> sp SD1 | Pasko 1998 § |
| 725 | <i>Tubulanidae</i> sp B | SCAMIT 2005 § |
| 726 | <i>Tubulanidae</i> sp C | SCAMIT 2005 § |
| 727 | Palaeonemertea sp C | SCAMIT 1995 § |
| 728 | <i>Tubulanidae</i> sp D | SCAMIT 2005 § |
| 729 | Palaeonemertea sp A | Phillips 1988 § |
| 730 | <i>Tubulanidae</i> sp E | SCAMIT 2005 § |
| 731 | Order Heteronemertea | |
| 732 | Family Lineidae | |
| 733 | <i>Cerebratulus albifrons</i> | Coe 1901 |
| 734 | <i>Cerebratulus californiensis</i> | Coe 1905 |
| 735 | <i>Cerebratulus lineolatus</i> | Coe 1905 |
| 736 | <i>Cerebratulus marginatus</i> | Renier 1804 |
| 737 | <i>Cerebratulus montgomeryi</i> | Coe 1901 |
| 738 | <i>Euborlasia nigrocincta</i> | Coe 1940 |
| 739 | <i>Lineidae</i> sp A | Paquette 1989 § |
| 740 | <i>Lineidae</i> sp HYP 1 | SCAMIT 2007 § |
| 741 | <i>Lineus bilineatus</i> | (Renier 1804) |
| 742 | <i>Cerebratulus bilineatus</i> | Renier 1804 |
| 743 | <i>Lineus albolineatus</i> | Coe 1904 |
| 744 | <i>Lineus flavescens</i> | Coe 1904 |
| 745 | <i>Lineus pictifrons</i> | Coe 1904 |
| 746 | <i>Lineus ruber</i> | (O. F. Müller 1771) |
| 747 | Planaria ruber | O. F. Müller 1771 |
| 748 | <i>Lineus viridis</i> | Coe 1901 |
| 749 | <i>Lineus rubescens</i> | Coe 1904 |
| 750 | <i>Micrura alaskenensis</i> | Coe 1901 |
| 751 | <i>Micrura olivaris</i> | Coe 1905 |
| 752 | <i>Micrura pardalis</i> | Coe 1905 |
| 753 | <i>Micrura wilsoni</i> | (Coe 1904) |
| 754 | <i>Lineus wilsoni</i> | Coe 1904 |
| 755 | Family Valenciniidae | |
| 756 | <i>Baseodiscus delineata</i> | (Delle Chiaje 1825) |
| 757 | <i>Polia delineata</i> | Delle Chiaje 1825 |
| 758 | <i>Baseodiscus princeps</i> | (Coe 1901) |
| 759 | <i>Taeniosoma princeps</i> | Coe 1901 |
| 760 | <i>Zygeupolia rubens</i> | (Coe 1895) |
| 761 | Valencinia rubens | Coe 1895 |
| 762 | Anopla sp D | SCAMIT 1995 § |
| 763 | Monostylifera sp A | Ljubenkov 1989 § |
| 764 | <i>Zygeupolia littoralis</i> | Thompson 1900 |
| 765 | order uncertain | |
| 766 | family uncertain | |
| 767 | Anopla sp C | SCAMIT 1995 § |
| 768 | Class Enopla | |
| 769 | Order Hoplonemertea | |
| 770 | Suborder Monostyliferoidea | |
| 771 | Family Carcinonemertidae | |
| 772 | <i>Carcinonemertes</i> sp | |
| 773 | Family Emplectonematidae | |
| 774 | <i>Cryptonemertes actinophila</i> | (Bürger 1904) |
| 775 | Nemertopsis actinophila | Bürger 1904 |
| 776 | Nemertopsis actinophila | of Friedrich 1958 |
| 777 | <i>Dichonemertes hartmanae</i> | Coe 1938 |
| 778 | <i>Emplectonema gracile</i> | (Johnston 1837) |
| 779 | <i>Nemertes gracilis</i> | Johnston 1837 |
| 780 | <i>Nemertopsis gracilis</i> | Coe 1904 |
| 781 | <i>Paranemertes californica</i> | Coe 1904 |
| 782 | Monostylifera sp SD1 | CSD 1994 § |
| 783 | Paranemertes sp A | SCAMIT 1984 § |
| 784 | <i>Paranemertes peregrina</i> | Coe 1901 |
| 785 | <i>Paranemertes</i> sp B | SCAMIT 2007 § |
| 786 | Paranemertes californica | of Coe 1940 not Coe 1904 |
| 787 | Family Ototyphlonemertidae | |
| 788 | <i>Ototyphlonemertes spiralis</i> | Coe 1940 |
| 789 | Ototyphlonemertes (Otohelicophora) spiralis | of Envall 1996 |
| 790 | Family Prosorochmidiae | |
| 791 | <i>Oerstedia dorsalis</i> Cmplx | |
| 792 | Planaria dorsalis | Abildgaard 1806 |

| | | |
|-----|---|-------------------------------------|
| 793 | Tetraستemma <i>dorsalis</i> | McIntosh 1873 |
| 794 | Tetraستemma (<i>Oerstedia</i>) <i>dorsale</i> | Coe 1904 |
| 795 | | |
| 796 | Family Amphiپورidae | MEC 1989 § |
| 797 | Amphiپورidae sp B | Coe 1901 |
| 798 | <i>Amphiپورus bimaculatus</i> | Chernyshev 1993 |
| 799 | Collarenemertes <i>bimaculatus</i> | (Coe 1901) |
| 800 | <i>Nipponemertes bimaculata</i> | Coe 1905 |
| 801 | <i>Amphiپورus californicus</i> | Verrill 1879 |
| 802 | <i>Amphiپورus cruentatus</i> | Coe 1905 |
| 803 | Amphiپورus <i>leptacanthus</i> | Coe 1905 |
| 804 | <i>Amphiپورus flavesens</i> | Griffin 1898 |
| 805 | <i>Amphiپورus formidabilis</i> | Griffin 1898 |
| 806 | <i>Amphiپورus imparispinosus</i> | Coe 1905 |
| 807 | <i>Amphiپورus rubellus</i> | Phillips 1988 § |
| 808 | <i>Amphiپورus</i> sp A | Phillips 1989 § |
| 809 | <i>Amphiپورus</i> sp B | (Verrill 1879) |
| 810 | <i>Zygonemertes virescens</i> | Verrill 1879 |
| 811 | <i>Amphiپورus virescens</i> | |
| 812 | | |
| 813 | Family Crateronemertidae | (Coe 1905) |
| 814 | <i>Nipponemertes pacificus</i> | Coe 1905 |
| 815 | <i>Amphiپورus pacificus</i> | (Coe 1905) |
| 816 | <i>Nipponemertes punctatulus</i> | Coe 1905 |
| 817 | Amphiپورus <i>punctatulus</i> | |
| 818 | | |
| 819 | Family Tetrastemmatidae | |
| 820 | <i>Amphinemertes caeca</i> | (Coe 1901) |
| 821 | <i>Tetraستemma caecum</i> | Coe 1901 |
| 822 | <i>Tetraستemma albidum</i> | Coe 1905 |
| 823 | Monostylifera sp B | SCAMIT 1995 § |
| 824 | Monostylifera sp C | SCAMIT 1995 § |
| 825 | Prosorochirus <i>albidus</i> | of authors NEP |
| 826 | <i>Tetraستemma bilineatum</i> | Coe 1904 |
| 827 | <i>Tetraستemma candidum</i> | (O. F. Müller 1774) |
| 828 | Planaria <i>candida</i> | O. F. Müller 1774 |
| 829 | <i>Tetraستemma nigrifrons</i> | Coe 1904 |
| 830 | Nemertea sp A | Paquette 1989 § |
| 831 | <i>Tetraستemma quadrilineatum</i> | Coe 1904 |
| 832 | <i>Tetraستemma reticulatum</i> | Coe 1904 |
| 833 | <i>Tetraستemma sexlineatum</i> | Coe 1940 |
| 834 | <i>Tetraستemma signifer</i> | Coe 1904 |
| 835 | <i>Tetraستemma</i> sp HYP1 | SCAMIT 2007 § |
| 836 | suborder uncertain | |
| 837 | family uncertain | |
| 838 | Hoploneurtea sp A | Paquette 1988 § |
| 839 | Hoploneurtea sp A | SCAMIT 2007 § |
| 840 | <i>Tetraستemma</i> sp A | SCAMIT 1995 § |
| 841 | Hoploneurtea sp B | MEC/Ljubenkov 1988 § |
| 842 | Hoploneurtea sp C | MEC 1988 § |
| 843 | Hoploneurtea sp HYP1 | SCAMIT 2007 § |
| 844 | Hoploneurtea sp HYP2 | SCAMIT 2007 § |
| 845 | order uncertain | |
| 846 | suborder uncertain | |
| 847 | family uncertain | |
| 848 | Enopla sp A | SCAMIT 1995 § |
| 849 | Enopla sp B | SCAMIT 1995 § |
| 850 | | |
| 851 | | |
| 852 | PHYLUM ENTOPROCTA | |
| 853 | Order Solitaria | |
| 854 | Family Loxosomatidae | |
| 855 | <i>Loxomespilon</i> sp | |
| 856 | <i>Loxosomella</i> sp | |
| 857 | | |
| 858 | Order Coloniales | |
| 859 | Suborder Stolonata | |
| 860 | Family Barentsiidae | |
| 861 | <i>Barentsiia benedeni</i> | (Foettinger 1887) |
| 862 | Pedicellina <i>benedeni</i> | Foettinger 1887 |
| 863 | Ascopodaria <i>gracilis</i> | of Craig 1929 not (M. Sars 1835) |
| 864 | Barentsiia <i>gracilis</i> | of Hedgpeth 1964 not (M. Sars 1835) |
| 865 | <i>Barentsiia discreta</i> | (Busk 1886) |
| 866 | Ascopodaria <i>discreta</i> | Busk 1886 |
| 867 | Ascopodaria <i>macropus</i> | Ehlers 1890 |
| 868 | Ascopodaria <i>misakiensis</i> | Oka 1890 |
| 869 | Barentsiia <i>misakiensis</i> | of Oka 1895 |
| 870 | Barentsiia <i>robusta</i> | O'Donoghue 1924 |

| | | |
|-----|---|---|
| 865 | Barentsia subrigida | Osburn 1953 |
| 866 | Barentsia timida | Verrill 1900 |
| 867 | Pedicellina australis | Jullien 1888 |
| 868 | <i>Barentsia parva</i> | (O'Donoghue & O'Donoghue 1923) |
| 869 | Gonypodaria parva | O'Donoghue & O'Donoghue 1923 |
| 870 | Ascopodaria gracilis | of Robertson 1900 not (M. Sars 1835) |
| 871 | Barentsia gracilis | of Osburn 1953 not (M. Sars 1835) |
| 872 | PHYLUM MOLLUSCA | |
| 873 | Subphylum Adenopoda | |
| 874 | Class Solenogastres | |
| 875 | Superorder Aploegementaria | |
| 876 | Order Pholidoskepia | |
| 877 | Family Gymnomeniidae | |
| 878 | <i>Neomeniomorpha</i> sp A | SCAMIT 2005 § |
| 879 | <i>Neomeniomorpha</i> sp C | SCAMIT 2005 § |
| 880 | Family Dondersiidae | |
| 881 | <i>Heathia porosa</i> | (Heath 1911) |
| 882 | <i>Ichthyomenia porosa</i> | Heath 1911 |
| 883 | Superorder Pachyegmentaria | |
| 884 | Order Cavibelonia | |
| 885 | family uncertain | |
| 886 | <i>Neomeniomorpha</i> sp B | SCAMIT 2005 § |
| 887 | Subphylum Scutopoda | |
| 888 | Class Caudofoveata | |
| 889 | Superorder Chaetodermatimorpha | |
| 890 | Order Chaetodermatida | |
| 891 | Family Chaetodermidae | |
| 892 | <i>Chaetoderma elegans</i> | Scheltema 1998 |
| 893 | <i>Chaetoderma hancocki</i> | (Schwabl 1963) |
| 894 | <i>Crystallophrisson hancocki</i> | Schwabl 1963 |
| 895 | <i>Crystallophrisson inflatum</i> | Schwabl 1963 |
| 896 | <i>Crystallophrisson rectum</i> | Schwabl 1963 in part |
| 897 | <i>Crystallophrisson riedli</i> | Schwabl 1963 in part |
| 898 | <i>Chaetoderma marinelli</i> | (Schwabl 1963) |
| 899 | <i>Crystallophrisson marinelli</i> | Schwabl 1963 |
| 900 | <i>Chaetoderma nanulum</i> | Heath 1911 |
| 901 | <i>Falcidens macracanthos</i> | of SCAMIT Ed 4 in part not Scheltema 1998 |
| 902 | <i>Falcidens</i> sp A | SCAMIT 1985 § in part |
| 903 | <i>Chaetoderma pacificum</i> | (Schwabl 1963) |
| 904 | <i>Crystallophrisson nitidulum</i> var <i>pacificum</i> | Schwabl 1963 |
| 905 | <i>Chaetoderma scabrum</i> | Heath 1911 |
| 906 | <i>Chaetoderma</i> sp A | SCAMIT 2005 § |
| 907 | Family Falcidentidae | |
| 908 | <i>Falcidens hartmanae</i> | (Schwabl 1961) |
| 909 | <i>Crystallophrisson hartmanae</i> | Schwabl 1961 |
| 910 | <i>Chaetoderma hartmanae</i> | of authors |
| 911 | <i>Falcidens longus</i> | Scheltema 1998 |
| 912 | <i>Falcidens</i> sp B | SCAMIT 1985 § |
| 913 | <i>Falcidens macracanthos</i> | Scheltema 1998 |
| 914 | <i>Falcidens</i> sp A | SCAMIT 1985 § in part |
| 915 | <i>Furcillidens incrassatus</i> | (Schwabl 1963) |
| 916 | <i>Crystallophrisson incrassatum</i> | Schwabl 1963 |
| 917 | ? <i>Chaetoderma</i> sp B | of Shrake 1985 § |
| 918 | Family Limifossoridae | |
| 919 | <i>Limifossor fratula</i> | Heath 1911 |
| 920 | Family Prochaetodermatidae | |
| 921 | <i>Spathoderma californicum</i> | (Schwabl 1963) |
| 922 | <i>Prochaetoderma californicum</i> | Schwabl 1963 |
| 923 | <i>Spathoderma</i> sp A | SCAMIT 2005 § |
| 924 | <i>Chevroderma</i> sp LA1 | Cadien 2003 § |
| 925 | Family Scutopidae | |
| 926 | <i>Psilodens</i> sp | |
| 927 | Class Polyplacophora | |
| 928 | Order Lepidopleurida | |
| 929 | Suborder Lepidopleurina | |
| 930 | Family Leptochitonidae | |
| 931 | <i>Hanleyella oldroydi</i> | (Dall 1919 ex Bartsch MS) |
| 932 | <i>Lepidopleurus</i> (<i>Leptochiton</i>) <i>oldroydi</i> | Dall 1919 ex Bartsch MS |
| 933 | <i>Leptochiton oldroydi</i> | of Burghardt & Burghardt 1969 |
| 934 | <i>Leptochiton nexus</i> | Carpenter 1864 |
| 935 | <i>Chiton</i> (<i>Leptochiton</i>) <i>nexus</i> | of Orcutt 1885 |
| 936 | <i>Lepidopleurus</i> (<i>Leptochiton</i>) <i>ambustus</i> | Dall 1919 |

| | | |
|-----------------|--|--|
| 937 | Lepidopleurus (Pilsbryella) ambustus | |
| 938 | Lepidopleurus heathi | of LeLoup 1940 |
| 939 | Lepidopleurus (Xiphiozona) heathi | of Burghardt & Burghardt 1969 |
| 940 | Lepidopleurus (Leptochiton) lycurgus | Berry 1919 |
| 941 | Lepidopleurus nexus | Dall 1919 |
| 942 | Leptochiton ambustus | of Pilsbry 1892 |
| 943 | Leptochiton lycurgus | of Smith & Gordon 1948 |
| 944 | <i>Leptochiton rugatus</i> | of Burghardt & Burghardt 1969 |
| 945 | Lepidopleurus rugatus | (Carpenter in Pilsbry 1892) |
| 946 | Lepidopleurus alasensis | Carpenter in Pilsbry 1892 |
| 947 | Lepidopleurus assimilis | Thiele 1909 |
| 948 | Leptopleurus alasensis | Thiele 1909 |
| 949 | Leptopleurus cancellatus | of Smith 1947 |
| 950 | Leptopleurus internexus | of Dall 1879 not (G. B. Sowerby II 1839) |
| 951 | <i>Oldroydia percrassa</i> | Carpenter in Pilsbry 1892 |
| 952 | Lepidopleurus (Oldroydia) percrassus | (Dall 1894) |
| 953 | | Dall 1894 |
| Order Chitonida | | |
| 954 | Suborder Chitonina | |
| 955 | Family Chaetopleuridae | |
| 956 | <i>Chaetopleura gemma</i> | Dall 1879 ex Carpenter MS |
| 957 | Family Ischnochitonidae | |
| 958 | <i>Callistochiton decoratus</i> | Pilsbry 1893 ex Carpenter MS |
| 959 | Callistochiton cthonius | Dall 1919 |
| 960 | Callistochiton cyanostrus | Dall 1919 |
| 961 | Callistochiton decoratus ferruginosus | Berry 1922 |
| 962 | Callistochiton decoratus punctocostatus | Pilsbry 1896 |
| 963 | Callistochiton diegoensis | Thiele 1910 |
| 964 | <i>Callistochiton palmulatus</i> | Dall 1879 ex Carpenter MS |
| 965 | Callistochiton acinatus | Dall 1919 |
| 966 | Callistochiton celestus | Dall 1919 |
| 967 | Callistochiton connellyi | Willert 1937 |
| 968 | Callistochiton palmulatus mirabilis | Pilsbry 1893 |
| 969 | <i>Lepidozona golisci</i> | (Berry 1919) |
| 970 | <i>Ischnochiton golishi</i> | Berry 1919 |
| 971 | <i>Lepidozona mertensi</i> | (Middendorff 1847) |
| 972 | Chiton mertensi | Middendorff 1847 |
| 973 | Ischnochiton mertensi | of Dall 1921 |
| 974 | Ischnochiton (Lepidozona) mertensi | of Abbott 1954 |
| 975 | <i>Lepidozona pectinulata</i> | (Carpenter in Pilsbry 1893) |
| 976 | Lepidopleurus pectinulatus | Carpenter in Pilsbry 1893 |
| 977 | Ischnochiton bryanti | Dall 1919 |
| 978 | Ischnochiton brunneus | Dall 1919 |
| 979 | Lepidozona californiensis | Berry 1931 |
| 980 | <i>Lepidozona radians</i> | (Carpenter in Pilsbry 1892) |
| 981 | Ischnochiton radians | Carpenter in Pilsbry 1892 |
| 982 | Ischnochiton interstinctus | of Abbott 1974 |
| 983 | <i>Lepidozona interstincta</i> | of SCAMIT Ed 5 |
| 984 | <i>Lepidozona retiporosa</i> | (Carpenter 1864) |
| 985 | Ischnochiton (Trachydermon) retiporus | Carpenter 1864 |
| 986 | Ischnochiton aureotinctus | Carpenter in Pilsbry 1892 |
| 987 | Ischnochiton venezius | Dall 1919 |
| 988 | Leptochiton punctatus | Whiteaves 1886 |
| 989 | <i>Lepidozona scabridostata</i> | (Carpenter 1864) |
| 990 | Ischnochiton (Lepidopleurus) scabridostata | Carpenter 1864 |
| 991 | Ischnochiton (Ischnochiton) scabridostata | of Pilsbry 1892 |
| 992 | Ischnochiton (Ischnochiton) golisci | of Dall 1919 |
| 993 | Ischnochiton (Lepidozona) golisci | Berry 1919 |
| 994 | Lepidopleurus scabridostata | of Carpenter 1864 |
| 995 | Lepidozona golisci | of Burghardt & Burghardt 1969 |
| 996 | Lepidozona inefficax | Berry 1963 |
| 997 | <i>Lepidozona scrobiculata</i> | (Middendorff 1847) |
| 998 | Chiton scrobiculatus | Middendorff 1847 |
| 999 | Ischnochiton sinudentatus | Carpenter in Pilsbry 1892 |
| 1000 | Ischnochiton berryi | Dall 1919 |
| 1001 | Ischnochiton gallina | Berry 1925 |
| 1002 | Ischnochiton listrum | Dall 1919 |
| 1003 | <i>Lepidozona serrata</i> | (Carpenter 1864) |
| 1004 | <i>Ischnochiton serratus</i> | Carpenter 1864 |
| 1005 | <i>Lepidozona willetti</i> | (Berry 1917) |
| 1006 | Ischnochiton willetti | Berry 1917 |
| 1007 | Ischnochiton catalinae | Willett 1931 |
| 1008 | <i>Lepidozona</i> sp A | Stebbins & Eernisse 2009 § |

| | | |
|------|---|---------------------------|
| 1009 | <i>Lepidozona</i> sp B | |
| 1010 | <i>Lepidozona</i> sp C | |
| 1011 | <i>Stenoplax corrugata</i> | |
| 1012 | <i>Ischnochiton corrugatus</i> | |
| 1013 | <i>Ischnochiton biarcuatus</i> | |
| 1014 | Suborder Acanthochitonina | |
| 1015 | Family Acanthochitonidae | |
| 1016 | <i>Acanthochitona avicula</i> | (Carpenter 1864) |
| 1017 | <i>Acanthochites avicula</i> | Carpenter 1864 |
| 1018 | <i>Acanthochites avicula</i> var diegensis | Pilsby 1893 |
| 1019 | Family Lepidochitonidae | |
| 1020 | <i>Cyanoplax dentiens</i> | (Gould 1846) |
| 1021 | <i>Chiton (onythochiton) dentiens</i> | Gould 1846 |
| 1022 | <i>Lepidochitona dentiens</i> | of authors NEP |
| 1023 | <i>Cyanoplax hartwegii</i> | (Carpenter 1855) |
| 1024 | <i>Chiton hartwegii</i> | Carpenter 1855 |
| 1025 | <i>Lepidochitona hartwegii</i> | of authors NEP |
| 1026 | <i>Lepidochitona beanii</i> | (Carpenter 1857) |
| 1027 | <i>Lepidopleurus (?) beanii</i> | Carpenter 1857 |
| 1028 | <i>Basiliochiton lobium</i> | Berry 1925 |
| 1029 | <i>Chiton bipunctatus</i> | G. B. Sowerby I 1832 |
| 1030 | <i>Chiton flavescentis</i> | Carpenter 1857 |
| 1031 | <i>?Chiton virescens</i> | Reeve 1847 |
| 1032 | <i>Tonicella (Mopaliella) stigmata</i> | Dall 1909 |
| 1033 | <i>Nuttallina californica</i> | (Reeve 1847) |
| 1034 | <i>Chiton californicus</i> | Reeve 1847 |
| 1035 | <i>Nuttallina fluxa</i> | (Carpenter 1864) |
| 1036 | <i>Acanthopleura fluxa</i> | Carpenter 1864 |
| 1037 | <i>Chiton scaber</i> | Reeve 1847 |
| 1038 | Family Mopaliidae | |
| 1039 | <i>Dendrochiton gothicus</i> | (Carpenter 1864) |
| 1040 | <i>Ischnochiton (Trachydermon) gothicus</i> | Carpenter 1864 |
| 1041 | <i>Dendrochiton thamnoporus</i> | (Berry 1911) |
| 1042 | <i>Mopalia (Dendrochiton) thamnopora</i> | Berry 1911 |
| 1043 | <i>Dentrochiton psaltes</i> | Berry 1963 |
| 1044 | <i>Lepidochitona thamnopora</i> | of SCAMIT Ed 4 |
| 1045 | <i>Mopalia imporata</i> | Carpenter 1865 |
| 1046 | <i>Mopalia lignosa</i> | (Gould 1846) |
| 1047 | <i>Chiton lignosus</i> | Gould 1846 |
| 1048 | <i>Chiton eschscholtzii</i> | von Middendorff 1847 |
| 1049 | <i>Chiton merckii</i> | von Middendorff 1847 |
| 1050 | <i>Chiton montereyensis</i> | Carpenter 1855 |
| 1051 | <i>Mopalia insignis</i> | Pilsby 1893 ex Newcomb MS |
| 1052 | <i>Mopalia lionota</i> | Pilsby 1918 |
| 1053 | <i>Mopalia lowei</i> | Pilsby 1918 |
| 1054 | <i>Mopalia muscosa</i> | (Gould 1846) |
| 1055 | <i>Chiton muscosus</i> | Gould 1846 |
| 1056 | <i>Mopalia phorminx</i> | Berry 1919 |
| 1057 | <i>Mopalia sinuata</i> | Carpenter 1864 |
| 1058 | <i>Callistochiton aepynotus</i> | Dall 1919 |
| 1059 | <i>Mopalia goniuira</i> | Dall 1919 |
| 1060 | <i>Placiphorella mirabilis</i> | Clark 1994 |
| 1061 | <i>Placiphorella velata</i> | Dall 1879 |
| 1062 | <i>Tonicella venusta</i> | Clark 1999 |
| 1063 | Subphylum Conchifera | |
| 1064 | Class Gastropoda | |
| 1065 | Subclass Eogastropoda | |
| 1066 | Superorder Patellogastropoda | |
| 1067 | Superfamily Lottioidae | |
| 1068 | Family Lottiidae | |
| 1069 | <i>Lottia austrodigitalis</i> | (Murphy 1978) |
| 1070 | <i>Collisella austrodigitalis</i> | Murphy 1978 |
| 1071 | <i>Lottia digitalis</i> | (Rathke 1833) |
| 1072 | <i>Acmaea digitalis</i> | Rathke 1833 |
| 1073 | <i>Lottia gigantea</i> | G. B. Sowerby I 1834 |
| 1074 | <i>Lottia instabilis</i> | (Gould 1846) |
| 1075 | <i>Patella (Nacella) instabilis</i> | Gould 1846 |
| 1076 | <i>Collisella ochracea</i> | of Lindberg 1981 |
| 1077 | <i>Lottia ochracea</i> | of authors NEP |
| 1078 | <i>Lottia limatula</i> | (Carpenter 1864) |
| 1079 | <i>Acmaea limatula</i> | Carpenter 1864 |
| 1080 | <i>Lottia ochracea</i> | (Dall 1871) |

| | | |
|------|---|------------------|
| 1081 | Acmaea (Collisella) patina var ochracea | Dall 1871 |
| 1082 | Collisella ochracea | of Lindberg 1981 |
| 1083 | | (Rathke 1833) |
| 1084 | | Rathke 1833 |
| 1085 | | of Lindberg 1981 |
| 1086 | | (Carpenter 1864) |
| 1087 | Acmaea (? pileolus Midd. var.) rosacea | Carpenter 1864 |
| 1088 | Tectura rosacea | of SCAMIT Ed 4 |
| 1089 | | (Gould 1846) |
| 1090 | | Gould 1846 |
| 1091 | | of Lindberg 1981 |
| 1092 | | (Carpenter 1864) |
| 1093 | | Carpenter 1864 |
| 1094 | | (Hinds 1842) |
| 1095 | | Hinds 1842 |
| 1096 | | of Lindberg 1981 |
| 1097 | | |
| 1098 | | |
| 1099 | | |
| 1100 | | |
| 1101 | Subclass Orthogastropoda | Rathke 1833 |
| 1102 | Superorder Vetigastropoda | |
| 1103 | Superfamily Fissurelloidea | |
| 1104 | | |
| 1105 | | |
| 1106 | | |
| 1107 | | |
| 1108 | | |
| 1109 | | |
| 1110 | | |
| 1111 | | |
| 1112 | | |
| 1113 | | |
| 1114 | | |
| 1115 | | |
| 1116 | | |
| 1117 | | |
| 1118 | | |
| 1119 | | |
| 1120 | | |
| 1121 | | |
| 1122 | | |
| 1123 | | |
| 1124 | | |
| 1125 | | |
| 1126 | | |
| 1127 | | |
| 1128 | | |
| 1129 | | |
| 1130 | | |
| 1131 | | |
| 1132 | | |
| 1133 | | |
| 1134 | | |
| 1135 | | |
| 1136 | | |
| 1137 | | |
| 1138 | | |
| 1139 | | |
| 1140 | | |
| 1141 | | |
| 1142 | | |
| 1143 | | |
| 1144 | | |
| 1145 | | |
| 1146 | | |
| 1147 | | |
| 1148 | | |
| 1149 | | |
| 1150 | | |
| 1151 | | |
| 1152 | | |
| | Lottia pelta | |
| | Acmaea pelta | |
| | Collisella pelta | |
| | | |
| | Lottia rosacea | |
| | Acmaea (? pileolus Midd. var.) rosacea | |
| | Tectura rosacea | |
| | | |
| | Lottia scabra | |
| | Patella scabra | |
| | Collisella scabra | |
| | | |
| | Lottia strigatella | |
| | Acmaea strigatella | |
| | | |
| | Tectura depicta | |
| | Patelloida depicta | |
| | Notoacmaea depicta | |
| | | |
| | Family Acmaeidae | |
| | Acmaea mitra | |
| | | |
| | Family Lepetidae | |
| | Iothia lindbergi | |
| | | |
| | Subclass Orthogastropoda | |
| | Superorder Vetigastropoda | |
| | Superfamily Fissurelloidea | |
| | | |
| | Family Fissurellidae | |
| | | |
| | Subfamily Fissurellinae | |
| | Fissurella volcano | |
| | | |
| | Subfamily Emarginulinae | |
| | Cranopsis multistriata | |
| | Puncturella multistriata | |
| | | |
| | Diodora aspera | |
| | Fissurella aspera | |
| | Fissuridea aspera | |
| | Glyphis aspera | |
| | | |
| | Fissurellidea bimaculata | |
| | Megatebennus bimaculatus | |
| | | |
| | Lucapinella callomarginata | |
| | Clypedella callomarginata | |
| | | |
| | Megathura crenulata | |
| | Fissurella crenulata | |
| | | |
| | Puncturella cooperi | |
| | Puncturella eyerdami | |
| | | |
| | Puncturella galeata | |
| | Rimula galeata | |
| | | |
| | Superfamily Lepetelloidea | |
| | | |
| | Family Addisoniidae | |
| | Addisonia brophyi | |
| | | |
| | Superfamily Scissurelloidea | |
| | | |
| | Family Anatomidae | |
| | Thielella kelseyi | |
| | | |
| | Scissurella (Schizotrochus) kelseyi | |
| | Anatoma crispata | |
| | Scissurella (Anatoma) crispata | |
| | | |
| | Family Scissurellidae | |
| | Sinezona rimuloides | |
| | Scissurella rimuloides | |
| | | |
| | Superfamily Seguenzioidea | |
| | | |
| | Family Cheilodontidae | |
| | | |
| | Subfamily Cheilodontinae | |
| | Turcica cafea | |
| | Turcica (Ptychostylis) cafea | |
| | Calliostoma (Turcica) cafea | |
| | Thalotia cafea | |
| | | |
| | Subfamily Calliotropinae | |
| | Cidarina cidaris | |
| | Margarita cidaris | |
| | Lischkeia cidaris | |
| | Solariella cidaris | |
| | Solariella oxybasis | |
| | Turcicula (?) cidaris | |
| | | |
| | Superfamily Trochoidea | |
| | | |
| | Family Trochidae | |
| | | |
| | Subfamily Halistylinae | |

| | | |
|------|--|-----------------------------------|
| 1153 | <i>Halistylus pupoideus</i> | (Carpenter 1864) |
| 1154 | <i>Fenella pupoidea</i> | Carpenter 1864 |
| 1155 | <i>Cantharidus (Halistylus) pupoideus</i> | of Williamson 1892 |
| 1156 | <i>Fenella subpupoidea</i> | |
| 1157 | <i>Halistylus subpeideus</i> | Tryon 1887 |
| 1158 | <i>Halistylus subpupoideus</i> | of J. Burch 1946 |
| 1159 | | of Dall 1921 |
| 1160 | Subfamily Lirulariinae | |
| 1161 | <i>Lirularia acuticostata</i> | (Carpenter 1864) |
| 1162 | <i>Margarita acuticostata</i> | Carpenter 1864 |
| 1163 | <i>Margarites acuticostatus</i> | of Keen 1937 |
| 1164 | <i>Margarites (Lirularia) acuticostata</i> | of Dall 1921 |
| 1165 | <i>Margarites (Pupillaria) acuticostatus</i> | of Palmer 1958 |
| 1166 | <i>Lirularia parcipicta</i> | (Carpenter 1864) |
| 1167 | <i>Gibbula parcipicta</i> | Carpenter 1864 |
| 1168 | <i>Margarites (Lirularia) parcipicta</i> | of Dall 1921 |
| 1169 | <i>Margarites parcipictus</i> | of Keen 1937 |
| 1170 | <i>Margarites (Pupillaria) parcipictus</i> | of Woodring, Bramlette & Kew 1946 |
| 1171 | <i>Lirularia succincta</i> | (Carpenter 1864) |
| 1172 | <i>Gibbula succincta</i> | Carpenter 1864 |
| 1173 | Family Calliostomatidae | |
| 1174 | Subfamily Calliostomatinae | |
| 1175 | <i>Calliostoma annulum</i> | (Lightfoot 1786) |
| 1176 | <i>Trochus annulum</i> | Lightfoot 1786 |
| 1177 | <i>Calliostoma canaliculatum</i> | (Lightfoot 1786) |
| 1178 | <i>Trochus canaliculus</i> | Lightfoot 1786 |
| 1179 | <i>Trochus dolarium</i> | Holten 1802 |
| 1180 | <i>Calliostoma gemmulatum</i> | (Carpenter 1864) |
| 1181 | <i>Calliostoma gloriosum</i> | Dall 1871 |
| 1182 | <i>Calliostoma keenae</i> | McLean 1970 |
| 1183 | <i>Calliostoma platimum</i> | Dall 1890 |
| 1184 | <i>Calliostoma supragranosum</i> | Carpenter 1864 |
| 1185 | <i>Calliostoma splendens</i> | Carpenter 1864 |
| 1186 | <i>Calliostoma tricolor</i> | Gabb 1865 |
| 1187 | <i>Calliostoma turbinum</i> | Dall 1896 |
| 1188 | <i>Calliostoma variegatum</i> | Carpenter 1864 |
| 1189 | | |
| 1190 | Family Solariellidae | |
| 1191 | <i>Solariella nuda</i> | Dall 1896 |
| 1192 | <i>Solariella peramabilis</i> | Carpenter 1864 |
| 1193 | <i>Solariella rhyssa</i> | Dall 1919 |
| 1194 | Superfamily Turbinoidea | |
| 1195 | Family Turbinidae | |
| 1196 | Subfamily Turbininae | |
| 1197 | <i>Megastraea turbanica</i> | (Dall 1910) |
| 1198 | <i>Pomaulax turbanicus</i> | Dall 1910 |
| 1199 | <i>Astraea (Megastraea) turbanica</i> | of Abbott 1974 |
| 1200 | <i>Astraea petrothauma</i> | Berry 1940 |
| 1201 | <i>Astraea (Uvanilla) rupicola</i> | Stohler 1959 |
| 1202 | <i>Megastraea undosa</i> | (Wood 1828) |
| 1203 | <i>Trochus undosus</i> | Wood 1828 |
| 1204 | <i>Lithopoma undosum</i> | of SCAMIT Ed 3 |
| 1205 | <i>Astraea undosa</i> | of McLean 1969 |
| 1206 | | |
| 1207 | Subfamily Colloniinae | |
| 1208 | <i>Homalopoma baculum</i> | (Carpenter 1864) |
| 1209 | <i>Leptonyx bacula</i> | Carpenter 1864 |
| 1210 | <i>Homalopoma berryi</i> | McLean 1964 |
| 1211 | <i>Homalopoma grippi</i> | (Dall 1911) |
| 1212 | <i>Leptothyra grippi</i> | Dall 1911 |
| 1213 | <i>Homalopoma luridum</i> | (Dall 1885) |
| 1214 | <i>Leptothyra sanguinea lurida</i> | Dall 1885 |
| 1215 | | |
| 1216 | Subfamily Skeneinae | |
| 1217 | <i>Skenea coronadoensis</i> | (Arnold 1903) |
| 1218 | <i>Delphinoidea coronadoensis</i> | Arnold 1903 |
| 1219 | <i>Cyclostremella californica</i> | Bartsch 1907 |
| 1220 | <i>Cyclostremella coronadoensis</i> | of SCAMIT Ed 3 |
| 1221 | <i>Skenea californica</i> | of Abbott 1974 |
| 1222 | | |
| 1223 | Subfamily Teguliniae | |
| 1224 | <i>Chlorostoma aureotincta</i> | (Forbes 1850) |
| | <i>Trochus aureotinctus</i> | Forbes 1850 |
| | <i>Tegula aureotincta</i> | of SCAMIT Ed 5 |
| | <i>Chlorostoma brunnea</i> | (Philippi 1848) |
| | <i>Tegula brunnea</i> | Philippi 1848 |
| | <i>Chlorostoma eiseni</i> | (Jordan 1936) |

| | | |
|------|---|------------------------------------|
| 1225 | <i>Tegula eiseni</i> | Jordan 1936 |
| 1226 | <i>Chlorostoma funebris</i> | (A. Adams 1855) |
| 1227 | <i>Tegula funeralis</i> | A. Adams 1855 |
| 1228 | <i>Norrisia norrisi</i> | (G. B. Sowerby I 1838) |
| 1229 | <i>Trochiscus norrisi</i> | G. B. Sowerby I 1838 |
| 1230 | <i>Promartynia pulligo</i> | (Gmelin 1791) |
| 1231 | <i>Phorcus pulligo</i> | Gmelin 1791 |
| 1232 | Family Phasianellidae | |
| 1233 | Subfamily Tricoliinae | |
| 1234 | <i>Eulithidium comptum</i> | (Gould 1855) |
| 1235 | <i>Phasianella compta</i> | Gould 1855 |
| 1236 | <i>Tricolia compta</i> | of McLean 1969 |
| 1237 | <i>Eulithidium pulloides</i> | (Carpenter 1865) |
| 1238 | <i>Phasianella compta var pulloides</i> | Carpenter 1865 |
| 1239 | <i>Eulithidium substriatum</i> | of Berry 1907 not (Carpenter 1864) |
| 1240 | <i>Phasianella (Tricolia) pulloides</i> | of Strong 1928 |
| 1241 | <i>Tricolia pulloides</i> | of McLean 1969 |
| 1242 | <i>Eulithidium rubrilineatum</i> | Strong 1928 |
| 1243 | <i>Phasianella (Eulithidium) rubrilineata</i> | Strong 1928 |
| 1244 | <i>Phasianella typica</i> | of I. Oldroyd 1927 not Dall 1908 |
| 1245 | <i>Tricolia rubrilineata</i> | of McLean 1969 |
| 1246 | <i>Eulithidium substriatum</i> | (Carpenter 1864) |
| 1247 | <i>Eucosmia (? variegata, var) substriata</i> | Carpenter 1864 |
| 1248 | <i>Phasianella (Eulithidium) substriata</i> | of Dall 1921 |
| 1249 | <i>Tricolia substriata</i> | of McLean 1969 |
| 1250 | Superorder Caenogastropoda | |
| 1251 | Order Sorbeoconcha | |
| 1252 | Superfamily Cerithioidea | |
| 1253 | Family Cerithiidae | |
| 1254 | Subfamily Alabininae | |
| 1255 | <i>Alabina phalacra</i> | Bartsch 1911 |
| 1256 | Subfamily Bittiinae | |
| 1257 | <i>Lirobittium attenuatum</i> | (Carpenter 1864) |
| 1258 | <i>Bittium attenuatum</i> | Carpenter 1864 |
| 1259 | <i>Lirobittium calenum</i> | (Dall 1919) |
| 1260 | <i>?Alabina calena</i> | Dall 1919 |
| 1261 | <i>Lirobittium fetellum</i> | (Bartsch 1911) |
| 1262 | <i>Bittium fetellum</i> | Bartsch 1911 |
| 1263 | <i>Lirobittium larum</i> | (Bartsch 1911) |
| 1264 | <i>Bittium (Lirobittium) larum</i> | Bartsch 1911 |
| 1265 | <i>Lirobittium paganicum</i> | (Dall 1919) |
| 1266 | <i>Styliidium paganicum</i> | Dall 1919 |
| 1267 | <i>Bittium (Styliidium) paganicum</i> | of Oldroyd 1927 |
| 1268 | <i>Lirobittium quadrifilatum</i> | (Carpenter 1864) |
| 1269 | <i>Bittium quadrifilatum</i> | Carpenter 1864 |
| 1270 | <i>Bittium (Semibittium) quadrifilatum</i> | of Bartsch 1911 |
| 1271 | <i>Bittium (Styliidium) quadrifilatum</i> | of Abbott 1954 |
| 1272 | <i>Lirobittium rugatum</i> | (Carpenter 1864) |
| 1273 | <i>Bittium rugatum</i> | Carpenter 1864 |
| 1274 | <i>Bittium asperum</i> | of Carpenter 1864 not Gabb 1861 |
| 1275 | <i>Bittium subplanatum</i> | Bartsch 1911 |
| 1276 | <i>Bittium (Semibittium) rugatum</i> | of Bartsch 1911 |
| 1277 | <i>Lirobittium subplanatum</i> | of Houbrick 1993 |
| 1278 | Family Litiopidae | |
| 1279 | <i>Alaba</i> sp | |
| 1280 | Family Potamididae | |
| 1281 | <i>Cerithidea californica</i> | (Haldeman 1840) |
| 1282 | <i>Cerithium californicum</i> | Haldeman 1840 |
| 1283 | Family Scaliodidae | |
| 1284 | <i>Finella</i> sp | |
| 1285 | Family Thiaridae | |
| 1286 | <i>Melanoides tuberculata</i> | (O. F. Müller 1774) |
| 1287 | <i>Nerita tuberculata</i> | O. F. Müller 1774 |
| 1288 | Family Turrillidae | |
| 1289 | <i>Turritella cooperi</i> | Carpenter 1864 |
| 1290 | <i>Turritella jewetti</i> | Carpenter 1864 |
| 1291 | <i>Turritella orthosymmetrica</i> | Berry 1953 |
| 1292 | Order Hypsogastropoda | |
| 1293 | Suborder Littorinimorpha | |
| 1294 | Superfamily Calyptraeoidea | |
| 1295 | Family Calyptraeidae | |
| 1296 | <i>Calyptaea fastigiata</i> | Gould 1846 |

| | | |
|------|--|---|
| 1297 | Galerus contortus | Carpenter 1865 |
| 1298 | Calyptraea contorta | Carpenter 1864 |
| 1299 | <i>Crepidula aculeata</i> | (Gmelin 1791) |
| 1300 | Patella aculeata | Gmelin 1791 |
| 1301 | Calyptraea echinus | Broderip 1834 |
| 1302 | Calyptraea hystrix | Broderip 1834 |
| 1303 | Crepidula californica | Tryon 1886 ex. Nuttall MS |
| 1304 | Crepidula costata | of Menke 1847 not G. B. Sowerby I 1824 |
| 1305 | Crepidula foliacea | Broderip 1834 |
| 1306 | Crepidula gravispinosa | Kuroda & Habe 1950 |
| 1307 | Crepidula maculata | Quoy & Gaimard 1832-33 |
| 1308 | Crepidula tormentosa | Quoy & Gaimard 1832-33 |
| 1309 | <i>Crepidula fornicata</i> | (Linnaeus 1758) |
| 1310 | Patella fornicata | Linnaeus 1758 |
| 1311 | <i>Crepidula glottidiarum</i> | Dall 1905 |
| 1312 | Crepidula nivea var glottidiarum | Dall 1905 |
| 1313 | Crepidula minuta | Middendorff 1849 |
| 1314 | Crepidula nivea | of authors NEP not C. B. Adams 1852 |
| 1315 | Crepidula nummaria | of Hoagland 1977 in part not Gould 1846 |
| 1316 | Crypta unguiculus | H. & A. Adams 1858 |
| 1317 | <i>Crepidula onyx</i> | G. B. Sowerby I 1824 |
| 1318 | Calyptraea amygdalus | Valenciennes 1846 |
| 1319 | Crepidula cerithicola | C. B. Adams 1852 |
| 1320 | Crepidula lirata | Reeve 1859 |
| 1321 | Crepidula rugosa | of Carpenter 1856 not Anton 1839 |
| 1322 | <i>Crepidula perforans</i> | Valenciennes 1846 |
| 1323 | Crepidula explanta | Gould 1853 |
| 1324 | Crepidula exuvias | of Reeve 1859 |
| 1325 | Crepidula fimbriata | Reeve 1859 |
| 1326 | Crepidula naviculoides | of authors NEP not G. B. Sowerby I 1824 |
| 1327 | <i>Crepipatella lingulata</i> | (Gould 1846) |
| 1328 | Crepidula lingulata | Gould 1846 |
| 1329 | Crepidula dorsata | of Hoagland 1977 |
| 1330 | Crepidatella dorsata | of SCAMIT Ed 4 |
| 1331 | <i>Crepipatella orbiculata</i> | (Dall 1919) |
| 1332 | Crepidula orbiculata | Dall 1919 |
| 1333 | Crepidatella (Verticumbo) charybdis | of Abbott 1974 |
| 1334 | Verticumbo charybdis | Berry 1940 |
| 1335 | <i>Crucibulum spinosum</i> | (G. B. Sowerby I 1824) |
| 1336 | Calyptraea spinosa | G. B. Sowerby I 1824 |
| 1337 | Calyptraea hispida | Broderip 1834 |
| 1338 | Calyptraea tubifera | Lesson 1830 |
| 1339 | Patella peziza | Wood 1828 |
| 1340 | <i>Garnotia adunca</i> | (G. B. Sowerby I 1825) |
| 1341 | Crepidula adunca | G. B. Sowerby I 1825 |
| 1342 | Crepidula aeola | Dall 1927 |
| 1343 | Crepidula rostriformis | Gould 1846 |
| 1344 | Crepidula solida | Hinds 1844 |
| 1345 | Crepidula uncata | Menke 1847 |
| 1346 | <i>Garnotia naticarum</i> | (Williamson 1905) |
| 1347 | Crepidula rugosa naticarum | Williamson 1905 |
| 1348 | Crepidula coei | Berry 1950 |
| 1349 | <i>Garnotia norissiarum</i> | (Williamson 1905) |
| 1350 | Crepidula rugosa norrisiarum | Williamson 1905 |
| 1351 | Crepidula excavata | of authors NEP not Broderip 1834 |
| 1352 | Superfamily Cypraeoidea | |
| 1353 | Family Cypraeidae | |
| 1354 | <i>Zonaria spadicea</i> | (Swainson 1823) |
| 1355 | Cypraea spadicea | Swainson 1823 |
| 1356 | Family Ovulidae | |
| 1357 | Subfamily Ovulinæ | |
| 1358 | <i>Neosimnia aequalis</i> | (G. B. Sowerby I 1832) |
| 1359 | Ovulum aequale | G. B. Sowerby I 1832 |
| 1360 | Delonovolva aequalis vidleri | of Cate 1973 |
| 1361 | <i>Ovulum vidleri</i> | G. B. Sowerby III 1881 |
| 1362 | Simnia vidleri | of McLean 1969 |
| 1363 | <i>Neosimnia barbarensis</i> | (Dall in Williamson 1892) |
| 1364 | Ovula (Simnia) deflexa var barbarensse | Dall in Williamson 1892 |
| 1365 | Neosimnia catalinensis | Berry 1916 |
| 1366 | Simnia (Neosimnia) barbarensis | of I. Oldroyd 1927 |
| 1367 | Simnia (Neosimnia) catalinensis | of I. Oldroyd 1927 |
| 1368 | Spiculata barbarensis | of Cate 1973 |

| | | |
|------|---|-------------------------------------|
| 1369 | <i>Neosimnia loebbeckeana</i> | (Weinkauff 1881) |
| 1370 | Ovula loebbeckeana | Weinkauff 1881 |
| 1371 | Simnia loebbeckeana | of Abbott 1974 |
| 1372 | Spiculata loebbeckeana | of Cate 1973 |
| 1373 | Superfamily Littorinoidea | |
| 1374 | Family Littorinidae | |
| 1375 | Subfamily Littorininae | |
| 1376 | <i>Littorina keenae</i> | Rosewater 1978 |
| 1377 | <i>Littorina planaxis</i> | of authors NEP not Philippi 1847 |
| 1378 | Subfamily Lacuninae | |
| 1379 | <i>Lacuna marmorata</i> | Dall 1919 |
| 1380 | <i>Lacuna unifasciata</i> | Carpenter in Gould & Carpenter 1856 |
| 1381 | Family Peliciidae | |
| 1382 | <i>Pelycidion kelseyi</i> | (Bartsch 1911) |
| 1383 | <i>Nodulus kelseyi</i> | Bartsch 1911 |
| 1384 | <i>Nannoteretispira kelseyi</i> | of authors NEP |
| 1385 | Superfamily Naticoidea | |
| 1386 | Family Naticidae | |
| 1387 | <i>Calinaticina oldroydii</i> | (Dall 1897) |
| 1388 | <i>Sigaretus oldroydii</i> | Dall 1897 |
| 1389 | <i>Eunaticina oldroydii</i> | of I. Oldroyd 1927 |
| 1390 | Cryptonatica affinis | (Gmelin 1791) |
| 1391 | <i>Nerita affinis</i> | Gmelin 1791 |
| 1392 | <i>Euspira draconis</i> | (Dall 1903) |
| 1393 | <i>Lunatia draconis</i> | Dall 1903 |
| 1394 | <i>Polinices draconis</i> | (Dall 1903) of authors NEP |
| 1395 | <i>Euspira lewisi</i> | (Gould 1847) |
| 1396 | <i>Natica lewisi</i> | Gould 1847 |
| 1397 | <i>Lunatia lewisi</i> | of Woodring, Bramlette & Kew 1946 |
| 1398 | <i>Natica algida</i> | Gould 1848 |
| 1399 | <i>Polinices lewisi</i> | of SCAMIT Ed 3 |
| 1400 | <i>Polinices (Euspira) algidus</i> | of I. Oldroyd 1927 |
| 1401 | <i>Glossaulax reclusianus</i> | (Deshayes 1839) |
| 1402 | <i>Natica reclusiana</i> | Deshayes 1839 |
| 1403 | <i>Neverita alta</i> | of Pilsby 1929 |
| 1404 | <i>Neverita callosa</i> | Gabb 1866 |
| 1405 | <i>Neverita reclusiana</i> | of SCAMIT Ed 4 |
| 1406 | <i>Neverita (Glossaulax) thomsonae</i> | Hickman 1969 |
| 1407 | <i>Polinices altus</i> | Arnold 1903 |
| 1408 | <i>Polinices (Neverita) reclusianus</i> | of Grant & Gale 1931 |
| 1409 | <i>Sinum scopulosum</i> | (Conrad 1849) |
| 1410 | <i>Sigaretus scopulosum</i> | Conrad 1849 |
| 1411 | <i>Sinum californicum</i> | I. Oldroyd 1917 |
| 1412 | <i>Sinum keratum</i> | Dall 1919 |
| 1413 | Superfamily Rissooidea | |
| 1414 | Family Rissoidae | |
| 1415 | Subfamily Rissoinae | |
| 1416 | <i>Alvania compacta</i> | (Carpenter 1864) |
| 1417 | <i>Rissoa compacta</i> | Carpenter 1864 |
| 1418 | <i>Rissoa acutelirata</i> | Carpenter 1864 |
| 1419 | <i>Alvania acutilirata</i> | of Bartsch 1911 |
| 1420 | Alvania purpurea | Dall 1871 |
| 1421 | <i>Alvania rosana</i> | Bartsch 1911 |
| 1422 | <i>Alvania burrardensis</i> | Bartsch 1921 |
| 1423 | <i>Alvania tumida</i> | Carpenter 1857 |
| 1424 | Family Anabathridae | |
| 1425 | <i>Amphithalamus inclusus</i> | Carpenter 1864 |
| 1426 | <i>Amphithalamus tenuis</i> | Bartsch 1911 |
| 1427 | Family Assimineidae | |
| 1428 | <i>Assiminea californica</i> | (Tryon 1865) |
| 1429 | <i>Hydrobia californica</i> | Tryon 1865 |
| 1430 | <i>Jeffreysia translucens</i> | Carpenter 1964 |
| 1431 | <i>Syndera translucens</i> | of Bartsch 1920 |
| 1432 | Family Barleeiidae | |
| 1433 | <i>Barleeia haliotiphila</i> | Carpenter 1864 |
| 1434 | <i>Barleeia californica</i> | Bartsch 1920 |
| 1435 | <i>Barleeia coronadoensis</i> | Bartsch 1920 |
| 1436 | <i>Barleeia sanjuanensis</i> | Bartsch 1920 |
| 1437 | Barleeia subtenuis | Carpenter 1864 |
| 1438 | <i>Hydrobia ulvae</i> | of Carpenter 1857 |
| 1439 | <i>Rissoa cooperi</i> | Tryon 1887 |
| 1440 | <i>Lirobarleeia kelseyi</i> | (Dall & Bartsch 1902) |

| | | |
|------|--------------------------------------|------------------------------------|
| 1441 | Rissoa kelseyi | Dall & Bartsch 1902 |
| 1442 | | |
| 1443 | Family Caecidae | Dall in Orcutt 1885 |
| 1444 | <i>Caecum californicum</i> | of Carpenter 1864 not Smith 1860 |
| 1445 | <i>Caecum cooperi</i> | Bartsch 1920 |
| 1446 | <i>Caecum dalli</i> | Bartsch 1920 |
| 1447 | <i>Caecum diegense</i> | Bartsch 1920 |
| 1448 | <i>Caecum grippi</i> | Bartsch 1920 |
| 1449 | <i>Caecum licalium</i> | Bartsch 1920 |
| 1450 | <i>Caecum orcutti</i> | Dall 1885 |
| 1451 | <i>Fartulum orcutti</i> | of McLean 2007 |
| 1452 | <i>Fartulum occidentale</i> | Bartsch 1920 |
| 1453 | <i>Caecum occidentale</i> | of SCAMIT Ed 4 |
| 1454 | <i>Fartulum bakeri</i> | Bartsch 1920 |
| 1455 | <i>Fartulum hemphilli</i> | Bartsch 1920 |
| 1456 | <i>Micranellum crebricinctum</i> | (Carpenter 1864) |
| 1457 | <i>Caecum crebricinctum</i> | Carpenter 1864 |
| 1458 | <i>Caecum barkleyense</i> | Bartsch 1920 |
| 1459 | <i>Caecum catalinense</i> | Bartsch 1920 |
| 1460 | <i>Caecum oregonense</i> | Bartsch 1920 |
| 1461 | <i>Caecum pedroense</i> | Bartsch 1920 |
| 1462 | <i>Caecum rosanum</i> | Bartsch 1920 |
| 1463 | <i>Micranellum barkleyense</i> | Bartsch 1920 |
| 1464 | <i>Micranellum catalinense</i> | Bartsch 1920 |
| 1465 | <i>Micranellum pertoense</i> | Bartsch 1920 |
| 1466 | <i>Micranellum profundicolum</i> | Bartsch 1920 |
| 1467 | <i>Micranellum oregonense</i> | Bartsch 1920 |
| 1468 | <i>Micranellum rosanum</i> | Bartsch 1920 |
| 1469 | | |
| 1470 | Family Hydrobiidae | |
| 1471 | Subfamily Cochiopinae | |
| 1472 | <i>Tryonia imitator</i> | (Pilsbry 1899) |
| 1473 | <i>Paludestrina imitator</i> | Pilsbry 1899 |
| 1474 | <i>Rissella</i> sp SD1 | Barwick 1998 § |
| 1475 | | |
| 1476 | Family Pomatiopsidae | |
| 1477 | <i>Cecina</i> sp | |
| 1478 | | |
| 1479 | Family Tornidae | |
| 1480 | Subfamily Circuliniae | |
| 1481 | <i>Circulus</i> sp | |
| 1482 | Subfamily Teinostomatinae | |
| 1483 | <i>Teinostoma supravallatum</i> | (Carpenter 1864) |
| 1484 | <i>Ethalia supravallata</i> | Carpenter 1864 |
| 1485 | <i>Ethalia invallata</i> | Carpenter 1864 |
| 1486 | <i>Pseudorotella invallata</i> | of Woodring, Bramlette & Kew 1946 |
| 1487 | <i>Pseudorotella supravallata</i> | of Woodring, Bramlette & Kew 1946 |
| 1488 | <i>Teinostoma invallata</i> | of Dall 1921 |
| 1489 | <i>Teinostoma supravallata</i> | of Dall 1921 |
| 1490 | | |
| 1491 | Subfamily Vitrinellinae | |
| 1492 | <i>Vitrinella berryi</i> | Bartsch 1907 |
| 1493 | <i>Vitrinella oldroydi</i> | Bartsch 1907 |
| 1494 | | |
| 1495 | Superfamily Tonnaidea | |
| 1496 | Family Bursidae | |
| 1497 | <i>Crossata californica</i> | (Hinds 1843) |
| 1498 | <i>Ranella californica</i> | Hinds 1843 |
| 1499 | <i>Bursa californica</i> | of Grant & Gale 1931 |
| 1500 | <i>Bursa (Bufonaria) californica</i> | of I. Oldroyd 1927 |
| 1501 | | |
| 1502 | Superfamily Vanikoroidea | |
| 1503 | Family Vanikoridae | |
| 1504 | <i>Megalomphalus californicus</i> | (Dall 1903) |
| 1505 | <i>Macromphalina californica</i> | Dall 1903 |
| 1506 | | |
| 1507 | Family Hipponicidae | |
| 1508 | <i>Antisabia panamensis</i> | (C. B. Adams 1852) |
| 1509 | <i>Hipponix panamensis</i> | C. B. Adams 1852 |
| 1510 | <i>Hipponix antiquatus</i> | of authors NEP not (Linnaeus 1767) |
| 1511 | | |
| 1512 | Superfamily Velutinoidea | |
| 1513 | Family Velutinidae | |
| 1514 | Subfamily Lamellariinae | |
| 1515 | <i>Lamellaria diegoensis</i> | Dall in Orcutt 1885 |
| 1516 | <i>Lamellaria orbiculata</i> | of Keen 1971 not Dall 1871 |
| 1517 | <i>Marsenia diegoensis</i> | of Bergh 1886 |
| 1518 | <i>Marsenina stearnsii</i> | (Dall 1871) |
| 1519 | <i>Lamellaria stearnsi</i> | Dall 1871 |
| 1520 | <i>Marseniopsis sharonaee</i> | (Willet 1939) |
| 1521 | <i>Lamellaria sharonae</i> | Willet 1939 |

| | | | |
|------|---|--|--|
| 1513 | Family Triviidae | | |
| 1514 | <i>Erato columbella</i> | Menke 1847 | |
| 1515 | <i>Hesperato columbella</i> | of Cadien 1980 | |
| 1516 | <i>Erato vitellina</i> | Hinds 1844 | |
| 1517 | <i>Trivia californiana</i> | (J. E. Gray 1827) | |
| 1518 | <i>Cypraea californiana</i> | J. E. Gray 1827 | |
| 1519 | <i>Trivia (Pusula) californiana</i> | of Abbott 1974 | |
| 1520 | <i>Trivia ritteri</i> | Raymond 1903 | |
| 1521 | <i>Decoratrvia ritteri</i> | of Cate 1979 | |
| 1522 | <i>Trivia (Dolichupis) ritteri</i> | of Abbott 1974 | |
| 1523 | Superfamily Vermetoidea | | |
| 1524 | Family Vermetidae | | |
| 1525 | Subfamily Dendropomatinae | | |
| 1526 | <i>Petaloconchus</i> sp | | |
| 1527 | Subfamily Vermetinae | | |
| 1528 | <i>Serpulorbis squamigerus</i> | (Carpenter 1857) | |
| 1529 | <i>Aletes squamigerus</i> | Carpenter 1857 | |
| 1530 | Suborder Ptenoglossa | | |
| 1531 | Superfamily Epitonoidea | | |
| 1532 | Family Epitoniidae | | |
| 1533 | <i>Epitonium bellastriatum</i> | (Carpenter 1864) | |
| 1534 | <i>Scalaria bellastrata</i> | Carpenter 1864 | |
| 1535 | <i>Asperiscala bellastrata</i> | of DuShane 1979 | |
| 1536 | <i>Epitonium (Asperiscala) bellistriatum</i> | of Palmer 1958 | |
| 1537 | <i>Scala bellastrata</i> | of Arnold 1903 | |
| 1538 | <i>Epitonium berryi</i> | (Dall 1907) | |
| 1539 | <i>Scala berryi</i> | Dall 1907 | |
| 1540 | <i>Epitonium inconspicua</i> | of Dall 1921 not G. B. Sowerby II 1847 | |
| 1541 | <i>Nitidiscala catalinense</i> | DuShane 1979 | |
| 1542 | <i>Scala rectilaminata</i> | Dall 1907 | |
| 1543 | <i>Epitonium hindsii</i> | (Carpenter 1856) | |
| 1544 | <i>Scalaria hindsii</i> | Carpenter 1856 | |
| 1545 | <i>Epitonium persuturum</i> | Dall 1917 | |
| 1546 | <i>Epitonium (Nitidiscala) contrerasi</i> | Jordan & Hertlein 1926 | |
| 1547 | <i>Epitonium (Nitidiscala) cooperi</i> | Strong 1930 | |
| 1548 | <i>Epitonium (Nitidoscala) fallaciosum</i> | Dall 1917 | |
| 1549 | <i>Nitidiscala hindsii</i> | of DuShane 1979 | |
| 1550 | <i>Scala hindsii</i> | of Arnold 1903 | |
| 1551 | <i>Epitonium indianorum</i> | (Carpenter 1864) | |
| 1552 | <i>Scalaria indianorum</i> | Carpenter 1864 | |
| 1553 | <i>Epitonium columbianum</i> | Dall 1917 | |
| 1554 | <i>Epitonium montereyense</i> | Dall 1917 | |
| 1555 | <i>Epitonium (Nitidoscala) indianorum</i> | of Dall 1917 | |
| 1556 | <i>Nitidiscala indianorum</i> | of DuShane 1979 | |
| 1557 | <i>Scala indianorum</i> | of Arnold 1903 | |
| 1558 | <i>Scalaria regiomontana</i> | Dall in DeBoury 1919 | |
| 1559 | <i>Epitonium lowei</i> | (Dall 1906) | |
| 1560 | <i>Scala lowei</i> | Dall 1906 | |
| 1561 | <i>Asperiscala lowei</i> | of DuShane 1979 | |
| 1562 | <i>Epitonium (Asperiscala) lowei</i> | of Keen 1971 | |
| 1563 | <i>Epitonium (Asperoscala) lowei</i> | of Dall 1921 | |
| 1564 | <i>Epitonium minuticosta</i> | (De Boury 1912) | |
| 1565 | <i>Scala (Viciniscala) minuticosta</i> | De Boury 1912 | |
| 1566 | <i>Epitonium politum</i> | (G. B. Sowerby II 1844) | |
| 1567 | <i>Scalaria polita</i> | G. B. Sowerby II 1844 | |
| 1568 | <i>Depressiscala polita</i> | of DuShane 1979 | |
| 1569 | <i>Epitonium implicatum</i> | Dall & Ochsner 1928 | |
| 1570 | <i>Epitonium (Nitidiscala) pedroanum</i> | Willett 1932 | |
| 1571 | <i>Epitonium (Nitidoscala) appressicostatum</i> | Dall 1917 | |
| 1572 | <i>Epitonium sawinae</i> | (Dall 1903) | |
| 1573 | <i>Scala sawinae</i> | Dall 1903 | |
| 1574 | <i>Epitonium berryi</i> | of Dall 1917 not (Dall 1907) | |
| 1575 | <i>Epitonium regium</i> | Dall 1917 | |
| 1576 | <i>Epitonium tabulatum</i> | Dall 1917 | |
| 1577 | <i>Epitonium (Crisposcala) acrostephanus</i> | Dall 1908 | |
| 1578 | <i>Epitonium (Crisposcala) catalinae</i> | Dall 1908 | |
| 1579 | <i>Nitidiscala sawinae</i> | of Dushane 1979 | |
| 1580 | <i>Epitonium tinctum</i> | (Carpenter 1865) | |
| 1581 | <i>Scalaria (? Indianorum var.) tincta</i> | Carpenter 1865 | |
| 1582 | <i>Epitonium continuatum</i> | T. Oldroyd 1925 | |
| 1583 | <i>Epitonium (Nitidiscala) eelense</i> | Durham 1937 | |
| 1584 | <i>Epitonium (Nitidoscala) tinctum var bormanni</i> | Strong 1941 | |

| | | |
|------|---|--|
| 1585 | Nitidiscala tincta | |
| 1586 | Scala tincta | of DuShane 1979 |
| 1587 | Scalaria subcoronata | of Arnold 1903 |
| 1588 | | Carpenter 1864 |
| 1589 | <i>Nodiscala spongiosa</i> | (Carpenter 1864) |
| 1590 | Opalia spongiosa | Carpenter 1864 |
| 1591 | Epitonium (Nodiscala) spongiosum | of I. Oldroyd 1927 |
| 1592 | Opalia retiporosa | Carpenter 1864 |
| 1593 | Opalia (Dentiscalpa) spongiosa | of Abbott 1974 |
| 1594 | Opalia (Nodiscala) spongiosa | of Palmer 1958 |
| 1595 | | Keep 1881 |
| 1596 | <i>Opalia borealis</i> | of Dall 1917 |
| 1597 | Epitonium (Opalia) wroblewskii | Strong 1937 |
| 1598 | Opalia chacei | of Emerson 1956 |
| 1599 | Opalia wroblewskyi chacei | Mörch 1875 |
| 1600 | Scala Wroblewskyi | of Tapparone-Caneffri 1876 not Deshayes 1861 |
| 1601 | Scalaria (Psychrosoma) gouldi | (Carpenter 1857) |
| 1602 | | Carpenter 1857 |
| 1603 | <i>Opalia funiculata</i> | Dall 1917 |
| 1604 | Scalaria (Cirostrema) funiculata | Dall 1917 |
| 1605 | Dentiscalpa crenimarginata | of I. Oldroyd 1927 |
| 1606 | Dentiscalpa nesiota | of I. Oldroyd 1927 |
| 1607 | Epitonium (Dentiscalpa) nesioticum | of Abbott 1974 |
| 1608 | Epitonium (Dentiscalpa) crenimarginatum | Carpenter 1864 |
| 1609 | Opalia crenimarginata | of Dall 1917 |
| 1610 | Opalia insculpta | of DeBoury 1919 |
| 1611 | Opalia (Dentiscalpa) insculpta | (Dall 1907) |
| 1612 | Scala crenimarginata | Dall 1907 |
| 1613 | | of I. Oldroyd 1927 |
| 1614 | <i>Opalia montereyensis</i> | of Abbott 1974 |
| 1615 | Scala (Cirostrema) montereyensis | of Dall 1917 |
| 1616 | Epitonium (Opalia) evictum | DeBoury 1919 |
| 1617 | Opalia evicta | |
| 1618 | Opalia pluricostata | |
| 1619 | Scala evicta | |
| 1620 | | |
| 1621 | Superfamily Eulimoidea | |
| 1622 | | |
| 1623 | Family Eulimidae | |
| 1624 | | |
| 1625 | <i>Balcis berryi</i> | (Bartsch 1917) |
| 1626 | Melanella berryi | Bartsch 1917 |
| 1627 | | (Carpenter 1864) |
| 1628 | <i>Balcis compacta</i> | Carpenter 1864 |
| 1629 | Eulima compacta | of Dall 1921 |
| 1630 | Melanella compacta | (Carpenter 1864) |
| 1631 | | Carpenter 1864 |
| 1632 | <i>Balcis micans</i> | Bartsch 1917 |
| 1633 | Eulima micans | of I. Oldroyd 1927 |
| 1634 | Melanella comoxensis | of Abbott 1974 |
| 1635 | Melanella micans | of Bailey 1935 |
| 1636 | Melanella (Balcis) micans | (Bartsch 1917) |
| 1637 | Melanella (Eulima) micans | Bartsch 1917 |
| 1638 | | Bartsch 1917 |
| 1639 | <i>Balcis oldroydae</i> | SCAMIT 2003 § |
| 1640 | Melanella (Melanella) oldroydi | Barwick & Douglass 2003 § |
| 1641 | Melanella (Melanella) micans borealis | Barwick & Douglass 2003 § |
| 1642 | | (Bartsch 1917) |
| 1643 | <i>Balcis</i> sp A | Bartsch 1917 |
| 1644 | <i>Balcis</i> sp SD1 | Rivers 1904 |
| 1645 | <i>Balcis</i> sp SD2 | of Cadieu 1980 |
| 1646 | <i>Eulima almo</i> | Bartsch 1917 |
| 1647 | Strombiformis almo | of Abbott 1974 |
| 1648 | <i>Eulima raymondi</i> | Bartsch 1917 |
| 1649 | Eulima californica | Bartsch 1917 |
| 1650 | Strombiformis californica | Bartsch 1917 |
| 1651 | Strombiformis californicus | Bartsch 1917 |
| 1652 | Strombiformis lapazana | Bartsch 1917 |
| 1653 | Strombiformis riversi | Bartsch 1917 |
| 1654 | Strombiformis townsendi | Bartsch 1917 |
| 1655 | <i>Melanella rosa</i> | Willett 1944 |
| 1656 | <i>Melanella thersites</i> | (Carpenter 1864) |
| | Eulima thersites | Carpenter 1864 |
| | | (Hertz & Hertz 1982) |
| | <i>Niso attilioi</i> | Hertz & Hertz 1982 |
| | <i>Eulimostraca attilioi</i> | (Carpenter 1866) |
| | <i>Polygireulima rutila</i> | Carpenter 1866 |
| | Eulima rutila | of J. Burch 1945 |
| | Balcis rutila | of I. Oldroyd 1927 |
| | Melanella rutila | of Abbott 1974 |
| | Melanella (Balcis) rutila | of Bartsch 1917 |
| | Melanella (Melanella) rutila | (Bartsch 1917) |
| | <i>Pseudosabinella bakeri</i> | Bartsch 1917 |
| | Sabinella bakeri | |

| | | |
|------|--|---------------------|
| 1657 | <i>Alaba catalinensis</i> | Bartsch 1920 |
| 1658 | <i>Alaba serrana</i> | Smith & Gordon 1948 |
| 1659 | <i>Melanella (Sabinella) bakeri</i> | of I. Oldroyd 1927 |
| 1660 | <i>Vitreolina columbiana</i> | (Bartsch 1917) |
| 1661 | <i>Melanella (Balcis) columbiana</i> | Bartsch 1917 |
| 1662 | <i>Balcis (Vitreolina) titubans</i> | Berry 1956 |
| 1663 | <i>Melanella columbiana</i> | of I. Oldroyd 1927 |
| 1664 | <i>Melanella (Balcis) grippi</i> | Bartsch 1917 |
| 1665 | <i>Vitreolina macra</i> | (Bartsch 1917) |
| 1666 | <i>Melanella (Balcis) macra</i> | Bartsch 1917 |
| 1667 | <i>Balcis (Vitreolina) obstipa</i> | Berry 1954 |
| 1668 | <i>Melanella macra</i> | of I. Oldroyd 1917 |
| 1669 | <i>Melanella (Balcis) catalinensis</i> | Bartsch 1917 |
| 1670 | <i>Melanella (Balcis) prefalcata</i> | Bartsch 1917 |
| 1671 | <i>Vitreolina yod</i> | (Carpenter 1857) |
| 1672 | <i>Leiostraca yod</i> | Carpenter 1857 |
| 1673 | <i>Melanella yod</i> | of Bartsch 1917 |
| 1674 | <i>Melanella taravali</i> | Bartsch 1917 |
| 1675 | | Hemphill 1894 |
| 1676 | | |
| 1677 | | |
| 1678 | | |
| 1679 | | |
| 1680 | | |
| 1681 | | |
| 1682 | | |
| 1683 | | |
| 1684 | | |
| 1685 | | |
| 1686 | | |
| 1687 | | |
| 1688 | | |
| 1689 | | |
| 1690 | | |
| 1691 | | |
| 1692 | | |
| 1693 | | |
| 1694 | | |
| 1695 | | |
| 1696 | | |
| 1697 | | |
| 1698 | | |
| 1699 | | |
| 1700 | | |
| 1701 | | |
| 1702 | | |
| 1703 | | |
| 1704 | | |
| 1705 | | |
| 1706 | | |
| 1707 | | |
| 1708 | | |
| 1709 | | |
| 1710 | | |
| 1711 | | |
| 1712 | | |
| 1713 | | |
| 1714 | | |
| 1715 | | |
| 1716 | | |
| 1717 | | |
| 1718 | | |
| 1719 | | |
| 1720 | | |
| 1721 | | |
| 1722 | | |
| 1723 | | |
| 1724 | | |
| 1725 | | |
| 1726 | | |
| 1727 | | |
| 1728 | | |
| | Family Aclididae | |
| | <i>Aclis occidentalis</i> | |
| | | |
| | Superfamily Triphoroidea | |
| | | |
| | Family Cerithiopsidae | |
| | Subfamily Cerithiopsinae | |
| | <i>Cerithiopsis carpenteri</i> | Bartsch 1911 |
| | <i>Seila monterevensis</i> | Bartsch 1907 |
| | | |
| | Family Triphoridae | |
| | <i>Triphora catalinensis</i> | (Bartsch 1907) |
| | <i>Triphoris catalinensis</i> | Bartsch 1907 |
| | | |
| | Suborder Neogastropoda | |
| | Superfamily Buccinoidea | |
| | | |
| | Family Buccinidae | |
| | Subfamily Buccininae | |
| | <i>Kelletia kelletii</i> | (Forbes 1850) |
| | <i>Fusus kelletii</i> | Forbes 1850 |
| | <i>Kelletia kelletii</i> | of I. Oldroyd 1927 |
| | <i>Siphonalia kelletii</i> | of Arnold 1903 |
| | <i>Neptunea tabulata</i> | (Baird 1863) |
| | <i>Chrysodomus tabulata</i> | Baird 1863 |
| | <i>Chrysodomus bairdi</i> | Dall 1909 |
| | | |
| | Family Columbellidae | |
| | Subfamily Columbellinae | |
| | <i>Aesopus eurytoides</i> | (Carpenter 1864) |
| | <i>Truncaria euryoides</i> | Carpenter 1864 |
| | <i>Aesopus subterritus</i> | (Carpenter 1866) |
| | <i>Anachis subterritus</i> | Carpenter 1866 |
| | <i>Anachis petravis</i> | Dall 1908 |
| | <i>Alia carinata</i> | (Hinds 1844) |
| | <i>Columbella carinata</i> | Hinds 1844 |
| | <i>Mitrella californica</i> | (Gaskoin 1852) |
| | <i>Mitrella carinata</i> | of McLean 1969 |
| | <i>Nitidella carinata</i> | of I. Oldroyd 1927 |
| | <i>Alia tuberosa</i> | (Carpenter 1864) |
| | <i>Amycلا tuberosa</i> | Carpenter 1864 |
| | <i>Astyris tuberosa</i> | of Kepp 1888 |
| | <i>Columbella tuberosa</i> | of I. Oldroyd 1927 |
| | <i>Columbella (Alia) tuberosa</i> | of Dall 1921 |
| | <i>Columbella (Astyris) tuberosa</i> | of Williamson 1892 |
| | <i>Columbella (Mitrella) tuberosa</i> | of Tryon 1883 |
| | <i>Mitrella tuberosa</i> | of McLean 1969 |
| | <i>Amphissa bicolor</i> | Dall 1892 |
| | <i>Amphissa reticulata</i> | Dall 1916 |
| | <i>Amphissa versicolor</i> var <i>reticulata</i> | Dall 1916 |
| | <i>Amphissa undata</i> | (Carpenter 1864) |
| | <i>Amycلا undata</i> | Carpenter 1864 |
| | <i>Amphissa ventricosa</i> | Arnold 1903 |
| | <i>Columbella undata</i> | of Tryon 1883 |
| | <i>Amphissa versicolor</i> | Dall 1871 |
| | <i>Amphissa incisa</i> | Dall 1916 |
| | <i>Amphissa lineata</i> | Stearns 1872 |
| | <i>Astyris aurantiaca</i> | Dall 1871 |
| | <i>Astyris clementensis</i> | Bartsch 1927 |
| | <i>Mitrella aurantiaca</i> | of McLean 1969 |

| | | |
|------|---|--|
| 1729 | <i>Astyris gausapata</i> | (Gould 1850) |
| 1730 | <i>Columbella gausapata</i> | Gould 1850 |
| 1731 | <i>Alia casciana</i> | Dall 1919 |
| 1732 | <i>Columbella dalli</i> | E. A. Smith 1880 |
| 1733 | <i>Mitrella gouldi</i> | of Grant & Gale 1931 |
| 1734 | <i>Nitidella gouldii</i> | Carpenter in Gould & Carpenter 1857 |
| 1735 | <i>Nitidella lutulenta</i> | Dall 1919 |
| 1736 | <i>Astyris permodesa</i> | (Dall 1890) |
| 1737 | <i>Columbella permodesa</i> | Dall 1890 |
| 1738 | <i>Columbella (Astyris) permodesa</i> | of Oldroyd 1927 |
| 1739 | <i>Mitrella permodesa</i> | of Abbott 1974 |
| 1740 | <i>Decipifus penicillata</i> | (Carpenter 1864) |
| 1741 | ? <i>Anachis penicillata</i> | Carpenter 1864 |
| 1742 | <i>Anachis (Chauvetia) penicillata</i> | of Grant & Gale 1931 |
| 1743 | <i>Columbella (Anachis) penicillata</i> | of Dall 1921 |
| 1744 | <i>Columbella (Seminella) penicillata</i> | of Tryon 1883 |
| 1745 | <i>Nassarina penicillata</i> | of McLean 1969 |
| 1746 | Family Fasciolariidae | |
| 1747 | Subfamily Fusininae | |
| 1748 | <i>Aptyxis luteopictus</i> | (Dall 1877) |
| 1749 | <i>Fusus luteopictus</i> | Dall 1877 |
| 1750 | <i>Fusinus (Aptyxis) luteopictus</i> | of Abbott 1974 |
| 1751 | <i>Barbarofusus barbarensis</i> | (Trask 1855) |
| 1752 | <i>Fusus barbarensis</i> | Trask 1855 |
| 1753 | <i>Fusinus barbarensis</i> | of McLean 1996 |
| 1754 | <i>Harfordia</i> sp | |
| 1755 | Family Nassariidae | |
| 1756 | Subfamily Nassariinae | |
| 1757 | <i>Arcularia tiarula</i> | (Kiener 1841) |
| 1758 | <i>Nassa tiarula</i> | Kiener 1841 |
| 1759 | <i>Alectron tegula</i> | of Jordan 1924 |
| 1760 | <i>Alectron (Schizopyga) tegulus</i> | of Oldroyd 1927 |
| 1761 | <i>Alectron (Zeuxis) tegula</i> | of Dall 1921 |
| 1762 | <i>Nassa tegula</i> | Reeve 1853 |
| 1763 | <i>Nassarius tegula</i> | of McLean 1969 |
| 1764 | <i>Nassarius tiarula</i> | of SCAMIT Ed 4 |
| 1765 | <i>Caesia delosi</i> | (Woodring in Woodring, Bramlette & Kew 1946) |
| 1766 | <i>Nassarius delosi</i> | Woodring in Woodring, Bramlette & Kew 1946 |
| 1767 | <i>Schizopyga californica</i> | of authors not Conrad 1856 |
| 1768 | <i>Caesia fossatus</i> | (Gould 1850) |
| 1769 | <i>Buccinum fossatum</i> | Gould 1850 |
| 1770 | <i>Alectron (Schizopyga) fossatus</i> | of I. Oldroyd 1927 |
| 1771 | <i>Nassa fossata</i> | of Keep 1888 |
| 1772 | <i>Nassarius fossatus</i> | of McLean 1978 |
| 1773 | <i>Schizopyga fossata</i> | of Dall 1921 |
| 1774 | <i>Caesia perpinguis</i> | (Hinds 1844) |
| 1775 | <i>Nassa perpinguis</i> | Hinds 1844 |
| 1776 | <i>Alectron perpinguis</i> | of Dall 1917 |
| 1777 | <i>Nassarius perpinguis</i> | of McLean 1996 |
| 1778 | <i>Hima mendica</i> | (Gould 1850) |
| 1779 | <i>Nassa mendica</i> | Gould 1850 |
| 1780 | <i>Alectron (Schizopyga) mendicus</i> | of I. Oldroyd 1927 |
| 1781 | <i>Nassarius cooperi</i> | (Forbes 1852) |
| 1782 | <i>Nassarius indisputabilis</i> | (I. Oldroyd 1927) |
| 1783 | <i>Nassarius mendicus</i> | of McLean 1978 |
| 1784 | <i>Hinea insculpta</i> | (Carpenter 1864) |
| 1785 | <i>Nassa insculpta</i> | Carpenter 1864 |
| 1786 | <i>Alectron insculptus</i> | of Dall 1917 |
| 1787 | <i>Alectron insculptusvar eupleura</i> | Dall 1917 |
| 1788 | <i>Alectron (Schizopyga) insculptus</i> | of I. Oldroyd 1927 |
| 1789 | <i>Nassarius insculptus</i> | of McLean 1996 |
| 1790 | <i>Nassarius insculptus gordanus</i> | Hertlein & Strong 1951 |
| 1791 | <i>Zeuxis insculptus</i> | of Dall 1921 |
| 1792 | Superfamily Muricoidea | |
| 1793 | Family Muricidae | |
| 1794 | Subfamily Coralliophillinae | |
| 1795 | <i>Babelomurex oldroydi</i> | (I. Oldroyd 1929) |
| 1796 | <i>Latiaxis oldroydi</i> | I. Oldroyd 1929 |
| 1797 | Subfamily Muricopsinae | |
| 1798 | <i>Maxwellia gemma</i> | (G. B. Sowerby II 1879) |
| 1799 | <i>Murex gemma</i> | G. B. Sowerby II 1879 |
| 1800 | <i>Maxwellia santarosana</i> | (Dall 1905) |

| | | |
|------|--|-----------------------------|
| 1801 | Murex (Phyllonotus) santarosana | Dall 1905 |
| 1802 | Murex (Murexiella) santarosanus | of Abbott 1974 |
| 1803 | Murexiella santarosana | of Keen 1971 |
| 1804 | | |
| 1805 | | |
| 1806 | | |
| 1807 | | |
| 1808 | | |
| 1809 | | |
| 1810 | | |
| 1811 | | |
| 1812 | | |
| 1813 | | |
| 1814 | | |
| 1815 | | |
| 1816 | | |
| 1817 | | |
| 1818 | | |
| 1819 | | |
| 1820 | | |
| 1821 | | |
| 1822 | | |
| 1823 | | |
| 1824 | | |
| 1825 | | |
| 1826 | | |
| 1827 | | |
| 1828 | | |
| 1829 | | |
| 1830 | | |
| 1831 | | |
| 1832 | | |
| 1833 | | |
| 1834 | | |
| 1835 | | |
| 1836 | | |
| 1837 | | |
| 1838 | | |
| 1839 | | |
| 1840 | | |
| 1841 | | |
| 1842 | | |
| 1843 | | |
| 1844 | | |
| 1845 | | |
| 1846 | | |
| 1847 | | |
| 1848 | | |
| 1849 | | |
| 1850 | | |
| 1851 | | |
| 1852 | | |
| 1853 | | |
| 1854 | | |
| 1855 | | |
| 1856 | | |
| 1857 | | |
| 1858 | | |
| 1859 | | |
| 1860 | | |
| 1861 | | |
| 1862 | | |
| 1863 | | |
| 1864 | | |
| 1865 | | |
| 1866 | | |
| 1867 | | |
| 1868 | | |
| 1869 | | |
| 1870 | | |
| 1871 | | |
| 1872 | | |
| | Subfamily Ocinebrinae | |
| | <i>Acanthinucella punctulata</i> | (G. B. Sowerby I 1835) |
| | Monoceros punctulata | G. B. Sowerby I 1835 |
| | <i>Acanthinucella spirata</i> | (de Blainville 1832) |
| | Purpura spirata | de Blainville 1832 |
| | Acanthina spirata | of McLean 1978 |
| | Monoceros engonatum | of Keep 1888 |
| | <i>Austrotrophon catalinensis</i> | (I. Oldroyd 1927) |
| | Trophon (Austrotrophon) catalinensis | I. Oldroyd 1927 |
| | <i>Forreria (Austrotrophon) catalinensis</i> | of Grant & Gale 1931 |
| | Trophon (Austrotrophon) cerrosensis catalinensis | of Abbott 1974 |
| | <i>Ceratostoma nuttalli</i> | (Conrad 1837) |
| | Murex (Ceratostoma) nuttalli | Conrad 1837 |
| | Ceratostoma (Ceratostoma) nuttalli | of Abbott 1974 |
| | Purpura nuttallii albescens | Dall 1919 |
| | Purpura nuttallii albofasciata | Dall 1919 |
| | Purpura (Purpura) nuttalli | of Grant & Gale 1931 |
| | Pterynotus aciculiger | Valenciennes 1846 |
| | <i>Forreria belcheri</i> | (Hinds 1843) |
| | Murex belcheri | Hinds 1843 |
| | Chorus belcheri | of Arnold 1903 |
| | <i>Mexacanthina lugubris</i> | (G. B. Sowerby I 1822) |
| | Monoceros lugubris | G. B. Sowerby I 1822 |
| | Acanthina lugubris | of authors NEP |
| | Acanthina tyrianthina | Berry 1957 |
| | <i>Nucella emarginata</i> | (Deshayes 1839) |
| | Purpura emarginata | Deshayes 1839 |
| | <i>Nucella lamellosa</i> | (Gmelin 1791) |
| | Buccinum lamellosa | Gmelin 1791 |
| | Thais franciscana | Dall 1915 |
| | Thais neptunea | Dall 1915 |
| | Thais sitkana | Dall 1915 |
| | <i>Nucella ostrina</i> | (Gould 1852) |
| | Purpura ostrina | Gould 1852 |
| | Thais emarginata var projecta | Dall 1915 |
| | <i>Ocinebrina barbarensis</i> | (Gabb 1865) |
| | Murex (Muricidea) barbarensis | Gabb 1865 |
| | Ocenebra barbarensis | of McLean 1978 |
| | Ocenebra crispatissima | Berry 1953 |
| | Tritonalia barbarensis | of Dall 1921 |
| | <i>Ocinebrina beta</i> | (Dall 1919) |
| | Tritonalia interfossa beta | Dall 1919 |
| | Ocenebra beta | of Abbott 1974 |
| | Ocenebra keenae | Bormann 1946 |
| | <i>Ocinebrina circumtexta</i> | Stearns 1871 |
| | <i>Ocinebrina foveolata</i> | (Hinds 1844) |
| | Murex foveolatus | Hinds 1844 |
| | Ocenebra foveolata | of Radwin & D'Attilio 1976 |
| | Tritonalia epiphanea | Dall 1919 |
| | Tritonalia fusconotata | Dall 1919 |
| | Trophon squamulifer | Carpenter in Gabb 1869 |
| | <i>Ocinebrina interfossa</i> | Carpenter 1864 |
| | <i>Pteropurpura festiva</i> | (Hinds 1844) |
| | Murex festivus | Hinds 1844 |
| | Pteropurpura (Shaskyus) festiva | of Abbott 1974 |
| | Purpura (Jaton) festiva | of Grant & Gale 1931 |
| | Shaskyus festivus | of J. Burch & Campbell 1963 |
| | <i>Pteropurpura macroptera</i> | (Deshayes 1839) |
| | Murex macropterus | Deshayes 1839 |
| | Murex alba | Berry 1908 |
| | Murex petri | Dall 1900 |
| | Murex tremperi | Dall 1910 |
| | Pteronotus carpenteri | Dall 1899 |
| | <i>Pteropurpura trialata</i> | (G. B. Sowerby II 1834) |
| | Murex trialatus | G. B. Sowerby II 1834 |
| | Alipurpura trialata | of Dall 1921 |
| | <i>Pteropurpura vokesae</i> | Emerson 1964 |
| | Murex rhysuss | Dall 1919 not Tate 1888 |
| | <i>Roperia poulsoni</i> | (Carpenter 1864) |

| | | |
|------|---|---|
| 1873 | Ocenebra pouloni | Carpenter 1864 |
| 1874 | Fusus roperi | Dall 1898 |
| 1875 | | (de Blainville 1832) |
| 1876 | Subfamily Rapaninae | Blainville 1832 |
| 1877 | <i>Stramonita biserialis</i> | Valenciennes 1846 |
| 1878 | Purpura beserialis | Keen 1971 |
| 1879 | Purpura haematura | |
| 1880 | Thais (Stramonita) biserialis | |
| 1881 | | Dall 1902 |
| 1882 | Subfamily Trophoninæ | Dall 1908 |
| 1883 | <i>Boreotrophon avalonensis</i> | of I. Oldroyd 1927 |
| 1884 | <i>Boreotrophon bentleyi</i> | Dall 1902 |
| 1885 | Trophon (Neptunea) bentleyi | of I. Oldroyd 1927 |
| 1886 | <i>Boreotrophon eucymatus</i> | (Eschscholtz 1829) |
| 1887 | Trophon (Neptunea) eucymatus | Eschscholtz 1829 |
| 1888 | <i>Boreotrophon multicostatus</i> | McLean 1996 |
| 1889 | Murex multicostatus | of Myers & D'Attilio 1980 in part not (Dall 1891) |
| 1890 | <i>Scabrotrophon grovesi</i> | of Willett 1938 in part not (Dall 1919) |
| 1891 | Nipponotrophon scitulus | (Kobelt & Küster 1878) |
| 1892 | Trophon lasius | Kobert & Küster 1878 |
| 1893 | <i>Scabrotrophon maltzani</i> | of Radwin & D'Attilio 1976 not (Dall 1919) |
| 1894 | Trophon maltzani | of Houart 1985 |
| 1895 | Nipponotrophon lasius | of Roth 1981 |
| 1896 | Nipponotrophon maltzani | G. B. Sowerby II 1880 |
| 1897 | Nipponotrophon subserratus | of Willett 1938 in part not (Dall 1919) |
| 1898 | Trophon subserratus | of Abbott 1974 in part not (Dall 1919) |
| 1899 | Trophon (Trophonopsis) lasius | |
| 1900 | Trophonopsis lasius | |
| 1901 | | Family Marginellidae |
| 1902 | | Subfamily Marginellinae |
| 1903 | <i>Volvarina taeniolata</i> | Mörch 1860 |
| 1904 | Volvarina californica | Tomlin 1816 |
| 1905 | Volvarina parallela | Dall 1918 |
| 1906 | | Family Cysticidae |
| 1907 | | Subfamily Granuliniae |
| 1908 | <i>Gibberula subtrigona</i> | (Carpenter 1864) |
| 1909 | Marginella subtrigona | Carpenter 1864 |
| 1910 | Granula subtrigona | of authors NEP |
| 1911 | Hyalina (Cystiscus) subtrigona | of Grant & Gale 1931 |
| 1912 | <i>Persicula (Gibberula) subtrigona</i> | of Abbott 1954 |
| 1913 | <i>Granulina margaritula</i> | (Carpenter 1857) |
| 1914 | Marginella margaritula | Carpenter 1857 |
| 1915 | Cypraeolina margaritula | of I. Oldroyd 1927 |
| 1916 | Volutella pyriformis | Carpenter 1864 |
| 1917 | | Subfamily Plesiocysticinae |
| 1918 | <i>Plesiocystiscus myrmecoon</i> | (Dall 1919) |
| 1919 | Hyalina myrmecoon | Dall 1919 |
| 1920 | Marginella (Hyalina) myrmecoon | of Odryoyd 1927 |
| 1921 | <i>Cystiscus myrmecoon</i> | of Coan & Roth 1966 |
| 1922 | <i>Plesiocystiscus politulus</i> | (Dall 1919) |
| 1923 | Hyalina politulus | Dall 1919 |
| 1924 | Cystiscus politulus | of McLean 1969 |
| 1925 | | Family Mitridae |
| 1926 | <i>Mitra idae</i> | Melvill 1893 |
| 1927 | Mitra catalinae | Dall 1919 |
| 1928 | Mitra diegensis | Dall 1919 |
| 1929 | Mitra loweana | Dall 1903 |
| 1930 | Mitra montereyi | Berry 1920 |
| 1931 | Mitra semiusta | Berry 1957 |
| 1932 | | Family Turbinellidae |
| 1933 | <i>Metzgeria</i> sp | |
| 1934 | | Superfamily Olivoidea |
| 1935 | | Family Olivellidae |
| 1936 | <i>Callianax baetica</i> | (Carpenter 1857) |
| 1937 | Olivella baetica | Carpenter 1857 |
| 1938 | Olivella diegensis | T. Oldroyd 1921 |
| 1939 | Olivella mexicana | T. Oldroyd 1921 |
| 1940 | Olivella porteri | Dall 1910 |
| 1941 | <i>Callianax biplicata</i> | (G. B. Sowerby I 1825) |
| 1942 | Oliva biplicata | G. B. Sowerby I 1825 |
| 1943 | Olivella angelana | T. Oldroyd 1918 |
| 1944 | Olivella biplicata | of authors NEP |
| | Olivella biplicata lapillus | Vanatta 1915 |
| | Olivella parva | T. Oldroyd 1921 |

| | | |
|------|--------------------------------------|--------------------------------|
| 1945 | Olivella fucana | T. Oldroyd 1921 |
| 1946 | <i>Callianax pycna</i> | (Berry 1935) |
| 1947 | Olivella pycna | Berry 1935 |
| 1948 | Olivella intorta | Carpenter 1857 |
| 1949 | Olivella pedroana | of authors NEP not Conrad 1856 |
| 1950 | Superfamily Pseudolivoidea | |
| 1951 | Family Pseudolividae | |
| 1952 | <i>Macron lividus</i> | (A. Adams 1855) |
| 1953 | <i>Pseudolivia livida</i> | A. Adams 1855 |
| 1954 | Superfamily Conoidea | |
| 1955 | Family Conidae | |
| 1956 | Subfamily Coninae | |
| 1957 | <i>Conus californicus</i> | Hinds 1844 |
| 1958 | Subfamily Clathurellinae | |
| 1959 | <i>Ophiodermella cancellata</i> | (Carpenter 1864) |
| 1960 | Drillia cancellata | Carpenter 1864 |
| 1961 | Clathrodillia (Moniliopsis) rhines | of Dall 1921 |
| 1962 | Moniliopsis cancellata | of Dall 1918 |
| 1963 | Moniliopsis chacei | Berry 1941 |
| 1964 | Moniliopsis rhines | of Dall 1919 |
| 1965 | Surcula rhines | Dall 1908 |
| 1966 | <i>Ophiodermella fancherae</i> | (Dall 1903) |
| 1967 | Mangilia fancherae | Dall 1903 |
| 1968 | Moniliopsis incisa var fancherae | of Grant & Gale 1931 |
| 1969 | <i>Ophiodermella inermis</i> | (Reeve 1843) |
| 1970 | Pleurotoma inermis | Reeve 1843 |
| 1971 | Drillia incisa | Carpenter 1864 |
| 1972 | <i>Ophiodermella montereyensis</i> | Bartsch 1944 |
| 1973 | <i>Ophiodermella ophioderma</i> | of McLean 1978 |
| 1974 | Turris (Surcula) halcyonis | Dall 1908 |
| 1975 | Subfamily Mangeliniae | |
| 1976 | <i>Crockerella eiphyte</i> | (Dall 1919) |
| 1977 | Mangilia eiphyte | Dall 1919 |
| 1978 | Mangelia eiphyte | of Abbott 1974 |
| 1979 | <i>Crockerella evadne</i> | (Dall 1919) |
| 1980 | Mangilia evadne | Dall 1919 |
| 1981 | Spirotropis ? evadne | Grant & Gale 1931 |
| 1982 | <i>Crockerella lowei</i> | (Dall 1903) |
| 1983 | Clathurella lowei | Dall 1903 |
| 1984 | Clathurella crystallina | of Abbott 1974 not Gabb 1865 |
| 1985 | Philbertia hesione | Dall 1919 |
| 1986 | <i>Kurtzia arteaga</i> | (Dall & Bartsch 1910) |
| 1987 | Mangelia arteaga | Dall & Bartsch 1910 |
| 1988 | Mangelia arteaga var roperi | Dall 1919 |
| 1989 | Kurtzia gordoni | Bartsch 1944 |
| 1990 | <i>Kurtziella plumbea</i> | (Hinds 1843) |
| 1991 | Mangelia plumbea | Hinds 1843 |
| 1992 | Mangelia alesidota | Dall 1919 |
| 1993 | Mangelia angulata | Carpenter 1864 |
| 1994 | Mangelia angulata var subangulata | Carpenter 1857 |
| 1995 | Mangelia barbarensis | I. Oldroyd 1924 |
| 1996 | Mangelia hebe | Dall 1919 |
| 1997 | Mangelia hecetae | Dall & Bartsch 1910 |
| 1998 | Mangelia oenoa | Dall 1919 |
| 1999 | Mangelia sulcata | Carpenter 1865 |
| 2000 | Mangelia tersa | Dall 1919 |
| 2001 | Mangelia wrighti | Jordan 1936 |
| 2002 | <i>Kurtzina beta</i> | (Dall 1919) |
| 2003 | Mangelia (Kurtziella) beta | Dall 1919 |
| 2004 | Kurtziella (Kurtzina) beta | of McLean in Keen 1971 |
| 2005 | <i>Mangelia hexagona</i> | Gabb 1865 |
| 2006 | Agathotoma quintinensis | of Dall 1925 |
| 2007 | Cytharella hexagona | of I. Oldroyd 1927 |
| 2008 | Cytharella (Agathotoma) quintinensis | Dall 1921 |
| 2009 | Mangilia (Cythara) branneri | Arnold 1903 |
| 2010 | <i>Suavodrillia kennicottii</i> | (Dall 1871) |
| 2011 | Drillia kennicotti | Dall 1871 |
| 2012 | Subfamily Oenopotinae | |
| 2013 | <i>Oenopota regulus</i> | (Dall 1919) |
| 2014 | Lora regulus | Dall 1919 |
| 2015 | <i>Propebela turricula</i> | (Montagu 1803) |
| 2016 | Murex turricula | Montagu 1803 |

| | | |
|------|--|--------------------------------|
| 2017 | Turridae sp SD1 | Lilly 2004 § |
| 2018 | Subfamily Raphitominae | |
| 2019 | <i>Daphnella clathrata</i> | Gabb 1865 |
| 2020 | <i>Daphnella</i> sp SD1 | Barwick 1998 § |
| 2021 | | |
| 2022 | Family Drillidae | |
| 2023 | <i>Elaecyma empyrosia</i> | (Dall 1899) |
| 2024 | <i>Drillia empyrosia</i> | Dall 1899 |
| 2025 | <i>Kylix halocydne</i> | (Dall 1919) |
| 2026 | <i>Elaecyma halocydne</i> | Dall 1919 |
| 2027 | <i>Suavodrillia kennicottii</i> | (Dall 1871) |
| 2028 | <i>Drillia kennicotti</i> | Dall 1871 |
| 2029 | | |
| 2030 | Family Pseudomelatomidae | |
| 2031 | <i>Pseudomelatoma penicillata</i> | (Carpenter 1865) |
| 2032 | <i>Drillia penicillata</i> | Carpenter 1865 |
| 2033 | <i>Drillia moesta</i> | Carpenter 1865 |
| 2034 | | |
| 2035 | Family Terebridae | |
| 2036 | Subfamily Terebrinae | |
| 2037 | <i>Terebra hemphilli</i> | Vanatta 1924 |
| 2038 | <i>Terebra danai</i> | Berry 1958 |
| 2039 | <i>Terebra pedroana</i> | Dall 1908 |
| 2040 | <i>Terebra albocincta</i> var <i>pedroana</i> | of Grand & Gale 1931 |
| 2041 | <i>Terebra pedroana philippianum</i> | of Dall 1925 not Deshayes 1859 |
| 2042 | <i>Terebra simplex</i> | of Arnold 1903 |
| 2043 | <i>Terebra (Strioterebrum) pedroana</i> | of I. Oldroyd 1927 |
| 2044 | | |
| 2045 | Family Turridae | |
| 2046 | Subfamily Turrinae | |
| 2047 | <i>Megasurcula carpenteriana</i> | (Gabb 1865) |
| 2048 | <i>Pleurotoma (Surcula) carpenteriana</i> | Gabb 1865 |
| 2049 | <i>Cryptoconus carpenteriana</i> | of Dall 1921 |
| 2050 | <i>Megasurcula granti</i> | Bartsch 1944 |
| 2051 | <i>Megasurcula tremperiana</i> | Dall 1911 |
| 2052 | <i>Pleurotoma (Surcula) tryoniana</i> | Gabb 1866 |
| 2053 | <i>Megasurcula stearnsiana</i> | (Raymond 1904) |
| 2054 | <i>Pleurotoma (Genota) stearnsiana</i> | Raymond 1904 |
| 2055 | <i>Cryptoconus stearnsiana</i> | of Dall 1921 |
| 2056 | <i>Megasurcula remondii</i> | of authors NEP not Gabb 1866 |
| 2057 | | |
| 2058 | Subfamily Cochlispirinae | |
| 2059 | <i>Antiplanes catalinae</i> | (Raymond 1904) |
| 2060 | <i>Pleurotoma (Antiplanes) catalinae</i> | Raymond 1904 |
| 2061 | <i>Antiplanes gabbi</i> | Kantor & Sysoev 1991 |
| 2062 | <i>Antiplanes major</i> | Bartsch 1944 |
| 2063 | <i>Antiplanes perversa</i> | of I. Oldroyd 1927 |
| 2064 | <i>Antiplanes voyi</i> | of Abbott 1974 not Gabb 1866 |
| 2065 | <i>Pleurotoma (Surcula) perversa</i> | of Gabb 1855 not Philippi 1847 |
| 2066 | <i>Antiplanes thalea</i> | (Dall 1902) |
| 2067 | <i>Pleurotoma (Antiplanes) thalea</i> | Dall 1902 |
| 2068 | <i>Antiplanes rotula</i> | Dall 1921 |
| 2069 | <i>Antiplanes santarosana</i> | Dall 1902 |
| 2070 | <i>Antiplanes (Rectiplanes) santarosana</i> | of McLean 1971 |
| 2071 | <i>Antiplanes (Rectiplanes) willetti</i> | Berry 1953 |
| 2072 | <i>Pleurotoma (Spirotropis) smithi</i> | of Arnold 1903 not Forbes 1840 |
| 2073 | <i>Rhodopetoma renaudi</i> | (Arnold 1903) |
| 2074 | <i>Drillia renaudi</i> | Arnold 1903 |
| 2075 | | |
| 2076 | Subfamily Crassispirinae | |
| 2077 | <i>Crassispira semiinflata</i> | (Grant & Gale 1931) |
| 2078 | <i>Pseudomelatoma penicillata</i> var <i>semiinflata</i> | Grant & Gale 1931 |
| 2079 | <i>Burchia redondoensis</i> | of Bartsch 1944 |
| 2080 | <i>Crassispira redondoensis</i> | T. Burch 1938 |
| 2081 | | (Arnold 1903) |
| 2082 | <i>Pseudotaranis strongi</i> | Arnold 1903 |
| 2083 | <i>Mangelia (Taranis) strongi</i> | |
| 2084 | | |
| 2085 | Superfamily Cancellarioidea | |
| 2086 | Family Cancellariidae | |
| 2087 | Subfamily Cancellariinae | |
| 2088 | <i>Cancellaria cooperii</i> | Gabb 1865 |
| | <i>Cancellaria (Narona) cooperii</i> | Gabb 1865 |
| | <i>Cancellaria (Progabbia) cooperi</i> | of Dall 1921 |
| | <i>Cancellaria crawfordiana</i> | Dall 1891 |
| | <i>Cancellaria ghiorum</i> | Costa 1993 |
| | <i>Cancellaria (Crawfordina) crawfordiana</i> | of Abbott 1974 |
| | <i>Cancellaria (Progabbia) crawfordiana</i> | of I. Oldroyd 1927 |
| | <i>Cancellaria decussata</i> | G. B. Sowerby I 1832 |
| | Subfamily Admetinae | |

| | | |
|------|---|-------------------------|
| 2089 | <i>Admete gracilior</i> | (Carpenter 1869) |
| 2090 | <i>Cancellaria gracilior</i> | Carpenter 1869 |
| 2091 | <i>Admete couthouyi</i> | of authors not Jay 1839 |
| 2092 | <i>Admete rhysa</i> | Dall 1919 |
| 2093 | <i>Admete seftoni</i> | Berry 1956 |
| 2094 | <i>Admete woodworthi</i> | Dall 1905 |
| 2095 | Superorder Heterobranchia | |
| 2096 | Order "Lower Heterobranchia" | |
| 2097 | Superfamily Acteonoidea | |
| 2098 | Family Acteonidae | |
| 2099 | Subfamily Acteoninae | |
| 2100 | <i>Acteon traskii</i> | Stearns 1898 |
| 2101 | <i>Rictaxis painei</i> | (Dall 1903) |
| 2102 | <i>Actaeon (Rictaxis) painei</i> | Dall 1903 |
| 2103 | <i>Rictaxis punctocaelatus</i> | (Carpenter 1864) |
| 2104 | <i>Tornatella punctocaelata</i> | Carpenter 1864 |
| 2105 | <i>Acteon punctocaelatus vancouverensis</i> | I. Oldroyd 1927 |
| 2106 | <i>Acteon (Rictaxis) punctocaelata</i> | of Dall 1921 |
| 2107 | <i>Acteon (Rictaxis) punctocaelatus</i> | of Grant & Gale 1931 |
| 2108 | <i>Rhextaxis punctocaelata</i> | of Keep 1887 |
| 2109 | Family Aplustridae | |
| 2110 | <i>Parvaplustrum</i> sp A | SCAMIT 1995 § |
| 2111 | <i>Cephalaspidea</i> sp A | SCAMIT 1993 § |
| 2112 | <i>Parvamplustrum</i> sp | of Gosliner 1996 |
| 2113 | <i>Parvaplustrum</i> sp B | SCAMIT 1996 § |
| 2114 | <i>Meloscapander</i> sp A | SCAMIT 1995 § |
| 2115 | Superfamily Pyramidelloidea | |
| 2116 | Family Pyramidellidae | |
| 2117 | Subfamily Odostomiinae | |
| 2118 | <i>Aartsenia pupiformis</i> | (Carpenter 1865) |
| 2119 | <i>Odostomia pupiformis</i> | Carpenter 1865 |
| 2120 | <i>Boonea oregonensis</i> | (Dall & Bartsch 1907) |
| 2121 | <i>Odostomia (Chrysallida) oregonensis</i> | Dall & Bartsch 1907 |
| 2122 | <i>Chrysallida helga</i> | (Dall & Bartsch 1909) |
| 2123 | <i>Odostomia (Chrysallida) helga</i> | Dall & Bartsch 1909 |
| 2124 | <i>Ivara turricula</i> | (Dall & Bartsch 1903) |
| 2125 | <i>Odostomia (Ivara) turricula</i> | Dall & Bartsch 1903 |
| 2126 | <i>Ividella navisa</i> | (Dall & Bartsch 1907) |
| 2127 | <i>Odostomia (Ividella) navisa</i> | Dall & Bartsch 1907 |
| 2128 | <i>Odostomia aequisculpta</i> | Carpenter 1864 |
| 2129 | <i>Odostomia astricta</i> | Dall & Bartsch 1907 |
| 2130 | <i>Odostomia cooperi</i> | Dall & Bartsch 1907 |
| 2131 | <i>Odostomia lucca</i> | Dall & Bartsch 1909 |
| 2132 | <i>Odostomia montereyensis</i> | Dall & Bartsch 1909 |
| 2133 | <i>Odostomia oldroydi</i> | Dall & Bartsch 1909 |
| 2134 | <i>Odostomia canfieldi</i> | Dall 1908 |
| 2135 | <i>Odostomia clementina</i> | Dall & Bartsch 1909 |
| 2136 | <i>Odostomia columbiana</i> | Dall & Bartsch 1907 |
| 2137 | <i>Odostomia eucosmia</i> | Dall & Bartsch 1909 |
| 2138 | <i>Odostomia eugena</i> | Dall & Bartsch 1909 |
| 2139 | <i>Odostomia gravida</i> | Gould 1853 |
| 2140 | <i>Odostomia ritteri</i> | Dall & Bartsch 1909 |
| 2141 | <i>Odostomia tenuisculpta</i> | Carpenter 1864 |
| 2142 | <i>Odostomia amchitkana</i> | Dall & Bartsch 1907 |
| 2143 | <i>Odostomia baranoffensis</i> | Dall & Bartsch 1907 |
| 2144 | <i>Odostomia clesseni</i> | Dall & Bartsch 1907 |
| 2145 | <i>Odostomia deliciosa</i> | Dall & Bartsch 1907 |
| 2146 | <i>Odostomia hagemeisteri</i> | Dall & Bartsch 1907 |
| 2147 | <i>Odostomia jewetti</i> | Dall & Bartsch 1907 |
| 2148 | <i>Odostomia kadiakensis</i> | Dall & Bartsch 1907 |
| 2149 | <i>Odostomia obesa</i> | Dall & Bartsch 1907 |
| 2150 | <i>Odostomia phanea</i> | Dall & Bartsch 1907 |
| 2151 | <i>Odostomia santarosana</i> | Dall & Bartsch 1907 |
| 2152 | <i>Odostomia sitkaensis</i> | Clessin 1900 |
| 2153 | <i>Odostomia socorroensis</i> | Dall & Bartsch 1907 |
| 2154 | <i>Odostomia stephensae</i> | Dall & Bartsch 1907 |
| 2155 | <i>Odostomia straminea</i> | Carpenter 1865 |
| 2156 | <i>Odostomia tillamookensis</i> | Dall & Bartsch 1907 |
| 2157 | <i>Odostomia valdeni</i> | Dall & Bartsch 1907 |
| 2158 | <i>Odostomia virginialis</i> | Dall & Bartsch 1909 |
| 2159 | <i>Odostomia</i> sp D | MBC 1980 § |
| 2160 | <i>Trabecula laxa</i> | (Dall & Bartsch 1909) |

| | | |
|------|----------------------------------|---|
| 2161 | <i>Odostomia laxa</i> | Dall & Bartsch 1909 |
| 2162 | | |
| 2163 | Subfamily Turbonillinae | |
| 2164 | <i>Turbonilla almo</i> | Dall & Bartsch 1909 |
| 2165 | <i>Turbonilla castanea</i> | Keep 1887 |
| 2166 | <i>Turbonilla chocolata</i> | (Carpenter 1864) |
| 2167 | <i>Chemnitzia chocolata</i> | Carpenter 1864 |
| 2168 | <i>Turbonilla halia</i> | Dall & Bartsch 1909 |
| 2169 | <i>Turbonilla keepi</i> | Dall & Bartsch 1909 |
| 2170 | <i>Turbonilla lowei</i> | Dall & Bartsch 1908 |
| 2171 | <i>Turbonilla diegensis</i> | Dall & Bartsch 1909 |
| 2172 | <i>Turbonilla kelseyi</i> | Dall & Bartsch 1909 |
| 2173 | <i>Turbonilla nuttingi</i> | Dall & Bartsch 1909 |
| 2174 | <i>Turbonilla raymondi</i> | Dall & Bartsch 1909 |
| 2175 | <i>Turbonilla regina</i> | Dall & Bartsch 1909 |
| 2176 | <i>Turbonilla santarosana</i> | Dall & Bartsch 1909 |
| 2177 | <i>Turbonilla tenuicula</i> | (Gould 1853) |
| 2178 | <i>Chemnitzia tenuicula</i> | Gould 1853 |
| 2179 | <i>Turbonilla sp A</i> | SCAMIT 1988 § |
| 2180 | | |
| 2181 | Family Amathinidae | |
| 2182 | <i>Iselica obtusa</i> | (Carpenter 1864) |
| 2183 | <i>Isapis obtusa</i> | Carpenter 1864 |
| 2184 | <i>Iselica ovoidea</i> | (Gould 1853) |
| 2185 | <i>Narica ovoidea</i> | Gould 1853 |
| 2186 | <i>Isapis fenestrata</i> | Carpenter 1864 |
| 2187 | <i>Iselica fenestrata</i> | of McLean 1969 |
| 2188 | | |
| 2189 | Superfamily Ringiculoidea | |
| 2190 | Family Ringiculidae | |
| 2191 | <i>Microglyphis brevicula</i> | (Dall 1902) |
| 2192 | | Dall 1902 |
| 2193 | | |
| 2194 | Order Opisthobranchia | |
| 2195 | Suborder Cephalaspidea | |
| 2196 | Superfamily Bulloidea | |
| 2197 | Family Bullidae | |
| 2198 | <i>Bulla gouldiana</i> | Pilsbry 1895 |
| 2199 | <i>Bulla nebula</i> | of A. Adams 1850 ex. Gould MS not Schröter 1804 |
| 2200 | | |
| 2201 | Superfamily Diaphanoidea | |
| 2202 | Family Diaphanidae | |
| 2203 | Subfamily Diaphaninae | |
| 2204 | <i>Diaphana californica</i> | Dall 1919 |
| 2205 | | |
| 2206 | Superfamily Haminoeoidea | |
| 2207 | Family Haminoeidae | |
| 2208 | Subfamily Haminoeinae | |
| 2209 | <i>Haminoea vesicula</i> | (Gould 1855) |
| 2210 | <i>Bulla (Haminea) vesicula</i> | Gould 1855 |
| 2211 | <i>Haminaea vesicula</i> | of SCAMIT Ed 3 |
| 2212 | <i>Haminoea virescens</i> | (G. B. Sowerby I 1833) |
| 2213 | <i>Bulla virescens</i> | of SCAMIT Ed 3 |
| 2214 | <i>Haminaea virescens</i> | Carpenter 1857 |
| 2215 | <i>Haminoea cymbiformis</i> | Dall 1919 |
| 2216 | <i>Haminoea olgae</i> | Spicer 1933 |
| 2217 | <i>Haminoea rosacea</i> | Baker & Hanna 1927 |
| 2218 | <i>Haminoea strongi</i> | |
| 2219 | | |
| 2220 | Superfamily Philinoidea | |
| 2221 | Family Philinidae | |
| 2222 | <i>Philine alba</i> | Mattox 1958 |
| 2223 | <i>Philine bakeri</i> | of Behrens 1991 not Dall 1919 |
| 2224 | <i>Philine bakeri</i> | of MacFarland 1966 in part not Dall 1919 |
| 2225 | <i>Philine auriformis</i> | Suter 1909 |
| 2226 | <i>Philine bakeri</i> | Dall 1919 |
| 2227 | <i>Philine alba</i> | of Abbott 1974 not Mattox 1958 |
| 2228 | <i>Philine californica</i> | Willett 1944 |
| 2229 | <i>Philine polystrigma</i> | (Dall 1908) |
| 2230 | <i>Clistaxis ? polystrigma</i> | Dall 1908 |
| 2231 | <i>Philine sp A</i> | SCAMIT 1988 § |
| 2232 | <i>Philine sp 1</i> | Gosliner 1996 |
| | <i>Woodbridgea williamsi</i> | S. S. Berry 1953 |
| | | |
| 2227 | Family Aglajidae | |
| 2228 | <i>Aglaja ocelligera</i> | (Bergh 1893) |
| 2229 | <i>Doridium ocelligerum</i> | Bergh 1893 |
| 2230 | <i>Aglaja diomedea</i> | of MacFarland 1966 in part |
| 2231 | <i>Aglaja phocae</i> | of Rudman 1974 |
| 2232 | <i>Chelidonura phocae</i> | Er. Marcus 1961 |

| | | |
|------|---------------------------------------|-----------------------------------|
| 2233 | Doridium adellae | Dall 1894 |
| 2234 | <i>Melanochlamys diomedea</i> | (Bergh 1893) |
| 2235 | Doridium diomedaeum | Bergh 1893 |
| 2236 | Aglaja diomedea | of MacFarland 1966 in part |
| 2237 | Aglaja nana | Steinberg & Jones 1960 |
| 2238 | Aglaja sp A | Cadien 1989 § |
| 2239 | <i>Melanochlamys nana</i> | of Rudman 1972 |
| 2240 | <i>Navanax inermis</i> | (Cooper 1863) |
| 2241 | Strategus inermis | Cooper 1863 |
| 2242 | Aglaja bakeri | MacFarland 1924 |
| 2243 | Aglaja inermis | of Austin 1985 |
| 2244 | Chelidonura inermis | of Er. Marcus 1961 |
| 2245 | Doridium purpureum | Bergh 1893 |
| 2246 | Navarchus inermis | of Cooper 1863 |
| 2247 | | |
| 2248 | | (Carpenter 1856) |
| 2249 | | Carpenter 1856 |
| 2250 | | of Grant & Gale 1931 |
| 2251 | | (Gould 1853) |
| 2252 | <i>Acteocina carinata</i> | Gould 1853 |
| 2253 | Tornatina carinata | of SCAMIT Ed 4 |
| 2254 | Retusa (Acteocina) carinata | Baird 1863 |
| 2255 | | of Willett 1928 |
| 2256 | <i>Acteocina cerealis</i> | Willett 1928 |
| 2257 | Bulla (Tornatina) cerealis | of Gosliner 1979 not (Gould 1853) |
| 2258 | Acteocina eximia | of Pilsbry 1895 |
| 2259 | Bullina eximia | of Er. Marcus 1977 |
| 2260 | Acteocina culcitella | (Gould 1853) |
| 2261 | Bulla (Akera) culcitella | Gould 1853 |
| 2262 | Tornastraea rolleri | Er. Marcus 1977 |
| 2263 | | (Dall 1871) |
| 2264 | <i>Acteocina harpa</i> | Dall 1871 |
| 2265 | Tornatina harpa | Dall 1925 |
| 2266 | Acteocina oldroydi | of Abbott 1974 |
| 2267 | Acteocina (Coleophysis) harpa | of SCAMIT 1994 |
| 2268 | Cyllichnella harpa | of I. Oldroyd 1927 |
| 2269 | Retusa (Coleophysis) harpa | of Thiele 1925 |
| 2270 | Utriculastra harpa | (Gould 1855) |
| 2271 | | Gould 1855 |
| 2272 | <i>Acteocina inculta</i> | of Gosliner 1979 |
| 2273 | Bulla (Tornatina) inculta | Carpenter 1865 |
| 2274 | Cyllichnella inculta | Carpenter 1865 |
| 2275 | | E. A. Smith 1872 |
| 2276 | <i>Cylichna attonna</i> | of Dall 1921 |
| 2277 | Cylichnella ? Cylindracea var attonna | (Dall 1919) |
| 2278 | Cylichnella propinqua | Dall 1919 |
| 2279 | Cylichnella (Bullinella) attonna | |
| 2280 | | |
| 2281 | <i>Cylichna diegensis</i> | |
| 2282 | Cylichnella diegensis | |
| 2283 | | |
| 2284 | | |
| 2285 | | |
| 2286 | | |
| 2287 | | |
| 2288 | | |
| 2289 | <i>Family Gastropteridae</i> | |
| 2290 | <i>Gastropteron pacificum</i> | Bergh 1893 |
| 2291 | Gastropteron cinereum | Dall 1925 |
| 2292 | | |
| 2293 | | |
| 2294 | | |
| 2295 | | |
| 2296 | <i>Family Philinoglossidae</i> | SCAMIT 1998 § |
| 2297 | <i>Philinoglossa</i> sp A | |
| 2298 | | |
| 2299 | <i>Family Retusidae</i> | |
| 2300 | <i>Sulcoretusa xystrum</i> | (Dall 1919) |
| 2301 | Retusa xystrum | Dall 1919 |
| 2302 | Sulcularia xystrum | (Dall 1919) |
| 2303 | <i>Volvulella californica</i> | (Dall 1919) |
| 2304 | Rhizorus californicus | Dall 1919 |
| | <i>Volvulella catharia</i> | Dall 1919 |
| | <i>Volvulella cylindrica</i> | (Carpenter 1864) |
| | Volvula cylindrica | Carpenter 1864 |
| | Volvulella calicera | Dall 1919 |
| | Volvulella cooperi | Dall 1919 |
| | Volvulella lowei | (Strong & Hertlein 1937) |
| | <i>Volvulella panamica</i> | Dall 1919 |
| | Rhizorus panamicus | (Dall 1919) |
| | Volvulella tenuissima | Willett 1944 |
| | Superfamily Runcinoidea | |
| | <i>Family Runcinidae</i> | |
| | <i>Runcina macfarlandi</i> | Gosliner 1991 |
| | superfamily uncertain | |
| | <i>family uncertain</i> | |
| | Bullomorpha sp A | Ljubenkov 1994 § |

| | | |
|------|---|---------------------------------------|
| 2305 | Suborder Aplysiomorpha | |
| 2306 | Superfamily Aplysioidae | |
| 2307 | Family Aplysiidae | |
| 2308 | Subfamily Aplysiinae | |
| 2309 | <i>Aplysia californica</i> | Cooper 1863 |
| 2310 | <i>Aplysia (Neaplysia) californica</i> | Cooper 1863 |
| 2311 | <i>Aplysia nettiae</i> | Winkler 1959 |
| 2312 | <i>Aplysia vaccaria</i> | Winkler 1955 |
| 2313 | Subfamily Dolabridferinae | |
| 2314 | <i>Phyllaplysia taylori</i> | Dall 1900 |
| 2315 | <i>Phyllaplysia zostericola</i> | McCauley 1960 |
| 2316 | Superfamily Akeroidea | |
| 2317 | Family Akeridae | |
| 2318 | <i>Akera julieae</i> | Valdés & Barwick 2005 |
| 2319 | Suborder Sacoglossa | |
| 2320 | Superfamily Limapontoidea | |
| 2321 | Family Hermaeidae | |
| 2322 | <i>Alderia willowi</i> | Krug, Ellingson, Burton & Valdés 2007 |
| 2323 | <i>Alderia modesta</i> | of authors SCB not (Lóven 1844) |
| 2324 | <i>Aplysiopsis enteromorphae</i> | (Cockerell & Eliot 1905) |
| 2325 | <i>Phyllobranchopsis enteromorphae</i> | Cockerell & Eliot 1905 |
| 2326 | <i>Hermaeina smithi</i> | Marcus 1961 |
| 2327 | <i>Olea hansineensis</i> | Agersborg 1923 |
| 2328 | Suborder Umbraculida | |
| 2329 | Superfamily Umbraculoidea | |
| 2330 | Family Tylodinidae | |
| 2331 | <i>Tylospina fungina</i> | Gabb 1865 |
| 2332 | Suborder Nudipleura | |
| 2333 | Infraorder Pleurobranchomorpha | |
| 2334 | Superfamily Pleurobranchoidea | |
| 2335 | Family Pleurobranchidae | |
| 2336 | Subfamily Pleurobranchinae | |
| 2337 | <i>Berthella californica</i> | (Dall 1900) |
| 2338 | <i>Pleurobranchus californicus</i> | Dall 1900 |
| 2339 | <i>Berthella denticulatus</i> | of Lee & Foster 1985 |
| 2340 | <i>Pleurobranchus californicus denticulatus</i> | MacFarland 1966 |
| 2341 | <i>Pleurobranchus chacei</i> | J. Burch 1944 |
| 2342 | <i>Berthellina ilisima</i> | Marcus & Marcus 1967 |
| 2343 | <i>Berthellina citrina</i> | (Ruppell & Leuckart 1828) |
| 2344 | <i>Berthellina engeli</i> | Gardner 1936 |
| 2345 | Subfamily Pleurobranchaeinae | |
| 2346 | <i>Pleurobranchaea californica</i> | MacFarland 1966 |
| 2347 | Infraorder Nudibranchia | |
| 2348 | Superfamily Doridoidea | |
| 2349 | Family Dorididae | |
| 2350 | <i>Aldisia sanguinea</i> | (Cooper 1863) |
| 2351 | <i>Doris sanguinea</i> | Cooper 1863 |
| 2352 | <i>Conualevia alba</i> | Collier & Farmer 1964 |
| 2353 | <i>Doris montereyensis</i> | Cooper 1863 |
| 2354 | <i>Archidoris montereyensis</i> | of SCAMIT Ed 4 |
| 2355 | <i>Archidoris nyctea</i> | Bergh 1900 |
| 2356 | <i>Doris odhneri</i> | (MacFarland 1966) |
| 2357 | <i>Archidoris odhneri</i> | MacFarland 1966 |
| 2358 | <i>Doris tanya</i> | (Marcus 1971) |
| 2359 | <i>Sclerodoris tanya</i> | Marcus 1971 |
| 2360 | Family Chromodorididae | |
| 2361 | <i>Cadlina flavomaculata</i> | MacFarland 1905 |
| 2362 | <i>Cadlina luteomarginata</i> | MacFarland 1966 |
| 2363 | <i>Cadlina marginata</i> | MacFarland 1905 |
| 2364 | <i>Cadlina modesta</i> | MacFarland 1966 |
| 2365 | <i>Cadlina sparsa</i> | (Odhner 1921) |
| 2366 | <i>Juanella sparsa</i> | Odhner 1921 |
| 2367 | <i>Chromodoris macfarlandi</i> | Cockerell 1901 |
| 2368 | <i>Hypselodoris californiensis</i> | (Bergh 1879) |
| 2369 | <i>Chromodoris californiensis</i> | Bergh 1879 |
| 2370 | <i>Mexichromis porterae</i> | (Cockerell 1901) |
| 2371 | <i>Chromodoris porterae</i> | Cockerell 1901 |
| 2372 | Family Discodorididae | |
| 2373 | <i>Atagema alba</i> | (O'Donoghue 1927) |
| 2374 | <i>Doridigitata alba</i> | O'Donoghue 1927 |
| 2375 | <i>Atagema quadrimaculata</i> | Collier 1963 |
| 2376 | <i>Petelodoris spongicola</i> | MacFarland 1966 |

| | | |
|------|--|---------------------------------------|
| 2377 | <i>Baptodoris mimetica</i> | Gosliner 1991 |
| 2378 | <i>Diaulula sandiegensis</i> | (Cooper 1863) |
| 2379 | <i>Doris (Actinocyclus ?) sandiegensis</i> | Cooper 1863 |
| 2380 | <i>Discodoris sandiegensis</i> | of McDonald & Nybakken 1980 |
| 2381 | <i>Geitodoris heathi</i> | (MacFarland 1905) |
| 2382 | <i>Discodoris heathi</i> | MacFarland 1905 |
| 2383 | <i>Jorunna pardus</i> | Behrens & Henderson 1981 |
| 2384 | <i>Peltodoris nobilis</i> | (MacFarland 1905) |
| 2385 | <i>Montereina nobilis</i> | MacFarland 1905 |
| 2386 | <i>Anisodoris nobilis</i> | of SCAMIT Ed 4 |
| 2387 | <i>Platydoris macfarlandi</i> | Hanna 1951 |
| 2388 | <i>Rostanga pulchra</i> | MacFarland 1905 |
| 2389 | <i>Thordisa bimaculata</i> | Lance 1966 |
| 2390 | Superfamily Phyllidoidea | |
| 2391 | Family Dendrodorididae | |
| 2392 | <i>Dendrodoris behrensi</i> | Millen & Bertsch 2005 |
| 2393 | <i>Dendrodoris sp 3</i> | of Behrens 1991 |
| 2394 | <i>Doriopsilla albopunctata</i> | (Cooper 1863) |
| 2395 | <i>Doris albopunctata</i> | Cooper 1863 |
| 2396 | <i>Dendrodoris fulva</i> | (MacFarland 1905) |
| 2397 | <i>Doriopsis fulva</i> | MacFarland 1905 |
| 2398 | <i>Doriopsis reticulata</i> | Cockerell & Eliot 1905 |
| 2399 | <i>Doriopsilla gemela</i> | Gosliner, Schaefer & Millen 1999 |
| 2400 | <i>Dendrodoris sp 1</i> | of Behrens 1991 |
| 2401 | <i>Doriopsilla nigromaculata</i> | (Cockerell in Cockerell & Eliot 1905) |
| 2402 | <i>Doridopsis nigromaculata</i> | Cockerell in Cockerell & Eliot 1905 |
| 2403 | <i>Doriopsilla rowena</i> | Marcus & Marcus 1967 |
| 2404 | <i>Doriopsilla spaldingi</i> | Valdés & Behrens 1998 |
| 2405 | Superfamily Onchidoridoidea | |
| 2406 | Family Onchidorididae | |
| 2407 | <i>Acanthodoris brunnea</i> | MacFarland 1905 |
| 2408 | <i>Acanthodoris hudsoni</i> | MacFarland 1905 |
| 2409 | <i>Acanthodoris lutea</i> | MacFarland 1925 |
| 2410 | <i>Acanthodoris rhodoceras</i> | Cockerell in Cockerell & Eliot 1905 |
| 2411 | <i>Diaphorodoris lirulatocauda</i> | Millen 1985 |
| 2412 | <i>Onchidoris hystricina</i> | of authors NEP not (Bergh 1878) |
| 2413 | <i>Onchidoris bilamellata</i> | (Linnaeus 1767) |
| 2414 | <i>Doris bilamellata</i> | Linnaeus 1767 |
| 2415 | Family Corambidae | |
| 2416 | <i>Corambe pacifica</i> | MacFarland & O'Donoghue 1929 |
| 2417 | <i>Corambe steinbergae</i> | (Lance 1962) |
| 2418 | <i>Doridella steinbergae</i> | Lance 1962 |
| 2419 | <i>Loy thompsoni</i> | (Millen & Nybakken 1991) |
| 2420 | <i>Corambe thompsoni</i> | Millen & Nybakken 1991 |
| 2421 | <i>Corambe sp 1</i> | Behrens 1991 |
| 2422 | <i>Psammodoris thompsoni</i> | of SCAMIT Ed 4 |
| 2423 | Family Goniodorididae | |
| 2424 | <i>Ancula gibbosa</i> | (Risso 1818) |
| 2425 | <i>Tritonia gibbosa</i> | Risso 1818 |
| 2426 | <i>Ancula pacifica</i> | MacFarland 1905 |
| 2427 | <i>Ancula lentiginosa</i> | Farmer in Farmer & Sloan 1964 |
| 2428 | <i>Okenia angelensis</i> | Lance 1966 |
| 2429 | <i>Okenia rosacea</i> | (MacFarland 1905) |
| 2430 | <i>Hopkinsia rosacea</i> | MacFarland 1905 |
| 2431 | <i>Okenia vancouverensis</i> | (O'Donoghue 1921) |
| 2432 | <i>Idalia vancouverensis</i> | O'Donoghue 1921 |
| 2433 | <i>Okenia sp A</i> | Cadien 1982 § |
| 2434 | Superfamily Polyceroidea | |
| 2435 | Family Polyceridae | |
| 2436 | Subfamily Polycerinae | |
| 2437 | <i>Limacia cockerelli</i> | (MacFarland 1905) |
| 2438 | <i>Laila cockerelli</i> | MacFarland 1905 |
| 2439 | <i>Polycera atra</i> | MacFarland 1905 |
| 2440 | <i>Polycera hedgpethi</i> | Marcus 1964 |
| 2441 | <i>Polycera tricolor</i> | Robilliard 1971 |
| 2442 | Subfamily Triophinae | |
| 2443 | <i>Holoplacamus sp</i> | Gosliner 1996 |
| 2444 | <i>Triopha catalinae</i> | (Cooper 1863) |
| 2445 | <i>Triopa catalinae</i> | Cooper 1863 |
| 2446 | <i>Triopha carpenteri</i> | Stearns 1873 |
| 2447 | <i>Triopha elioti</i> | O'Donoghue 1921 |
| 2448 | <i>Triopha modesta</i> | Bergh 1880 |

| | | | |
|------|--|---------------------------------------|--------------------------------------|
| 2449 | | <i>Triopha scrippsiana</i> | |
| 2450 | | <i>Triopha maculata</i> | Cockerell 1915 |
| 2451 | | <i>Triopha aurantiaca</i> | MacFarland 1905 |
| 2452 | | <i>Triopha grandis</i> | Cockerell 1908 |
| 2453 | | Family Aegiretidae | MacFarland 1905 |
| 2454 | | <i>Aegires albopunctatus</i> | |
| 2455 | | Superfamily Arminoidea | |
| 2456 | | Family Arminidae | |
| 2457 | | <i>Armina californica</i> | (Cooper 1863) |
| 2458 | | <i>Pleurophyllidia californica</i> | Cooper 1863 |
| 2459 | | <i>Armina columbiana</i> | O'Donoghue 1924 |
| 2460 | | <i>Armina digueti</i> | Pruvot-Fol 1955 |
| 2461 | | <i>Armina sp A</i> | SCAMIT 2000 § |
| 2462 | | <i>Pleurophyllidia vancouverensis</i> | Bergh 1876 |
| 2463 | | Superfamily Tritonoidea | |
| 2464 | | Family Tritoniidae | |
| 2465 | | <i>Tochuina tetraqueta</i> | (Pallas 1788) |
| 2466 | | <i>Limax tetraqueta</i> | Pallas 1788 |
| 2467 | | <i>Duvaucelia tetraqueta</i> | of MacFarland 1966 |
| 2468 | | <i>Sphaerostoma gigantea</i> | of O'Donoghue 1926 |
| 2469 | | <i>Sphaerostoma tetraqueta</i> | of O'Donoghue 1924 |
| 2470 | | <i>Tritonia gigantea</i> | Bergh 1904 |
| 2471 | | <i>Tritonia tetraqueta</i> | of Bergh 1879 |
| 2472 | | <i>Tritoniopsis tertiaqueta</i> | of Odhner 1936 |
| 2473 | | <i>Tritoniopsis aurantia</i> | Mattox 1955 |
| 2474 | | <i>Tritonia diomedea</i> | Bergh 1894 |
| 2475 | | <i>Duvaucelia giberti</i> | MacFarland 1966 |
| 2476 | | <i>Sphaerostoma diomedea</i> | of O'Donoghue 1924 |
| 2477 | | <i>Tritonia exsulans</i> | Bergh 1894 |
| 2478 | | <i>Tritonia festiva</i> | (Stearns 1873) |
| 2479 | | <i>Lateribranchaea festiva</i> | Stearns 1873 |
| 2480 | | <i>Duvaucelia festiva</i> | of MacFarland 1966 |
| 2481 | | <i>Sphaerostoma undulata</i> | O'Donoghue 1924 |
| 2482 | | <i>Tritonia reticulata</i> | Bergh 1881 |
| 2483 | | <i>Tritonia myrakeenae</i> | Bertsch & Mozqueira 1986 |
| 2484 | | Family Dendronotidae | |
| 2485 | | <i>Dendronotus albicans</i> | MacFarland 1966 |
| 2486 | | <i>Dendronotus diversicolor</i> | Robilliard 1970 |
| 2487 | | <i>Dendronotus venustus</i> | MacFarland 1966 |
| 2488 | | <i>Amphitrite frondosa</i> | of authors NEP not Ascanius 1774 |
| 2489 | | <i>Dendronotus iris</i> | Cooper 1863 |
| 2490 | | <i>Dendronotus giganteus</i> | O'Donoghue 1921 |
| 2491 | | <i>Dendronotus nanus</i> | Marcus & Marcus 1967 |
| 2492 | | <i>Dendronotus subramosus</i> | MacFarland 1966 |
| 2493 | | Family Lomanotidae | |
| 2494 | | <i>Lomanotus sp</i> | |
| 2495 | | Family Tethyidae | |
| 2496 | | <i>Melibe leonina</i> | (Gould 1852) |
| 2497 | | <i>Chioraera leonina</i> | Gould 1852 |
| 2498 | | Superfamily unknown | |
| 2499 | | Family Dironidae | |
| 2500 | | <i>Dirona picta</i> | MacFarland in Cockerell & Eliot 1905 |
| 2501 | | Family Dotoidae | |
| 2502 | | <i>Doto amyra</i> | Er. Marcus 1961 |
| 2503 | | <i>Doto ganda</i> | Er. Marcus 1961 |
| 2504 | | <i>Doto varians</i> | MacFarland 1966 in part |
| 2505 | | <i>Doto wara</i> | Er. Marcus 1961 |
| 2506 | | <i>Doto columbiana</i> | O'Donoghue 1921 |
| 2507 | | <i>Doto kya</i> | Er. Marcus 1961 |
| 2508 | | <i>Doto varians</i> | MacFarland 1966 in part |
| 2509 | | Family Zephyrinidae | |
| 2510 | | <i>Janolus annulatus</i> | Camacho-Garcia & Gosliner 2007 |
| 2511 | | <i>Janolus sp 1</i> | of Behrens 1991 |
| 2512 | | <i>Janolus barbarensis</i> | (Cooper 1863) |
| 2513 | | <i>Aolis barbarensis</i> | Cooper 1863 |
| 2514 | | <i>Antiopella barbarensis</i> | of MacFarland 1966 |
| 2515 | | Superfamily Flabellinoidea | |
| 2516 | | Family Flabellinidae | |
| 2517 | | <i>Cumanotus fernaldi</i> | Thompson & Brown 1984 |
| 2518 | | <i>Cumanotus beaumonti</i> | of Turgeon <i>et al.</i> 1988 |
| 2519 | | <i>Flabellina iodinea</i> | (Cooper 1863) |
| 2520 | | <i>Aeolis (? Phidiana) iodinea</i> | Cooper 1863 |

| | | |
|------|-----------------------------------|-----------------------------|
| 2521 | Coryphella iodinea | of Williams & Gosliner 1978 |
| 2522 | Coryphella sabulicola | Cowen & Laur 1978 |
| 2523 | Flabellinopsis iodinea | of MacFarland 1966 |
| 2524 | <i>Flabellina pricei</i> | (MacFarland 1966) |
| 2525 | Coryphella pricei | MacFarland 1966 |
| 2526 | <i>Flabellina trilineata</i> | (O'Donoghue 1921) |
| 2527 | Coryphella trilineata | O'Donoghue 1921 |
| 2528 | Coryphella fisheri | MacFarland 1966 |
| 2529 | Coryphella piunca | Er. Marcus 1961 |
| 2530 | Superfamily Fionoidea | |
| 2531 | Family Eubranchidae | |
| 2532 | <i>Eubranchus rupium</i> | (Möller 1842) |
| 2533 | Tergipes rupium | Möller 1842 |
| 2534 | <i>Eubranchus olivaceus</i> | of Behrens 1980 |
| 2535 | Galvina olivacea | O'Donoghue 1922 |
| 2536 | <i>Eubranchus rustyus</i> | (Marcus 1961) |
| 2537 | Capellinia rustyus | Marcus 1961 |
| 2538 | Family Tergipedidae | |
| 2539 | Subfamily Cuthoniinae | |
| 2540 | <i>Catriona columbiana</i> | (O'Donoghue 1922) |
| 2541 | Amphorina columbiana | O'Donoghue 1922 |
| 2542 | <i>Catriona alpha</i> | of Behrens 1980 |
| 2543 | <i>Cratena spadix</i> | MacFarland 1966 |
| 2544 | Cuthona alpha | Baba & Hamatani 1963 |
| 2545 | <i>Cuthona abronia</i> | (MacFarland 1966) |
| 2546 | Cratena abronia | MacFarland 1966 |
| 2547 | Trinchesia abronia | of Behrens 1980 |
| 2548 | <i>Cuthona albocrusta</i> | (MacFarland 1966) |
| 2549 | Cratena albocrusta | MacFarland 1966 |
| 2550 | Trinchesia albocrusta | of Behrens 1980 |
| 2551 | <i>Cuthona divae</i> | (Er. Marcus 1961) |
| 2552 | Precuthona divae | Er. Marcus 1961 |
| 2553 | <i>Cuthona lagunae</i> | (O'Donoghue 1926) |
| 2554 | Hervia lagunae | O'Donoghue 1926 |
| 2555 | Trinchesia lagunae | of Behrens 1980 |
| 2556 | Superfamily Aeolidioidea | |
| 2557 | Family Aeolidiidae | |
| 2558 | <i>Aeolidia papillosa</i> | (Linnaeus 1761) |
| 2559 | Limax papillosus | Linnaeus 1761 |
| 2560 | Aeolidia farinacea | (Stimpson 1854) |
| 2561 | <i>Aeolidiella chromosoma</i> | (Cockerell & Eliot 1905) |
| 2562 | Spurilla chromosoma | Cockerell & Eliot 1905 |
| 2563 | <i>Aeolidiella oliviae</i> | MacFarland 1966 |
| 2564 | Spurilla oliviae | of Behrens 1980 |
| 2565 | <i>Cerberilla mosslandica</i> | McDonald & Nybakken 1975 |
| 2566 | <i>Cerberilla pungoarena</i> | Collier & Farmer 1964 |
| 2567 | Cerberilla sp 1 | Behrens 1991 |
| 2568 | Family Facelinidae | |
| 2569 | Subfamily Facelininae | |
| 2570 | <i>Austraeolis stearnsi</i> | (Cockerell 1901) |
| 2571 | Facelina stearnsi | Cockerell 1901 |
| 2572 | <i>Hermisenda crassicornis</i> | (Eschscholtz 1831) |
| 2573 | Cavolina crassicornis | Eschscholtz 1831 |
| 2574 | Flabellina opalescens | Cooper 1863 |
| 2575 | <i>Phidiana hiltoni</i> | (O'Donoghue 1927) |
| 2576 | Facelina hiltoni | O'Donoghue 1927 |
| 2577 | Phidiana pugnax | Lance 1962 |
| 2578 | Subfamily Babakininae | |
| 2579 | <i>Babakina festiva</i> | (Roller 1972) |
| 2580 | Babaina festiva | Roller 1972 |
| 2581 | Order Pulmonata | |
| 2582 | Suborder Eupulmonata | |
| 2583 | Superfamily Ellolioidea | |
| 2584 | Family Ellobiidae | |
| 2585 | Subfamily Melampiniae | |
| 2586 | <i>Melampus olivaceus</i> | Carpenter 1857 |
| 2587 | Superfamily Trimusculoidea | |
| 2588 | Family Trimusculidae | |
| 2589 | <i>Trimusculus reticulatus</i> | (G. B. Sowerby I 1835) |
| 2590 | Mouretia reticulata | G. B. Sowerby I 1835 |
| 2591 | Superfamily Siphonarioidea | |
| 2592 | Family Siphonariidae | |

| | | | |
|------|---------------------------------------|--------------------------------------|--|
| 2593 | | <i>Williamia peltoides</i> | (Carpenter 1864) |
| 2594 | | <i>Nacella peltoides</i> | Carpenter 1864 |
| 2595 | | <i>Liriola peltoidesvar vernalis</i> | Dall 1878 |
| 2596 | | <i>Williamia galapagana</i> | Dall 1909 |
| 2597 | Class Bivalvia | | |
| 2598 | Subclass Protobranchia | | |
| 2599 | Order Solemyida | | |
| 2600 | Superfamily Solemyoidea | | |
| 2601 | Family Solemyidae | | |
| 2602 | Subfamily Acharacinae | | |
| 2603 | <i>Acharax johnsoni</i> | | (Dall 1891) |
| 2604 | <i>Solemya johnsoni</i> | | Dall 1891 |
| 2605 | Subfamily Solemyinae | | |
| 2606 | <i>Solemya pervernicaosa</i> | | Kuroda 1948 |
| 2607 | <i>Solemya reidi</i> | | Bernard 1980 |
| 2608 | <i>Solemya panamensis</i> | | of authors NEP not Dall 1908 |
| 2609 | Superfamily Manzanelloidea | | |
| 2610 | Family Manzanellidae | | |
| 2611 | <i>Huxleyia munita</i> | | (Dall 1898) |
| 2612 | <i>Cyrilla munita</i> | | Dall 1898 |
| 2613 | <i>Nucinella munita</i> | | (Dall 1898) |
| 2614 | <i>Nucula petriola</i> | | Dall 1916 |
| 2615 | Order Nuculida | | |
| 2616 | Superfamily Nuculoidea | | |
| 2617 | Family Nuculidae | | |
| 2618 | Subfamily Nuculiniae | | |
| 2619 | <i>Acila castrensis</i> | | (Hinds 1843) |
| 2620 | <i>Nucula castrensis</i> | | Hinds 1843 |
| 2621 | <i>Acila (Truncacilia) beringiana</i> | | Slodkevisch 1967 |
| 2622 | <i>Nucula divaricata</i> | | of Conrad 1848 not Hinds 1843 |
| 2623 | <i>Nucula empiresis</i> | | Howe 1922 |
| 2624 | <i>Nucula lyalli</i> | | W. Baird 1863 |
| 2625 | <i>Ennucula tenuis</i> | | (Montagu 1808) |
| 2626 | <i>Arca tenuis</i> | | Montagu 1808 |
| 2627 | <i>Nucula bellottii</i> | | A. Adams 1856 |
| 2628 | <i>Nucula expansa</i> | | of Reeve 1855 not Brown 1848 |
| 2629 | <i>Nucula inflata</i> | | of Hancock 1846 not G. B. Sowerby I 1827 |
| 2630 | <i>Nucula quirica</i> | | Dall 1916 |
| 2631 | <i>Nucula tenuis</i> | | of Bernard 1983 |
| 2632 | <i>Nucula tenuis lucida</i> | | Whiteaves 1887 |
| 2633 | <i>Nucula (Ennucula) balboana</i> | | Herlein & Grant 1972 |
| 2634 | <i>Nucula (Leionucula) leptodonta</i> | | Bernard 1983 |
| 2635 | <i>Nucula carlottensis</i> | | Dall 1897 |
| 2636 | <i>Nucula keenae</i> | | Bernard 1983 |
| 2637 | <i>Nucula takashii</i> | | Bernard 1983 |
| 2638 | Order Nuculanida | | |
| 2639 | Family Nuculanidae | | |
| 2640 | Subfamily Nuculaninae | | |
| 2641 | <i>Nuculana conceptionis</i> | | (Dall 1896) |
| 2642 | <i>Leda conceptionis</i> | | Dall 1896 |
| 2643 | <i>Leda gomphoidea</i> | | Dall 1916 |
| 2644 | <i>Nuculana extenuata</i> | | (Dall 1897) |
| 2645 | <i>Leda extenuata</i> | | Dall 1897 |
| 2646 | <i>Nuculana hamata</i> | | (Carpenter 1864) |
| 2647 | <i>Leda hamata</i> | | Carpenter 1864 |
| 2648 | <i>Nuculana limata</i> | | (Dall 1916) |
| 2649 | <i>Nuculana (Thestyleda) hamata</i> | | of Hertlein & Strong 1940 |
| 2650 | <i>Nuculana penderi</i> | | (Dall & Bartsch 1910) |
| 2651 | <i>Leda penderi</i> | | Dall & Bartsch 1910 |
| 2652 | <i>Nuculana acuta</i> | | of authors not (Conrad 1832) |
| 2653 | <i>Nuculana burchi</i> | | Willett 1944 |
| 2654 | <i>Nuculana oxia</i> | | Dall 1916 |
| 2655 | <i>Nuculana redondoensis</i> | | J. Burch 1944 |
| 2656 | <i>Nuculana taphria</i> | | (Dall 1896) |
| 2657 | <i>Leda taphria</i> | | Dall 1896 |
| 2658 | <i>Nuculana caelata</i> | | of (Hinds 1843) not (Conrad 1833) |
| 2659 | <i>Nuculana sp A</i> | | SCAMIT 2006 § |
| 2660 | <i>Nuculana elenensis</i> | | of authors NEP not G. B. Sowerby I in Broderip & Sowerby 1833 |
| 2661 | Subfamily Ledellinae | | |
| 2662 | <i>Ledella sp</i> | | |
| 2663 | Family Mallettiidae | | |
| 2664 | <i>Malletia faba</i> | | Dall 1897 |

| | | |
|------|---|--|
| 2665 | <i>Malletia pacifica</i> | Dall 1897 |
| 2666 | | |
| 2667 | Family Neilonellidae | |
| 2668 | <i>Neilonella mexicana</i> | (Dall 1908) |
| 2669 | <i>Tindaria mexicana</i> | Dall 1908 |
| 2670 | <i>Neilonella ritteri</i> | (Dall 1916) |
| 2671 | <i>Tinaria ritteri</i> | Dall 1916 |
| 2672 | <i>Tindaria californica</i> | Dall 1916 |
| 2673 | | |
| 2674 | Family Yoldiidae | |
| 2675 | Subfamily Yoldiinae | |
| 2676 | <i>Yoldia cooperii</i> | Gabb 1865 |
| 2677 | <i>Yoldia seminuda</i> | Dall 1871 |
| 2678 | <i>Nucula arctica</i> | of Broderip & G. B. Sowerby I 1829 not J. E. Gray 1824 |
| 2679 | <i>Yoldia ensifera</i> | Dall 1897 |
| 2680 | <i>Yoldia ensifera plena</i> | Dall 1908 |
| 2681 | <i>Yoldia scissurata</i> | Dall 1897 |
| 2682 | <i>Yoldia (Cnesterium) excavata</i> | Dall 1925 |
| 2683 | <i>Yoldia (Cnesterium) strigata</i> | Dall 1909 |
| 2684 | | |
| 2685 | Subfamily Yoldiellinae | |
| 2686 | <i>Yoldiella nana</i> | (M. Sars 1865) |
| 2687 | <i>Yoldia nana</i> | M. Sars 1865 |
| 2688 | <i>Yoldiella sp A</i> | Coan, Valentich Scott & Bernard 2000 |
| 2689 | | |
| 2690 | Family Tindariidae | |
| 2691 | <i>Tindaria sp</i> | |
| 2692 | | |
| 2693 | Subclass Autobranchia | |
| 2694 | Superorder Pteriomorphia | |
| 2695 | | |
| 2696 | Order Arcida | |
| 2697 | Superfamily Arcoidea | |
| 2698 | Family Arcidae | |
| 2699 | Subfamily Anadarinae | |
| 2700 | <i>Anadara multicostata</i> | (G. B. Sowerby I 1833) |
| 2701 | <i>Arca multicostata</i> | G. B. Sowerby I 1833 |
| 2702 | | |
| 2703 | Subfamily Glycymeridinae | |
| 2704 | <i>Glycymeris septentrionalis</i> | (Middendorff 1849) |
| 2705 | <i>Pectunculus septentrionalis</i> | Middendorff 1849 |
| 2706 | <i>Axinaea (?) Septentrionalis</i> suboboleta | Carpenter 1864 |
| 2707 | <i>Glycymeris guadalupensis</i> | A. M. Strong 1938 |
| 2708 | <i>Glycymeris (Axinola) septentrionalis</i> | of Coan & Scott 1997 |
| 2709 | | |
| 2710 | Superfamily Limopsoidea | |
| 2711 | Family Limopsidae | |
| 2712 | <i>Limopsis panamensis</i> | Dall 1902 |
| 2713 | | |
| 2714 | Family Philobryidae | |
| 2715 | <i>Philobrya setosa</i> | (Carpenter 1864) |
| 2716 | <i>Bryophila setosa</i> | Carpenter 1864 |
| 2717 | | |
| 2718 | Order Mytilida | |
| 2719 | Superfamily Mytiloidea | |
| 2720 | Family Mytilidae | |
| 2721 | Subfamily Mytilinae | |
| 2722 | <i>Brachidontes adamsianus</i> | (Dunker 1857) |
| 2723 | <i>Mytilus adamsianus</i> | Dunker 1857 |
| 2724 | <i>Mytilus californianus</i> | Conrad 1837 |
| 2725 | <i>Mytilus galloprovincialis</i> | Lamarck 1819 |
| 2726 | | |
| 2727 | Subfamily Crenellinae | |
| 2728 | <i>Crenella decussata</i> | (Montagu 1808) |
| 2729 | <i>Mytilus decussatus</i> | Montagu 1808 |
| 2730 | <i>Crenella decussata laticostata</i> | Scarlato 1960 |
| 2731 | <i>Crenella divaricata</i> | of authors NEP not Orbigny 1847 |
| 2732 | <i>Crenella ecuadoriana</i> | Pilsbry & Olsson 1941 |
| 2733 | <i>Crenella ? inflata</i> | of Carpenter 1864 |
| 2734 | <i>Crenella yokoyamai</i> | Nomura 1932 |
| 2735 | <i>Gregariella coarctata</i> | (Carpenter 1857) |
| 2736 | <i>Crenella coarctata</i> | Carpenter 1857 |
| | <i>Gregariella chenui</i> | of authors not (Récluz 1842) |
| | <i>Gregariella coralliphaga</i> | of authors not (Gmelin 1791) |
| | <i>Modiolaria denticulata</i> | Dall 1871 |
| | <i>Musculista senhousia</i> | (Benson in Cantor 1842) |
| | <i>Modiola senhousia</i> | Benson in Cantor 1842 |
| | <i>Modiola bellardina</i> | Tapparone-Carelli 1874 |
| | <i>Musculus senhousei</i> | of Cadieri 1980 |
| | <i>Musculus pygmaeus</i> | Glynn 1964 |
| | <i>Solamen columbianum</i> | (Dall 1897) |
| | <i>Crenella columbiana</i> | Dall 1897 |

| | | |
|------|--------------------------------------|------------------------------------|
| 2737 | Crenella rotundata | Dall 1916 |
| 2738 | Crenella tamrai | Habe 1955 |
| 2739 | Megacrerella columbiana | of Bernard 1983 |
| 2740 | Rhomboidella columbiana | of Abbott 1974 |
| 2741 | Subfamily Dacrydiinae | Dall 1916 |
| 2742 | <i>Dacrydium pacificum</i> | (Dall 1911) |
| 2743 | Subfamily Lithophaginae | Dall 1911 |
| 2744 | <i>Adula diegensis</i> | (R. A. Philippi 1851) |
| 2745 | <i>Modiolus diegensis</i> | R.A. Philippi 1851 |
| 2746 | <i>Adula gruneri</i> | (Dillwyn 1817) |
| 2747 | <i>Modiola (Lithophagus) pruneri</i> | Dillwyn 1817 |
| 2748 | <i>Lithophaga aristata</i> | (Hanley 1844) |
| 2749 | <i>Mytilus aristatus</i> | Hanley 1844 |
| 2750 | <i>Lithophaga plumula</i> | Hertlein & Strong 1946 |
| 2751 | Lithodomus plumula | of Soot-Ryen 1955 not (Reeve 1857) |
| 2752 | Lithophaga plumula kelseyi | |
| 2753 | Lithophaga subula | |
| 2754 | Subfamily Modiolinæ | (Verrill & Smith in Verrill 1880) |
| 2755 | <i>Amygdalum politum</i> | Verrill & Smith in Verrill 1880 |
| 2756 | Modiola polita | of Soot-Ryen 1955 |
| 2757 | <i>Amygdalum pallidulum</i> | of P. H. Fischer 1882 |
| 2758 | Modiola lutea | Dall 1916 |
| 2759 | <i>Modiolus pallidulus</i> | Jeffreys 1880 |
| 2760 | Mytilus luteus | (Dilwyn 1817) |
| 2761 | <i>Geukensia demissa</i> | Dilwyn 1817 |
| 2762 | Mytilus demissus | Lamarck 1819 |
| 2763 | Modiola plicatula | Conrad 1837 |
| 2764 | Modiola semicostata | (Conrad 1837) |
| 2765 | <i>Modiolus capax</i> | Conrad 1837 |
| 2766 | Modiola capax | of Grant & Gale 1931 |
| 2767 | <i>Volsella capax</i> | (Linnaeus 1758) |
| 2768 | <i>Modiolus modiolus</i> | Linnaeus 1758 |
| 2769 | Mytilus modiolus | Soot-Ryen 1955 |
| 2770 | <i>Modiolus neglectus</i> | of authors not Conrad 1837 |
| 2771 | Volsella rectus | (Conrad 1837) |
| 2772 | <i>Modiolus rectus</i> | Conrad 1837 |
| 2773 | Modiola recta | Gould 1850 |
| 2774 | <i>Modiolus flabellatus</i> | of Grant & Gale 1931 |
| 2775 | Volsella recta | (Berry 1953) |
| 2776 | <i>Modiolus sacculifer</i> | Berry 1953 |
| 2777 | Volsella sacculifer | |
| 2778 | Subfamily Septiferinæ | (Conrad 1837) |
| 2779 | <i>Septifer bifurcatus</i> | Conrad 1837 |
| 2780 | Mytilus bifurcatus | |
| 2781 | Order Pteriida | |
| 2782 | Superfamily Pterioidea | |
| 2783 | Family Pteriidae | |
| 2784 | <i>Pteria sterna</i> | (Gould 1851) |
| 2785 | Avicula sterna | Gould 1851 |
| 2786 | Superfamily Pinoidea | |
| 2787 | Family Pinnidae | |
| 2788 | <i>Atrina oldroydi</i> | Dall 1901 |
| 2789 | Order Limida | |
| 2790 | Superfamily Limoidea | |
| 2791 | Family Limidae | |
| 2792 | Subfamily Liminae | |
| 2793 | <i>Limaria hemphilli</i> | (Hertlein & Strong 1946) |
| 2794 | Lima (Limaria) hemphilli | Hertlein & Strong 1946 |
| 2795 | Lima dehiscens | Conrad 1837 |
| 2796 | Subfamily Limatulinae | |
| 2797 | <i>Limatula saturna</i> | Bernard 1978 |
| 2798 | Limatula californica | Bernard 1988 |
| 2799 | Limatula macleani | Bernard 1988 |
| 2800 | Limatula subauriculata | of authors NEP not (Montagu 1808) |
| 2801 | Order Ostreida | |
| 2802 | Superfamily Ostreoidea | |
| 2803 | Family Ostreidae | |
| 2804 | Subfamily Ostreinae | |
| 2805 | Tribe Ostreini | |
| 2806 | <i>Conchophylla lurida</i> | (Carpenter 1864) |
| 2807 | <i>Ostrea lurida</i> | Carpenter 1864 |
| 2808 | <i>Ostraea conchaphila</i> | Carpenter 1857 |

| | |
|------|--|
| 2809 | Superfamily Pectinoidea |
| 2810 | |
| 2811 | |
| 2812 | |
| 2813 | |
| 2814 | |
| 2815 | |
| 2816 | |
| 2817 | |
| 2818 | |
| 2819 | |
| 2820 | |
| 2821 | |
| 2822 | |
| 2823 | |
| 2824 | |
| 2825 | |
| 2826 | |
| 2827 | |
| 2828 | |
| 2829 | |
| 2830 | |
| 2831 | |
| 2832 | |
| 2833 | |
| 2834 | |
| 2835 | |
| 2836 | |
| 2837 | |
| 2838 | |
| 2839 | |
| 2840 | |
| 2841 | |
| 2842 | |
| 2843 | |
| 2844 | |
| 2845 | |
| 2846 | |
| 2847 | |
| 2848 | |
| 2849 | |
| 2850 | |
| 2851 | |
| 2852 | |
| 2853 | |
| 2854 | |
| 2855 | |
| 2856 | |
| 2857 | |
| 2858 | |
| 2859 | |
| 2860 | |
| 2861 | |
| 2862 | |
| 2863 | |
| 2864 | |
| 2865 | |
| 2866 | |
| 2867 | |
| 2868 | |
| 2869 | |
| 2870 | |
| 2871 | |
| 2872 | |
| 2873 | |
| 2874 | |
| 2875 | |
| 2876 | |
| 2877 | |
| 2878 | |
| 2879 | |
| 2880 | |
| | Family Pectinidae |
| | Subfamily Pectininae |
| | Tribe Pectinini |
| | <i>Euvola diegensis</i> |
| | Pecten (Pecten) diegensis |
| | Janira florida |
| | Pecten diegoensis |
| | Pecten floridus |
| | Pecten (Janira) floridus |
| | Pecten (Janira) stearnsii var diegensis |
| | Pecten (Vola) floridus |
| | (Dall 1898) |
| | Dall 1898 |
| | of Cooper 1888 |
| | of Keep 1904 |
| | of Hinds 1845 not (Gmelin 1791) |
| | of Williamson 1892 |
| | of Grant & Gale 1931 |
| | of Kobelt 1887 |
| | Subfamily Camptonotinae |
| | <i>Delectopecten vancouverensis</i> |
| | Pecten (Pseudamussium) vancouverensis |
| | Cyclopecten argenteus |
| | Cyclopecten (Delectopecten) vancouverensis |
| | Pecten randolphi |
| | Pecten (Delectopecten) vancouverensis |
| | Pecten (Pseudamussium) alaskense |
| | Pecten (Pseudamussium) arces |
| | Pecten (Pseudamussium) pedroanus var vancouverensis |
| | (Whiteaves 1893) |
| | Whiteaves 1893 |
| | Bernard 1978 |
| | of Grau 1959 |
| | Dall 1897 |
| | of J. Burch 1944 |
| | of Dall 1921 |
| | Dall 1913 |
| | of Grant & Gale 1931 in part |
| | Subfamily Chlamydinae |
| | <i>Argopecten ventricosus</i> |
| | Pecten ventricosus |
| | Aequipecten (Plagioctenium) circularis |
| | Argopecten circularis |
| | Chlamys ventricosus |
| | Chlamys (Aequipecten) ventricosa |
| | Chlamys (Plagioctenium) ventricosum |
| | Pecten inca |
| | Pecten fililectus |
| | Pecten filitextus |
| | Pecten tumidus |
| | Pecten (Aequipecten) gibbus var circularis |
| | Pecten (Argus) circularis |
| | Pecten (Argus) ventricosus |
| | Pecten (Chlamys) circularis |
| | Pecten (Dentipecten) circularis |
| | Pecten (Plagioctenium) ventricosus |
| | (G. B. Sowerby II 1842) |
| | G. B. Sowerby II 1842 |
| | of Keen 1958 |
| | of Bernard 1983 not (Sowerby 1835) |
| | of Tomlin 1928 |
| | of Lamy 1909 |
| | of Bavay 1936 |
| | d'Orbigny 1846 |
| | Li 1930 |
| | of Pilsbry 1932 |
| | of G. B. Sowerby I 1835 not (Turton 1819) |
| | of Grant & Gale 1931 in part |
| | of Mörch 1861 |
| | of Mörch 1861 |
| | of Dall 1921 |
| | of Kobelt 1887 |
| | of Dall 1898 |
| | (G. B. Sowerby II 1842) |
| | G. B. Sowerby II 1842 |
| | of authors not (Gould 1850) |
| | (Gould 1850) |
| | Conrad 1857 |
| | Conrad 1857 |
| | I. Oldroyd 1920 |
| | A. Adams & Reeve 1848 |
| | Valenciennes 1846 |
| | of Arnold 1903 |
| | (J. E. Gray 1825) |
| | J. E. Gray 1825 |
| | of Bernard 1983 |
| | of Gray 1826 |
| | Conrad 1834 |
| | of Cadien 1980 |
| | of Fitch 1953 |
| | Gale 1928 |
| | of Grant & Gale 1931 |
| | (Conrad 1837) |
| | Conrad 1837 |
| | of authors not Conrad 1837 |
| | Conrad 1837 |
| | of Grant & Gale 1931 |
| | Arnold 1906 |
| | of Hertlein 1935 |
| | of Bavay 1936 |
| | Family Propeamussiidae |
| | <i>Cyclopecten benthalis</i> |
| | <i>Cyclopecten catalinensis</i> |
| | Pecten (Cyclopecten) catalinensis |
| | Grau 1959 |
| | (Willett 1931) |
| | Willett 1931 |
| | <i>Cyclopecten zephyrus</i> |
| | Grau 1959 |

| | |
|------|---|
| 2881 | Superfamily Anomoioidea |
| 2882 | Family Anomidae |
| 2883 | <i>Anomia peruviana</i> |
| 2884 | Anomia alectus |
| 2885 | Anomia hamillus |
| 2886 | Anomia lampe |
| 2887 | Anomia larbas |
| 2888 | Anomia limatula |
| 2889 | Anomia pacilis |
| 2890 | Calyptarea aberrans |
| 2891 | <i>Pododesmus macrochisma</i> |
| 2892 | Anomia macrochisma |
| 2893 | <i>Pododesmus cepio</i> |
| 2894 | <i>Pododesmus (Monia) macrochisma</i> |
| 2895 | Subclass Heterodonta |
| 2896 | Superorder Archiheterodonta |
| 2897 | Order Carditida |
| 2898 | Superfamily Crassatelloidea |
| 2899 | Family Crassatellidae |
| 2900 | Subfamily Crassitellinae |
| 2901 | <i>Eucrassatella fluctuata</i> |
| 2902 | Astarte fluctuata |
| 2903 | Crassatellites lomitensis |
| 2904 | Superfamily Carditoidea |
| 2905 | Family Carditidae |
| 2906 | Subfamily Venericardiinae |
| 2907 | <i>Cyclocardia barbarensis</i> |
| 2908 | Venericardia barbarensis |
| 2909 | <i>Cyclocardia crassidens</i> |
| 2910 | Astarte crassidens |
| 2911 | Venericardia crassidens |
| 2912 | <i>Cyclocardia crebricostata</i> |
| 2913 | Cardita borealis crebricostata |
| 2914 | Venericardia alaskana |
| 2915 | <i>Cyclocardia gouldii</i> |
| 2916 | Venericardia (Cyclocardia) (ventricosa var ?) gouldii |
| 2917 | <i>Cyclocardia ventricosa</i> |
| 2918 | Cardita ventricosa |
| 2919 | Cardita ventricosa redondoensis |
| 2920 | Cardita ventricosa montereiensis |
| 2921 | Venericardia ventricosa |
| 2922 | Venericardia (Cyclocardia) stearnsii |
| 2923 | <i>Glans carpenteri</i> |
| 2924 | Cardita (Carditamera) carpenteri |
| 2925 | Lazaria subquadrata |
| 2926 | Subfamily Thecaliinae |
| 2927 | <i>Milneria kelseyi</i> |
| 2928 | Superorder Euheterodonta |
| 2929 | Order Lucinida |
| 2930 | Superfamily Lucinoidea |
| 2931 | Family Lucinidae |
| 2932 | Subfamily Lucininae |
| 2933 | <i>Epilucina californica</i> |
| 2934 | Lucina californica |
| 2935 | Codakia californica |
| 2936 | Phacoïdes californica |
| 2937 | <i>Lucinisca nuttalli</i> |
| 2938 | Lucina nuttalli |
| 2939 | Phacoïdes nuttallii |
| 2940 | Lucina (Myrtlea) nuttallii |
| 2941 | <i>Parvilucina tenuisculpta</i> |
| 2942 | Lucina tenuisculpta |
| 2943 | Lucina (Myrtlea) tenuisculpta |
| 2944 | Lucina (Parvilucina) tenuisculpta |
| 2945 | Phacoïdes tenuisculptus |
| 2946 | Phacoïdes (Parvilucina) approximata |
| 2947 | Phacoïdes (Parvilucina) tenuisculpta |
| 2948 | Subfamily Myrteinae |
| 2949 | <i>Lucinoma aequizonatum</i> |
| 2950 | Lucina aequizonata |
| 2951 | <i>Lucinoma annulatum</i> |
| 2952 | Lucina annulata |
| | d'Orbigny 1846 |
| | Gray 1850 |
| | Dall 1878 |
| | Gray 1850 |
| | C. B. Adams 1852 |
| | (Deshayes 1839) |
| | Deshayes 1839 |
| | (J. E. Gray 1850) |
| | of Hertlein & Grant 1972 |
| | (Carpenter 1864) |
| | Carpenter 1864 |
| | I. S. Oldroyd 1924 |
| | (Stearns 1890) |
| | Stearns 1890 |
| | (Broderip & G. B. Sowerby I 1829) |
| | Broderip & G. B. Sowerby I 1829 |
| | of Dall 1903 |
| | (Krause 1885) |
| | Krause 1885 |
| | Dall 1903 |
| | (Dall 1903) |
| | Dall 1903 |
| | (Gould 1850) |
| | Gould 1850 |
| | T. Burch in J. Burch 1944 |
| | Smith & Gordon 1948 |
| | of I. Oldroyd 1924 |
| | Dall 1903 |
| | (Lamy 1922) |
| | Lamy 1922 |
| | Carpenter 1864 non Cardita subquadrata Conrad 1848 |
| | Dall 1916 |
| | (Conrad 1837) |
| | Conrad 1837 |
| | of Abbott 1954 |
| | of Keppel 1911 |
| | (Conrad 1837) |
| | Conrad 1837 |
| | of Oldroyd 1924 |
| | of Grant & Gale 1931 |
| | (Carpenter 1864) |
| | Carpenter 1864 |
| | of Grant & Gale 1931 |
| | of Palmer 1958 |
| | of Packard 1918 |
| | Dall 1901 |
| | of Dall 1901 |
| | (Stearns 1890) |
| | Stearns 1890 |
| | (Reeve 1850) |
| | Reeve 1850 |

| | | |
|------|---|--|
| 2953 | <i>Erycina balliana</i> | Dall 1916 |
| 2954 | <i>Lucina borealis</i> | of Dall 1874 not Linnaeus 1767 |
| 2955 | <i>Lucina (Myrtlea) acutilineata</i> | of Grant & Gale 1931 not Conrad 1849 |
| 2956 | <i>Phacooides annulata</i> | (Reeve 1850) |
| 2957 | Superfamily Thyasiroidea | |
| 2958 | Family Thyasiridae | |
| 2959 | <i>Adontorhina cyclia</i> | Berry 1947 |
| 2960 | <i>Genaxinus filatovae</i> | M. B. Ivanova & Moskalets 1984 |
| 2961 | <i>Adontorhina lynnae</i> | Valentich Scott 2000 |
| 2962 | <i>Adontorhina sphaericosa</i> | Scott 1986 |
| 2963 | <i>Axinodon redondoensis</i> | (T. Burch 1941) |
| 2964 | <i>Aligena redondoensis</i> | T. Burch 1941 |
| 2965 | <i>Axinulus redondoensis</i> | of Bernard 1983 |
| 2966 | <i>Tomburchus redondoensis</i> | of Harry 1969 |
| 2967 | <i>Axinopsida serricata</i> | (Carpenter 1864) |
| 2968 | <i>Cryptodon serricatus</i> | Carpenter 1864 |
| 2969 | <i>Axinopsis serricatus</i> | of I. Oldroyd 1924 |
| 2970 | <i>Axinopsis viridis</i> | Dall 1901 |
| 2971 | <i>Thyasira flexuosa</i> | (Montagu 1803) |
| 2972 | <i>Tellina flexuosa</i> | Montagu 1803 |
| 2973 | <i>Cryptodon barbarensis</i> | Dall 1890 |
| 2974 | <i>Lucina gouldii</i> | Philippi 1845 |
| 2975 | <i>Thyasira barbarensis</i> | of Bernard 1983 |
| 2976 | <i>Thyasira cygnus</i> | Dall 1916 |
| 2977 | <i>Thyasira gouldii</i> | of Bernard 1983 |
| 2978 | <i>Thyasira trisinuata</i> | of authors not d'Orbigny in Sagra 1853 |
| 2979 | <i>Thyasiridae sp LA1</i> | Cadien 1999 § |
| 2980 | Order Venerida | |
| 2981 | Superfamily Galeommatoidea | |
| 2982 | Family Galeommatidae | |
| 2983 | <i>Divariscintilla</i> sp A | Scott 1998 |
| 2984 | <i>Galeommatidae</i> sp A | Cadien 1982 § |
| 2985 | "Galeomma" new species | of Coan & Scott 1997 |
| 2986 | <i>Scintillona bellerophon</i> | O'Foighil & Gibson 1984 |
| 2987 | Family Lasaeidae | |
| 2988 | <i>Cymatioa electilis</i> | (Berry 1963) |
| 2989 | <i>Crenimargo electilis</i> | Berry 1963 |
| 2990 | <i>Isorobitella trigonalis</i> | (Carpenter 1857) |
| 2991 | <i>Lasea trigonalis</i> | Carpenter 1857 |
| 2992 | <i>Aligena cerritensis</i> | Arnold 1903 |
| 2993 | <i>Kellia suborbicularis</i> | (Montagu 1803) |
| 2994 | <i>Mya suborbicularis</i> | Montagu 1803 |
| 2995 | <i>Erycina santarosae</i> | Dall 1916 |
| 2996 | <i>Kellia laperousii</i> | (Deshayes 1839) |
| 2997 | <i>Kellia rotundata</i> | Carpenter 1864 |
| 2998 | <i>Lepton meroeum</i> | Carpenter 1864 |
| 2999 | <i>Platomysia meroeum</i> | of Bernard 1983 |
| 3000 | <i>Rhamphidonta</i> sp A | Cadien 1993 § |
| 3001 | <i>Lasaea adansoni</i> | (Gmelin 1791) |
| 3002 | <i>Tellina adansoni</i> | Gmelin 1791 |
| 3003 | <i>Lasaea cistula</i> | Keen 1938 |
| 3004 | <i>Lasaea rubra</i> | (Montagu 1803) |
| 3005 | <i>Lasaea subviridis</i> | Dall 1899 |
| 3006 | <i>Mysella pedroana</i> | Dall 1899 |
| 3007 | <i>Rochefortia pedroana</i> | (Dall 1899) |
| 3008 | <i>Mysella ferruginosa</i> | Dall 1916 |
| 3009 | <i>Mysella golischii</i> | Dall 1916 |
| 3010 | <i>Rochefortia ferruginosa</i> | of I. Oldroyd 1927 |
| 3011 | <i>Rochefortia golischii</i> | of I. Oldroyd 1927 |
| 3012 | <i>Mysella</i> sp C | SCAMIT 1988 § |
| 3013 | <i>Mysella</i> sp E | SCAMIT 1988 § |
| 3014 | <i>Mysella</i> sp H | SCAMIT 2001 § |
| 3015 | <i>Nearomya compressa</i> | (Dall 1899) |
| 3016 | <i>Erycina compressa</i> | Dall 1899 |
| 3017 | <i>Nearomya rugifera</i> | (Carpenter 1864) |
| 3018 | <i>Pythina rugifera</i> | Carpenter 1864 |
| 3019 | <i>Erycina (Pseudopythina) rugifera</i> | of Dall 1899 |
| 3020 | <i>Pseudopythina compressa</i> | of I. Oldroyd 1924 not (Dall 1899) |
| 3021 | <i>Pseudopythina myaciformis</i> | Dall 1916 |
| 3022 | <i>Pseudopythina rugifera</i> | of I. Oldroyd 1924 |
| 3023 | <i>Nearomya stevensii</i> | (Dall 1899) |
| 3024 | <i>Sportella stevensii</i> | Dall 1899 |

| | | |
|------|--|-----------------------------------|
| 3025 | <i>Orobitella californica</i> | (Dall 1899) |
| 3026 | <i>Sportella californica</i> | Dall 1899 |
| 3027 | <i>Erycina bakeri</i> | Dall 1916 |
| 3028 | <i>Erycina coronata</i> | Dall 1916 |
| 3029 | <i>Orobitella bakeri</i> | of Bernard 1983 |
| 3030 | <i>Rhamphidonta retifera</i> | (Dall 1899) |
| 3031 | <i>Bornia retifera</i> | Dall 1899 |
| 3032 | <i>Rochefortia coani</i> | Scott 1998 |
| 3033 | <i>Mysella sp A</i> | SCAMIT 1988 § |
| 3034 | <i>Rochefortia sp A</i> | of SCAMIT Ed 3 |
| 3035 | <i>Rochefortia compressa</i> | Dall 1913 |
| 3036 | <i>Mysella sp D</i> | SCAMIT 1988 § |
| 3037 | <i>Rochefortia grippi</i> | Dall 1912 |
| 3038 | <i>Mysella grippi</i> | of Cadieri 1980 |
| 3039 | <i>Rochefortia mortoni</i> | Scott 1998 |
| 3040 | <i>Mysella sp B</i> | SCAMIT 1988 § |
| 3041 | <i>Rochefortia sp B</i> | of SCAMIT Ed 3 |
| 3042 | <i>Rochefortia tumida</i> | (Carpenter 1864) |
| 3043 | <i>Tellimya tumida</i> | Carpenter 1864 |
| 3044 | <i>Mysella aleutica</i> | Dall 1899 |
| 3045 | <i>Mysella tumida</i> | of Bernard 1983 |
| 3046 | <i>Rochefortia aleutica</i> | of I. Oldroyd 1927 |
| 3047 | <i>Rochefortia sp LA1</i> | Power 2004 § |
| 3048 | Superfamily Cyamioidea | |
| 3049 | Family Neoleptonidae | |
| 3050 | <i>Neolepton salmonicum</i> | (Carpenter 1864) |
| 3051 | <i>Psephis salmonica</i> | Carpenter 1864 |
| 3052 | <i>Crassatella marginata</i> | Keep 1887 |
| 3053 | <i>Halodakra brunnea</i> | (Dall 1916) |
| 3054 | <i>Halodakra salmonica</i> | of SCAMIT Ed 3 |
| 3055 | <i>Neolepton salmonica</i> | of SCAMIT Ed 5 |
| 3056 | <i>Psephidia salmonica</i> | of I. Oldroyd 1924 |
| 3057 | <i>Neolepton subtrigona</i> | (Carpenter 1857) |
| 3058 | <i>Circe subtrigona</i> | Carpenter 1857 |
| 3059 | <i>Halodakra subtrigona</i> | of SCAMIT Ed 3 |
| 3060 | <i>Psephis tellimialis</i> | Carpenter 1864 |
| 3061 | Superfamily Glossoidea | |
| 3062 | Family Vesicomyidae | |
| 3063 | <i>Vesicomya elongata</i> | (Dall 1916) |
| 3064 | <i>Calyptogena elongata</i> | Dall 1916 |
| 3065 | <i>Vesicomya lepta</i> | (Dall 1896) |
| 3066 | <i>Callocardia lepta</i> | Dall 1896 |
| 3067 | Superfamily Cardioidea | |
| 3068 | Family Cardiidae | |
| 3069 | Subfamily Clinocardiinae | |
| 3070 | <i>Clinocardium nuttallii</i> | (Conrad 1837) |
| 3071 | <i>Cardium nuttallii</i> | Conrad 1837 |
| 3072 | <i>Cardium corbis</i> | Martyn 1784 |
| 3073 | Subfamily Franginiae | |
| 3074 | <i>Americardia biangulata</i> | (Broderip & G. B. Sowerby I 1829) |
| 3075 | <i>Cardium biangulatum</i> | Broderip & G. B. Sowerby I 1829 |
| 3076 | Subfamily Laevicardiinae | |
| 3077 | <i>Laevicardium substriatum</i> | (Conrad 1837) |
| 3078 | <i>Cardium substriatum</i> | Conrad 1837 |
| 3079 | <i>Cardium apicinum</i> | Carpenter 1864 |
| 3080 | <i>Cardium cruentatum</i> | Gould 1855 |
| 3081 | <i>Laevicardium pedernalense</i> | Pilsbry & Olsson 1941 |
| 3082 | <i>Nemocardium centifilosum</i> | (Carpenter 1864) |
| 3083 | <i>Cardium ? modestum var centifilosum</i> | Carpenter 1864 |
| 3084 | <i>Cardium richardsoni</i> | Whiteaves 1878 |
| 3085 | <i>Cardium (Nemocardium) centifilosum</i> | of Hertlein & Strong 1947 |
| 3086 | <i>Cardium (Protocardia) centifilosum</i> | of Packard 1918 |
| 3087 | <i>Laevicardium (Nemocardium) centifilosum</i> | of Grant & Gale 1931 |
| 3088 | <i>Nemocardium (Keenaea) centifilosum</i> | of Keen 1954 |
| 3089 | <i>Pratulum (?) centifilosum</i> | of Woodring, Bramlette & Kew 1946 |
| 3090 | <i>Protocardia centifilosa</i> | of I. Oldroyd 1924 |
| 3091 | Subfamily Trachycardiinae | |
| 3092 | <i>Trachycardium quadragenarium</i> | (Conrad 1837) |
| 3093 | <i>Cardium quadragenarium</i> | Conrad 1837 |
| 3094 | Superfamily Tellinoidea | |
| 3095 | Family Tellinidae | |
| 3096 | Subfamily Tellininae | |

| | | |
|------|---|--------------------------------------|
| 3097 | <i>Tellina bodegensis</i> | Hinds 1845 |
| 3098 | <i>Tellina santarosae</i> | Dall 1900 |
| 3099 | <i>Tellina (Peronidia) bodegensis</i> | of Coan 1971 |
| 3100 | <i>Tellina cadieni</i> | Valentich Scott & Coan 2000 |
| 3101 | <i>Tellina carpenteri</i> | of authors SCB in part not Dall 1900 |
| 3102 | <i>Tellina carpenteri</i> | Dall 1900 |
| 3103 | <i>Tellina (Angulus) carpenteri</i> | Dall 1900 |
| 3104 | <i>Angulus variegatus</i> | Carpenter 1864 not (Gmelin 1791) |
| 3105 | <i>Tellina (Moerella) arenica</i> | Hertlein & Strong 1949 |
| 3106 | <i>Tellina sp A</i> | SCAMIT 1995 § |
| 3107 | <i>Tellina idae</i> | Dall 1891 |
| 3108 | <i>Tellina (Tellinella) idae</i> | of Coan 1971 |
| 3109 | <i>Tellina meropsis</i> | Dall 1900 |
| 3110 | <i>Tellina (Moerella) meropsis</i> | Dall 1900 |
| 3111 | <i>Angulus gouldii</i> | of Carpenter 1864 not Hanley 1846 |
| 3112 | <i>Tellina (Angulus) meropsis</i> | of Coan 1971 |
| 3113 | <i>Tellina (Moerella) paziana</i> | Dall 1900 |
| 3114 | <i>Tellina modesta</i> | (Carpenter 1864) |
| 3115 | <i>Angulus modestus</i> | Carpenter 1864 |
| 3116 | <i>Maera modesta</i> | of Cooper 1867 |
| 3117 | <i>Tellina buttoni</i> | of Packard 1918 |
| 3118 | <i>Tellina (Angulus) modesta</i> | of Tryon 1869 |
| 3119 | <i>Tellina (Angulus) modestus</i> | of Coan 1971 |
| 3120 | <i>Tellina (Oudardia) buttoni</i> | Dall 1900 |
| 3121 | <i>Tellina (Oudardia) modesta</i> | of Keen 1937 |
| 3122 | <i>Tellina nuculoides</i> | (Reeve 1854) |
| 3123 | <i>Donax nuculoides</i> | Reeve 1854 |
| 3124 | <i>Maera salmonea</i> | Carpenter 1864 |
| 3125 | <i>Tellina (Cadella) nuculoides</i> | of Coan 1971 |
| 3126 | <i>Tellina (Cadella) salmonea</i> | of Hertlein & Grant 1972 |
| 3127 | <i>Tellina sp B</i> | SCAMIT 1995 § |
| 3128 | <i>Tellina carpenteri</i> | of authors SCB in part not Dall 1900 |
| 3129 | Subfamily Macominae | |
| 3130 | <i>Leporimetis obesa</i> | (Deshayes 1855) |
| 3131 | <i>Tellina obesa</i> | Deshayes 1855 |
| 3132 | <i>Apolymetis biangulata</i> | of Grant & Gale 1931 |
| 3133 | <i>Florimetis biangulata</i> | of Hertlein & Grant 1972 |
| 3134 | <i>Florimetis obesa</i> | of McLean 1969 |
| 3135 | <i>Metis alta</i> | of I. Oldroyd 1924 |
| 3136 | <i>Psammotreta obesa</i> | of Abbott 1974 |
| 3137 | <i>Scrobicularia biangulata</i> | Carpenter 1856 |
| 3138 | <i>Tellina alta</i> | of Conrad 1837 not Conrad 1833 |
| 3139 | <i>Tellina turgida</i> | Deshayes 1855 |
| 3140 | <i>Macoma carlottensis</i> | Whiteaves 1880 |
| 3141 | <i>Macoma inflatula</i> | Dall 1897 |
| 3142 | <i>Macoma leptonoidea</i> | Dall 1895 |
| 3143 | <i>Macoma quadrana</i> | Dall 1916 |
| 3144 | <i>Macoma (? Psammacoma) carlottensis</i> | of Coan 1971 |
| 3145 | <i>Macoma indentata</i> | Carpenter 1864 |
| 3146 | <i>Macoma indentata tenuirostris</i> | Dall 1900 |
| 3147 | <i>Macoma (Rexithaerus) indentata</i> | of Coan 1971 |
| 3148 | <i>Macoma (Rexithaerus) rickettsi</i> | Steinbeck & Ricketts 1941 |
| 3149 | <i>Macoma nasuta</i> | (Conrad 1837) |
| 3150 | <i>Tellina nasuta</i> | Conrad 1837 |
| 3151 | <i>Macoma kelseyi</i> | Dall 1900 |
| 3152 | <i>Tellina terfa</i> | Gould 1853 |
| 3153 | <i>Macoma secta</i> | (Conrad 1837) |
| 3154 | <i>Tellina secta</i> | Conrad 1837 |
| 3155 | <i>Macoma (Rexithaerus) secta</i> | of Coan 1971 |
| 3156 | <i>Tellina ligamentina</i> | Deshayes 1843 |
| 3157 | <i>Macoma yoldiformis</i> | Carpenter 1864 |
| 3158 | <i>Macoma (Psammacoma) yoldiformis</i> | of Coan 1971 |
| 3159 | Family Donacidae | |
| 3160 | <i>Donax gouldii</i> | Dall 1921 |
| 3161 | Family Psammobiidae | |
| 3162 | <i>Gari californica</i> | (Conrad 1849) |
| 3163 | <i>Psammobia californica</i> | Conrad 1849 |
| 3164 | <i>Gari (Gobraeus) californica</i> | of Palmer 1958 |
| 3165 | <i>Psammobia kazusensis</i> | Yokoyama 1922 |
| 3166 | <i>Sanguinolaria rubroradiata</i> | Carpenter 1857 |
| 3167 | <i>Gari fucata</i> | (Hinds 1845) |
| 3168 | <i>Tellina fucata</i> | Hinds 1845 |

| | | |
|------|-------------------------------|--|
| 3169 | Gari edentula | |
| 3170 | Gobraeus endentulus | of Fitch 1953 |
| 3171 | Psammobia edentula | of Hertlein & Grant 1972 |
| 3172 | Psammobia (Gobraeus) edentula | of I. Oldroyd 1924 |
| 3173 | Siliquaria edentula | of Dall 1925 |
| 3174 | <i>Heterodonax pacificus</i> | Gabb 1869 (Conrad 1837) |
| 3175 | <i>Psammobia pacifica</i> | Conrad 1837 |
| 3176 | <i>Nuttallia nuttallii</i> | (Conrad 1837) |
| 3177 | Sanguinolaria nuttallii | Conrad 1837 |
| 3178 | Psammobia decora | Hinds 1842 |
| 3179 | Sanguinolaria grandis | Carpenter 1857 |
| 3180 | Sanguinolaria orcutti | Dall 1921 |
| 3181 | | |
| 3182 | | Conrad 1837 |
| 3183 | | Dall 1921 |
| 3184 | | of authors not G. B. Sowerby I 1833 |
| 3185 | | (Conrad 1837) |
| 3186 | | Conrad 1837 |
| 3187 | | Conrad 1837 |
| 3188 | | Carpenter 1857 |
| 3189 | | Dall 1871 |
| 3190 | | Hertlein & Grant 1972 |
| 3191 | | (Reeve 1853) |
| 3192 | | Reeve 1853 |
| 3193 | | Carpenter 1864 |
| 3194 | | Arnold 1903 |
| 3195 | | Gould 1861 |
| 3196 | | |
| 3197 | | (Lowe 1935) |
| 3198 | | Lowe 1935 |
| 3199 | | (C. B. Adams 1852) |
| 3200 | | C. B. Adams 1852 |
| 3201 | | Olsson 1961 |
| 3202 | | (Conrad 1837) |
| 3203 | | Conrad 1837 |
| 3204 | | (Conrad 1837) |
| 3205 | | Conrad 1837 |
| 3206 | | |
| 3207 | | |
| 3208 | | Dunker 1862 |
| 3209 | | of McLean 1969 |
| 3210 | | Carpenter 1864 |
| 3211 | | Gould 1850 |
| 3212 | | |
| 3213 | | Berry 1953 |
| 3214 | | of authors not Dall 1899 in part |
| 3215 | | (Conrad 1837) |
| 3216 | | Conrad 1837 |
| 3217 | | |
| 3218 | | |
| 3219 | | (Linnaeus 1767) |
| 3220 | | Linnaeus 1767 |
| 3221 | | Schumacher 1817 |
| 3222 | | Bosc 1801 |
| 3223 | | Bosc 1801 |
| 3224 | | of I. Oldroyd 1924 |
| 3225 | | Yokoyama 1920 |
| 3226 | | Takeda 1953 |
| 3227 | | Yokoyama 1924 |
| 3228 | | of Gmelin 1782 |
| 3229 | | Gabb 1861 |
| 3230 | | Gould 1850 |
| 3231 | | Gould 1850 |
| 3232 | | Gould 1861 |
| 3233 | | Gould 1861 |
| 3234 | | of Bernard 1983 not (Conrad 1849) |
| 3235 | | Dall 1898 |
| 3236 | | of Hertlein & Grant 1972 |
| 3237 | | Dall 1918 |
| 3238 | | A. Adams 1850 |
| 3239 | | Wiedey 1928 |
| 3240 | | Ilyina 1963 |

| | | |
|------|---|---|
| 3241 | <i>Saxicavella nybakkeni</i> | Scott 1994 |
| 3242 | Paramya sp A | |
| 3243 | <i>Saxicavella pacifica</i> | LaFollette 1976 |
| 3244 | Suborder Neoheterodontei | Dall 1916 |
| 3245 | Superfamily Ungulinoidea | |
| 3246 | Family Ungulinidae | |
| 3247 | <i>Diplodonta orbella</i> | (Gould 1851) |
| 3248 | Lucina orbella | Gould 1851 |
| 3249 | <i>Diplodonta sericata</i> | (Reeve 1850) |
| 3250 | Lucina sericata | Reeve 1850 |
| 3251 | <i>Diplodonta (Felaniella) artemidis</i> | Dall 1909 |
| 3252 | <i>Diplodonta (Felaniella) cornea</i> | of Hertlein & Grant 1972 |
| 3253 | <i>Felaniella parilis</i> | of Bernard 1983 not (Conrad 1848) |
| 3254 | <i>Lucina tellinoides</i> | Reeve 1850 |
| 3255 | <i>Taras (Felaniella) sericatus</i> | of Hertlein & Strong 1947 |
| 3256 | Superfamily Chamoidea | |
| 3257 | Family Chamidae | |
| 3258 | <i>Chama arcana</i> | Bernard 1976 |
| 3259 | Chama pellucida | of authors not Broderip 1835 |
| 3260 | <i>Pseudochama exogyra</i> | (Conrad 1837) |
| 3261 | Chama exogyra | Conrad 1837 |
| 3262 | <i>Pseudochama granti</i> | Strong 1934 |
| 3263 | Superfamily Veneroidea | |
| 3264 | Family Veneridae | |
| 3265 | Subfamily Venerinae | |
| 3266 | <i>Amiantis callosa</i> | (Conrad 1837) |
| 3267 | <i>Cytherea callosa</i> | Conrad 1837 |
| 3268 | <i>Callithaca tenerima</i> | (Carpenter in Gould & Carpenter 1857) |
| 3269 | Tapes tenerima | Carpenter in Gould & Carpenter 1857 |
| 3270 | Paphia tenerima | of Packard 1918 |
| 3271 | <i>Protothaca tenerima</i> | of Dall 1902 |
| 3272 | <i>Protothaca restorationensis</i> | Frizzell 1930 |
| 3273 | <i>Protothaca tenerima</i> | of McLean 1978 |
| 3274 | <i>Protothaca (Callithaca) tenerima</i> | of Palmer 1958 |
| 3275 | <i>Venus rigida</i> | of Gould 1861 not Dillwyn 1817 |
| 3276 | <i>Chione californiensis</i> | (Broderip in Broderip & G. B. Sowerby I 1835) |
| 3277 | <i>Venus californiensis</i> | Broderip in Broderip & G. B. Sowerby I 1835 |
| 3278 | <i>Chione undatella</i> | (G. B. Sowerby I 1835) |
| 3279 | <i>Venus undatella</i> | G. B. Sowerby I 1835 |
| 3280 | <i>Globivenus fordii</i> | (Yates 1890) |
| 3281 | <i>Venus fordii</i> | Yates 1890 |
| 3282 | <i>Antigonia fordii</i> | of I. Oldroyd 1924 |
| 3283 | <i>Ventricolaria fordii</i> | of Bernard 1983 |
| 3284 | <i>Venus (Antigonia) fordii</i> | of Grant & Gale 1931 |
| 3285 | <i>Irusella lamellifera</i> | (Conrad 1837) |
| 3286 | <i>Venus lamellifera</i> | Conrad 1837 |
| 3287 | <i>Irus lamellifer</i> | of Grant & Gale 1931 |
| 3288 | <i>Perticola cordieri</i> | Deshayes 1840 |
| 3289 | <i>Venerupis lamellifera</i> | of I. Oldroyd 1924 |
| 3290 | <i>Leukoma laciniata</i> | (Carpenter 1864) |
| 3291 | Tapes laciniata | Carpenter 1864 |
| 3292 | <i>Paphia staminea laciniata</i> | of I. Oldroyd 1924 |
| 3293 | <i>Paphia (Protothaca) staminea var laciniata</i> | of Dall 1902 |
| 3294 | <i>Paphia (Protothaca) staminea laciniata</i> | of Dall 1921 |
| 3295 | <i>Protothaca laciniata</i> | of McLean 1978 |
| 3296 | <i>Protothaca (Callithaca) laciniata</i> | of Palmer 1958 |
| 3297 | <i>Leukoma staminea</i> | (Conrad 1837) |
| 3298 | <i>Venus staminea</i> | Conrad 1837 |
| 3299 | <i>Paphia (Protothaca) staminea var orbella</i> | of Dall 1902 |
| 3300 | <i>Protothaca staminea</i> | of McLean 1978 |
| 3301 | <i>Protothaca (Callithaca) staminea</i> | of Palmer 1958 |
| 3302 | Tapes staminea var orbella | Carpenter 1864 |
| 3303 | Subfamily Clementiinae | |
| 3304 | <i>Compsomyax subdiaphana</i> | (Carpenter 1864) |
| 3305 | <i>Clementia subdiaphana</i> | Carpenter 1864 |
| 3306 | <i>Clementia obliqua</i> | Jukes-Brown 1913 |
| 3307 | <i>Clementia (Compsomyax) subdiaphana</i> | of Grant & Gale 1931 |
| 3308 | <i>Callista subdiaphana</i> | of Arnold 1903 |
| 3309 | <i>Katherinella (Compsomyax) subdiaphana</i> | of Woodring, Bramlette & Kew 1946 |
| 3310 | <i>Marcia subdiaphana</i> | of I. Oldroyd 1924 |
| 3311 | <i>Marcia (Venerella) subdiaphana</i> | of Dall 1902 |
| 3312 | <i>Saxidomus gibbosus</i> | Gabb 1869 |

| | | |
|-------------------------------|---|-------------------------------|
| 3313 | Venerella (Compsomyax) subdiaphana | of Stewart 1930 in part |
| 3314 | | |
| 3315 | | |
| 3316 | | |
| 3317 | | |
| 3318 | | |
| 3319 | | |
| 3320 | | |
| 3321 | | |
| 3322 | | |
| 3323 | | |
| 3324 | | |
| 3325 | | |
| 3326 | | |
| 3327 | | |
| 3328 | | |
| 3329 | | |
| 3330 | | |
| 3331 | | |
| 3332 | | |
| 3333 | | |
| 3334 | | |
| 3335 | | |
| 3336 | | |
| 3337 | | |
| 3338 | | |
| 3339 | | |
| 3340 | | |
| 3341 | | |
| 3342 | | |
| 3343 | | |
| 3344 | | |
| 3345 | | |
| 3346 | | |
| 3347 | | |
| 3348 | | |
| 3349 | | |
| 3350 | | |
| 3351 | | |
| 3352 | | |
| 3353 | | |
| 3354 | | |
| 3355 | | |
| 3356 | | |
| 3357 | | |
| 3358 | | |
| 3359 | | |
| 3360 | | |
| 3361 | | |
| 3362 | | |
| 3363 | | |
| 3364 | | |
| 3365 | | |
| 3366 | | |
| 3367 | | |
| 3368 | | |
| 3369 | | |
| 3370 | | |
| 3371 | | |
| 3372 | | |
| 3373 | | |
| 3374 | | |
| 3375 | | |
| 3376 | | |
| 3377 | | |
| 3378 | | |
| 3379 | | |
| 3380 | | |
| 3381 | | |
| 3382 | | |
| 3383 | | |
| 3384 | | |
| Subfamily Meretricinae | | |
| | <i>Tivela stultorum</i> | (Mawe 1823) |
| | <i>Donax stultorum</i> | Mawe 1823 |
| | <i>Tivela crassatelloides</i> | Stearns 1899 |
| Subfamily Pitarinae | | |
| | <i>Nutricola confusa</i> | (S. Gray 1982) |
| | <i>Transennella confusa</i> | S. Gray 1982 |
| | <i>Nutricola cymata</i> | (Dall 1913) |
| | <i>Psephidia cymata</i> | Dall 1913 |
| | <i>Nutricola lordi</i> | (Baird 1863) |
| | <i>Chione lordi</i> | Baird 1863 |
| | <i>Psephidia lordi</i> | of Bernard 1983 |
| | <i>Nutricola ovalis</i> | (Dall 1902) |
| | <i>Psephidia ovalis</i> | Dall 1902 |
| | <i>Nutricola sp SD1</i> | Barwick 2004 § |
| | <i>Nutricola tantilla</i> | (Gould 1853) |
| | <i>Venus tantillus</i> | Gould 1853 |
| | <i>Transenella tantilla</i> | of Bernard 1983 |
| | <i>Pitar newcombianus</i> | (Gabb 1865) |
| | <i>Circe (Liocncha) newcombiana</i> | Gabb 1865 |
| | <i>Pitaria newcombianus</i> | of I. Oldroyd 1924 |
| | <i>Saxidomus nuttalli</i> | Conrad 1837 |
| Subfamily Tapetinae | | |
| | <i>Venerupis philippinarum</i> | (A. Adams & Reeve 1850) |
| | <i>Venus philippinarum</i> | A. Adams & Reeve 1850 |
| | <i>Tapes philippinarum</i> | of Bernard 1983 |
| Family Petricolidae | | |
| | <i>Cooperella subdiaphana</i> | (Carpenter 1864) |
| | <i>Oedalia subdiaphana</i> | Carpenter 1864 |
| | <i>Oedalia (Cooperella) scintillaeformis</i> | Carpenter 1864 |
| | <i>Oedalina (Cooperella) scintillaeformis</i> | of Carpenter 1866 |
| | <i>Petricola carditoides</i> | (Conrad 1837) |
| | <i>Saxicava carditoides</i> | Conrad 1837 |
| | <i>Petricola arcuata</i> | Deshayes 1839 |
| | <i>Petricola cylindracea</i> | Deshayes 1839 |
| | <i>Petricola gibba</i> | Middendorff 1849 |
| | <i>Petricola mirabilis</i> | Deshayes 1853 |
| | <i>Petricola pedroana</i> | Conrad 1855 |
| | <i>Petricola (Rupellaria) carditoides</i> | of Bernard 1983 |
| | <i>Saxicava abrupta</i> | Conrad 1855 |
| | <i>Saxicava californica</i> | Conrad 1857 |
| | <i>Saxicava legumen</i> | Deshayes 1839 |
| | <i>Petricola hertzana</i> | Coan 1997 |
| | <i>Petricola tellimyalis</i> | of authors not Carpenter 1864 |
| Superfamily Mactroidea | | |
| Family Mactridae | | |
| Subfamily Mactriniae | | |
| | <i>Mactromeris catilliformis</i> | (Conrad 1837) |
| | <i>Spisula catilliformis</i> | Conrad 1837 |
| | <i>Mactra (Spisula) catilliformis</i> | of Grant & Gale 1931 |
| | <i>Spisula mercedensis</i> | Packard 1916 |
| | <i>Spisula (Mactromeris) catilliformis</i> | of Hertlein & Grant 1972 |
| | <i>Mactromeris hemphilli</i> | (Dall 1894) |
| | <i>Mactra hemphilli</i> | Dall 1894 |
| | <i>Spisula cameronis</i> | Dall 1921 |
| | <i>Spisula hemphilli</i> | of Packard 1916 |
| | <i>Spisula (Hemimactra) hemphilli</i> | of I. Oldroyd 1924 |
| | <i>Mactrotoma californica</i> | (Conrad 1837) |
| | <i>Mactra californica</i> | Conrad 1837 |
| | <i>Mactra ovalina</i> | Reeve 1854 |
| | <i>Mactrotoma nasuta</i> | (Gould 1851) |
| | <i>Mactra nasuta</i> | Gould 1851 |
| | <i>Simomactra falcata</i> | (Gould 1850) |
| | <i>Mactra falcata</i> | Gould 1850 |
| | <i>Spisula falcata</i> | of Bernard 1983 |
| | <i>Simomactra planulata</i> | (Conrad 1837) |
| | <i>Mactra planulata</i> | Conrad 1837 |
| | <i>Spisula planulata</i> | of Bernard 1983 |
| Subfamily Lutrariinae | | |
| | <i>Tresus nuttallii</i> | (Conrad 1837) |
| | <i>Lutraria (Cryptodon) nuttallii</i> | Conrad 1837 |

| | | |
|------|--|---------------------------|
| 3385 | Schizothaerus nuttalli | of Fitch 1953 |
| 3386 | Schizothaerus nuttallii | of Grant & Gale 1931 |
| 3387 | | |
| 3388 | Subfamily Pteropselinae | |
| 3389 | <i>Raeta undulata</i> | (Gould 1851) |
| 3390 | <i>Lutaria undulata</i> | Gould 1851 |
| 3391 | | |
| 3392 | Superfamily Myoidea | |
| 3393 | Family Myidae | |
| 3394 | Subfamily Myinae | |
| 3395 | <i>Mya arenaria</i> | Linnaeus 1758 |
| 3396 | <i>Mya acuta</i> | Say 1822 |
| 3397 | <i>Mya alba</i> | L. Agassiz 1839 |
| 3398 | <i>Mya communis</i> | Megerle 1811 |
| 3399 | <i>Mya corpulenta</i> | Conrad 1845 |
| 3400 | <i>Mya elongata</i> | Locard 1886 |
| 3401 | <i>Mya hemphilli</i> | Newcombe 1875 |
| 3402 | <i>Mya japonica</i> | Jay 1856 |
| 3403 | <i>Mya mercenaria</i> | Say 1822 |
| 3404 | <i>Mya paternalis</i> | Matsumoto 1930 |
| 3405 | <i>Mya oonogai</i> | Makiyama 1935 |
| 3406 | <i>Mya subovata</i> | Woodward 1833 |
| 3407 | <i>Mya subtruncata</i> | Woodward 1833 |
| 3408 | <i>Sphenia ovoidea</i> | Carpenter 1864 |
| 3409 | <i>Platyodon cancellatus</i> | (Conrad 1837) |
| 3410 | <i>Mya cancellata</i> | Conrad 1837 |
| 3411 | <i>Cryptodonta myoides</i> | Carpenter 1864 |
| 3412 | | |
| 3413 | Subfamily Cryptomyinae | |
| 3414 | <i>Cryptomya californica</i> | (Conrad 1837) |
| 3415 | <i>Sphaenia californica</i> | Conrad 1837 |
| 3416 | <i>Cryptomya magna</i> | Dall 1921 |
| 3417 | <i>Myidae sp SD2</i> | Lilly 1999 § |
| 3418 | <i>Sphenia fragilis</i> | (H. & A. Adams 1854) |
| 3419 | <i>Tyleria fragilis</i> | H. & A. Adams 1854 |
| 3420 | <i>Sphenia luticola</i> | (Valenciennes 1846) |
| 3421 | <i>Corbula luticola</i> | Valenciennes 1846 |
| 3422 | <i>Cupsidaria (Tropidomya) nana</i> | Oldroyd 1918 |
| 3423 | <i>Myidae sp SD1</i> | Barwick 1997 § |
| 3424 | <i>Sphenia globula</i> | Dall 1919 |
| 3425 | <i>Sphenia pholadidea</i> | Dall 1916 |
| 3426 | | |
| 3427 | Family Corbulidae | |
| 3428 | <i>Corbula luteola</i> | Carpenter 1864 |
| 3429 | <i>Aloides (Lentidium) luteola</i> | of Keen 1937 |
| 3430 | <i>Aloidis (Caryocorbula) luteola</i> | of Hertlein & Strong 1950 |
| 3431 | <i>Corbula luteola var rosea</i> | Williamson 1905 |
| 3432 | <i>Corbula (Caryocorbula) luteola</i> | of Keen 1958 |
| 3433 | <i>Corbula (Lentidium) luteola</i> | of Grant & Gale 1931 |
| 3434 | <i>Juliacorbula luteola</i> | of SCAMIT Ed 4 |
| 3435 | <i>Corbula porcella</i> | Dall 1916 |
| 3436 | <i>Caryocorbula porcella</i> | of SCAMIT Ed 4 |
| 3437 | | |
| 3438 | Family Spheniopsidae | |
| 3439 | <i>Grippina californica</i> | Dall 1912 |
| 3440 | | |
| 3441 | Superfamily Pholadoidea | |
| 3442 | Family Pholadidae | |
| 3443 | Subfamily Jouannetiinae | |
| 3444 | <i>Netastoma rostratum</i> | (Valenciennes 1846) |
| 3445 | <i>Pholas rostrata</i> | Valenciennes 1846 |
| 3446 | <i>Netastoma rostrata</i> | of McLean 1969 |
| 3447 | <i>Pholadidea rostrata</i> | of I. Oldroyd 1924 |
| 3448 | | |
| 3449 | Subfamily Martesiinae | |
| 3450 | <i>Chaceia ovoidea</i> | (Gould 1851) |
| 3451 | <i>Pholas ovoidea</i> | Gould 1851 |
| 3452 | | |
| 3453 | Subfamily Xylophaginae | |
| 3454 | <i>Xylophaga washingtona</i> | Bartsch 1921 |
| 3455 | <i>Xylophaga californica</i> | Bartsch 1921 |
| 3456 | | |
| | Order Pholadomyida | |
| | Superfamily Pandoroidea | |
| | Family Pandoridae | |
| | <i>Heteroclidus punctata</i> | (Conrad 1837) |
| | <i>Pandora punctata</i> | Conrad 1837 |
| | <i>Clidiophora punctata</i> | of Arnold 1907 |
| | <i>Pandora (Heteroclidus) punctata</i> | of Keen 1958 |
| | <i>Pandora (Heteroclidus) punctata gabbi</i> | Dall 1903 |
| | <i>Pandora bilirata</i> | Conrad 1855 |

| | | |
|------|---------------------------------------|---|
| 3457 | Pandora delicatula | G. B. Sowerby II 1874 |
| 3458 | <i>Pandora (Kennerlia) bicarinata</i> | Cooper 1867 |
| 3459 | Pandora (Kennerlia) pseudobilirata | Nomura & Hatai 1940 |
| 3460 | Pandora (Pandorella) bilirata | of Hertlein & Grant 1972 |
| 3461 | <i>Pandora filosa</i> | (Carpenter 1864) |
| 3462 | Kennerlia filosa | Carpenter 1864 |
| 3463 | Pandora (Kennerlia) filosa | of Carpenter 1869 |
| 3464 | Pandora (Pandorella) filosa | of Palmer 1958 |
| 3465 | | |
| 3466 | Family Lyonsiidae | |
| 3467 | <i>Entodesma navicula</i> | (A. Adams & Reeve 1850) |
| 3468 | Lyonsia navicula | A. Adams & Reeve 1850 |
| 3469 | Agriodesma saxicola | of Bernard 1972 |
| 3470 | Entodesma saxicola | (Baird 1863) |
| 3471 | <i>Entodesma pictum</i> | (G. B. Sowerby I 1834) |
| 3472 | Lyonsia picta | G. B. Sowerby I 1834 |
| 3473 | Lyonsia diaphana | Carpenter 1856 |
| 3474 | Lyonsia inflata | Conrad 1837 |
| 3475 | <i>Lyonsia californica</i> | Conrad 1837 |
| 3476 | Lyonsia californica haroldi | Dall 1915 |
| 3477 | Lyonsia gouldi | Dall 1915 |
| 3478 | Lyonsia nesiotis | Dall 1915 |
| 3479 | Osteodesma nitidum | of Gould 1853 |
| 3480 | | |
| 3481 | Superfamily Thracioidea | |
| 3482 | Family Thracidae | |
| 3483 | <i>Asthenothaerus diegensis</i> | (Dall 1915) |
| 3484 | Thracia diegensis | Dall 1915 |
| 3485 | Astenothaerus villosior | of authors NEP not Carpenter 1864 |
| 3486 | <i>Cyathodonta pedroana</i> | Dall 1915 |
| 3487 | Cyathodonta undulata | of Grant & Gale 1931 not Conrad 1849 |
| 3488 | <i>Thracia curta</i> | Conrad 1837 |
| 3489 | ? Lepton clementinum | Carpenter 1857 |
| 3490 | Thracia quentinensis | Dall 1921 |
| 3491 | Thracia (Ixartia) curta | of Coan 1990 |
| 3492 | <i>Thracia trapezoides</i> | Conrad 1849 |
| 3493 | Thracia kanakoffi | Hertlein & Grant 1972 |
| 3494 | Thracia (Homoeodesma) trapezoides | of Coan 1990 |
| 3495 | | |
| 3496 | Family Periplomatidae | |
| 3497 | <i>Periploma discus</i> | Stearns 1890 |
| 3498 | <i>Periploma planiusculum</i> | G. B. Sowerby I 1834 |
| 3499 | <i>Periploma rosewateri</i> | Bernard 1989 |
| 3500 | | |
| 3501 | Suborder Septibranchia | |
| 3502 | Superfamily Cuspidaroidea | |
| 3503 | Family Cuspidariidae | |
| 3504 | <i>Cardiomya lanieri</i> | Strong & Hertlein 1937 |
| 3505 | Cuspidaria (Cardiomya) lanieri | Strong & Hertlein 1937 |
| 3506 | <i>Cardiomya pectinata</i> | (Carpenter 1864) |
| 3507 | Cardiomya isolirata | Carpenter 1864 |
| 3508 | Cuspidaria californica | Bernard 1969 |
| 3509 | Cuspidaria costata | Dall 1886 |
| 3510 | Cuspidaria dulcis | of authors SCB not G. B. Sowerby I 1834 |
| 3511 | Cuspidaria pectinata | Pilsbry & Lowe 1932 |
| 3512 | Cuspidaria (Cardiomya) oldroydi | of I. Oldroyd 1924 |
| 3513 | Cuspidaria (Cardiomya) pectinata | Dall in I. Oldroyd 1924 |
| 3514 | <i>Cardiomya planatica</i> | of Grant & Gale 1931 |
| 3515 | Cuspidaria planatica | (Dall 1908) |
| 3516 | <i>Cuspidaria parapodema</i> | Dall 1908 |
| 3517 | Cuspidaria apodema | Bernard 1969 |
| 3518 | <i>Luzonia walleri</i> | of authors not Dall 1916 |
| 3519 | Cuspidaria (Luzonia) walleri | (F. R. Bernard 1989) |
| 3520 | <i>Plectodon scaber</i> | F. R. Bernard 1989 |
| 3521 | Leiomya (Plectodon) scaber | Carpenter 1864 |
| 3522 | Leiomya (Plectodon) scabra | of Dall 1921 |
| 3523 | | of Bernard 1974 |
| 3524 | Superfamily Verticordioidea | |
| 3525 | Family Verticordiidae | |
| 3526 | <i>Haliria aequacostata</i> | (Howard 1950) |
| 3527 | Verticordia aequacostata | Howard 1950 |
| 3528 | <i>Trigonulina novemcostatus</i> | (A. Adams & Reeve 1850) |
| | Verticordia novemcostatus | A. Adams & Reeve 1850 |
| | Trigonulina pacifica | Jung 1996 |
| | Verticordia ornata | of authors NEP not (d'Orbigny 1842) |
| | Family Lyonsiellidae | |

| | | |
|------|--|--|
| 3529 | <i>Dallicordia alaskana</i> | (Dall 1895) |
| 3530 | <i>Lyoniella alaskana</i> | Dall 1895 |
| 3531 | | |
| 3532 | Superfamily Poromyoidea | |
| 3533 | Family Poromyidae | |
| 3534 | <i>Dermatomya buttoni</i> | Dall 1916 (Dall 1913) |
| 3535 | <i>Dermatomya tenuiconcha</i> | Dall 1913 |
| 3536 | Poromya (<i>Dermatomya</i>) <i>tenuiconcha</i> | Okutani 1962 |
| 3537 | <i>Dermatomya tenuiconcha sagamiensis</i> | Habe 1952 |
| 3538 | <i>Poromya (<i>Dermatomya</i>) <i>soyoae</i></i> | |
| 3539 | Class Scaphopoda | |
| 3540 | Order Dentaliida | |
| 3541 | Family Dentalidae | |
| 3542 | <i>Antalis pretiosa</i> | (G. B. Sowerby II 1860) |
| 3543 | <i>Dentalium pretiosum</i> | G. B. Sowerby II 1860 |
| 3544 | <i>Antalis columbiana</i> | Clessin 1896 |
| 3545 | <i>Antalis densiliratum</i> | Pilsbry & Sharp 1898 |
| 3546 | <i>Dentalium indianorum</i> | Carpenter 1864 |
| 3547 | <i>Dentalium neohexagonum</i> | Sharp & Pilsbry in Pilsbry & Sharp 1897 |
| 3548 | <i>Dentalium vallicolens</i> | Raymond 1904 |
| 3549 | <i>Dentalium (Graptacme) vallicolens</i> | of Abbott 1974 |
| 3550 | Family Rhabdidae | |
| 3551 | <i>Rhabdus rectius</i> | (Carpenter 1864) |
| 3552 | <i>Dentalium rectius</i> | Carpenter 1864 |
| 3553 | <i>Dentalium watsoni</i> | Pilsbry & Sharp 1897 |
| 3554 | <i>Dentalium (Rhabdus) rectius</i> | of Pilsbry & Sharp 1897-98 |
| 3555 | Order Gadilida | |
| 3556 | Suborder Gadiliomorpha | |
| 3557 | Family Gadilidae | |
| 3558 | Subfamily Siphonodentaliinae | |
| 3559 | <i>Polyschides quadrifissatus</i> | (Pilsbry & Sharp 1898) |
| 3560 | <i>Cadulus (Polyschides) quadrifissatus</i> | Pilsbry & Sharp 1898 |
| 3561 | <i>Siphonodentalium quadrifissatum</i> | of SCAMIT Ed 4 |
| 3562 | Subfamily Gadilinae | |
| 3563 | <i>Cadulus californicus</i> | Pilsbry & Sharp 1898 |
| 3564 | <i>Cadulus (Platyschides) californicus</i> | of Abbott 1974 |
| 3565 | <i>Polyschides californicus</i> | of SCAMIT Ed 4 |
| 3566 | <i>Gadila aberrans</i> | (Whiteaves 1887) |
| 3567 | <i>Cadulus aberrans</i> | Whiteaves 1887 |
| 3568 | <i>Cadulus fusiformis</i> | Pilsbry & Sharp 1898 |
| 3569 | <i>Cadulus hepburni</i> | Dall 1897 |
| 3570 | <i>Cadulus nitentior</i> | Arnold 1903 |
| 3571 | <i>Pulsellum aberrans</i> | of Turgeon <i>et al</i> 1988 |
| 3572 | <i>Gadila tolmiei</i> | (Dall 1897) |
| 3573 | <i>Cadulus tolmiei</i> | Dall 1897 |
| 3574 | <i>Polyschides tolmiei</i> | of Turgeon <i>et al</i> 1998 |
| 3575 | family uncertain | |
| 3576 | <i>Compressidens stearnsii</i> | (Pilsbry & Sharp 1898) |
| 3577 | <i>Dentalium stearnsii</i> | Pilsbry & Sharp 1898 |
| 3578 | <i>Dentalium (Compressidens) simplex</i> | Pilsbry & Sharp 1897 not Michelotti 1861 |
| 3579 | Class Cephalopoda | |
| 3580 | Subclass Coleoidea | |
| 3581 | Superorder Decabrachia | |
| 3582 | Order Sepioidea | |
| 3583 | Suborder Sepiolida | |
| 3584 | Family Sepiolidae | |
| 3585 | <i>Rossia pacifica</i> | Berry 1911 |
| 3586 | <i>Rossia borealis</i> | Sasaki 1913 |
| 3587 | Order Teuthida | |
| 3588 | Suborder Myopsina | |
| 3589 | Family Loliginidae | |
| 3590 | <i>Doryteuthis opalescens</i> | (Berry 1911) |
| 3591 | <i>Loligo opalescens</i> | Berry 1911 |
| 3592 | <i>Loligo stearnsi</i> | Hemphill 1892 |
| 3593 | <i>Ommastrephes tryoni</i> | of Kepp 1904 not (Gabb 1864) |
| 3594 | Suborder Oegopsina | |
| 3595 | Family Gonatidae | |
| 3596 | <i>Gonatopsis borealis</i> | Sasaki 1923 |
| 3597 | Family Histiopteuthidae | |
| 3598 | <i>Histioteuthis heteropsis</i> | (Berry 1913) |
| 3599 | <i>Calliteuthis heteropsis</i> | Berry 1913 |
| 3600 | <i>Meleagroteuthis hoylei</i> | of Berry 1912 not (Goodrich 1896) |
| | Superorder Octobrachia | |

| | | |
|------|--|---|
| 3601 | Order Octopoda | |
| 3602 | Suborder Cirrata | |
| 3603 | | |
| 3604 | Family <i>Opisthoteuthidae</i> | Hochberg 1976 § |
| 3605 | <i>Opisthoteuthis</i> sp A | |
| 3606 | Suborder Incirrata | |
| 3607 | Family <i>Octopodidae</i> | |
| 3608 | <i>Octopus bimaculoides</i> | Pickford & McConaughey 1949 |
| 3609 | <i>Octopus californicus</i> | (Berry 1911) |
| 3610 | Polypus californicus | Berry 1911 |
| 3611 | <i>Octopus micropyrus</i> | Berry 1953 |
| 3612 | <i>Octopus rubescens</i> | Berry 1953 |
| 3613 | Polypus apollyon | Berry 1913 |
| 3614 | Polypus hongkongensis | of Berry 1911 in part |
| | <i>Octopus veligerus</i> | Berry 1953 |
| 3615 | PHYLUM SIPUNCULA | |
| 3616 | Class Sipunculidea | |
| 3617 | Order Sipunculiformes | |
| 3618 | Family <i>Sipunculidae</i> | |
| 3619 | <i>Siphonosoma ingens</i> | (Fisher 1947) |
| 3620 | Siphonosomecus ingens | Fisher 1947 |
| 3621 | <i>Sipunculus nudus</i> | Linnaeus 1766 |
| 3622 | Sipunculus balanophorus | delle Chiaje 1823 |
| 3623 | Sipunculus delphinus | Murina 1967 |
| 3624 | Sipunculus eximioclathratus | Baird 1868 |
| 3625 | Sipunculus gigas | Quatrefages 1865 |
| 3626 | Sipunculus titubans | Selenka & Bülow in Selenka, de Man & Bülow 1883 |
| 3627 | Syrinx nudus | of Forbes 1841 |
| 3628 | Syrinx tesselatus | Rafinesque 1814 |
| 3629 | Order Golfingiformes | |
| 3630 | Family <i>Golfingiidae</i> | |
| 3631 | <i>Golfingia margaritacea</i> | (M. Sars 1851) |
| 3632 | Sipunculus margaritaceus | M. Sars 1851 |
| 3633 | Golfingia ikedai | Fisher 1952 |
| 3634 | Golfingia margaritaceum californiensis | Fisher 1952 |
| 3635 | Phascolosoma glossipapillosum | Satō 1934 |
| 3636 | Phascolosoma japonicum | Ikeda 1904 |
| 3637 | Phascolosoma noto | Satō 1934 |
| 3638 | Phascolosoma okinoseanum | Ikeda 1904 |
| 3639 | Phascolosoma signum | Satō 1934 |
| 3640 | Phascolosoma soyo | Satō 1934 |
| 3641 | <i>Golfingia</i> sp 1 | Thompson 1985 § |
| 3642 | <i>Nephasoma diaphanes</i> | (Gerould 1913) |
| 3643 | Phascolosoma diaphanes | Gerould 1913 |
| 3644 | Golfingia minuta | of Stephen & Edmonds 1972 |
| 3645 | Phascolosoma minutum | of Théel 1911 not (Kieferstein 1862) |
| 3646 | <i>Nephasoma eremita</i> | (M. Sars 1851) |
| 3647 | Sipunculus eremita | M. Sars 1851 |
| 3648 | Golfingia elachea | Fisher 1952 |
| 3649 | Golfingia eremita californica | Fisher 1952 |
| 3650 | Phascolosoma digitatum | Théel 1875 |
| 3651 | Sipunculus boreale | of Kieferstein 1865 |
| 3652 | Sipunculus (Phascolosoma) borealis | Quatrefages 1865 |
| 3653 | <i>Nephasoma pellucidum</i> | (Kieferstein 1865) |
| 3654 | Phascolosoma pellucidum | Kieferstein 1865 |
| 3655 | Golfingia coriacea | Fisher 1950 |
| 3656 | Golfingia eremita var australis | Wesenberg-Lund 1959 |
| 3657 | Golfingia pellucida | of Murina 1968 |
| 3658 | Golfingia sluteri | of Stephen & Edmonds 1972 |
| 3659 | Phascolosoma cinereum | Gerould 1908 |
| 3660 | Phascolosoma riisei | Kieferstein 1865 |
| 3661 | Phascolosoma sluteri | of ten Broeke 1925 |
| 3662 | Phascolosoma verrillii | Gerould 1908 |
| 3663 | <i>Thysanocardia nigra</i> | (Ikeda 1904) |
| 3664 | Phascolosoma nigrum | Ikeda 1904 |
| 3665 | Golfingia catharinae | (Grube 1868) |
| 3666 | Golfingia hozawai | Stephen & Edmonds 1972 |
| 3667 | Golfingia macginitiei | Fisher 1952 |
| 3668 | Golfingia nigra | of Stephen & Edmonds 1972 |
| 3669 | Golfingia procura | of authors NEP not (Möbius 1875) |
| 3670 | Golfingia pugettensis | Stephen & Edmonds 1972 |
| 3671 | Phascolosoma hozawai | Satō 1937 |
| 3672 | Phascolosoma hyugensis | Satō 1934 |

| | | |
|------|--|--|
| 3673 | Phascolosoma onagawa | Satō 1937 |
| 3674 | Phascolosoma pavlenkoi | Ostroumov 1909 |
| 3675 | Phascolosoma zenibakense | Ikeda 1924 |
| 3676 | | |
| 3677 | Family Phascolionidae | (SCAMIT 1985) § |
| 3678 | <i>Phascolion</i> sp A | SCAMIT 1985 § |
| 3679 | <i>Onchnesoma</i> sp A | |
| 3680 | | |
| 3681 | Family Themistidae | Gray 1828 |
| 3682 | <i>Themiste hennahi</i> | Fisher 1952 |
| 3683 | Dendrostomum lissum | Fisher 1928 |
| 3684 | Dendrostomum perimeces | Fisher 1952 |
| 3685 | Dendrostomum schmitti | Chamberlin 1920 |
| 3686 | Dendrostomum zostericola | (Fisher 1952) |
| 3687 | Themiste lissa | (Fisher 1928) |
| 3688 | Themiste perimeces | (Chamberlin 1920) |
| 3689 | Themiste zostericola | |
| 3690 | Class Phascolosomatidea | |
| 3691 | Order Phascolosomatiformes | |
| 3692 | Family Phascolosomatidae | (Ikeda 1904) |
| 3693 | <i>Apionsoma misakianum</i> | Ikeda 1904 |
| 3694 | Phascolosoma misakianum | of E. Cutler, N. Cutler & Nishikawa 1984 |
| 3695 | Apionsoma misakiana | of Fisher 1952 |
| 3696 | Golfingia hespera | of Stephen & Edmonds 1972 |
| 3697 | Golfingia (Mitosiphon) misakiana | Wesenberg-Lund 1959 |
| 3698 | Golfingia (Phascolana) longirostris | Wesenberg-Lund 1959 |
| 3699 | Golfingia (Phascolana) tenuissima | Chamberlin 1920 |
| 3700 | Phascolosoma hespera | Sluiter 1902 |
| 3701 | <i>Apionsoma trichocephala</i> | Sluiter 1912 |
| 3702 | Phascolosoma pusillum | Pasko 1997 § |
| 3703 | <i>Apionsoma</i> sp SD1 | Keferstein 1866 |
| 3704 | <i>Phascolosoma agassizii</i> | Murina 1975 |
| 3705 | Phascolosoma (Rueppellisoma) golikovi | Grube 1877 |
| 3706 | Phascolosoma japonicum | Baird 1868; |
| 3707 | Phymosoma lordi | Satō 1939 |
| 3708 | Physcosoma formosense | Satō 1930 |
| 3709 | Physcosoma glaucum | Ikeda 1924 |
| 3710 | Physcosoma yezoense | |
| 3711 | Order Aspidosiphoniformes | |
| 3712 | Family Aspidosiphonidae | |
| 3713 | <i>Aspidosiphon (Paraspidosiphon)</i> sp | |
| 3714 | Class Echiuridea | |
| 3715 | Order Bonelloinea | |
| 3716 | Family Bonelliidae | |
| 3717 | <i>Nellobia eusoma</i> | Fisher 1946 |
| 3718 | Order Echiuroinea | |
| 3719 | Family Thalassematidae | |
| 3720 | <i>Arhynchite californicus</i> | Fisher 1947 |
| 3721 | <i>Listriolobus hexamytotus</i> | Fisher 1949 |
| 3722 | <i>Listriolobus pelodes</i> | Fisher 1946 |
| 3723 | Order Xenopneusta | |
| 3724 | Family Urechidae | |
| 3725 | <i>Urechis caupo</i> | Fisher & MacGinitie 1928 |
| 3726 | Class Polychaeta | |
| 3727 | Subclass Scolecida | |
| 3728 | Family Arenicolidae | |
| 3729 | <i>Abarenicola pacifica</i> | Healy & Wells 1959 |
| 3730 | Abarenicola pusilla | of Berkeley & Berkeley 1952 in part not Quatrefages 1865 |
| 3731 | <i>Arenicola cristata</i> | Stimpson 1856 |
| 3732 | <i>Branchiomaldane simplex</i> | Berkeley & Berkeley 1932 |
| 3733 | Family Capitellidae | |
| 3734 | <i>Amastigus acutus</i> | Piltz 1977 |
| 3735 | <i>Anatomastus gordioides</i> | (Moore 1909) |
| 3736 | Eunotomastus gordioides | Moore 1909 |
| 3737 | <i>Barantolla</i> sp | |
| 3738 | <i>Capitella capitata</i> Cmplx | |
| 3739 | Capitella capitata | of authors NEP not (Fabricius 1780) |
| 3740 | <i>Capitella teleta</i> | Blake <i>et al</i> 2009 |
| 3741 | <i>Dasybranchus glabrus</i> | Moore 1909 |
| 3742 | <i>Decamastus gracilis</i> | Hartman 1963 |
| 3743 | <i>Dodecamastus mariaensis</i> | Blake 2000 |
| 3744 | <i>Dodecaseta oraria</i> | McCammon & Stull 1978 |

| | | |
|------|--|---|
| 3745 | <i>Heteromastus filiformis</i> Cmplx | |
| 3746 | <i>Heteromastus filiformis</i> | of authors NEP not (Claparède 1864) |
| 3747 | <i>Heteromastus filobranchus</i> | Berkeley & Berkeley 1932 |
| 3748 | <i>Leiochrides hemipodus</i> | Hartman 1960 |
| 3749 | <i>Mediomastus acutus</i> | Hartman 1969 |
| 3750 | <i>Mediomastus ambiseta</i> | (Hartman 1947) |
| 3751 | <i>Capitita ambiseta</i> | Hartman 1947 |
| 3752 | <i>Mediomastus californiensis</i> | Hartman 1944 |
| 3753 | <i>Mediomastus capensis</i> | of Fournier & Levings 1982 not Day 1961 |
| 3754 | <i>Notomastus latericeus</i> | M. Sars 1851 |
| 3755 | <i>Notomastus lineatus</i> | Claparède 1870 |
| 3756 | <i>Notomastus magnus</i> | Hartman 1947 |
| 3757 | <i>Dasybranchus giganteus</i> | of Moore 1909 not Moore 1906 |
| 3758 | <i>Notomastus giganteus</i> | of E. Berkeley 1941 |
| 3759 | <i>Notomastus tenuis</i> | Moore 1909 |
| 3760 | <i>Notomastus hemipodus</i> | of authors NEP not Hartman 1945 |
| 3761 | <i>Notomastus</i> sp A | SCAMIT 2001 § |
| 3762 | <i>Notomastus tenuis</i> | of authors NEP not Moore 1909 |
| 3763 | <i>Notomastus</i> sp SD2 | Rowe 1999 § |
| 3764 | <i>Notomastus</i> sp SD3 | Rowe 2004 § |
| 3765 | <i>Scyphoproctus oculatus</i> | Reish 1959 |
| 3766 | Family Cossuridae | |
| 3767 | <i>Cossura brunnea</i> | Fauchald 1972 |
| 3768 | <i>Cossura candida</i> | Hartman 1955 |
| 3769 | <i>Cossura rostrata</i> | of Lissner <i>et al.</i> 1986 in part not Fauchald 1972 |
| 3770 | <i>Cossura modica</i> | Fauchald & Hancock 1981 |
| 3771 | <i>Cossura pygodactylata</i> | Jones 1956 |
| 3772 | <i>Cossura lepida</i> | Tamai 1986 |
| 3773 | <i>Cossura</i> sp A | Phillips 1987 § |
| 3774 | Family Maldanidae | |
| 3775 | Subfamily Euclymeninae | |
| 3776 | <i>Axiothella rubrocincta</i> | (Johnson 1901) |
| 3777 | <i>Clymenella rubrocincta</i> | Johnson 1901 |
| 3778 | <i>Clymenella complanata</i> | Hartman 1969 |
| 3779 | <i>Clymenella</i> sp A | Harris 1985 § |
| 3780 | <i>Clymenella</i> sp SD1 | Rowe 2006 § |
| 3781 | <i>Clymenura columbiana</i> | (E. Berkeley 1929) |
| 3782 | <i>Leiochone columbiana</i> | E. Berkeley 1929 |
| 3783 | <i>Clymenura gracilis</i> | Hartman 1969 |
| 3784 | <i>Euclymene campanula</i> | Hartman 1969 |
| 3785 | <i>Euclymeninae</i> sp A | SCAMIT 1987 § |
| 3786 | <i>Euclymeninae</i> sp B | SCAMIT 1987 § in part |
| 3787 | <i>Maldanidae</i> sp 1 | Lovell & Phillips 1995 § |
| 3788 | <i>Euclymeninae</i> sp B | SCAMIT 1987 § |
| 3789 | <i>Isocirrus longiceps</i> | (Moore 1923) |
| 3790 | <i>Pseudoclymene longiceps</i> | Moore 1923 |
| 3791 | <i>Maldanella catalinia</i> | (Hartman 1969) |
| 3792 | <i>Axiothella catalinia</i> | Hartman 1969 |
| 3793 | <i>Maldanella robusta</i> | Moore 1906 |
| 3794 | <i>Petaloclymene pacifica</i> | Green 1997 |
| 3795 | <i>Praxillella gracilis</i> | (M. Sars 1861) |
| 3796 | <i>Clymene gracilis</i> | M. Sars 1861 |
| 3797 | <i>Praxillella pacifica</i> | E. Berkeley 1929 |
| 3798 | Subfamily Lumbriclymeninae | |
| 3799 | <i>Lumbriclymene</i> sp | |
| 3800 | <i>Notoproticus pacificus</i> | (Moore 1906) |
| 3801 | <i>Lumbriclymene (Notoproticus) pacifica</i> | Moore 1906 |
| 3802 | Subfamily Maldaninae | |
| 3803 | <i>Maldane californiensis</i> | Green 1991 |
| 3804 | <i>Maldane sarsi</i> | Malmgren 1865 |
| 3805 | <i>Metasychis disparidentatus</i> | (Moore 1904) |
| 3806 | <i>Asychis disparidentata</i> | Moore 1904 |
| 3807 | <i>Sonatsa carinata</i> | (Moore 1923) |
| 3808 | <i>Maldane carinata</i> | Moore 1923 |
| 3809 | Subfamily Nicomachinae | |
| 3810 | <i>Nicomache lumbricalis</i> | (Fabricius 1780) |
| 3811 | <i>Sabella lumbricalis</i> | Fabricius 1780 |
| 3812 | <i>Nicomache personata</i> | Johnson 1901 |
| 3813 | <i>Petaloproticus borealis</i> | Arwidsson 1907 |
| 3814 | <i>Petaloproticus neoborealis</i> | Hartman 1969 |
| 3815 | <i>Petaloproticus ornatus</i> | Hartman 1969 |
| 3816 | <i>Petaloproticus tenuis</i> | (Théel 1879) |

| | | | |
|------|--|---|--|
| 3817 | | Maldane tenuis | Theél 1879 |
| 3818 | | <i>Praxillura maculata</i> | Moore 1923 |
| 3819 | | Subfamily Rhodininae | |
| 3820 | | <i>Rhodine bitorquata</i> | |
| 3821 | | Family Opheliidae | |
| 3822 | | <i>Armandia cf agilis</i> | (Andrews 1891) |
| 3823 | | <i>Ophelina agilis</i> | Andrews 1891 |
| 3824 | | <i>Armandia brevis</i> | (Moore 1906) |
| 3825 | | Ammotrypane brevis | Moore 1906 |
| 3826 | | <i>Armandia bioculata</i> | Hartman 1938 |
| 3827 | | <i>Armandia</i> sp SD1 | Rowe 1999 § |
| 3828 | | <i>Ophelia assimilis</i> | Tebble 1953 |
| 3829 | | <i>Ophelia limacina</i> | (Rathke 1843) |
| 3830 | | Ammotrypane limacina | Rathke 1843 |
| 3831 | | <i>Ophelia pulchella</i> | Tebble 1953 |
| 3832 | | <i>Ophelina acuminata</i> | Ørsted 1843 |
| 3833 | | Ammotrypane aulogaster | Rathke 1843 |
| 3834 | | <i>Ophelina farallonensis</i> | Blake 2000 |
| 3835 | | <i>Ophelina pallida</i> | (Hartman 1960) |
| 3836 | | Ammotrypane pallida | Hartman 1960 |
| 3837 | | <i>Ophelina</i> sp SD2 | Rowe 2004 § |
| 3838 | | <i>Ophelina</i> sp SD1 | Rowe 1995 § |
| 3839 | | <i>Polyopthalmus pictus</i> | (Dujardin 1839) |
| 3840 | | <i>Nais pictus</i> | Dujardin 1839 |
| 3841 | | <i>Thoracophelia dillonensis</i> | (Hartman 1938) |
| 3842 | | Pectinophelia dillonensis | Hartman 1938 |
| 3843 | | <i>Euzonus dillonensis</i> | (Hartman 1938) |
| 3844 | | <i>Thoracophelia mucronata</i> | (Treadwell 1914) |
| 3845 | | <i>Ophelia</i> (<i>Thoracophelia</i>) mucronata | Treadwell 1914 |
| 3846 | | <i>Euzonus mucronata</i> | of Hartman 1969 |
| 3847 | | Family Orbiniidae | |
| 3848 | | <i>Califia calida</i> | Hartman 1957 |
| 3849 | | <i>Leitoscoloplos panamensis</i> | (Monro 1933) |
| 3850 | | Haploscoloplos panamensis | Monro 1933 |
| 3851 | | <i>Leitoscoloplos pugettensis</i> | (Pettibone 1957) |
| 3852 | | Scoloplos (Scoloplos) pugettensis | Pettibone 1957 |
| 3853 | | <i>Scoloplos elongata</i> | Johnson 1901 |
| 3854 | | Haploscoloplos elongata | of Hartman 1944 |
| 3855 | | Haploscoloplos elongatus | of Hartman 1957 |
| 3856 | | <i>Leitoscoloplos elongata</i> | of Day 1977 |
| 3857 | | <i>Leitoscoloplos</i> sp A | Williams 1976 § |
| 3858 | | <i>Naineris dendritica</i> | (Kinberg 1867) |
| 3859 | | Anthostoma dendriticum | Kinberg 1867 |
| 3860 | | <i>Naineris laevigata</i> | of Berkeley & Berkeley 1952 not (Grube 1855) |
| 3861 | | <i>Naineris longa</i> | Moore 1909 |
| 3862 | | <i>Naineris nannobranchia</i> | Chamberlin 1919 |
| 3863 | | <i>Naineris robusta</i> | Moore 1909 |
| 3864 | | <i>Naineris cf grubei</i> | (Gravier 1908) |
| 3865 | | <i>Scoloplos grubei</i> | Gravier 1908 |
| 3866 | | <i>Naineris quadricuspida</i> | (Fabricius 1780) |
| 3867 | | <i>Nais quadricuspida</i> | Fabricius 1780 |
| 3868 | | <i>Naineris uncinata</i> | Hartman 1957 |
| 3869 | | <i>Naineris berkeleyorum</i> | Pettibone 1957 |
| 3870 | | <i>Orbinia johnsoni</i> | (Moore 1909) |
| 3871 | | <i>Aricia johnsoni</i> | Moore 1909 |
| 3872 | | <i>Phylo felix</i> | Kinberg 1866 |
| 3873 | | <i>Aricia michaelensi</i> | Ehlers 1897 |
| 3874 | | <i>Phylo nudus</i> | (Moore 1911) |
| 3875 | | <i>Aricia nuda</i> | Moore 1911 |
| 3876 | | <i>Protoarciella</i> sp A | Williams 1976 § |
| 3877 | | <i>Scoloplos acmeceps</i> | Chamberlin 1919 |
| 3878 | | <i>Scoloplos acmeceps profundus</i> | Hartman 1960 |
| 3879 | | <i>Scoloplos armiger</i> Cmplx | |
| 3880 | | Family Paronidae | |
| 3881 | | <i>Aricidea (Acmira) catherinae</i> | Laubier 1967 |
| 3882 | | Acmira catherinae | of authors SCB |
| 3883 | | Acmira assimilis | of Lissner <i>et al</i> 1986 in part not (Tebble 1959) |
| 3884 | | Acmira sp A | of Lissner <i>et al</i> 1986 |
| 3885 | | <i>Aricidea (Acesta) catherinae</i> | of Strelzov 1973 |
| 3886 | | <i>Aricidea jeffreysii</i> | of Pettibone 1963 not McIntosh 1879 |
| 3887 | | <i>Aricidea lopezi</i> | of Hartman 1963 not Berkeley & Berkeley 1956 |
| 3888 | | <i>Aricidea zelenzovi</i> | Strelzov 1968 |

| | | |
|------|---|--|
| 3889 | <i>Aricidea (Acmira) cerrutii</i> | Laubier 1966 |
| 3890 | <i>Acmira cerrutii</i> | of authors SCB |
| 3891 | <i>Aricidea (Acesta) cerrutii</i> | of Strelzov 1973 |
| 3892 | <i>Aricidea (Acmira) horikoshii</i> | Imajima 1973 |
| 3893 | <i>Acmira horikoshii</i> | of authors SCB |
| 3894 | <i>Aricidea (Acmira) lopezi</i> | Berkeley & Berkeley 1956 |
| 3895 | <i>Acmira lopezi</i> | of authors SCB |
| 3896 | <i>Aricidea fauveli</i> | Hartman 1957 |
| 3897 | <i>Aricidea fragilis</i> | of Fauvel 1936 not Webster 1879 |
| 3898 | <i>Aricidea (Acesta) lopezi lopezi</i> | of Strelzov 1973 |
| 3899 | <i>Aricidea suecica</i> | of Buzhinskaya 1967 not Eliason 1920 |
| 3900 | <i>Aricidea (Acmira) rubra</i> | Hartman 1963 |
| 3901 | <i>Acmira assimilis</i> | of Lissner <i>et al</i> 1986 in part not (Tebble 1959) |
| 3902 | <i>Acmira sp B</i> | of Steinhauer & Imamura 1990 |
| 3903 | <i>Aedicira sp A</i> | of Lissner <i>et al</i> 1986 |
| 3904 | <i>Aricidea (Acesta) finitima</i> | Strelzov 1973 |
| 3905 | <i>Aricidea longobranchiata</i> | of Day 1961 in part |
| 3906 | <i>Aricidea lopezi rubra</i> | Hartman 1963 |
| 3907 | <i>Aricidea (Acmira) simplex</i> | Day 1963 |
| 3908 | <i>Acmira simplex</i> | of authors SCB |
| 3909 | <i>Aricidea (Acesta) simplex</i> | of Strelzov 1973 |
| 3910 | <i>Aricidea neosuecica</i> | Hartman 1965 |
| 3911 | <i>Aricidea neosuecica japonica</i> | Imajima 1973 |
| 3912 | <i>Aricidea suecica simplex</i> | Day 1963 |
| 3913 | <i>Aricidea uschakovi</i> | of Levenstein 1966 not Zachs 1925 |
| 3914 | <i>Aricidea (Acmira) taylori</i> | Pettibone 1965 |
| 3915 | <i>Aricidea (Aricidea) taylori</i> | Pettibone 1965 |
| 3916 | <i>Aricidea (Acesta) taylori</i> | of Strelzov 1973 |
| 3917 | <i>Aricidea (Acmira) sp SD1</i> | Barwick 1999 § |
| 3918 | <i>Aricidea (Aedicira) pacifica</i> | Hartman 1944 |
| 3919 | <i>Aedicira pacifica</i> | of Hartman 1969 |
| 3920 | <i>Aricidea (Allia) antennata</i> | Annenkova 1934 |
| 3921 | <i>Allia antennata</i> | of authors SCB |
| 3922 | <i>Aricidea (Allia) quadrilobata</i> | of Strelzov 1973 in part not Webster & Benedict 1887 |
| 3923 | <i>Allia antennata</i> | of Hartman 1969 |
| 3924 | <i>Aricidea longicornuta</i> | Berkeley & Berkeley 1950 |
| 3925 | <i>Aricidea uschakovi</i> | of Annenkova 1937 not Zachs 1925 |
| 3926 | <i>Aricidea (Allia) hartleyi</i> | Blake 1996 |
| 3927 | <i>Aricidea cf. nolani</i> | Lovell 1977 § |
| 3928 | <i>Aricidea (Allia) monicae</i> | Laubier 1967 |
| 3929 | <i>Allia monicae</i> | of authors SCB |
| 3930 | <i>Aricidea uschakovi</i> | of Hartman 1957 in part (?) not Zachs 1925 |
| 3931 | <i>Aricidea (Allia) quadrilobata</i> | Webster & Benedict 1887 |
| 3932 | <i>Aricidea (Allia) sp A</i> | SCAMIT 1996 § |
| 3933 | <i>Allia ramosa</i> | of authors SCB not (Annenkova 1934) |
| 3934 | <i>Aricidea (Aricidea) ramosa</i> | of Banse & Hobson 1968 not Annenkova 1934 |
| 3935 | <i>Aricidea (Allia) sp SD1</i> | Barwick 1996 § |
| 3936 | <i>Aricidea (Aricidea) pseudoarticulata</i> | Hobson 1972 |
| 3937 | <i>Aricidea (Aricidea) wassi</i> | Pettibone 1965 |
| 3938 | <i>Aricidea (Aricidea) sp SD1</i> | Barwick 1996 § |
| 3939 | <i>Cirrophorus branchiatus</i> | Ehlers 1908 |
| 3940 | <i>Aricidea (Cirrophorus) aciculata</i> | Hartman 1957 |
| 3941 | <i>Aricidea (Cirrophorus) branchiatus</i> | of Hartman 1957 |
| 3942 | <i>Aricidea branchiatus</i> | of Cerruti 1909 |
| 3943 | <i>Cirrophorus aciculatus</i> | of Hartman 1969 |
| 3944 | <i>Cirrophorus furcatus</i> | (Hartman 1957) |
| 3945 | <i>Aricidea (Cirrophorus) furcatus</i> | Hartman 1957 |
| 3946 | <i>Cirrophorus cf lyriformis</i> | of Laubier & Ramos 1974 |
| 3947 | <i>Levinsenia gracilis</i> | (Tauber 1879) |
| 3948 | <i>Aonides gracilis</i> | Tauber 1879 |
| 3949 | <i>Paraonis (Paraonis) ivanovi</i> | of Banse & Hobson 1968 |
| 3950 | <i>Paraonis (Paraonides) gracilis</i> | of Monroe 1930 |
| 3951 | <i>Paraonis (Paraonis) gracilis</i> | of Cerruti 1909 |
| 3952 | <i>Paraonis filiformis</i> | Hartman 1953 |
| 3953 | <i>Paraonis gracilis minuta</i> | Hartmann-Schröder 1965 |
| 3954 | <i>Tauberia gracilis</i> | of Strelzov 1973 |
| 3955 | <i>Levinsenia multibranchiata</i> | (Hartman 1957) |
| 3956 | <i>Paraonis multibranchiata</i> | Hartman 1957 |
| 3957 | <i>Tauberia multibranchiata</i> | of Strelzov 1973 |
| 3958 | <i>Levinsenia oculata</i> | (Hartman 1957) |
| 3959 | <i>Paraonis oculata</i> | Hartman 1957 |
| 3960 | <i>Levinsenia sp B</i> | SCAMIT 2007 § |

| | | |
|------|--|--------------------------------------|
| 3961 | Levinsenia oculata | |
| 3962 | <i>Levinsenia</i> sp SD1 | |
| 3963 | <i>Paradoneis eliasoni</i> | |
| 3964 | Cirrophorus lyra | |
| 3965 | <i>Paraonis</i> (<i>Paraonides</i>) lyra | |
| 3966 | <i>Paradoneis lyra</i> | |
| 3967 | Paraonis (<i>Paraonides</i>) lyra | |
| 3968 | Cirrophorus lyra | |
| 3969 | <i>Paradoneis spinifera</i> | |
| 3970 | Paraonis spinifera | |
| 3971 | <i>Paronella spinifera</i> | |
| 3972 | <i>Paradoneis</i> sp SD1 | |
| 3973 | <i>Paraonides platybranchia</i> | |
| 3974 | Paraonis platybranchia | |
| 3975 | <i>Paronella platybranchia</i> | |
| 3976 | | |
| 3977 | Family Questidae | |
| 3978 | <i>Questa caudicirra</i> | Hartman 1966 |
| 3979 | | |
| 3980 | Family Scalibregmatidae | |
| 3981 | <i>Asclerocheilus acirratus</i> | (Hartman 1966) |
| 3982 | Sclerocheilus acirratus | Hartman 1966 |
| 3983 | <i>Asclerocheilus californicus</i> | Hartman 1963 |
| 3984 | <i>Asclerocheilus kudenovi</i> | Blake 2000 |
| 3985 | <i>Hyboscolex pacificus</i> | (Moore 1909) |
| 3986 | Sclerocheilus pacificus | Moore 1909 |
| 3987 | <i>Oncoscolex pacificus</i> | of Hartman 1969 |
| 3988 | <i>Scalibregma californicum</i> | Blake 2000 |
| 3989 | Scalibregma inflatum | of authors SCB not Rathke 1843 |
| 3990 | <i>Travisia brevis</i> | Moore 1923 |
| 3991 | <i>Travisia gigas</i> | Hartman 1938 |
| 3992 | <i>Travisia pupa</i> | Moore 1906 |
| 3993 | Travisia camea | of Berkeley 1966 not Verrill 1873 |
| 3994 | Travisia foetida | Hartman 1969 |
| 3995 | | |
| 3996 | Subclass Palpata | |
| 3997 | Order Aciculata | |
| 3998 | Suborder Phyllodocida | |
| 3999 | Infraorder Aphroditiformia | |
| 4000 | Superfamily Aphroditioidea | |
| 4001 | Family Acoetidae | |
| 4002 | <i>Acoetes mortensenii</i> | (Monro 1928) |
| 4003 | Polyodontes mortensenii | Monro 1928 |
| 4004 | <i>Acoetes pacifica</i> | of Hartman 1969 |
| 4005 | Panthalis pacifica | (Treadwell 1914) |
| 4006 | <i>Polyodontes panamensis</i> | Treadwell 1914 |
| 4007 | Panthalis panamensis | (Chamberlin 1919) |
| 4008 | | Chamberlin 1919 |
| 4009 | Family Aphroditidae | |
| 4010 | <i>Aphrodisia armifera</i> | Moore 1910 |
| 4011 | <i>Aphrodisia brevitentaculata</i> | Essenberg 1917 |
| 4012 | <i>Aphrodisia castanea</i> | Moore 1910 |
| 4013 | <i>Aphrodisia japonica</i> | Marenzeller 1879 |
| 4014 | <i>Aphrodisia longipalpa</i> | Essenberg 1917 |
| 4015 | <i>Aphrodisia negligens</i> | Moore 1905 |
| 4016 | <i>Aphrodisia refulgida</i> | Moore 1910 |
| 4017 | <i>Aphrodisia</i> sp A | Rossi 1978 § |
| 4018 | | |
| 4019 | Family Eulepethidae | |
| 4020 | <i>Grubelepis</i> sp | |
| 4021 | | |
| 4022 | Family Polynoidae | |
| 4023 | Subfamily Arctonoinae | |
| 4024 | <i>Arctonoe pulchra</i> | (Johnson 1897) |
| 4025 | Polynoe pulchra | Johnson 1897 |
| 4026 | <i>Hololepida magna</i> | Moore 1905 |
| 4027 | | |
| 4028 | Subfamily Lepidastheninae | Pettibone 1948 |
| 4029 | <i>Lepidasthenia berkeleyae</i> | of Hartman 1968 not Marenzeller 1902 |
| 4030 | Lepidasthenia interrupta | E. Berkeley 1923 |
| 4031 | <i>Lepidasthenia longicirrata</i> | of Berkeley & Berkeley 1948 |
| 4032 | Lepidametria longicirrata | |
| | Subfamily Lepidonotinae | |
| | <i>Halosydna brevisetosa</i> | Kinberg 1855 |
| | <i>Halosydna johnsoni</i> | (Darboux 1899) |
| | Lepidonotus johnsoni | Darboux 1899 |
| | <i>Halosydna latior</i> | Chamberlin 1919 |
| | <i>Lepidonotus spiculus</i> | (Treadwell 1906) |

| | | |
|------|---------------------------------------|---|
| 4033 | Polynoe spicula | Treadwell 1906 |
| 4034 | Lepidonotus caeloris | of authors in part not Moore 1903 |
| 4035 | Lepidonotus caelorus | of authors in part not Moore 1903 |
| 4036 | Lepidonotus squamatus | of authors in part not Linnaeus 1767 |
| 4037 | | |
| 4038 | Subfamily Polynoinae | |
| 4039 | <i>Arcteobia cf anticostiensis</i> | SCAMIT 1990 § |
| 4040 | <i>Eunoe senta</i> | (Moore 1902) |
| 4041 | <i>Gattyana senta</i> | Moore 1902 |
| 4042 | <i>Harmothoe fragilis</i> | Moore 1910 |
| 4043 | <i>Harmothoe (Evarne) fragilis</i> | Moore 1910 |
| 4044 | <i>Antinoe</i> sp C | Steinhauer & Imamura 1990 in part |
| 4045 | <i>Harmothoe impar</i> | of authors not (Johnston 1839) |
| 4046 | <i>Harmothoe hirsuta</i> | Johnson 1897 |
| 4047 | <i>Harmothoe imbricata</i> Cmplx | (Moore 1902) |
| 4048 | <i>Harmothoe multisetosa</i> | Moore 1902 |
| 4049 | <i>Lagisca multisetosa</i> | (Johnson 1901) |
| 4050 | <i>Hesperone complanata</i> | Johnson 1901 |
| 4051 | <i>Hesperone laevis</i> | Hartman 1961 |
| 4052 | <i>Lagisca extenuata</i> | (Grube 1840) |
| 4053 | <i>Polynoe extenuata</i> | Grube 1840 |
| 4054 | <i>Malmgreniella bansei</i> | Pettibone 1993 |
| 4055 | <i>Malmgreniella baschi</i> | Pettibone 1993 |
| 4056 | <i>Eunoe</i> sp C | Harris 1985 § |
| 4057 | <i>Eunoe</i> cf <i>depressa</i> | SCAMIT 1990 § |
| 4058 | <i>Harmothoe</i> nr <i>lunulata</i> | Steinhauer & Imamura 1990 in part |
| 4059 | <i>Harmothoe</i> sp A | Harris 1985 § |
| 4060 | <i>Malmgreniella liei</i> | Pettibone 1993 |
| 4061 | <i>Malmgreniella macginittiei</i> | Pettibone 1993 |
| 4062 | <i>Malmgreniella nigralba</i> | (E. Berkeley 1923) |
| 4063 | <i>Malmgenia nigralba</i> | E. Berkeley 1923 |
| 4064 | <i>Harmothoe</i> <i>lunulata</i> | of Hartman 1968 in part not (delle Chiaje 1830) |
| 4065 | <i>Malmgenia lunulata</i> | of Pettibone 1953 in part not (delle Chiaje 1830) |
| 4066 | <i>Malmgreniella sampedroensis</i> | Pettibone 1993 |
| 4067 | <i>Malmgreniella</i> sp SD3 | Rowe 1998 § |
| 4068 | <i>Malmgreniella scriptoria</i> | (Moore 1910) |
| 4069 | <i>Harmothoe scriptoria</i> | Moore 1910 |
| 4070 | <i>Harmothoe</i> nr <i>lunulata</i> | of authors SCB in part |
| 4071 | <i>Malmgenia lunulata</i> | of Pettibone 1953 in part not (delle Chiaje 1830) |
| 4072 | <i>Malmgreniella</i> sp A | SCAMIT 1997 § |
| 4073 | <i>Malmgreniella</i> sp SD2 | Rowe 1998 § |
| 4074 | <i>Subadyte mexicana</i> | Fauchald 1972 |
| 4075 | <i>Subadyte</i> sp A | SCAMIT 1990 § |
| 4076 | <i>Subadyte</i> sp B | Harris 1985 § |
| 4077 | <i>Tenonia priops</i> | (Hartman 1961) |
| 4078 | <i>Harmothoe priops</i> | Hartman 1961 |
| 4079 | <i>Tenonia kitsapsensis</i> | Nichols 1969 |
| 4080 | Thormora johnsoni | (Kinberg 1856) |
| 4081 | <i>Lepidonotus johnsoni</i> | Kinberg 1856 |
| 4082 | <i>Halosydna lagunae</i> | of Hamilton 1915 |
| 4083 | <i>Thomora (Lepidonotus) johnsoni</i> | (Kinberg 1955) |
| 4084 | | Ruff 1995 |
| 4085 | <i>Harmothoe</i> sp A | SCAMIT 1990 § |
| 4086 | | |
| 4087 | Family Pholoidae | |
| 4088 | <i>Pholoe glabra</i> | Hartman 1961 |
| 4089 | <i>Pholoe</i> sp A | Harris 2000 § |
| 4090 | <i>Pholoe</i> sp B | Harris 2000 § |
| 4091 | <i>Pholoides asperus</i> | (Johnson 1897) |
| 4092 | <i>Peisidice aspera</i> | Johnson 1897 |
| 4093 | <i>Paraeupholoe fimbriata</i> | Hartmann-Schröder 1962 |
| 4094 | <i>Parapholoe tuberculata</i> | Hartmann-Schröder 1965 |
| 4095 | <i>Peisidice tuberculata</i> | of Hartman & Fauchald 1971 |
| 4096 | <i>Pholoe minuta</i> | of Blake 1975 not Fabricius 1780 |
| 4097 | <i>Pholoides aspera</i> | of Fauchald 1977 |
| 4098 | <i>Pholoides tuberculata</i> | of Carrasco & Gallardo 1983 |
| 4099 | | |
| 4100 | Family Sigalionidae | |
| 4101 | <i>Leanira alba</i> | Moore 1910 |
| 4102 | <i>Pelogenia fimbriata</i> | (Hartman 1939) |
| 4103 | <i>Psammolyce fimbriata</i> | Hartman 1939 |
| 4104 | <i>Psammolyce myops</i> | Hartman 1939 |
| | <i>Psammolyce spinosa</i> | of Bekeley & Berkeley 1941 not Hartman 1939 |
| | <i>Sigalon spinosus</i> | (Hartman 1939) |

| | | |
|------|---|---|
| 4105 | Eusigalion spinosum | Hartman 1939 |
| 4106 | Thalenessa spinosa | of Hartman 1969 |
| 4107 | <i>Sthenelais berkeleyi</i> | Pettibone 1971 |
| 4108 | <i>Sthenelais fusca</i> | Johnson 1897 |
| 4109 | <i>Sthenelais tertialigbra</i> | Moore 1910 |
| 4110 | <i>Sthenelais articulata</i> | of Berkeley & Berkeley 1948 not Kinberg 1855 |
| 4111 | <i>Sthenelais hancocki</i> | Hartman 1939 |
| 4112 | <i>Sthenelais verruculosa</i> | of Pettibone 1953 not Johnson 1897 |
| 4113 | <i>Sthenelais verruculosa</i> | Johnson 1897 |
| 4114 | <i>Sthenelanella uniformis</i> | Moore 1910 |
| 4115 | | (Southern 1914) |
| 4116 | Family Pisionidae | Southern 1914 |
| 4117 | <i>Pisione remota</i> | |
| 4118 | <i>Praegeria remota</i> | |
| 4119 | | |
| 4120 | | Johnson 1897 |
| 4121 | Infraorder Nereidiformia | (Johnson 1897) |
| 4122 | Family Chrysopetalidae | Johnson 1897 |
| 4123 | <i>Chrysopetalum occidentale</i> | of Berkeley & Berkeley 1948 not Schmarda 1861 |
| 4124 | <i>Paleanotus bellis</i> | |
| 4125 | <i>Heteropale bellis</i> | |
| 4126 | <i>Paleanotus chrysolepis</i> | |
| 4127 | | |
| 4128 | | |
| 4129 | | |
| 4130 | Family Hesionidae | |
| 4131 | <i>Amphiduros pacificus</i> | Hartman 1961 |
| 4132 | <i>Gyptis brunnea</i> | (Hartman 1961) |
| 4133 | <i>Oxydromus brunnea</i> | Hartman 1961 |
| 4134 | <i>Amphiduros brunnea</i> | of Lissner <i>et al</i> 1986 |
| 4135 | <i>Gyptis plurisetis</i> | Hilbig 1992 |
| 4136 | <i>Hesionella mccullochae</i> | Hartman 1939 |
| 4137 | <i>Heteropodarke heteromorpha</i> | Hartmann-Schröder 1962 |
| 4138 | <i>Psamathe</i> sp | |
| 4139 | <i>Kefersteinia</i> sp | of SCAMIT Ed 5 |
| 4140 | <i>Micropthalmus hystrix</i> | Fournier 1991 |
| 4141 | <i>Micropodarke dubia</i> | (Hessle 1925) |
| 4142 | <i>Kefersteinia dubia</i> | Hessle 1925 |
| 4143 | <i>Micropodarke amemiyai</i> | Okuda 1938 |
| 4144 | <i>Ophiodromus pugettensis</i> | (Johnson 1901) |
| 4145 | <i>Podarke pugettensis</i> | Johnson 1901 |
| 4146 | <i>Ophiodromus (Podarke) pugettensis</i> | of Blake 1975 |
| 4147 | <i>Ophiodromus pugettensis</i> | of Hessle 1925 |
| 4148 | <i>Podarkeopsis glabrus</i> | (Hartman 1961) |
| 4149 | <i>Oxydromus arenicolus glabrus</i> | Hartman 1961 |
| 4150 | <i>Gyptis arenicola glabra</i> | of Hartman 1968 |
| 4151 | <i>Podarkeopsis perkinsi</i> | Hilbig 1992 |
| 4152 | <i>Podarkeopsis sp B</i> | Harris 1985 § |
| 4153 | <i>Podarkeopsis sp A</i> | Velarde & Harris 1987 § |
| 4154 | | Harris 1985 § |
| 4155 | | |
| 4156 | | |
| 4157 | | |
| 4158 | Family Nereididae | |
| 4159 | Subfamily Nereidinae | |
| 4160 | <i>Ceratocephale loveni</i> | Malmgren 1867 |
| 4161 | <i>Ceratonereis mirabilis</i> | Kinberg 1866 |
| 4162 | <i>Gymnonereis crosslandi</i> | (Monro 1933) |
| 4163 | <i>Chaunorhynchus crosslandi</i> | Monro 1933 |
| 4164 | <i>Ceratocephala crosslandi</i> | of Hartman 1952 |
| 4165 | <i>Ceratocephale crosslandi americana</i> | of Hartman 1968 |
| 4166 | <i>Neanthes acuminata</i> Cmplx | |
| 4167 | <i>Neanthes acuminata</i> | of authors NEP not Ehlers 1868 |
| 4168 | <i>Neanthes caudata</i> | of authors NEP not (delle Chiaje 1828) |
| 4169 | <i>Nereis latescens</i> | Chamberlin 1919 |
| 4170 | <i>Nereis mendociana</i> | Chamberlin 1919 |
| 4171 | <i>Nereis neonigripes</i> | Hartman 1936 |
| 4172 | <i>Nereis vexilllosa</i> | Grube 1851 |
| 4173 | <i>Nereis</i> sp A | SCAMIT 2007 § |
| 4174 | <i>Nereis nr procera</i> | of Lissner <i>et al</i> 1986 |
| 4175 | <i>Nereis procura</i> | of authors SCB not Ehlers 1868 |
| 4176 | <i>Nereis sp B</i> | Harris 1985 § |
| | <i>Nereis</i> sp SD1 | Rowe 2007 § |
| | <i>Nicon moniloceras</i> | (Hartman 1940) |
| | <i>Leptoneris glauca moniloceras</i> | Hartman 1940 |
| | <i>Perinereis monterea</i> | (Chamberlin 1918) |
| | <i>Nereis</i> (<i>Neanthes</i>) <i>monterea</i> | Chamberlin 1918 |
| | <i>Platynereis bicanalliculata</i> | (Baird 1863) |
| | <i>Nereis bicanalliculata</i> | Baird 1863 |
| | <i>Nereis dumerilii</i> | of Marenzeller 1879 not Audouin & H. Milne Edwards 1833 |
| | <i>Platynereis agassizi</i> | of Okuda & Yamada 1954 |

| | | |
|------|---|---|
| 4177 | <i>Platynereis dumerilii</i> var agassizi | of Berkeley & Berkeley 1948 not Ehlers 1868 |
| 4178 | <i>Platynereis dumerilii</i> | (Audouin & H. Milne Edwards 1833) |
| 4179 | <i>Nereis dumerilii</i> | Audouin & H. Milne Edwards 1833 |
| 4180 | | |
| 4181 | Family Pilargidae | Hartman 1963 |
| 4182 | <i>Ancistrosyllis breviceps</i> | McIntosh 1879 |
| 4183 | <i>Ancistrosyllis groenlandica</i> | (Hartman 1960) |
| 4184 | <i>Ancistrosyllis hamata</i> | Hartman 1960 |
| 4185 | <i>Pilargis hamatus</i> | of Salazar-Vallejo 1986 |
| 4186 | <i>Ancistargis hamata</i> | (Berkeley & Berkeley 1941) |
| 4187 | <i>Parandalia fauveti</i> | Berkeley & Berkeley 1941 |
| 4188 | <i>Loandalia fauveti</i> | Emerson & Fauchald 1971 |
| 4189 | <i>Parandalia ocularis</i> | Monro 1933 |
| 4190 | <i>Pilargis berkeleyae</i> | Monro 1933 |
| 4191 | <i>Pilargis berkeleyi</i> | Hartman 1947 |
| 4192 | <i>Pilargis maculata</i> | Harris 1995 § |
| 4193 | <i>Pilargis</i> sp A | Harris 1996 § |
| 4194 | <i>Pilargis</i> sp 1 | Harris 1995 § |
| 4195 | <i>Pilargis</i> sp B | Harris 1996 § |
| 4196 | <i>Pilargis</i> sp 2 | Harris 1996 § |
| 4197 | <i>Pilargis</i> sp 3 | Harris 1996 § |
| 4198 | <i>Pilargis</i> sp 4 | Harris 1996 § |
| 4199 | <i>Sigambra bassi</i> | (Hartman 1945) |
| 4200 | <i>Ancistrosyllis bassi</i> | Hartman 1945 |
| 4201 | <i>Sigambra setosa</i> | Fauchald 1972 |
| 4202 | <i>Sigambra tentaculata</i> | (Treadwell 1941) |
| 4203 | <i>Ancistrosyllis tentaculata</i> | Treadwell 1941 |
| 4204 | <i>Synelmis albini</i> | (Langerhans 1881) |
| 4205 | <i>Ancistrosyllis albini</i> | Langerhans 1881 |
| 4206 | <i>Ancistrosyllis rigida</i> | Fauvel 1919 |
| 4207 | <i>Ancistrosyllis rigida</i> | of Hartman 1947 |
| 4208 | <i>Synelmis harrisiae</i> | Salazar-Vallejo 2003 |
| 4209 | | |
| 4210 | | |
| 4211 | Family Syllidae | (Augener 1913) |
| 4212 | Subfamily Autolytinae | Augener 1913 |
| 4213 | <i>Myrianida pachycera</i> | Nygren & Gilholm 2001 |
| 4214 | <i>Autolytus pachycerus</i> | Nygren & Gilholm 2001 |
| 4215 | <i>Proceraea gigantea</i> | (Imajima 1966) |
| 4216 | <i>Proceraea nigropunctata</i> | Imajima 1966 |
| 4217 | <i>Proceraea okadae</i> | |
| 4218 | <i>Autolytus (Regulatus) okadae</i> | |
| 4219 | <i>Procerastea</i> sp | |
| 4220 | | |
| 4221 | Subfamily Calamyzinae | |
| 4222 | <i>Calamyzas amphictenicola</i> | |
| 4223 | | |
| 4224 | Subfamily Eusyllinae | |
| 4225 | <i>Dioplosyllis tridentata</i> | Kudenov & Harris 1995 |
| 4226 | <i>Eusyllis blomstrandii</i> | Malmgren 1867 |
| 4227 | <i>Eusyllis habei</i> | Imajima 1966 |
| 4228 | <i>Eusyllis transecta</i> | Hartman 1966 |
| 4229 | <i>Odontosyllis fragilis</i> | Kudenov & Harris 1995 |
| 4230 | <i>Odontosyllis phosphorea</i> | Moore 1909 |
| 4231 | <i>Hesperalia nans</i> | Chamberlin 1919 |
| 4232 | <i>Odontosyllis phosphorea nanaimoensis</i> | E. Berkeley 1923 |
| 4233 | <i>Odontosyllis trilineata</i> | Imajima 2003 |
| 4234 | <i>Odontosyllis</i> sp SD1 | Rowe 2004 § |
| 4235 | <i>Opisthodonta mitchelli</i> | Kudenov & Harris 1995 |
| 4236 | <i>Opisthodonta uraga</i> | (Imajima 1966) |
| 4237 | <i>Pionosyllis uraga</i> | Imajima 1966 |
| 4238 | <i>Paraehlerzia articulata</i> | (Kudenov & Harris 1995) |
| 4239 | <i>Pionosyllis articulata</i> | Kudenov & Harris 1995 |
| 4240 | <i>Syllides japonica</i> | Imajima 1966 |
| 4241 | <i>Syllides longocirrata</i> | Ørsted 1845 |
| 4242 | <i>Syllides mikeli</i> | Kudenov & Harris 1995 |
| 4243 | <i>Syllides minutus</i> | Blake & Walton 1977 |
| 4244 | <i>Syllides reishi</i> | Dorsey 1978 |
| 4245 | | |
| 4246 | Subfamily Exogoninae | Banse 1972 |
| 4247 | <i>Brania brevipharygea</i> | Kudenov & Harris 1995 |
| 4248 | <i>Brania californiensis</i> | Rioja 1941 |
| | <i>Brania heterocirra</i> | Westheide 1974 |
| | <i>Brania medioidentata</i> | Kudenov & Harris 1995 |
| | <i>Exogone dwisula</i> | of authors SCB not Pagenstecher 1862 |
| | <i>Exogone gemmifera</i> | SCAMIT 1987 § |
| | <i>Exogone</i> sp B | of Hartman 1961 in part |
| | <i>Exogone uniformis</i> | |

| | | |
|------|--|---|
| 4249 | Sphaerosyllis californiensis | |
| 4250 | <i>Exogone cf verugera</i> | of Hartman 1966 in part |
| 4251 | <i>Exogone longicornis</i> | SCAMIT 1987 § |
| 4252 | <i>Exogone lourei</i> | Westheide 1974 |
| 4253 | <i>Exogone dispar</i> | Berkeley & Berkeley 1938 |
| 4254 | <i>Exogone (Exogone) lourei</i> | Pettibone 1954 |
| 4255 | <i>Exogone uniformis</i> | of San Martin 1991 |
| 4256 | <i>Sphaerosyllis californiensis</i> | of Hartman 1961 in part |
| 4257 | <i>Exogone uniformis</i> | of Hartman 1966 in part |
| 4258 | <i>Exogone</i> sp A | Hartman 1961 |
| 4259 | <i>Paraxogone acutipalpa</i> | Williams 1975 § |
| 4260 | <i>Exogone acutipalpa</i> | (Kudenov & Harris 1995) |
| 4261 | <i>Paraxogone breviseta</i> | Kudenov & Harris 1995 |
| 4262 | <i>Exogone breviseta</i> | (Kudenov & Harris 1995) |
| 4263 | <i>Exogone</i> sp C | Kudenov & Harris 1995 |
| 4264 | <i>Paraxogone brunnea</i> | SCAMIT 1987 § |
| 4265 | <i>Exogonella brunnea</i> | (Hartman 1961) |
| 4266 | <i>Paraxogone molesta</i> | Hartman 1961 |
| 4267 | <i>Exogone molesta</i> | (Banse 1972) |
| 4268 | <i>Exogone (Paraxogone) molesta</i> | Banse 1972 |
| 4269 | <i>Plakosyllis</i> sp | of San Martin 1991 |
| 4270 | <i>Pseudoexogone williamsae</i> | Salazar-Vallejo <i>et al</i> 2007 |
| 4271 | <i>Pilargidae</i> genus A sp A | Williams 1977 § |
| 4272 | <i>Sphaerosyllis bilineata</i> | Kudenov & Harris 1995 |
| 4273 | <i>Sphaerosyllis californiensis</i> | of Hartman 1966 in part |
| 4274 | <i>Sphaerosyllis</i> sp A | Harris & Dorsey 1986 § |
| 4275 | <i>Sphaerosyllis californiensis</i> | Hartman 1966 |
| 4276 | <i>Sphaerosyllis ranunculus</i> | Kudenov & Harris 1995 |
| 4277 | <i>Sphaerosyllis brandhorsti</i> | of authors NEP not Hartmann-Schröder 1965 |
| 4278 | Subfamily Syllinae | |
| 4279 | <i>Branchiosyllis exilis</i> Cmplx | (Grube 1855) |
| 4280 | <i>Haplosyllis spongicola</i> | Grube 1855 |
| 4281 | <i>Syllis spongicola</i> | Aguado, San Martin & Nygren 2005 |
| 4282 | <i>Opisthosyllis leslieharrisiae</i> | (Johnson 1901) |
| 4283 | <i>Syllis elongata</i> | Johnson 1901 |
| 4284 | <i>Pionosyllis elongata</i> | of SCAMIT Ed 4 list |
| 4285 | <i>Syllis (Syllis) elongata</i> | of SCAMIT Ed 4 list |
| 4286 | <i>Syllis gracilis</i> Cmplx | Verrill 1885 |
| 4287 | <i>Syllis (Syllis) gracilis</i> | of SCAMIT Ed 4 list |
| 4288 | <i>Syllis spongiphila</i> | (Treadwell 1914) |
| 4289 | <i>Syllis (Syllis) spongiphila</i> | Treadwell 1914 |
| 4290 | <i>Trypanosyllis</i> sp | Blake & Walton 1977 |
| 4291 | <i>Typosyllis adamanteus</i> | of SCAMIT Ed 4 list |
| 4292 | <i>Trypanosyllis adamanteus</i> | (Moore 1909) |
| 4293 | <i>Typosyllis farallonensis</i> | Moore 1909 |
| 4294 | <i>Syllis (Typosyllis) farallonensis</i> | of Kudenov & Harris 1995 |
| 4295 | <i>Typosyllis heterochaeta</i> | of Hartman & Barnard 1960 |
| 4296 | <i>Syllis (Ehlersia) heterochaeta</i> | of Pettibone 1963 in part not Rathke 1843 |
| 4297 | <i>Ehlersia heterochaeta</i> | of Pettibone 1963 in part not Rathke 1843 |
| 4298 | <i>Langerhansia heterochaeta</i> | (Dorsey & Phillips 1987) |
| 4299 | <i>Syllis (Ehlersia) cornuta</i> | Dorsey & Phillips 1987 |
| 4300 | <i>Syllis cornuta</i> | Imajima 1966 |
| 4301 | <i>Typosyllis hyperioni</i> | of SCAMIT Ed 4 list |
| 4302 | <i>Syllis (Ehlersia) hyperioni</i> | Leidy 1855 |
| 4303 | <i>Typosyllis nipponica</i> | Baird 1863 |
| 4304 | <i>Syllis (Typosyllis) nipponica</i> | Hansen 1882 |
| 4305 | <i>cf Xenosyllis</i> sp | Kinberg 1866 |
| 4306 | Infraorder Glyceriformia | Kinberg 1866 |
| 4307 | Family Glyceridae | Quatrefages 1866 |
| 4308 | <i>Glycera americana</i> | Johnson 1901 |
| 4309 | <i>Glycera corrugata</i> | Verrill & Smith 1874 |
| 4310 | <i>Glycera edentata</i> | Moore 1911 |
| 4311 | <i>Glycera jucunda</i> | Moore 1911 |
| 4312 | <i>Glycera laevis</i> | Moore 1911 |
| 4313 | <i>Glycera peruviana</i> | of authors SCB not Keferstein 1862 |
| 4314 | <i>Glycera rugosa</i> | Johnson 1901 |
| 4315 | <i>Rhynchobolus americanus</i> | |
| 4316 | <i>Glycera brachiopoda</i> | |
| 4317 | <i>Glycera macrobranchia</i> | |
| 4318 | <i>Glycera alba macrobranchium</i> | |
| 4319 | <i>Glycera convoluta</i> | |
| 4320 | <i>Glycera nana</i> | |

| | | |
|------|-------------------------------------|--|
| 4321 | Glycera capitata | |
| 4322 | <i>Glycera oxycephala</i> | Ehlers 1887 |
| 4323 | <i>Glycera robusta</i> | Ehlers 1868 |
| 4324 | Glycera longissima | of Hartman 1940 not Arwidsson 1899 |
| 4325 | Glycera sp A | Harris 1985 § |
| 4326 | <i>Glycera tenuis</i> | Hartman 1944 |
| 4327 | <i>Glycera tessellata</i> | Grube 1863 |
| 4328 | Glycera nana | of Treadwell 1914 not Johnson 1901 |
| 4329 | Glycera sagittariae | of Treadwell 1906 not McIntosh 1885 |
| 4330 | Glycera spadix | Treadwell 1943 |
| 4331 | <i>Hemipodia borealis</i> | Johnson 1901 |
| 4332 | Hemipodus borealis | of authors NEP |
| 4333 | <i>Ophioglycera</i> sp | |
| 4334 | | |
| 4335 | Family Goniadiidae | |
| 4336 | <i>Glycinde armigera</i> | Moore 1911 |
| 4337 | Glycinde multidens | of Hartman 1940 not F. Müller 1858 |
| 4338 | <i>Glycinde picta</i> | Berkeley 1927 |
| 4339 | <i>Goniada acicula</i> | Hartman 1940 |
| 4340 | <i>Goniada annulata</i> | Moore 1905 |
| 4341 | <i>Goniada brunnea</i> | Treadwell 1906 |
| 4342 | Goniada annulata | of Treadwell 1914 in part not Moore 1905 |
| 4343 | Goniada maculata | of Hartman 1940 not Ørsted 1843 |
| 4344 | <i>Goniada littorea</i> | Hartman 1950 |
| 4345 | Goniada brunnea | of Treadwell 1914 in part not Treadwell 1906 |
| 4346 | Goniada uncinigera | of Hartman 1940 not Ehlers 1901 |
| 4347 | <i>Goniada maculata</i> | Ørsted 1843 |
| 4348 | Goniada brunnea | of Hartman 1940 not Treadwell 1906 |
| 4349 | | |
| 4350 | Family Lacydoniidae | |
| 4351 | <i>Lacydonia</i> sp | |
| 4352 | | |
| 4353 | Family Nephytidae | |
| 4354 | <i>Aglaophamus erectans</i> | Hartman 1950 |
| 4355 | <i>Aglaophamus eugeniae</i> | Fauchald 1972 |
| 4356 | <i>Aglaophamus paucilamellata</i> | Fauchald 1972 |
| 4357 | <i>Aglaophamus verrilli</i> | (McIntosh 1885) |
| 4358 | Nephthys verrilli | McIntosh 1885 |
| 4359 | Aglaophamus dicirris | Hartman 1950 |
| 4360 | <i>Aglaophamus erectans</i> | of Harris 1985 § in part not Hartman 1950 |
| 4361 | Nephthys dibranchis | of Hartman 1938 |
| 4362 | <i>Bipalponephthys cornuta</i> | (Berkeley & Berkeley 1945) |
| 4363 | Nephthys cornuta | Berkeley & Berkeley 1945 |
| 4364 | <i>Nephthys cornuta franciscana</i> | R. B. Clark & Jones 1955 |
| 4365 | Nephthys parva | R. B. Clark & Jones 1955 |
| 4366 | Nephthys signifera | Hilbig 1992 in part |
| 4367 | <i>Nephthys assignis</i> | Hartman 1950 |
| 4368 | <i>Nephthys caecoides</i> | Hartman 1938 |
| 4369 | Nephthys caecoides | of Hartman 1940 |
| 4370 | Nephthys californiensis | of Hartman 1950 in part not Hartman 1938 |
| 4371 | Nephthys sp B | Harris 1985 § |
| 4372 | <i>Nephthys californiensis</i> | Hartman 1938 |
| 4373 | Nephthys caecoides ferruginea | of Hartman 1940 |
| 4374 | Nephthys californiensis | of Hartman 1950 in part not Hartman 1938 |
| 4375 | Nephthys signifera | Hilbig 1992 in part |
| 4376 | <i>Nephthys punctata</i> | Hartman 1938 |
| 4377 | <i>Nephthys simoni</i> | Perkins 1980 |
| 4378 | <i>Nephthys squamosa</i> | Ehlers 1887 |
| 4379 | Nephthys sp SD3 | Rowe 2004 § |
| 4380 | <i>Nephthys</i> sp SD2 | Rowe 1997 § |
| 4381 | | |
| 4382 | Family Phyllocoelidae | |
| 4383 | Subfamily Eteoninae | |
| 4384 | <i>Eteone aestuarina</i> | Hartmann-Schröder 1959 |
| 4385 | <i>Eteone brigitteae</i> | Blake 1992 |
| 4386 | Eteone fauchaldi | of Hyland & Neff 1988 in part not Kravitz & Jones 1979 |
| 4387 | <i>Eteone californica</i> | Hartman 1936 |
| 4388 | <i>Eteone dilatae</i> | Hartman 1936 |
| 4389 | <i>Eteone fauchaldi</i> | Kravitz & Jones 1979 |
| 4390 | <i>Eteone leptotes</i> | Blake 1992 |
| 4391 | Eteone sp E | Hyland & Neff 1988 § |
| 4392 | <i>Eteone lighti</i> | Hartman 1936 |
| | <i>Eteone pacifica</i> | Hartman 1936 |
| | <i>Eteone pigmentata</i> | Blake 1992 |

| | | |
|------|--------------------------------------|--|
| 4393 | Eteone sp A | Harris 1985 § |
| 4394 | Eteone sp C | Hyland & Neff 1988 § |
| 4395 | <i>Eteone spilotus</i> | Kravitz & Jones 1979 |
| 4396 | <i>Eulalia californiensis</i> | (Hartman 1936) |
| 4397 | Steggia californiensis | Hartman 1936 |
| 4398 | <i>Eulalia bilineata</i> | of Blake 1994 not Johnston 1840 |
| 4399 | <i>Eulalia levicornuta</i> Cmplx | |
| 4400 | <i>Eulalia quadrioculata</i> | Moore 1906 |
| 4401 | <i>Eumida longicornuta</i> | (Moore 1906) |
| 4402 | Eulalia longicornuta | Moore 1906 |
| 4403 | Eumida sp 2 | Hamilton 1976 § |
| 4404 | <i>Eumida tubiformis</i> | Moore 1909 |
| 4405 | <i>Hesionura coineau difficilis</i> | (Banse 1963) |
| 4406 | Eteonides coineau difficilis | Banse 1963 |
| 4407 | <i>Mystides caeca</i> | Langerhans 1880 |
| 4408 | <i>Protomystides</i> sp | |
| 4409 | <i>Pterocirrus californiensis</i> | (Chamberlin 1919) |
| 4410 | Sige californiensis | Chamberlin 1919 |
| 4411 | <i>Pterocirrus montereyensis</i> | (Hartman 1936) |
| 4412 | Sige montereyensis | Hartman 1936 |
| 4413 | Eumida sp 5 | of Hamilton 1976 § |
| 4414 | <i>Pterocirrus</i> sp A | SCAMIT 1995 § |
| 4415 | Eumida sp 3 | of Hamilton 1976 § |
| 4416 | <i>Sige bifoliata</i> | (Moore 1909) |
| 4417 | Eulalia (Sige) bifoliata | Moore 1909 |
| 4418 | Sige bifoliata | of Pleijel 1990, not Hartman 1936 |
| 4419 | Sige sp A | SCAMIT 1995 § |
| 4420 | Eumida sp 1 | Hamilton 1976 § |
| 4421 | Sige sp B | SCAMIT 1995 § |
| 4422 | Eulalia sp 4 | Hamilton 1976 § |
| 4423 | Subfamily Lugiinae | Blake 1992 |
| 4424 | <i>Lugia uschakovi</i> | |
| 4425 | Subfamily Notophyllinae | |
| 4426 | <i>Clavadoce</i> sp | |
| 4427 | <i>Nereiphylla ferruginea</i> Cmplx | |
| 4428 | Phyllodoce (Genetylilis) castanea | of Berkeley & Berkeley 1948 not (Marenzeller 1879) |
| 4429 | Subfamily Phyllodocinae | |
| 4430 | <i>Paranaitis polynoides</i> | (Moore 1909) |
| 4431 | Anaitis polynoides | Moore 1909 |
| 4432 | Phyllodoce (Paranaitis) polynoides | of Berkeley & Berkeley 1948 |
| 4433 | <i>Paranaitis</i> sp SD1 | Velarde 1998 § |
| 4434 | <i>Phyllodoce cuspidata</i> | McCammon & Montagne 1979 |
| 4435 | Phyllodoce (Anaitides) cuspidata | McCammon & Montagne 1979 |
| 4436 | <i>Phyllodoce groenlandica</i> | Ørsted 1843 |
| 4437 | Anaitides groenlandica | of Bergström 1914 |
| 4438 | Phyllodoce (Anaitides) groenlandica | of Uschakov 1972 |
| 4439 | <i>Phyllodoce hartmanae</i> | Blake & Walton 1977 |
| 4440 | Anaitides hartmanae | of Kravits & Jones 1979 |
| 4441 | Phyllodoce (Aponaitides) hartmanae | of McCammon & Montagne 1979 |
| 4442 | <i>Phyllodoce longipes</i> | Kinberg 1866 |
| 4443 | Anaitides longipes | of Hartman 1968 |
| 4444 | Phyllodoce (Anaitides) papillosa | of McCammon & Montagne 1979 not Uschakov & Wu 1959 |
| 4445 | Phyllodoce papillosa | of Hyland & Neff 1988 not Uschakov & Wu 1959 |
| 4446 | <i>Phyllodoce medipapillata</i> | Moore 1909 |
| 4447 | Anaitides medipapillata | of Hartman 1968 |
| 4448 | Phyllodoce (Anaitides) medipapillata | of McCammon & Montagne 1979 |
| 4449 | <i>Phyllodoce pettiboneae</i> | Blake 1988 |
| 4450 | Phyllodoce sp A | Montagne 1985 § |
| 4451 | <i>Phyllodoce williamsi</i> | (Hartman 1936) |
| 4452 | Anaitides williamsi | Hartman 1936 |
| 4453 | Family Sphaerodoridae | |
| 4454 | <i>Ephesiella brevicapitis</i> | (Moore 1909) |
| 4455 | Sphaerodorum brevicapitis | Moore 1909 |
| 4456 | <i>Sphaerephesia longisetis</i> | Fauchald 1972 |
| 4457 | <i>Sphaerephesia similisetis</i> | Fauchald 1972 |
| 4458 | Sphaerodordium biserialis | of authors NEP not (Berkeley & Berkeley 1944) |
| 4459 | Sphaerodropsis biserialis | of authors NEP not (Berkeley & Berkeley 1944) |
| 4460 | <i>Sphaerodordium</i> sp A | SCAMIT 1996 § |
| 4461 | Clavodorum clavatum | of authors NEP not Fauchald 1972 |
| 4462 | <i>Sphaerodoropsis</i> biserialis | (Berkeley & Berkeley 1942) |
| 4463 | Sphaerodorum biserialis | Berkeley & Berkeley 1942 |
| 4464 | <i>Sphaerodoropsis minuta</i> | (Webster & Benedict 1887) |

| | | |
|------|--|--|
| 4465 | <i>Ephesia minuta</i> | Webster & Benedict 1887 |
| 4466 | <i>Sphaerordidium minutum</i> | of Hartman 1968 |
| 4467 | <i>Sphaerodorum minutum</i> | of Hartman 1959 |
| 4468 | <i>Sphaerodoropsis sphaerulifer</i> | (Moore 1909) |
| 4469 | <i>Sphaerodorum sphaerulifer</i> | Moore 1909 |
| 4470 | <i>Sphaerodorum papillifer</i> | Moore 1909 |
| 4471 | Suborder Amphinomida | |
| 4472 | Family Amphinomidae | |
| 4473 | <i>Chloea pinnata</i> | Moore 1911 |
| 4474 | <i>Pareurythoe californica</i> | (Johnson 1897) |
| 4475 | <i>Eurythoe californica</i> | Johnson 1897 |
| 4476 | | |
| 4477 | Family Euphosinidae | |
| 4478 | <i>Euphosine arctica</i> | Johnson 1897 |
| 4479 | <i>Euphosyne arctica</i> | Johnson 1897 |
| 4480 | <i>Euphosine calypita</i> | Essenberg 1917 |
| 4481 | Suborder Eunicida | |
| 4482 | Family Dorvilleidae | |
| 4483 | <i>Dorvillea (Dorvillea) sp</i> | (Moore 1906) |
| 4484 | <i>Dorvillea (Schistomerengos) annulata</i> | Moore 1906 |
| 4485 | <i>Stauronereis annulatus</i> | of Fauchald 1970 |
| 4486 | <i>Dorvillea annulata</i> | of Lissner <i>et al</i> 1986 in part not (Ehlers 1901) |
| 4487 | <i>Schistomerengos longicornis</i> | of Lissner <i>et al</i> 1986 |
| 4488 | <i>Schistomerengos nr annulata</i> | of Pettibone 1963 in part not (delle Chiaje 1828) |
| 4489 | <i>Stauronereis rudolphi</i> | (Ehlers 1901) |
| 4490 | <i>Dorvillea (Schistomerengos) longicornis</i> | Ehlers 1901 |
| 4491 | <i>Stauronereis longicornis</i> | of Hartman 1968 |
| 4492 | <i>Dorvillea articulata</i> | of Hartman 1968 not (McIntosh 1885) |
| 4493 | <i>Dorvillea atlantica</i> | of Fauchald 1970 in part not (delle Chiaje 1828) |
| 4494 | <i>Dorvillea rudolphi</i> | of Jumars 1974 |
| 4495 | <i>Schistomerengos longicornis</i> | Hartman 1938 |
| 4496 | <i>Stauronereis articulatus</i> | of Pettibone 1963 in part not (delle Chiaje 1828) |
| 4497 | <i>Stauronereis rudolphi</i> | SCAMIT 1987 § |
| 4498 | <i>Ophyrotrocha</i> sp A | SCAMIT 1987 § |
| 4499 | <i>Ophyrotrocha</i> sp B | SCAMIT 1987 § |
| 4500 | <i>Ophyrotrocha</i> sp C | (Webster & Benedict 1884) |
| 4501 | <i>Parougia caeca</i> | Webster & Benedict 1884 |
| 4502 | <i>Staurocephalus caecus</i> | of Banse & Hobson 1968 |
| 4503 | <i>Dorvillea caeca</i> | Orensanz 1968 |
| 4504 | <i>Pettiboneia sanmatiensis</i> | (Hartman 1938) |
| 4505 | <i>Protodorvillea gracilis</i> | Hartman 1938 |
| 4506 | <i>Stauronereis gracilis</i> | of Hartman 1959 |
| 4507 | <i>Dorvillea gracilis</i> | of authors NEP not (McIntosh 1869) |
| 4508 | <i>Protodorvillea kefersteini</i> | Banse & Nicols 1968 |
| 4509 | <i>Protodorvillea recuperata</i> | |
| 4510 | Family Eunicidae | |
| 4511 | <i>Eunice americana</i> | Hartman 1944 |
| 4512 | <i>Eunice antennata</i> | (Savigny in Lamarck 1818) |
| 4513 | <i>Leodice antennata</i> | Savigny in Lamarck 1818 |
| 4514 | <i>Eunice biannulata</i> | Moore 1904 |
| 4515 | <i>Eunice multicylindri</i> | Shisko 1981 |
| 4516 | <i>Eunice multipectinata</i> | Moore 1911 |
| 4517 | <i>Lysidice</i> sp | |
| 4518 | <i>Marpophysa angelensis</i> | Fauchald 1970 |
| 4519 | <i>Marpophysa conferta</i> | Moore 1911 |
| 4520 | <i>Marpophysa disjuncta</i> | Hartman 1961 |
| 4521 | <i>Marpophysa bellii oculata</i> | of authors SCB, not Treadwell 1921 |
| 4522 | <i>Marpophysa</i> sp A | Harris & Velarde 1983 § |
| 4523 | <i>Marpophysa mortenseni</i> | Monroe 1928 |
| 4524 | <i>Marpophysa sanguinea</i> | (Montagu 1815) |
| 4525 | <i>Nereis sanguinea</i> | Montagu 1815 |
| 4526 | <i>Marpophysa stylobranchiata</i> | Moore 1909 |
| 4527 | <i>Marpophysa</i> sp B | SCAMIT 1999 § |
| 4528 | <i>Palola palolooides</i> | (Moore 1909) |
| 4529 | <i>Eunice (Eriphyte) palolooides</i> | Moore 1909 |
| 4530 | Family Lumbrineridae | |
| 4531 | <i>Cenogenus fusca</i> | (Moore 1911) |
| 4532 | <i>Ninoe fusca</i> | Moore 1911 |
| 4533 | <i>Paraninoe fusca</i> | (Moore 1911) |
| 4534 | <i>Eranno bicirrata</i> | (Treadwell 1922) |
| 4535 | <i>Lumbrineris bicirrata</i> | Treadwell 1922 |
| 4536 | <i>Eranno lagunae</i> | (Fauchald 1970) |
| | <i>Lumbrineris lagunae</i> | Fauchald 1970 |

| | | |
|------|------------------------------------|--|
| 4537 | Lumbrineris bifilaris | |
| 4538 | <i>Lumbricaulus harriseae</i> | Carrera-Parra 2004 |
| 4539 | <i>Lumbrinerides platypygos</i> | (Fauchald 1970) |
| 4540 | Lumbrineris platypygos | Fauchald 1970 |
| 4541 | Lumbrineris acuta | of Hartman 1968 not (Verrill 1875) |
| 4542 | <i>Lumbrineriopsis</i> sp SD1 | Rowe 2002 § |
| 4543 | <i>Lumbrineris cruzensis</i> | Hartman 1944 |
| 4544 | Lumbriconereis cruzensis | of Uschakov & Wu 1965 |
| 4545 | Lumbrineris crucensis | of Rioja 1962 |
| 4546 | <i>Lumbrineris index</i> | Moore 1911 |
| 4547 | Lumbrineris japonica index | Moore 1911 |
| 4548 | <i>Lumbrineris inflata</i> | (Marenzeller 1879) |
| 4549 | <i>Lumbrineris japonica</i> | Marenzeller 1879 |
| 4550 | Lumbriconereis japonica | of Uschakov & Wu 1962 not Audouin & H. Milne Edwards 1924 |
| 4551 | Lumbriconereis latreilli | of Hartman 1944 |
| 4552 | Lumbrineris latreilli japonica | Audouin & H. Milne Edwards 1834 |
| 4553 | <i>Lumbrineris latreilli</i> | of Faivel 1923 |
| 4554 | Lumbriconereis latreilli | Hartman 1944 |
| 4555 | <i>Lumbrineris limicola</i> | Berkeley & Berkeley 1941 |
| 4556 | <i>Lumbrineris ligulata</i> | of authors SCB not Hartman 1944 |
| 4557 | Lumbrineris californiensis | SCAMIT 2001 § |
| 4558 | <i>Lumbrineris</i> sp E | Moore 1923 |
| 4559 | <i>Ninoe palmata</i> | Hilbig 1995 |
| 4560 | <i>Ninoe tridentata</i> | Harris 1985 § |
| 4561 | <i>Ninoe</i> sp A | (Hartman 1944) |
| 4562 | <i>Scoletoma bassi</i> | Hartman 1944 |
| 4563 | Lumbrineris bassi | (Moore 1904) |
| 4564 | <i>Scoletoma erecta</i> | Moore 1904 |
| 4565 | Lumbriconereis erecta | (Moore 1904) |
| 4566 | Lumbrineris erecta | |
| 4567 | <i>Scoletoma tetraura</i> Cmplx | |
| 4568 | Scoletoma luti | of authors SCB not (Berkeley & Berkeley 1945) |
| 4569 | Scoletoma tetraura | of authors SCB not (Schmarda 1861) |
| 4570 | <i>Scoletoma zonata</i> | (Johnson 1901) |
| 4571 | Lumbriconereis zonata | Johnson 1901 |
| 4572 | Lumbrineris zonata | of authors NEP |
| 4573 | <i>Scoletoma</i> sp A | Harris 1985 § |
| 4574 | Lumbrineris sp A | Harris 1985 § |
| 4575 | <i>Scoletoma</i> sp B | Harris 1985 § |
| 4576 | Lumbrineris sp B | Harris 1985 § |
| 4577 | <i>Scoletoma</i> sp C | Harris 1985 § |
| 4578 | Lumbrineris sp C | Harris 1985 § |
| 4579 | | |
| 4580 | Family Oenonidae | |
| 4581 | <i>Arabella endonata</i> | Emerson 1974 |
| 4582 | <i>Arabella iricolor</i> | (Montagu 1804) |
| 4583 | Nereis iricolor | Montagu 1804 |
| 4584 | <i>Arabella opalina</i> | of Webster 1879 |
| 4585 | Lumbriconereis opalina | Verrill & Smith 1874 |
| 4586 | <i>Arabella pectinata</i> | Fauchald 1970 |
| 4587 | <i>Arabella protomutans</i> | Orensanz 1990 |
| 4588 | <i>Arabella semimaculata</i> | (Moore 1911) |
| 4589 | Aracoda semimaculata | Moore 1911 |
| 4590 | <i>Drilonereis falcata</i> | Moore 1911 |
| 4591 | <i>Drilonereis filum</i> | (Claparède 1868) |
| 4592 | Lumbriconereis filum | Claparède 1868 |
| 4593 | <i>Drilonereis longa</i> | Webster 1879 |
| 4594 | <i>Drilonereis mexicana</i> | Fauchald 1970 |
| 4595 | Drilonereis nuda | of Hartman 1944 in part not Moore 1909 |
| 4596 | <i>Drilonereis nuda</i> | Moore 1909 |
| 4597 | <i>Drilonereis</i> sp A | SCAMIT 1998 § |
| 4598 | Drilonereis longa | of authors SCB in part not Webster 1879 |
| 4599 | Drilonereis nr longa | of Montagne 1982 § |
| 4600 | Drilonereis sp B | Harris 1985 § |
| 4601 | <i>Drilonereis</i> sp LA1 | Lovell 2006 § |
| 4602 | <i>Notocirrus californiensis</i> | Hartman 1944 |
| 4603 | | |
| 4604 | Family Onuphidae | Moore 1911 |
| 4605 | <i>Diopatra ornata</i> | E. Berkeley 1972 |
| 4606 | Onuphis longibranchiata | Kinberg 1865 |
| 4607 | <i>Diopatra splendidissima</i> | Hartman 1944 |
| 4608 | <i>Diopatra tridentata</i> | Moore 1911 |
| | <i>Hyalinoecia juvenalis</i> | (Hartman 1944) |
| | <i>Kinbergounphis paradiopatra</i> | |

| | | |
|------|--|--------------------------------------|
| 4609 | <i>Nothria stigmatis paradiopatra</i> | |
| 4610 | <i>Kinbergonuphis vexillaria</i> | (Moore 1911) |
| 4611 | <i>Onuphis vexillaria</i> | Moore 1911 |
| 4612 | <i>Mooreonuphis exigua</i> | (Shisko 1981) |
| 4613 | <i>Nothria exigua</i> | Shisko 1981 |
| 4614 | <i>Mooreonuphis litoralis</i> | (Monro 1933) |
| 4615 | <i>Onuphis litoralis</i> | Monro 1933 |
| 4616 | <i>Mooreonuphis nebulosa</i> | (Moore 1911) |
| 4617 | <i>Onuphis nebulosa</i> | Moore 1911 |
| 4618 | <i>Mooreonuphis nr nebulosa</i> | of Steinhauer & Immura 1990 |
| 4619 | <i>Mooreonuphis segmentispadix</i> | (Shisko 1981) |
| 4620 | <i>Onuphis segmentispadix</i> | Shisko 1981 |
| 4621 | <i>Mooreonuphis sp B</i> | Harris 1985 § |
| 4622 | <i>Mooreonuphis stigmatis</i> | (Treadwell 1922) |
| 4623 | <i>Onuphis stigmatis</i> | Treadwell 1922 |
| 4624 | <i>Nothria stigmatis</i> | of Hartman 1944 |
| 4625 | <i>Mooreonuphis veleronis</i> | (Fauchald 1980) |
| 4626 | <i>Onuphis (Nothria) veleronis</i> | Fauchald 1980 |
| 4627 | <i>Nothria stigmatus intermedia</i> | Hartman 1944 |
| 4628 | <i>Mooreonuphis sp LA1</i> | Brantley 1999 § |
| 4629 | <i>Mooreonuphis sp SD1</i> | Rowe 1996 § |
| 4630 | <i>Nothria occidentalis</i> | Fauchald 1968 |
| 4631 | <i>Nothria conchylega occidentalis</i> | Fauchald 1968 |
| 4632 | <i>Paranothria sp A</i> | Steinhauer & Immura 1990 |
| 4633 | <i>Onuphis affinis</i> | Hilbig 1995 |
| 4634 | <i>Onuphis elegans</i> | (Johnson 1901) |
| 4635 | <i>Nothria elegans</i> | Johnson 1901 |
| 4636 | <i>Nothria elegans</i> | of Hartman 1968 in part |
| 4637 | <i>Onuphis eremita parva</i> | Berkeley & Berkeley 1941 |
| 4638 | <i>Onuphis geophiliformis</i> | (Moore 1903) |
| 4639 | <i>Nothria geophiliformis</i> | Moore 1903 |
| 4640 | <i>Nothria geophiliformis</i> | of Fauchald 1968 |
| 4641 | <i>Onuphis iridescens</i> | (Johnson 1901) |
| 4642 | <i>Nothria iridescens</i> | Johnson 1901 |
| 4643 | <i>Nothria iridescens</i> | of Hartman 1944 in part |
| 4644 | <i>Onuphis multianulata</i> | Shisko 1981 |
| 4645 | <i>Onuphis pallida</i> | (Moore 1911) |
| 4646 | <i>Nothria pallida</i> | Moore 1911 |
| 4647 | <i>Onuphis sp A</i> | SCAMIT 1992 § |
| 4648 | <i>Nothria iridescens</i> | of Hartman 1944 in part |
| 4649 | <i>Onuphis sp 1</i> | Pt. Loma 1983 § |
| 4650 | <i>Onuphis sp "intermediates"</i> | Hobson 1971 |
| 4651 | <i>Paradiopatra parva</i> | (Moore 1911) |
| 4652 | <i>Onuphis parva</i> | Moore 1911 |
| 4653 | <i>Sarsonuphis parva</i> | of Fauchald 1982 |
| 4654 | <i>Rhamphobrachium longisetosum</i> | Berkeley & Berkeley 1938 |
| 4655 | | |
| 4656 | Family Aberrantidae | Rowe 2002 § |
| 4657 | <i>Aberranta sp SD1</i> | Rowe 2004 § |
| 4658 | | |
| 4659 | Order Canalipalpata | |
| 4660 | Suborder Sabellida | |
| 4661 | | |
| 4662 | Family Oweniidae | Blake 2000 |
| 4663 | <i>Galathowenia piltzi</i> | (Hartman 1960) |
| 4664 | <i>Galathowenia pygidialis</i> | Hartman 1960 |
| 4665 | <i>Myriochele pygidialis</i> | Hartman 1955 |
| 4666 | <i>Myriochele gracilis</i> | Blake 2000 |
| 4667 | <i>Myriochele olgae</i> | Blake 2000 |
| 4668 | <i>Myriochele striolata</i> | SCAMIT 1985 § |
| 4669 | <i>Myriochele sp M</i> | Hartman 1960 |
| 4670 | <i>Myriowenia californiensis</i> | Hartman 1955 in part |
| 4671 | <i>Myriochele gracilis</i> | Hartman 1955 |
| 4672 | <i>Owenia collaris</i> | Hartman 1955 |
| 4673 | <i>Owenia fusiformis collaris</i> | of Hartman 1969 |
| 4674 | <i>Owenia collaris</i> | of authors NEP not delle Chiaje 1841 |
| 4675 | <i>Owenia johnsoni</i> | Blake 2000 |
| 4676 | | |
| 4677 | Family Sabellariidae | |
| 4678 | Subfamily Sabellariinae | |
| 4679 | <i>Idanthyrsus sp</i> | (Moore 1906) |
| 4680 | <i>Neosabellaria cementarium</i> | Moore 1906 |
| | <i>Sabellaria cementarium</i> | (Fewkes 1889) |
| | <i>Phragmatopoma californica</i> | |

| | | |
|------|--|---|
| 4681 | <i>Sabellaria californica</i> | Fewkes 1889 |
| 4682 | <i>Sabellaria gracilis</i> | Hartman 1944 |
| 4683 | <i>Sabellaria spinulosa alcocki</i> | Berkeley & Berkeley 1941 |
| 4684 | <i>Sabellaria spinulosa</i> var | Hartman 1939 |
| 4685 | <i>Sabellaria nanella</i> | Chamberlain 1919 |
| 4686 | Subfamily Lygdaminae | |
| 4687 | <i>Mariansabellaria harrisiae</i> | Kirtley 1994 |
| 4688 | Family Sabellidae | |
| 4689 | Subfamily Fabriciliinae | |
| 4690 | <i>Fabricinuda limnicola</i> | (Hartman 1951) |
| 4691 | <i>Fabricia limnicola</i> | Hartman 1951 |
| 4692 | <i>Fabricinuda pseudopalpa</i> | Fitzhugh 1990 |
| 4693 | <i>Fabriciola</i> sp | |
| 4694 | <i>Novafabricia brunnea</i> | (Hartman 1969) |
| 4695 | <i>Fabricia brunnea</i> | Hartman 1969 |
| 4696 | <i>Novafabricia triangularis</i> | Fitzhugh 1990 |
| 4697 | <i>Pseudofabriciola californica</i> | Fitzhugh 1991 |
| 4698 | Subfamily Sabellinae | |
| 4699 | <i>Bispira</i> sp | (Moore 1923) |
| 4700 | <i>Chone magna</i> | Moore 1923 |
| 4701 | <i>Euchone magna</i> | (Bush 1904) |
| 4702 | <i>Chone mollis</i> | Bush 1904 |
| 4703 | <i>Dialychone albocincta</i> | (Banse 1972) |
| 4704 | <i>Chone albocincta</i> | Banse 1972 |
| 4705 | <i>Dialychone trilineata</i> | Tovar-Hernandez 2007 |
| 4706 | <i>Chone trilineata</i> | Tovar-Hernandez 2007 |
| 4707 | <i>Chone</i> sp C | Harris 1984 § |
| 4708 | <i>Dialychone veleronis</i> | (Banse 1972) |
| 4709 | <i>Chone veleronis</i> | Banse 1972 |
| 4710 | <i>Euchone arenae</i> | Hartman 1966 |
| 4711 | <i>Euchone hancocki</i> | Banse 1970 |
| 4712 | <i>Euchone incolor</i> | Hartman 1965 |
| 4713 | <i>Euchone barnardi</i> | Reish 1968 |
| 4714 | <i>Euchone rosea</i> | of Berkeley & Berkeley 1954 not Langerhans 1884 |
| 4715 | <i>Euchone trisegmentata</i> | Reish 1965 |
| 4716 | <i>Euchone limnicola</i> | Reish 1960 |
| 4717 | <i>Euchone limicola</i> | of Hartman 1966 |
| 4718 | <i>Euchone rosea</i> | Langerhans 1884 |
| 4719 | <i>Euchone velifera</i> | Banse 1972 |
| 4720 | <i>Euchone</i> sp A | SCAMIT 1986 § |
| 4721 | <i>Euchone</i> sp SD1 | Rowe 2004 § |
| 4722 | <i>Euchone</i> sp SD2 | Rowe 2005 § |
| 4723 | <i>Eudistylia cf brevicomata</i> | (Ehlers 1905) |
| 4724 | <i>Sabella</i> (<i>Potamilla</i>) <i>brevicomata</i> | Ehlers 1905 |
| 4725 | <i>Eudistylia polymorpha</i> | (Johnson 1901) |
| 4726 | <i>Bispira polymorpha</i> | Johnson 1901 |
| 4727 | <i>Diatyla monterea</i> | Chamberlin 1919 |
| 4728 | <i>Eudistylia intermedia</i> | Bush 1905 |
| 4729 | <i>Eudistylia vancouveri</i> | (Kinberg 1867) |
| 4730 | <i>Sabella vancouveri</i> | Kinberg 1867 |
| 4731 | <i>Eudistylia abbreviata</i> | Bush 1904 |
| 4732 | <i>Eudistylia plumosa</i> | Bush 1904 |
| 4733 | <i>Eudistylia tennella</i> | Bush 1904 |
| 4734 | <i>Fabrisabella</i> sp A | SCAMIT 1986 § |
| 4735 | <i>Laonome</i> sp | |
| 4736 | <i>Jasmineira</i> sp B | SCAMIT 1986 § |
| 4737 | <i>Manayunkia aestuarina</i> | (Bourne 1883) |
| 4738 | <i>Haplobranchus aestuarinus</i> | Bourne 1883 |
| 4739 | <i>Manayunkia speciosa</i> | Leidy 1859 |
| 4740 | <i>Megalomma circumspectum</i> | (Moore 1923) |
| 4741 | <i>Branchiomma circumspectum</i> | Moore 1923 |
| 4742 | <i>Megalomma colorata</i> | (Chamberlin 1919) |
| 4743 | <i>Potamilla coloratum</i> | Chamberlin 1919 |
| 4744 | <i>Megalomma pigmentum</i> | Reish 1963 |
| 4745 | <i>Megalomma splendida</i> | (Moore 1905) |
| 4746 | <i>Pseudopotamilla splendida</i> | Moore 1905 |
| 4747 | <i>Branchiomma burrardum</i> | E. Berkeley 1930 |
| 4748 | <i>Myxicola</i> sp | |
| 4749 | <i>Myxicola infundibulum</i> | of authors SCB not (Renier 1804) |
| 4750 | <i>Paradialychone bimaculata</i> | (Banse & Nichols 1968) |
| 4751 | <i>Chone bimaculata</i> | Banse & Nichols 1968 |
| 4752 | | |

| | | |
|------|--|--|
| 4753 | Chone duneri | of authors NEP not Malmgren 1867 |
| 4754 | <i>Paradialychone ecaudata</i> | (Moore 1923) |
| 4755 | Jasmineira ecaudata | Moore 1923 |
| 4756 | <i>Chone ecaudata</i> | (Moore 1923) |
| 4757 | Chone minuta | Hartman 1944 |
| 4758 | <i>Paradialychone eiffelturris</i> | (Tovar-Hernandez 2007) |
| 4759 | Chone eiffelturris | Tovar-Hernandez 2007 |
| 4760 | Chone sp SD1 | Pt. Loma 1997 § |
| 4761 | <i>Paradialychone harrisae</i> | Tovar-Hernandez 2009 |
| 4762 | Chone sp B | Harris 1984 § |
| 4763 | <i>Paradialychone paramollis</i> | (Tovar-Hernandez 2007) |
| 4764 | Chone paramollis | Tovar-Hernandez 2007 |
| 4765 | Chone mollis | of authors SCB in part not (Bush 1904) |
| 4766 | <i>Parasabella pallida</i> | Moore 1923 |
| 4767 | Demonax medius | of Hartman 1969 in part not Bush 1904 |
| 4768 | Demonax pallidus | of authors SCB |
| 4769 | <i>Parasabella nr rugosa</i> | (Moore 1904) |
| 4770 | <i>Parasabella</i> sp 1 | Fitzhugh 1993 § |
| 4771 | Demonax sp 1 | Fitzhugh 1993 § |
| 4772 | <i>Perkinsiana</i> sp | SCAMIT 1986 § |
| 4773 | <i>Potamethus</i> sp A | Moore 1905 |
| 4774 | <i>Pseudopotamilla occelata</i> | Hartman 1944 |
| 4775 | <i>Pseudopotamilla socialis</i> | Fitzhugh 1993 § |
| 4776 | <i>Pseudopotamilla</i> sp 1 | Bush 1904 |
| 4777 | <i>Schizobranchia insignis</i> | |
| 4778 | Family Serpulidae | |
| 4779 | Subfamily Serpuliniae | |
| 4780 | <i>Apomatus timsii</i> | Pixell 1912 |
| 4781 | <i>Chitinopoma groenlandica</i> | (Mörch 1863) |
| 4782 | Hydroides norvegica groenlandica | Mörch 1863 |
| 4783 | Chitinopoma greenlandica | of Pixell 1912 |
| 4784 | <i>Crucigera zyophora</i> | (Johnson 1901) |
| 4785 | Serpula zyophora | Johnson 1901 |
| 4786 | <i>Hyalopomatus biformis</i> | (Hartman 1960) |
| 4787 | Vermiliopsis biformis | Hartman 1960 |
| 4788 | <i>Hydroides elegans</i> | (Haswell 1883) |
| 4789 | Eupomatus elegans | Haswell 1883 |
| 4790 | <i>Hydroides gracilis</i> | (Bush 1905) |
| 4791 | Eupomatus gracilis | Bush 1905 |
| 4792 | <i>Hydroides pacificus</i> | Hartman 1969 |
| 4793 | <i>Placostegus californicus</i> | Hartman 1969 |
| 4794 | <i>Protula superba</i> | Moore 1909 |
| 4795 | Protula tubularia | Berkeley & Berkeley 1941 |
| 4796 | <i>Pseudochitinopoma occidentalis</i> | (Bush 1904) |
| 4797 | Hyalopomatopsis occidentalis | Bush 1904 |
| 4798 | <i>Salmacina tribranchiata</i> | (Moore 1923) |
| 4799 | Filograna tribranchiata | Moore 1923 |
| 4800 | <i>Vermiliopsis infundibulum</i> | (Philippi 1844) |
| 4801 | Vermilia infundibulum | Philippi 1844 |
| 4802 | <i>Serpula columbiiana</i> | Johnson 1901 |
| 4803 | <i>Spirobranchus spinosus</i> | Moore 1923 |
| 4804 | Subfamily Spirorbinae | |
| 4805 | <i>Circeis armoricana</i> | Saint-Joseph 1894 |
| 4806 | <i>Dexiospira brasiliensis</i> | (Grube 1872) |
| 4807 | Spirorbis brasiliensis | Grube 1872 |
| 4808 | Janua (Dexiospira) brasiliensis | (Grube 1872) |
| 4809 | <i>Neodexiospira pseudocorrugata</i> | (Bush 1905) |
| 4810 | Spirorbis pseudocorrugatus | Bush 1905 |
| 4811 | <i>Pileolaria (Pileolaria) marginata</i> | Knight-Jones 1978 |
| 4812 | <i>Protolaeospira eximia</i> | (Bush 1904) |
| 4813 | Spirorbis eximus | Bush 1904 |
| 4814 | <i>Protolaeospira (Protolaeospira) triflabilis</i> | Knight-Jones 1973 |
| 4815 | <i>Simplaria pseudomilitaris</i> | (Thiriot-Quievreux 1965) |
| 4816 | Spirorbis (Laeospira) pseudomilitaris | Thiriot-Quievreux 1965 |
| 4817 | <i>Spirorbis bifurcatus</i> | Knight-Jones 1978 |
| 4818 | Family Siboglinidae | |
| 4819 | <i>Siboglinum veleronis</i> | Hartman 1961 |
| 4820 | Suborder Terebellida | |
| 4821 | Infraorder Cirratuliformia | |
| 4822 | Family Acrocirridae | |
| 4823 | <i>Acrocirrus frontifilis</i> | (Grube 1860) |
| 4824 | Heterocirrus frontifilis | Grube 1860 |

| | | |
|------|---|--|
| 4825 | <i>Macrochaeta</i> sp A | Rowe 1999 § |
| 4826 | Family Cirratulidae | Blake 1996 |
| 4827 | <i>Aphelochaeta elongata</i> | Blake 1996 |
| 4828 | <i>Aphelochaeta glandaria</i> Cmplx | of authors SCB not Saint Joseph 1894 |
| 4829 | <i>Aphelochaeta glandaria</i> | SCAMIT 1998 § |
| 4830 | <i>Aphelochaeta marioni</i> | of authors SCB |
| 4831 | <i>Aphelochaeta</i> sp A | Dorsey 1984 § |
| 4832 | <i>Aphelochaeta</i> sp C | Dorsey 1984 § |
| 4833 | <i>Tharyx</i> nr sp C | (Hartman 1960) |
| 4834 | <i>Tharyx</i> sp C | Hartman 1960 |
| 4835 | <i>Aphelochaeta monilaris</i> | Dorsey 1984 § |
| 4836 | <i>Tharyx monilaris</i> | Blake 1996 |
| 4837 | <i>Tharyx</i> sp G | Blake 1993 § |
| 4838 | <i>Aphelochaeta petersenae</i> | Blake 1996 |
| 4839 | <i>Aphelochaeta multifilis</i> Type II | Phillips 1994 § |
| 4840 | <i>Aphelochaeta philippi</i> | Rowe 1997 § |
| 4841 | <i>Aphelochaeta tigrina</i> | Phillips 2005 § |
| 4842 | <i>Aphelochaeta</i> sp 1 | Brantley 1999 § |
| 4843 | <i>Aphelochaeta williamsae</i> | of Rowe 1996 § not Blake 1996 |
| 4844 | <i>Aphelochaeta</i> sp HYP2 | Rowe 1998 § |
| 4845 | <i>Aphelochaeta</i> sp SD2 | (Southern 1914) |
| 4846 | <i>Aphelochaeta</i> sp HYP4 | Southern 1914 |
| 4847 | <i>Aphelochaeta</i> sp LA1 | Blake 1996 |
| 4848 | <i>Aphelochaeta petersenae</i> | of Hartman 1969 in part not (Hartman 1948) |
| 4849 | <i>Aphelochaeta</i> sp SD5 | Blake 1996 |
| 4850 | <i>Caulleriella alata</i> | (Hartman 1948) |
| 4851 | <i>Chaetozone alata</i> | Hartman 1948 |
| 4852 | <i>Caulleriella apicula</i> | of Hartman 1969 in part |
| 4853 | <i>Caulleriella hamata</i> | Blake 1996 |
| 4854 | <i>Caulleriella cristata</i> | E. Berkeley 1929 |
| 4855 | <i>Caulleriella hamata</i> | E. Berkeley 1929 |
| 4856 | <i>Tharyx hamatus</i> | Rowe 1996 § |
| 4857 | <i>Caulleriella hamata</i> | Blake 1996 |
| 4858 | <i>Caulleriella lajolla</i> | Hartman 1963 |
| 4859 | <i>Caulleriella pacifica</i> | Blake 1996 |
| 4860 | <i>Caulleriella</i> viridis var <i>pacifica</i> | E. Berkeley & Berkeley 1941 |
| 4861 | <i>Caulleriella</i> sp SD2 | Berkeley & Berkeley 1941 |
| 4862 | <i>Chaetozone acuta</i> | Blake 1996 |
| 4863 | <i>Chaetozone armata</i> | Hartman 1969 not (Moore 1923) |
| 4864 | <i>Chaetozone bansei</i> | of Hartman 1961 not (Moore 1923) |
| 4865 | <i>Chaetozone columbiana</i> | Blake 1996 |
| 4866 | <i>Chaetozone communalis</i> | Blake 1996 |
| 4867 | <i>Chaetozone corona</i> | Berkeley & Berkeley 1941 |
| 4868 | <i>Chaetozone spinosa corona</i> | Berkeley & Berkeley 1941 |
| 4869 | <i>Chaetozone hartmanae</i> | Blake 1996 |
| 4870 | <i>Caulieriella gracilis</i> | Hartman 1969 not (Moore 1923) |
| 4871 | <i>Chaetozone gracilis</i> | of Hartman 1961 not (Moore 1923) |
| 4872 | <i>Chaetozone hedgpethi</i> | Blake 1996 |
| 4873 | <i>Chaetozone lunula</i> | Blake 1996 |
| 4874 | <i>Chaetozone sentcosa</i> | Blake 1996 |
| 4875 | <i>Chaetozone setosa</i> Cmplx | Moore 1903 |
| 4876 | <i>Chaetozone spinosa</i> | Rowe 1996 § |
| 4877 | <i>Chaetozone</i> sp SD2 | Rowe 1997 § |
| 4878 | <i>Chaetozone</i> sp SD3 | of Berkeley & Berkeley 1952 not (Moore 1923) |
| 4879 | <i>Cirratulus cirratulus</i> Cmplx | Banse & Hobson 1968 |
| 4880 | <i>Caulieriella gracilis</i> | of Hartman 1969 not (O. F. Müller 1776) |
| 4881 | <i>Chaetozone berkeleyorum</i> | (Hartman 1961) |
| 4882 | <i>Cirratulus cirratus</i> | Hartman 1961 |
| 4883 | <i>Cirratulus multioculatus</i> | Blake 1996 |
| 4884 | <i>Chaetozone multioculata</i> | (Moore 1904) |
| 4885 | <i>Cirriformia dillonensis</i> | Moore 1904 |
| 4886 | <i>Cirriformia spirabranca</i> | (Kinberg 1866) |
| 4887 | <i>Cirratulus spirabranchus</i> | Kinberg 1866 |
| 4888 | <i>Cirriformia spectabilis</i> | of Banse & Hobson 1968 |
| 4889 | <i>Promenia spectabilis</i> | of Berkeley & Berkeley 1950 |
| 4890 | <i>Cirratulus berkeleyorum</i> | of Hartman 1948 |
| 4891 | <i>Cirratulus cirratulus</i> | (Montagu 1808) |
| 4892 | <i>Cirratulus spectabilis</i> | Montagu 1808 |
| 4893 | <i>Cirriformia tentaculata</i> | Harris 1999 § |
| 4894 | <i>Terebella tentaculata</i> | Brantley 1999 § |
| 4895 | <i>Cirriformia</i> sp B | |
| 4896 | <i>Cirriformia</i> sp LA1 | |

| | | |
|------|--------------------------------------|-----------------------------------|
| 4897 | <i>Cirriformia</i> sp SD1 | Rowe 1997 § |
| 4898 | <i>Cirriformia</i> sp SD2 | Rowe 1998 § |
| 4899 | <i>Cirriformia</i> sp SD3 | Rowe 2005 § |
| 4900 | <i>Dodecaceria concharum</i> | Ørsted 1843 |
| 4901 | <i>Dodecaceria fewkesi</i> | Berkeley & Berkeley 1954 |
| 4902 | <i>Monticellina cryptica</i> | Blake 1996 |
| 4903 | <i>Monticellina dorsobranchialis</i> | of authors not (Kirkegaard 1959) |
| 4904 | <i>Monticellina</i> sp A | of authors SCB |
| 4905 | <i>Tharyx</i> sp A | Dorsey 1984 § |
| 4906 | <i>Monticellina lenticastella</i> | (Jumars 1975) |
| 4907 | <i>Tharyx lenticastella</i> | Jumars 1975 |
| 4908 | <i>Monticellina serratisetosa</i> | (Banse & Hobson 1968) |
| 4909 | <i>Tharyx serratisetosa</i> | Banse & Hobson 1968 |
| 4910 | <i>Aphelochaeta serratisetosa</i> | of Blake 1991 |
| 4911 | <i>Monticellina siblini</i> | Blake 1996 |
| 4912 | <i>Monticellina tessellata</i> | of authors NEP not (Hartman 1960) |
| 4913 | <i>Tharyx tessellata</i> | of authors NEP not Hartman 1960 |
| 4914 | <i>Monticellina tessellata</i> | (Hartman 1960) |
| 4915 | <i>Tharyx tessellata</i> | Hartman 1960 |
| 4916 | <i>Monticellina</i> sp 1 | Lovell & Phillips 1995 § |
| 4917 | <i>Protocirrineris socialis</i> | Blake 1996 |
| 4918 | <i>Protocirrineris</i> sp A | SCAMIT 1995 § |
| 4919 | <i>Protocirrineris</i> sp 1 | Phillips 1995 § |
| 4920 | <i>Protocirrineris</i> sp B | SCAMIT 1995 § |
| 4921 | <i>Protocirrineris</i> sp 2 | Phillips 1995 § |
| 4922 | <i>Timarete luxuriosa</i> | (Moore 1904) |
| 4923 | <i>Cirratulus luxuriosus</i> | Moore 1904 |
| 4924 | <i>Cirriformia luxuriosa</i> | of Hartman 1969 |
| 4925 | Family Ctenodrilidae | |
| 4926 | <i>Ctenodrillus serratus</i> | (Schmidt 1857) |
| 4927 | <i>Parthenope serrata</i> | Schmidt 1857 |
| 4928 | <i>Raricirrus maculatus</i> | Hartman 1961 |
| 4929 | Family Fauveliopsidae | |
| 4930 | <i>Fauveliopsis armata</i> | Fauchald & Hancock 1981 |
| 4931 | <i>Fauveliopsis glabra</i> | (Hartman 1960) |
| 4932 | <i>Brada glabra</i> | Hartman 1960 |
| 4933 | <i>Fauveliopsis magna</i> | Fauchald & Hancock 1981 |
| 4934 | <i>Fauveliopsis</i> sp SD1 | Langan 2000 § |
| 4935 | Family Flabelligeridae | |
| 4936 | <i>Brada pilosa</i> | Moore 1923 |
| 4937 | <i>Brada pilosa</i> | of authors SBC, not (Rathke 1843) |
| 4938 | <i>Diplocirrus</i> sp SD1 | Rowe 1998 § |
| 4939 | <i>Flabelliderma essenbergae</i> | Hartman 1961 |
| 4940 | <i>Flabelliderma papillosa</i> | Salazar-Vallejo 2007 |
| 4941 | <i>Flabelliderma ockeri</i> | Salazar-Vallejo 2007 |
| 4942 | <i>Flabelligera infundibularis</i> | Johnson 1901 |
| 4943 | <i>Pherusa inflata</i> | (Treadwell 1914) |
| 4944 | <i>Trophonia inflata</i> | Treadwell 1914 |
| 4945 | <i>Pherusa negligens</i> | (Berkeley & Berkeley 1950) |
| 4946 | <i>Styliaroides negligens</i> | Berkeley & Berkeley 1950 |
| 4947 | <i>Pherusa</i> cf <i>negligens</i> | Rowe 1996 § |
| 4948 | <i>Pherusa neopapillata</i> | Hartman 1961 |
| 4949 | <i>Pherusa papillata</i> | (Johnson 1901) |
| 4950 | <i>Trophonia papillata</i> | Johnson 1901 |
| 4951 | <i>Piromis capulata</i> | (Moore 1909) |
| 4952 | <i>Trophonia capulata</i> | Moore 1909 |
| 4953 | <i>Pherusa capulata</i> | (Moore 1909) |
| 4954 | <i>Piromis hospitis</i> | Fauchald 1972 |
| 4955 | <i>Piromis</i> sp A | Harris 1985 § |
| 4956 | Family Sternaspidae | |
| 4957 | <i>Sternaspis fossor</i> | Stimpson 1854 |
| 4958 | <i>Sternaspis affinis</i> | Stimpson 1864 |
| 4959 | Infraorder Terebelliformia | |
| 4960 | Family Ampharetidae | |
| 4961 | Subfamily Ampharetinae | |
| 4962 | <i>Amage anops</i> | (Johnson 1901) |
| 4963 | <i>Sabellides anops</i> | Johnson 1901 |
| 4964 | <i>Ampharete acutifrons</i> | (Grube 1860) |
| 4965 | <i>Amphicteis acutifrons</i> | Grube 1860 |
| 4966 | <i>Ampharete cirrata</i> | Webster & Benedict 1887 |
| 4967 | <i>Ampharete grubei</i> | Malmgren 1866 |
| 4968 | <i>Ampharete finmarchica</i> | (M. Sars 1864) |

| | | | |
|------|--|---------------------------------------|---|
| 4969 | | Amphicteis finmarchica | M. Sars 1864 |
| 4970 | | Ampharete arctica | Malmgren 1866 |
| 4971 | | <i>Ampharete goesi</i> | Malmgren 1866 |
| 4972 | | <i>Ampharete labrops</i> | Hartman 1961 |
| 4973 | | <i>Ampharetidae</i> sp SD1 | Pt. Loma 1999 § |
| 4974 | | Ampharetidae sp 1 | Pt. Loma 1994 § |
| 4975 | | <i>Amphicteis glabra</i> | Moore 1905 |
| 4976 | | <i>Amphicteis mucronata</i> | Moore 1923 |
| 4977 | | <i>Amphicteis scaphobranchiata</i> | Moore 1906 |
| 4978 | | <i>Anobothrus gracilis</i> | (Malmgren 1866) |
| 4979 | | Ampharete gracilis | Malmgren 1866 |
| 4980 | | Ampharete gagareae | of Banse & Hobson 1968 not Ushakov 1955 |
| 4981 | | <i>Sosane sulcata</i> nidrosiensis | Bidenkap 1907 |
| 4982 | | <i>Asabellides lineata</i> | (Berkeley & Berkeley 1943) |
| 4983 | | <i>Pseudosabellides lineata</i> | Berkeley & Berkeley 1943 |
| 4984 | | <i>Ectyssipe trilobata</i> | (Hartman 1969) |
| 4985 | | <i>Anobothrus trilobatus</i> | Hartman 1969 |
| 4986 | | <i>Glyphanostomum pallescens</i> | (Théel 1879) |
| 4987 | | <i>Samytha pallescens</i> | Théel 1879 |
| 4988 | | <i>Lysippe</i> sp A | Williams 1984 § |
| 4989 | | <i>Lysippe labiata</i> | of authors SCB not Malmgren 1866 |
| 4990 | | <i>Lysippe</i> sp B | Williams 1985 § |
| 4991 | | <i>Lysippe labiata</i> | of Hilbig 2000 in part not Malmgren 1866 |
| 4992 | | <i>Mexamage longibranchiata</i> | (Hartman 1960) |
| 4993 | | <i>Amage longibranchiata</i> | Hartman 1960 |
| 4994 | | <i>Mexamage corrugata</i> | Hilbig 2000 |
| 4995 | | <i>Moresamytha bioculata</i> | (Moore 1906) |
| 4996 | | <i>Samytha bioculata</i> | Moore 1906 |
| 4997 | | <i>Amphisamytha bioculata</i> | of Hartman 1969 |
| 4998 | | <i>Paralysippe annectens</i> | (Moore 1923) |
| 4999 | | <i>Lysippe annectens</i> | Moore 1923 |
| 5000 | | <i>Paramage scutata</i> | (Moore 1923) |
| 5001 | | <i>Amage scutata</i> | Moore 1923 |
| 5002 | | <i>Sabellides manriquei</i> | Salazar-Vallejo 1996 |
| 5003 | | <i>Sabellides</i> sp 1 | of Pt. Loma 1991 § |
| 5004 | | <i>Samytha californiensis</i> | Hartman 1969 |
| 5005 | | <i>Schistocomus hiltoni</i> | Chamberlin 1919 |
| 5006 | | <i>Schistocomus</i> sp A | SCAMIT 1987 § |
| 5007 | | <i>Schistocomus hiltoni</i> | of Hartman 1969 in part not Chamberlin 1919 |
| 5008 | | <i>Sosane occidentalis</i> | (Hartman 1969) |
| 5009 | | <i>Anobothrus occidentalis</i> | Hartman 1969 |
| 5010 | | <i>Sosanopsis</i> sp A | SCAMIT 1996 § |
| 5011 | | <i>Sosanopsis</i> sp A | Phillips 1987 § |
| 5012 | | Subfamily Melininae | |
| 5013 | | <i>Melinna heterodonta</i> | Moore 1923 |
| 5014 | | <i>Melinna cristata</i> heterodonta | Moore 1923 |
| 5015 | | <i>Melinna oculata</i> | Hartman 1969 |
| 5016 | | Family Pectinariidae | |
| 5017 | | <i>Pectinaria californiensis</i> | Hartman 1941 |
| 5018 | | <i>Pectinaria granulata</i> | (Linnaeus 1767) |
| 5019 | | <i>Sabella granulata</i> | Linnaeus 1767 |
| 5020 | | Family Terebellidae | |
| 5021 | | Subfamily Amphitritinae | |
| 5022 | | <i>Amphitrite robusta</i> | Johnson 1901 |
| 5023 | | <i>Neoamphitrite robusta</i> | (Johnson 1901) |
| 5024 | | <i>Eupolymnia heterobranchia</i> | (Johnson 1901) |
| 5025 | | <i>Lanice heterobranchia</i> | Johnson 1901 |
| 5026 | | <i>Lanassa gracilis</i> | (Moore 1923) |
| 5027 | | <i>Leaena gracilis</i> | Moore 1923 |
| 5028 | | <i>Lanassa venusta</i> <i>venusta</i> | (Malm 1874) |
| 5029 | | <i>Laphaniella venusta</i> | Malm 1874 |
| 5030 | | <i>Lanice conchilega</i> | (Pallas 1776) |
| 5031 | | <i>Nereis conchilega</i> | Pallas 1776 |
| 5032 | | <i>Laphania</i> sp | SCAMIT 2001 § |
| 5033 | | <i>Loimia</i> sp A | of authors NEP not (Savigny 1818) |
| 5034 | | <i>Loimia medusa</i> | Barwick 2006 § |
| 5035 | | <i>Lysilla</i> sp SD1 | (Moore 1904) |
| 5036 | | <i>Neoleprea californica</i> | Moore 1904 |
| 5037 | | <i>Terebella californica</i> | Hessle 1917 |
| 5038 | | <i>Neoleprea japonica</i> | (Johnson 1901) |
| 5039 | | <i>Neoleprea spiralis</i> | Johnson 1901 |
| 5040 | | <i>Amphitrite spiralis</i> | |

| | | |
|------|--|--|
| 5041 | <i>Nicolea</i> sp A | Harris 1985 § |
| 5042 | <i>Phisidia sanctaemariae</i> | Hilbig 2000 |
| 5043 | <i>Lanassa</i> sp D | Harris 1992 § |
| 5044 | <i>Pista agassizi</i> | Hilbig 2000 |
| 5045 | <i>Pista brevibranchia</i> | Chamberlin 1919 |
| 5046 | <i>Pista alata</i> | Moore 1909 |
| 5047 | <i>Pista brevibranchiata</i> | Moore 1923 |
| 5048 | <i>Pista agassizi</i> | of authors SCB not Hilbig 2000 |
| 5049 | <i>Pista alata</i> | of authors SCB in part not Moore 1909 |
| 5050 | <i>Pista percyi</i> | Hilbig 2000 |
| 5051 | <i>Pista elongata</i> | Moore 1909 |
| 5052 | <i>Pista maculata</i> | Marenzeller 1884 |
| 5053 | <i>Pista marenzelleri</i> | Hessle 1917 |
| 5054 | <i>Pista estevanica</i> | Berkeley & Berkeley 1942 |
| 5055 | <i>Pista bansei</i> | Saphronova 1988 |
| 5056 | <i>Pista</i> sp B | SCAMIT 1985 § |
| 5057 | <i>Pista moorei</i> | Berkeley & Berkeley 1942 |
| 5058 | <i>Pista cf pacifica</i> | Berkeley & Berkeley 1942 |
| 5059 | <i>Pista wui</i> | Saphronova 1988 |
| 5060 | <i>Pista disjuncta</i> | of authors SCB not Moore 1923 |
| 5061 | <i>Pista fasciata</i> | of authors SCB not (Grube 1870) |
| 5062 | <i>Pista</i> sp C | Williams 1985 § |
| 5063 | Subfamily Artacaminae | Moore 1905 |
| 5064 | <i>Artacama conifera</i> | (Hartman 1944) |
| 5065 | Subfamily Polycirrinae | Hartman 1944 |
| 5066 | <i>Amaea occidentalis</i> | Moore 1909 |
| 5067 | <i>Amaea occidentalis</i> | of Berkeley & Berkeley 1952 in part not Claparède 1868 |
| 5068 | <i>Polycirrus californicus</i> | Moore 1923 |
| 5069 | <i>Polycirrus calidium</i> | of authors SCB in part not Moore 1909 |
| 5070 | <i>Polycirrus perplexus</i> | Banse 1980 |
| 5071 | <i>Polycirrus californicus</i> | Banse 1980 |
| 5072 | <i>Polycirrus</i> sp I | Banse 1980 |
| 5073 | <i>Polycirrus</i> sp III | SCAMIT 1995 § |
| 5074 | <i>Polycirrus</i> sp V | Phillips & Lovell 1999 § |
| 5075 | <i>Polycirrus</i> sp A | Barwick 2004 § |
| 5076 | <i>Polycirrus</i> sp OC1 | Harris 1992 § |
| 5077 | <i>Polycirrus</i> sp SD3 | |
| 5078 | <i>Proclea</i> sp A | |
| 5079 | Subfamily Terebelliniae | |
| 5080 | <i>Ramex californica</i> | Hartman 1944 |
| 5081 | <i>Scionella japonica</i> | Moore 1903 |
| 5082 | <i>Scionides dux</i> | Chamberlin 1919 |
| 5083 | <i>Spinospaera harrisiae</i> | Londono-Mesa 2003 |
| 5084 | <i>Spinospaera</i> sp SD1 | Rowe 1997 § |
| 5085 | <i>Spinospaera oculata</i> | Hartman 1944 |
| 5086 | <i>Streblosoma crassibranchia</i> | Treadwell 1914 |
| 5087 | <i>Streblosoma pacifica</i> | Hilbig 2000 |
| 5088 | <i>Streblosoma</i> sp A | Williams 1985 § |
| 5089 | <i>Streblosoma</i> sp B | SCAMIT 1985 § |
| 5090 | <i>Streblosoma</i> sp SF1 | Norris 2002 § |
| 5091 | Subfamily Thelepodinae | |
| 5092 | <i>Thelepus crispus</i> | Johnson 1901 |
| 5093 | <i>Thelepus hamatus</i> | Moore 1905 |
| 5094 | <i>Thelepus setosus</i> | (Quatrefages 1865) |
| 5095 | <i>Phenacia</i> setosus | Quatrefages 1865 |
| 5096 | <i>Streblosoma</i> verrilli | Treadwell 1911 |
| 5097 | Family Trichobranchidae | |
| 5098 | <i>Artacamella hancocki</i> | Hartman 1955 |
| 5099 | <i>Octobranchus</i> sp A | Blake 2000 |
| 5100 | <i>Terebellides californica</i> | Williams 1984 |
| 5101 | <i>Terebellides reishi</i> | Williams 1984 |
| 5102 | <i>Terebellides</i> sp Type C | Williams 1984 |
| 5103 | <i>Terebellides</i> sp Type D | Williams 1984 |
| 5104 | <i>Trichobranchidae</i> sp LA1 | Brantley 2004 § |
| 5105 | Suborder Spionida | |
| 5106 | Family Apistobranchidae | Hartman 1965 |
| 5107 | <i>Apistobranchus ornatus</i> | |
| 5108 | Family Chaetopteridae | |
| 5109 | <i>Chaetopterus variopedatus</i> Cmplx | |
| 5110 | <i>Mesochaetopterus</i> sp | |
| 5111 | <i>Phyllochaetopterus limicolus</i> | Hartman 1960 |
| 5112 | <i>Phyllochaetopterus prolificus</i> | Potts 1914 |

| | | |
|------|---|---|
| 5113 | <i>Spiochaetopterus costarum</i> Cmplx | |
| 5114 | <i>Spiochaetopterus costarum</i> | of authors NEP not (Claparède 1870) |
| 5115 | <i>Leptochaetopterus pottsi</i> | E. Berkeley 1927 |
| 5116 | <i>Spiochaetopterus costarum pottsi</i> | of Gitay 1969 |
| 5117 | Family Longosomatidae | |
| 5118 | <i>Heterospio catalinensis</i> | (Hartman 1944) |
| 5119 | <i>Longosoma catalinensis</i> | Hartman 1944 |
| 5120 | Family Magelonidae | |
| 5121 | <i>Magelona berkeleyi</i> | Jones 1971 |
| 5122 | <i>Magelona hartmanae</i> | Jones 1978 |
| 5123 | <i>Magelona hobsonae</i> | Jones 1978 |
| 5124 | <i>Magelona longicornis</i> | Johnson 1901 |
| 5125 | <i>Magelona pitelkai</i> | Hartman 1944 |
| 5126 | <i>Magelona riojai</i> | Jones 1963 |
| 5127 | <i>Magelona sacculata</i> | Hartman 1961 |
| 5128 | <i>Magelona</i> sp A | SCAMIT 1993 § |
| 5129 | <i>Magelona</i> sp B | Harris & Rowe 2003 § |
| 5130 | <i>Magelona</i> sp SD10 | Rowe 1996 § |
| 5131 | Family Poecilochaetidae | |
| 5132 | <i>Poecilochaetus johnsoni</i> | Hartman 1939 |
| 5133 | <i>Peocilochaetus martini</i> | Brantley 2009 |
| 5134 | <i>Poecilochaetus</i> sp A | SCAMIT 2003 § |
| 5135 | <i>Poecilochaetus</i> sp A | Martin 1977 § |
| 5136 | <i>Poecilochaetus</i> sp A | of Lissner <i>et al</i> 1986 not Blake 1996 |
| 5137 | <i>Poecilochaetus johnsoni</i> | of Blake 1996 in part not Hartman 1939 |
| 5138 | Family Spionidae | |
| 5139 | <i>Aonides</i> sp SD1 | Langan 2002 § |
| 5140 | <i>Aporionospio pygmaea</i> | (Hartman 1961) |
| 5141 | <i>Prionospio pygmaeus</i> | Hartman 1961 |
| 5142 | <i>Prionospio pygmaea</i> | of Blake & Kudenov 1978 |
| 5143 | <i>Boccardia basilaria</i> | Hartman 1961 |
| 5144 | <i>Boccardia columbiana</i> | Berkeley 1927 |
| 5145 | <i>Boccardia pugettensis</i> | Blake 1979 |
| 5146 | <i>Boccardia natrix</i> | of Berkeley & Berkeley 1936 not Söderström 1920 |
| 5147 | <i>Boccardiella hamata</i> | (Webster 1879) |
| 5148 | <i>Polydora hamata</i> | Webster 1879 |
| 5149 | <i>Boccardia uncata</i> | E. Berkeley 1927 |
| 5150 | <i>Carazziella</i> sp A | SCAMIT 1995 § |
| 5151 | <i>Carazziella calafia</i> | of authors SCB, not Blake 1979 |
| 5152 | <i>Carazziella citrona</i> | of authors SCB, not Hartman 1941 |
| 5153 | <i>Dipolydora akaina</i> | Blake 1996 |
| 5154 | <i>Dipolydora armata</i> | (Langerhans 1880) |
| 5155 | <i>Polydora armata</i> | Langerhans 1880 |
| 5156 | <i>Polydora monilaris</i> | Ehlers 1905 |
| 5157 | <i>Dipolydora cf armata</i> | SCAMIT 1983 § |
| 5158 | <i>Dipolydora barbilla</i> | (Blake 1980) |
| 5159 | <i>Polydora barbilla</i> | Blake 1980 |
| 5160 | <i>Dipolydora bidentata</i> | (Zachs 1933) |
| 5161 | <i>Polydora flava bidentata</i> | Zachs 1933 |
| 5162 | <i>Polydora convexa</i> | Blake & Woodwick 1971 |
| 5163 | <i>Dipolydora bifurcata</i> | (Blake 1981) |
| 5164 | <i>Polydora bifurcata</i> | Blake 1981 |
| 5165 | <i>Dipolydora caulleryi</i> | (Mesnil 1897) |
| 5166 | <i>Polydora caulleryi</i> | Mesnil 1897 |
| 5167 | <i>Polydora brachycephala</i> | Hartman 1936 |
| 5168 | <i>Dipolydora commensalis</i> | (Andrews 1891) |
| 5169 | <i>Polydora commensalis</i> | Andrews 1891 |
| 5170 | <i>Dipolydora elegantissima</i> | (Blake & Woodwick 1972) |
| 5171 | <i>Polydora elegantissima</i> | Blake & Woodwick 1972 |
| 5172 | <i>Dipolydora giardi</i> | (Mesnil 1896) |
| 5173 | <i>Polydora giardi</i> | Mesnil 1896 |
| 5174 | <i>Polydora anomulata</i> | Moore 1907 |
| 5175 | <i>Dipolydora socialis</i> | (Schmarda 1861) |
| 5176 | <i>Leucodore socialis</i> | Schmarda 1861 |
| 5177 | <i>Polydora caeca</i> | of Berkeley & Berkeley 1936 not Ørsted 1843 |
| 5178 | <i>Polydora caeca</i> var magna | E. Berkeley 1927 |
| 5179 | <i>Polydora carunculata</i> | Radashevsky 1993 |
| 5180 | <i>Polydora magna</i> | of Berkeley & Berkeley 1936 |
| 5181 | <i>Polydora neocardalia</i> | Hartman 1961 |
| 5182 | <i>Polydora plena</i> | of Foster 1971 |
| 5183 | <i>Polydora socialis</i> | of Hartman 1941 |
| 5184 | <i>Polydora socialis</i> plena | Berkeley & Berkeley 1936 |

| | | |
|------|---|--|
| 5185 | <i>Dispio uncinata</i> | Hartman 1951 |
| 5186 | <i>Laonice cirrata</i> | (M. Sars 1851) |
| 5187 | <i>Nerine cirrata</i> | M. Sars 1851 |
| 5188 | <i>Laonice nuchala</i> | Blake 1996 |
| 5189 | <i>Laonice appelloefi</i> | of authors NEP not Söderström 1920 |
| 5190 | <i>Malacoceros indicus</i> | (Fauvel 1928) |
| 5191 | <i>Scolelepis indica</i> | Fauvel 1928 |
| 5192 | <i>Malacoceros punctata</i> | (Hartman 1961) |
| 5193 | <i>Spio punctata</i> | Hartman 1961 |
| 5194 | <i>Microspio microcera</i> | (Dorsey 1977) |
| 5195 | <i>Rhynchospiro microcera</i> | Dorsey 1977 |
| 5196 | <i>Microspio pigmentata</i> | (Reish 1959) |
| 5197 | <i>Spiophanes pigmentata</i> | Reish 1959 |
| 5198 | <i>Nerinides pigmentata</i> | of Hartman 1961 |
| 5199 | <i>Spio (Microspio) pigmentata</i> | of Foster 1971 |
| 5200 | <i>Paraprionospio alata</i> | (Moore 1923) |
| 5201 | <i>Prionospio alata</i> | Moore 1923 |
| 5202 | <i>Paraprionospio pinnata</i> | of authors NEP not (Ehlers 1901) |
| 5203 | <i>Polydora bioccipitalis</i> | Blake & Woodwick 1972 |
| 5204 | <i>Polydora cirrosa</i> | Rioja 1943 |
| 5205 | <i>Polydora concharum</i> | Verrill 1880 |
| 5206 | <i>Polydora cornuta</i> | Bosc 1802 |
| 5207 | | Hartman 1936 |
| 5208 | | of A. Agassiz 1867 not Johnston 1838 |
| 5209 | | Webster 1879 |
| 5210 | | Verrill 1881 |
| 5211 | | Rioja 1939 |
| 5212 | <i>Polydora cf hoplura</i> | Claparède 1869 |
| 5213 | | Annenkova 1934 |
| 5214 | <i>Polydora limicola</i> | Annenkova 1934 |
| 5215 | | Light 1969 |
| 5216 | | Woodwick 1953 |
| 5217 | <i>Polydora pygidialis</i> | Blake & Woodwick 1972 |
| 5218 | <i>Polydora spongicola</i> | Berkeley & Berkeley 1950 |
| 5219 | <i>Polydora websteri</i> | Hartman 1943 |
| 5220 | <i>Prionospio (Minuspio) lighti</i> | Maciolek 1985 |
| 5221 | | Harris 1985 § in part |
| 5222 | | of Light 1977 not Wiren 1883 |
| 5223 | | of Jones 1961 not Wiren 1883 |
| 5224 | | E. Berkeley 1927 |
| 5225 | <i>Prionospio (Minuspio) multibranchiata</i> | of Berkeley & Berkeley 1962 in part not Wiren 1883 |
| 5226 | | Day 1961 |
| 5227 | <i>Prionospio (Prionospio) dubia</i> | of Wilson 1990 |
| 5228 | | Day 1961 |
| 5229 | | SCAMIT 1991 § |
| 5230 | | of Söderström 1920 not Malmgren 1867 |
| 5231 | | of Johnson 1984 not Malmgren 1867 |
| 5232 | <i>Prionospio (Prionospio) ehlersi</i> | Fauvel 1928 |
| 5233 | | Fauchald 1972 |
| 5234 | | Moore 1907 |
| 5235 | <i>Prionospio (Prionospio) heterobranchia</i> | Reish 1959 |
| 5236 | | Blake 1996 |
| 5237 | <i>Prionospio (Prionospio) jubata</i> | of Steinhauer & Imamura 1990 |
| 5238 | | of Hartman 1969 not Claparède 1870 |
| 5239 | | SCAMIT 1991 § |
| 5240 | <i>Pseudatherospius fauchaldi</i> | Lovell 1994 |
| 5241 | | (Southern 1921) |
| 5242 | <i>Pseudopolydora kempfi</i> | Southern 1921 |
| 5243 | | (Okuda 1937) |
| 5244 | <i>Polydora (Carazzia) kempfi</i> | Okuda 1937 |
| 5245 | <i>Pseudopolydora paucibranchiata</i> | Hartman 1936 |
| 5246 | | Claparède 1863 |
| 5247 | | Hartman 1936 |
| 5248 | <i>Rhynchospiro arenicola</i> | of authors NEP not (Ehlers 1901) |
| 5249 | | (Southern 1914) |
| 5250 | | Southern 1914 |
| 5251 | <i>Rhynchospiro glutaeae</i> | Foster 1971 |
| 5252 | <i>Scolelepis (Parascolelepis) tridentata</i> | Rowe 1995 § |
| 5253 | | Pt Loma 1995 § |
| 5254 | <i>Nerinides tridentata</i> | Rossi 1982 |
| 5255 | <i>Scolelepis (Parascolelepis) texana</i> | (Hartman 1961) |
| 5256 | <i>Scolelepis (Parascolelepis) sp SD1</i> | Hartman 1961 |
| | <i>Scolelepis sp 1</i> | |
| | <i>Scolelepis (Scolelepis) bullibranchia</i> | |
| | <i>Scolelepis (Scolelepis) occidentalis</i> | |
| | <i>Nerine foliosa occidentalis</i> | |

| | | |
|------|---|--|
| 5257 | <i>Scolelepis (Scolelepis) squamata</i> | (O. F. Müller 1806) |
| 5258 | <i>Lumbricus squamatus</i> | O. F. Müller 1806 |
| 5259 | <i>Lumbricus cirratulus</i> | delle Chiaje 1828 |
| 5260 | <i>Nerinides acuta</i> | of Hartman 1969 |
| 5261 | <i>Spio acuta</i> | Treadwell 1914 |
| 5262 | <i>Spio butleri</i> | Berkeley & Berkeley 1954 |
| 5263 | <i>Spio filicornis</i> | (O. F. Müller 1766) |
| 5264 | <i>Nereis filicornis</i> | O. F. Müller 1766 |
| 5265 | <i>Spio maciolekae</i> | Blake 1996 |
| 5266 | <i>Spio sp A</i> | Lovell 1986 § |
| 5267 | <i>Spio maculata</i> | (Hartman 1961) |
| 5268 | <i>Nerinides maculata</i> | Hartman 1961 |
| 5269 | <i>Spiophanes berkeleyorum</i> | Pettibone 1962 |
| 5270 | <i>Spiophanes cirrata</i> | of E. Berkeley 1927 not M. Sars 1872 |
| 5271 | <i>Spiophanes japonicum</i> | Imajima 1991 |
| 5272 | <i>Spiophanes duplex</i> | (Chamberlin 1919) |
| 5273 | <i>Morants duplex</i> | Chamberlin 1919 |
| 5274 | <i>Spiophanes missionensis</i> | Hartman 1941 |
| 5275 | <i>Spiophanes fimbriata</i> | Moore 1923 |
| 5276 | <i>Spiophanes kroeyeri</i> | of authors NEP not Grube 1860 |
| 5277 | <i>Spiophanes kimballi</i> | Meißner 2005 |
| 5278 | <i>Spiophanes berkeleyorum</i> | of authors NEP in part not Pettibone 1962 |
| 5279 | <i>Spiophanes fimbriata</i> | of authors NEP in part not Moore 1923 |
| 5280 | <i>Spiophanes kroeyeri</i> | of authors NEP in part not Grube 1860 |
| 5281 | <i>Spiophanes norrisi</i> | Meißner & Blank 2009 |
| 5282 | <i>Spio bombyx</i> | of authors NEP not Claparède 1870 |
| 5283 | <i>Spiophanes wigleyi</i> | Pettibone 1962 |
| 5284 | <i>Spiophanes cf wigleyi</i> | SCAMIT 1984 |
| 5285 | <i>Streblospio benedicti</i> | Webster 1879 |
| 5286 | | |
| 5287 | Family Trochochaetidae | (Hartman 1947) |
| 5288 | <i>Trochochaeta franciscanum</i> | Hartman 1947 |
| 5289 | <i>Disoma franciscanum</i> | of authors NEP not (Ørsted 1844) |
| 5290 | <i>Trochochaeta multisetosa</i> | |
| 5291 | | Rowe 2005 § |
| 5292 | | |
| 5293 | Suborder Protodrilida | |
| 5294 | Family Protodrilidae | |
| 5295 | <i>Protodrilus</i> sp | |
| 5296 | | |
| 5297 | Class Hirudinea | |
| 5298 | Order Pharyngobdellida | |
| 5299 | Family Erpobdellidae | |
| 5300 | <i>unidentified</i> | |
| 5301 | | |
| 5302 | Order Rhynchobdellida | |
| 5303 | Family Glossiphoniidae | |
| 5304 | <i>Saccocirrus eroticus</i> | Gray 1969 |
| 5305 | | |
| 5306 | Class Oligochaeta | |
| 5307 | Family Enchytraeidae | |
| 5308 | <i>Enchytraeus kincaidi</i> | Eisen 1904 |
| 5309 | <i>Enchytraeus multiannulatus</i> | Altman 1936 |
| 5310 | <i>Grania incerta</i> | Coates & Erséus 1980 |
| 5311 | <i>Lumbricillus lineatus</i> | (O. F. Müller 1774) |
| 5312 | <i>Lumbricus lineatus</i> | O. F. Müller 1774 |
| 5313 | | O. F. Müller 1774 |
| 5314 | Family Naididae | |
| 5315 | <i>Bathyporeia litoreus</i> | Baker 1983 |
| 5316 | <i>Bathyporeia parkeri</i> | Erséus 1991 |
| 5317 | <i>Limnodriloides barnardi</i> | Cook 1974 |
| 5318 | <i>Limnodriloides winckelmanni</i> | of Jamieson 1977 in part not Michaelsen 1914 |
| 5319 | <i>Olavius tannerensis</i> | Cook 1974 |
| 5320 | <i>Tectidrilus diversus</i> | Erséus 1991 |
| 5321 | <i>Tectidrilus probus</i> | Cook 1974 |
| 5322 | <i>Tectidrilus profusus</i> | Erséus 1991 |
| 5323 | <i>Tubificoides bakeri</i> | Brinkhurst 1985 |
| 5324 | <i>Tubificoides parapectinatus</i> | Brinkhurst 1985 |
| 5325 | PHYLUM ARTHROPODA | |
| 5326 | Subphylum Cheliceriformia | |
| 5327 | Class Pycnogonida | |
| 5328 | Order Pegmata | |
| | Suborder Eupantopodida | |

| | | |
|------|---|---------------------------------|
| 5329 | Superfamily Ascorhynchoidea | |
| 5330 | Family Eurycydidae | Hilton 1916 |
| 5331 | <i>Eurycyde spinosa</i> | (Hilton 1939) |
| 5332 | Family Ammotheidae | Hilton 1939 |
| 5333 | <i>Achelia chelata</i> | (Hilton 1939) |
| 5334 | <i>Ammothea chelata</i> | Hilton 1939 |
| 5335 | <i>Achelia simplissima</i> | (Hilton 1939) |
| 5336 | <i>Ammothea simplissima</i> | Hilton 1939 |
| 5337 | <i>Ammothea hilgendorfi</i> | (Böhm 1879) |
| 5338 | <i>Lecythorhynchus hilgendorfi</i> | Böhm 1879 |
| 5339 | <i>Lecythorhynchus marginatus</i> | Cole 1904 |
| 5340 | <i>Ammothella menziesi</i> | Hedgpeth 1951 |
| 5341 | <i>Ammothella setosa</i> | Hilton 1942 |
| 5342 | <i>Ammothella killix</i> | Dojiri, Cadien, & Phillips 1991 |
| 5343 | <i>Ammothella spinifera</i> | Cole 1904 |
| 5344 | <i>Ammothella tuberculata</i> | Cole 1904 |
| 5345 | <i>Nymphopsis spinosissima</i> | (Hall 1912) |
| 5346 | <i>Ammothea spinosissima</i> | Hall 1912 |
| 5347 | <i>Prototrygaeus jordanae</i> | Child 1990 |
| 5348 | <i>Ammotheidae</i> genus A sp A | MBC 1982 § |
| 5349 | <i>Tanystylum californicum</i> | Hilton 1939 |
| 5350 | <i>Tanystylum intermedium</i> | of Hedgpeth 1940 not Cole 1904 |
| 5351 | <i>Tanystylum duospinum</i> | Hilton 1939 |
| 5352 | <i>Tanystylum intermedium</i> | Cole 1904 |
| 5353 | <i>Tanystylum nudum</i> | Hilton 1942 |
| 5354 | <i>Tanystylum occidentalis</i> | (Cole 1904) |
| 5355 | <i>Clotenia occidentalis</i> | Cole 1904 |
| 5356 | Superfamily Nymphonoidea | |
| 5357 | Family Callipallenidae | |
| 5358 | <i>Anorpallene palpida</i> | (Hilton 1939) |
| 5359 | <i>Oropallene palpida</i> | Hilton 1939 |
| 5360 | <i>Anorpallene crenispina</i> | Stock 1956 |
| 5361 | <i>Oropallene heterodonta</i> | Hilton 1942 |
| 5362 | <i>Callipallene californiensis</i> | (Hall 1913) |
| 5363 | <i>Pallene californiensis</i> | Hall 1913 |
| 5364 | <i>Callipallene pacifica</i> | (Hedgpeth 1939) |
| 5365 | <i>Pallene pacifica</i> | Hedgpeth 1939 |
| 5366 | Family Nymphonidae | |
| 5367 | <i>Nymphon heterodenticulatum</i> | Hedgpeth 1941 |
| 5368 | <i>Nymphon pixellae</i> | Scott 1913 |
| 5369 | <i>Nymphon solitarium</i> | Exline 1936 |
| 5370 | <i>Nymphon variatum</i> | Hilton 1942 |
| 5371 | Superfamily Phoxichilidioidea | |
| 5372 | Family Phoxichilidiidae | |
| 5373 | <i>Anoplodactylus californicus</i> | Hall 1912 |
| 5374 | <i>Anoplodactylus californiensis</i> | of Hedgpeth 1941 |
| 5375 | <i>Anoplodactylus carvalhoi</i> | Er. Marcus 1940 |
| 5376 | <i>Anoplodactylus portus</i> | Calman 1927 |
| 5377 | <i>Anoplodactylus projectus</i> | Hilton 1942 |
| 5378 | <i>Anoplodactylus robustus</i> | of Hilton 1939 not Dohrn 1881 |
| 5379 | <i>Anoplodactylus compactus</i> | (Hilton 1939) |
| 5380 | <i>Phoxichilidium compactum</i> | Hilton 1939 |
| 5381 | <i>Halosoma compactum</i> | of Marcus 1940 |
| 5382 | <i>Phoxichilidium hokkaidense</i> | Utinomi 1954 |
| 5383 | <i>Anoplodactylus erectus</i> | Cole 1904 |
| 5384 | <i>Anoplodactylus nodosus</i> | Hilton 1939 |
| 5385 | <i>Anoplodactylus oculospinus</i> | Hilton 1942 |
| 5386 | <i>Anoplodactylus pacificus</i> | Hilton 1942 |
| 5387 | <i>Anoplodactylus viridintestinalis</i> | Cole 1904 |
| 5388 | <i>Phoxichilidium femoratum</i> | (Rathke 1790) |
| 5389 | <i>Nymphon femoratum</i> | Rathke 1790 |
| 5390 | <i>Phoxichilidium parvum</i> | Hilton 1939 |
| 5391 | <i>Phoxichilidium quadridentatum</i> | Hilton 1942 |
| 5392 | Superfamily Pycnogonoidea | |
| 5393 | Family Pycnogonidae | |
| 5394 | <i>Pycnogonum rickettsi</i> | Schmitt 1934 |
| 5395 | <i>Pycnogonum stearnsi</i> | Ives 1892 |
| 5396 | Superfamily Rhynchothoracoidea | |
| 5397 | Family Rhynchothoracidae | |
| 5398 | <i>Rhynchothorax philopsammum</i> | Hedgpeth 1951 |
| 5399 | <i>Rhynchothorax philopsammum</i> | Hedgpeth 1951 [lapsus] |
| 5400 | Class Arachnida | |

| | |
|------|---|
| 5401 | Subclass Acarina |
| 5402 | Order Acariformes |
| 5403 | Suborder Prostigmata |
| 5404 | unidentified |
| 5405 | Subphylum Crustacea |
| 5406 | Class Cephalocarida |
| 5407 | Order Brachypoda |
| 5408 | Family Hutchinsonellidae |
| 5409 | <i>Lightiella serendipita</i> |
| | M. L. Jones 1961 |
| 5410 | Class Maxillopoda |
| 5411 | Subclass Thecostraca |
| 5412 | Infraclass Cirripedia |
| 5413 | Superorder Thoracica |
| 5414 | Order Pedunculata |
| 5415 | Suborder Lepadomorpha |
| 5416 | Family Lepadidae |
| 5417 | <i>Conchoderma virgatum</i> |
| 5418 | <i>Lepas virgata</i> |
| 5419 | Suborder Scalpellomorpha |
| 5420 | Superfamily Scalpelloidea |
| 5421 | Family Pollicipedidae |
| 5422 | <i>Pollicipes polymerus</i> |
| 5423 | <i>Mitella polymerus</i> |
| 5424 | Family Scalpellidae |
| 5425 | <i>Hamatoscalpellum californicum</i> |
| 5426 | <i>Scalpellum californicum</i> |
| 5427 | <i>Arcoscalpellum californicum</i> |
| 5428 | <i>Scalpellum californicum osseum</i> |
| 5429 | <i>Scalpellum osseum</i> |
| 5430 | <i>Hamatoscalpellum sanctipetrense</i> |
| 5431 | <i>Scalpellum sanctipetrense</i> |
| 5432 | Order Sessilia |
| 5433 | Suborder Balanomorpha |
| 5434 | Superfamily Chthamaloidea |
| 5435 | Family Chthamalidae |
| 5436 | <i>Chthamalus dalli</i> |
| 5437 | <i>Chthamalus fissus</i> |
| 5438 | Superfamily Tetracritoidea |
| 5439 | Family Tetraclitidae |
| 5440 | <i>Tetraclita rubescens</i> |
| 5441 | Superfamily Balanoidea |
| 5442 | Family Archaeobalanidae |
| 5443 | <i>Conopea galeata</i> |
| 5444 | <i>Lepas galeata</i> |
| 5445 | <i>Balanus galeatus</i> |
| 5446 | <i>Balanus (Conopea) galeatus</i> |
| 5447 | <i>Conopea elongata</i> |
| 5448 | Family Balanidae |
| 5449 | <i>Amphibalanus amphitrite</i> |
| 5450 | <i>Balanus amphitrite</i> |
| 5451 | <i>Amphibalanus eburneus</i> |
| 5452 | <i>Balanus eburneus</i> |
| 5453 | <i>Balanus crenatus</i> |
| 5454 | <i>Lepas plicata</i> |
| 5455 | <i>Lepas fistula</i> |
| 5456 | <i>Lepas elongata</i> |
| 5457 | <i>Balanus rugosus</i> |
| 5458 | <i>Balanus glandula</i> |
| 5459 | <i>Balanus nubilus</i> |
| 5460 | <i>Balanus altissimus</i> |
| 5461 | <i>Balanus flos</i> |
| 5462 | <i>Balanus trigonus</i> |
| 5463 | <i>Megabalanus californicus</i> |
| 5464 | <i>Balanus tintinnabulum californicum</i> |
| 5465 | <i>Menesiniella aquila</i> |
| 5466 | <i>Balanus aquila</i> |
| 5467 | <i>Paraconcavus pacificus</i> |
| 5468 | <i>Balanus concavus pacificus</i> |
| 5469 | <i>Balanus pacificus</i> |
| 5470 | Subclass Branchiura |
| 5471 | Order Arguloida |
| 5472 | Family Argulidae |

| | | | |
|------|------------------------------------|-------------------------------------|--|
| 5473 | | <i>Argula</i> sp | |
| 5474 | Subclass Copepoda | | |
| 5475 | Infraclass Neocopepoda | | |
| 5476 | Superorder Podoplea | | |
| 5477 | Order Misophrioida | | |
| 5478 | Family Misophriidae | | |
| 5479 | unidentified | | |
| 5480 | Order Harpacticoida | | |
| 5481 | Family Tisbidae | | |
| 5482 | <i>Scutellidium</i> sp | | |
| 5483 | Order Poecilostomatoidea | | |
| 5484 | Family Clausidiidae | | |
| 5485 | <i>Clausidium vancouverense</i> | (Haddon 1912) | |
| 5486 | <i>Hersilia vancouverense</i> | Haddon 1912 | |
| 5487 | <i>Clausidium californiense</i> | Wilson 1935 | |
| 5488 | <i>Hemicyclops subdahaerens</i> | Gooding 1960 | |
| 5489 | <i>Hemicyclops thysanotus</i> | Wilson 1935 | |
| 5490 | Family Spiophanicolidae | | |
| 5491 | <i>Spiophanicola spinulosus</i> | | |
| 5492 | Order Monstrilloida | Ho 1984 | |
| 5493 | Family Thespesiopsyllidae | | |
| 5494 | unidentified | | |
| 5495 | Class Ostracoda | | |
| 5496 | Subclass Myodocopa | | |
| 5497 | Order Myodocopida | | |
| 5498 | Suborder Myodocopina | | |
| 5499 | Superfamily Cypridinoidea | | |
| 5500 | Family Cypridinidae | | |
| 5501 | <i>Vargula tsujii</i> | Kornicker & Baker 1977 | |
| 5502 | Superfamily Cylindroleberidoidea | | |
| 5503 | Family Cylindroleberididae | | |
| 5504 | <i>Asteropella slatteryi</i> | Kornicker 1981 | |
| 5505 | <i>Bathyleberis garthi</i> | Baker 1979 | |
| 5506 | <i>Bathyleberis hancocki</i> | Baker 1979 | |
| 5507 | <i>Bathyleberis</i> sp LA1 | Haney 2004 § | |
| 5508 | <i>Diasterope pilosa</i> | Poulsen 1965 | |
| 5509 | <i>Leuroleberis sharpei</i> | Kornicker 1981 | |
| 5510 | <i>Cylindroleberis lobiancoi</i> | of authors NEP not (G. Müller 1893) | |
| 5511 | <i>Parasterope hulingsi</i> | Baker 1978 | |
| 5512 | <i>Postasterope barnesi</i> | (Baker 1978) | |
| 5513 | <i>Parasterope barnesi</i> | Baker 1978 | |
| 5514 | <i>Xenoleberis californica</i> | (Baker 1979) | |
| 5515 | <i>Bathyleberis californica</i> | Baker 1979 | |
| 5516 | Superfamily Sarsielloidea | | |
| 5517 | Family Philomedidae | | |
| 5518 | <i>Anarthon</i> sp SD1 | Pasko 2001 § | |
| 5519 | <i>Ostracoda</i> sp SD2 | CSD 1996 § | |
| 5520 | <i>Euphilomedes carcharodonta</i> | (Smith 1952) | |
| 5521 | <i>Philomedes carcharodonta</i> | Smith 1952 | |
| 5522 | <i>Euphilomedes longiseta</i> | Juday 1907 | |
| 5523 | <i>Philomedes longiseta</i> | Juday 1907 | |
| 5524 | <i>Euphilomedes producta</i> | Poulsen 1962 | |
| 5525 | <i>Harbansus bradmyersi</i> | Kornicker 1978 | |
| 5526 | <i>Harbansus mayeri</i> | Kornicker 1978 | |
| 5527 | <i>Harbansus</i> sp SD1 | Pasko 2001 § | |
| 5528 | <i>Ostracoda</i> sp SD1 | CSD 1996 § | |
| 5529 | <i>Philomedes dentata</i> | Poulsen 1962 | |
| 5530 | <i>Philomedes</i> sp A | SCAMIT 1988 § | |
| 5531 | <i>Philomedes</i> sp LA1 | Haney 2004 § | |
| 5532 | <i>Scleroconcha trituberculata</i> | (Lucas 1931) | |
| 5533 | <i>Philomedes trituberculata</i> | Lucas 1931 | |
| 5534 | <i>Zeugophilomedes oblongus</i> | (Juday 1907) | |
| 5535 | <i>Pleoschisma oblonga</i> | Juday 1907 | |
| 5536 | <i>Philomedes oblongus</i> | of authors NEP | |
| 5537 | Family Sarsiellidae | | |
| 5538 | <i>Eusarsiella thominx</i> | Kornicker 1987 | |
| 5539 | <i>Sarsiella</i> sp A | Myers 1978 § | |
| 5540 | <i>Eusarsiella</i> sp A | SCAMIT 1988 § | |
| 5541 | <i>Sarsiella</i> sp B | Pt. Loma 1986 § | |
| 5542 | <i>Sarsiella</i> sp F | MBC 1976 § | |
| 5543 | <i>Sarsiella</i> sp H | Myers 1978 § | |
| 5544 | <i>Sarsiella</i> sp C | MEC 1985 § | |

| | | |
|------|--|---|
| 5545 | Sarsiellidae sp SD1 | Pasko 2001 § |
| 5546 | Ostracoda sp SD3 | CSD 1996 § |
| 5547 | | |
| 5548 | Family Rutidermatidae | Kornicker & Harrison-Nelson 1997 |
| 5549 | <i>Rutiderma apex</i> | Kornicker & Myers 1981 |
| 5550 | <i>Rutiderma chessi</i> | Poulsen 1965 |
| 5551 | <i>Rutiderma hartmanni</i> | MacKenzie 1963 |
| 5552 | <i>Rutiderma judayi</i> | (Juday 1907) |
| 5553 | <i>Rutiderma lomae</i> | Juday 1907 |
| 5554 | <i>Philomedes lomae</i> | Juday 1907 |
| 5555 | <i>Rutiderma rostratum</i> | Poulsen 1965 |
| 5556 | <i>Rutiderma rotundum</i> | |
| 5557 | Subclass Podocopa | |
| 5558 | Order Podocopida | |
| 5559 | Suborder Cypridocopina | |
| 5560 | Superfamily Cypridoidea | |
| 5561 | Family Cyprididae | Benson 1959 |
| 5562 | <i>Cyprideis stewarti</i> | |
| 5563 | Superfamily Macrocypridoidea | |
| 5564 | Family Macrocyprididae | LeRoy 1943 |
| 5565 | <i>Macrocyprina pacifica</i> | |
| 5566 | Class Malacostraca | |
| 5567 | Subclass Phyllocarida | |
| 5568 | Order Leptostraca | |
| 5569 | Family Nebaliidae | Vetter 1996 |
| 5570 | <i>Nebalia daytoni</i> | SCAMIT 1995 § |
| 5571 | <i>Nebalia sp A</i> | Martin, Vetter & Cash-Clark 1996 |
| 5572 | <i>Nebalia hessleri</i> | |
| 5573 | <i>Nebalia pugettensis</i> Cmplx | |
| 5574 | Subclass Hoplocarida | |
| 5575 | Order Stomatopoda | |
| 5576 | Suborder Unipeltata | |
| 5577 | Superfamily Gonodactyoidea | |
| 5578 | Family Hemisquillidae | Stephenson 1967 |
| 5579 | <i>Hemisquilla californiensis</i> | of authors NEP |
| 5580 | <i>Hemisquilla ensigera californiensis</i> | |
| 5581 | Superfamily Parasquilloidea | |
| 5582 | Family Parasquillidae | (Lockington 1877) |
| 5583 | <i>Pseudosquillopsis marmorata</i> | Lockington 1877 |
| 5584 | <i>Squilla marmorata</i> | of Schmitt 1940 not Guérin 1830 |
| 5585 | <i>Pseudosquilla lessonii</i> | |
| 5586 | Superfamily Squilloidea | |
| 5587 | Family Squillidae | (Bigelow 1891) |
| 5588 | <i>Schmittius politus</i> | Bigelow 1891 |
| 5589 | <i>Squilla polita</i> | |
| 5590 | Subclass Eumalacostraca | |
| 5591 | Superorder Peracarida | |
| 5592 | Order Mysida | |
| 5593 | Family Mysidae | Ortmann 1894 |
| 5594 | Subfamily Boreomysinae | |
| 5595 | <i>Boreomysis californica</i> | Czerniavsky 1882 |
| 5596 | Subfamily Gastrosaccinae | |
| 5597 | <i>Archaeomysis grebnitzkii</i> | Holmes 1900 |
| 5598 | Subfamily Siriellinae | |
| 5599 | <i>Siriella pacifica</i> | Murano & Chess 1987 |
| 5600 | Subfamily Erythropiniae | (G. O. Sars 1869) |
| 5601 | <i>Amathimysis trigibba</i> | G. O. Sars 1869 |
| 5602 | <i>Amblyops abbreviatum</i> | Murano & Chess 1987 |
| 5603 | <i>Amblyopsis abbreviatum</i> | Ortmann 1908 |
| 5604 | <i>Hippacanthomysis platypoda</i> | Watling & McCann 1997 |
| 5605 | <i>Holmesiella anomala</i> | W. Tattersall 1932 |
| 5606 | <i>Paramblyops</i> sp SMB1 | Bacescu & Gleye 1979 |
| 5607 | <i>Pseudomma berkeleyi</i> | |
| 5608 | <i>Pseudomma californica</i> | |
| 5609 | Subfamily Heteromysinae | Bowman & Orsi 1992 |
| 5610 | <i>Deltamysis holmquistae</i> | Phillips 1987 § |
| 5611 | <i>Mysidopsis</i> sp 1 | Walker 1898 |
| 5612 | <i>Heteromysis odontops</i> | |
| 5613 | Subfamily Mysidellinae | Banner 1948 |
| 5614 | <i>Mysidella americana</i> | |
| 5615 | Subfamily Mysiniae | Murano & Chess 1987 |
| 5616 | <i>Acanthomysis californica</i> | (W. Tattersall 1932) |
| | <i>Alienacanthomysis macropsis</i> | |

| | | |
|-----------------|---|--|
| 5617 | Neomysis macropsis | W. Tattersall 1932 |
| 5618 | Acanthomysis macropsis | of W. Tattersall 1951 |
| 5619 | <i>Columbiaemysis ignota</i> | Holmquist 1982 |
| 5620 | Acanthomysis brunnea | Murano & Chess 1987 |
| 5621 | <i>Exacanthomysis davisi</i> | (Banner 1948) |
| 5622 | Acanthomysis davisi | Banner 1948 |
| 5623 | Acanthomysis costata | of W. Tattersall 1951 not (Holmes 1900) |
| 5624 | Neomysis costata | of W. Tattersall 1932 not (Holmes 1900) |
| 5625 | <i>Holmesimysis costata</i> | (Holmes 1900) |
| 5626 | Acanthomysis costata | Holmes 1900 |
| 5627 | <i>Inusitatomysis insolita</i> | Li 1940 |
| 5628 | Inusitatomysis californica | Bacescu & Gleye 1979 |
| 5629 | Inusitatomysis serrata | W. Tattersall 1951 |
| 5630 | <i>Neomysis kadiakensis</i> | Ortmann 1908 |
| 5631 | <i>Neomysis rayi</i> | (Murdock 1885) |
| 5632 | Mysis rayi | Murdock 1885 |
| 5633 | Neomysis franciscorum | Holmes 1900 |
| 5634 | Neomysis toion | Derzhavin 1913 |
| 5635 | <i>Pacifacanthomysis nephrophthalma</i> | (Banner 1948) |
| 5636 | Acanthomysis nephrophthalma | Banner 1948 |
| 5637 | <i>Proneomysis wailesi</i> | W. Tattersall 1933 |
| 5638 | | Gleye 1982 |
| 5639 | | (Holmes 1900) |
| 5640 | Subfamily Leptomyinae | Holmes 1900 |
| 5641 | <i>Cubanomysis mysteriosa</i> | Bacescu & Gleye 1979 |
| 5642 | <i>Metamysidopsis elongata</i> | W. Tattersall 1932 |
| 5643 | Mysidopsis elongata | Gleye 1982 |
| 5644 | <i>Mysidopsis brattegardi</i> | Holmquist 1957 |
| 5645 | <i>Mysidopsis californica</i> | Bacescu & Gleye 1979 |
| 5646 | <i>Mysidopsis cathengelae</i> | |
| 5647 | <i>Mysidopsis intii</i> | |
| 5648 | <i>Mysidopsis onofrensis</i> | |
| Order Amphipoda | | |
| 5649 | Suborder Ingolfiellidae | |
| 5650 | Family Ingolfiellidae | |
| | unidentified | |
| 5651 | Suborder Gammaridea | |
| 5652 | Infraorder Talitrida | |
| 5653 | Superfamily Phliantoidea | |
| 5654 | Family Phliantidae | |
| 5655 | <i>Pariphinotus escabrosus</i> | (J. L. Barnard 1962) |
| 5656 | Heteroplias seclusus escabrosa | J. L. Barnard 1962 |
| 5657 | Superfamily Talitroidea | |
| 5658 | Family Dogielinotidae | |
| 5659 | Subfamily Najninae | |
| 5660 | <i>Carinonajna kitamati</i> | (J. L. Barnard 1979) |
| 5661 | Najna kitamati | J. L. Barnard 1979 |
| 5662 | Najna ? consiliorum | of J. L. Barnard 1962 not Derzhavin 1937 |
| 5663 | <i>Parhyalella</i> sp | |
| 5664 | Family Hyalellidae | |
| 5665 | <i>Allorchestes angusta</i> | Dana 1856 |
| 5666 | Allorchestes oculatus | Stout 1913 |
| 5667 | <i>Allorchestes rickeri</i> | Hendrycks & Bousfield 2001 |
| 5668 | <i>Hyalella azteca</i> | (Saussure 1858) |
| 5669 | Amphitoe aztecus | Saussure 1858 |
| 5670 | Family Hyalidae | |
| 5671 | <i>Apohyale californica</i> | (J. L. Barnard 1969) |
| 5672 | Hyale californica | J. L. Barnard 1969 |
| 5673 | <i>Parallorchestes cowani</i> | Bousfield & Hendrycks 2002 |
| 5674 | <i>Protohyale canalina</i> | (J. L. Barnard 1979) |
| 5675 | Hyale canalina | J. L. Barnard 1979 |
| 5676 | <i>Protohyale frequens</i> | (Stout 1913) |
| 5677 | Hyale frequens | Stout 1913 |
| 5678 | Family Talitridae | |
| 5679 | <i>Megalorchestia benedicti</i> | (Shoemaker 1930) |
| 5680 | Orchestoidea benedicti | Shoemaker 1930 |
| 5681 | <i>Megalorchestia corniculata</i> | (Stout 1913) |
| 5682 | Orchestoidea corniculata | Stout 1913 |
| 5683 | Infraorder Corophiida | |
| 5684 | Superfamily Aoridae | |
| 5685 | Family Aoridae | |
| 5686 | <i>Aoroides columbiae</i> | Walker 1898 |
| 5687 | Aoroides californica | Alderman 1936 |
| 5688 | <i>Aoroides exilis</i> | Conlan & Bousfield 1982 |

| | | |
|------|--|--|
| 5761 | Corophium acherusicum | Costa 1857 |
| 5762 | <i>Monocorophium californianum</i> | (Shoemaker 1934) |
| 5763 | Corophium californianum | Shoemaker 1934 |
| 5764 | <i>Monocorophium insidiosum</i> | (Crawford 1937) |
| 5765 | Corophium insidiosum | Crawford 1937 |
| 5766 | <i>Corophium oaklandense</i> | Shoemaker 1949 |
| 5767 | <i>Monocorophium uenoii</i> | (Stephensen 1932) |
| 5768 | Corophium uenoii | Stephensen 1932 |
| 5769 | <i>Sinocorophium alienense</i> | (Chapman 1988) |
| 5770 | Corophium alienense | Chapman 1988 |
| 5771 | <i>Sinocorophium heteroceratum</i> | (Yu 1932) |
| 5772 | Corophium heteroceratum | Yu 1932 |
| 5773 | | |
| 5774 | | Giles 1883 |
| 5775 | | |
| 5776 | Subfamily Protomedaeinae | of SCAMIT Ed 3 |
| 5777 | <i>Cheiraphotis megacheles</i> | of SCAMIT Ed 3 |
| 5778 | <i>Protomedea articulata</i> Cmplx | |
| | Protomedea articulata | |
| | Protomedea prudens | |
| 5779 | Infraorder Caprellida | |
| 5780 | Superfamily Caprelloidea | |
| 5781 | Family Caprellidae | |
| 5782 | Subfamily Caprellinae | |
| 5783 | <i>Aciconula acanthosoma</i> | Chess 1989 |
| 5784 | Aciconula sp A | Benedict 1978 § |
| 5785 | <i>Caprella alasiana</i> | Mayer 1903 |
| 5786 | <i>Caprella californica</i> | Stimpson 1857 |
| 5787 | Caprella scaura | of Stebbing 1888 |
| 5788 | Caprella scaura var scauroides | Mayer 1903 |
| 5789 | Caprella scaura var californica | Mayer 1903 |
| 5790 | <i>Caprella equilibra</i> | Say 1818 |
| 5791 | <i>Caprella gorgia</i> | Laubitz & Lewbel 1974 |
| 5792 | <i>Caprella gracilior</i> | Mayer 1903 |
| 5793 | Caprella linearis var gracilior | Mayer 1903 |
| 5794 | <i>Caprella incisa</i> | Mayer 1903 |
| 5795 | <i>Caprella kennelyi</i> | Stimpson 1864 |
| 5796 | Metacaprella kennelyi | of SCAMIT Ed 3 |
| 5797 | <i>Caprella laeviuscula</i> | Mayer 1903 |
| 5798 | <i>Caprella mendax</i> | Mayer 1903 |
| 5799 | Caprella equilibra | of Dougherty & Steinberg 1953 not Say 1818 |
| 5800 | <i>Caprella mutica</i> | Schurin 1935 |
| 5801 | Caprella cf acanthogaster | of Cadieri 2003 § |
| 5802 | <i>Caprella natalensis</i> | (Mayer 1903) |
| 5803 | Caprella acutifrons var natalensis | Mayer 1903 |
| 5804 | Caprella angusta | Mayer 1903 |
| 5805 | Caprella penantis | of authors NEP not Leach 1814 |
| 5806 | Caprella penantis var natalensis | of K. H. Barnard 1916 |
| 5807 | <i>Caprella penantis</i> | Leach 1814 |
| 5808 | <i>Caprella pilidigita</i> | Laubitz 1970 |
| 5809 | <i>Caprella simia</i> | Mayer 1903 |
| 5810 | <i>Caprella verrucosa</i> | Boeck 1872 |
| 5811 | Caprella acutifrons var verrucosa | Mayer 1903 |
| 5812 | Caprella acutifrons | of La Follette 1914 |
| 5813 | Caprella septentrionalis var verrucosa | Mayer 1890 |
| 5814 | <i>Caprella sp E</i> | Benedict 1978 § |
| 5815 | <i>Deutella californica</i> | Mayer 1890 |
| 5816 | <i>Deutella venenosa</i> | Mayer 1890 |
| 5817 | <i>Mayerella acanthopoda</i> | Benedict 1977 |
| 5818 | <i>Mayerella banksia</i> | Laubitz 1970 |
| 5819 | <i>Paracaprella sp SD1</i> | Pasko 2000 § |
| 5820 | <i>Tritella laevis</i> | Mayer 1903 |
| 5821 | <i>Tritella pilimana</i> | Mayer 1890 |
| 5822 | Aeginella hirsuta | La Follette 1915 |
| 5823 | <i>Tritella tenuissima</i> | Dougherty & Steinberg 1953 |
| 5824 | | |
| 5825 | Subfamily Phtisiciniae | Benedict 1978 § |
| 5826 | <i>Hemiproto</i> sp A | of Watling 1995 not? McCain 1968 |
| 5827 | Hemiproto wigleyi | (La Follette 1915) |
| 5828 | <i>Perotripus brevis</i> | La Follette 1915 |
| 5829 | Paedarium breve | |
| 5830 | <i>Phtisica</i> sp | |
| 5831 | | |
| 5832 | Family Dulichiidae | |
| | <i>Dulichia rhabdoplastis</i> | McClosky 1970 |
| | <i>Dulichiopsis remis</i> | (J. L. Barnard 1964) |
| | Dulichia remis | J. L. Barnard 1964 |

| | | |
|------|-------------------------------------|--|
| 5833 | <i>Dyopedos monacanthus</i> | (Metzger 1875) |
| 5834 | <i>Dulichia monacantha</i> | Metzger 1875 |
| 5835 | | |
| 5836 | Family Podoceridae | |
| 5837 | <i>Podocerus brasiliensis</i> | (Dana 1853) |
| 5838 | <i>Platophium brasiliense</i> | Dana 1853 |
| 5839 | <i>Podocerus cristatus</i> | (Thomson 1879) |
| 5840 | <i>Cyrtophium cristatum</i> | Thomson 1879 |
| 5841 | <i>Podocerus fulanus</i> | J. L. Barnard 1962 |
| 5842 | | |
| 5843 | Superfamily Photoidea | |
| 5844 | Family Ischyroceridae | |
| 5845 | Subfamily Ischyrocerinae | |
| 5846 | <i>Cerapus tubularis</i> Cmplx | of authors NEP not Say 1817 |
| 5847 | <i>Cerapus tubularis</i> | (Dana 1853) |
| 5848 | <i>Erichthionius brasiliensis</i> | Dana 1853 |
| 5849 | <i>Pyctilus brasiliensis</i> | (Stimpson 1853) |
| 5850 | <i>Erichthionius rubricornis</i> | Stimpson 1853 |
| 5851 | <i>Cerapus rubricornis</i> | of authors not H. Milne Edwards 1830 |
| 5852 | <i>Erichthionius difformis</i> | of authors not (Bate 1862) |
| 5853 | <i>Erichthionius hunteri</i> | Pasko 1999 § |
| 5854 | <i>Erichthionius</i> sp SD1 | Kroyer 1838 |
| 5855 | <i>Ischyrocerus anguipes</i> | of Walker 1898 |
| 5856 | <i>Ischyrocerus minutus</i> | J. L. Barnard 1962 |
| 5857 | <i>Ischyrocerus pelagops</i> | J. L. Barnard 1969 |
| 5858 | <i>Ischyrocerus</i> sp B | Paquette 1989 § |
| 5859 | <i>Ischyrocerus</i> sp C | Conlan 1990 |
| 5860 | <i>Jassa carltoni</i> | Conlan 1990 |
| 5861 | <i>Jassa morinoi</i> | Conlan 1990 |
| 5862 | <i>Jassa slatteryi</i> | of authors NEP not (Montagu 1808) |
| 5863 | <i>Jassa falcata</i> | G.O. Sars 1894 |
| 5864 | <i>Podocerus odontonyx</i> | Conlan 1990 |
| 5865 | <i>Jassa staudei</i> | Conlan 1995 |
| 5866 | <i>Microjassa barnardi</i> | Conlan 1995 |
| 5867 | <i>Microjassa bousfieldi</i> | J. L. Barnard 1954 |
| 5868 | <i>Microjassa litotes</i> | of J. L. Barnard 1962 |
| 5869 | <i>Ischyrocerus litotes</i> | (J. L. Barnard 1969) |
| 5870 | <i>Neoischyrocerus claustris</i> | J. L. Barnard 1969 |
| 5871 | <i>Microjassa claustris</i> | of J. L. Barnard & Karaman 1991 |
| 5872 | <i>Ischyrocerus claustris</i> | (Shoemaker 1942) |
| 5873 | <i>Ruffojassa angularis</i> | Shoemaker 1942 |
| 5874 | <i>Parajassa angularis</i> | (J. L. Barnad 1962) |
| 5875 | <i>Ventojassa ventosa</i> | J. L. Barnard 1962 |
| 5876 | <i>Euryxtheus ventosa</i> | |
| 5877 | | |
| 5878 | Family Kamakidae | |
| 5879 | Subfamily Kamakinae | |
| 5880 | <i>Amphideutopus oculatus</i> | J. L. Barnard in J. L. Barnard & Reish 1959 |
| 5881 | | |
| 5882 | Family Photidae | |
| 5883 | <i>Ampelisciphotis podophthalma</i> | (J. L. Barnard 1958) |
| 5884 | <i>Gaviota podophthalma</i> | J. L. Barnard 1958 |
| 5885 | <i>Gammaropsis barnardi</i> | Kudryashov & Tsvetkova 1975 |
| 5886 | <i>Gammaropsis effrena</i> | (J. L. Barnard 1964) |
| 5887 | <i>Megamphopus effrenus</i> | J. L. Barnard 1964 |
| 5888 | <i>Gammaropsis mamola</i> | (J. L. Barnard 1962) |
| 5889 | <i>Megamphopus mamilus</i> | J. L. Barnard 1962 |
| 5890 | <i>Gammaropsis martesia</i> | (J. L. Barnard 1964) |
| 5891 | <i>Megamphopus martesia</i> | J. L. Barnard 1964 |
| 5892 | <i>Gammaropsis ociosa</i> | (J. L. Barnard 1962) |
| 5893 | <i>Kermystheus ociosa</i> | J. L. Barnard 1962 |
| 5894 | <i>Podoceropsis ociosa</i> | of J. L. Barnard & Karaman 1991 |
| 5895 | <i>Gammaropsis shoemakeri</i> | Conlan 1983 |
| 5896 | <i>Gammaropsis spinosa</i> | (Shoemaker 1942) |
| 5897 | <i>Eurystheus spinosus</i> | Shoemaker 1942 |
| 5898 | <i>Gammaropsis thompsoni</i> | (Walker 1898) |
| 5899 | <i>Maerooides thompsoni</i> | Walker 1898 |
| 5900 | <i>Eurystheus thompsoni</i> | (Walker 1898) |
| 5901 | <i>Gammaropsis tenuicornis</i> | Holmes 1904 |
| 5902 | <i>Fimбриella robusta</i> | Stout 1913 |
| 5903 | <i>Gammaropsis tonichi</i> | J. L. Barnard 1969 |
| 5904 | <i>Photis bifurcata</i> | J. L. Barnard 1962 |
| | <i>Photis brevipes</i> | Shoemaker 1942 |
| | <i>Photis californica</i> | of J. L. Barnard 1954 not Stout 1913 |
| | <i>Photis californica</i> | Stout 1913 |
| | <i>Photis reinhardi</i> | of Alderman 1936 not Krøyer 1842 |

| | | |
|------|---------------------------------------|---|
| 5905 | <i>Photis chiconola</i> | J. L. Barnard 1964 |
| 5906 | <i>Photis conchicola</i> | Alderman 1936 |
| 5907 | <i>Photis</i> sp F | SCAMIT 1995 § |
| 5908 | <i>Photis lacia</i> | J. L. Barnard 1962 |
| 5909 | <i>Photis linearmanus</i> | Conlan 1994 |
| 5910 | <i>Photis</i> sp D | Paquette 1987 § |
| 5911 | <i>Photis macinerneyi</i> | Conlan 1983 |
| 5912 | <i>Photis macrotica</i> | J. L. Barnard 1962 |
| 5913 | <i>Photis parvidons</i> | Conlan 1983 |
| 5914 | <i>Photis viuda</i> | J. L. Barnard 1962 |
| 5915 | <i>Photis</i> sp A | MBC 1972 § |
| 5916 | <i>Photis</i> sp B | Paquette 1987 § |
| 5917 | <i>Photis</i> sp C | MEC 1988 § |
| 5918 | <i>Photis</i> sp E | SCAMIT 1995 § |
| 5919 | <i>Photis</i> sp OC1 | Diener 1992 § |
| 5920 | Infraorder Leucothoidea | |
| 5921 | Superfamily Leucothoidea | |
| 5922 | Family Pleustidae | |
| 5923 | Subfamily Atylopsinae | Cadien & Martin 1999 |
| 5924 | <i>Myzotarsa anaxiphilus</i> | |
| 5925 | Subfamily Pleustinae | (Alderman 1936) |
| 5926 | <i>Thorlaksonius depressus</i> | Alderman 1936 |
| 5927 | <i>Pleustes depressus</i> | (J. L. Barnard & Given 1960) |
| 5928 | <i>Thorlaksonius platypus</i> | J. L. Barnard & Given 1960 |
| 5929 | <i>Pleustes platypa</i> | Bousfield & Hendrycks 1994 |
| 5930 | <i>Thorlaksonius subcarinatus</i> | Bousfield & Hendrycks 1994 |
| 5931 | <i>Thorlaksonius truncatus</i> | |
| 5932 | Subfamily Stenopleustinae | |
| 5933 | <i>Gracilepleustes monocuspis</i> | (J. L. Barnard & Given 1960) |
| 5934 | <i>Stenopleustes monocuspis</i> | J. L. Barnard & Given 1960 |
| 5935 | Subfamily Dactylopleustinae | SCAMIT 1988 § |
| 5936 | <i>Dactylopleustes</i> sp A | |
| 5937 | Subfamily Pleusirinae | J. L. Barnard 1969 |
| 5938 | <i>Pleusirus securrus</i> | |
| 5939 | Subfamily Pleusympitinae | (J. L. Barnard & Given 1960) |
| 5940 | <i>Pleusyntes subglaber</i> | J. L. Barnard & Given 1960 |
| 5941 | <i>Sympleustes subglaber</i> | |
| 5942 | Subfamily Parapleustinae | |
| 5943 | <i>Chromopleustes oculatus</i> | (Holmes 1908) |
| 5944 | <i>Neopleustes oculatus</i> | Holmes 1908 |
| 5945 | <i>Parapleustes oculatus</i> | of J. L. Barnard & Given 1960 in part |
| 5946 | <i>Gnathopleustes den</i> | (J. L. Barnard 1969) |
| 5947 | <i>Parapleustes den</i> | J. L. Barnard 1969 |
| 5948 | <i>Gnathopleustes pugettensis</i> | (Dana 1852) |
| 5949 | <i>Parapleustes pugettensis</i> | Dana 1852 |
| 5950 | <i>Gnathopleustes serratus</i> | Bousfield & Hendrycks 1995 |
| 5951 | <i>Incisocalliope bairdi</i> | (Boeck 1871) |
| 5952 | <i>Paramphithoe bairdi</i> | Boeck 1871 |
| 5953 | <i>Neopleustes bairdi</i> | of Stebbing 1906 |
| 5954 | <i>Incisocalliope newportensis</i> | J. L. Barnard in J. L. Barnard & Reish 1959 |
| 5955 | <i>Parapleustes pugettensis</i> | of J. L. Barnard & Given 1960 not <i>Gnathopleustes pugettensis</i> |
| 5956 | <i>Micropleustes nautilus</i> | (J. L. Barnard 1969) |
| 5957 | <i>Parapleustes nautilus</i> | J. L. Barnard 1969 |
| 5958 | <i>Parapleustes behningi</i> | of J. L. Barnard 1969 not Gurjanova 1938 |
| 5959 | <i>Trachypleustes trevori</i> | Bousfield & Hendrycks 1995 |
| 5960 | Family Leucothoidae | |
| 5961 | <i>Anamixis pacifica</i> | (J. L. Barnard 1955) |
| 5962 | <i>Leucothoides pacifica</i> | J. L. Barnard 1955 |
| 5963 | <i>Anamixis linsleyi</i> | J. L. Barnard 1955 |
| 5964 | <i>Leucothoe alata</i> | J. L. Barnard in J. L. Barnard & Reish 1959 |
| 5965 | <i>Leucothoe spinicarpa</i> | (Abildgaard 1789) |
| 5966 | <i>Gammarus spinicarpus</i> | Abildgaard 1789 |
| 5967 | Superfamily Stenotheoidea | |
| 5968 | Family Amphilochidae | |
| 5969 | <i>Apolochus barnardi</i> | Hoover & Bousfield 2001 |
| 5970 | <i>Amphilochus neapolitanus</i> Cmplx | of SCAMIT Ed 3 in part |
| 5971 | <i>Amphilochus neapolitanus</i> | of J. L. Barnard 1962 not <i>della Valle</i> 1893 |
| 5972 | <i>Apolochus litoralis</i> | (Stout 1912) |
| 5973 | <i>Amphilochus litoralis</i> | Stout 1912 |
| 5974 | <i>Apolochus picadurus</i> | (J. L. Barnard 1962) |
| 5975 | <i>Amphilochus picadurus</i> | J. L. Barnard 1962 |
| 5976 | <i>Gitana calitemplado</i> | J. L. Barnard 1962 |

| | | |
|------|-----------------------------------|--|
| 5977 | <i>Hourstonius vilordes</i> | (J. L. Barnard 1962) |
| 5978 | <i>Gitanopsis vilordes</i> | J. L. Barnard 1962 |
| 5979 | | |
| 5980 | | |
| 5981 | <i>Metopa cistella</i> | J. L. Barnard 1969 |
| 5982 | <i>Metopa dawsoni</i> | J. L. Barnard 1962 |
| 5983 | <i>Metopella aporpis</i> | J. L. Barnard 1962 |
| 5984 | <i>Parametopella ninis</i> | J. L. Barnard 1962 |
| 5985 | <i>Stenothoe estacula</i> | J. L. Barnard 1962 |
| 5986 | <i>Stenothoe frecanda</i> | J. L. Barnard 1962 |
| 5987 | <i>Stenothoe valida</i> | Dana 1853 |
| 5988 | <i>Stenothoides bicomata</i> | J. L. Barnard 1962 |
| 5989 | <i>Stenothoides burbanki</i> | J. L. Barnard 1969 |
| 5990 | <i>Stenula modosa</i> | J. L. Barnard 1962 |
| 5991 | Superfamily Iphimedioidea | |
| 5992 | | |
| 5993 | Family Iphimediiidae | (J. L. Barnard 1969) |
| 5994 | <i>Coboldus hedgpethi</i> | J. L. Barnard 1969 |
| 5995 | <i>Panoploea (?) hedgpethi</i> | of Thomas & J. L. Barnard 1991 |
| 5996 | <i>Iphimedia rickettsi</i> | (Shoemaker 1931) |
| 5997 | <i>Panoploea rickettsi</i> | Shoemaker 1931 |
| 5998 | Infraorder Eusirida | |
| 5999 | Superfamily Eusiroidea | |
| 6000 | Family Eusiridae | (Haswell 1879) |
| 6001 | <i>Eusiroides monoculoides</i> | Haswell 1879 |
| 6002 | <i>Atylus monoculoides</i> | |
| 6003 | <i>Eusirus sp</i> | |
| 6004 | <i>Nasageneia quinsana</i> | (J. L. Barnard 1964) |
| 6005 | <i>Pontogeneia quinsana</i> | J. L. Barnard 1964 |
| 6006 | <i>Oradarea longimana</i> | (Boeck 1871) |
| 6007 | <i>Amphithopsis longimana</i> | Boeck 1871 |
| 6008 | <i>Leptamphopus longimana</i> | of Gurjanova 1951 |
| 6009 | <i>Pontogeneia inermis</i> | (Krøyer 1838) |
| 6010 | <i>Amphithoe inermis</i> | Krøyer 1838 |
| 6011 | <i>Pontogeneia rostrata</i> | Gurjanova 1938 |
| 6012 | <i>Rhachotropis barnardi</i> | Bousfield & Hendrycks 1995 |
| 6013 | <i>Rhachotropis clemens</i> | J. L. Barnard 1971 in part |
| 6014 | <i>Rhachotropis distincta</i> | J. L. Barnard 1967 |
| 6015 | <i>Gracilipes distincta</i> | (Holmes 1908) |
| 6016 | <i>Rhachotropis luculenta</i> | Holmes 1908 |
| 6017 | <i>Rhachotropis sp A</i> | J. L. Barnard 1969 |
| 6018 | <i>Rhachotropis oculata</i> | Velarde 1987 § |
| 6019 | <i>Rhachotropis sp HYP1</i> | of authors NEP not Hansen 1888 in part |
| 6020 | <i>Tethygenieia opata</i> | Roney 2007 § |
| 6021 | <i>Pontogeneia opata</i> | (J. L. Barnard 1979) |
| 6022 | | J. L. Barnard 1979 |
| 6023 | Family Bateidae | Shoemaker 1926 |
| 6024 | <i>Batea lobata</i> | Shoemaker 1926 |
| 6025 | <i>Batea transversa</i> | |
| 6026 | Superfamily Oedicerotoidea | |
| 6027 | Family Oedicerotidae | |
| 6028 | <i>Americhelidium micropleon</i> | (J. L. Barnard 1977) |
| 6029 | <i>Synchelidium micropleon</i> | J. L. Barnard 1977 |
| 6030 | <i>Synchelidium sp M</i> | J. L. Barnard 1969 |
| 6031 | <i>Americhelidium rectipalmum</i> | (Mills 1962) |
| 6032 | <i>Synchelidium rectipalmum</i> | Mills 1962 |
| 6033 | <i>Americhelidium shoemakeri</i> | (Mills 1962) |
| 6034 | <i>Synchelidium shoemakeri</i> | Mills 1962 |
| 6035 | <i>Americhelidium sp SD2</i> | Pasko 2001 § |
| 6036 | <i>Americhelidium sp SD3</i> | Pasko 2001 § |
| 6037 | <i>Americhelidium variabilum</i> | Bousfield & Chevrier 1996 |
| 6038 | <i>Americhelidium sp SD1</i> | Pasko 2005 § |
| 6039 | <i>Americhelidium sp SD4</i> | Pasko 2005 § |
| 6040 | <i>Bathymedon covilhani</i> | J. L. Barnard 1961 |
| 6041 | <i>Bathymedon flebilis</i> | J. L. Barnard 1967 |
| 6042 | <i>Bathymedon kassites</i> | J. L. Barnard 1966 |
| 6043 | <i>Bathymedon pumilus</i> | J. L. Barnard 1962 |
| 6044 | <i>Bathymedon roquedo</i> | J. L. Barnard 1962 |
| 6045 | <i>Bathymedon vulpeculus</i> | J. L. Barnard 1971 |
| 6046 | <i>Deflexilodes enigmaticus</i> | Bousfield & Chevrier 1996 |
| 6047 | <i>Deflexilodes sp SD1</i> | Pasko 1998 § |
| 6048 | <i>Deflexilodes norvegicus</i> | (Boeck 1861) |
| | <i>Oedicerus norvegicus</i> | Boeck 1861 |

| | | |
|-------------------------|-------------------------------------|--|
| 6049 | Monoculodes norvegicus | |
| 6050 | <i>Eochelidium</i> sp A | of J. L. Barnard 1962 |
| 6051 | <i>Hartmanodes hartmanae</i> | SCAMIT 1996 § (J. L. Barnard 1962) |
| 6052 | Monoculodes hartmanae | J. L. Barnard 1962 |
| 6053 | <i>Hartmanodes murrius</i> | J. L. Barnard 1962 |
| 6054 | Monoculodes murrius | J. L. Barnard 1962 |
| 6055 | <i>Hartmanodes</i> sp SD1 | Pasko 1997 § |
| 6056 | Monoculodes sp SD1 | Pasko 1997 § |
| 6057 | <i>Monoculodes emarginatus</i> | J. L. Barnard 1962 |
| 6058 | <i>Monoculodes glyconicus</i> | J. L. Barnard 1962 |
| 6059 | Monoculodes glyconica | J. L. Barnard 1962 |
| 6060 | <i>Monoculodes latissimanus</i> | Stephensen 1931 |
| 6061 | <i>Oediceropsis elsula</i> | J. L. Barnard 1966 |
| 6062 | <i>Pacifoculodes barnardi</i> | Bousfield & Chevrier 1996 |
| 6063 | Monoculodes spinipes | of J. L. Barnard 1962 not Mills 1962 |
| 6064 | <i>Westwoodilla tone</i> | Jansen 2002 |
| 6065 | Westwoodilla caecula | of authors NEP not (Bate 1857) |
| 6066 | | |
| Infraorder Liljeborgida | | |
| 6067 | Superfamily Synopioidea | |
| 6068 | Family Synopiidae | |
| 6069 | <i>Bruzelia tuberculata</i> | G.O. Sars 1883 |
| 6070 | <i>Garosyrrhoe bigarra</i> | (J. L. Barnard 1962) |
| 6071 | Syrrhoites bigarra | J. L. Barnard 1962 |
| 6072 | <i>Garosyrrhoe bigarra</i> Cmplx | of SCAMIT Ed 3 |
| 6073 | <i>Garosyrrhoe disjuncta</i> | J. L. Barnard 1969 |
| 6074 | <i>Garosyrrhoe</i> sp A | Laughlin 1988 § |
| 6075 | <i>Metatiron tropakis</i> | (J. L. Barnard 1972) |
| 6076 | Tiron tropakis | J. L. Barnard 1972 |
| 6077 | <i>Syrrhoe crenulata</i> | Göes 1866 |
| 6078 | <i>Syrrhoe longifrons</i> | Shoemaker 1964 |
| 6079 | <i>Syrrhoe</i> sp A | SCAMIT 1987 § |
| 6080 | <i>Tiron biocellata</i> | J. L. Barnard 1962 |
| 6081 | | |
| 6082 | Family Argissidae | |
| 6083 | <i>Argissa hamatipes</i> | (Norman 1869) |
| 6084 | Syrhoe hamatipes | Norman 1869 |
| 6085 | <i>Argissa typica</i> | Boeck 1871 |
| 6086 | <i>Argissa stebbingi</i> | Bonnier 1896 |
| 6087 | | |
| 6088 | Superfamily Pardaliscoidea | |
| 6089 | Family Pardaliscidae | |
| 6090 | <i>Halicoedes synopiae</i> | (J. L. Barnard 1962) |
| 6091 | Pardisynopae synopiae | J. L. Barnard 1962 |
| 6092 | <i>Nicippe tumida</i> | Bruzelius 1859 |
| 6093 | <i>Pardalisca tenuipes</i> | G.O. Sars 1895 |
| 6094 | <i>Pardalisella symmetrica</i> | J. L. Barnard 1959 |
| 6095 | | |
| 6096 | Superfamily Liljeborgioidea | |
| 6097 | Family Liljeborgiidae | |
| 6098 | <i>Liljeborgia cota</i> | J. L. Barnard 1962 |
| 6099 | <i>Liljeborgia geminata</i> | J. L. Barnard 1959 |
| 6100 | Liljeborgia kinahani | of J. L. Barnard 1962 not Bate 1862 |
| 6101 | <i>Listriella albina</i> | J. L. Barnard 1959 |
| 6102 | <i>Listriella diffusa</i> | J. L. Barnard 1959 |
| 6103 | <i>Listriella eriopisa</i> | J. L. Barnard 1959 |
| 6104 | <i>Listriella goleta</i> | J. L. Barnard 1959 |
| 6105 | <i>Listriella melanica</i> | J. L. Barnard 1959 |
| 6106 | <i>Listriella</i> sp A | SCAMIT 1987 § |
| 6107 | <i>Listriella</i> sp SD1 | Pasko 2006 § |
| 6108 | | |
| 6109 | Family Colomastigidae | |
| 6110 | <i>Colomastix</i> sp | |
| 6111 | <i>Colomastix pusilla</i> | of J. L. Barnard 1954 not Grube 1851 |
| 6112 | | |
| 6113 | Infraordera Gammarida | |
| 6114 | Superfamily Pontoporeioidea | |
| 6115 | Family Haustoriidae | |
| 6116 | <i>Eohaustorius barnardi</i> | Bousfield & Hoover 1995 |
| 6117 | <i>Eohaustorius washingtonianus</i> | of authors SCB not (Thorsteinson 1941) |
| 6118 | <i>Eohaustorius sawyeri</i> | Bosworth 1973 |
| 6119 | <i>Eohaustorius sencillus</i> | J. L. Barnard 1962 |
| 6120 | | |
| 6115 | Superfamily Phoxocephaloidea | |
| 6116 | Family Urothoidae | |
| 6117 | <i>Urothoe elegans</i> Cmplx | of authors NEP |
| 6118 | Urothoe elegans | of authors NEP |
| 6119 | Urothoe varvarini | |
| 6120 | Family Phoxocephalidae | |

| | |
|----------------------------------|---|
| 6121 | |
| 6122 | |
| 6123 | |
| 6124 | |
| 6125 | |
| 6126 | |
| 6127 | |
| 6128 | |
| 6129 | |
| 6130 | |
| 6131 | |
| 6132 | |
| 6133 | |
| 6134 | |
| 6135 | |
| 6136 | |
| 6137 | |
| 6138 | |
| 6139 | |
| 6140 | |
| 6141 | |
| 6142 | |
| 6143 | |
| 6144 | |
| 6145 | |
| 6146 | |
| 6147 | |
| 6148 | |
| 6149 | |
| 6150 | |
| 6151 | |
| 6152 | |
| 6153 | |
| 6154 | |
| 6155 | |
| 6156 | |
| 6157 | |
| 6158 | |
| 6159 | |
| 6160 | |
| 6161 | |
| 6162 | |
| 6163 | |
| 6164 | |
| 6165 | |
| 6166 | |
| 6167 | |
| 6168 | |
| 6169 | |
| 6170 | |
| 6171 | |
| 6172 | |
| 6173 | |
| 6174 | |
| 6175 | |
| 6176 | |
| 6177 | |
| 6178 | |
| 6179 | |
| 6180 | |
| 6181 | |
| 6182 | |
| 6183 | |
| 6184 | |
| 6185 | |
| 6186 | |
| 6187 | |
| 6188 | |
| 6189 | |
| 6190 | |
| 6191 | |
| 6192 | |
| Subfamily Metharpiinae | |
| | <i>Foxiphalus cognatus</i> |
| | <i>Paraphoxus cognatus</i> |
| | <i>Foxiphalus golfensis</i> |
| | <i>Foxiphalus obtusidens</i> |
| | <i>Pontherpinia obtusidens</i> |
| | <i>Paraphoxus obtusidens</i> |
| | <i>Foxiphalus similis</i> |
| | <i>Paraphoxus similis</i> |
| | <i>Grandifoxus longirostris</i> |
| | <i>Pontherpinia longirostris</i> |
| | <i>Majoxiphalus major</i> |
| | <i>Paraphoxus obtusidens major</i> |
| | <i>Foxiphalus major</i> |
| | <i>Metharpinia coronadoi</i> |
| | <i>Metharpinia jonesi</i> |
| | <i>Paraphoxus jonesi</i> |
| | <i>Rhepoxyinius abronius</i> |
| | <i>Paraphoxus abronius</i> |
| | <i>Rhepoxyinius bicuspis</i> |
| | <i>Paraphoxus bicuspis</i> |
| | <i>Rhepoxyinius daboiius</i> |
| | <i>Paraphoxus daboiius</i> |
| | <i>Rhepoxyinius fatigans</i> |
| | <i>Paraphoxus fatigans</i> |
| | <i>Rhepoxyinius heterocuspis</i> |
| | <i>Paraphoxus heterocuspis</i> |
| | <i>Rhepoxyinius homocuspis</i> |
| | <i>Rhepoxyinius lucubrans</i> |
| | <i>Paraphoxus lucubrans</i> |
| | <i>Rhepoxyinius menziesi</i> |
| | <i>Paraphoxus epistomus</i> |
| | <i>Trichophoxus epistomus</i> |
| | <i>Rhepoxyinius stenodes</i> |
| | <i>Paraphoxus stenodes</i> |
| | <i>Rhepoxyinius tridentata</i> |
| | <i>Pontherpinia tridentata</i> |
| | <i>Paraphoxus tridentatus</i> |
| | <i>Rhepoxyinius variatus</i> |
| | <i>Paraphoxus variatus</i> |
| | <i>Rhepoxyinius sp A</i> |
| Subfamily Pontherpiinae | |
| | <i>Mandibulophoxus gilesi</i> |
| Subfamily Parharpiniinae | |
| | <i>Eyakia robusta</i> |
| | <i>Paraphoxus robustus</i> |
| Subfamily Brolginae | |
| | <i>Eobrolgus chumashi</i> |
| | <i>Eobrolgus spinosus</i> |
| | <i>Paraphoxus spinosus</i> |
| | <i>Paraphoxus sp 1</i> |
| | <i>Paraphoxus oculatus</i> |
| Subfamily Phoxocephalinae | |
| | <i>Cephalophoxoides homilis</i> |
| | <i>Phoxocephalus homilis</i> |
| | <i>Paraphoxus homilis</i> |
| | <i>Coxophoxus hidalgo</i> |
| | <i>Leptophoxus falcatus icelus</i> |
| | <i>Metaphoxus frequens</i> |
| | <i>Parametaphoxus sp 1</i> |
| | <i>Parametaphoxus fultoni</i> |
| | <i>Parametaphoxus quaylei</i> |
| Subfamily Harpiniinae | |
| | <i>Harpiniopsis emeryi</i> |
| | <i>Harpiniopsis epistomata</i> |
| | <i>Harpiniopsis epistomatus</i> |
| | <i>Harpiniopsis fulgens</i> |
| | <i>Harpiniopsis galera</i> |
| | <i>Harpiniopsis galerus</i> |
| | <i>Harpiniopsis natadis</i> |
| | <i>Harpiniopsis profunda</i> |
| | <i>Harpiniopsis similis</i> |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard & C. M. Barnard 1982 |
| | (Alderman 1936) |
| | Alderman 1936 |
| | of J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | (Gurjanova 1938) |
| | Gurjanova 1938 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | of J. L. Barnard & C. M. Barnard 1982 |
| | J. L. Barnard 1980 |
| | (J. L. Barnard 1963) |
| | J. L. Barnard 1963 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | J. L. Barnard 1960 |
| | of authors NEP not (Shoemaker 1938) |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1954) |
| | J. L. Barnard 1954 |
| | J. L. Barnard 1960 |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | SCAMIT 1987 § |
| | J. L. Barnard 1957 |
| | (Holmes 1908) |
| | Holmes 1908 |
| | J. L. Barnard & C. M. Barnard 1982 |
| | (Holmes 1903) |
| | Holmes 1903 |
| | Jarrett & Bousfield 1994 |
| | of authors NEP not (G. Sars 1879) |
| | (J. L. Barnard 1960) |
| | J. L. Barnard 1960 |
| | of Austin 1984 |
| | J. L. Barnard 1966 |
| | J. L. Barnard 1966 |
| | J. L. Barnard 1960 |
| | Chapman MS |
| | of authors NEP not (Scott 1890) |
| | of authors SCB not Jarrett & Bousfield 1994 |
| | J. L. Barnard 1960 |
| | Stephensen 1925 |

| | | |
|------|---|---|
| 6193 | <i>Heterophoxus affinis</i> | (Holmes 1908) |
| 6194 | <i>Harpinia affinis</i> | Holmes 1908 |
| 6195 | <i>Heterophoxus oculatus</i> | of authors NEP not (Holmes 1908) |
| 6196 | <i>Heterophoxus conlanae</i> | Jarrett & Bousfield 1994 |
| 6197 | <i>Heterophoxus ellisi</i> | Jarrett & Bousfield 1994 |
| 6198 | <i>Heterophoxus oculatus</i> | of authors NEP not (Holmes 1908) |
| 6199 | <i>Heterophoxus oculatus</i> | (Holmes 1908) |
| 6200 | <i>Harpina oculata</i> | Holmes 1908 |
| 6201 | <i>Pseudoharpinia excavata</i> | (Chevreux 1887) |
| 6202 | <i>Harpinia excavata</i> | Chevreux 1887 |
| 6203 | <i>Harpiniopsis sanpedroensis</i> | J. L. Barnard 1960 |
| 6204 | | |
| 6205 | Family Platyschnopidae | (J. L. Barnard 1964) |
| 6206 | <i>Tiburonella viscana</i> | J. L. Barnard 1964 |
| 6207 | <i>Platyischnopus viscana</i> | |
| 6208 | Infraorder Dexaminida | |
| 6209 | Superfamily Dexaminoidea | |
| 6210 | Family Dexaminidae | |
| 6211 | <i>Atylus tridens</i> | (Alderman 1936) |
| 6212 | <i>Nototropis tridens</i> | Alderman 1936 |
| 6213 | <i>Guernea reducans</i> | (J. L. Barnard 1958) |
| 6214 | <i>Dexamonica reducans</i> | J. L. Barnard 1958 |
| 6215 | <i>Paradexamine</i> sp SD1 | Pasko 1999 § |
| 6216 | <i>Polycheria osborni</i> | Calman 1898 |
| 6217 | Superfamily Ampeliscoidea | |
| 6218 | Family Ampeliscidae | |
| 6219 | <i>Ampelisca agassizi</i> | (Judd 1896) |
| 6220 | <i>Byblis agassizi</i> | Judd 1896 |
| 6221 | <i>Ampelisca compressa</i> | Holmes 1905 |
| 6222 | <i>Ampelisca vera</i> | J. L. Barnard 1954 |
| 6223 | <i>Ampelisca brachycladus</i> | Roney 1990 |
| 6224 | <i>Ampelisca</i> sp A | SCAMIT 1986 § |
| 6225 | <i>Ampelisca brevisimulata</i> | J. L. Barnard 1954 |
| 6226 | <i>Ampelisca cf brevisimulata</i> | SCAMIT 1995 § |
| 6227 | <i>Ampelisca careyi</i> | Dickinson 1982 |
| 6228 | <i>Ampelisca macrocephala</i> | of J. L. Barnard 1954 not Liljeborg 1842 |
| 6229 | <i>Ampelisca unsocalae</i> | of authors SCB in part not J. L. Barnard 1960 |
| 6230 | <i>Ampelisca coeca</i> | Holmes 1908 |
| 6231 | <i>Ampelisca cristata cristata</i> | Holmes 1908 |
| 6232 | <i>Ampelisca cristata microdentata</i> | J. L. Barnard 1954 |
| 6233 | <i>Ampelisca fageri</i> | Dickinson 1982 |
| 6234 | <i>Ampelisca furcigera</i> | Bulycheva 1936 |
| 6235 | <i>Ampelisca hancocki</i> | J. L. Barnard 1954 |
| 6236 | <i>Ampelisca nr hancocki</i> | of authors NEP |
| 6237 | <i>Ampelisca hancocki Cmplx</i> | of SCAMIT Ed 4 |
| 6238 | <i>Ampelisca indentata</i> | J. L. Barnard 1954 |
| 6239 | <i>Ampelisca lobata</i> | Holmes 1908 |
| 6240 | <i>Ampelisca articulata</i> | Stout 1913 |
| 6241 | <i>Ampelisca milleri</i> | J. L. Barnard 1954 |
| 6242 | <i>Ampelisca pacifica</i> | Holmes 1908 |
| 6243 | <i>Ampelisca plumosa</i> | Holmes 1908 |
| 6244 | <i>Ampelisca pugetica</i> | Stimpson 1864 |
| 6245 | <i>Ampelisca californica</i> | Holmes 1908 |
| 6246 | <i>Ampelisca gnathia</i> | J. L. Barnard 1954 |
| 6247 | <i>Ampelisca macrodonta</i> | J. L. Barnard 1954 |
| 6248 | <i>Ampelisca mora</i> | J. L. Barnard 1954 |
| 6249 | <i>Ampelisca romigi</i> | J. L. Barnard 1954 |
| 6250 | <i>Ampelisca isocornea</i> | J. L. Barnard 1954 |
| 6251 | <i>Ampelisca romigi ciego</i> | J. L. Barnard 1966 |
| 6252 | <i>Ampelisca unsocalae</i> | J. L. Barnard 1960 |
| 6253 | <i>Ampelisca macrocephala unsocalae</i> | J. L. Barnard 1960 |
| 6254 | <i>Byblis barbarensis</i> | J. L. Barnard 1960 |
| 6255 | <i>Byblis bathyalis</i> | J. L. Barnard 1966 |
| 6256 | <i>Byblis millsii</i> | Dickinson 1983 |
| 6257 | <i>Byblis thyabilis</i> | J. L. Barnard 1971 |
| 6258 | <i>Byblis veleronis</i> | J. L. Barnard 1954 |
| 6259 | Superfamily Hadzioidea | |
| 6260 | Family Maeridae | |
| 6261 | <i>Ceradocus spinicaudus</i> | (Holmes 1908) |
| 6262 | <i>Maera spinicauda</i> | Holmes 1908 |
| 6263 | <i>Elasmopus antennatus</i> | Stout 1913 |
| 6264 | <i>Elasmopus bampo</i> | J. L. Barnard 1979 |
| | <i>Elasmopus rapax</i> | of J. L. Barnard 1962 in part not Costa 1853 |

| | | |
|------|------------------------------------|--|
| 6265 | <i>Elasmopus holgurus</i> | J. L. Barnard 1962 |
| 6266 | <i>Elasmopus mutatus</i> | J. L. Barnard 1962 |
| 6267 | <i>Elasmopus rapax mutatus</i> | J. L. Barnard 1962 |
| 6268 | <i>Elasmopus serricatus</i> | J. L. Barnard 1962 |
| 6269 | <i>Maera bousfieldi</i> | Krapp-Schickel & Jarrett 2000 |
| 6270 | <i>Maera jerrica</i> | Krapp-Schickel & Jarrett 2000 |
| 6271 | <i>Maera inaequipes</i> | J. L. Barnard 1954 in part not Costa 1851 |
| 6272 | <i>Maera nelsonae</i> | Krapp-Schickel & Jarrett 2000 |
| 6273 | <i>Maera similis</i> | Stout 1913 |
| 6274 | <i>Maera simile</i> | Stout 1913 |
| 6275 | <i>Maera inaequipes</i> | J. L. Barnard 1954 in part not Costa 1851 |
| 6276 | <i>Quadrimaera carla</i> | Krapp-Schickel & Jarrett 2000 |
| 6277 | <i>Maera reishi</i> | J. L. Barnard 1979 in part |
| 6278 | <i>Maera inaequipes</i> | of J. L. Barnard in J. L. Barnard & Reish 1959 not Costa 1851 |
| 6279 | <i>Quadrimaera reishi</i> | (J. L. Barnard 1979) |
| 6280 | <i>Maera reishi</i> | J. L. Barnard 1979 in part |
| 6281 | <i>Quadrimaera vigota</i> | (J. L. Barnard 1969) |
| 6282 | <i>Maera vigota</i> | J. L. Barnard 1969 |
| 6283 | Family Melitidae | |
| 6284 | <i>Desdimelita californica</i> | (Alderman 1936) |
| 6285 | <i>Melita californica</i> | Alderman 1936 |
| 6286 | <i>Desdimelita desdichada</i> | (J. L. Barnard 1962) |
| 6287 | <i>Melita desdichada</i> | J. L. Barnard 1962 |
| 6288 | <i>Abludomelita desdichada</i> | of Karaman 1981 |
| 6289 | <i>Dulichiella spinosa</i> | Stout 1912 |
| 6290 | <i>Melita appendiculata</i> | of authors NEP not (Say 1818) |
| 6291 | <i>Melita fresneli</i> | of Wailes 1931 not (Audouin 1826) |
| 6292 | <i>Megamoera subtener</i> | (Stimpson 1864) |
| 6293 | <i>Gammarus subtener</i> | Stimpson 1864 |
| 6294 | <i>Abludomelita subtener</i> | of Karaman 1981 |
| 6295 | <i>Melita dentata</i> | of authors NEP not (Krøyer 1842) |
| 6296 | <i>Melita nitida</i> | Smith 1874 |
| 6297 | <i>Melita rylovae</i> | Bulycheva 1955 |
| 6298 | <i>Melita sulca</i> | (Stout 1913) |
| 6299 | <i>Caliniphargus sulcus</i> | Stout 1913 |
| 6300 | Superfamily Melphidippoidea | |
| 6301 | Family Cheirocratidae | |
| 6302 | <i>Hornellia occidentalis</i> | (J. L. Barnard in J. L. Barnard & Reish 1959) |
| 6303 | <i>Metaceradocus occidentalis</i> | J. L. Barnard in J. L. Barnard & Reish 1959 |
| 6304 | Family Melphidippidae | |
| 6305 | <i>Melphisana bola</i> Cmplx | of J. L. Barnard 1962 |
| 6306 | <i>Melphisana bola</i> | of J. L. Barnard 1966 |
| 6307 | <i>Melphidippa amorita</i> | |
| 6308 | Family Megaluropidae | |
| 6309 | <i>Gibberosus devaneyi</i> | Thomas & J. L. Barnard 1986 |
| 6310 | <i>Megaluropus longimerus</i> | of authors NEP in part not Schellenberg 1925 |
| 6311 | <i>Gibberosus myersi</i> | (McKinney 1980) |
| 6312 | <i>Megaluropus myersi</i> | McKinney 1980 |
| 6313 | <i>Megaluropus longimerus</i> | of authors NEP in part not Schellenberg 1925 |
| 6314 | <i>Megaluropidae</i> sp A | SCAMIT 1987 § |
| 6315 | Infraorder Lysianassidea | |
| 6316 | Superfamily Lysianassoidea | |
| 6317 | Family Lysianassidae | |
| 6318 | Subfamily Lysianassinae | |
| 6319 | <i>Aruga holmesi</i> | J. L. Barnard 1955 |
| 6320 | <i>Aruga oculata</i> | Holmes 1908 |
| 6321 | <i>Dissiminassa dissimilis</i> | (Stout 1913) |
| 6322 | <i>Nannonyx dissimilis</i> | Stout 1913 |
| 6323 | <i>Lysianassa dissimilis</i> | of J. L. Barnard 1969 |
| 6324 | <i>Lysianopsis (?) dissimilis</i> | of Hurley 1963 |
| 6325 | <i>Macronassa macromera</i> | (Shoemaker 1916) |
| 6326 | <i>Aruga macromera</i> | Shoemaker 1916 |
| 6327 | <i>Macronassa pariter</i> | (J. L. Barnard 1969) |
| 6328 | <i>Lysianassa pariter</i> | J. L. Barnard 1969 |
| 6329 | <i>Socarnes hartmani</i> | Hurley 1963 |
| 6330 | Subfamily Tryphosinae | |
| 6331 | <i>Hippomedon coecus</i> | (Holmes 1908) |
| 6332 | <i>Tryphosa coeca</i> | Holmes 1908 |
| 6333 | <i>Hippomedon columbianus</i> | Jarrett & Bousfield 1982 |
| 6334 | <i>Hippomedon denticulatus</i> | of J. L. Barnard 1954 in part not (Bate 1857) |
| 6335 | <i>Hippomedon subrobustus</i> | Hurley 1963 |
| 6336 | <i>Hippomedon tenax</i> | J. L. Barnard 1966 |

| | | |
|------|-------------------------------------|------------------------------------|
| 6337 | <i>Hippomedon zetesimus</i> | Hurley 1963 |
| 6338 | <i>Hippomedon</i> sp A | Diener 1990 § |
| 6339 | <i>Lepidepecreum garthi</i> | Hurley 1963 |
| 6340 | <i>Lepidepecreum gurjanovae</i> | Hurley 1963 |
| 6341 | <i>Lepidepecreum magdalenensis</i> | (Shoemaker 1942) |
| 6342 | <i>Orchomenella magdalenensis</i> | Shoemaker 1942 |
| 6343 | <i>Lepidepecreum serraculum</i> | Dalkey 1998 |
| 6344 | <i>Lepidepecreum</i> sp A | SCAMIT 1985 § |
| 6345 | <i>Orchomene anaquelus</i> | J. L. Barnard 1964 |
| 6346 | <i>Orchomene anaquela</i> | J. L. Barnard 1964 |
| 6347 | <i>Orchomene limodes</i> | Meador & Present 1985 |
| 6348 | <i>Orchomene obtusa</i> | (G. O. Sars 1891) |
| 6349 | <i>Orchomenopsis obtusa</i> | G. O. Sars 1891 |
| 6350 | <i>Orchomenella decipiens</i> | Hurley 1963 |
| 6351 | <i>Orchomene decipiens</i> | of authors NEP |
| 6352 | <i>Orchomenella holmesi</i> | (Hurley 1963) |
| 6353 | <i>Orchomene holmesi</i> | Hurley 1963 |
| 6354 | <i>Orchomenella pacifica</i> | Gurjanova 1938 |
| 6355 | <i>Orchomene pacifica</i> | of J. L. Barnard 1964 |
| 6356 | <i>Orchomene pacificus</i> | of authors NEP |
| 6357 | <i>Orchomenella pinguis</i> | (Boeck 1861) |
| 6358 | <i>Anonyx pinguis</i> | Boeck 1861 |
| 6359 | <i>Orchomene pinguis</i> | of authors NEP |
| 6360 | <i>Rimakoroga rima</i> | (J. L. Barnard 1964) |
| 6361 | <i>Pseudokoroga rima</i> | J. L. Barnard 1964 |
| 6362 | Family Aristiidae | SCAMIT 1985 § |
| 6363 | <i>Aristias</i> sp A | |
| 6364 | Family Opisidae | Hurley 1963 |
| 6365 | <i>Opisa tridentata</i> | |
| 6366 | Family Pachynidae | |
| 6367 | <i>Pachyhelium</i> sp SD1 | Pasko & Nestler 2003 § |
| 6368 | <i>Pachynus barnardi</i> | Hurley 1963 |
| 6369 | <i>Prachynella lodo</i> | J. L. Barnard 1964 |
| 6370 | Family Uristidae | |
| 6371 | <i>Anonyx carinatus</i> | (Holmes 1908) |
| 6372 | <i>Lakota carinata</i> | Holmes 1908 in part |
| 6373 | <i>Anonyx lilljeborgi</i> | Boeck 1871 |
| 6374 | <i>Anonyx carinatus</i> | of Hurley 1963 |
| 6375 | <i>Lakota carinata</i> | Holmes 1908 in part |
| 6376 | <i>Schisturella cocula</i> | J. L. Barnard 1966 |
| 6377 | <i>Schisturella dorothaea</i> | (Hurley 1963) |
| 6378 | <i>Anonyx dorothaea</i> | Hurley 1963 |
| 6379 | <i>Schisturella tracalero</i> | (J. L. Barnard 1966) |
| 6380 | <i>Thrombasia tracalero</i> | J. L. Barnard 1966 |
| 6381 | <i>Uristes entalladurus</i> | J. L. Barnard 1963 |
| 6382 | family group conicostomatins | |
| 6383 | <i>Acidostoma hancocki</i> | Hurley 1963 |
| 6384 | <i>Ocosingo borlus</i> | J. L. Barnard 1964 |
| 6385 | <i>Fresnillo fimbriatus</i> | J. L. Barnard 1969 |
| 6386 | <i>Socarnoides illudens</i> | Hurley 1963 |
| 6387 | Family Valettiopsidae | Holmes 1908 |
| 6388 | <i>Valettiopsis dentatus</i> | |
| 6389 | Superfamily Stegocephaloidea | |
| 6390 | Family Stegocephalidae | |
| 6391 | Subfamily Stegocephalinae | |
| 6392 | <i>Alania hancocki</i> | (Hurley 1956) |
| 6393 | <i>Stegocephalus hancocki</i> | Hurley 1956 |
| 6394 | infraorder uncertain | |
| 6395 | superfamily uncertain | |
| 6396 | family uncertain | |
| 6397 | <i>Gammaridea</i> sp SD1 | Pasko 2004 § |
| 6398 | Order Isopoda | |
| 6399 | Suborder Cymothoidea | |
| 6400 | Superfamily Cymothooidea | |
| 6401 | Family Aegidae | |
| 6402 | <i>Aega lecontii</i> | (Dana 1853) |
| 6403 | <i>Aegacylia lecontii</i> | Dana 1853 |
| 6404 | <i>Rocinela angustata</i> | Richardson 1904 |
| 6405 | <i>Ricinella angustata</i> | of Richardson[Searle] 1914 |
| 6406 | <i>Rocinella laticauda</i> | of Richardson 1898 not Hansen 1897 |
| 6407 | <i>Rocinela belliceps</i> | (Stimpson 1864) |
| 6408 | <i>Aega belliceps</i> | Stimpson 1864 |

| | | |
|------|-------------------------------------|------------------------------------|
| 6409 | Aega alaskensis | |
| 6410 | Rocinela alaskensis | |
| 6411 | | Lockington 1877 |
| 6412 | | of Richardson 1898 |
| 6413 | Family Corallanidae | |
| 6414 | <i>Excorallana truncata</i> | (Richardson 1899) |
| 6415 | Corallana truncata | Richardson 1899 |
| 6416 | Excorallana kathae | of Schultz 1969 |
| 6417 | Excorallana kathyae | Menzies 1962 |
| 6418 | | |
| 6419 | Family Cymothoidae | |
| 6420 | <i>Elthusa californica</i> | (Schiødte & Meinert 1883) |
| 6421 | Livoneca californica | Schiødte & Meinert 1883 |
| 6422 | Lironeca californica | of Schultz 1969 |
| 6423 | <i>Elthusa vulgaris</i> | (Stimpson 1857) |
| 6424 | Livoneca vulgaris | Stimpson 1857 |
| 6425 | Lironeca vulgaris | of Schiødte & Meinert 1883-4 |
| 6426 | | (Richardson 1905) |
| 6427 | <i>Enispa convexa</i> | Richardson 1905 |
| 6428 | Livoneca convexa | of Schultz 1969 |
| 6429 | Lironeca convexa | Schiødte & Meinert 1881 |
| 6430 | <i>Nerocila acuminata</i> | Schiødte & Meinert 1881 |
| 6431 | Nerocila californica | Boone 1918 |
| 6432 | Pterisopodus bartschi | |
| 6433 | | |
| 6434 | Family Gnathiidae | |
| 6435 | <i>Caecognathia crenulatifrons</i> | (Monod 1926) |
| 6436 | Gnathia crenulatifrons | Monod 1926 |
| 6437 | <i>Caecognathia sanctaecrucis</i> | (Schultz 1972) |
| 6438 | Gnathia sanctaecrucis | Schultz 1972 |
| 6439 | Gnathia hirsuta | of Schultz 1966 not G.O. Sars 1870 |
| 6440 | <i>Caecognathia</i> sp A | SCAMIT 2005 § |
| 6441 | <i>Caecognathia</i> sp SD1 | Haney 2005 § |
| 6442 | <i>Gnathia productatridens</i> | Menzies & J. L. Barnard 1959 |
| 6443 | <i>Gnathia steveni</i> | Menzies 1962 |
| 6444 | <i>Gnathia tridens</i> | Menzies & J. L. Barnard 1959 |
| 6445 | <i>Gnathia trilobata</i> | Schultz 1966 |
| 6446 | <i>Gnathia</i> sp MBC1 | Haney 2005 § |
| 6447 | | |
| 6448 | Family Tridentellidae | |
| 6449 | <i>Tridentella quinicornis</i> | Delaney & Brusca 1985 |
| 6450 | | |
| 6451 | Superfamily Bopyroidea | |
| 6452 | | |
| 6453 | Family Bopyridae | |
| 6454 | <i>Argeia pugettensis</i> | Dana 1853 |
| 6455 | Argeia calmani | Bonnier 1900 |
| 6456 | Argeia depauperata | Richardson 1899 |
| 6457 | Argeia pauperata | Stimpson 1857 |
| 6458 | Argeia pingi | Yu 1935 |
| 6459 | <i>Munidion pleuroncodis</i> | Markham 1975 |
| 6460 | <i>Phyllodurus abdominalis</i> | Stimpson 1857 |
| 6461 | <i>Pseudione giardi</i> | Calman 1898 |
| 6462 | <i>Stegophrynxus hyphalus</i> | Markham 1974 |
| 6463 | | |
| 6464 | Superfamily Anthuroidea | |
| 6465 | | |
| 6466 | Family Antheluridae | |
| 6467 | <i>Ananthura luna</i> | (Schultz 1966) |
| 6468 | Bathura luna | Schultz 1966 |
| 6469 | | |
| 6470 | Family Anthuridae | |
| 6471 | <i>Amakusanthura californiensis</i> | (Schultz 1964) |
| 6472 | Apanthura californiensis | Schultz 1964 |
| 6473 | <i>Cyathura munda</i> | Menzies 1951 |
| 6474 | <i>Haliophasma geminatum</i> | Menzies & J. L. Barnard 1959 |
| 6475 | Silophasma geminata | of Schultz 1977 |
| 6476 | | |
| 6477 | Family Hyssuridae | |
| 6478 | <i>Kupellenura</i> sp A | Wetzer & Brusca 1997 |
| 6479 | ? Anthurid n gen n sp | of Menzies 1962 |
| 6480 | Hyssuridae gen A sp A | Cadien & Brusca 1993 § |
| 6481 | | |
| 6482 | Family Paranthuridae | |
| 6483 | <i>Califanthura squamosissima</i> | (Menzies 1951) |
| 6484 | Colanthura squamosissima | Menzies 1951 |
| 6485 | <i>Paranthura elegans</i> | Menzies 1951 |
| 6486 | | |
| 6487 | Superfamily Cirolanoidea | |
| 6488 | | |
| 6489 | Family Cirolanidae | |
| 6490 | <i>Cirolana diminuta</i> | Menzies 1962 |
| 6491 | <i>Cirolana harfordi</i> | (Lockington 1877) |
| 6492 | Aega harfordi | Lockington 1877 |
| 6493 | <i>Eurydice caudata</i> | Richardson 1899 |
| 6494 | Eurydice branchiropus | Menzies & J. L. Barnard 1959 |
| 6495 | <i>Exciorolana chiltoni</i> | (Richardson 1905) |

| | | |
|------|--|---|
| 6481 | <i>Cirolana chiltoni</i> | Richardson 1905 |
| 6482 | <i>Excirolana japonica</i> | (Richardson 1912) |
| 6483 | <i>Excirolana kincaidi</i> | (Hatch 1947) |
| 6484 | <i>Excirolana vancouverensis</i> | (Fee 1926) |
| 6485 | <i>Excirolana linguifrons</i> | (Richardson 1899) |
| 6486 | <i>Cirolana linguifrons</i> | Richardson 1899 |
| 6487 | <i>Natatolana californiensis</i> | (Schultz 1966) |
| 6488 | <i>Cirolana californiensis</i> | Schultz 1966 |
| 6489 | <i>Metacirolana joannae</i> | (Schultz 1966) |
| 6490 | <i>Cirolana joannae</i> | Schultz 1966 |
| 6491 | Suborder Limnoriidea | |
| 6492 | Superfamily Limnorioidea | |
| 6493 | Family Limnoriidae | |
| 6494 | <i>Limnoria algarum</i> | Menzies 1957 |
| 6495 | <i>Limnoria (Phycolimnora) algarum</i> | of Kozloff 1986 |
| 6496 | <i>Limnoria tripunctata</i> | Menzies 1951 |
| 6497 | Suborder Valvifera | |
| 6498 | Family Arcturidae | |
| 6499 | <i>Idarcturus allelomorphus</i> | Menzies & J. L. Barnard 1959 |
| 6500 | <i>Idarcturus hedgpethi</i> | Menzies 1951 |
| 6501 | <i>Neastacilla californica</i> | (Boone 1918) |
| 6502 | <i>Astacilla californica</i> | Boone 1918 |
| 6503 | Family Idoteidae | |
| 6504 | <i>Cleantioides occidentalis</i> | (Richardson 1899) |
| 6505 | <i>Cleantis occidentalis</i> | Richardson 1899 |
| 6506 | <i>Edotia sublitoralis</i> | Menzies & J. L. Barnard 1959 |
| 6507 | <i>Edotea sublitoralis</i> | Menzies & J. L. Barnard 1959 |
| 6508 | <i>Edotia</i> sp B | MEC 1984 § |
| 6509 | <i>Edotea sublitoralis</i> | of authors not Menzies & J. L. Barnard 1959 in part |
| 6510 | <i>Erichsonella crenulata</i> | Menzies 1950 |
| 6511 | <i>Idotea aculeata</i> | (Stafford 1913) |
| 6512 | <i>Pentidotea aculeata</i> | Stafford 1913 |
| 6513 | <i>Idotea fewkesi</i> | Richardson 1908 |
| 6514 | <i>Idotea montereyensis</i> | Maloney 1933 |
| 6515 | <i>Idotea rufescens</i> | Fee 1927 |
| 6516 | <i>Idotea urotoma</i> | Stimpson 1864 |
| 6517 | <i>Pentidotea montereyensis</i> | Maloney 1933 |
| 6518 | <i>Idotea gracillima</i> | of Richardson 1905 not (Dana 1854) |
| 6519 | <i>Idotea montereyensis</i> | of SCAMIT Ed 3 |
| 6520 | <i>Pentidotea resectata</i> | (Stimpson 1857) |
| 6521 | <i>Idotea resectata</i> | Stimpson 1857 |
| 6522 | <i>Synidotea calcarea</i> | Schultz 1966 |
| 6523 | <i>Synidotea harfordi</i> | Benedict 1897 |
| 6524 | <i>Synidotea magnifica</i> | Menzies & J. L. Barnard 1959 |
| 6525 | <i>Synidotea media</i> | Iverson 1972 |
| 6526 | Suborder Sphaeromatidea | |
| 6527 | Superfamily Sphaeromatoidea | |
| 6528 | Family Sphaeromatidae | |
| 6529 | <i>Discerceis granulosa</i> | (Richardson 1899) |
| 6530 | <i>Cilicaea granulosa</i> | Richardson 1899 |
| 6531 | <i>Dynamenella dilatata</i> | (Richardson 1899) |
| 6532 | <i>Dynamene dilatata</i> | Richardson 1899 |
| 6533 | <i>Dynamenella glabra</i> | (Richardson 1899) |
| 6534 | <i>Dynamene glabra</i> | Richardson 1899 |
| 6535 | <i>Dynamenella sheareri</i> | (Hatch 1947) |
| 6536 | <i>Dynamene sheareri</i> | Hatch 1947 |
| 6537 | <i>Exosphaeroma amplicauda</i> | (Stimpson 1857) |
| 6538 | <i>Sphaeroma amplicauda</i> | Stimpson 1857 |
| 6539 | <i>Exosphaeroma inornata</i> | Dow 1958 |
| 6540 | <i>Exosphaeroma media</i> | George & Strömberg 1968 |
| 6541 | <i>Exosphaeroma rhomburum</i> | (Richardson 1899) |
| 6542 | <i>Sphaeroma rhomburum</i> | Richardson 1899 |
| 6543 | <i>Gnorimosphaeroma oregonense</i> | (Dana 1853) |
| 6544 | <i>Sphaeroma oregonensis</i> | Dana 1853 |
| 6545 | <i>Paracerceis cordata</i> | (Richardson 1899) |
| 6546 | <i>Cilicaea cordata</i> | Richardson 1899 |
| 6547 | <i>Dynamene tuberculosa</i> | Richardson 1899 |
| 6548 | <i>Paracerceis sculpta</i> | (Holmes 1904) |
| 6549 | <i>Cilicaea sculpta</i> | Holmes 1904 |
| 6550 | <i>Paracerceis</i> sp A | SCAMIT 1996 § |
| 6551 | <i>Paradella dianae</i> | Menzies 1962 |
| 6552 | <i>Dynamene dianae</i> | (Menzies 1962) |

| | | |
|------|-----------------------------------|--------------------------------|
| 6553 | <i>Sphaeroma quoyarum</i> | H. Milne Edwards 1840 |
| 6554 | | |
| 6555 | | Holmes & Gay 1909 |
| 6556 | | Trask 1970 |
| 6557 | | (Menzies & J. L. Barnard 1959) |
| 6558 | | Menzies & J. L. Barnard 1959 |
| 6559 | | |
| 6560 | | |
| 6561 | | (Lockington 1877) |
| 6562 | | Lockington 1877 |
| 6563 | | |
| 6564 | | |
| 6565 | | Dana 1858 |
| 6566 | | |
| 6567 | | Holmes & Gay 1909 |
| 6568 | | |
| 6569 | | |
| 6570 | | |
| 6571 | | |
| 6572 | | |
| 6573 | | |
| 6574 | | |
| 6575 | | |
| 6576 | | |
| 6577 | | |
| 6578 | | |
| 6579 | | |
| 6580 | | |
| 6581 | | |
| 6582 | | |
| 6583 | | |
| 6584 | | |
| 6585 | | |
| 6586 | | |
| 6587 | | |
| 6588 | | |
| 6589 | | |
| 6590 | | |
| 6591 | | |
| 6592 | | |
| 6593 | | |
| 6594 | | |
| 6595 | | |
| 6596 | | |
| 6597 | | |
| 6598 | | |
| 6599 | | |
| 6600 | | |
| 6601 | | |
| 6602 | | |
| 6603 | | |
| 6604 | | |
| 6605 | | |
| 6606 | | |
| 6607 | | |
| 6608 | | |
| 6609 | | |
| 6610 | | |
| 6611 | | |
| 6612 | | |
| 6613 | | |
| 6614 | | |
| 6615 | | |
| 6616 | | |
| 6617 | | |
| 6618 | | |
| 6619 | | |
| 6620 | | |
| 6621 | | |
| 6622 | | |
| 6623 | | |
| 6624 | | |
| | Family Aencinidae | |
| | <i>Ancinus granulatus</i> | |
| | <i>Ancinus seticomvus</i> | |
| | <i>Bathycopea daltonae</i> | |
| | <i>Ancinus daltonae</i> | |
| | | |
| | Superfamily Seroloidea | |
| | Family Serolidae | |
| | <i>Heteroserolis carinata</i> | |
| | <i>Serolis carinata</i> | |
| | | |
| | Suborder Oniscidea | |
| | Superfamily Oniscoidea | |
| | Family Scyphacidae | |
| | <i>Alloniscus perconvexus</i> | |
| | Family Tylidae | |
| | <i>Tylos punctatus</i> | |
| | | |
| | Suborder Asellota | |
| | Superfamily Janiroidea | |
| | Family Dendrotrionidae | |
| | <i>Acanthomunna tannerensis</i> | |
| | Family Desmosomatidae | |
| | <i>Momedosa symmetrica</i> | |
| | <i>Desmosoma symmetrica</i> | |
| | <i>Prochelator sp A</i> | |
| | Family Janiridae | |
| | <i>Caecianiropsis sp LA1</i> | |
| | <i>Caecianiropsis sp LA2</i> | |
| | <i>Caecianiropsis psammophila</i> | |
| | <i>Ianiropsis analoga</i> | |
| | <i>Ianiropsis derjugini</i> | |
| | <i>Janiropsis derjugini</i> | |
| | <i>Ianiropsis minuta</i> | |
| | <i>Ianiropsis montereyensis</i> | |
| | <i>Ianiropsis tridens</i> | |
| | <i>Janiralata occidentalis</i> | |
| | <i>Janira occidentalis</i> | |
| | <i>Janiralata solasteri</i> | |
| | <i>Janira solasteri</i> | |
| | <i>Janiralata sp A</i> | |
| | <i>Janiralata sp B</i> | |
| | <i>Janiralata sp D</i> | |
| | Family Joeropsididae | |
| | <i>Joeropsis concava</i> | |
| | <i>Joeropsis sp B</i> | |
| | <i>Joeropsis dubia</i> | |
| | <i>Joeropsis lobata</i> | |
| | Family Microparasellidae | |
| | <i>Microcharon sp A</i> | |
| | Family Munnidae | |
| | <i>Munna chromatocephala</i> | |
| | <i>Munna halei</i> | |
| | <i>Munna spinifrons</i> | |
| | <i>Munna stephensi</i> | |
| | <i>Munna sp A</i> | |
| | <i>Uromunna ubiquita</i> | |
| | <i>Munna ubiquita</i> | |
| | <i>Munna minuta</i> | |
| | Family Munnopsidae | |
| | <i>Belonectes sp A</i> | |
| | <i>Eurycope californiensis</i> | |
| | <i>Ilyarachna acarina</i> | |
| | <i>Ilyarachna profunda</i> | |
| | <i>Munnopsurus sp A</i> | |
| | Family Paramunnidae | |
| | <i>Munnogonium tillerae</i> | |
| | <i>Austrosignum tillerae</i> | |
| | <i>Austrosignum erratum</i> | |
| | <i>Munnogonium erratum</i> | |
| | <i>Munnogonium waldronense</i> | |
| | <i>Paramunna quadratifrons</i> | |
| | <i>Paramunna sp SD1</i> | |
| | <i>Asellota sp SD1</i> | |

| | | |
|------|------------------------------------|-----------------------|
| 6625 | <i>Pleurogonium californiense</i> | Menzies 1951 |
| 6626 | <i>Pleurogonium</i> sp A | Wilson 1997 |
| 6627 | Order Tanaidacea | |
| 6628 | Suborder Apseudomorpha | |
| 6629 | Family Apseudidae | |
| 6630 | Subfamily Apseudinae | |
| 6631 | <i>Carpoapseudes caraspinosus</i> | Dojiri & Sieg 1997 |
| 6632 | Family Kalliapseudidae | |
| 6633 | Subfamily Kalliapseudinae | |
| 6634 | <i>Mesokalliapseudes crassus</i> | (Menzies 1953) |
| 6635 | <i>Kaliapseudes crassus</i> | Menzies 1953 |
| 6636 | Family Metapseudidae | |
| 6637 | Subfamily Metapseudinae | |
| 6638 | <i>Apseudomorpha glebosa</i> | (Menzies 1953) |
| 6639 | <i>Imitapseudes glebosus</i> | Menzies 1953 |
| 6640 | Subfamily Sympseudinae | |
| 6641 | <i>Synapseudes intumescens</i> | Menzies 1949 |
| 6642 | Family Parapseudidae | |
| 6643 | <i>Parapseudes pedispinis</i> | (Boone 1923) |
| 6644 | <i>Dalapseudes pedispinis</i> | Boone 1923 |
| 6645 | Suborder Tanaidomorpha | |
| 6646 | Superfamily Paratananoidea | |
| 6647 | Family Leptognathiidae | |
| 6648 | <i>Leptognathia breviremis</i> | (Liljeborg 1864) |
| 6649 | <i>Tanais breviremis</i> | Liljeborg 1864 |
| 6650 | <i>Paraleptognathia bisetulosa</i> | Dojiri & Sieg 1997 |
| 6651 | Family Leptocheiliidae | |
| 6652 | Subfamily Leptocheiliinae | |
| 6653 | <i>Leptocheilia dubia</i> Cmplx | |
| 6654 | Family Paratanaidae | |
| 6655 | <i>Paratanais intermedius</i> | Dojiri & Sieg 1997 |
| 6656 | <i>Paratanaidae</i> sp A | Paquette 1985 § |
| 6657 | Family Tanaellidae | |
| 6658 | <i>Araphura breviliaria</i> | Dojiri & Sieg 1997 |
| 6659 | <i>Araphura</i> sp A | SCAMIT 1987 § |
| 6660 | <i>Araphura cuspirostris</i> | Dojiri & Sieg 1997 |
| 6661 | <i>Araphura</i> sp B | SCAMIT 1987 § |
| 6662 | <i>Araphura</i> sp SD1 | Pasko 2006 § |
| 6663 | <i>Tanaella propinquus</i> | Dojiri & Sieg 1997 |
| 6664 | <i>Leptognathia</i> sp B | SCAMIT 1985 § |
| 6665 | <i>Tanaella</i> sp A | SCAMIT 1987 § |
| 6666 | Family Nototanaidae | |
| 6667 | <i>Typhlotanais crassus</i> | Dojiri & Sieg 1997 |
| 6668 | <i>Typhlotanais</i> sp A | SCAMIT 1987 § in part |
| 6669 | <i>Typhlotanais williamsi</i> | Dojiri & Sieg 1997 |
| 6670 | <i>Typhlotanais</i> sp A | SCAMIT 1987 § in part |
| 6671 | Family Pseudotanaidae | |
| 6672 | <i>Pseudotanais californiensis</i> | Dojiri & Sieg 1997 |
| 6673 | <i>Pseudotanais makrothrix</i> | Dojiri & Sieg 1997 |
| 6674 | family uncertain | |
| 6675 | <i>Anarthruridae</i> sp 1 | Dojiri & Sieg 1997 |
| 6676 | <i>Incertae sedis</i> male sp 1 | Dojiri & Sieg 1997 |
| 6677 | <i>Anarthruridae</i> sp 2 | Dojiri & Sieg 1997 |
| 6678 | <i>Incertae sedis</i> male sp 2 | Dojiri & Sieg 1997 |
| 6679 | <i>Anarthruridae</i> sp 3 | Dojiri & Sieg 1997 |
| 6680 | <i>Incertae sedis</i> male sp 3 | Dojiri & Sieg 1997 |
| 6681 | <i>Chauliopleona dentata</i> | Dojiri & Sieg 1997 |
| 6682 | <i>Leptognathia</i> sp E | SCAMIT 1985 § |
| 6683 | <i>Scoloura phillipsi</i> | Sieg & Dojiri 1991 |
| 6684 | <i>Leptognathia</i> sp C | SCAMIT 1985 § |
| 6685 | <i>Siphonolabrum californiense</i> | Dojiri & Sieg 1997 |
| 6686 | <i>Araphura</i> sp C | SCAMIT 1987 § |
| 6687 | <i>Tanaopsis cadient</i> | Sieg & Dojiri 1991 |
| 6688 | <i>Tanaopsis</i> sp A | SCAMIT 1987 § in part |
| 6689 | Superfamily Tanaidoidea | |
| 6690 | Family Tanaidae | |
| 6691 | <i>Anatanais pseudonormanii</i> | Sieg & Winn 1981 |
| 6692 | <i>Sinelobus stanfordi</i> | (Richardson 1901) |
| 6693 | <i>Tanais stanfordi</i> | Richardson 1901 |
| 6694 | <i>Tanais vanis</i> | Miller 1940 |
| 6695 | <i>Synaptotanais notabilis</i> | Sieg & Winn 1981 |
| 6696 | <i>Zeuxo maledivensis</i> | Sieg 1980 |

| | | |
|------|--|--|
| 6697 | <i>Zeuxo normani</i> | (Richardson 1905) |
| 6698 | <i>Tanais normani</i> | Richardson 1905 |
| 6699 | <i>Anatanias normani</i> | of Greve 1974 |
| 6700 | <i>Zeuxo paranormani</i> | Sieg 1980 |
| 6701 | Order Cumacea | |
| 6702 | Family Bodotriidae | |
| 6703 | <i>Cyclaspis nubila</i> | Zimmer 1936 |
| 6704 | <i>Cyclaspis</i> sp A | SCAMIT 1995 § |
| 6705 | <i>Cyclaspis</i> sp B | SCAMIT 1989 § |
| 6706 | <i>Cyclaspis</i> sp C | SCAMIT 1986 § |
| 6707 | <i>Cyclaspis</i> sp D | Cadien 1996 § |
| 6708 | <i>Glyphocuma</i> sp A | SCAMIT 1989 § |
| 6709 | <i>Vaunthompsonia</i> sp A | of Iverson 1978 § in part |
| 6710 | <i>Vaunthompsonia</i> sp B | of Iverson 1978 § in part |
| 6711 | <i>Glyphocuma</i> sp LA1 | Cadien 1998 § |
| 6712 | <i>Leptocuma forsmani</i> | Zimmer 1943 |
| 6713 | <i>Vaunthompsonia pacifica</i> | Zimmer 1943 |
| 6714 | <i>Vaunthompsonia</i> sp A | of Iverson 1978 § in part |
| 6715 | <i>Vaunthompsonia</i> sp B | of Iverson 1978 § in part |
| 6716 | Family Leuconidae | |
| 6717 | <i>Eudorella pacifica</i> | Hart 1930 |
| 6718 | <i>Eudorella tridentata</i> | Hart 1930 |
| 6719 | <i>Eudorellopsis longirostris</i> | Given 1961 |
| 6720 | <i>Leucon armatus</i> | Given 1961 |
| 6721 | <i>Leucon bishopi</i> | Bacescu 1988 |
| 6722 | <i>Epileucon pacifica</i> | of Bishop 1981 not Jones 1968 |
| 6723 | <i>Epileucon</i> sp A | MBC 1986 § |
| 6724 | <i>Leucon</i> sp B | MBC 1982 § |
| 6725 | <i>Leucon declivis</i> | Watling & McCann 1997 |
| 6726 | <i>Leucon</i> sp H | Cadien 1985 § |
| 6727 | <i>Leucon falcicosta</i> | Watling & McCann 1997 |
| 6728 | <i>Leucon</i> sp A | Myers & Benedict 1974 § |
| 6729 | <i>Leucon magnadentata</i> | Given 1961 |
| 6730 | <i>Leucon subnasica</i> | Given 1961 |
| 6731 | Family Nannastacidae | |
| 6732 | <i>Campylaspis biplicata</i> | Watling & McCann 1997 |
| 6733 | <i>Campylaspis</i> cf. <i>crispata</i> | SCAMIT 1986 § |
| 6734 | <i>Campylaspis</i> sp B | of authors NEP in part not SCAMIT 1986 § |
| 6735 | <i>Campylaspis blakei</i> | Watling & McCann 1997 |
| 6736 | <i>Campylaspis</i> sp E | Myers & Benedict 1974 § |
| 6737 | <i>Campylaspis canaliculata</i> | Zimmer 1936 |
| 6738 | <i>Campylaspis hartaee</i> | Lie 1969 |
| 6739 | <i>Campylaspis maculinodulosa</i> | Watling & McCann 1997 |
| 6740 | <i>Campylaspis</i> sp D | SCAMIT 1988 § |
| 6741 | <i>Campylaspis</i> sp P | MBC 1986 § |
| 6742 | <i>Campylaspis rubromaculata</i> | Lie 1971 |
| 6743 | <i>Campylaspis</i> nodulosa | of Lie 1969 not G. Sars 1887 |
| 6744 | <i>Campylaspis</i> papillata | of Lie 1968 not Lomakina 1952 |
| 6745 | <i>Campylaspis rufa</i> | Hart 1930 |
| 6746 | <i>Campylaspis</i> sp A | SCAMIT 1995 § |
| 6747 | <i>Campylaspis</i> sp Q | MBC 1984 § |
| 6748 | <i>Campylaspis</i> sp B | SCAMIT 1986 § |
| 6749 | <i>Campylaspis</i> biplicata | of authors NEP in part not Watling & McCann 1997 |
| 6750 | <i>Campylaspis</i> sp C | Myers & Benedict 1974 § |
| 6751 | <i>Cumella californica</i> | Watling & McCann 1997 |
| 6752 | <i>Cumella</i> sp A | Myers & Benedict 1974 § |
| 6753 | <i>Cumella morion</i> | Watling & McCann 1997 |
| 6754 | <i>Cumella vulgaris</i> | Hart 1930 |
| 6755 | <i>Cumella</i> sp B | Myers & Benedict 1974 § |
| 6756 | <i>Cumella</i> sp E | Phillips 1995 § |
| 6757 | <i>Cumella</i> sp HYP1 | Roney 2007 § |
| 6758 | <i>Elassocumella</i> sp SD1 | Nestler 2005 § |
| 6759 | <i>Procampylaspis caenosa</i> | Watling & McCann 1997 |
| 6760 | <i>Procampylaspis</i> sp A | SCAMIT 1995 § |
| 6761 | <i>Styloptocuma</i> sp | |
| 6762 | Family Lampropidae | |
| 6763 | <i>Hemilamprops californicus</i> | Zimmer 1936 |
| 6764 | <i>Hemilamprops</i> californica | Zimmer 1936 |
| 6765 | <i>Hemilamprops</i> sp A | MBC 1985 § |
| 6766 | <i>Hemilamprops</i> sp B | Paquette 1985 § |
| 6767 | <i>Lamprops carinatus</i> | Hart 1930 |
| 6768 | <i>Lamprops carinata</i> | Hart 1930 |

| | | |
|------|---------------------------------------|----------------------------------|
| 6769 | <i>Lamprops quadruplicatus</i> | Smith 1879 |
| 6770 | <i>Lamprops quadruplicata</i> | Smith 1879 |
| 6771 | <i>Lamprops tomalesi</i> | Gladfelter 1975 |
| 6772 | <i>Lamprops</i> sp D | MBC 1985 § |
| 6773 | <i>Mesolamprops bispinosus</i> | Given 1964 |
| 6774 | <i>Mesolamprops bispinosa</i> | Given 1964 |
| 6775 | | |
| 6776 | | (Calman 1912) |
| 6777 | Family Diastylidae | Calman 1912 |
| 6778 | <i>Anchicolarus occidentalis</i> | Zimmer 1936 |
| 6779 | <i>Colurostylus occidentalis</i> | Watling & McCann 1997 |
| 6780 | <i>Diastylis californica</i> | SCAMIT 1986 § |
| 6781 | <i>Diastylis crenellata</i> | Phillips 1981 § |
| 6782 | <i>Diastylis</i> sp A | MBC 1983 § |
| 6783 | <i>Diastylis</i> sp D | Gerken 2005 |
| 6784 | <i>Leptostylis</i> sp E | Given 1970 § |
| 6785 | <i>Diastylis newberryi</i> | Hart 1930 |
| 6786 | <i>Leptostylis</i> sp B | Watling & McCann 1997 |
| 6787 | <i>Diastylis pellucida</i> | Myers & Benedict 1974 § |
| 6788 | <i>Diastylis santamariensis</i> | Watling & McCann 1997 |
| 6789 | <i>Diastylis</i> sp B | of authors NEP not Zimmer 1926 |
| 6790 | <i>Diastylis sentosa</i> | Myers & Benedict 1974 § |
| 6791 | <i>Diastylis</i> sp C | S.I. Smith 1880 |
| 6792 | <i>Diastylopsis dawsoni</i> | Zimmer 1936 |
| 6793 | <i>Diastylopsis tenuis</i> | Watling & McCann 1997 |
| 6794 | <i>Leptostylis abditus</i> | of authors NEP not G. Sars 1869 |
| 6795 | <i>Leptostylis villosa</i> | Watling & McCann 1997 |
| 6796 | <i>Leptostylis calva</i> | SCAMIT 1983 § in part |
| 6797 | <i>Leptostylis</i> sp A | SCAMIT 1983 § |
| 6798 | <i>Leptostylis</i> sp D | SCAMIT 1983 § |
| 6799 | <i>Leptostylis</i> sp C | |
| 6800 | <i>Makrokylindrus</i> sp | Zimmer 1936 |
| 6801 | <i>Oxyurostylis pacifica</i> | Zimmer 1945 |
| 6802 | <i>Oxyurostylis tertia</i> | |
| 6803 | | Diener 1982 § |
| 6804 | | |
| 6805 | Superorder Eucarida | |
| 6806 | Order Decapoda | |
| 6807 | Suborder Dendrobranchiata | |
| 6808 | Superfamily Penaeoidea | |
| 6809 | | |
| 6810 | Family Aristeidae | Krygier & Wasmer 1975 |
| 6811 | <i>Benthogenennema burkenroadi</i> | |
| 6812 | | Burkenroad 1938 |
| 6813 | Family Solenoceridae | |
| 6814 | <i>Solenocera mutator</i> | |
| 6815 | | |
| 6816 | Family Penaeidae | |
| 6817 | <i>Farfantepenaeus californiensis</i> | (Holmes 1900) |
| 6818 | <i>Penaeus californiensis</i> | Holmes 1900 |
| 6819 | <i>Penaeus brasiliensis</i> | Schmitt 1935 in part |
| 6820 | <i>Penaeus brevirostris</i> | of authors NEP not Kingsley 1878 |
| 6821 | <i>Metapenaeopsis minori</i> | Burkenroad 1938 |
| 6822 | | |
| 6823 | Family Sicyoniidae | |
| 6824 | <i>Sicyonia disedwardsi</i> | (Burkenroad 1934) |
| 6825 | <i>Eusicyonia disedwardsi</i> | Burkenroad 1934 |
| 6826 | <i>Sicyonia ingentis</i> | (Burkenroad 1938) |
| 6827 | <i>Eusicyonia ingentis</i> | Burkenroad 1938 |
| 6828 | <i>Sicyonia penicillata</i> | Lockington 1879 |
| 6829 | | |
| 6830 | Superfamily Sergestoidea | |
| 6831 | Family Sergestidae | |
| 6832 | <i>Sergestes similis</i> | Hansen 1903 |
| 6833 | <i>Sergestes atlanticus</i> | Bate 1888 |
| 6834 | <i>Sergestes (Sergestes) similis</i> | Yaldwyn 1957 |
| 6835 | | |
| 6836 | Suborder Pleocyemata | |
| 6837 | Infraorder Caridea | |
| 6838 | Superfamily Pasiphaeoidea | |
| 6839 | Family Pasiphaeidae | |
| 6840 | <i>Pasiphaea pacifica</i> | Rathbun 1902 |
| | <i>Pasiphaea tarda</i> | Krøyer 1845 |
| | | |
| | Superfamily Ooplophoroidea | |
| | Family Ooplophoridae | |
| | unidentified | |
| | Superfamily Palaemonoidea | |
| | Family Palaemonidae | |
| | <i>Palaemon macrodactylus</i> | Rathbun 1902 |

| | | |
|------|-----------------------------------|----------------------------------|
| 6841 | <i>Palaeomonella holmesi</i> | Schmitt 1921 |
| 6842 | <i>Periclimenes infraspinis</i> | (Rathbun 1902) |
| 6843 | <i>Urocaris infraspinis</i> | Rathbun 1902 |
| 6844 | <i>Pseudocoutierea elegans</i> | Holthuis 1951 |
| 6845 | Superfamily Alpheoidea | |
| 6846 | Family Alpheidae | |
| 6847 | <i>Alpheopsis equidactylus</i> | (Lockington 1877) |
| 6848 | <i>Alpheus equidactylus</i> | Lockington 1877 |
| 6849 | <i>Crangon equidactylus</i> | of Schmitt 1921 |
| 6850 | <i>Alpheus bellimanus</i> | Lockington 1877 |
| 6851 | <i>Crangon bellimanus</i> | Schmitt 1921 |
| 6852 | <i>Alpheus californiensis</i> | Holmes 1900 |
| 6853 | <i>Crangon californiensis</i> | of Schmitt 1921 |
| 6854 | <i>Alpheus clamator</i> | Lockington 1877 |
| 6855 | <i>Alpheus dentipes</i> | Rathbun 1904 |
| 6856 | <i>Crangon dentipes</i> | of Schmitt 1921 |
| 6857 | <i>Automate</i> sp A | SCAMIT 1995 § |
| 6858 | <i>Betaeus ensenadensis</i> | Glassell 1938 |
| 6859 | <i>Betaeus harfordi</i> | (Kingsley 1878) |
| 6860 | <i>Alpheus harfordi</i> | Kingsley 1878 |
| 6861 | <i>Alpheus aequalis</i> | of Holmes 1900 |
| 6862 | <i>Betaeus harrimani</i> | Rathbun 1904 |
| 6863 | <i>Betaeus longidactylus</i> | Lockington 1877 |
| 6864 | <i>Alpheus longidactylus</i> | of Holmes 1900 |
| 6865 | <i>Synalpheus lockingtoni</i> | Coutière 1909 |
| 6866 | Family Hippolytidae | |
| 6867 | <i>Eualus lineatus</i> | Wicksten & Butler 1983 |
| 6868 | <i>Eualus herdmanni</i> | of authors NEP not (Walker 1898) |
| 6869 | <i>Eualus subtilis</i> | Carvacho & Olson 1984 |
| 6870 | <i>Eualus lineatus</i> | of authors NEP in part |
| 6871 | <i>Heptacarpus brevirostris</i> | (Dana 1852) |
| 6872 | <i>Hippolyte brevirostris</i> | Dana 1852 |
| 6873 | <i>Spirontocaris brevirostris</i> | of Rathbun 1904 |
| 6874 | <i>Heptacarpus carinatus</i> | Holmes 1900 |
| 6875 | <i>Heptacarpus decorus</i> | (Rathbun 1902) |
| 6876 | <i>Spirontocaris decorus</i> | Rathbun 1902 |
| 6877 | <i>Heptacarpus flexus</i> | (Rathbun 1902) |
| 6878 | <i>Spirontocaris flexa</i> | Rathbun 1902 |
| 6879 | <i>Heptacarpus fuscimaculatus</i> | Wicksten 1986 |
| 6880 | <i>Heptacarpus palpator</i> | (Owen 1839) |
| 6881 | <i>Hippolyte palpator</i> | Owen 1839 |
| 6882 | <i>Spirontocaris palpator</i> | of Rathbun 1904 |
| 6883 | <i>Heptacarpus paludicola</i> | Holmes 1900 |
| 6884 | <i>Heptacarpus sitchensis</i> | (Brandt 1851) |
| 6885 | <i>Hippolyte sitchensis</i> | Brandt 1851 |
| 6886 | <i>Heptacarpus pictus</i> | (Stimpson 1871) |
| 6887 | <i>Spirontocaris picta</i> | of Rathbun 1904 |
| 6888 | <i>Heptacarpus stimpsoni</i> | Holthuis 1947 |
| 6889 | <i>Heptacarpus cristatus</i> | of Holmes 1900 |
| 6890 | <i>Hippolyte cristata</i> | Stimpson 1880 |
| 6891 | <i>Spirontocaris cristata</i> | of Walker 1898 |
| 6892 | <i>Spirontocaris cristatus</i> | of Rathbun 1904 |
| 6893 | <i>Heptacarpus stylus</i> | (Stimpson 1864) |
| 6894 | <i>Hippolyte stylus</i> | Stimpson 1864 |
| 6895 | <i>Heptacarpus taylori</i> | (Stimpson 1857) |
| 6896 | <i>Spirontocaris taylori</i> | Stimpson 1857 |
| 6897 | <i>Heptacarpus tenuissimus</i> | Holmes 1900 |
| 6898 | <i>Hippolyte amabilis</i> | Lenz 1901 |
| 6899 | <i>Hippolyte gracilis</i> | Stimpson 1864 |
| 6900 | <i>Heptacarpus gracilis</i> | of Carlton & Kuris 1975 |
| 6901 | <i>Spirontocaris gracilis</i> | of Rathbun 1904 |
| 6902 | <i>Heptacarpus tridens</i> | (Rathbun 1902) |
| 6903 | <i>Spirontocaris tridens</i> | Rathbun 1902 |
| 6904 | <i>Hippolyte californiensis</i> | Holmes 1895 |
| 6905 | <i>Hippolyte mexicana</i> | Chace 1937 |
| 6906 | <i>Hippolyte clarki</i> | Chace 1951 |
| 6907 | <i>Lebbeus lagunae</i> | (Schmitt 1921) |
| 6908 | <i>Spirontocaris lagunae</i> | Schmitt 1921 |
| 6909 | <i>Lysmata californica</i> | (Stimpson 1866) |
| 6910 | <i>Hippolysmata californica</i> | Stimpson 1866 |
| 6911 | <i>Hippolyte lineata</i> | Lockington 1877 |
| 6912 | <i>Spirontocaris dalli</i> | Rathbun 1902 |

| | | |
|------|------------------------------------|--|
| 6913 | <i>Spirontocaris holmesi</i> | Holthuis 1947 |
| 6914 | <i>Spirontocaris bispinosa</i> | Holmes 1900 |
| 6915 | <i>Hippolyte bispinosus</i> | of Williamson 1915 |
| 6916 | <i>Spirontocaris lamellicornis</i> | (Dana 1852) |
| 6917 | <i>Hippolyte lamellicornis</i> | Dana 1852 |
| 6918 | <i>Spirontocaris prionota</i> | (Stimpson 1864) |
| 6919 | <i>Hippolyte prionota</i> | Stimpson 1864 |
| 6920 | <i>Spirontocaris macrodonta</i> | Hart 1930 |
| 6921 | <i>Spirontocaris sica</i> | Rathbun 1902 |
| 6922 | <i>Spirontocaris snyderi</i> | Rathbun 1902 |
| 6923 | <i>Spirontocaris truncata</i> | Rathbun 1902 |
| 6924 | Family Ogyrididae | |
| 6925 | <i>Ogyrides</i> sp A | Roney 1978 § |
| 6926 | Superfamily Processoidea | |
| 6927 | Family Processidae | |
| 6928 | <i>Ambidexter panamensis</i> | Abele 1972 |
| 6929 | <i>Processa peruviana</i> | Wicksten 1983 |
| 6930 | Superfamily Pandaloidea | |
| 6931 | Family Pandalidae | |
| 6932 | <i>Pandalopsis ampla</i> | Bate 1888 |
| 6933 | <i>Pandalus danae</i> | Stimpson 1857 |
| 6934 | <i>Pandalus franciscorum</i> | Kingsley 1878 |
| 6935 | <i>Pandalus gurneyi</i> | Stimpson 1871 |
| 6936 | <i>Pandalus jordani</i> | Rathbun 1902 |
| 6937 | <i>Pandalus platyceros</i> | Brandt 1851 |
| 6938 | <i>Pandalus pubescentulus</i> | Dana 1852 |
| 6939 | <i>Pandalus tridens</i> | Rathbun 1902 |
| 6940 | <i>Pandalus montagui</i> | of Rathbun 1899 not Leach 1814 |
| 6941 | <i>Pandalus montagui tridens</i> | of Rathbun 1902 |
| 6942 | <i>Pantomus affinis</i> | Chace 1937 |
| 6943 | <i>Plesionika beebei</i> | Chace 1937 |
| 6944 | <i>Plesionika carinirostris</i> | Hendrickx 1990 |
| 6945 | <i>Plesionika trispinus</i> | Squires & Barragán 1976 |
| 6946 | Superfamily Crangonoidea | |
| 6947 | Family Crangonidae | |
| 6948 | <i>Crangon alaskensis</i> | Lockington 1877 |
| 6949 | <i>Crago alaskensis</i> | of Carlisle 1969 |
| 6950 | <i>Crangon alaskensis elongata</i> | Rathbun 1902 |
| 6951 | <i>Crangon crangon affinis</i> | of Ortman 1895 in part |
| 6952 | <i>Crangon nigricauda</i> | of Holmes 1900 not Stimpson 1856 |
| 6953 | <i>Crangon vulgaris</i> | of Kingsley 1899 in part |
| 6954 | <i>Crangon alba</i> | Holmes 1900 |
| 6955 | <i>Crago alba</i> | Schmitt 1921 |
| 6956 | <i>Crangon handi</i> | Kuris & Carlton 1977 |
| 6957 | <i>Crangon holmesi</i> | Rathbun 1902 |
| 6958 | <i>Crago holmesi</i> | of Schmitt 1921 |
| 6959 | <i>Crangon nigricauda</i> | Stimpson 1856 |
| 6960 | <i>Crago nigricauda</i> | of Schmitt 1921 |
| 6961 | <i>Crangon nigromaculata</i> | Lockington 1877 |
| 6962 | <i>Mesocrangon munifella</i> | of Schmitt 1921 |
| 6963 | <i>Crangon munifellus</i> | (Walker 1898) |
| 6964 | <i>Crago munifella</i> | Walker 1898 |
| 6965 | <i>Crangon munifella</i> | of Schmitt 1921 |
| 6966 | <i>Metacrangon spinosissima</i> | Rathbun 1904 |
| 6967 | <i>Crangon spinosissima</i> | (Rathbun 1902) |
| 6968 | <i>Crago spinosissima</i> | Rathbun 1902 |
| 6969 | <i>Neocrangon communis</i> | of Schmitt 1921 |
| 6970 | <i>Crangon communis</i> | (Rathbun 1899) |
| 6971 | <i>Crago communis</i> | Rathbun 1899 |
| 6972 | <i>Neocrangon resima</i> | of Schmitt 1921 |
| 6973 | <i>Crangon resima</i> | (Rathbun 1902) |
| 6974 | <i>Crago resima</i> | Rathbun 1902 |
| 6975 | <i>Crangon communis</i> | of Schmitt 1921 |
| 6976 | <i>Neocrangon zacae</i> | of Rathbun 1904 in part not Rathbun 1899 |
| 6977 | <i>Crago zacae</i> | (Chace 1937) |
| 6978 | <i>Crangon zacae</i> | Chace 1937 |
| 6979 | <i>Rhynocrangon alata</i> | of Word & Charvat 1976 |
| 6980 | <i>Sclerocrangon alata</i> | (Rathbun 1902) |
| 6981 | | Rathbun 1902 |
| 6982 | Infraorder Axiidea | |
| 6983 | Family Callianassidae | |
| 6984 | <i>Neotrypaea affinis</i> | (Holmes 1900) |

| | | |
|------|--|--|
| 6985 | Callianassa affinis | Holmes 1900 |
| 6986 | Neotrypaea bifari | Holthuis 1991 |
| 6987 | <i>Neotrypaea californiensis</i> | (Dana 1854) |
| 6988 | Callianassa californiensis | Dana 1854 |
| 6989 | <i>Neotrypaea gigas</i> | (Dana 1852) |
| 6990 | Callianassa gigas | Dana 1852 |
| 6991 | Callianassa longimana | Stimpson 1857 |
| 6992 | | |
| 6993 | Family Ctenochelidae | |
| 6994 | <i>Callianopsis goniophthalma</i> | (Rathbun 1902) |
| 6995 | Callianassa goniophthalma | Rathbun 1902 |
| 6996 | | |
| 6997 | Family Axiidae | (Rathbun 1902) |
| 6998 | <i>Calocarides quinqueseriatus</i> | Rathbun 1902 |
| 6999 | Calastacus quinqueseriatus | Andrade & Baez 1977 |
| 7000 | Calastacus rostriserratus | of Hart 1982 |
| 7001 | Calocaris (Calastacus) quinqueseriatus | (Rathbun 1902) |
| 7002 | <i>Calocarides spinulicauda</i> | Rathbun 1902 |
| 7003 | Axius spinulicauda | of Borradaile 1903 |
| 7004 | Acanthaxius spinulicaudus | of Sakai & de Saint Laurent 1992 |
| 7005 | Axiopsis spinulicauda | of Schmitt 1921 |
| 7006 | Axiopsis (Axiopsis) spinulicauda | of de Man 1925 |
| 7007 | <i>Calocarides</i> sp | Martin & Zimmerman 1997 |
| 7008 | | |
| 7009 | Infraorder Gebiidea | |
| 7010 | Family Laomediidae | |
| 7011 | <i>Naushonia macginitie</i> | (Glassell 1938) |
| 7012 | Hormoriscus macginitiei | Glassell 1938 |
| 7013 | | |
| 7014 | Family Upogebiidae | |
| 7015 | <i>Upogebia lepta</i> | Williams 1986 |
| 7016 | Upogebia pugettensis | of authors NEP in part not (Dana 1852) |
| 7017 | <i>Upogebia macginitieorum</i> | Williams 1986 |
| 7018 | Upogebia pugettensis | of authors NEP in part not (Dana 1852) |
| 7019 | | |
| 7020 | Infraorder Achelata | |
| 7021 | Superfamily Palinuroidea | |
| 7022 | Family Palinuridae | |
| 7023 | <i>Panulirus interruptus</i> | Randall 1839 |
| 7024 | | |
| 7025 | Infraorder Polychelida | |
| 7026 | Family Polychelidae | |
| 7027 | unidentified | |
| 7028 | | |
| 7029 | Infraorder Anomura | |
| 7030 | Superfamily Paguroidea | |
| 7031 | Family Diogenidae | |
| 7032 | <i>Isocheles pilosus</i> | (Holmes 1900) |
| 7033 | Holopagurus pilosus | Holmes 1900 |
| 7034 | <i>Paguristes bakeri</i> | Holmes 1900 |
| 7035 | <i>Paguristes parvus</i> | Holmes 1900 |
| 7036 | <i>Paguristes turgidus</i> | (Stimpson 1857) |
| 7037 | Clibanarius turgidus | Stimpson 1857 |
| 7038 | Eupagurus turgidus | of Stimpson 1859 |
| 7039 | <i>Paguristes ulreyi</i> | Schmitt 1921 |
| 7040 | Paguristes occator | Glassell 1937 |
| 7041 | | |
| 7042 | Family Paguridae | |
| 7043 | <i>Discorsopagurus schmitti</i> | (Stevens 1925) |
| 7044 | Pylopagurus schmitti | Stevens 1925 |
| 7045 | Orthopagurus schmitti | of Stevens 1927 |
| 7046 | Phylopagurus schmitti | of Hart 1930 |
| 7047 | <i>Enallopaguropsis guatemoci</i> | (Glassell 1937) |
| 7048 | Pylopagurus guatemoci | Glassell 1937 |
| 7049 | Enallopaguropsis hancocki | of McLaughlin 1982 |
| 7050 | Pylopagurus hancocki | Walton 1954 |
| 7051 | <i>Haigia diegensis</i> | (Scanland & Hopkins 1969) |
| 7052 | Pylopagurus diegensis | Scanland & Hopkins 1969 |
| 7053 | <i>Orthopagurus minimus</i> | (Holmes 1900) |
| 7054 | Pagurus (Trigonocheirus) minimus | Holmes 1900 |
| 7055 | Parapagurus minimus | of Hilton 1918 |
| 7056 | Pylopagurus minimus | of Schmitt 1921 |
| 7057 | <i>Pagurus armatus</i> | (Dana 1851) |
| 7058 | Bernhardus armatus | Dana 1851 |
| 7059 | Eupagurus alaskensis | Harrington & Griffin 1897 |
| 7060 | Eupagurus armatus | of Stimpson 1857 |
| 7061 | Pagurus ochotensis | of authors not Brandt 1851 |
| 7062 | <i>Pagurus beringanus</i> | (Benedict 1892) |
| 7063 | Eupagurus (Trigonocheirus) beringanus | Benedict 1892 |

| | | |
|------|---------------------------------------|-----------------------------------|
| 7057 | Eupagurus (Trigonocheirus) newcombei | Benedict 1892 |
| 7058 | <i>Pagurus granosimanus</i> | (Stimpson 1859) |
| 7059 | Eupagurus granosimanus | Stimpson 1859 |
| 7060 | Pagurus (Trigonocheirus) granosimanus | of Holmes 1900 |
| 7061 | <i>Pagurus harta</i> | (McLaughlin & Jensen 1996) |
| 7062 | Parapagurodes harta | McLaughlin & Jensen 1996 |
| 7063 | <i>Pagurus quaylei</i> | Hart 1971 |
| 7064 | <i>Pagurus redondoensis</i> | Wicksten 1982 |
| 7065 | Pagurus sp 3 | Haig 1977 § |
| 7066 | <i>Pagurus retrorsimanus</i> | Wicksten & McLaughlin 1998 |
| 7067 | Pagurus sp 2 | Haig 1977 § |
| 7068 | <i>Pagurus samuelis</i> | (Stimpson 1857) |
| 7069 | Eupagurus samuelis | Stimpson 1857 |
| 7070 | Pagurus (Trigonocheirus) samuelis | of Holmes 1900 |
| 7071 | <i>Pagurus spilocarpus</i> | Haig 1977 |
| 7072 | Pagurus sp 1 | Haig 1977 § |
| 7073 | <i>Pagurus tanneri</i> | (Benedict 1892) |
| 7074 | Eupagurus (Trigonocheirus) tanneri | Benedict 1892 |
| 7075 | Pagurus (Trigonocheirus) tanneri | of Holmes 1900 |
| 7076 | <i>Pagurus sp 4</i> | Hart 1982 |
| 7077 | <i>Parapagurodes laurentiae</i> | McLaughlin & Haig 1973 |
| 7078 | <i>Parapagurodes makarovi</i> | McLaughlin & Haig 1973 |
| 7079 | Eupagurus mertensi | of Benedict 1892 |
| 7080 | <i>Phimochirus californiensis</i> | (Benedict 1892) |
| 7081 | Eupagurus californiensis | Benedict 1892 |
| 7082 | Pagurus californiensis | of Holmes 1900 |
| 7083 | <i>Pylopagurus californiensis</i> | of authores NEP |
| 7084 | <i>Pylopagurus holmesi</i> | Schmitt 1921 |
| 7085 | Pylopagurus longicarpus | Walton 1954 |
| 7086 | Family Parapaguridae | |
| 7087 | <i>Parapagurus benedicti</i> | de Saint Laurent 1972 |
| 7088 | <i>Sympagurus haigae</i> | (de Saint Laurent 1972) |
| 7089 | Parapagurus haigae | de Saint Laurent 1972 |
| 7090 | Superfamily Galatheoidea | |
| 7091 | Family Galatheidae | |
| 7092 | <i>Janetogalathea californiensis</i> | (Benedict 1902) |
| 7093 | Galathea californiensis | Benedict 1902 |
| 7094 | Family Munididae | |
| 7095 | <i>Munida hispida</i> | Benedict 1902 |
| 7096 | <i>Munida quadrispina</i> | Benedict 1902 |
| 7097 | <i>Pleuroncodes planipes</i> | Stimpson 1860 |
| 7098 | Family Munopsidae | |
| 7099 | <i>Munidopsis depressa</i> | Faxon 1853 |
| 7100 | Family Porcellanidae | |
| 7101 | <i>Pachycheles holosericus</i> | Schmitt 1921 |
| 7102 | <i>Pachycheles pubescens</i> | Holmes 1900 |
| 7103 | <i>Pachycheles rufus</i> | Stimpson 1859 |
| 7104 | <i>Petrolisthes cinctipes</i> | (Randall 1839) |
| 7105 | Porcellana cinctipes | Randall 1839 |
| 7106 | Petrolisthes rupiculus | of Stimpson 1858 |
| 7107 | Porcellana rupicola | Stimpson 1857 |
| 7108 | <i>Petrolisthes manimaculatus</i> | Glassell 1945 |
| 7109 | <i>Polyonyx quadrungulatus</i> | Glassell 1935 |
| 7110 | Superfamily Lithodoidea | |
| 7111 | Family Hapalogastridae | |
| 7112 | <i>Acantholithodes hispidus</i> | (Stimpson 1860) |
| 7113 | Dermaturus hispidus | Stimpson 1860 |
| 7114 | Family Lithodidae | |
| 7115 | <i>Glyptolithodes cristatipes</i> | (Faxon 1893) |
| 7116 | Rhinolithodes cristatipes | Faxon 1893 |
| 7117 | <i>Lopholithodes foraminatus</i> | (Stimpson 1859) |
| 7118 | Echinocerus foraminatus | Stimpson 1859 |
| 7119 | <i>Paralithodes californiensis</i> | (Benedict 1894) |
| 7120 | Lithodes californiensis | Benedict 1894 |
| 7121 | <i>Paralithodes Rathbuni</i> | (Benedict 1894) |
| 7122 | Lithodes Rathbuni | Benedict 1894 |
| 7123 | Superfamily Hippoidea | |
| 7124 | Family Albuneidae | |
| 7125 | <i>Lepidopa californica</i> | Efford 1971 |
| 7126 | Lepidopa myops | of authores NEP not Stimpson 1860 |
| 7127 | Family Blepharipodidae | |
| 7128 | <i>Blepharipoda occidentalis</i> | Randall 1839 |

| | | | |
|------|---|---|--|
| 7129 | Family Hippidae | | |
| 7130 | <i>Emerita analoga</i> | (Stimpson 1857) | |
| 7131 | <i>Hippa analoga</i> | Stimpson 1857 | |
| 7132 | Infraorder Brachyura | | |
| 7133 | Superfamily Dromoidea | | |
| 7134 | Family Dromiidae | | |
| 7135 | <i>Cryptodromiopsis larraburei</i> | (Rathbun 1910) | |
| 7136 | <i>Dromidia sarraburei</i> | Rathbun 1910 | |
| 7137 | <i>Dromidia segnipes</i> | Weymouth 1910 | |
| 7138 | Superfamily Homoloidea | | |
| 7139 | Family Homolidae | | |
| 7140 | <i>Moloha faxoni</i> | (Schmitt 1921) | |
| 7141 | <i>Homola faxoni</i> | Schmitt 1921 | |
| 7142 | <i>Paromola faxoni</i> | of Rathbun 1937 | |
| 7143 | Superfamily Cyclodorippoidea | | |
| 7144 | Family Cyclodorippidae | | |
| 7145 | <i>Deilocerus decorus</i> | (Rathbun 1933) | |
| 7146 | <i>Clythrocerus decorus</i> | Rathbun 1933 | |
| 7147 | <i>Deilocerus planus</i> | (Rathbun 1900) | |
| 7148 | <i>Cyclodorripe plana</i> | Rathbun 1900 | |
| 7149 | <i>Clythrocerus planus</i> | of Rathbun 1937 | |
| 7150 | Superfamily Calappoidea | | |
| 7151 | Family Calappidae | | |
| 7152 | <i>Platymera gaudichaudii</i> | H. Milne Edwards 1837 | |
| 7153 | <i>Mursia gaudichaudii</i> | of Rathbun 1917 | |
| 7154 | <i>Platymera californiensis</i> | Rathbun 1893 | |
| 7155 | Superfamily Leucosioidea | | |
| 7156 | Family Leucosiidae | | |
| 7157 | <i>Randallia bulligera</i> | Rathbun 1898 | |
| 7158 | <i>Randallia ornata</i> | (Randall 1839) | |
| 7159 | <i>Ilia ornata</i> | Randall 1839 | |
| 7160 | Superfamily Majoidea | | |
| 7161 | Family Epialtidae | | |
| 7162 | Subfamily Epialtinae | | |
| 7163 | <i>Epialtoides hiltoni</i> | (Rathbun 1923) | |
| 7164 | <i>Epialtus hiltoni</i> | Rathbun 1923 | |
| 7165 | <i>Epialtus bituberculatus</i> | of Rathbun 1894 not H. Milne Edwards 1834 | |
| 7166 | <i>Epialtus bituberculatus forma minima</i> | of Hilton 1916 not Lockington 1877 | |
| 7167 | <i>Pugettia dalli</i> | Rathbun 1893 | |
| 7168 | <i>Pugettia producta</i> | (Randall 1839) | |
| 7169 | <i>Epialtus productus</i> | Randall 1839 | |
| 7170 | <i>Epialtus (Taliepus) productus</i> | of A. Milne Edwards 1878 | |
| 7171 | <i>Puggettia producta</i> | of Clemens 1933 | |
| 7172 | <i>Pugettia richii</i> | Dana 1851 | |
| 7173 | <i>Pugettia richi</i> | of Garth 1958 | |
| 7174 | <i>Pugettia venetae</i> | Rathbun 1924 | |
| 7175 | <i>Taliepus nuttallii</i> | (Randall 1839) | |
| 7176 | <i>Epialtus nuttallii</i> | Randall 1839 | |
| 7177 | <i>Epialtus (Antilibinia) nuttallii</i> | of Rathbun 1894 | |
| 7178 | Subfamily Pisinae | | |
| 7179 | <i>Chorilia longipes</i> | Dana 1851 | |
| 7180 | <i>Chorilia longipes turgida</i> | Rathbun 1924 | |
| 7181 | <i>Hyastenus longipes</i> | of Miers 1886 | |
| 7182 | <i>Loxorhynchus crispatus</i> | Stimpson 1857 | |
| 7183 | <i>Loxorhynchus grandis</i> | Stimpson 1857 | |
| 7184 | <i>Loxorynchus grandis</i> | Stimpson 1857 | |
| 7185 | <i>Loxorhynchus grandus</i> | of Weymouth 1910 | |
| 7186 | <i>Mithrax rostratus</i> | Boone 1930 | |
| 7187 | <i>Pelia tumida</i> | (Lockington 1877) | |
| 7188 | <i>Pisooides (?) tumidus</i> | Lockington 1877 | |
| 7189 | <i>Pelia clausa</i> | Rathbun 1907 | |
| 7190 | <i>Pelia pacifica</i> | of Rathbun 1893 not A. Milne Edwards 1875 | |
| 7191 | <i>Scyra acutifrons</i> | Dana 1851 | |
| 7192 | <i>Scyra acutifronus</i> | of Taylor 1912 | |
| 7193 | Family Inachidae | | |
| 7194 | <i>Erioleptus spinosus</i> | Rathbun 1893 | |
| 7195 | <i>Anasimus rostratus</i> | Rathbun 1893 | |
| 7196 | <i>Anasimus spinosus</i> | of Schmitt 1921 | |
| 7197 | <i>Podochela hemphillii</i> | (Lockington 1877) | |
| 7198 | <i>Microrhynchus hemphillii</i> | Lockington 1877 | |
| 7199 | <i>Podochela tenuipes</i> | Rathbun 1893 | |
| 7200 | <i>Podochela lobifrons</i> | Rathbun 1893 | |

| | | |
|------|--|----------------------------------|
| 7201 | Podochela (<i>Coryrhynchus</i>) lobifrons | Rathbun 1893 |
| 7202 | Podochela barbarensis | Rathbun 1924 |
| 7203 | <i>Stenorhynchus debilis</i> | (Smith 1871) |
| 7204 | Leptopodia debilis | Smith 1871 |
| 7205 | Leptopodia sagittaria | of Bell 1835 not Leach 1815 |
| 7206 | | |
| 7207 | | |
| 7208 | Family Inachoididae | |
| | <i>Pyromaiia tuberculata</i> | (Lockington 1877) |
| | Microrhynchus (<i>Inachus</i>) tuberculatus | Lockington 1877 |
| | Collodes granosus | of Boone 1930 not Stimpson 1860 |
| | Dasygius tuberculatus | of Rathbun 1898 |
| | ? Inachoides brevirostrum | Lockington 1877 |
| | Inachoides magdalenensis | Rathbun 1893 |
| | Inachoides tuberculatus | of Schmitt 1921 |
| 7214 | | |
| 7215 | Family Oregoniidae | |
| | <i>Chionoecetes tanneri</i> | Rathbun 1893 |
| 7216 | Superfamily Parthenopoidea | |
| 7217 | Family Parthenopidae | |
| | <i>Heterocrypta occidentalis</i> | (Dana 1854) |
| | Cryptopodia occidentalis | Dana 1854 |
| | Lambrus frons-acutis | Lockington 1877 |
| 7218 | Superfamily Cancroidea | |
| 7219 | Family Cancridae | |
| | <i>Cancer productus</i> | Randall 1839 |
| | Cancer perlatus | Stimpson 1856 |
| | <i>Glebocarcinus amphioetus</i> | (Rathbun 1898) |
| | Cancer amphioetus | Rathbun 1898 |
| | Cancer bullatus | Balss 1922 |
| | Cancer pygmaeus | Ortmann 1893 not Fabricius 1787 |
| | Trichocarcinus dentatus | Miers 1879 not Herbst 1785 |
| 7220 | <i>Glebocarcinus oregonensis</i> | (Dana 1852) |
| | Cancer oregonensis | (Dana 1852) |
| | Trichocera oregonensis | Dana 1852 |
| | Lophopanopeus somaterianus | Rathbun 1930 |
| | Platycarcinus recurvidens | Bate 1864 |
| | Trichocarcinus walkeri | Holmes 1900 |
| 7221 | <i>Metacarcinus anthonyi</i> | (Rathbun 1897) |
| | Cancer anthonyi | Rathbun 1897 |
| 7222 | <i>Metacarcinus gracilis</i> | (Dana 1852) |
| | Cancer gracilis | Dana 1852 |
| 7223 | <i>Romaleon antennarius</i> | (Stimpson 1856) |
| | Cancer antennarius | Stimpson 1856 |
| | Cancer antennaria | Stimpson 1856 |
| 7224 | <i>Romaleon branneri</i> | (Rathbun 1926) |
| | Cancer branneri | Rathbun 1926 |
| 7225 | <i>Romaleon gibbosulus</i> | Rathbun 1898 |
| | <i>Romaleon jordani</i> | (Rathbun 1900) |
| | Cancer jordani | Rathbun 1900 |
| 7226 | Superfamily Portunoidea | |
| 7227 | Family Portunidae | |
| | <i>Portunus xantusii</i> | (Stimpson 1860) |
| | Achelous xantusii | Stimpson 1860 |
| | Neptunus xantusii | of A. Milne Edwards 1879 |
| 7228 | Superfamily Xanthoidea | |
| 7229 | Family Panopeidae | |
| | Subfamily Panopeinae | |
| | <i>Lophopanopeus bellus</i> | (Stimpson 1860) |
| | Xantho bella | Stimpson 1860 |
| | Lophoxanthus bellus | of A. Milne Edwards 1879 in part |
| | Lophoxanthus diegensis | Rathbun 1900 |
| | Lophozomyrus (<i>Lophoxanthus</i>) bellus | of Miers 1886 |
| | Xantho hemphilliana | of Lockington 1877 |
| | Xanthodes hemphillii | Lockington 1877 |
| 7230 | <i>Lophopanopeus frontalis</i> | (Rathbun 1893) |
| | Lophozomyrus (<i>Lophoxanthus</i>) frontalis | Rathbun 1893 |
| | Lophoxanthus frontalis | of Holmes 1900 |
| 7231 | <i>Lophopanopeus leucomanus</i> | (Lockington 1877) |
| | Xanthodes leucomanus | Lockington 1877 |
| | Lophopanopeus heathi | Rathbun 1900 |
| | Lophoxanthus bellus | of A. Milne Edwards 1879 in part |
| | Lophoxanthus leucomanus | of Holmes 1900 |
| 7232 | Subfamily Eucratopsinae | |
| | <i>Malacoplax californiensis</i> | (Lockington 1877) |

| | | |
|------|---------------------------------------|---|
| 7273 | Eucrate ? californiensis | |
| 7274 | Speocarcinus californiensis | |
| 7275 | | Lockington 1877 |
| 7276 | | of Schmitt 1921 |
| 7277 | Family Xanthidae | |
| 7278 | Subfamily Xanthinae | |
| 7279 | <i>Paraxanthias taylori</i> | (Stimpson 1861) |
| 7280 | <i>Xanthodes taylori</i> | Stimpson 1861 |
| 7281 | <i>Xanthias taylori</i> | of Holmes 1900 |
| 7282 | Superfamily Pilumnoidea | |
| 7283 | Family Pilumnidae | |
| 7284 | <i>Pilumnus spinohirsutus</i> | (Lockington 1876) |
| 7285 | <i>Acanthus spinohirsutus</i> | Lockington 1876 |
| 7286 | Superfamily Pseudozioidae | |
| 7287 | Family Pilumnoididae | |
| 7288 | <i>Pilumnoides rotundus</i> | Garth 1940 |
| 7289 | Superfamily Pinnotheroidea | |
| 7290 | Family Pinnotheridae | |
| 7291 | Subfamily Pinnotherinae | |
| 7292 | <i>Fabia concharum</i> | (Rathbun 1893) |
| 7293 | <i>Cryptophrys concharum</i> | Rathbun 1893 |
| 7294 | <i>Fabia subquadrata</i> | Dana 1851 |
| 7295 | <i>Raphonotus subquadratus</i> | of Rathbun 1904 |
| 7296 | <i>Opisthopus transversus</i> | Rathbun 1893 |
| 7297 | <i>Pinnotheres pugettensis</i> | Holmes 1900 |
| 7298 | <i>Scleroplax granulata</i> | Rathbun 1893 |
| 7299 | <i>Scleroplax granulatus</i> | Rathbun 1893 |
| 7300 | <i>Pinnixa (Scleroplax) granulata</i> | of Holmes 1900 |
| 7301 | Subfamily Pinnothereliinae | |
| 7302 | <i>Pinnixa barnharti</i> | Rathbun 1918 |
| 7303 | <i>Pinnixa faba</i> | of Rathbun 1904 in part not (Dana 1851) |
| 7304 | <i>Pinnixa tumida</i> | of Streets 1877 not Stimpson 1858 |
| 7305 | <i>Pinnixa forficulimanus</i> | Zmarzly 1992 |
| 7306 | <i>Pinnixa franciscana</i> | Rathbun 1918 |
| 7307 | <i>Pinnixa hiatus</i> | Rathbun 1918 |
| 7308 | <i>Pinnixa littoralis</i> | Holmes 1894 |
| 7309 | <i>Pinnixa longipes</i> | (Lockington 1876) |
| 7310 | <i>Tubicola longipes</i> | Lockington 1876 |
| 7311 | <i>Pinnixa minuscula</i> | Zmarzly 1992 |
| 7312 | <i>Pinnixa occidentalis Cmplx</i> | |
| 7313 | <i>Pinnixa californiensis</i> | Rathbun 1893 |
| 7314 | <i>Pinnixa occidentalis</i> | Rathbun 1893 in part |
| 7315 | <i>Pinnixa scamit</i> | Martin & Zmarzly 1994 in part |
| 7316 | <i>Pinnixa schmitti</i> | Rathbun 1918 |
| 7317 | <i>Pinnixa occidentalis</i> | of Rathbun 1904 not Rathbun 1893 |
| 7318 | <i>Pinnixa tomentosa</i> | Lockington 1876 |
| 7319 | <i>Pinnixa ? nitida</i> | Lockington 1876 |
| 7320 | <i>Pinnixa tubicola</i> | Holmes 1894 |
| 7321 | <i>Pinnixa longipes</i> | of Weymouth 1910 not (Lockington 1876) |
| 7322 | Superfamily Palicoidea | |
| 7323 | Family Palicidae | |
| 7324 | <i>Palicus cortezi</i> | (Crane 1937) |
| 7325 | <i>Cymopodia cortezi</i> | Crane 1937 |
| 7326 | <i>Palicus lucasii</i> | Rathbun 1898 |
| 7327 | <i>Cymopolia lucasii</i> | of Rathbun 1930 |
| 7328 | Superfamily Grapoidea | |
| 7329 | Family Grapsidae | |
| 7330 | <i>Pachygrapsus crassipes</i> | Randall 1839 |
| 7331 | <i>Grapsus eydouxi</i> | H. Milne Edwards 1853 |
| 7332 | <i>Leptograpsus gonagrus</i> | H. Milne Edwards 1853 |
| 7333 | <i>Planes minutus</i> | (Linnaeus 1758) |
| 7334 | <i>Cancer minutus</i> | Linnaeus 1758 |
| 7335 | Family Varunidae | |
| 7336 | Subfamily Varuninae | |
| 7337 | <i>Hemigrapsus nudus</i> | (Dana 1851) |
| 7338 | <i>Pseudograpsus nudus</i> | Dana 1851 |
| 7339 | <i>Brachynotus nudus</i> | of Holmes 1900 |
| 7340 | <i>Heterograpsus nudus</i> | of Stimpson 1858 |
| 7341 | <i>Hemigrapsus oregonensis</i> | (Dana 1851) |
| 7342 | <i>Pseudograpsus oregonensis</i> | Dana 1851 |
| 7343 | <i>Brachynotus oregonensis</i> | of Holmes 1900 |
| 7344 | 7342 PHYLUM KINORHYNCHA | |
| | Order Homalorhagida | |
| | Suborder Homalorhagae | |

| | | | |
|------|---|------------------------------------|--|
| 7345 | Family Pycnophyidae | | |
| 7346 | <i>Kinorhynchus</i> sp | | |
| 7347 | PHYLUM NEMATODA | | |
| 7348 | unidentified | | |
| 7349 | PHYLUM ECHINODERMATA | | |
| 7350 | Subphylum Crinozoa | | |
| 7351 | Class Crinoidea | | |
| 7352 | Subclass Articulata | | |
| 7353 | Order Comatulida | | |
| 7354 | Superfamily Antedonoidea | | |
| 7355 | Family Antedonidae | | |
| 7356 | <i>Florometra serratissima</i> | (A. H. Clark 1907) | |
| 7357 | <i>Antedon serratissima</i> | A. H. Clark 1907 | |
| 7358 | <i>Antedon perplexa</i> | A. H. Clark 1907 | |
| 7359 | <i>Florometra perplexa</i> | of A. H. Clark 1921 | |
| 7360 | <i>Promachocrinus (Florometra) serratissima</i> | of A. H. Clark 1915 | |
| 7361 | Subphylum Asterozoa | | |
| 7362 | Class Asteroidea | | |
| 7363 | Superorder Platyasteracea | | |
| 7364 | Order Paxillosida | | |
| 7365 | Family Luidiidae | | |
| 7366 | <i>Luidia armata</i> | Ludwig 1905 | |
| 7367 | <i>Luidia ludwigi</i> | Fisher 1906 | |
| 7368 | <i>Luidia asthenosoma</i> | Fisher 1906 | |
| 7369 | <i>Luidia foliolata</i> | Grube 1866 | |
| 7370 | <i>Petalaster foliolata</i> | of Fell 1963 | |
| 7371 | Family Astropectinidae | | |
| 7372 | <i>Astropecten armatus</i> | Gray 1840 | |
| 7373 | <i>Astropecten (Braziliensis) armatus</i> | Gray 1840 | |
| 7374 | <i>Astropecten erinaceus</i> | Gray 1840 | |
| 7375 | <i>Astropecten oerstedi</i> | Lütken 1859 | |
| 7376 | <i>Astropecten peruvianus</i> | Verrill 1867 | |
| 7377 | <i>Astropecten sideralis</i> | Verrill 1914 | |
| 7378 | <i>Astropecten ornatissimus</i> | Fisher 1906 | |
| 7379 | <i>Astropecten (Braziliensis) ornatissimus</i> | Fisher 1906 | |
| 7380 | <i>Astropecten californicus</i> | Fisher 1906 | |
| 7381 | <i>Astropecten verrilli californicus</i> | of Fisher 1906 | |
| 7382 | <i>Astropecten verrilli</i> | of authors NEP not de Loriol 1899 | |
| 7383 | <i>Thrissacanthias penicillatus</i> | (Fisher 1905) | |
| 7384 | <i>Persephonaster penicillatus</i> | Fisher 1905 | |
| 7385 | Superorder Valvatacea | | |
| 7386 | Order Valvatida | | |
| 7387 | Suborder Granulosina | | |
| 7388 | Family Odontasteridae | | |
| 7389 | <i>Odontaster crassus</i> | Fisher 1905 | |
| 7390 | Family Goniasteridae | | |
| 7391 | <i>Ceramaster leptoceramus</i> | (Fisher 1905) | |
| 7392 | <i>Tosia leptoceramus</i> | Fisher 1905 | |
| 7393 | <i>Ceramaster patagonicus</i> | Sladen 1889 | |
| 7394 | <i>Hippasteria spinosa</i> | Verrill 1909 | |
| 7395 | <i>Mediaster aequalis</i> | Stimpson 1857 | |
| 7396 | <i>Pseudarchaster pusillus</i> | Fisher 1905 | |
| 7397 | Family Asterinidae | | |
| 7398 | <i>Patiria miniata</i> | (Brandt 1835) | |
| 7399 | <i>Asterias miniata</i> | Brandt 1835 | |
| 7400 | <i>Asterina miniata</i> | of SCAMIT Ed 4 | |
| 7401 | Order Spinulosida | | |
| 7402 | Suborder Leptognathina | | |
| 7403 | Family Solasteridae | | |
| 7404 | <i>Solaster borealis</i> | (Fisher 1905) | |
| 7405 | <i>Crossaster borealis</i> | Fisher 1905 | |
| 7406 | Family Poraniidae | | |
| 7407 | <i>Poraniopsis inflata</i> | (Fisher 1906) | |
| 7408 | <i>Alexandaster inflatus</i> | Fisher 1906 | |
| 7409 | <i>Alexandaster mirus</i> | Ludwig 1905 | |
| 7410 | <i>Poraniopsis inflata flexilis</i> | Fisher 1910 | |
| 7411 | Family Echinasteridae | | |
| 7412 | <i>Henricia aspera</i> | Fisher 1906 | |
| 7413 | <i>Henricia n sp</i> | Eernisse & Strathman MS | |
| 7414 | <i>Henricia laeviuscula</i> | of authors NEP not (Stimpson 1857) | |
| 7415 | Order Forcipulatida | | |
| 7416 | Suborder Brisingida | | |

| | | |
|------|---|-------------------------------------|
| 7417 | Family Brisingidae | |
| 7418 | <i>Brisingella pusilla</i> | |
| 7419 | Suborder Asteriadina | Fisher 1917 |
| 7420 | Family Asteriidae | |
| 7421 | <i>Astrotmetis sertulifera</i> | (Xantus 1860) |
| 7422 | <i>Asterias sertulifera</i> | Xantus 1860 |
| 7423 | <i>Aphanasterias pycnopodia</i> | Caso 1943 |
| 7424 | <i>Asterias forneri</i> | of Jennings 1907 not de Loriol 1887 |
| 7425 | <i>Coscinasterias sertulifera</i> | of Baker 1912 |
| 7426 | <i>Marthasterias sertulifera</i> | of Verrill 1914 |
| 7427 | <i>Orthasterias dawsoni</i> | Verrill 1914 |
| 7428 | <i>Orthasterias (Styelaasterias) gonolena</i> | Verrill 1914 |
| 7429 | <i>Leptasterias hexactis</i> | (Stimpson 1853) |
| 7430 | <i>Asterias hexactis</i> | Stimpson 1853 |
| 7431 | <i>Orthasterias koehleri</i> | (de Loriol 1897) |
| 7432 | <i>Asterias koehleri</i> | de Loriol 1887 |
| 7433 | <i>Pisaster brevispinus</i> | (Stimpson 1857) |
| 7434 | <i>Asterias brevispina</i> | Stimpson 1857 |
| 7435 | <i>Asterias paucispina</i> | Stimpson 1862 |
| 7436 | <i>Asterias (Pisaster) papulosa</i> | Verrill 1909 |
| 7437 | <i>Pisaster papulosus</i> | of Verrill 1914 |
| 7438 | <i>Pisaster paucispina</i> | of Verrill 1914 |
| 7439 | <i>Pisaster giganteus capitatus</i> | (Stimpson 1862) |
| 7440 | <i>Asterias capitata</i> | Stimpson 1862 |
| 7441 | <i>Pisaster capitatus</i> | of Verrill 1909 |
| 7442 | <i>Pisaster ochraceus</i> | (Brandt 1835) |
| 7443 | <i>Asterias ochracea</i> | Brandt 1835 |
| 7444 | <i>Asteracanthion margaritifer</i> | J. Müller & Troschel 1842 |
| 7445 | <i>Asterias conferta</i> | Stimpson 1862 |
| 7446 | <i>Asterias fissispina</i> | Stimpson 1862 |
| 7447 | <i>Pisaster ochraceus forma nodiferus</i> | Verrill 1914 |
| 7448 | <i>Pisaster ochraceus segnis</i> | Fisher 1926 |
| 7449 | <i>Pycnopodia helianthoides</i> | (Brandt 1835) |
| 7450 | <i>Asterias helianthoides</i> | Brandt 1835 |
| 7451 | <i>Rathbunaster californicus</i> | Fisher 1906 |
| 7452 | <i>Sclerasterias heteropaeas</i> | Fisher 1924 |
| 7453 | <i>Styelaasterias forneri</i> | (de Loriol 1887) |
| 7454 | <i>Asterias forneri</i> | de Loriol 1887 |
| 7455 | <i>Asterias (Urasterias) forcipulata</i> | Verrill 1909 |
| 7456 | <i>Orthasterias forneri</i> | of Verrill 1914 |
| 7457 | <i>Orthasterias forcipulata</i> | of Verrill 1914 |
| 7458 | <i>Orthasterias leptolena</i> | Verrill 1914 |
| 7459 | Family Asterodiscididae | |
| 7460 | <i>Dermasterias imbricata</i> | (Grube 1857) |
| 7461 | <i>Asteropsis imbricata</i> | Grube 1857 |
| 7462 | Family Ophidiasteridae | |
| 7463 | <i>Linckia columbiae</i> | Gray 1840 |
| 7464 | Order Zorocallida | |
| 7465 | Family Zoroasteridae | |
| 7466 | <i>Myxoderma platyacanthum</i> | (H. L. Clark 1913) |
| 7467 | <i>Zoroaster platyacanthus</i> | H. L. Clark 1913 |
| 7468 | Class Ophiuroidea | |
| 7469 | Order Phrymophiurida | |
| 7470 | Suborder Euryalina | |
| 7471 | Family Gorgonocephalidae | |
| 7472 | <i>Gorgonocephalus eucnemis</i> | (J. Müller & Troschel 1842) |
| 7473 | <i>Astrophyton eucnemis</i> | J. Müller & Troschel 1842 |
| 7474 | <i>Astrophyton Caryi</i> | Lyman 1860 |
| 7475 | <i>Astrophyton stimpsoni</i> | Verrill 1869 |
| 7476 | <i>Gorgonocephalus caryi</i> | of Verrill 1867 |
| 7477 | <i>Gorgonocephalus japonicus</i> | Döderlein 1902 |
| 7478 | <i>Gorgonocephalus sagaminius</i> | Doflein 1906 |
| 7479 | <i>Gorgonocephalus stimpsoni</i> | of Döderlein 1911 |
| 7480 | Family Asteronychidae | |
| 7481 | <i>Asteronyx longifissus</i> | Döderlein 1927 |
| 7482 | Suborder Ophiomixina | |
| 7483 | Family Ophiomyxidae | |
| 7484 | <i>Ophioscolex corynetes</i> | (H. L. Clark 1911) |
| 7485 | <i>Ophiocynodus corynetes</i> | H. L. Clark 1911 |
| 7486 | Order Ophiurida | |
| 7487 | Suborder Laemophiurina | |
| 7488 | Family Ophiacanthidae | |

| | | |
|------|----------------------------------|---|
| 7489 | <i>Ophiacantha diplasia</i> | H. L. Clark 1911 |
| 7490 | Ophioptilimus diplasia | Kyte 1982 |
| 7491 | <i>Ophiacantha phragma</i> | Ziesenhenne 1940 |
| 7492 | Suborder Gnathophiurina | |
| 7493 | Family Ophiactidae | |
| 7494 | <i>Ophiactis simplex</i> | (Le Conte 1851) |
| 7495 | Ophiolepis simplex | Le Conte 1851 |
| 7496 | <i>Ophiopholis bakeri</i> | McClelland 1909 |
| 7497 | <i>Ophiopholis longispina</i> | H. L. Clark 1911 |
| 7498 | | |
| 7499 | Family Amphiuridae | |
| 7500 | <i>Amphichondrius granulatus</i> | (Lütken & Mortensen 1899) |
| 7501 | Amphiura granulata | Lütken & Mortensen 1899 |
| 7502 | Amenichondrius granulosus | of Parker 1964 |
| 7503 | Amphichondrius granulosus | Nielsen 1932 |
| 7504 | Amphichondrius unamexici | Caso 1983 |
| 7505 | Amphipholis granulata | of H. L. Clark 1917 |
| 7506 | Amphipholis puntarenae | McClelland 1909 |
| 7507 | <i>Amphiodia digitata</i> | Nielsen 1932 |
| 7508 | Amphiodia (Amphispina) digitata | Nielsen 1932 |
| 7509 | Amphiodia barbaraee | of McClelland 1909 |
| 7510 | Ophiophragmus digitata | of Fell 1962 |
| 7511 | <i>Amphiodia psara</i> | H. L. Clark 1935 |
| 7512 | Amphiodia occidentalis | of authors SCB not (Lyman 1860) |
| 7513 | Diamphiodia psara | of Fell 1962 |
| 7514 | <i>Amphiodia urtica</i> | (Lyman 1860) |
| 7515 | Amphiura urtica | Lyman 1860 |
| 7516 | Amphiodia Barbarae | of Lyman 1880 |
| 7517 | Amphipholis urtica | of Ljungman 1867 |
| 7518 | Amphiura barbarae | Lyman 1875 |
| 7519 | Diamphiodia barbarae | of Fell 1962 |
| 7520 | Ophiophragmus urtica | of Fell 1962 |
| 7521 | <i>Amphioplus macraspis</i> | (H. L. Clark 1911) |
| 7522 | Amphiodia macraspis | H. L. Clark 1911 |
| 7523 | <i>Amphioplus strongyloplax</i> | (H. L. Clark 1911) |
| 7524 | Amphiodia strongyloplax | H. L. Clark 1911 |
| 7525 | Unioplus strongyloplax | of Fell 1962 |
| 7526 | <i>Amphioplus</i> sp A | SCAMIT 2004 § |
| 7527 | Amphioplus sp LA1 | Cadien 1998 § |
| 7528 | Amphioplus hexacanthus | of authors SCB not Clark 1911 |
| 7529 | <i>Amphipholis pugetana</i> | (Lyman 1860) |
| 7530 | Amphiura pugetana | Lyman 1860 |
| 7531 | Axiognathus pugetana | of Thomas 1960 |
| 7532 | <i>Amphipholis squamata</i> | (delle Chiaje 1828) |
| 7533 | Asterias squamata | delle Chiaje 1828 |
| 7534 | Amphiura squamata | of Koehler 1907 |
| 7535 | Axiognathus squamata | of Thomas 1966 |
| 7536 | Ophiolepis squamata | of J. Müller & Troschel 1842 |
| 7537 | <i>Amphiura arcystata</i> | H. L. Clark 1911 |
| 7538 | Amphiura arcystata | H. L. Clark 1911 |
| 7539 | Hemilepis arcystata | of Fell 1962 |
| 7540 | <i>Amphiura diomedae</i> | Lütken & Mortensen 1899 |
| 7541 | Amphiura diastata | of McClelland 1909 |
| 7542 | Amphiura koreae | of Matsumoto 1917 in part ? not Duncan 1879 |
| 7543 | Amphiura verrilli | of McClelland 1909 |
| 7544 | <i>Dougaloplus amphacanthus</i> | (McClelland 1909) |
| 7545 | Ophiochnida amphacantha | McClelland 1909 |
| 7546 | Amphiacantha amphacantha | of Matsumoto 1917 |
| 7547 | Amphiacantha pentacantha | of Matsumoto 1917 |
| 7548 | Amphilimna pentacantha | H. L. Clark 1911 |
| 7549 | Amphioplus hexacanthus | H. L. Clark 1911 |
| 7550 | Dougaloplus amphacantha | of A. M. Clark 1970 |
| 7551 | <i>Dougaloplus</i> sp A | SCAMIT 2004 § |
| 7552 | Dougaloplus sp SD1 | CSD 1988 § |
| 7553 | <i>Ophiocnida hispida</i> | (Le Conte 1851) |
| 7554 | Ophiolepis hispida | Le Conte 1851 |
| 7555 | Family Ophiotrichidae | |
| 7556 | <i>Ophiothrix spiculata</i> | Le Conte 1851 |
| 7557 | Ophiothrix dumosa | Lyman 1860 |
| 7558 | Family Ophiocomidae | |
| 7559 | <i>Ophiopsila californica</i> | A. H. Clark 1921 |
| 7560 | <i>Ophiopteris papillosa</i> | (Lyman 1875) |
| | Ophiocoma papillosa | Lyman 1875 |

| | | |
|------|---|--|
| 7561 | Family Ophiolepididae | |
| 7562 | <i>Ophioplacus esmarki</i> | Lyman 1874 |
| 7563 | | (Le Conte 1851) |
| 7564 | | Le Conte 1851 |
| 7565 | | Lütken 1856 |
| 7566 | | Ziesenhenne 1940 |
| 7567 | | Lyman 1860 |
| 7568 | | Hendler 2002 |
| 7569 | <i>Ophionereis diabolensis</i> | H. L. Clark 1911 |
| 7570 | <i>Ophionereis eurybrachiplax</i> | of Nielsen 1932 |
| 7571 | <i>Ophionereis eurybrachyplax</i> | |
| 7572 | Suborder Chilophiurina | |
| 7573 | Family Ophiodermatidae | |
| 7574 | <i>Ophioderma panamense</i> | Lütken 1859 |
| 7575 | <i>Ophiocryptus granulosus</i> | Nielsen 1932 |
| 7576 | <i>Ophiuroconis bispinosa</i> | Ziesenhenne 1937 |
| 7577 | | |
| 7578 | Family Ophiuridae | |
| 7579 | <i>Ophiocten</i> sp | (McClendon 1909) |
| 7580 | <i>Ophiosphalma jolliene</i> | McClendon 1909 |
| 7581 | <i>Ophiomusium joliense</i> | H. L. Clark 1915 |
| 7582 | <i>Ophiura leptocetina</i> | H. L. Clark 1901 |
| 7583 | <i>Ophiura luetkenii</i> | (Lyman 1860) |
| 7584 | <i>Ophioglypha Luetkenii</i> | Lyman 1860 |
| 7585 | <i>Ophioglypha Luetkeni</i> | of Lyman 1875 |
| 7586 | <i>Ophiura luetkeni</i> | of McClendon 1909 |
| 7587 | <i>Ophiura sarsi</i> | Lütken 1855 |
| 7588 | Subphylum Echinozoa | |
| 7589 | Class Echinoidea | |
| 7590 | Subclass Euechinoidae | |
| 7591 | Superorder Diadematacea | |
| 7592 | Order Diadematoida | |
| 7593 | Family Diadematidae | |
| 7594 | <i>Centrostephanus coronatus</i> | (Verrill 1867) |
| 7595 | <i>Echinodiadema coronata</i> | Verrill 1867 |
| 7596 | Superorder Echinacea | |
| 7597 | Order Camarodonta | |
| 7598 | Superfamily Odontophora | |
| 7599 | Family Toxopneustidae | |
| 7600 | <i>Lytechinus pictus</i> | (Verrill 1867) |
| 7601 | <i>Psammechinus pictus</i> | Verrill 1867 |
| 7602 | <i>Lytechinus anamesus</i> | H. L. Clark 1912 |
| 7603 | | |
| 7604 | Family Strongylocentrotidae | |
| 7605 | <i>Strongylocentrotus fragilis</i> | Jackson 1912 |
| 7606 | <i>Allocentrotus fragilis</i> | of authors NEP |
| 7607 | <i>Strongylocentrotus franciscanus</i> | (A. Agassiz 1863) |
| 7608 | <i>Toxicicardis franciscanus</i> | A. Agassiz 1863 |
| 7609 | <i>Strongylocentrotus purpuratus</i> | (Stimpson 1857) |
| 7610 | <i>Echinus purpuratus</i> | Stimpson 1857 |
| 7611 | <i>Toxicicardis purpuratus</i> | of A. Agassiz 1863 |
| 7612 | Order Clypeasteroida | |
| 7613 | Suborder Scutellina | |
| 7614 | Family Dendrasteridae | |
| 7615 | <i>Dendraster excentricus</i> | (Eschscholtz 1831) |
| 7616 | <i>Scutella excentrica</i> | Eschscholtz 1831 |
| 7617 | <i>Dendraster excentricus</i> var elongatus | H. L. Clark 1935 |
| 7618 | <i>Echinarchinus excentricus</i> | of A. Agassiz 1873 |
| 7619 | <i>Dendraster terminalis</i> | (Grant & Hertlein 1938) |
| 7620 | <i>Echinocyamus terminalis</i> | Grant & Hertlein 1938 |
| 7621 | <i>Dendraster laevis</i> | Clark 1948 |
| 7622 | Superorder Atelostomata | |
| 7623 | Order Spathangoida | |
| 7624 | Suborder Paleopneustina | |
| 7625 | Family Schizasteridae | |
| 7626 | <i>Brisaster latifrons</i> | (A. Agassiz 1898) |
| 7627 | <i>Schizaster latifrons</i> | A. Agassiz 1898 |
| 7628 | <i>Oppiaster latifrons</i> | Lambert & Thiery 1924 |
| 7629 | <i>Brisaster townsendi</i> | (A. Agassiz 1898) |
| 7630 | <i>Brisaster latifrons</i> | A. Agassiz 1898 |
| 7631 | <i>Schizaster ventricosus</i> | of authors SCB not A. Agassiz 1898 in part |
| 7632 | Suborder Brissidina | A. Agassiz 1881 |

| | | |
|---------------------|--|---|
| 7633 | Family Brissidae | |
| 7634 | <i>Brissopsis pacifica</i> | (A. Agassiz 1898) |
| 7635 | <i>Toxobrissus pacificus</i> | A. Agassiz 1898 |
| 7636 | <i>Kleinia pacifica</i> | Lambert & Thiery 1924 |
| 7637 | <i>Brissopsis</i> sp LA1 | Haney 2004 § |
| 7638 | | |
| 7639 | Family Spatangidae | |
| 7640 | <i>Nacospatangus laevis</i> | (H. L. Clark 1917) |
| 7641 | <i>Gonimaretia laevis</i> | H. L. Clark 1917 |
| 7642 | <i>Nacospatangus depressus</i> | (H. L. Clark 1917) |
| 7643 | <i>Spatangus californicus</i> | H. L. Clark 1917 |
| 7644 | | |
| 7645 | Family Loveniidae | |
| 7646 | <i>Lovenia cordiformis</i> | A. Agassiz 1872 |
| 7647 | | |
| Class Holothuroidea | | |
| 7648 | Order Dendrochirotida | |
| 7649 | Family Psolidae | |
| 7650 | <i>Lissothuria</i> sp | Lambert 1996 |
| 7651 | <i>Psolidium bidiscum</i> | H. L. Clark 1901 |
| 7652 | <i>Psolus chitonoides</i> | (Koren 1844) |
| 7653 | <i>Psolus squamatus</i> | Koren 1844 |
| 7654 | | |
| 7655 | Family Sclerodactylidae | |
| 7656 | <i>Eupentacta quinquesemita</i> | (Selenka 1867) |
| 7657 | <i>Cucumaria quinquesemita</i> | Selenka 1867 |
| 7658 | <i>Pachythylene rubra</i> | (H. L. Clark 1901) |
| 7659 | <i>Thyone rubra</i> | H. L. Clark 1901 |
| 7660 | | |
| 7661 | Family Phyllophoridae | |
| 7662 | <i>Havelockia benti</i> | (Deichmann 1937) |
| 7663 | <i>Thyone benti</i> | Deichmann 1937 |
| 7664 | <i>Havelockia benti</i> var <i>zacae</i> | of Panning 1949 |
| 7665 | <i>Thyone benti</i> var <i>zacae</i> | Deichmann 1938 |
| 7666 | <i>Havelockia charlottae</i> | (Deichmann 1938) |
| 7667 | <i>Pentamera charlottae</i> | Deichmann 1938 |
| 7668 | <i>Pentamera lissoplaca</i> | (H. L. Clark 1924) |
| 7669 | <i>Cucumaria lissoplaca</i> | H. L. Clark 1924 |
| 7670 | <i>Pentamera pediparva</i> | Lambert 1998 |
| 7671 | <i>Pentamera</i> sp B | Lambert 1997 |
| 7672 | <i>Pentamera populifera</i> | (Stimpson 1857) |
| 7673 | <i>Pentamera tenuicoriata</i> | Stimpson 1857 |
| 7674 | <i>Cladodactyla albida</i> | of Panning 1949 |
| 7675 | <i>Cucumaria populifera</i> | Brandt 1835 |
| 7676 | <i>Cucumaria tenuicoriata</i> | of Théel 1886 |
| 7677 | <i>Pentamera pseudocalcigera</i> | Wells 1924 |
| 7678 | <i>Cucumaria calcigera</i> | Deichmann 1938 |
| 7679 | <i>Pentamera pseudopopulifera</i> | of H. L. Clark 1901 not (Stimpson 1857) |
| 7680 | <i>Pentamera rigida</i> | Deichmann 1938 |
| 7681 | <i>Pentamera</i> sp A | Lambert 1998 |
| 7682 | <i>Pentamera trachyplaca</i> | Lambert 1997 |
| 7683 | <i>Cucumaria trachyplaca</i> | (Clark 1924) |
| 7684 | <i>Pentamera</i> sp C | Clark 1924 |
| 7685 | <i>Phyllophoridae</i> sp A | SCAMIT 2004 § |
| 7686 | <i>Phyllophoridae</i> sp SD1 | SCAMIT 2004 § |
| 7687 | <i>Phyllophoridae</i> sp B | Lilly 1998 § |
| 7688 | | SCAMIT 2004 § |
| 7689 | Family Cucumariidae | |
| 7690 | <i>Cucumaria miniata</i> | (Brandt 1835) |
| 7691 | <i>Cladodactyla miniata</i> | Brandt 1835 |
| 7692 | <i>Cucumaria piperata</i> | (Stimpson 1864) |
| 7693 | <i>Pentacta piperata</i> | Stimpson 1864 |
| 7694 | <i>Cucumaria fisheri</i> | Wells 1924 |
| 7695 | <i>Cucumaria salma</i> | Yingst 1972 |
| 7696 | <i>Cucumaria pseudocurata</i> | Deichmann 1938 |
| 7697 | <i>Cucumaria</i> sp A | SCAMIT 2004 § |
| 7698 | <i>Pseudocnus lubricus</i> | (H. L. Clark 1901) |
| 7699 | <i>Cucumaria lubrica</i> | H. L. Clark 1901 |
| 7700 | <i>Cucumaria fisheri astigmata</i> | Wells 1924 |
| 7701 | <i>Pseudocnus astigmatus</i> | of P. Lambert 1990 |
| 7702 | | |
| 7703 | Subclass Aspidochotacea | |
| 7704 | Order Aspidochirota | |
| | Family Stichopodidae | |
| | <i>Parastichopus californicus</i> | (Stimpson 1857) |
| | <i>Holothuria californica</i> | Stimpson 1857 |
| | <i>Stichopus californicus</i> | of H. L. Clark 1901 |

| | | |
|------|---|--------------------------------|
| 7705 | Stichopus fuscus | Théel 1886 |
| 7706 | <i>Parastichopus leucothele</i> | Lambert 1986 |
| 7707 | <i>Parastichopus parvimensis</i> | (H. L. Clark 1913) |
| 7708 | Stichopus parvimensis | H. L. Clark 1913 |
| 7709 | <i>Parastichopus</i> sp A | SCAMIT 2004 § |
| 7710 | Parastichopus sp A | SCAMIT 1998 § |
| 7711 | Family Synallactidae | |
| 7712 | <i>Synallactes virgulisolida</i> | Massin & Hendrickx 2010 |
| 7713 | <i>Synallactes alexandri</i> | of SCAMIT Ed 5 not Ludwig 1894 |
| 7714 | Order Elasipodida | |
| 7715 | Family Laetmogonidae | |
| 7716 | <i>Pannychia moseleyi</i> | Théel 1882 |
| 7717 | Laetmopasma fecundum | Ludwig 1894 |
| 7718 | <i>Pannychia moseleyi</i> var henrici | Ludwig 1894 |
| 7719 | <i>Pannychia pallida</i> | Fisher 1907 |
| 7720 | Subclass Apodacea | |
| 7721 | Order Apodida | |
| 7722 | Family Synaptidae | |
| 7723 | <i>Leptosynapta</i> sp | |
| 7724 | Family Chiridotidae | |
| 7725 | <i>Chiridota</i> sp | |
| 7726 | Family Myriotrichidae | |
| 7727 | <i>Myriotrochus</i> sp | |
| 7728 | Order Molpadida | |
| 7729 | Family Molpadiidae | |
| 7730 | <i>Molpadia intermedia</i> | (Ludwig 1894) |
| 7731 | Trochostoma intermedium | Ludwig 1894 |
| 7732 | Family Caudinidae | |
| 7733 | <i>Caudina arenicola</i> | (Stimpson 1857) |
| 7734 | <i>Liosoma arenicola</i> | Stimpson 1857 |
| 7735 | <i>Molpadia arenicola</i> | of H. L. Clark 1907 |
| 7736 | <i>Trochostoma arenicola</i> | of Théel 1886 |
| 7737 | <i>Paracaudina chilensis</i> | (J. Müller 1850) |
| 7738 | <i>Molpadia chilensis</i> | J. Müller 1850 |
| 7739 | <i>Caudina chilensis</i> | of H. L. Clark 1907 |
| 7740 | <i>Caudina pulchella</i> | R. Perrier 1905 |
| 7741 | <i>Caudina rugosa</i> | R. Perrier 1904 |
| 7742 | Family Euprygidiae | |
| 7743 | unidentified | |
| 7744 | PHYLUM PHORONA | |
| 7745 | Order Phoronida | |
| 7746 | Family Phoronidae | |
| 7747 | <i>Phoronis</i> sp | |
| 7748 | <i>Phoronopsis</i> sp | |
| 7749 | PHYLUM BRACHIOPODA | |
| 7750 | Class Inarticulata | |
| 7751 | Order Lingulida | |
| 7752 | Superfamily Linguloidea | |
| 7753 | Family Lingulidae | |
| 7754 | <i>Glottidia albida</i> | (Hinds 1844) |
| 7755 | <i>Lingula albida</i> | Hinds 1844 |
| 7756 | <i>Glottidea albida</i> | of Kepp 1904 |
| 7757 | <i>Glottidia palmeri</i> | Dall 1920 |
| 7758 | Class Articulata | |
| 7759 | Order Terebratulida | |
| 7760 | Suborder Terebratulidina | |
| 7761 | Superfamily Cancellothyridoidea | |
| 7762 | Family Cancellothyrididae | |
| 7763 | <i>Terebratulina crossei</i> | Davidson 1882 |
| 7764 | <i>Terebratulina crossii</i> | of Davidson 1886 |
| 7765 | <i>Terebratulina kiiensis</i> | Dall & Pilsbry 1891 |
| 7766 | <i>Terebratulina unguicula</i> | (Carpenter 1864) |
| 7767 | <i>Terebratulus unguicula</i> | Carpenter 1864 |
| 7768 | Suborder Terebratellidina | |
| 7769 | Superfamily Terebratelloidea | |
| 7770 | Family Laqueidae | |
| 7771 | <i>Laqueus californianus</i> | Koch 1847 |
| 7772 | <i>Laqueus californicus</i> | of Dall 1870 |
| 7773 | <i>Laqueus erythraeus</i> | Dall 1920 |
| 7774 | <i>Laqueus vancouverensis diegensis</i> | Hertlein & Grant 1960 |
| 7775 | <i>Megerlia Jeffreysi</i> | Dall 1877 |
| 7776 | <i>Terebratula californiana</i> | of Koch 1848 |

| | | |
|------|---|--|
| 7777 | Terebratula californianus f. vancouverensis | Davidson 1877 |
| 7778 | Terebratula californica | of G. B. Sowerby II 1847 |
| 7779 | Terebratula kochii | Küster in Martini-Chemnitz 1848 |
| 7780 | Waldheimia californica | of Gray 1853 |
| 7781 | | |
| 7782 | Family Dallinidae | (Dall 1871) |
| 7783 | <i>Terebratalia occidentalis</i> | Dall 1871 |
| 7784 | Terebratella occidentalis | of Thompson 1915 |
| 7785 | Dallinella obsoleta | of Thompson 1927 |
| 7786 | Dallinella occidentalis | Hertlein & Grant 1944 |
| 7787 | Miogryphus willetti | Hertlein & Grant 1944 |
| 7788 | Terebratalia arnoldi | Dall 1891 |
| 7789 | Terebratella occidentalis var obsoleta | Dall 1874 |
| 7790 | Waldheimia Kennedyi | (G. B. Sowerby I 1846) |
| 7791 | <i>Terebratalia transversa</i> | G. B. Sowerby I 1846 |
| 7792 | Terebratula transversa | of Dall 1920 |
| 7793 | Terebratalia caurina rubescens | Dall 1902 |
| 7794 | Terebratalia hemphilli | of Carson 1925 |
| 7795 | Terebratalia hemphillii | of DuBois 1916 not (G. B. Sowerby II 1846) |
| 7796 | Terebratalia obsoleta | Hatai 1936 |
| 7797 | Terebratalia rubescens | of Carpenter 1864 not (Adams & Reeve 1850) |
| 7798 | Terebratella coreanica | Gould 1852 |
| 7799 | Terebratula caurina | Gould 1850 |
| 7800 | Terebratula caurina transversa | of Dall 1907 |
| 7801 | Terebratulina transversa | of Carpenter 1864 not (Davidson 1852) |
| 7802 | Waldheimia grayi | |
| 7803 | | (Gabb 1861) |
| 7804 | | Gabb 1861 |
| 7805 | PHYLUM ECTOPROCTA | |
| 7806 | Class Stenolaemata | |
| 7807 | Order Cyclostomata | |
| 7808 | Suborder Tubuliporina | |
| 7809 | Family Annectocymidae | |
| 7810 | <i>Diaperiforma californica</i> | (d'Orbigny 1852) |
| 7811 | Idmonea californica | d'Orbigny 1852 |
| 7812 | Diaperoecia californica | of Osburn 1953 |
| 7813 | | |
| 7814 | Family Tubuliporidae | |
| 7815 | <i>Platonea</i> sp | (Gabb & Horn 1862) |
| 7816 | <i>Tubulipora tuba</i> | Gabb & Horn 1862 |
| 7817 | Semitubigera tuba | Robertson 1910 |
| 7818 | Tubulipora occidentalis | |
| 7819 | Suborder Articulata | |
| 7820 | Family Crisiidae | |
| 7821 | <i>Crisia occidentalis</i> | Trask 1857 |
| 7822 | Crisia eburnea | Robertson 1903 |
| 7823 | <i>Filicrisia</i> sp | |
| 7824 | Suborder Rectangularia | |
| 7825 | Family Lichenoporidae | |
| 7826 | <i>Disporella</i> sp | |
| 7827 | Class Gymnolaemata | |
| 7828 | Order Ctenostomata | |
| 7829 | Suborder Protoctenostomata | |
| 7830 | Superfamily Alcyonidioidae | |
| 7831 | Family Alcyoniidiae | |
| 7832 | <i>Alcyonium</i> sp A | MEC 1991 § |
| 7833 | Family Clavoporidae | |
| 7834 | <i>Clavopora occidentalis</i> | (Fewkes 1889) |
| 7835 | Ascorhiza occidentalis | Fewkes 1889 |
| 7836 | Clavopora sp A | MBC 1984 § |
| 7837 | Superfamily Valkeroioidea | |
| 7838 | Family Triticellidae | |
| 7839 | <i>Triticella elongata</i> | (Osburn 1912) |
| 7840 | Hippuraria elongata | Osburn 1912 |
| 7841 | Superfamily Arachnidioidea | |
| 7842 | Family Arachnidiidae | |
| 7843 | <i>Anguinella palmata</i> | van Beneden 1845 |
| 7844 | <i>Nolella</i> sp | |
| 7845 | Superfamily Vesicularoidea | |
| 7846 | Family Vesiculariidae | |
| 7847 | <i>Amathia distans</i> | Busk 1886 |
| 7848 | <i>Bowerbankia gracilis</i> | Leidy 1855 |
| | Bowerbankia caudata | Hincks 1880 |

| | | |
|------|--|------------------------------|
| 7849 | <i>Zoobotryon verticillatum</i> | (delle Chiaje 1828) |
| 7850 | <i>Hydra verticillata</i> | delle Chiaje 1828 |
| 7851 | <i>Zoobotryon pellucidus</i> | Ehrenberg 1831 |
| 7852 | Order Cheilostomata | |
| 7853 | Suborder Anasca | |
| 7854 | Superfamily Malacostegoidea | |
| 7855 | Family Membraniporidae | |
| 7856 | <i>Conopeum commensale</i> | Kirkpatrick & Metzelaar 1922 |
| 7857 | <i>Flustra savartii</i> | Audouin 1826 |
| 7858 | <i>Acanthodesia savarti</i> | of Osburn 1947 |
| 7859 | <i>Acanthodesia savartii</i> | of Canu & Bassler 1920 |
| 7860 | <i>Biflustra Savartii</i> | of Smitt 1873 |
| 7861 | <i>Membranipora tenuis</i> | Desor 1848 |
| 7862 | <i>Membranipora denticulata</i> | Busk 1856 |
| 7863 | <i>Acanthodesia denticulata</i> | of Hastings 1930 |
| 7864 | <i>Biflustra denticulata</i> | of Smitt 1873 |
| 7865 | <i>Hemiseptella denticulata</i> | of Canu & Bassler 1928 |
| 7866 | <i>Jellyella tuberculata</i> | (Bosc 1802) |
| 7867 | <i>Flustra tuberculata</i> | Bosc 1802 in part |
| 7868 | <i>Membranipora tehuelcha</i> | of Robertson 1908 |
| 7869 | <i>Membranipora tuberculata</i> | of Osburn 1947 |
| 7870 | <i>Nichtina tuberculata</i> | of Harmer 1926 |
| 7871 | Family Hincksinidae | |
| 7872 | <i>Antropora tincta</i> | (Hastings 1930) |
| 7873 | <i>Crassimarginatella tincta</i> | Hastings 1930 |
| 7874 | <i>Membranipora lacroixii</i> | of Robertson 1908 in part |
| 7875 | Family Calloporidae | |
| 7876 | <i>Cauloramphus echinus</i> | (Hinks 1882) |
| 7877 | <i>Membranipora echinus</i> | Hincks 1882 |
| 7878 | <i>Tegella aquilirostris</i> | (O'Donoghue 1923) |
| 7879 | <i>Membranipora aquilirostris</i> | O'Donoghue 1923 |
| 7880 | <i>Tegella circumclathrata</i> | (Hincks 1881) |
| 7881 | <i>Membranipora circumclathrata</i> | Hincks 1881 |
| 7882 | <i>Callopora circumclathrata</i> | of Osburn 1950 |
| 7883 | <i>Retevirgula circumclathrata</i> | of Brown 1948 |
| 7884 | Family Chapperiidae | |
| 7885 | <i>Chapperiopsis californica</i> | (Osburn 1950) |
| 7886 | <i>Chapperia californica</i> | Osburn 1950 |
| 7887 | <i>Chapperiopsis patula</i> | (Hincks 1881) |
| 7888 | <i>Membranipora patula</i> | Hincks 1881 |
| 7889 | <i>Amphiblestrum patulum</i> | of O'Donoghue 1926 |
| 7890 | <i>Chapperia patula</i> | of Osburn 1950 |
| 7891 | Superfamily Coilostegoidea | |
| 7892 | Family Microporidae | |
| 7893 | <i>Micropora</i> sp | |
| 7894 | Family Thalamoporellidae | |
| 7895 | <i>Thalamoporella californica</i> | Levinsen 1909 |
| 7896 | <i>Thalamoporella rozieri</i> var <i>californica</i> | Levinsen 1909 |
| 7897 | <i>Steganoporella rozieri</i> form <i>gothica</i> | Hincks 1880 |
| 7898 | Family Lunulariidae | |
| 7899 | <i>Discoporella umbellata</i> | (Defrance 1823) |
| 7900 | <i>Lunulites umbellata</i> | Defrance 1823 |
| 7901 | Superfamily Pseudostegoidea | |
| 7902 | Family Cellariidae | |
| 7903 | <i>Cellaria diffusa</i> | Robertson 1905 |
| 7904 | <i>Cellaria fissurifera</i> | Canu & Bassler 1923 |
| 7905 | <i>Cellaria mandibulata</i> | Hincks 1882 |
| 7906 | Superfamily Cellularoidea | |
| 7907 | Family Candiae | |
| 7908 | <i>Scrupocellarria diegensis</i> | Robertson 1905 |
| 7909 | <i>Scrupocellarria ferox</i> | Busk 1862 |
| 7910 | <i>Scrupocellarria cyclostomata</i> | Kirkpatrick 1890 |
| 7911 | <i>Scrupocellarria varians</i> | Hincks 1882 |
| 7912 | <i>Tricellaria occidentalis</i> | (Trask 1857) |
| 7913 | <i>Menipea occidentalis</i> | Trask 1857 |
| 7914 | <i>Tricellaria praescuta</i> | Osburn 1950 |
| 7915 | Family Epistomiidae | |
| 7916 | <i>Synnotum aegyptiacum</i> | (Audouin 1826) |
| 7917 | <i>Loricaria aegyptiaca</i> | Audouin 1826 |
| 7918 | <i>Synnotum aviculare</i> | Robertson 1906 |
| 7919 | Family Bugulidae | |
| 7920 | <i>Bugula longirostata</i> | Robertson 1905 |

| | | |
|------|---|---|
| 7921 | <i>Bugula neritina</i> | (Linnaeus 1758) |
| 7922 | <i>Sertularia neritina</i> | Linnaeus 1758 |
| 7923 | | Robertson 1905 |
| 7924 | <i>Bugula pacifica</i> | of Robertson 1900 not Norman 1868 |
| 7925 | <i>Bugula pururopincta</i> | (Robertson 1905) |
| 7926 | <i>Caulibugula californica</i> | Robertson 1905 |
| 7927 | <i>Stirparia californica</i> | of O'Donoghue 1926 |
| 7928 | <i>Stirpariella californica</i> | (Robertson 1905) |
| 7929 | <i>Caulibugula ciliata</i> | Robertson 1905 |
| 7930 | <i>Stirparia ciliata</i> | (Robertson 1905) |
| 7931 | <i>Dendrobeania curvirostrata</i> | (Robertson 1905) |
| 7932 | <i>Bugula curvirostrata</i> | Robertson 1905 |
| 7933 | | Osburn 1952 |
| 7934 | Family Petraliidae | |
| 7935 | <i>Hippopodina californica</i> | |
| 7936 | Suborder Ascophora | |
| 7937 | Family Hippothoidae | |
| 7938 | <i>Celleporella hyalina</i> | (Linnaeus 1767) |
| 7939 | <i>Cellepora hyalina</i> | Linnaeus 1767 |
| 7940 | <i>Hippothoa hyalina</i> | of Osburn 1952 |
| 7941 | <i>Schizoporella hyalina</i> | of Robertson 1900 |
| 7942 | <i>Hippodiplosia insculpta</i> | (Hincks 1882) |
| 7943 | <i>Schizoporella insculpta</i> | Hincks 1882 |
| 7944 | | |
| 7945 | Family Schizoporellidae | |
| 7946 | <i>Schizoporella inarmata</i> | Hincks 1884 |
| 7947 | <i>Schizoporella linearia</i> var <i>inarmata</i> | Hincks 1884 |
| 7948 | | |
| 7949 | Family Microporellidae | |
| 7950 | <i>Microporella</i> sp | |
| 7951 | | |
| 7952 | Family Smittinidae | |
| 7953 | <i>Parasmittina californica</i> | (Robertson 1908) |
| 7954 | <i>Mucronella californica</i> | Robertson 1908 |
| 7955 | <i>Parasmittina trispinosa</i> | of SCAMIT Ed 4 not (Johnson 1838) |
| 7956 | <i>Parasmittina tubulata</i> | Osborn 1952 |
| 7957 | <i>Smittina</i> sp | |
| 7958 | | |
| 7959 | Family Celleporidae | |
| 7960 | <i>Celleporina robertsoniae</i> | (Canu & Bassler 1923) |
| 7961 | <i>Costazia robertsoniae</i> | Canu & Bassler 1923 |
| 7962 | <i>Cellepora costazi</i> | of Robertson 1908 in part |
| 7963 | <i>Costazia robertsoniae</i> | of Osborn 1952 |
| 7964 | | |
| 7965 | <i>Celleporina souleae</i> | Morris 1979 |
| 7966 | <i>Costazia costazi</i> | of Osburn 1952 in part not (Audouin 1826) |
| 7967 | | |
| 7968 | Family Celloporariidae | |
| 7969 | <i>Celleporaria brunnea</i> | (Hincks 1884) |
| 7970 | <i>Cellepora brunnea</i> | Hincks 1884 |
| 7971 | <i>Holoporella brunnea</i> | of Osburn 1952 |
| 7972 | | |
| 7973 | Family Phidoloporidae | |
| 7974 | <i>Phidolopora labiata</i> | Gabb & Horn 1863 |
| 7975 | <i>Phidolopora pacifica</i> | (Robertson 1908) |
| 7976 | PHYLUM CHORDATA | |
| 7977 | Subphylum Hemichordata | |
| 7978 | Class Enteropneusta | |
| 7979 | | |
| 7980 | Family Ptichoderidae | |
| 7981 | <i>Balanoglossus</i> sp | |
| 7982 | | |
| 7983 | Family Spengeliidae | |
| 7984 | <i>Schizocardium</i> sp | |
| 7985 | | |
| 7986 | Family Harrimaniidae | |
| 7987 | <i>Saccoglossus</i> sp | |
| 7988 | <i>Stereobalanus</i> sp | |
| 7989 | Subphylum Urochordata | |
| 7990 | Class Ascidiacea | |
| 7991 | Order Aplousobranchiata | |
| 7992 | | |
| 7993 | Family Polycitoridae | |
| 7994 | <i>Cystodytes lobatus</i> | (Ritter 1900) |
| 7995 | <i>Distoma lobata</i> | Ritter 1900 |
| 7996 | <i>Cystodites cretaceous</i> | of Ritter 1907 not von Drasche 1883 |

| | | |
|------|-----------------------------------|-----------------------------|
| 7993 | Eudistoma lobatum | of Hartmeyer 1909-1911 |
| 7994 | | |
| 7995 | Family Holozoidae | Bancroft 1899 |
| 7996 | <i>Distaplia occidentalis</i> | Michaelsen 1923 |
| 7997 | <i>Distaplia californica</i> | of Hartmeyer 1909-1911 |
| 7998 | <i>Holozoa occidentalis</i> | |
| 7999 | Family Polyclinidae | (Ritter & Forsyth 1917) |
| 8000 | <i>Polyclinum planum</i> | Ritter & Forsyth 1917 |
| 8001 | <i>Glossophorum planum</i> | |
| 8002 | Order Phlebobranchiata | |
| 8003 | Family Cionidae | (Linnaeus 1767) |
| 8004 | <i>Ciona intestinalis</i> | Linnaeus 1767 |
| 8005 | <i>Ascidia intestinalis</i> | O. F. Müller 1777 |
| 8006 | <i>Ascidia canina</i> | L. Agassiz 1850 |
| 8007 | <i>Ascidia ocellata</i> | of Traustedt 1880 |
| 8008 | <i>Ciona canina</i> | of Verrill 1880 |
| 8009 | <i>Ciona ocellata</i> | of Hartmeyer 1915 |
| 8010 | <i>Ciona sociabilis</i> | Gunnerus 1765 |
| 8011 | <i>Tethyum sociabile</i> | Herdman 1882 |
| 8012 | <i>Ciona savignyi</i> | |
| 8013 | Family Perophoridae | Ritter 1893 |
| 8014 | <i>Perophora annexens</i> | |
| 8015 | Family Corellidae | Huntsman 1912 |
| 8016 | <i>Chelyosoma columbianum</i> | Stimpson 1864 |
| 8017 | <i>Chelyosoma productum</i> | Stimpson 1864 |
| 8018 | <i>Chelyosoma producta</i> | Herdman 1898 |
| 8019 | <i>Corella willmeriana</i> | Huntsman 1912 |
| 8020 | <i>Corella rugosa</i> | |
| 8021 | Family Ascidiidae | Oka 1935 |
| 8022 | <i>Ascidia zara</i> | |
| 8023 | Family Agneziidae | (Huntsman 1912) |
| 8024 | <i>Agnezia septentrionalis</i> | Huntsman 1912 |
| 8025 | <i>Agnesia septentrionalis</i> | Ritter 1913 |
| 8026 | <i>Agnesia beringia</i> | |
| 8027 | Order Stolidobranchiata | |
| 8028 | Family Styelidae | |
| 8029 | <i>Botrylloides</i> sp | (Redikorzev 1907) |
| 8030 | <i>Cnemidocarpa rhizopus</i> | Redikorzev 1907 |
| 8031 | <i>Styela rhizopus</i> | Ärnbäck 1922 |
| 8032 | <i>Cnemidocarpa cirrata</i> | Hartmeyer 1923 |
| 8033 | <i>Cnemidocarpa sabulifera</i> | of Ritter 1913 |
| 8034 | <i>Metandrocarpa taylori</i> | Huntsman 1912 |
| 8035 | <i>Polyandrocarpa zorritensis</i> | (Van Name 1931) |
| 8036 | <i>Stolonica zorritensis</i> | Van Name 1931 |
| 8037 | <i>Styela canopus</i> | Savigny 1816 |
| 8038 | <i>Styela barbaris</i> | Kott 1952 |
| 8039 | <i>Styela partita</i> | (Stimpson 1852) |
| 8040 | <i>Styela rectangularis</i> | Kott 1952 |
| 8041 | <i>Styela clava</i> | Herdman 1881 |
| 8042 | <i>Styela barnhardti</i> | of Van Name 1945 not Ritter |
| 8043 | <i>Styela coriacea</i> | (Alder & Hancock 1848) |
| 8044 | <i>Cynthia coriacea</i> | Alder & Hancock 1848 |
| 8045 | <i>Ascidia lovenii</i> | M. Sars 1851 |
| 8046 | <i>Cynthia placentaria</i> | Packard 1867 |
| 8047 | <i>Goniocarpa coccodes</i> | Huntsman 1912 |
| 8048 | <i>Goniocarpa coriacea</i> | of Huntsman 1912 |
| 8049 | <i>Goniocarpa lovenii</i> | of Huntsman 1912 |
| 8050 | <i>Goniocarpa placenta</i> | of Huntsman 1912 |
| 8051 | <i>Styela loveni</i> | of Ritter 1913 |
| 8052 | <i>Styela lovenii</i> | of Hartmeyer 1914 |
| 8053 | <i>Tethyum coriacum</i> | of Hartmeyer 1912 |
| 8054 | <i>Tethyum loveni</i> | of Hartmeyer 1912 |
| 8055 | <i>Styela gibbsii</i> | (Stimpson 1864) |
| 8056 | <i>Cynthia gibbsii</i> | Stimpson 1864 |
| 8057 | <i>Tethyum gibbsii</i> | of Hartmeyer 1909-1911 |
| 8058 | <i>Styela montereyensis</i> | (Dall 1872) |
| 8059 | <i>Cynthia montereyensis</i> | Dall 1872 |
| 8060 | <i>Clavelinopsis rubra</i> | Fewkes 1889 |
| 8061 | <i>Styela rubra</i> | of Ritter 1896 |
| 8062 | <i>Tethyum montereyense</i> | of Hartmeyer 1909-1911 |
| 8063 | <i>Styela plicata</i> | (Lesueur 1823) |
| 8064 | <i>Ascidia plicata</i> | Lesueur 1823 |

| | | |
|------|-------------------------------------|--------------------------------|
| 8065 | Styela gyrosa | Heller 1877 |
| 8066 | Styela barnharti | Ritter & Forsyth 1917 |
| 8067 | Tethym plicatum | of Hartmeyer 1909-1911 |
| 8068 | <i>Styela truncata</i> | Ritter 1901 |
| 8069 | Katatropa uclueletensis | Huntsman 1912 |
| 8070 | Katatropa vancouverensis | Huntsman 1912 |
| 8071 | Tethym truncatum | of Hartmeyer 1909-1911 |
| 8072 | | |
| 8073 | Family Pyuridae | Young & Vazquez 1995 |
| 8074 | <i>Bathypera feminalba</i> | (Ritter 1907) |
| 8075 | <i>Bathypera ovoida</i> | Ritter 1907 |
| 8076 | Halomolgula ovoida | Herdman 1923 in part |
| 8077 | <i>Bathypera splendens</i> | (Linnaeus 1767) |
| 8078 | <i>Boltenia echinata</i> | Linnaeus 1767 |
| 8079 | Ascidia echinata | Agassiz 1850 |
| 8080 | Ascidia hirsuta | of Huntsman 1912 |
| 8081 | <i>Boltenia hirsuta</i> | Hartmeyer 1899 |
| 8082 | Cynthia arctica | of Stimpson 1854 |
| 8083 | Cynthia echinata | of Ritter 1913 |
| 8084 | <i>Halocynthia echinata</i> | (Stimpson 1864) |
| 8085 | <i>Boltenia villosa</i> | Stimpson 1864 |
| 8086 | Cynthia villosa | of Ritter 1913 |
| 8087 | <i>Halocynthia castaneiformis</i> | of Ritter 1907 |
| 8088 | <i>Halocynthia villosa</i> | Oka 1906 |
| 8089 | <i>Halocynthia igaboya</i> | Ritter 1907 |
| 8090 | Halocynthia okai | of Hartmeier 1909-1911 |
| 8091 | Pyura okai | of Huntsman 1912 |
| 8092 | Tethym igaboya | Hartmeyer & Michaelsen 1926 |
| 8093 | <i>Microcosmus squamiger</i> | of authors NEP not Heller 1878 |
| 8094 | Microcosmos exasperatus | (Stimpson 1864) |
| 8095 | <i>Pyura haustor</i> | Stimpson 1864 |
| 8096 | Cynthia haustor | Ritter 1900 |
| 8097 | Cynthia erecta | Ritter 1900 |
| 8098 | Cynthia macrosiphonius | of Ritter 1909 |
| 8099 | <i>Halocynthia haustor</i> | Ritter 1913 |
| 8100 | <i>Halocynthia haustor foliacea</i> | Ritter 1909 |
| 8101 | <i>Halocynthia johnsoni</i> | Ritter 1913 |
| 8102 | <i>Halocynthia washingtona</i> | Michaelsen 1908 |
| 8103 | <i>Pyura lignosa</i> | (von Drasche 1884) |
| 8104 | <i>Pyura mirabilis</i> | von Drasche 1884 |
| 8105 | Cynthia mirabilis | of Oka 1906 |
| 8106 | <i>Halocynthia mirabilis</i> | Ritter 1907 |
| 8107 | <i>Microcosmus transversus</i> | |
| 8108 | | |
| 8109 | Family Molgulidae | Van Name 1945 |
| 8110 | <i>Eugyra arenosa californica</i> | Herdman 1898 |
| 8111 | <i>Molgula pugetiensis</i> | Huntsman 1912 |
| 8112 | Caesira apoploa | of Huntsman 1912 |
| 8113 | Caesira pugetiensis | G. Lambert 1993 |
| 8114 | <i>Molgula napiformis</i> | Ritter 1907 |
| 8115 | <i>Molgula regularis</i> | of Hartmeyer 1901-1911 |
| 8116 | Euritteria regularis | of Huntsman 1922 |
| 8117 | <i>Molgula verrucifera</i> | Ritter & Forsyth 1917 |
| 8118 | <i>Molgula</i> sp SD1 | Lilly 1999 § |
| 8119 | Subphylum Cephalochordata | |
| 8120 | | |
| 8121 | Family Branchiostomatidae | |
| | <i>Branchiostoma californiense</i> | (Andrews 1893) |
| | Amphioxus californiense | Andrews 1893 |



INDEX

All taxon names are indexed to line numbers. Species names are indexed by specific, subspecific, varietal, and subgeneric names where applicable.

INDEX

A

| | | | |
|-------------------------------------|------|---|------|
| Aartsenia pupiformis | 2118 | "aciculatus, Cirrophorus" | 3943 |
| Abarenicola pacifica | 3729 | "aciculiger, Pterynotus" | 1821 |
| Abarenicola pusilla | 3730 | Acidostoma hancocki | 6383 |
| "abbreviata, Amblyops" | 5601 | Aclla (Truncacilla) beringiana | 2621 |
| "abbreviata, Amblyopsis" | 5602 | Aclla castrensis | 2619 |
| "abbreviata, Eudistylia" | 4732 | "acinatus, Callistochiton" | 965 |
| "abditis, Leptostylis" | 6793 | "aciratus, Asclerocheilus" | 3979 |
| "abdominalis, Phyllodurus" | 6452 | "aciratus, Sclerocheilus" | 3980 |
| "aberrans, Cadulus" | 3566 | Aclididae | 1675 |
| "aberrans, Calyptraea" | 2890 | Aclis occidentalis | 1676 |
| "aberrans, Gadila" | 3565 | Acmaea (?) pileolus Midd. var.) rosacea | 1087 |
| "aberrans, Pulsellum" | 3570 | Acmaea (Collisella) patina var ochracea | 1081 |
| Aberranta sp SD1 | 4656 | Acmaea digitalis | 1072 |
| Aberranta sp SD2 | 4657 | Acmaea limatula | 1079 |
| Aberrantidae | 4655 | Acmaea mitra | 1098 |
| Abietenaria expansa | 311 | Acmaea pelta | 1084 |
| Abietenaria inconstans | 313 | Acmaea strigatella | 1093 |
| Abietinaria traski | 315 | Acmaeidae | 1097 |
| Abludomelita desdichada | 6288 | "acmeceps profundus, Scoloplos" | 3878 |
| Abludomelita sub tener | 6294 | "acmeceps, Scoloplos" | 3877 |
| "abronia, Cratena" | 2546 | Acmira assimilis | 3883 |
| "abronia, Cuthona" | 2545 | Acmira assimilis | 3901 |
| "abronia, Trinchesia" | 2547 | Acmira catherinae | 3882 |
| "abronius, Paraphoxus" | 6139 | "(Acmira) catherinae, Aricidea" | 3881 |
| "abronius, Rhepoxyrius" | 6138 | Acmira cerrutii | 3890 |
| "abrupta, Panopea" | 3234 | "(Acmira) cerrutii, Aricidea" | 3889 |
| "abrupta, Saxicava" | 3353 | Acmira horikoshii | 3893 |
| Acanthancora cyanocrypta | 92 | "(Acmira) horikoshii, Aricidea" | 3892 |
| Acanthasciniae | 15 | Acmira lopezi | 3895 |
| Acanthaxius spinulicaudus | 7003 | "(Acmira) lopezi, Aricidea" | 3894 |
| Acanthina lugubris | 1827 | "(Acmira) rubra, Aricidea" | 3900 |
| Acanthina spirata | 1809 | Acmira simplex | 3908 |
| Acanthina tyrianthina | 1828 | "(Acmira) simplex, Aricidea" | 3907 |
| Acanthinucella punctulata | 1805 | "(Acmira) taylori, Aricidea" | 3914 |
| Acanthinucella spirata | 1807 | Acmira sp A | 3884 |
| Acanthochites avicula | 1017 | Acmira sp B | 3902 |
| Acanthochites avicula var diegensis | 1018 | Acoetes mortensenii | 3999 |
| Acanthochitona avicula | 1016 | Acoetes pacifica | 4002 |
| Acanthochitonidae | 1015 | Acoetidae | 3998 |
| Acanthochitonina | 1014 | Acotylea | 565 |
| Acanthodesia denticulata | 7863 | Acrocirridae | 4822 |
| Acanthodesia savarti | 7858 | Acrocirrus frontifilis | 4823 |
| Acanthodesia savartii | 7859 | "acrostephanus, Epitonium (Crisposcalia)" | 1577 |
| Acanthodoris brunnea | 2407 | "acrystata, Amphura" | 7537 |
| Acanthodoris hudsoni | 2408 | Actaeon (Microglyphis) breviculus | 2189 |
| Acanthodoris lutea | 2409 | Actaeon (Rictaxis) painei | 2102 |
| Acanthodoris rhodoceras | 2410 | Acteocina (Coleophysis) harpa | 2266 |
| Acanthogrubia uncinata | 5737 | Acteocina carinata | 2248 |
| Acantholithodes hispidus | 7112 | "(Acteocina) carinata, Retusa" | 2250 |
| Acanthomunna tannerensis | 6572 | Acteocina cerealis | 2251 |
| Acanthomysis brunnea | 5620 | Acteocina culcitella | 2260 |
| Acanthomysis californica | 5615 | Acteocina culcitella eximia | 2255 |
| Acanthomysis costata | 5623 | Acteocina culcitella intermedia | 2256 |
| Acanthomysis costata | 5626 | Acteocina eximia | 2253 |
| Acanthomysis davisi | 5622 | Acteocina harpa | 2263 |
| Acanthomysis macropsis | 5618 | Acteocina inculta | 2270 |
| Acanthomysis nephrophthalma | 5636 | Acteocina oldroydi | 2265 |
| Acanthopleura fluxa | 1036 | Acteon (Rictaxis) punctocaelata | 2106 |
| "acanthopoda, Mayerella" | 5816 | Acteon (Rictaxis) punctocaelatus | 2107 |
| Acanthoptilum sp | 397 | Acteon punctocaelatus vancouverensis | 2105 |
| "acanthosoma, Aiconula" | 5782 | Acteon traskii | 2100 |
| Acanthus spino-hirsutus | 7283 | Acteonidae | 2098 |
| Acariformes | 5402 | Acteoninae | 2099 |
| Acarina | 5401 | Actenoidea | 2097 |
| "acarina, Ilyarachna" | 6613 | "acticola, Notocomplana" | 605 |
| "(Acarina) ilgi, Antho" | 80 | "acticola, Notoplana" | 606 |
| "(Acarina) karykina, Antho" | 82 | Actinia elegantissima | 511 |
| Acarnidae | 60 | Actinia farcimen | 543 |
| Acarus erithracus | 61 | Actinia priapus | 544 |
| Acerotis californica | 661 | Actinia xanthogrammica | 513 |
| "(Acesta) catherinae, Aricidea" | 3885 | Actiniaria | 462 |
| "(Acesta) cerrutii, Aricidea" | 3891 | Actiniidae | 509 |
| "(Acesta) finitima, Aricidea" | 3904 | "(Actinocyclus?) sandiegensis, Doris" | 2379 |
| "(Acesta) lopezi lopezi, Aricidea" | 3898 | "actinophila, Cryptoneermes" | 774 |
| "(Acesta) simplex, Aricidea" | 3909 | "actinophila, Nemertopsisella" | 776 |
| "(Acesta) taylori, Aricidea" | 3916 | "actinophila, Nemertopsis" | 775 |
| Acharacinae | 2602 | Actinostola sp A | 529 |
| Acharax johnsoni | 2603 | Actinostolidae | 528 |
| Achelata | 7016 | "actius, Zaolitus" | 521 |
| Achelia chelata | 5333 | "aculeata, Crepidula" | 1299 |
| Achelia simplissima | 5335 | "aculeata, Idotea" | 6511 |
| Achelous xantusii | 7251 | "aculeata, Patella" | 1300 |
| "acherusicum, Corophium" | 5761 | "aculeata, Pennatula" | 415 |
| "acherusicum, Monocorophium" | 5760 | "aculeata, Pentidotea" | 6512 |
| Aiconula acanthosoma | 5782 | "acuminata Cmplx, Neanthes" | 4157 |
| Aiconula sp A | 5783 | "acuminata, Neanthes" | 4158 |
| "acicula, Goniada" | 4338 | "acuminata, Nerocila" | 6426 |
| Aciculata | 3994 | "acuminata, Ophelina" | 3832 |
| "aciculata, Aricidea (Cirrophorus)" | 3940 | Acuminodeutopinae | 5712 |
| | | Acuminodeutopus heteroporus | 5713 |
| | | "acuta, Chaetozone" | 4862 |
| | | "acuta, Lumbrineris" | 4541 |

INDEX

| | | | |
|---|------|---|------|
| "acuta, Mya" | 3394 | "affinis, Crangon crangon" | 6951 |
| "acuta, Nerinides" | 5260 | "affinis, Cryptonatica" | 1390 |
| "acuta, Nuculana" | 2652 | "affinis, Harpinia" | 6194 |
| "acuta, Spio" | 5261 | "affinis, Heterophoxus" | 6193 |
| "acutelirata, Rissa" | 1418 | "affinis, Neotrypaea" | 6984 |
| "acuteostata, Lirularia" | 1160 | "affinis, Nerita" | 1391 |
| "acuteostata, Margarita" | 1161 | "affinis, Onuphis" | 4633 |
| "acuteostata, Margarites (Lirularia)" | 1163 | "affinis, Pantomus" | 6942 |
| "acuteostatus, Margarites" | 1162 | "affinis, Solecurtus" | 3200 |
| "acuteostatus, Margarites (Pupillaria)" | 1164 | "affinis, Sternaspis" | 4958 |
| "acuteifrons var natalensis, Caprella" | 5802 | "affinis, Tagelus" | 3199 |
| "acuteifrons var verrucosa, Caprella" | 5810 | "agassizi, Ampelisca" | 6218 |
| "acuteifrons, Ampharete" | 4964 | "agassizi, Byblis" | 6219 |
| "acuteifrons, Amphiteis" | 4965 | "agassizi, Pista" | 5044 |
| "acuteifrons, Caprella" | 5811 | "agassizi, Pista" | 5048 |
| "acuteifrons, Scyra" | 7191 | "agassizi, Platynereis" | 4176 |
| "acuteifrons, Scyra" | 7192 | "agassizi, Platynereis dumerili var" | 4177 |
| "acuteilineata, Lucina (Myrtea)" | 2955 | "agassizi, Phascolosoma" | 3702 |
| "acutilirata, Alvania" | 1419 | "agassizi, Virgularia" | 404 |
| "acutipalpa, Exogone" | 4260 | Agathotoma quintinensis | 2006 |
| "acutipalpa, Paraexogone" | 4259 | "(Agathotoma) quintinensis, Cytharella" | 2008 |
| "acutus, Amastigos" | 3734 | "agilis, Ophelina" | 3823 |
| "acutus, Mediostastus" | 3749 | Aglaja bakeri | 2242 |
| "adamanteus, Trypanosyllis" | 4292 | Aglaja diomedea | 2230 |
| "adamanteus, Typosyllis" | 4291 | Aglaja diomedea | 2236 |
| "adamsianus, Brachidontes" | 2713 | Aglaja inermis | 2243 |
| "adamsianus, Mytilus" | 2714 | Aglaja nana | 2237 |
| "adansonii, Lasaea" | 3001 | Aglaja ocelligera | 2228 |
| "adansonii, Tellina" | 3002 | Aglaja phocae | 2231 |
| Addisonia brophyi | 1126 | Aglaja sp A | 2238 |
| Addisoniidae | 1125 | Aglajidae | 2227 |
| "adellae, Doridium" | 2233 | Aglaocephalus dicirris | 4356 |
| Adelogorgia phyllosclera | 356 | Aglaocephalus erectans | 4351 |
| Adelogorgia sp A | 357 | Aglaocephalus erectans | 4357 |
| Adenopoda | 873 | Aglaocephalus eugeniae | 4352 |
| Admete couthouyi | 2091 | Aglaocephalus paucilamellata | 4353 |
| Admete gracilior | 2089 | Aglaocephalus verrilli | 4354 |
| Admete rhysa | 2092 | Aglaocephenia diegensis | 285 |
| Admete seftoni | 2093 | Aglaocephenia fluxa | 286 |
| Admete woodworthi | 2094 | Aglaocephenia inconnspicua | 287 |
| Admetinae | 2088 | Aglaocephenia sp A | 290 |
| Adocia dubia | 137 | Aglaocephenia struthionides | 288 |
| Adontorhina cyclia | 2959 | Aglaocepheniidae | 284 |
| Adontorhina lynnæ | 2961 | Agnesia beringia | 8025 |
| Adontorhina sphaericosa | 2962 | Agnesia septentrionalis | 8024 |
| Adula diegensis | 2744 | Agnezia septentrionalis | 8023 |
| Adula grunerii | 2746 | Agneziidae | 8022 |
| "adunca, Crepidula" | 1341 | Agriodesma saxicola | 3468 |
| "adunca, Garnotia" | 1340 | Ailochroia thiona | 151 |
| Aedicira pacifica | 3919 | "akaina, Dipolydora" | 5153 |
| "(Aedicira) pacifica, Aricidea" | 3918 | "(Akera) culcitella, Bulla" | 2261 |
| Aedicira sp A | 3903 | Akera julieae | 2318 |
| Aega alaskensis | 6409 | Akeridae | 2317 |
| Aega belliceps | 6408 | Akeroidae | 2316 |
| Aega harfordi | 6477 | Alaba catalinensis | 1657 |
| Aega lecontii | 6402 | Alaba serrana | 1658 |
| Aegacyclia lecontii | 6403 | Alaba sp | 1279 |
| Aegidae | 6401 | ?Alabina calena | 1260 |
| Aeginella hirsuta | 5821 | Alabina phalacra | 1255 |
| Aegires albopunctatus | 2454 | Alabininae | 1254 |
| Aegiretidæ | 2453 | Alania hancocki | 6392 |
| "aegyptiaca, Loricaria" | 7917 | "alascensis, Lepidopleurus" | 946 |
| "aegyptiacum, Synnotum" | 7916 | "alascensis, Leptopleurus" | 948 |
| "aeola, Crepidula" | 1342 | "alaskana, Caprella" | 5784 |
| Aeolidia farinacea | 2560 | "alaskana, Dallicordia" | 3529 |
| Aeolidia papillosa | 2558 | "alaskana, Lyonsiella" | 3530 |
| Aeolidiella chromosoma | 2561 | "alaskana, Venericardia" | 2914 |
| Aeolidiella oliviae | 2563 | "alaskense, Pecten (Pseudamussium)" | 2828 |
| Aeolidiidae | 2557 | "alaskensis elongata, Crangon" | 6950 |
| Aeolidioidea | 2556 | "alaskensis, Aega" | 6409 |
| Aeolis (?Phidiana) iodinea | 2520 | "alaskensis, Caryophyllia" | 445 |
| "aepygnous, Callistochiton" | 1058 | "alaskensis, Crago" | 6949 |
| "aequacostata, Haliris" | 3522 | "alaskensis, Crangon" | 6948 |
| "aequacostata, Verticordia" | 3523 | "alaskensis, Eupagurus" | 7052 |
| "aequale, Ovulum" | 1359 | "alaskensis, Micrura" | 750 |
| "aequalis vidleri, Delonovolva" | 1360 | "alaskensis, Rocinela" | 6410 |
| "aequalis, Alpheus" | 6861 | "alata, Caulieriella" | 4850 |
| "aequalis, Mediaster" | 7395 | "alata, Chaetozone" | 4851 |
| "aequalis, Neosimnia" | 1358 | "alata, Leucothoe" | 5964 |
| Aequipecten (Plagiocentrum) circularis | 2834 | "alata, Parapronospio" | 5200 |
| "(Aequipecten) gibbus var circularis, Pecten" | 2843 | "alata, Pista" | 5046 |
| "(Aequipecten) latiauratus, Pecten" | 2872 | "alata, Pista" | 5049 |
| "(Aequipecten) ventricosa, Chlamys" | 2837 | "alata, Prionospio" | 5201 |
| "aequisculpta, Odostomia" | 2128 | "alata, Rhinocrangon" | 6980 |
| "aequizonata, Lucina" | 2950 | "alata, Sclerocrangon" | 6981 |
| "aequizonatum, Lucinoma" | 2949 | "alba macrobranchium, Glyceria" | 4318 |
| Aesopus eurytoideus | 1698 | "alba, Atagema" | 2373 |
| Aesopus subturritus | 1700 | "alba, Conualevia" | 2352 |
| "aestuarina, Eteone" | 4382 | "alba, Crago" | 6955 |
| "aestuarina, Manayunkia" | 4738 | "alba, Crangon" | 6954 |
| "aestuarinus, Haplobranchus" | 4739 | "alba, Doridigitata" | 2374 |
| "affinis, Callianassa" | 6985 | "alba, Leanira" | 4099 |

INDEX

| | | | |
|---|------|---|------|
| "alba, Murex" | 1863 | Aloidis (<i>Caryocorbula</i>) luteola | 3426 |
| "alba, Mya" | 3395 | "alpha, Catriona" | 2542 |
| "alba, Philius" | 2215 | "alpha, Cuthona" | 2544 |
| "alba, Philine" | 2220 | Alpheidae | 6846 |
| "albescens, Purpura nuttallii" | 1818 | Alpheoidea | 6845 |
| "albida, Cladodactyla" | 7672 | Alpheopsis equidactylus | 6847 |
| "albida, Glottidea" | 7756 | Alpheus aequalis | 6861 |
| "albida, Glottidia" | 7754 | Alpheus bellimanus | 6850 |
| "albida, Lingula" | 7755 | Alpheus californiensis | 6852 |
| "albidum, Tetrastemma" | 819 | Alpheus clamator | 6854 |
| "albidus, Prosrhocnus" | 822 | Alpheus dentipes | 6855 |
| "albifrons, Cerebratulus" | 733 | Alpheus equidactylus | 6848 |
| "albina, Listriella" | 6098 | Alpheus harfordi | 6860 |
| "albini, Ancistrosyllis" | 4204 | Alpheus longidactylus | 6864 |
| "albini, Synelmis" | 4203 | "alta, Metis" | 3135 |
| "albocincta var pedroana, Terebra" | 2037 | "alta, Neverita" | 1403 |
| "albocincta, Carinella" | 708 | "alta, Tellina" | 3138 |
| "albocincta, Chone" | 4705 | "altriplectus, Pecten" | 2853 |
| "albocincta, Dialychine" | 4704 | "altriplicatus, Pecten" | 2854 |
| "albocinctus, Tubulanus" | 707 | "altissimus, Balanus" | 5460 |
| "albocrusta, Cratena" | 2549 | "altus, Polinices" | 1407 |
| "albocrusta, Cuthona" | 2548 | Alvania acutilirata | 1419 |
| "albocrusta, Trinchesia" | 2550 | Alvania burrardensis | 1422 |
| "albofasciata, Purpura nuttallii" | 1819 | Alvania compacta | 1416 |
| "albolineatus, Lineus" | 743 | Alvania purpurea | 1420 |
| "albopunctata, Doropsilla" | 2394 | Alvania rosana | 1421 |
| "albopunctata, Doris" | 2395 | Alvania tumida | 1423 |
| "albopunctatus, Aegires" | 2454 | "amabilis, Hippolyte" | 6898 |
| Albuneidae | 7124 | Amaea occidentalis | 5067 |
| "albus, Dendronotus" | 2485 | Amaeana occidentalis | 5066 |
| "alcocki, Sabellaria spinulosa" | 4683 | Amage anops | 4962 |
| Alcyonacea | 353 | Amage longibranchiata | 4993 |
| Alcyoniidae | 7830 | Amage scutata | 5001 |
| Alcyonidioidea | 7829 | Amakusanthera californiensis | 6460 |
| Alcyonium sp A | 7831 | "amarincola, Polydora" | 5207 |
| Alderia modesta | 2323 | Amastigus acutus | 3734 |
| Alderia willowi | 2322 | Amathia distans | 7846 |
| Aldisa sanguinea | 2350 | Amathimysis trigibba | 5600 |
| Alecrion (<i>Schizopyga</i>) fossatus | 1770 | Amathinidae | 2179 |
| Alecrion (<i>Schizopyga</i>) insculptus | 1788 | Ambidexter panamensis | 6928 |
| Alecrion (<i>Schizopyga</i>) mendicus | 1780 | "ambiseta, Capitita" | 3751 |
| Alecrion (<i>Schizopyga</i>) tegulus | 1760 | "ambiseta, Mediostomus" | 3750 |
| Alecrion (<i>Zeuxis</i>) tegula | 1761 | "amblia, Duseideia" | 146 |
| Alecrion insculptus | 1786 | "amblia, Dysidea" | 145 |
| Alecrion insculptusvar eupleura | 1787 | Amblyops abbreviata | 5601 |
| Alecrion perpinguis | 1776 | Amblyopsis abbreviata | 5602 |
| Alecrion tegula | 1759 | "ambustus, Lepidopleurus (Leptochiton)" | 936 |
| "alectus, Anomia" | 2884 | "ambustus, Lepidopleurus (Pilsbryella)" | 937 |
| "alesidota, Mangalia" | 1992 | "ambustus, Leptochiton" | 942 |
| Aletes squamigerus | 1529 | "amchitkana, Odostomia" | 2142 |
| "aleutica, Mysella" | 3044 | "ameiniyai, Micropodarke" | 4137 |
| "aleutica, Rochefortia" | 3046 | Amenichondrus granulosus | 7501 |
| Alexandraster inflatus | 7408 | "americana, Ceratocephale crosslandi" | 4156 |
| Alexandraster mirus | 7409 | "americana, Eunice" | 4510 |
| "alexandri, Dromalia" | 342 | "americana, Glyceria" | 4308 |
| "alexandri, Synallactes" | 7713 | "americana, Mysidella" | 5613 |
| "algarum, Limnoria" | 6494 | "americanus, Rhynchobolus" | 4315 |
| "algarum, Limnoria (Phycolimnora)" | 6495 | Americardia biangulata | 3074 |
| "algida, Natica" | 1398 | Americhelidium micropleon | 6027 |
| "algidus, Polinices (Euspira)" | 1400 | Americhelidium rectipalmum | 6030 |
| Alia carinata | 1703 | Americhelidium shoemakeri | 6032 |
| Alia casciana | 1731 | Americhelidium sp SD1 | 6037 |
| Alia tuberosa | 1708 | Americhelidium sp SD2 | 6034 |
| "(Alia) tuberosa, Columbella" | 1712 | Americhelidium sp SD3 | 6035 |
| "alicia Cmplx, Plumularia" | 294 | Americhelidium sp SD4 | 6038 |
| Alienacanthomysis macropsis | 5616 | Americhelidium variabile | 6036 |
| "alienense, Corophium" | 5770 | Americanorophium salmonis | 5754 |
| "alienense, Sinocorophium" | 5769 | Americanorophium stimpsoni | 5756 |
| Aligena cerritensis | 2992 | "amethystina, Renilla" | 378 |
| Aligena redondoensis | 2964 | Amiantis callosa | 3266 |
| Alipupura trialata | 1869 | Ammothea chelata | 5334 |
| "allelomorphus, Idarcturus" | 6499 | Ammothea hilgendorfi | 5337 |
| Allia antennata | 3921 | Ammothea simplicissima | 5336 |
| "(Allia) antennata, Aricidea" | 3920 | Ammothea spinosissima | 5346 |
| "(Allia) harleyi, Aricidea" | 3926 | Ammotheidae | 5332 |
| Allia monicae | 3929 | Ammotheidae genus A sp A | 5348 |
| "(Allia) monicae, Aricidea" | 3928 | Ammothella killix | 5342 |
| "(Allia) quadrilobata, Aricidea" | 3922 | Ammothella menziesi | 5340 |
| "(Allia) quadrilobata, Aricidea" | 3931 | Ammothella setosa | 5341 |
| Allia ramosa | 3933 | Ammothella spinifera | 5343 |
| "allmani, Diplocheilus" | 277 | Ammothella tuberculata | 5344 |
| "allmani, Pycnothecha" | 276 | Ammotrypane aulogaster | 3833 |
| Allocentrotus fragilis | 7605 | Ammotrypane brevis | 3825 |
| Alloniscus perconvexus | 6566 | Ammotrypane limacina | 3830 |
| Allorchestes angusta | 5665 | Ammotrypane pallida | 3836 |
| Allorchestes oculatus | 5666 | "amorita, Melphidippa" | 6307 |
| Allorchestes rickeri | 5667 | Ampelisca agassizi | 6218 |
| Allothyone tenuicoriata | 7671 | Ampelisca articulata | 6239 |
| "almo, Eulima" | 1635 | Ampelisca brachycladus | 6222 |
| "almo, Strombiformis" | 1636 | Ampelisca brevisimulata | 6224 |
| "almo, Turbonilla" | 2163 | Ampelisca californica | 6244 |
| Aloidis (<i>Lentidium</i>) luteola | 3425 | Ampelisca careyi | 6226 |

INDEX

| | | | |
|----------------------------------|------|------------------------------------|------|
| Ampelisca cf brevisimulata | 6225 | Amphioplus sp A | 7525 |
| Ampelisca coeca | 6229 | Amphioplus sp LA1 | 7526 |
| Ampelisca compressa | 6220 | Amphioplus strongyloplax | 7522 |
| Ampelisca cristata cristata | 6230 | Amphioxus californiense | 8121 |
| Ampelisca cristata microdentata | 6231 | Amphipholis granulata | 7504 |
| Ampelisca fageri | 6232 | Amphipholis pugetana | 7528 |
| Ampelisca furcigera | 6233 | Amphipholis puntarenae | 7505 |
| Ampelisca gnathia | 6245 | Amphipholis squamata | 7531 |
| Ampelisca hancocki | 6234 | Amphipholis urtica | 7516 |
| Ampelisca hancocki Cmplx | 6236 | Amphipoda | 5647 |
| Ampelisca indentata | 6237 | Amphiporidae | 795 |
| Ampelisca isocornea | 6249 | Amphiporidae sp B | 796 |
| Ampelisca lobata | 6238 | Amphiporus bimaculatus | 797 |
| Ampelisca macrocephala | 6227 | Amphiporus californicus | 800 |
| Ampelisca macrocephala unsocalae | 6252 | Amphiporus cruentatus | 801 |
| Ampelisca macrodonta | 6246 | Amphiporus flavesiens | 803 |
| Ampelisca milleri | 6240 | Amphiporus formidabilis | 804 |
| Ampelisca mora | 6247 | Amphiporus imparispinosus | 805 |
| Ampelisca nr hancocki | 6235 | Amphiporus leptacanthus | 802 |
| Ampelisca pacifica | 6241 | Amphiporus pacificus | 813 |
| Ampelisca plumosa | 6242 | Amphiporus punctatulus | 815 |
| Ampelisca pugetica | 6243 | Amphiporus rubellus | 806 |
| Ampelisca romigi | 6248 | Amphiporus sp A | 807 |
| Ampelisca romigi ciego | 6250 | Amphiporus sp B | 808 |
| Ampelisca sp A | 6223 | Amphiporus virescens | 810 |
| Ampelisca unsocalae | 6251 | Amphisamytha bioculata | 4997 |
| Ampelisca unsocalae | 6228 | Amphisbetia furcata | 317 |
| Ampelisca vera | 6221 | Amphissa bicolor | 1716 |
| Ampeliscidae | 6217 | Amphissa incisa | 1724 |
| Ampelisciphotis podophthalma | 5879 | Amphissa lineata | 1725 |
| Ampeliscoidea | 6216 | Amphissa reticulata | 1717 |
| "amphacantha, Amphiacantha" | 7545 | Amphissa undata | 1719 |
| "amphacantha, Dougaloplus" | 7549 | Amphissa ventricosa | 1721 |
| "amphacantha, Ophiocnida" | 7544 | Amphissa versicolor | 1723 |
| "amphacanthus, Dougaloplus" | 7543 | Amphissa versicolor var reticulata | 1718 |
| Ampharete acutifrons | 4964 | Amphissa versicolor var reticulata | 1718 |
| Ampharete arctica | 4970 | Amphithalamus inclusus | 1425 |
| Ampharete cirrata | 4966 | Amphithalamus tenuis | 1426 |
| Ampharete finmarchica | 4968 | Amphithoe humeralis | 5740 |
| Ampharete gagarei | 4980 | Amphithoe inermis | 6009 |
| Ampharete goesi | 4971 | Amphithoe lindbergi | 5743 |
| Ampharete gracilis | 4979 | Amphithoe mea | 5747 |
| Ampharete grubei | 4967 | Amphithoe plea | 5749 |
| Ampharete labrops | 4972 | Amphithoe tea | 5751 |
| Ampharetidae | 4960 | Amphithopsis longimana | 6006 |
| Ampharetidae sp 1 | 4974 | Amphitoe aztecus | 5669 |
| Ampharetidae sp SD1 | 4973 | Amphitrite frondosa | 2488 |
| Ampharetinae | 4961 | Amphitrite robusta | 5022 |
| Amphiacantha amphacantha | 7545 | Amphitrite spiralis | 5040 |
| Amphiacantha pentacantha | 7546 | "amphitrite, Amphibalanus" | 5449 |
| Amphianthus californicus | 533 | Amphitritinae | 5450 |
| Amphibalanus amphitrite | 5449 | Amphiura acrystata | 5021 |
| Amphibalanus eburneus | 5451 | Amphiura arcystata | 7537 |
| Amphiblestrum patulum | 7889 | Amphiura barbarea | 7536 |
| Amphichondrius granulatus | 7499 | Amphiura diastata | 7517 |
| Amphichondrius granulosus | 7502 | Amphiura diomedae | 7540 |
| Amphichondrius unamexici | 7503 | Amphiura granulata | 7539 |
| Amphicteis acutifrons | 4965 | Amphiura koreae | 7500 |
| Amphicteis finmarchica | 4969 | Amphiura pugetana | 7541 |
| Amphicteis glabra | 4975 | Amphiura squamata | 7529 |
| Amphicteis mucronata | 4976 | Amphiura urtica | 7533 |
| Amphicteis scaphobranchiata | 4977 | Amphiura verrilli | 7514 |
| "amphictenicola, Calamyzas" | 4218 | Amphiuridae | 7542 |
| Amphidesma decisum | 3186 | Amphorina columbiana | 7498 |
| Amphidesma rubrolineatum | 3187 | Amphoriscidae | 2541 |
| Amphidesma venusta | 3192 | "(Amphispina) digitata, Amphiodia" | 172 |
| Amphideutopus oculatus | 5877 | Amphitoe femorata | 7507 |
| Amphiduros brunnea | 4128 | Amphitoe humeralis | 5744 |
| Amphiduros pacificus | 4125 | Amphitoe lacertosa | 5741 |
| Amphilimna pentacantha | 7547 | Amphitoe lindbergi | 5727 |
| Amphilochidae | 5968 | Amphitoe longimana | 5745 |
| Amphilochus litoralis | 5973 | Amphitoe plumulosa | 5728 |
| Amphilochus neapolitanus | 5971 | Amphitoe pollex | 5729 |
| Amphilochus neapolitanus Cmplx | 5970 | Amphitoe ramondi | 5730 |
| Amphilochus picadurus | 5975 | Amphitoe sectimanus | 5731 |
| Amphinemertes caeca | 817 | Amphitoe shimizuensis | 5732 |
| Amphinomida | 4471 | Amphitoe simulans | 5735 |
| Amphinomidae | 4472 | Amphitoe valida | 5733 |
| Amphiodia (Amphispina) digitata | 7507 | Amphithoidae | 5725 |
| Amphiodia barbara | 7508 | "amphioinæ, Pandalopsis" | 5726 |
| Amphiodia Barbaræ | 7515 | "amplicauda, Exosphaeroma" | 6932 |
| Amphiodia digitata | 7506 | "amplicauda, Sphaeroma" | 6537 |
| Amphiodia macraspis | 7521 | Amycla tuberosa | 6538 |
| Amphiodia occidentalis | 7511 | Amycla undata | 1709 |
| Amphiodia psara | 7510 | Amygdalum pallidulum | 1720 |
| Amphiodia stronglyloplax | 7523 | Amygdalum politum | 2757 |
| Amphiodia urtica | 7513 | "amygdalus, Calyptraea" | 2755 |
| "amphioetus, Cancer" | 7226 | "amyla, Doto" | 1318 |
| "amphioetus, Glelocarcinus" | 7225 | Anaata spongigartina | 2502 |
| Amphioplus hexacanthus | 7527 | Anabathridae | 75 |
| Amphioplus hexacanthus | 7548 | | 1424 |
| Amphioplus macraspis | 7520 | | |

INDEX

| | | | |
|--|------|----------------------------------|------|
| Anachis (Chauvetia) penicillata | 1742 | "annulata, Ophionereis" | 7564 |
| "(Anachis) penicillata, Columbella" | 1743 | "annulata, Phacooides" | 2956 |
| "Anachis penicillata, ?" | 1741 | "annulatum, Callistoma" | 1174 |
| Anachis petravis | 1702 | "annulatum, Lucinoma" | 2951 |
| Anachis subtririta | 1701 | "annulatum, Trochus" | 1175 |
| Anadara multicostata | 2694 | "annulus, Janolus" | 2510 |
| Anadarinae | 2693 | "annulus, Stauronereis" | 4484 |
| "(Anaitides) cuspidata, Phyllodoce" | 4435 | Anobothrus gracilis | 4978 |
| Anaitides groenlandica | 4437 | Anobothrus occidentalis | 5009 |
| "(Anaitides) groenlandica, Phyllodoce" | 4438 | Anobrothrus trilobatus | 4985 |
| Anaitides hartmanae | 4440 | "anoculata, Polydora" | 5174 |
| Anaitides longipes | 4443 | "anomala, Holmesiella" | 5604 |
| Anaitides medipapillata | 4447 | Anomia alectus | 2884 |
| "(Anaitides) mediapapillata, Phyllodoce" | 4448 | Anomia hamillus | 2885 |
| "(Anaitides) papillosa, Phyllodoce" | 4444 | Anomia lampe | 2886 |
| Anaitides williamsi | 4452 | Anomia larbas | 2887 |
| Anaitis polynoides | 4431 | Anomia limatula | 2888 |
| "analogia, Emerita" | 7130 | Anomia macrochisma | 2892 |
| "analogia, Hippa" | 7131 | Anomia pacilis | 2889 |
| "analogia, Ianiropsis" | 6581 | Anomia peruviana | 2883 |
| "anamesus, Lytechinus" | 7602 | Anomiidae | 2882 |
| Anamixis linsleyi | 5963 | Anomioidae | 2881 |
| Anamixis pacifica | 5961 | Anomura | 7023 |
| Ananthura luna | 6457 | Anonyx carinatus | 6371 |
| "anaquela, Orchomene" | 6346 | Anonyx carinatus | 6374 |
| "anaquelus, Orchomene" | 6345 | Anonyx dorothae | 6378 |
| Anarthron sp SD1 | 5518 | Anonyx lilljeborgi | 6373 |
| Anarthridae sp 1 | 6675 | Anonyx pinguis | 6358 |
| Anarthridae sp 2 | 6677 | Anopla | 696 |
| Anarthridae sp 3 | 6679 | Anopla sp A | 723 |
| Anasca | 7853 | Anopla sp C | 767 |
| Anasimus rostratus | 7195 | Anopla sp D | 762 |
| Anasimus spinosus | 7196 | Anoplodactylus californicus | 5373 |
| Anatanaïs pseudonormani | 6691 | Anoplodactylus californiensis | 5374 |
| Anatania normani | 6699 | Anoplodactylus carvalhoi | 5375 |
| Anatoma crispata | 1131 | Anoplodactylus compactus | 5379 |
| "(Anatoma) crispata, Scissurella" | 1132 | Anoplodactylus erectus | 5383 |
| Anatomidae | 1128 | Anoplodactylus nodosus | 5384 |
| "anaxiphilus, Myzotarsa" | 5924 | Anoplodactylus oculospinus | 5385 |
| Anchicolurus occidentalis | 6776 | Anoplodactylus pacificus | 5386 |
| Anchorinidae | 28 | Anoplodactylus portus | 5376 |
| Ancinus daltonae | 6554 | Anoplodactylus projectus | 5377 |
| Ancinus granulatus | 6558 | Anoplodactylus robustus | 5378 |
| Ancinus seticomus | 6555 | Anoplodactylus viridintestinalis | 5387 |
| Ancistargis hamata | 4185 | "anops, Amage" | 4962 |
| Ancistrosyllis albini | 4204 | "anops, Sabellides" | 4963 |
| Ancistrosyllis bassi | 4199 | Anoropallene crenispina | 5360 |
| Ancistrosyllis breviceps | 4181 | Anoropallene palpida | 5358 |
| Ancistrosyllis groenlandica | 4182 | Anotomastus gordiodes | 3735 |
| Ancistrosyllis hamata | 4183 | Antalis columbiana | 3543 |
| Ancistrosyllis rigida | 4205 | Antalis densiliratum | 3544 |
| Ancistrosyllis rigida | 4206 | Antalis pretiosa | 3541 |
| Ancistrosyllis tentaculata | 4202 | Antedon perplexa | 7358 |
| Ancula gibbosa | 2424 | Antedon serratissima | 7357 |
| Ancula lentiginosa | 2427 | Antedonidae | 7355 |
| Ancula pacifica | 2426 | Antedonoidea | 7354 |
| Anemonactis sp A | 492 | Antenella avalonia | 293 |
| Anemone #109 | 508 | "antennaria, Cancer" | 7242 |
| "angelana, Olivella" | 1941 | "antennarius, Cancer" | 7241 |
| "angelensis, Marphysa" | 4517 | "antennarius, Romaleon" | 7240 |
| "angelensis, Okenia" | 2428 | "antennata, Allia" | 3921 |
| Anguinella palmata | 7842 | "antennata, Aricidea" | 3923 |
| "anguipes, Ischyrocerus" | 5853 | "antennata, Aricidea (Allia)" | 3920 |
| "angularis, Parajassa" | 5872 | "antennata, Eunice" | 4511 |
| "angularis, Ruffojaissa" | 5871 | "antennata, Leodice" | 4512 |
| "angulata var subangulata, Mangelia" | 1994 | "antennatus, Elasmopus" | 6262 |
| "angulata, Mangelia" | 1993 | Antheluridae | 6456 |
| "(Angulus) carpenteri, Tellina" | 3103 | Antho (Acarnia) illgi | 80 |
| Angulus gouldii | 3111 | Antho (Acarnia) karykina | 82 |
| "(Angulus) meropsis, Tellina" | 3112 | Anthoathecatae | 184 |
| "(Angulus) modesta, Tellina" | 3118 | "anthonyi, Cancer" | 7237 |
| Angulus modestus | 3115 | "anthonyi, Metacarcinus" | 7236 |
| "(Angulus) modestus, Tellina" | 3119 | Anthopleura elegantissima | 510 |
| Angulus variegatus | 3104 | Anthopleura xanthogrammica | 512 |
| "angusta, Allorchestes" | 5665 | Anthoptilidae | 385 |
| "angusta, Caprella" | 5803 | Anthoptilum grandiflorum | 386 |
| "angustata, Ricinella" | 6405 | Anthoptilum murrayi | 388 |
| "angustata, Rocinela" | 6404 | Anthoptilum thomsoni | 389 |
| Anisodoris nobilis | 2386 | Anthostoma dendriticum | 3859 |
| "annectens, Lysippe" | 4999 | Anthozoa | 343 |
| "annectens, Paralysippe" | 4998 | Anthozoa #12 | 503 |
| "annectens, Perophora" | 8013 | Anthozoa #21 | 504 |
| Annectocymidae | 7809 | Anthozoa #49 | 551 |
| Annelida | 3725 | Anthozoa #76 | 552 |
| "annularis, Stephanauge" | 534 | Anthozoa #84 | 490 |
| "annulata, Dorvillea" | 4485 | Anthozoa #85 | 505 |
| "annulata, Dorvillea (Schistomerings)" | 4483 | Anthozoa #87 | 498 |
| "annulata, Goniada" | 4339 | Anthozoa #88 | 506 |
| "annulata, Goniada" | 4341 | Anthozoa #92 | 499 |
| "annulata, Lucina" | 2952 | Anthozoa #96 | 520 |
| "annulata, Ophiolepis" | 7565 | ? Anthurid n gen n sp | 6467 |
| | | Anthuridae | 6459 |

INDEX

| | | | |
|--------------------------------------|------|---|------|
| Anthuroidea | 6455 | Aplysia (Neaplysia) californica | 2310 |
| Antigonia fordii | 3282 | Aplysia californica | 2309 |
| "(Antigonia) fordii, Venus" | 3284 | Aplysia nettiae | 2311 |
| "(Antilibinia) nuttallii, Epialtus" | 7177 | Aplysia vaccaria | 2312 |
| Antinoe sp C | 4043 | Aplysiidae | 2307 |
| Antiopella barbarensis | 2514 | Aplysiinae | 2308 |
| Antiplanes (Rectiplanes) santarosana | 2065 | Aplysina fistularis | 153 |
| Antiplanes (Rectiplanes) willetti | 2066 | Aplysinidae | 150 |
| Antiplanes catalinae | 2054 | Aplysinopsis sp | 144 |
| "(Antiplanes) catalinae, Pleurotoma" | 2055 | Aplystoidea | 2306 |
| Antiplanes gabbi | 2056 | Aplysiomorpha | 2305 |
| Antiplanes major | 2057 | Aplysiopsis enteromorphae | 2324 |
| Antiplanes perversa | 2058 | Apodacea | 7720 |
| Antiplanes rotula | 2063 | "apodema, Cuspidaria" | 3514 |
| Antiplanes santarosana | 2064 | Apodida | 7721 |
| Antiplanes thalea | 2061 | Apothale californica | 5671 |
| "(Antiplanes) thalea, Pleurotoma" | 2062 | "apollyon, Polypus" | 3612 |
| Antiplanes voyi | 2059 | Apolochus barnardi | 5969 |
| "antiquatus, Hippoix" | 1502 | Apolochus litoralis | 5972 |
| Antisabia panamensis | 1500 | Apolochus picadurus | 5974 |
| Antropora tincta | 7872 | Apolymetis biangulata | 3132 |
| Aolis barbarensis | 2513 | Apornatus timsii | 4780 |
| Aonides gracilis | 3948 | "(Aponaitides) hartmanae, Phyllodoce" | 4441 |
| Aonides sp SD1 | 5139 | "apoploa, Caesira" | 8110 |
| Aoridae | 5685 | Aporionospio pygmaea | 5140 |
| Aoridae | 5684 | "aporis, Metopella" | 5982 |
| Arooides californica | 5687 | "appelloefi, Laonice" | 5189 |
| Arooides columbiae | 5686 | "appendiculata, Melita" | 6290 |
| Arooides columbiae | 5689 | "appressicostatum, Epitonium (Nitidoscala)" | 1571 |
| Arooides columbiae | 5691 | "approximata, Phacoides (Parvilucina)" | 2946 |
| Arooides columbiae | 5694 | Apseudidae | 6629 |
| Arooides columbiae | 5698 | Apseudinae | 6630 |
| Arooides exilis | 5688 | Apseudomorpha | 6628 |
| Arooides inermis | 5690 | Apseudomorpha glebosa | 6638 |
| Arooides intermedia | 5692 | Aptyxis luteopticus | 1748 |
| Arooides intermedius | 5693 | "(Aptyxis) luteopticus, Fusinus" | 1750 |
| Arooides secunda | 5696 | "aquila, Balanus" | 5466 |
| Arooides secundus | 5695 | "aquila, Menesiniella" | 5465 |
| Arooides sp A | 5699 | "aquilirostris, Membranipora" | 7879 |
| Arooides sp SD1 | 5700 | "aquilirostris, Tegella" | 7878 |
| Arooides spinosa | 5697 | Arabella endonata | 4580 |
| Apanthura californiensis | 6461 | Arabella iricolor | 4581 |
| "apex, Rutiderma" | 5548 | Arabella opalina | 4583 |
| Aphanasterias pycnopodia | 7423 | Arabella pectinata | 4585 |
| Aphelochaeta elongata | 4827 | Arabella protomutans | 4586 |
| Aphelochaeta glandaria | 4829 | Arabella semimaculata | 4587 |
| Aphelochaeta glandaria Cmplx | 4828 | Arachnanthus sp A | 429 |
| Aphelochaeta marioni | 4830 | Arachnida | 5400 |
| Aphelochaeta monilaris | 4835 | Arachnididae | 7841 |
| Aphelochaeta multifilis Type II | 4839 | Arachnidioidea | 7840 |
| Aphelochaeta petersenae | 4838 | Aracoda semimaculata | 4588 |
| Aphelochaeta petersenae | 4848 | Araphura brevioria | 6658 |
| Aphelochaeta phillipsi | 4840 | Araphura cuspirostris | 6660 |
| Aphelochaeta serratiseta | 4910 | Araphura sp A | 6659 |
| Aphelochaeta sp 1 | 4842 | Araphura sp B | 6661 |
| Aphelochaeta sp A | 4831 | Araphura sp C | 6686 |
| Aphelochaeta sp C | 4832 | Araphura sp SD1 | 6662 |
| Aphelochaeta sp HYP2 | 4844 | "arb, Craniella" | 25 |
| Aphelochaeta sp HYP4 | 4846 | "arb, Tetilla" | 26 |
| Aphelochaeta sp LA1 | 4847 | "arbuscula, Psammogorgia" | 362 |
| Aphelochaeta sp SD2 | 4845 | Arca multicostata | 2695 |
| Aphelochaeta sp SD5 | 4849 | Arca tenuis | 2626 |
| Aphelochaeta tigrina | 4841 | "arcana, Chama" | 3258 |
| Aphelochaeta williamsae | 4843 | "arces, Pecten (Pseudamussium)" | 2829 |
| Aphorme horrida | 14 | Archaeobalanidae | 5442 |
| Aphrocalistes intermedia | 8 | Archaeomytilidae | 5596 |
| Aphrocallistes vastus | 7 | Archidoris montereyensis | 2354 |
| Aphrocallistes whiteavesianus | 9 | Archidoris nyctea | 2355 |
| Aphrocallistes yatsui | 10 | Archidoris odhneri | 2357 |
| Aphrocallystidae | 6 | Archiheterodontia | 2896 |
| Aphrodita armifera | 4007 | Archinemertea | 697 |
| Aphrodita brevitentaculata | 4008 | Arcida | 2690 |
| Aphrodita castanea | 4009 | Arcidae | 2692 |
| Aphrodita japonica | 4010 | Arcoidea | 2691 |
| Aphrodita longipalpa | 4011 | Arcoscalpellum californicum | 5427 |
| Aphrodita negligens | 4012 | Arcteobia cf anticosiensis | 4038 |
| Aphrodita refugida | 4013 | "arctia, Euphrosine" | 4477 |
| Aphrodita sp A | 4014 | "arctia, Euphrrosyne" | 4478 |
| Aphroditidae | 4006 | "arctica, Ampharete" | 4970 |
| Aphroditiformia | 3996 | "arctica, Cynthia" | 8081 |
| Aphroditoidae | 3997 | "arctica, Hiatella" | 3219 |
| "apicinum, Cardium" | 3079 | "arctica, Mya" | 3220 |
| "apicula, Caulieriella" | 4852 | "arctica, Nucula" | 2676 |
| Apionsoma misakiana | 3693 | "arctica, Sacticava" | 3224 |
| Apionsoma misakianum | 3691 | Arctonoe pulchra | 4019 |
| Apionsoma sp SD1 | 3701 | Arctonoinae | 4018 |
| Apionsoma trichocephala | 3699 | Arcturidae | 6498 |
| Aristobranchidae | 5106 | "arcuata, Petricola" | 3347 |
| Aristobranchus ornatus | 5107 | Arcularia tiarula | 1757 |
| Aplotegmentaria | 875 | "arcystata, Amphiura" | 7536 |
| Aplousobranchiata | 7988 | "arcystata, Hemilepis" | 7538 |
| Aplustridae | 2109 | "arenae, Euchone" | 4711 |

INDEX

| | | | |
|---|------|--|------|
| "arenaria, Cactosoma" | 496 | Armandia brevis | 3824 |
| "arenaria, Mya" | 3393 | Armandia cf agilis | 3822 |
| "arenica, Tellina (Moerella)" | 3105 | Armandia sp SD1 | 3827 |
| Arenicola cristata | 3731 | "armata, Chaetozone" | 4863 |
| "arenicola glabra, Gyptis" | 4144 | "armata, Dipolydora" | 5154 |
| "arenicola, Caudina" | 7733 | "armata, Fauveliopsis" | 4930 |
| "arenicola, Liosoma" | 7734 | "armata, Luidia" | 7366 |
| "arenicola, Molpadiia" | 7735 | "armata, Polydora" | 5155 |
| "arenicola, Trochostoma" | 7736 | Armatopiana reishi | 595 |
| Arenicolidae | 3728 | "armatus, Astropecten" | 7372 |
| "arenicolus glabrus, Oxydromus" | 4143 | "armatus, Astropecten (Braziliensis)" | 7373 |
| "arenincola, Rhynchospio" | 5247 | "armatus, Bernhardus" | 7051 |
| "arenosa californica, Eugyra" | 8108 | "armatus, Eupagurus" | 7053 |
| Argeia calmani | 6447 | "armatus, Leucon" | 6720 |
| Argeia depauperata | 6448 | "armatus, Pagurus" | 7050 |
| Argeia pauperata | 6449 | "armifera, Aphroditia" | 4007 |
| Argeia pingi | 6450 | "armiger Cmplx, Scoloplos" | 3879 |
| Argeia pugettensis | 6446 | "armigera, Glycinde" | 4335 |
| "argenteus, Cyclopecten" | 2824 | Armina californica | 2457 |
| Argissa hamatipes | 6082 | Armina columbiana | 2459 |
| Argissa stebbingi | 6085 | Armina digueti | 2460 |
| Argissa typica | 6084 | Armina sp A | 2461 |
| Argissidae | 6081 | Arminidae | 2456 |
| Argopecten circularis | 2835 | Arminoidea | 2455 |
| Argopecten ventricosus | 2832 | "armoricana, Circeis" | 4805 |
| Argula sp | 5473 | "arnoldi, Terebratalia" | 7787 |
| Argulidae | 5472 | Artacama coniferi | 5064 |
| Arguloida | 5471 | Artacamella hancocki | 5098 |
| "(Argus) circularis, Pecten" | 2844 | Artacaminae | 5063 |
| "(Argus) ventricosus, Pecten" | 2845 | "arteaga var roperi, Mangelia" | 1988 |
| Arhynchite californicus | 3719 | "arteaga, Kurtzia" | 1986 |
| Aricia johnsoni | 3871 | "arteaga, Mangelia" | 1987 |
| Aricia michaelensi | 3873 | "artemidis, Diplodonta (Felaniella)" | 3251 |
| Aricia nuda | 3875 | Arthropoda | 5324 |
| Aricidea (Acesta) catherinae | 3885 | Articulata | 7352 |
| Aricidea (Acesta) cerruti | 3891 | Articulata | 7758 |
| Aricidea (Acesta) finitima | 3904 | Articulata | 7818 |
| Aricidea (Acesta) lopezi lopezi | 3898 | "articulata Cmplx, Protomedieia" | 5775 |
| Aricidea (Acesta) simplex | 3909 | "articulata, Ampelisca" | 6239 |
| Aricidea (Acesta) taylori | 3916 | "articulata, Dorvillea" | 4491 |
| Aricidea (Acmira) catherinae | 3881 | "articulata, Paraehlersia" | 4233 |
| Aricidea (Acmira) cerruti | 3889 | "articulata, Pionosyllis" | 4234 |
| Aricidea (Acmira) horikoshii | 3892 | "articulata, Protomedieia" | 5776 |
| Aricidea (Acmira) lopezi | 3894 | "articulata, Sthenelais" | 4110 |
| Aricidea (Acmira) rubra | 3900 | "articulatus, Stauronereis" | 4495 |
| Aricidea (Acmira) simplex | 3907 | Aruga holmesi | 6319 |
| Aricidea (Acmira) sp SD1 | 3917 | Aruga macromera | 6326 |
| Aricidea (Acmira) taylori | 3914 | Aruga oculata | 6320 |
| Aricidea (Aedicira) pacifica | 3918 | Asabellides lineata | 4982 |
| Aricidea (Allia) antennata | 3920 | Ascidia canina | 8005 |
| Aricidea (Allia) hartleyi | 3926 | Ascidia echinata | 8078 |
| Aricidea (Allia) monicae | 3928 | Ascidia hirsuta | 8079 |
| Aricidea (Allia) quadrilobata | 3931 | Ascidia intestinalis | 8004 |
| Aricidea (Allia) quadrilobata | 3922 | Ascidia lovenii | 8045 |
| Aricidea (Allia) sp A | 3932 | Ascidia ocellata | 8006 |
| Aricidea (Allia) sp SD1 | 3935 | Ascidia plicata | 8064 |
| Aricidea (Aricidea) pseudoarticulata | 3936 | Ascidia zara | 8021 |
| Aricidea (Aricidea) ramosa | 3934 | Asciidiacea | 7987 |
| Aricidea (Aricidea) sp SD1 | 3938 | Ascididae | 8020 |
| Aricidea (Aricidea) taylori | 3915 | Asclerocheilus acirratus | 3979 |
| Aricidea (Aricidea) wassi | 3937 | Asclerocheilus californicus | 3981 |
| Aricidea (Cirrophorus) aciculata | 3940 | Asclerocheilus kudenovi | 3982 |
| Aricidea (Cirrophorus) branchiatus | 3941 | Ascophora | 7934 |
| Aricidea (Cirrophorus) furcatus | 3945 | Ascopodaria discreta | 860 |
| Aricidea antennata | 3923 | Ascopodaria gracilis | 857 |
| Aricidea branchiatus | 3942 | Ascopodaria gracilis | 870 |
| Aricidea cf. nolani | 3927 | Ascopodaria macropus | 861 |
| Aricidea fauveti | 3896 | Ascopodaria misakiensis | 862 |
| Aricidea fragilis | 3897 | Ascorhiza occidentalis | 7834 |
| Aricidea jeffreysii | 3886 | Ascorhynchoidea | 5329 |
| Aricidea longicornuta | 3924 | Asellota | 6569 |
| Aricidea longobranchiata | 3905 | Asellota sp SD1 | 6624 |
| Aricidea lopezi | 3887 | "ashleyi, Semele" | 3190 |
| Aricidea lopezi rubra | 3906 | "asodes, Clathria (Clathria)" | 66 |
| Aricidea neosuecica | 3910 | "asodes, Eurypon" | 67 |
| Aricidea neosuecica japonica | 3911 | "aspera, Diadora" | 1110 |
| "(Aricidea) pseudoarticulata, Aricidea" | 3936 | "aspera, Fissurella" | 1111 |
| "(Aricidea) ramosa, Aricidea" | 3934 | "aspera, Fissuridea" | 1112 |
| Aricidea suecica | 3899 | "aspera, Glyphis" | 1113 |
| Aricidea suecica simplex | 3912 | "aspera, Henricia" | 7412 |
| "(Aricidea) taylori, Aricidea" | 3915 | "aspera, Peisidice" | 4091 |
| Aricidea uschakovi | 3913 | "aspera, Pholoides" | 4096 |
| Aricidea uschakovi | 3925 | Asperiscala bellastrata | 1535 |
| Aricidea uschakovi | 3930 | "(Asperiscala) bellistriatum, Epitonium" | 1536 |
| "(Aricidea) wassi, Aricidea" | 3937 | Asperiscala lowei | 1561 |
| Aricidea zelenzovi | 3888 | "(Asperiscala) lowei, Epitonium" | 1562 |
| "aristata, Lithophaga" | 2748 | "(Asperiscala) lowei, Epitonium" | 1563 |
| "aristatus, Mytilus" | 2749 | "asperum, Bittium" | 1274 |
| Aristeidae | 6808 | "asperus, Pholoides" | 4090 |
| Aristias sp A | 6363 | Aspidochirotiida | 7700 |
| Aristiidae | 6362 | Aspidochotacea | 7699 |
| Armandia bioculata | 3826 | Aspidosiphon (Paraspidosiphon) sp | 3711 |

INDEX

| | | | |
|---|------|---|------|
| Aspidosiphonidae | 3710 | "attonsa, Cylichnella (Bullinella)" | 2276 |
| Aspidosiphoniformes | 3709 | Atylopsinae | 5923 |
| "assignis, Nephtys" | 4364 | Atylus monoculoides | 6001 |
| "assimilis, Acmira" | 3883 | Atylus tridens | 6210 |
| "assimilis, Acmira" | 3901 | "aubbettius, Bemlos" | 5701 |
| "assimilis, Lepidopleurus" | 947 | "aubbettius, Lembos" | 5702 |
| "assimilis, Ophelia" | 3828 | "aulogaster, Ammotrypane" | 3833 |
| Assiminea californica | 1428 | "aurantia var californiana, Tethya" | 53 |
| Assimineidae | 1427 | "aurantia, Tritoniopsis" | 2473 |
| Astacilla californica | 6502 | "aurantiaca, Astyris" | 1726 |
| Astarte crassidens | 2910 | "aurantiaca, Eurylepta" | 664 |
| Astarte fluctuata | 2902 | "aurantiaca, Mitrella" | 1728 |
| Astenothaerus villosior | 3483 | "aurantiaca, Triopha" | 2451 |
| Asteracanthion margaritifer | 7444 | "aurantium, Tethya" | 54 |
| Asteriadina | 7419 | "aurata, Corymorpha" | 197 |
| Asterias (Pisaster) papulosa | 7436 | "aureotincta, Chlorostoma" | 1219 |
| Asterias (Urasterias) forcipulata | 7455 | "aureotincta, Tequila" | 1221 |
| Asterias brevispina | 7434 | "aureotinctus, Ischnochiton" | 986 |
| Asterias capitata | 7440 | "aureotinctus, Trochus" | 1220 |
| Asterias conferta | 7445 | "auriformis, Philine" | 2218 |
| Asterias fissispina | 7446 | Austraeolis stearnsi | 2570 |
| Asterias forneri | 7424 | "australe, Golfingia eremita var" | 3656 |
| Asterias forneri | 7454 | "australis, Pedicellina" | 867 |
| Asterias helianthoides | 7450 | "austrodigitalis, Collisella" | 1070 |
| Asterias hexactis | 7430 | "austrodigitalis, Lottia" | 1069 |
| Asterias koehleri | 7432 | Austrosignum erratum | 6619 |
| Asterias miniata | 7399 | Austrosignum tillerae | 6618 |
| Asterias ochracea | 7443 | Austrotrophon catalinensis | 1811 |
| Asterias paucispina | 7435 | "(Austrotrophon) catalinensis, Forreria" | 1813 |
| Asterias sertulifera | 7422 | "(Austrotrophon) catalinensis, Trophon" | 1812 |
| Asterias squamata | 7532 | "(Austrotrophon) cerrosensis catalinensis, Trophon" | 1814 |
| Asteridae | 7420 | "authia, Timea" | 56 |
| Asterina miniata | 7400 | Autobranchia | 2688 |
| Asterinidae | 7397 | Autolytinae | 4209 |
| Asterodiscididae | 7459 | Autolytus (Regulatus) okadai | 4215 |
| Astroidea | 7362 | Autolytus pachycerus | 4211 |
| Asteronychidae | 7480 | Automate sp A | 6857 |
| Asteronyx longissimus | 7481 | "avalonensis, Boreotrophon" | 1881 |
| Asteropella slatteryi | 5504 | "avalonia, Antenella" | 293 |
| Asteropsis imbricata | 7461 | Avicula sterna | 2785 |
| Asterozoa | 7361 | "avicula, Acanthochites" | 1017 |
| "asthenosoma, Luidia" | 7368 | "avicula, Acanthochitona" | 1016 |
| Asthenothaerus diegensis | 3481 | "avicula var diegensis, Acanthochites" | 1018 |
| "astigmata, Cucumaria fisheri" | 7697 | "aviculae, Chevalia" | 5723 |
| "astigmatus, Pseudocnus" | 7698 | "aviculare, Synnotum" | 7918 |
| Astraea (Megastrea) turbanica | 1197 | "awana, Petricola" | 3227 |
| Astraea (Uvanilla) rupicola | 1199 | Axiidae | 6995 |
| Astraea petrothauma | 1198 | Axiidea | 6982 |
| Astraea undosa | 1203 | Axinaea (? Septentrionalis) subobsoleta | 2700 |
| Astrangia haimei | 440 | Axinella sp | 112 |
| Astrangia lajollaensis | 441 | Axinellidae | 111 |
| "astricta, Odostomia" | 2129 | Axinodon redondoensis | 2963 |
| Astrometis sertulifera | 7421 | Axinopsida serricata | 2967 |
| Astropecten (Braziliensis) armatus | 7373 | Axinopsis serricatus | 2969 |
| Astropecten (Braziliensis) ornatissimus | 7379 | Axinopsis viridis | 2970 |
| Astropecten armatus | 7372 | Axinulus redondoensis | 2965 |
| Astropecten californicus | 7380 | Axiocelita originali | 78 |
| Astropecten erinaceus | 7374 | Axiognathus pugetana | 7530 |
| Astropecten oerstedii | 7375 | Axiognathus squamata | 7534 |
| Astropecten ornatissimus | 7378 | "(Axinola) septentrionalis, Glycymeris" | 2702 |
| Astropecten peruvianus | 7376 | Axiopsis (Axiopsis) spinulicauda | 7005 |
| Astropecten siderialis | 7377 | Axiopsis spinulicauda | 7004 |
| Astropecten verrilli | 7382 | "(Axiopsis) spinulicauda, Axiopsis" | 7005 |
| Astropecten verrilli californicus | 7381 | Axiothella catalinia | 3792 |
| Astropectinidae | 7371 | Axiothella rubrocincta | 3776 |
| Astrophorida | 27 | Axius (Paraxius) spinulicauda | 7002 |
| Astrophyton Caryi | 7474 | Axius spinulicauda | 7001 |
| Astrophyton eucnemis | 7473 | "azteca, Hyalella" | 5668 |
| Astrophyton simpsoni | 7475 | "aztecus, Amphitoe" | 5669 |
| Astyris aurantiaca | 1726 | | |
| Astyris clementensis | 1727 | | |
| Astyris gausapata | 1729 | | |
| Astyris permodesta | 1736 | | |
| "(Astyris) permodesta, Columbella" | 1738 | | |
| Astyris tuberosa | 1710 | Babaina festiva | 2580 |
| "(Astyris) tuberosa, Columbella" | 1713 | Babakina festiva | 2579 |
| Asychis disparidentata | 3806 | Babakiniae | 2578 |
| Atagema alba | 2373 | Babelomurex oldroydi | 1795 |
| Atagema quadrimaculata | 2375 | "baconi, Corophium" | 5759 |
| Atelostomata | 7621 | "baconi, Laticorophium" | 5758 |
| Athenaria sp A | 500 | "bacula, Leptonyx" | 1206 |
| "atlantica, Dorvillea" | 4492 | "baculum, Homalopoma" | 1205 |
| "atlanticus, Sergestes" | 6827 | "baetica, Callianax" | 1934 |
| "atra, Polycera" | 2439 | "baetica, Olivella" | 1935 |
| Atrina oldroydi | 2788 | "bairdi, Chrysodomus" | 1695 |
| "attenuata, Harenactis" | 493 | "bairdi, Incisocalliope" | 5951 |
| "attenuatum, Bittium" | 1258 | "bairdi, Neopleustes" | 5953 |
| "attenuatum, Lirobittum" | 1257 | "bairdi, Paramphithoe" | 5952 |
| "attilioi, Eulimostraca" | 1648 | "bakeri, Aglaja" | 2242 |
| "attilioi, Niso" | 1647 | "bakeri, Erycina" | 3027 |
| "attonsa, Cylichna" | 2273 | "bakeri, Fartulum" | 1453 |
| "attonsa, Cylichna ? Cylindracea var" | 2274 | "bakeri, Melanella (Sabinella)" | 1659 |
| | | "bakeri, Ophiopholis" | 7496 |

B

| | |
|---------------------------------|------|
| Babaina festiva | 2580 |
| Babakina festiva | 2579 |
| Babakiniae | 2578 |
| Babelomurex oldroydi | 1795 |
| "baconi, Corophium" | 5759 |
| "baconi, Laticorophium" | 5758 |
| "bacula, Leptonyx" | 1206 |
| "baculum, Homalopoma" | 1205 |
| "baetica, Callianax" | 1934 |
| "baetica, Olivella" | 1935 |
| "bairdi, Chrysodomus" | 1695 |
| "bairdi, Incisocalliope" | 5951 |
| "bairdi, Neopleustes" | 5953 |
| "bairdi, Paramphithoe" | 5952 |
| "bakeri, Aglaja" | 2242 |
| "bakeri, Erycina" | 3027 |
| "bakeri, Fartulum" | 1453 |
| "bakeri, Melanella (Sabinella)" | 1659 |
| "bakeri, Ophiopholis" | 7496 |

INDEX

| | | | |
|--|------|--|------|
| "bakeri, Orobittella" | 3029 | Barentsia parva | 868 |
| "bakeri, Paguristes" | 7028 | Barentsia robusta | 864 |
| "bakeri, Philine" | 2216 | Barentsia subrigida | 865 |
| "bakeri, Philine" | 2217 | Barentsia timidula | 866 |
| "bakeri, Pseudosabinella" | 2219 | Barentsiidae | 854 |
| "bakeri, Sabinella" | 1655 | "barkleyense, Caecum" | 1457 |
| "bakeri, Tubificoides" | 1656 | "barkleyense, Micranellum" | 1462 |
| Balanidae | 5322 | Barleelia californica | 1434 |
| Balanoglossus sp | 5448 | Barleelia coronadoensis | 1435 |
| Balanoidea | 7980 | Barleelia haliotiphila | 1433 |
| Balanomorpha | 5441 | Barleelia sanjuanensis | 1436 |
| "balanophorus, Sipunculus" | 5433 | Barleelia subtenuis | 1437 |
| Balanophylia elegans | 3622 | Barleeliidae | 1432 |
| Balanus (Conopea) galeatus | 461 | "barnardi, Apolochus" | 5969 |
| Balanus altissimus | 5446 | "barnardi, Eohaustorius" | 6111 |
| Balanus amphitrite | 5460 | "barnardi, Euchone" | 4714 |
| Balanus aquila | 5450 | "barnardi, Gammaropsis" | 5881 |
| Balanus concavus pacificus | 5466 | "barnardi, Limnodriloides" | 5315 |
| Balanus crenatus | 5468 | "barnardi, Microjassa" | 5864 |
| Balanus eburneus | 5453 | "barnardi, Pachynus" | 6368 |
| Balanus flos | 5452 | "barnardi, Pacificolodes" | 6062 |
| Balanus galeatus | 5461 | "barnardi, Rhachotropis" | 6011 |
| Balanus glandula | 5445 | "barnesi, Parasterope" | 5513 |
| Balanus nubilus | 5458 | "barnesi, Postasterope" | 5512 |
| Balanus pacificus | 5459 | "barnhardti, Styela" | 8042 |
| Balanus rugosus | 5469 | "barnharti, Pinnixa" | 7300 |
| Balanus tintinnabulum californicum | 5457 | "barnharti, Styela" | 8066 |
| Balanus trigonus | 5464 | "bartschi, Pterisopodus" | 6428 |
| "balboana, Nucula (Ennucula)" | 5462 | "baschi, Malmgreniella" | 4055 |
| Balcis (Vitreolina) obstipa | 2633 | Baseodiscus delineata | 756 |
| Balcis (Vitreolina) titubans | 1667 | Baseodiscus princeps | 758 |
| Balcis berryi | 1662 | "basilaria, Boccardia" | 5143 |
| "(Balcis) catalinensis, Melanella" | 1618 | Basiliochiton lobium | 1028 |
| "(Balcis) columbiana, Melanella" | 1669 | "bassi, Ancistrosyllis" | 4199 |
| Balcis compacta | 1661 | "bassi, Lumbrieris" | 4563 |
| "(Balcis) grippi, Melanella" | 1620 | "bassi, Scoletoma" | 4562 |
| "(Balcis) macra, Melanella" | 1664 | "bassi, Sigambra" | 4198 |
| Balcis micans | 1666 | Batea lobata | 6023 |
| "(Balcis) micans, Melanella" | 1623 | Batea transversa | 6024 |
| Balcis oldroydae | 1627 | Bateidae | 6022 |
| "(Balcis) prefalcata, Melanella" | 1629 | Bathura luna | 6458 |
| Balcis rutila | 1670 | "bathyalis, Byblis" | 6254 |
| "(Balcis) rutila, Melanella" | 1651 | Bathycopea daltonae | 6557 |
| Balcis sp A | 1653 | Bathydorus dawsoni | 17 |
| Balcis sp SD1 | 1632 | Bathydrilus litoreus | 5313 |
| Balcis sp SD2 | 1633 | Bathydrilus parkeri | 5314 |
| "balliana, Erycina" | 1634 | Bathyleberis californica | 5515 |
| Balticina pacifica | 2953 | Bathyleberis garthi | 5505 |
| "bamboo, Elasmopus" | 393 | Bathyleberis hancocki | 5506 |
| "banksia, Mayerella" | 6263 | Bathymedon covilhani | 5507 |
| "bansei, Chaetozone" | 5817 | Bathymedon flebilis | 6039 |
| "bansei, Malmgreniella" | 4864 | Bathymedon kassites | 6040 |
| "bansei, Pista" | 4054 | Bathymedon pumilus | 6041 |
| Baptodoris mimetica | 5055 | Bathymedon roquedo | 6042 |
| "baranensis, Odostomia" | 2377 | Bathymedon vulpeculus | 6043 |
| Barantolla sp | 2143 | Bathypora feminalba | 6044 |
| "barbarae, Amphiodia" | 3737 | Bathypora ovoida | 8073 |
| "Barbara, Amphiodia" | 7508 | Bathypora splendens | 8074 |
| "barbarae, Amphiura" | 7515 | "beani, Haleciun" | 8076 |
| "barbarae, Diaphiodia" | 7517 | "beanii, Lepidochitona" | 302 |
| "barbarensis, Antiopella" | 7518 | "beanii, Lepidopleurus (?)" | 1026 |
| "barbarensis, Aolis" | 2514 | "beanii, Thoa" | 1027 |
| "barbarensis, Barbatofusus" | 2513 | "beaumonti, Cumanotus" | 303 |
| "barbarensis, Byblis" | 1751 | "beebei, Plesionika" | 2518 |
| "barbarensis, Cryptodon" | 6253 | "behningi, Parapleustes" | 6943 |
| "barbarensis, Cyclocardia" | 2973 | "behrensi, Dendroritis" | 5958 |
| "barbarensis, Fusinus" | 2907 | "behringensis, Myxilla" | 2392 |
| "barbarensis, Fusus" | 1753 | "belcheri, Chorus" | 100 |
| "barbarensis, Janolus" | 1752 | "belcheri, Forreria" | 1824 |
| "barbarensis, Mangilia" | 2512 | "belcheri, Murex" | 1822 |
| "barbarensis, Murex (Muricidea)" | 1995 | "bella, Xantho" | 1823 |
| "barbarensis, Neosimnia" | 1840 | "bellardina, Modiola" | 7257 |
| "barbarensis, Ocenebra" | 1363 | "bellastriata, Asperiscala" | 2732 |
| "barbarensis, Ocinebrina" | 1841 | "bellastriata, Scala" | 1535 |
| "barbarensis, Ovalia (Simnia) deflexa var" | 1839 | "bellastriata, Scalaria" | 1537 |
| "barbarensis, Podochela" | 1364 | "bellastriatum, Epitonium" | 1534 |
| "barbarensis, Simnia (Neosimnia)" | 7202 | "bellerophon, Scintillona" | 1533 |
| "barbarensis, Spiculata" | 1366 | "belli oculata, Marphysa" | 2986 |
| "barbarensis, Thysaira" | 1368 | "belliceps, Aega" | 4520 |
| "barbarensis, Tritonaria" | 2975 | "belliceps, Rocineila" | 6408 |
| "barbarensis, Venericardia" | 1843 | "bellimanus, Alpheus" | 6407 |
| "barbaris, Styela" | 2908 | "bellimanus, Crangon" | 6850 |
| Barbarofusus barbarensis | 8038 | "bellis, Heteropale" | 6851 |
| "barbilla, Dipolydora" | 1751 | "bellis, Paleanotus" | 4122 |
| "barbilla, Polydora" | 5158 | "bellistriatum, Epitonium (Asperiscala)" | 4121 |
| "barentsi, Myxilla" | 5159 | "bellostratus, Prostheceraeus" | 1536 |
| Barentsia benedeni | 99 | "bellottii, Nucula" | 667 |
| Barentsia discreta | 855 | "bellus, Lophopanopeus" | 2627 |
| Barentsia gracilis | 859 | "bellus, Lophoxanthus" | 7256 |
| Barentsia gracilis | 858 | "bellus, Lophoxanthus" | 7258 |
| Barentsia misakiensis | 871 | "bellus, Lophozomyrus (Lophoxanthus)" | 7269 |
| | 863 | | 7260 |

INDEX

| | | | |
|--|------|---|------|
| Belonectes sp A | 6611 | "bifurcatus, Septifer" | 2779 |
| Bemlos audbetti | 5701 | "bifurcatus, Spirorbis" | 4817 |
| Bemlos concavus | 5703 | "bigarra Cmplx, Garosyrhoe" | 6072 |
| Bemlos macromanus | 5705 | "bigarra, Garosyrhoe" | 6070 |
| "benedeni, Barentsia" | 855 | "bigarra, Syrrhoites" | 6071 |
| "benedeni, Pedicellina" | 856 | "bigelowi, Corymorpha" | 189 |
| "benedicti, Megalorchestia" | 5679 | "bigelowi, Euphsa" | 191 |
| "benedicti, Orchestoidea" | 5680 | "bigelowi, Euphsora" | 190 |
| "benedicti, Parapagurus" | 7087 | "bigelowi, Steenstrupia" | 192 |
| "benedicti, Streblospio" | 5285 | "bilamellata, Doris" | 2414 |
| "benthalis, Cyclopecten" | 2877 | "bilamellata, Onchidoris" | 2413 |
| Bentheogennema burkenroadi | 6809 | "bilineata, Eulalia" | 4398 |
| "benti var zacae, Havelockia" | 7661 | "bilineata, Sphaerosyllis" | 4272 |
| "benti var zacae, Thyone" | 7662 | "bilineatum, Tetrastemma" | 823 |
| "benti, Havelockia" | 7659 | "bilineatus, Cerebratulus" | 742 |
| "benti, Thyone" | 7660 | "bilineatus, Lineus" | 741 |
| "bentleyi, Boreotrophon" | 1882 | "bilarata, Pandora" | 3456 |
| "bentleyi, Trophon (Neptunea)" | 1883 | "bilarata, Pandora (Pandorella)" | 3460 |
| "beringanus, Eupagurus (Trigonocheirus)" | 7056 | "bilarata, Sphenia" | 3229 |
| "beringanus, Pagurus" | 7055 | "bimaculata, Chone" | 4752 |
| "beringia, Agnesia" | 8025 | "bimaculata, Fissurellidea" | 1114 |
| "beringiana, Acila (Truncacila)" | 2621 | "bimaculata, Nipponemertes" | 799 |
| "berkeleyae, Lepidasthenia" | 4023 | "bimaculata, Paradialychone" | 4751 |
| "berkeleyae, Pilargis" | 4189 | "bimaculata, Thordisa" | 2389 |
| "berkeleyi, Magelona" | 5121 | "bimaculatus, Amphiporus" | 797 |
| "berkeleyi, Pilargis" | 4190 | "bimaculatus, Collarenemertes" | 798 |
| "berkeleyi, Pseudomma" | 5606 | "bimaculatus, Megatebennus" | 1115 |
| "berkeleyi, Sthenelais" | 4107 | "bimaculoides, Octopus" | 3607 |
| "berkeleyorum, Chaetozone" | 4881 | Bimeria formosa | 220 |
| "berkeleyorum, Cirratulus" | 4890 | Bimeria franciscana | 217 |
| "berkeleyorum, Naineris" | 3869 | Bimeria sp | 213 |
| "berkeleyorum, Spiophanes" | 5269 | "bioccipitalis, Polydora" | 5203 |
| "berkeleyorum, Spiophanes" | 5278 | "biocellata, Tiron" | 6080 |
| Bernhardus armatus | 7051 | "bioculata, Amphisamytha" | 4997 |
| "berry, Balcis" | 1618 | "bioculata, Armardia" | 3826 |
| "berry, Epitonium" | 1538 | "bioculata, Mooreamytha" | 4995 |
| "berry, Epitonium" | 1574 | "bioculata, Samytha" | 4996 |
| "berry, Homalopoma" | 1207 | Bipalponeptyx cornuta | 4359 |
| "berry, Ischnochiton" | 1000 | "biplicata lapillus, Olivella" | 1943 |
| "berry, Melanella" | 1619 | "biplicata, Callianax" | 1939 |
| "berry, Scala" | 1539 | "biplicata, Campylaspis" | 6732 |
| "berry, Vitrinella" | 1487 | "biplicata, Campylaspis" | 6749 |
| Berthella californica | 2337 | "biplicata, Oliva" | 1940 |
| Berthella denticulatus | 2339 | "biplicata, Olivella" | 1942 |
| Berthellina citrina | 2343 | "bipunctatus, Chiton" | 1029 |
| Berthellina engeli | 2344 | "biserialis, Sphaerodoriidum" | 4458 |
| Berthellina ilisima | 2342 | "biserialis, Sphaerodoropsis" | 4459 |
| "beserialis, Purpura" | 1877 | "biserialis, Sphaerodoropsis" | 4462 |
| "beta, Kurtziella (Kurtzina)" | 2004 | "biserialis, Sphaerodororum" | 4463 |
| "beta, Kurtzina" | 2002 | "biserialis, Stramonita" | 1876 |
| "beta, Mangelia (Kurtziella)" | 2003 | "biserialis, Thais (Stramonita)" | 1879 |
| "beta, Ocenebra" | 1846 | "bisetulosa, Paraleptognathia" | 6650 |
| "beta, Ocinebrina" | 1844 | "bishopi, Leucon" | 6721 |
| "beta, Tritonalia interfossa" | 1845 | "ispinosa, Mesolamprops" | 6774 |
| Betaeus ensenadensis | 6858 | "ispinosa, Ophiuroconis" | 7576 |
| Betaeus harfordi | 6859 | "ispinosa, Spirontocaris" | 6914 |
| Betaeus harrimani | 6862 | "ispinosus, Hippolyte" | 6915 |
| Betaeus longidactylus | 6863 | "ispinosus, Mesolamprops" | 6773 |
| "biangulata, Americardia" | 3074 | Bispira polymorpha | 4727 |
| "biangulata, Apolymetis" | 3132 | Bispira sp | 4699 |
| "biangulata, Florimetus" | 3133 | "bitorquata, Rhodine" | 3820 |
| "biangulata, Scrobicularia" | 3137 | Bittinæ | 1256 |
| "biangulatum, Cardium" | 3075 | Bittium (Lirobittum) larum | 1264 |
| "biannulata, Eunice" | 4513 | Bittium (Semibittium) quadrifilatum | 1270 |
| "biaperta, Hiatella" | 3222 | Bittium (Semibittium) rugatum | 1276 |
| "biarcuatus, Ischnochiton" | 1013 | Bittium (Stylium) paganicum | 1267 |
| "bicanaliculata, Nereis" | 4174 | Bittium (Stylium) quadrifilatum | 1271 |
| "bicanaliculata, Platynereis" | 4173 | Bittium asperum | 1274 |
| "bicarinata, Didonta" | 3221 | Bittium attenuatum | 1258 |
| "bicarinata, Pandora (Kennerlia)" | 3458 | Bittium fetillum | 1262 |
| "bicirrata, Eranno" | 4533 | Bittium quadrifilatum | 1269 |
| "bicirrata, Lumbrineris" | 4534 | Bittium rugatum | 1273 |
| "bicolor, Amphissa" | 1716 | Bittium subplanatum | 1275 |
| "bicoma, Stenothoides" | 5987 | "bituberculatus forma minima, Epialtus" | 7166 |
| "bicuspidatus, Paraphoxus" | 6141 | "bituberculatus, Epialtus" | 7165 |
| "bicuspidatus, Rhepoxynius" | 6140 | Bivalvia | 2597 |
| "bidentata, Dipolydora" | 5160 | "blakei, Campylaspis" | 6735 |
| "bidentata, Polydora flava" | 5161 | Blepharipoda occidentalis | 7128 |
| "bidiscum, Psolidium" | 7649 | Blepharipodidae | 7127 |
| "biffari, Neotrypaea" | 6986 | "blomstrandii, Eusyllis" | 4221 |
| "bifilaris, Lumbrineris" | 4537 | Boccardia basilaria | 5143 |
| Biflustra denticulata | 7864 | Boccardia columbiana | 5144 |
| Biflustra Savartii | 7860 | Boccardia natrix | 5146 |
| "bifoliata, Eulalia (Sige)" | 4417 | Boccardia pugettensis | 5145 |
| "bifoliata, Sige" | 4416 | Boccardia uncata | 5149 |
| "bifoliata, Sige" | 4418 | Boccardiella hamata | 5147 |
| "biformis, Hyalopomatus" | 4786 | "bodegensis, Tellina" | 3097 |
| "biformis, Vermiliopsis" | 4787 | "bodegensis, Tellina (Peronidia)" | 3099 |
| "bifurcata, Dipolydora" | 5163 | Bodotriidae | 6702 |
| "bifurcata, Photis" | 5900 | "bola Cmplx, Melphisana" | 6305 |
| "bifurcata, Polydora" | 5164 | "bola, Melphisana" | 6306 |
| "bifurcatus, Mytilus" | 2780 | Boilocera brevicornis | 527 |

INDEX

| | | | |
|--|------|--|------|
| Boloceroididae | 538 | "brevicornis, Liponema" | 526 |
| Boltenia echinata | 8077 | "brevicula, Microglyphis" | 2188 |
| Boltenia hirsuta | 8080 | "breviculus, Actaeon (Microglyphis)" | 2189 |
| Boltenia villosa | 8084 | "brevipes, Photis" | 5901 |
| "bomala, Zanclea" | 246 | "brevipharyngea, Brania" | 4241 |
| "bombyx, Spio" | 5282 | "breviremis, Leptognathia" | 6648 |
| Bonelliidae | 3715 | "breviremis, Tanais" | 6649 |
| Bonelloinea | 3714 | "brevirostris, Heptacarpus" | 6871 |
| Boonea oregonensis | 2120 | "brevirostris, Hippolyte" | 6872 |
| Bopyridae | 6445 | "brevirostris, Penaeus" | 6816 |
| Bopyroidea | 6444 | "brevirostris, Spirontocaris" | 6873 |
| "boreale, Sipunculus" | 3651 | "brevirostrum, ? Inachoides" | 7211 |
| "borealis crebricostata, Cardita" | 2913 | "brevis, Ammotrypane" | 3825 |
| "borealis, Crossaster" | 7405 | "brevis, Armandia" | 3824 |
| "borealis, Gonatopsis" | 3595 | "brevis, Perotripus" | 5826 |
| "borealis, Hemipodia" | 4331 | "brevis, Travisia" | 3988 |
| "borealis, Hemipodus" | 4332 | "breviseta, Exogone" | 4262 |
| "borealis, Lucina" | 2954 | "breviseta, Paraexogone" | 4261 |
| "borealis, Melanella (Melanella) micans" | 1631 | "brevisetosa, Halosydna" | 4028 |
| "borealis, Opalia" | 1594 | "brevisimulata, Ampelisca" | 6224 |
| "borealis, Petaloprotus" | 3813 | "brevispina, Asterias" | 7434 |
| "borealis, Rossia" | 3585 | "brevispinus, Pisaster" | 7433 |
| "borealis, Sipunculus (Phascolosoma)" | 3652 | "brevotentaculata, Aphrodita" | 4008 |
| "borealis, Solaster" | 7404 | "brigitteae, Eteone" | 4383 |
| Boreomysinae | 5593 | Brisaster latifrons | 7625 |
| Boreomysis californica | 5594 | Brisaster townsendi | 7628 |
| Boreotrophon avalonensis | 1881 | Brisingella pusilla | 7418 |
| Boreotrophon bentleyi | 1882 | Brisingida | 7416 |
| Boreotrophon eucymatus | 1884 | Brisingidae | 7417 |
| Boreotrophon multicostatus | 1886 | Brissidae | 7633 |
| "borlus, Ocosingo" | 6384 | Brissidina | 7632 |
| Bornia retifera | 3031 | Brissopsis pacifica | 7634 |
| Botrylloides sp | 8028 | Brissopsis sp LA1 | 7637 |
| Bougainvilleidae sp A | 214 | Brolginae | 6167 |
| Bougainvilliidae | 212 | "bromleyi, Virgularia" | 406 |
| "bousfieldi, Maera" | 6269 | "brophyi, Addisonia" | 1126 |
| "bousfieldi, Microjassa" | 5865 | "brunnea, Acanthodoris" | 2407 |
| "bowerbanki, Halichondria" | 116 | "brunnea, Acanthomysis" | 5620 |
| Bowerbankia caudata | 7848 | "brunnea, Amphiduros" | 4128 |
| Bowerbankia gracilis | 7847 | "brunnea, Cellepora" | 7962 |
| "bowersi, Coenocyathus" | 446 | "brunnea, Celleporaria" | 7961 |
| Brachidontes adamsianus | 2713 | "brunnea, Chlorostoma" | 1222 |
| Brachiopoda | 7749 | "brunnea, Cossura" | 3767 |
| "brachycephala, Polypora" | 5167 | "brunnea, Exogonella" | 4265 |
| "brachycladus, Ampelisca" | 6222 | "brunnea, Fabricia" | 4695 |
| Brachynotus nudus | 7337 | "brunnea, Goniada" | 4340 |
| Brachynotus oregonensis | 7341 | "brunnea, Goniada" | 4344 |
| Brachypoda | 5407 | "brunnea, Goniada" | 4347 |
| Brachyura | 7132 | "brunnea, Gyptis" | 4126 |
| Brada glabra | 4932 | "brunnea, Halodakra" | 3053 |
| Brada pilosa | 4936 | "brunnea, Holoporella" | 7963 |
| Brada pilosa | 4937 | "brunnea, Novafabricia" | 4694 |
| "bradmyersi, Harbansus" | 5525 | "brunnea, Oxydromus" | 4264 |
| "branchiatus, Aricidea" | 3942 | "brunnea, Tegula" | 1223 |
| "branchiatus, Aricidea (Cirrophorus)" | 3941 | "brunneus, Ischnochiton" | 978 |
| "branchiatus, Cirrophorus" | 3939 | Bruzella tuberculata | 6069 |
| Branchiomaldane simplex | 3732 | "bryanti, Ischnochiton" | 977 |
| Branchiomma burrardum | 4748 | Bryophila setosa | 2708 |
| Branchiomma circumspectum | 4742 | Buccinidae | 1687 |
| "branchiopoda, Glyceria" | 4316 | Buccininae | 1688 |
| Branchiostoma californiense | 8120 | Buccinoidea | 1686 |
| Branchiostomatidae | 8119 | Buccinum fossatum | 1769 |
| Branchiosyllis exilis Cmplx | 4279 | Buccinum lamellosa | 1832 |
| Branchiura | 5470 | "Bufonaria) californica, Bursa" | 1494 |
| "branchioporus, Eurydice" | 6479 | Bugula curvirostrata | 7931 |
| "brandhorsti, Sphaerosyllis" | 4277 | Bugula longirostata | 7920 |
| Brania breviphyngea | 4241 | Bugula neritina | 7921 |
| Brania californiensis | 4242 | Bugula pacifica | 7923 |
| Brania heterocirra | 4243 | Bugula purpuroincta | 7924 |
| Brania medioidentata | 4244 | Bugulidae | 7919 |
| "branneri, Cancer" | 7244 | Bulla (Akera) culcittella | 2261 |
| "branneri, Mangilia (Cythara)" | 2009 | Bulla (Haminea) vesicula | 2204 |
| "branneri, Romaleon" | 7243 | Bulla (Tornatina) cerealis | 2252 |
| "(Braziliensis) armatus, Astropecten" | 7373 | Bulla (Tornatina) inculta | 2271 |
| "brasiliensis, Dexiospira" | 4806 | Bulla gouldiana | 2194 |
| "brasiliense, Platophium" | 5837 | Bulla nebulosa | 2195 |
| "brasiliensis, Erichthionius" | 5846 | Bulla virescens | 2207 |
| "brasiliensis, Janua (Dexiospira)" | 4808 | "bullatus, Cancer" | 7227 |
| "(Braziliensis) ornatissimus, Astropecten" | 7379 | "bullibranchia, Scolelepis (Scolelepis)" | 5254 |
| "brasiliensis, Peanaeus" | 6815 | Bullidae | 2193 |
| "brasiliensis, Podocerus" | 5836 | "bulligera, Randallia" | 7157 |
| "brasiliensis, Pyctilus" | 5847 | Bullina eximia | 2254 |
| "brasiliensis, Spirorbis" | 4807 | "(Bullinella) attonna, Cylichnella" | 2276 |
| "brattegardi, Mysidopsis" | 5642 | Bulloidea | 2192 |
| "breve, Paedarium" | 5827 | Bullomorpha sp A | 2304 |
| "breviaria, Araphura" | 6658 | Bunodeopsis sp A | 539 |
| "brevibranchia, Pista" | 5047 | "burbanki, Stenothoides" | 5988 |
| "brevicapitis, Ephesiella" | 4454 | "burchami, Discosolenia" | 639 |
| "brevicapitis, Sphaerodororum" | 4455 | "burchami, Discosolenia (Planocera)" | 641 |
| "breviceps, Ancistrosyllis" | 4181 | "burchami, Koinostylochus" | 643 |
| "brevicomata, Sabella (Potamilla)" | 4725 | "burchami, Planocera" | 640 |
| "brevicornis, Bolocera" | 527 | | |

INDEX

| | | | |
|--------------------------------------|------|---|------|
| "burchami, Pseudostylochus" | 645 | "caffea, Turcica (Ptychostylis)" | 1140 |
| "buchi, Nuculana" | 2653 | "calafia, Carazziella" | 5151 |
| Burchia redondoensis | 2073 | Calamyzas amphitenicola | 4218 |
| "burkenroadi, Benthogennema" | 6809 | Calamyzinae | 4217 |
| "burrardensis, Alvania" | 1422 | Calappidae | 7151 |
| "burrardum, Branchiomma" | 4748 | Calappoidea | 7150 |
| Bursa (Bufonaria) californica | 1494 | Calastacus quinqueseratus | 6997 |
| Bursa californica | 1493 | "(Calastacus) quinqueseratus, Calocaris" | 6999 |
| Bursidae | 1490 | Calastacus rostriserratus | 6998 |
| "butleri, Spio" | 5262 | Calarea | 154 |
| "buttoni, Dermatomya" | 3533 | "calcarea, Synidotea" | 6522 |
| "buttoni, Tellina" | 3117 | Calcaronea | 161 |
| "buttoni, Tellina (Oudardia)" | 3120 | "calceolifera, Campanularia" | 257 |
| Byblis agassizi | 6219 | "calceolifera, Laomedea" | 256 |
| Byblis barbarensis | 6253 | Calcrea | 155 |
| Byblis bathyalis | 6254 | "calcigera, Cucumaria" | 7676 |
| Byblis millsii | 6255 | Calcinea | 156 |
| Byblis thyabilis | 6256 | "calena, ?Alabina" | 1260 |
| Byblis veleronis | 6257 | "calenum, Lirobittium" | 1259 |
| C | | Calicella syringa | 283 |
| Cactosoma arenaria | 496 | "calida, Califia" | 3848 |
| "(Cadella) nuculoides, Tellina" | 3125 | "calidrum, Polycirrus" | 5069 |
| "(Cadella) salmonaea, Tellina" | 3126 | Calanthura squamosissima | 6470 |
| "cadieri, Tanaopsis" | 6687 | Califa calida | 3848 |
| "cadieri, Tellina" | 3100 | "californiana, Cliona" | 43 |
| Cadilina flavomaculata | 2361 | "californiana, Cliona celata" | 44 |
| Cadilina luteomarginata | 2362 | "californiana, Cypraea" | 1518 |
| Cadilina marginata | 2363 | "californiana, Terebratula" | 7776 |
| Cadilina modesta | 2364 | "californiana, Tethya" | 52 |
| Cadilina sparsa | 2365 | "californiana, Tethya aurantia var" | 53 |
| Cadulus aberrans | 3566 | "californiana, Trivia" | 1517 |
| Cadulus californicus | 3562 | "californiana, Trivia (Pusula)" | 1519 |
| Cadulus fusiformis | 3567 | "californianum, Corophium" | 5763 |
| Cadulus hepburni | 3568 | "californianum, Monocorophium" | 5762 |
| Cadulus nitentior | 3569 | "californianus forma vancouverensis, Terebratula" | 7777 |
| Cadulus tolmei | 3572 | "californianus, Laqueus" | 7771 |
| Cadulus (Platyschides) californicus | 3563 | "californianus, Mytilus" | 2715 |
| Cadulus (Polyschides) quadrifissatus | 3559 | "californianus, Tagelus" | 3202 |
| "caeca, Amphinemertes" | 817 | "californica haroldi, Lyonsia" | 3475 |
| "caeca, Diploehnia" | 570 | "californica, Acanthomysis" | 5615 |
| "caeca, Dorvillea" | 4502 | "californica, Acerotis" | 661 |
| "caeca, Mystides" | 4407 | "californica, Ampelisca" | 6244 |
| "caeca, Parougia" | 4500 | "californica, Arooides" | 5687 |
| "caeca, Plehnia" | 568 | "californica, Aplysia" | 2309 |
| "caeca, Polydora" | 5177 | "californica, Aplysia (Neaplysia)" | 2310 |
| "caeca var magna, Polydora" | 5178 | "californica, Apohyale" | 5671 |
| "caeca var oculifera, Plehnia" | 569 | "californica, Armina" | 2457 |
| Caecianiopsis psammophila | 6580 | "californica, Assiminea" | 1428 |
| Caecianiopsis sp LA1 | 6578 | "californica, Astacilla" | 6502 |
| Caecianiopsis sp LA2 | 6579 | "californica, Barleeria" | 1434 |
| Caecidae | 1442 | "californica, Bathyleberis" | 5515 |
| Caecognathia crenulatifrons | 6430 | "californica, Berthella" | 2337 |
| Caecognathia sanctaerucis | 6432 | "californica, Boreomysis" | 5594 |
| Caecognathia sp A | 6435 | "californica, Bursa" | 1493 |
| Caecognathia sp SD1 | 6436 | "californica, Bursa (Bufonaria)" | 1494 |
| "caecoides ferruginea, Nephthys" | 4372 | "californica, Caprella" | 5785 |
| "caecoides, Nephthys" | 4366 | "californica, Caprella scaura var" | 5788 |
| "caecoides, Nephthys" | 4365 | "californica, Caulibugula" | 7925 |
| "caecula, Westwoodilla" | 6065 | "californica, Cerithidea" | 1281 |
| Caecum barkleyense | 1457 | "californica, Chapperia" | 7886 |
| Caecum californicum | 1443 | "californica, Chapperiopsis" | 7885 |
| Caecum catalinense | 1458 | "californica, Codakia" | 2935 |
| Caecum cooperi | 1444 | "californica, Corynactis" | 555 |
| Caecum crebricinctum | 1456 | "californica, Crepidula" | 1303 |
| Caecum dalli | 1445 | "californica, Crossata" | 1491 |
| Caecum diegense | 1446 | "californica, Cryptomya" | 3411 |
| Caecum grippi | 1447 | "californica, Cumella" | 6751 |
| Caecum licalium | 1448 | "californica, Cumingia" | 3182 |
| Caecum occidentale | 1452 | "californica, Cuspidaria" | 3505 |
| Caecum orcutti | 1449 | "californica, Cyclostremella" | 1215 |
| Caecum oregonense | 1459 | "californica, Desdimelita" | 6284 |
| Caecum pedroense | 1460 | "californica, Deutella" | 5814 |
| Caecum rosanum | 1461 | "californica, Diaperocia" | 7812 |
| "caecum, Tetrasemma" | 818 | "californica, Diaperiforma" | 7810 |
| "caecus, Staurocephalus" | 4501 | "californica, Diaphana" | 2199 |
| "caelata, Nuculana" | 2658 | "californica, Diastylis" | 6778 |
| "caeloris, Lepidonotus" | 4034 | "californica, Edwardsia" | 7996 |
| "caelorus, Lepidonotus" | 4035 | "californica, Edwardsia (Edwardsiella)" | 466 |
| Caenogastropoda | 1250 | "californica, Elthusa" | 6417 |
| "caenosa, Procampylaspis" | 6759 | "californica, Epilucina" | 2933 |
| Caesia delosii | 1765 | "californica, Eteone" | 4385 |
| Caesia fossatus | 1768 | "californica, Eugryra arenosa" | 8108 |
| Caesia perpinguis | 1774 | "californica, Eulima" | 1638 |
| Caesira aplopota | 8110 | "californica, Eurythoe" | 4475 |
| Caesira pugetensis | 8111 | "californica, Gari" | 3162 |
| Caesira regularis | 8114 | "californica, Gari (Gobraeus)" | 3164 |
| "caffea, Calliostoma (Turcica)" | 1141 | "californica, Golfinia eremita" | 3649 |
| "caffea, Thalotria" | 1142 | "californica, Grippina" | 3434 |
| "caffea, Turcica" | 1139 | "californica, Halipteris" | 391 |
| | | "californica, Hemilamprops" | 6764 |
| | | "californica, Hippolytmata" | 6910 |

INDEX

| | | | |
|---|------|---|------|
| "californica, Hippopodina" | 7933 | "californicus, Arynchite" | 3719 |
| "californica, Holothuria" | 7703 | "californicus, Asclerocheilus" | 3981 |
| "californica, Hoploplana" | 626 | "californicus, Astropecten" | 7380 |
| "californica, Hyale" | 5672 | "californicus, Astropecten verrilli" | 7381 |
| "californica, Hydobia" | 1429 | "californicus, Cadulus" | 3562 |
| "californica, Idmonea" | 7811 | "californicus, Cadulus (Platyschides)" | 3563 |
| "californica, Inusitatomysis" | 5628 | "californicus, Chiton" | 1034 |
| "californica, Lepidopa" | 7125 | "californicus, Conus" | 1957 |
| "californica, Limatula" | 2798 | "californicus, Ensis" | 3214 |
| "californica, Lironeca" | 6419 | "californicus, Hemilamprops" | 6763 |
| "californica, Livoneca" | 6418 | "californicus, Laqueus" | 7772 |
| "californica, Lophelia" | 453 | "californicus, Megabalanus" | 5463 |
| "californica, Lucina" | 2934 | "californicus, Megalomphalus" | 1497 |
| "californica, Lyonsia" | 3474 | "californicus, Octopus" | 3608 |
| "californica, Lysmata" | 6909 | "californicus, Parastichopus" | 7702 |
| "californica, Macromphalina" | 1498 | "californicus, Placostegus" | 4793 |
| "californica, Mactra" | 3372 | "californicus, Pleurobranchus" | 2338 |
| "californica, Mactrotoma" | 3371 | "californicus, Polycirrus" | 5068 |
| "californica, Melita" | 6285 | "californicus, Polycirrus" | 5071 |
| "californica, Mitrella" | 1705 | "californicus, Polypus" | 3609 |
| "californica, Mucronella" | 7949 | "californicus, Polyschides" | 3564 |
| "californica, Muricea" | 366 | "californicus, Rathbunaster" | 7451 |
| "californica, Mysidopsis" | 5643 | "californicus, Rhizorus" | 2289 |
| "californica, Neastacilla" | 6501 | "californicus, Spatangus" | 7642 |
| "californica, Neoleprea" | 5036 | "californicus, Stichopus" | 7704 |
| "californica, Nerocila" | 6427 | "californicus, Stromiformis" | 1640 |
| "californica, Nuttallina" | 1033 | "californicus, Stylochus" | 579 |
| "californica, Ophiopsila" | 7558 | "californiense, Amphioxus" | 8121 |
| "californica, Orobittella" | 3025 | "californiense, Branchiostoma" | 8120 |
| "californica, Paramermes" | 781 | "californiense, Clausidium" | 5487 |
| "californica, Paraneurmertes" | 786 | "californiense, Pleurogonium" | 6625 |
| "californica, Parasmittina" | 7948 | "californiensis, Alpheus" | 6852 |
| "californica, Pareurythoe" | 4474 | "californiensis, Amakusanthera" | 6460 |
| "californica, Parviplana" | 609 | "californiensis, Anoplodactylus" | 5374 |
| "californica, Pavonaria" | 392 | "californiensis, Apanthura" | 6461 |
| "californica, Pennatula" | 414 | "californiensis, Brania" | 4242 |
| "californica, Pennatula phosphorea var" | 416 | "californiensis, Callianassa" | 6988 |
| "californica, Pentactinia" | 487 | "californiensis, Callipallene" | 5362 |
| "californica, Phacoides" | 2936 | "californiensis, Cerebratulus" | 734 |
| "californica, Philine" | 2221 | "californiensis, Chione" | 3276 |
| "californica, Photis" | 5902 | "californiensis, Chromodoris" | 2369 |
| "californica, Photis" | 5903 | "californiensis, Cirolana" | 6488 |
| "californica, Phragmatopoma" | 4680 | "californiensis, Crangon" | 6853 |
| "californica, Planocera" | 635 | "californiensis, Eulalia" | 4396 |
| "californica, Pleurobranchaea" | 2346 | "californiensis, Eupagurus" | 7081 |
| "californica, Pleurophyllida" | 2458 | "californiensis, Eurycope" | 6612 |
| "californica, Psammobia" | 3163 | "californiensis, Farfantepenaeus" | 6813 |
| "californica, Pseudallioplana" | 634 | "californiensis, Galathea" | 7093 |
| "californica, Pseudofabriciola" | 4697 | "californiensis, Golfingia margaritaceum" | 3634 |
| "californica, Pseudomma" | 5607 | "californiensis, Hemisquilla" | 5578 |
| "californica, Pygospio" | 5245 | "californiensis, Hemisquilla ensigera" | 5579 |
| "californica, Ramex" | 5080 | "californiensis, Hippolyte" | 6904 |
| "californica, Ranella" | 1492 | "californiensis, Hypselodoris" | 2368 |
| "californica, Sabellaria" | 4681 | "californiensis, Janetogalathea" | 7092 |
| "californica, Saxicava" | 3354 | "californiensis, Lepidozona" | 979 |
| "californica, Schizopyga" | 1767 | "californiensis, Lithodes" | 7120 |
| "californica, Skenea" | 1217 | "californiensis, Lumbineris" | 4557 |
| "californica, Sphaenia" | 3412 | "californiensis, Malacoplax" | 7272 |
| "californica, Sportella" | 3026 | "californiensis, Maldane" | 3803 |
| "californica, Stirparia" | 7926 | "californiensis, Mediomas" | 3752 |
| "californica, Stirpariella" | 7927 | "californiensis, Myriownia" | 4668 |
| "californica, Strombiformis" | 1639 | "californiensis, Natatolana" | 6487 |
| "californica, Stylochopla" | 610 | "californiensis, Neotrypaea" | 6987 |
| "californica, Telesto" | 349 | "californiensis, Nephthys" | 4370 |
| "californica, Terebella" | 5037 | "californiensis, Nephthys" | 4367 |
| "californica, Terebellides" | 5100 | "californiensis, Nephthys" | 4369 |
| "californica, Terebratula" | 7778 | "californiensis, Nephthys" | 4373 |
| "californica, Thalamoporella" | 7895 | "californiensis, Notocirrus" | 4601 |
| "californica, Thalamoporella rozieri var" | 7896 | "californiensis, Pagurus" | 7082 |
| "californica, Tindaria" | 2671 | "californiensis, Pallene" | 5363 |
| "californica, Virgularia" | 409 | "californiensis, Paralithodes" | 7119 |
| "californica, Volvarina" | 1902 | "californiensis, Pectinaria" | 5017 |
| "californica, Volvulella" | 2288 | "californiensis, Penaeus" | 6814 |
| "californica, Waldheimia" | 7780 | "californiensis, Phimochirus" | 7080 |
| "californica, Xenoleberis" | 5514 | "californiensis, Pinnixa" | 7311 |
| "californica, Xylophaga" | 3447 | "californiensis, Platymera" | 7154 |
| "californicum osseum, Scalpellum" | 5428 | "californiensis, Pseudotanais" | 6672 |
| "californicum, Arcoscalpellum" | 5427 | "californiensis, Pterocirrus" | 4409 |
| "californicum, Balanus tintinnabulum" | 5464 | "californiensis, Pylopagurus" | 7083 |
| "californicum, Caecum" | 1443 | "californiensis, Samytha" | 5004 |
| "californicum, Cerithium" | 1282 | "californiensis, Sige" | 4410 |
| "californicum, Hamatoscalpellum" | 5425 | "californiensis, Siphonolabrum" | 6685 |
| "californicum, Prochaetoderma" | 922 | "californiensis, Solecurtus (Cultellus)" | 3203 |
| "californicum, Scalibregma" | 3986 | "californiensis, Speocarcinus" | 7274 |
| "californicum, Scalpellum" | 5426 | "californiensis, Sphaerosyllis" | 4249 |
| "californicum, Sinum" | 1411 | "californiensis, Sphaerosyllis" | 4256 |
| "californicum, Spathoderma" | 921 | "californiensis, Sphaerosyllis" | 4273 |
| "californicum, Tanystylum" | 5349 | "californiensis, Sphaerosyllis" | 4275 |
| "californicus denticulatus, Pleurobranchus" | 2340 | "californiensis, Steggoa" | 4397 |
| "californicus, Amphianthus" | 533 | "californiensis, Venus" | 3277 |
| "californicus, Amphiporus" | 800 | Calinaticina oldroydii | 1387 |
| "californicus, Anoplodactylus" | 5373 | Caliniphargus sulcus | 6299 |

INDEX

| | | | |
|--|------|---|------|
| "calitemplado, Gitana" | 5976 | Campionotinae | 2821 |
| <i>Callianassa affinis</i> | 6985 | <i>Campylaspis bimaculata</i> | 6732 |
| <i>Callianassa californiensis</i> | 6988 | <i>Campylaspis bimaculata</i> | 6749 |
| <i>Callianassa gigas</i> | 6990 | <i>Campylaspis blakei</i> | 6735 |
| <i>Callianassa goniophthalma</i> | 6994 | <i>Campylaspis canaliculata</i> | 6737 |
| <i>Callianassa longimana</i> | 6991 | <i>Campylaspis cf. crispa</i> | 6733 |
| <i>Callianassidae</i> | 6983 | <i>Campylaspis hartae</i> | 6738 |
| <i>Callianax baetica</i> | 1934 | <i>Campylaspis maculicollis</i> | 6739 |
| <i>Callianax biplicata</i> | 1939 | <i>Campylaspis nodulosa</i> | 6743 |
| <i>Callianax pycna</i> | 1946 | <i>Campylaspis papillata</i> | 6744 |
| <i>Callianopsis goniophthalma</i> | 6993 | <i>Campylaspis rubromaculata</i> | 6742 |
| "callicera, Volvulella" | 2293 | <i>Campylaspis rufa</i> | 6745 |
| <i>Calloplanidae</i> | 638 | <i>Campylaspis sp A</i> | 6746 |
| <i>Callostoma (Turcica) caffea</i> | 1141 | <i>Campylaspis sp B</i> | 6748 |
| <i>Callostoma annulatum</i> | 1174 | <i>Campylaspis sp C</i> | 6734 |
| <i>Callostoma canaliculatum</i> | 1176 | <i>Campylaspis sp D</i> | 6750 |
| <i>Callostoma gemmulum</i> | 1179 | <i>Campylaspis sp E</i> | 6740 |
| <i>Callostoma gloriae</i> | 1180 | <i>Campylaspis sp P</i> | 6736 |
| <i>Callostoma keenae</i> | 1181 | <i>Campylaspis sp Q</i> | 6741 |
| <i>Callostoma platinum</i> | 1182 | "canaliculata, <i>Campylaspis</i> " | 6747 |
| <i>Callostoma splendens</i> | 1184 | "canaliculatum, <i>Callostoma</i> " | 6737 |
| <i>Callostoma supragranosum</i> | 1183 | "canaliculatus, <i>Trochus</i> " | 1176 |
| <i>Callostoma tricolor</i> | 1185 | "canalina, <i>Hyale</i> " | 5675 |
| <i>Callostoma turbinum</i> | 1186 | "canalina, <i>Protohyale</i> " | 5674 |
| <i>Callostoma variegatum</i> | 1187 | <i>Canalipalpata</i> | 4658 |
| <i>Callostomatidae</i> | 1172 | <i>Cancellaria (Crawfordina) crawfordiana</i> | 2085 |
| <i>Callostomatinae</i> | 1173 | <i>Cancellaria (Narona) cooperii</i> | 2081 |
| <i>Caliotropinae</i> | 1143 | <i>Cancellaria (Progabbia) cooperi</i> | 2082 |
| <i>Calipallenae californiensis</i> | 5362 | <i>Cancellaria (Progabbia) crawfordiana</i> | 2086 |
| <i>Calipallenae pacifica</i> | 5364 | <i>Cancellaria cooperi</i> | 2080 |
| <i>Calipallenidae</i> | 5357 | <i>Cancellaria crawfordiana</i> | 2083 |
| <i>Callista subdiaphana</i> | 3308 | <i>Cancellaria decussata</i> | 2087 |
| <i>Callistochiton acinatus</i> | 965 | <i>Cancellaria ghiorum</i> | 2084 |
| <i>Callistochiton aepynotus</i> | 1058 | <i>Cancellaria gracilior</i> | 2090 |
| <i>Callistochiton celestis</i> | 966 | <i>Cancellariidae</i> | 2078 |
| <i>Callistochiton connellyi</i> | 967 | <i>Cancellariinae</i> | 2079 |
| <i>Callistochiton cthonius</i> | 959 | <i>Cancellarioidea</i> | 2077 |
| <i>Callistochiton cyanozonus</i> | 960 | "cancellata, <i>Drillia</i> " | 1960 |
| <i>Callistochiton decoratus</i> | 958 | "cancellata, <i>Moniliopsis</i> " | 1962 |
| <i>Callistochiton decoratus ferminicus</i> | 961 | "cancellata, <i>Mya</i> " | 3408 |
| <i>Callistochiton decoratus punctocostatus</i> | 962 | "cancellata, <i>Ophiodermella</i> " | 1959 |
| <i>Callistochiton diegoensis</i> | 963 | "cancellatus, <i>Leptopleurus</i> " | 949 |
| <i>Callistochiton palmulatus</i> | 964 | "cancellatus, <i>Platyonodon</i> " | 3407 |
| <i>Callistochiton palmulatus mirabilis</i> | 968 | <i>Cancellothyrididae</i> | 7762 |
| <i>Calliteuthis heteropis</i> | 3598 | <i>Cancellothyridoidea</i> | 7761 |
| "(Callithaca) laciniata, <i>Protothaca</i> " | 3296 | <i>Cancer amphioctetus</i> | 7226 |
| "(Callithaca) staminea, <i>Protothaca</i> " | 3301 | <i>Cancer antennaria</i> | 7242 |
| <i>Callithaca tenerrima</i> | 3268 | <i>Cancer antennarius</i> | 7241 |
| "(Callithaca) tenerrima, <i>Protothaca</i> " | 3274 | <i>Cancer anthonyi</i> | 7237 |
| <i>Calocardia lepta</i> | 3066 | <i>Cancer branneri</i> | 7244 |
| "calomarginata, <i>Clypedella</i> " | 1117 | <i>Cancer bullatus</i> | 7227 |
| "calomarginata, <i>Lucapinella</i> " | 1116 | <i>Cancer gibbosulus</i> | 7245 |
| <i>Callopore circumclathrata</i> | 7882 | <i>Cancer gracilis</i> | 7239 |
| <i>Calloporidae</i> | 7875 | <i>Cancer jordani</i> | 7247 |
| "callosa, <i>Amiantis</i> " | 3266 | <i>Cancer minutus</i> | 7332 |
| "callosa, <i>Cytherea</i> " | 3267 | <i>Cancer oregonensis</i> | 7231 |
| "callosa, <i>Neverita</i> " | 1404 | <i>Cancer perlatus</i> | 7224 |
| "calmani, <i>Argeia</i> " | 6447 | <i>Cancer productus</i> | 7223 |
| <i>Calocarides quinqueseriatus</i> | 6996 | <i>Cancer pygmaeus</i> | 7228 |
| <i>Calocarides sp</i> | 7006 | <i>Cancridae</i> | 7222 |
| <i>Calocarides spinulicauda</i> | 7000 | <i>Cancoidea</i> | 7221 |
| <i>Calocaris (Calastacus) quinqueseriatus</i> | 6999 | <i>Candelabridae</i> | 186 |
| "caltha, <i>Paracyathus</i> " | 457 | <i>Candelabrum sp</i> | 187 |
| "calva, <i>Leptostylis</i> " | 6795 | "candida, <i>Cossura</i> " | 3768 |
| <i>Calycella syringa</i> | 281 | "candida, <i>Planaria</i> " | 825 |
| <i>Calycellidae</i> | 280 | <i>Candidae</i> | 7907 |
| "calypta, <i>Euphrusine</i> " | 4479 | "candidum, <i>Tetrastemma</i> " | 824 |
| <i>Calypotogena elongata</i> | 3064 | "canfieldi, <i>Odostomia</i> " | 2134 |
| <i>Calyptraea aberrans</i> | 2890 | "canina, <i>Ascidia</i> " | 8005 |
| <i>Calyptraea amygdalus</i> | 1318 | "canina, <i>Ciona</i> " | 8007 |
| <i>Calyptraea contorta</i> | 1298 | "canopus, <i>Styela</i> " | 8037 |
| <i>Calyptraea echinus</i> | 1301 | <i>Cantharidus (Halistylus) pupoideus</i> | 1155 |
| <i>Calyptraea fastigiata</i> | 1296 | "capax, <i>Modiola</i> " | 2766 |
| <i>Calyptraea hispida</i> | 1337 | "capax, <i>Modiolus</i> " | 2765 |
| <i>Calyptraea hystrix</i> | 1302 | "capax, <i>Volsella</i> " | 2767 |
| <i>Calyptraea spinosa</i> | 1336 | <i>Capellinia rustya</i> | 2537 |
| <i>Calyptraea tubifera</i> | 1338 | "capensis, <i>Mediomastus</i> " | 3753 |
| <i>Calyptraeidae</i> | 1295 | "capillare, <i>Eudendrium</i> " | 231 |
| <i>Calyptraeoidea</i> | 1294 | "capistrata, <i>Carinella</i> " | 710 |
| <i>Camarodontida</i> | 7597 | "capistratus, <i>Tubulanus</i> " | 709 |
| "cameronis, <i>Spisula</i> " | 3368 | <i>Capitata</i> | 185 |
| "campanula, <i>Euclymene</i> " | 3784 | "capitata Cmplx, <i>Capitella</i> " | 3738 |
| <i>Campanularia calceolifera</i> | 257 | "capitata, <i>Asterias</i> " | 7440 |
| <i>Campanularia everta</i> | 263 | "capitata, <i>Capitella</i> " | 3739 |
| <i>Campanularia groenlandica</i> | 252 | "capitata, <i>Glycera</i> " | 4321 |
| <i>Campanularia hincksi</i> | 253 | "capitatus, <i>Pisaster</i> " | 7441 |
| <i>Campanularia urceolata</i> | 254 | "capitatus, <i>Pisaster giganteus</i> " | 7439 |
| <i>Campanularia verticillata</i> | 267 | <i>Capitella capitata</i> | 3739 |
| <i>Campanularia volubilis</i> | 250 | <i>Capitella capitata Cmplx</i> | 3738 |
| <i>Campanulariidae</i> | 249 | <i>Capitella teleta</i> | 3740 |
| <i>Campanulinidae</i> | 279 | <i>Capitellidae</i> | 3733 |
| <i>Campanulina sp</i> | 278 | | |

INDEX

| | | | |
|--|------|---|------|
| Capitita ambiseta | 5811 | "carinata, Tornatina" | 2249 |
| Caprella acutifrons var natalensis | 5802 | "carinatus, Anonyx" | 6371 |
| Caprella acutifrons var verrucosa | 5810 | "carinatus, Anonyx" | 6374 |
| Caprella alaskana | 5784 | "carinatus, Heptacarpus" | 6874 |
| Caprella angusta | 5803 | "carinatus, Lamprops" | 6767 |
| Caprella californica | 5785 | Carinella albocincta | 708 |
| Caprella cf acanthogaster | 5800 | Carinella capistrata | 710 |
| Caprella equilibra | 5789 | Carinella cingulata | 712 |
| Caprella equilibra | 5798 | Carinella frenata | 714 |
| Caprella gorgonia | 5790 | Carinella pellucida | 716 |
| Caprella gracilior | 5791 | Carinella rubra | 717 |
| Caprella incisa | 5793 | Carinella speciosa | 718 |
| Caprella kennelyi | 5794 | "carinirostris, Plesionika" | 6944 |
| Caprella laeviuscula | 5796 | Carinoma griffini | 703 |
| Caprella linearis var gracilior | 5792 | Carinoma mutabilis | 702 |
| Caprella mendax | 5797 | Carinomella lactea | 706 |
| Caprella mutica | 5799 | Carinomidae | 701 |
| Caprella natalensis | 5801 | Carinonajna kitamati | 5660 |
| Caprella penantis | 5806 | "carla, Quadrimaera" | 6276 |
| Caprella penantis | 5804 | "carlottensis, Macoma" | 3140 |
| Caprella penantis var natalensis | 5805 | "carlottensis, Macoma (?Psammacoma)" | 3144 |
| Caprella pilidigita | 5807 | "carlottensis, Nucula" | 2635 |
| Caprella scaura | 5786 | "carltoni, Jassa" | 5858 |
| Caprella scaura var californica | 5788 | "carnea, Travisia" | 3991 |
| Caprella scaura var scauroides | 5787 | "carpenteri, Cardita (Carditamera)" | 2924 |
| Caprella septentrionalis var verrucosa | 5812 | "carpenteri, Cerithiopsis" | 1680 |
| Caprella simia | 5808 | "carpenteri, Glans" | 2923 |
| Caprella sp E | 5813 | "carpenteri, Pteronotus" | 1866 |
| Caprella verrucosa | 5809 | "carpenteri, Tellina" | 3101 |
| Caprellida | 5778 | "carpenteri, Tellina" | 3102 |
| Caprellidae | 5780 | "carpenteri, Tellina" | 3128 |
| Caprellinae | 5781 | "carpenteri, Tellina (Angulus)" | 3103 |
| Caprelloidea | 5779 | "carpenteri, Triopha" | 2446 |
| "capulata, Pherusa" | 4953 | "carpenteriana, Cryptoconus" | 2045 |
| "capulata, Piromis" | 4951 | "carpenteriana, Megasurcula" | 2043 |
| "capulata, Trophonia" | 4952 | "carpenteriana, Pleurotoma (Surcula)" | 2044 |
| "caraspinosus, Carpoapseudes" | 6631 | Carpoapseudes caraspinosus | 6631 |
| "(Carazzia) kempfi, Polydora" | 5242 | "carunculata, Polydora" | 5179 |
| CarazzIELLA calafia | 5151 | "carvalhoi, Anoplodactylus" | 5375 |
| CarazzIELLA citrona | 5152 | "Caryi, Astrophyton" | 7474 |
| CarazzIELLA sp A | 5150 | "caryi, Gorgonocephalus" | 7476 |
| "carcharodontia, Euphilomedes" | 5520 | "caryi, Leptogorgia" | 360 |
| "carcharodontia, Philomedes" | 5521 | "(Caryocorbula) luteola, Aloidis" | 3426 |
| Carcinonemertes sp | 772 | "(Caryocorbula) luteola, Corbula" | 3428 |
| Carcinonemertidae | 771 | Caryocorbula porcella | 3432 |
| Cardidae | 3068 | Caryophyllia alaskensis | 445 |
| Cardioidea | 3067 | Caryophyllidae | 444 |
| Cardiomya isolirata | 3504 | Caryophyllina | 442 |
| Cardiomya lanieri | 3500 | Caryophylloidea | 443 |
| "(Cardiomya) lanieri, Cuspidaria" | 3501 | "casciana, Alia" | 1731 |
| "(Cardiomya) oldroydi, Cuspidaria" | 3509 | "castanea, Aphrodisia" | 4009 |
| Cardiomya pectinata | 3502 | "castanea, Phyllodoce (Genetylris)" | 4428 |
| "(Cardiomya) pectinata, Cuspidaria" | 3510 | "castanea, Turbonilla" | 2164 |
| Cardiomya planctica | 3511 | "castaneiformis, Halocynthia" | 8086 |
| Cardita (Carditamera) carpenteri | 2924 | "castrensis, Acila" | 2619 |
| Cardita borealis crebricostata | 2913 | "castrensis, Nucula" | 2620 |
| Cardita ventricosa | 2918 | "cataliniae, Antiplanes" | 2054 |
| Cardita ventricosa montereiensis | 2920 | "cataliniae, Epitonium (Crisposcalia)" | 1578 |
| Cardita ventricosa redondoensis | 2919 | "cataliniae, Ischnochiton" | 1007 |
| "(Carditamera) carpenteri, Cardita" | 2924 | "cataliniae, Mitra" | 1925 |
| Carditida | 2897 | "cataliniae, Pleurotoma (Antiplanes)" | 2055 |
| Carditidae | 2905 | "cataliniae, Triopha" | 2445 |
| Carditoidea | 2904 | "catalinense, Caecum" | 1458 |
| "carditoides, Petricola" | 3345 | "catalinense, Micranellum" | 1463 |
| "carditoides, Petricola (Rupellaria)" | 3352 | "catalinense, Nitidiscala" | 1541 |
| "carditoides, Saxicava" | 3346 | "catalinensis, Alaba" | 1657 |
| Cardium (Nemocardium) centifilosum | 3085 | "catalinensis, Austrotrophon" | 1811 |
| Cardium (Protocardia) centifilosum | 3086 | "catalinensis, Cyclopecten" | 2878 |
| Cardium ? modestum var centifilosum | 3083 | "catalinensis, Forreria (Austrotrophon)" | 1813 |
| Cardium apicinum | 3079 | "catalinensis, Heterospio" | 5118 |
| Cardium biangulatum | 3075 | "catalinensis, Longosoma" | 5119 |
| Cardium corbis | 3072 | "catalinensis, Melanella (Balcis)" | 1669 |
| Cardium cruentatum | 3080 | "catalinensis, Neosimnia" | 1365 |
| Cardium nuttallii | 3071 | "catalinensis, Pecten (Cyclopecten)" | 2879 |
| Cardium quadrangulatum | 3093 | "catalinensis, Sagartia" | 537 |
| Cardium richardsoni | 3084 | "catalinensis, Simnia (Neosimnia)" | 1367 |
| Cardium substriatum | 3078 | "catalinensis, Triphora" | 1683 |
| "careyi, Ampelisca" | 6226 | "catalinensis, Triphoris" | 1684 |
| Caridea | 6830 | "catalinensis, Trophon (Austrotrophon)" | 1812 |
| "carinata, Acteocina" | 2248 | "catalinensis, Trophon (Austrotrophon) cerrosensis" | 1814 |
| "carinata, Alia" | 1703 | "catalinia, Axiothella" | 3792 |
| "carinata, Columbella" | 1704 | "catalinia, Maldanella" | 3791 |
| "carinata, Heteroserolis" | 6561 | "catharia, Volvulella" | 2290 |
| "carinata, Lakota" | 6372 | "catharinae, Golfingia" | 3665 |
| "carinata, Lakota" | 6375 | "cathengelae, Mysidopsis" | 5644 |
| "carinata, Lamprops" | 6768 | "catherinæ, Acmira" | 3882 |
| "carinata, Maldane" | 3808 | "catherinæ, Aricidea (Acesta)" | 3885 |
| "carinata, Mitrella" | 1706 | "catherinæ, Aricidea (Acmira)" | 3881 |
| "carinata, Nitidella" | 1707 | "catiliformis, Mactra (Spisula)" | 3363 |
| "carinata, Retusa (Acteocina)" | 2250 | "catiliformis, Mactromeris" | 3361 |
| "carinata, Serolis" | 6562 | "catiliformis, Spisula" | 3362 |
| "carinata, Sonatsa" | 3807 | | |

INDEX

| | | | |
|--|------|---|------|
| "catilliformis, <i>Spisula (Mactromeris)</i> " | 3365 | <i>Cerebratulus albifrons</i> | 733 |
| <i>Catriona alpha</i> | 2542 | <i>Cerebratulus bilineatus</i> | 742 |
| <i>Catriona columbiana</i> | 2540 | <i>Cerebratulus californiensis</i> | 734 |
| "caudata, <i>Bowerbankia</i> " | 7848 | <i>Cerebratulus lineolatus</i> | 735 |
| "caudata, <i>Eurydice</i> " | 6478 | <i>Cerebratulus marginatus</i> | 736 |
| "caudata, <i>Neanthes</i> " | 4159 | <i>Cerebratulus montgomeryi</i> | 737 |
| "caudicirra, <i>Questa</i> " | 3977 | <i>Ceriantharia</i> | 426 |
| <i>Caudina arenicola</i> | 7733 | <i>Ceriantharia</i> sp C | 433 |
| <i>Caudina chilensis</i> | 7739 | <i>Ceriantharia</i> sp D | 434 |
| <i>Caudina pulchella</i> | 7740 | <i>Cerianthidae</i> | 428 |
| <i>Caudina rugosa</i> | 7741 | <i>Ceriantipatharia</i> | 425 |
| <i>Caudinidae</i> | 7732 | "cerithicola, <i>Crepidula</i> " | 1319 |
| <i>Caudofoveata</i> | 888 | <i>Cerithidea californica</i> | 1281 |
| <i>Caulibugula californica</i> | 7925 | <i>Cerithiidae</i> | 1253 |
| <i>Caulibugula ciliata</i> | 7928 | <i>Cerithioidea</i> | 1252 |
| <i>Cauilleriella alata</i> | 4850 | <i>Cerithiopsidae</i> | 1678 |
| <i>Cauilleriella apicula</i> | 4852 | <i>Cerithiopsisinae</i> | 1679 |
| <i>Cauilleriella cristata</i> | 4854 | <i>Cerithiopsis carpenteri</i> | 1680 |
| <i>Cauilleriella gracilis</i> | 4870 | <i>Cerithium californicum</i> | 1282 |
| <i>Cauilleriella gracilis</i> | 4880 | "(Cerostoma) nuttalli, <i>Murex</i> " | 1816 |
| <i>Cauilleriella hamata</i> | 4855 | "cerritensis, <i>Aligena</i> " | 2992 |
| <i>Cauilleriella hamata</i> | 4853 | "cerrosensis catalinensis, <i>Trophon (Austrotrophon)</i> " | 1814 |
| <i>Cauilleriella hamata</i> | 4857 | "cerratii, <i>Acmira</i> " | 3890 |
| <i>Cauilleriella lajolla</i> | 4858 | "cerratii, <i>Aricidea (Acmira)</i> " | 3889 |
| <i>Cauilleriella pacifica</i> | 4859 | "cerratii, <i>Aricidea (Acesta)</i> " | 3891 |
| <i>Cauilleriella</i> sp SD2 | 4861 | <i>Cestoplanoidea</i> | 646 |
| <i>Cauilleriella viridis</i> var <i>pacifica</i> | 4860 | cf <i>Xenosyllis</i> sp | 4305 |
| "caulleryi, <i>Dipolydora</i> " | 5165 | "chacei, <i>Moniliopsis</i> " | 1963 |
| "caulleryi, <i>Polydora</i> " | 5166 | "chacei, <i>Opalia</i> " | 1596 |
| <i>Caularampus echinus</i> | 7876 | "chacei, <i>Opalia wroblewskyi</i> " | 1597 |
| "capo, <i>Urechis</i> " | 3724 | "chacei, <i>Pleurobranchus</i> " | 2341 |
| "caurina rubescens, <i>Terebratalia</i> " | 7792 | <i>Chacea ovoidea</i> | 3443 |
| "caurina transversa, <i>Terebratula</i> " | 7799 | <i>Chaetoderma elegans</i> | 892 |
| "caurina, <i>Terebratula</i> " | 7798 | <i>Chaetoderma hancocki</i> | 893 |
| <i>Cavibelonia</i> | 884 | <i>Chaetoderma hartmanae</i> | 910 |
| <i>Cavolina crassicornis</i> | 2573 | <i>Chaetoderma marinelli</i> | 898 |
| <i>Cecina</i> sp | 1474 | <i>Chaetoderma nanulum</i> | 900 |
| "celata californiana, <i>Cliona</i> " | 44 | <i>Chaetoderma pacificum</i> | 903 |
| "celetus, <i>Callistochiton</i> " | 966 | <i>Chaetoderma scabrum</i> | 905 |
| <i>Cellaria diffusa</i> | 7903 | <i>Chaetoderma</i> sp A | 906 |
| <i>Cellaria fissurifera</i> | 7904 | ? <i>Chaetoderma</i> sp B | 917 |
| <i>Cellaria mandibulata</i> | 7905 | <i>Chaetodermatida</i> | 890 |
| <i>Cellariidae</i> | 7902 | <i>Chaetodermatimorpha</i> | 889 |
| <i>Cellepora brunnea</i> | 7962 | <i>Chaetodermidae</i> | 891 |
| <i>Cellepora costazi</i> | 7956 | <i>Chaetopleura gemma</i> | 956 |
| <i>Cellepora hyalina</i> | 7937 | <i>Chaetopteridae</i> | 955 |
| <i>Celleporaria brunnea</i> | 7961 | <i>Chaetopterus variopedatus</i> Cmplx | 5108 |
| <i>Celleporella hyalina</i> | 7936 | <i>Chaetozone acuta</i> | 5109 |
| <i>Celleporidae</i> | 7953 | <i>Chaetozone alata</i> | 4862 |
| <i>Celleporina robertsoniae</i> | 7954 | <i>Chaetozone armata</i> | 4851 |
| <i>Celleporina souleae</i> | 7958 | <i>Chaetozone bansei</i> | 4863 |
| <i>Celloporariidae</i> | 7960 | <i>Chaetozone berkeleyorum</i> | 4864 |
| <i>Cellularioidea</i> | 7906 | <i>Chaetozone columbiana</i> | 4881 |
| "cementarium, <i>Neosabellaria</i> " | 4678 | <i>Chaetozone commonalis</i> | 4865 |
| "cementarium, <i>Sabellaria</i> " | 4679 | <i>Chaetozone corona</i> | 4866 |
| <i>Cenogenus fusca</i> | 4530 | <i>Chaetozone gracilis</i> | 4867 |
| "centriflosa, <i>Protocardia</i> " | 3090 | <i>Chaetozone hartmanae</i> | 4871 |
| "centriflosum, <i>Cardium (Nemocardium)</i> " | 3085 | <i>Chaetozone hedgepethi</i> | 4869 |
| "centriflosum, <i>Cardium (Protocardia)</i> " | 3086 | <i>Chaetozone lunula</i> | 4872 |
| "centriflosum, <i>Cardium ?modestum</i> var" | 3083 | <i>Chaetozone multioculata</i> | 4873 |
| "centriflosum, <i>Laevicardium (Nemocardium)</i> " | 3087 | <i>Chaetozone sentcosa</i> | 4884 |
| "centriflosum, <i>Nemocardium</i> " | 3082 | <i>Chaetozone setosa</i> Cmplx | 4874 |
| "centriflosum, <i>Nemocardium (Keenaea)</i> " | 3088 | <i>Chaetozone</i> sp SD2 | 4875 |
| "centriflosum, <i>Pratulum (?)</i> " | 3089 | <i>Chaetozone</i> sp SD3 | 4877 |
| <i>Centrostephanus coronatus</i> | 7594 | <i>Chaetozone spinosa</i> | 4878 |
| <i>Cephalaspidea</i> | 2191 | <i>Chaetozone spinosa corona</i> | 4876 |
| <i>Cephalaspidea</i> sp A | 2111 | <i>Chalinidae</i> | 4868 |
| <i>Cephalocarida</i> | 5406 | Chalinidae | 123 |
| <i>Cephalochordata</i> | 8118 | <i>Chalinula ecbasis</i> | 124 |
| <i>Cephalophoxoides homilis</i> | 6174 | <i>Chama arcana</i> | 3258 |
| <i>Cephalopoda</i> | 3578 | <i>Chama exogyra</i> | 3261 |
| <i>Cephalothricidae</i> | 698 | <i>Chama pellucida</i> | 3259 |
| "cepio, <i>Pododesmus</i> " | 2893 | <i>Chamidae</i> | 3257 |
| <i>Ceractinomorpha</i> | 57 | <i>Chamoidea</i> | 3256 |
| <i>Ceradocus spinicaudus</i> | 6260 | <i>Chapperia californica</i> | 7886 |
| <i>Ceramaster leptoceramus</i> | 7391 | <i>Chapperia patula</i> | 7890 |
| <i>Ceramaster patagonicus</i> | 7393 | <i>Chapperiidae</i> | 7884 |
| <i>Cerapus rubricornis</i> | 5849 | <i>Chapperiopsis californica</i> | 7885 |
| <i>Cerapus tubularis</i> | 5845 | <i>Chapperiopsis patula</i> | 7887 |
| <i>Cerapus tubularis</i> Cmplx | 5844 | "charlottae, <i>Havelockia</i> " | 7663 |
| <i>Ceratocephala crosslandi</i> | 4155 | "charlottae, <i>Pentamera</i> " | 7664 |
| <i>Ceratocephale crosslandi americana</i> | 4156 | "charybdis, <i>Crepipatella (Verticumbo)</i> " | 1333 |
| <i>Ceratocephale loveni</i> | 4151 | "charybdis, <i>Verticumbo</i> " | 1334 |
| <i>Ceratonereis mirabilis</i> | 4152 | <i>Chauliopleona dentata</i> | 6681 |
| "(Ceratostoma) nuttalli, <i>Ceratostoma</i> " | 1817 | <i>Chauronychus crosslandi</i> | 4154 |
| <i>Ceratostoma</i> (<i>Ceratostoma</i>) nuttalli | 1817 | "(Chauvetia) penicillata, <i>Anachis</i> " | 1742 |
| <i>Ceratostoma</i> nuttalli | 1815 | <i>Cheilodontidae</i> | 1137 |
| <i>Cerberilla mosslandica</i> | 2565 | <i>Cheilodontinae</i> | 1138 |
| <i>Cerberilla pungoarena</i> | 2566 | <i>Cheilostomata</i> | 7852 |
| <i>Cerberilla</i> sp 1 | 2567 | <i>Cheiraphotis megacheles</i> | 5774 |
| "cerealis, <i>Acteocina</i> " | 2251 | <i>Cheirotomatidae</i> | 6301 |
| "cerealis, <i>Bulla (Tornatina)</i> " | 2252 | "chelata, <i>Achelia</i> " | 5333 |

INDEX

| | | | |
|--|------|--|------|
| "chelata, Ammotheca" | 5334 | Chorilia longipes | 7179 |
| Cheliceriformia | 5325 | Chorilia longipes turgida | 7180 |
| Chelidonura inermis | 2244 | Chorus belcheri | 1824 |
| Chelidonura phocae | 2232 | "chromatocephala, Munna" | 6602 |
| Chelura terebrans | 5718 | Chromodorididae | 2360 |
| Cheluridae | 5717 | Chromodoris californiensis | 2369 |
| Cheluroidea | 5716 | Chromodoris macfarlandi | 2367 |
| Chelyosoma columbianum | 8015 | Chromodoris porterae | 2371 |
| Chelyosoma producta | 8017 | Chromopileustes oculatus | 5943 |
| Chelyosoma productum | 8016 | "chromosoma, Aeolidiella" | 2561 |
| Chemnitzia chocolata | 2166 | "chromosoma, Spurilla" | 2562 |
| Chemnitzia tenuicula | 2177 | Chrysallida helga | 2122 |
| "chenui, Gregariella" | 2727 | "(Chrysallida) helga, Odostomia" | 2123 |
| "chessi, Rutiderma" | 5549 | "(Chrysallida) oregonensis, Odostomia" | 2121 |
| Chevalia aviculae | 5723 | Chrysodomus bairdi | 1695 |
| Chevalia inaequalis | 5721 | Chrysodomus tabulata | 1694 |
| Chevaliidæ | 5720 | "chrysolepis, Paleanotus" | 4123 |
| Chevalioidea | 5719 | Chrysopetalidae | 4119 |
| Chevroderma sp LA1 | 924 | Chrysopetalum occidentale | 4120 |
| "chiconala, Photis" | 5905 | Cthamalidae | 5435 |
| "chilensis, Caudina" | 7739 | Cthamaloidea | 5434 |
| "chilensis, Leptogorgia" | 363 | Cthamalus dalli | 5436 |
| "chilensis, Lophogorgia" | 364 | Cthamalus fissus | 5437 |
| "chilensis, Molpadia" | 7738 | "chumashi, Eobrolgus" | 6168 |
| "chilensis, Paracaudina" | 7737 | Cidarina cidaris | 1144 |
| Chilophiuriæ | 7572 | "cidaris, Cidarina" | 1144 |
| "chiltoni, Cirolana" | 6481 | "cidaris, Lischkeia" | 1146 |
| "chiltoni, Excirolana" | 6480 | "cidaris, Margarita" | 1145 |
| Chione californiensis | 3276 | "cidaris, Solaria" | 1147 |
| Chione lordi | 3324 | "cidaris, Turcicula (?)" | 1149 |
| Chione undatella | 3278 | "ciego, Ampelisca romigi" | 6250 |
| Chionoecetes tanneri | 7215 | "ciliata limicola, Polydora" | 5214 |
| Chioraera leonina | 2497 | "ciliata, Caulibugula" | 7928 |
| Chiridota sp | 7725 | "ciliata, Stirparia" | 7929 |
| Chiridotidae | 7724 | "ciliatum, Polydora" | 5208 |
| Chitinopoma greenlandica | 4783 | Cilicaea cordata | 6546 |
| Chitinopoma groenlandica | 4781 | Cilicaea granulosa | 6530 |
| Chiton (Leptochiton) nexus | 935 | Cilicaea sculpta | 6549 |
| Chiton (onythochiton) dentiens | 1021 | "cinctipes, Petrolisthes" | 7104 |
| Chiton bipunctatus | 1029 | "cinctipes, Porcellana" | 7105 |
| Chiton californicus | 1034 | "cinereum, Gastropteron" | 2281 |
| Chiton eschscholtzii | 1048 | "cinereum, Phascolosoma" | 3659 |
| Chiton flavescens | 1030 | "cingulata, Carinella" | 712 |
| Chiton hartwegii | 1024 | "cingulatus, Tubulanus" | 711 |
| Chiton lignosus | 1047 | Ciona canina | 8007 |
| Chiton merckii | 1049 | Ciona intestinalis | 8003 |
| Chiton mertensii | 972 | Ciona ocellata | 8008 |
| Chiton montereyensis | 1050 | Ciona savignyi | 8011 |
| Chiton muscosus | 1055 | Ciona sociabilis | 8009 |
| Chiton scaber | 1037 | Cionidae | 8002 |
| Chiton scrobiculatus | 998 | Circe (Lioconcha) newcomiana | 3333 |
| ?Chiton virescens | 1031 | Circe subtrigona | 3058 |
| Chitonida | 953 | Circeis armoricana | 4805 |
| Chitonina | 954 | "circularis, Aequipecten (Plagioctenium)" | 2834 |
| "chitonoides, Psolus" | 7650 | "circularis, Argopecten" | 2835 |
| Chlamydinae | 2831 | "circularis, Pecten (Aequipecten gibbus var" | 2843 |
| "(Chlamys) circularis, Pecten" | 2846 | "circularis, Pecten (Argus)" | 2844 |
| Chlamys hastata | 2849 | "circularis, Pecten (Chlamys)" | 2846 |
| "(Chlamys) hastatus, Pecten" | 2858 | "circularis, Pecten (Dentipecten)" | 2847 |
| Chlamys hericeus | 2851 | Circulinæ | 1476 |
| Chlamys hericius | 2852 | Circulus sp | 1477 |
| "(Chlamys) latiauritus var delosi, Pecten" | 2873 | "circumclathrata, Callopora" | 7882 |
| "(Chlamys) multirugosus, Pecten" | 2866 | "circumclathrata, Membranipora" | 7881 |
| Chlamys ventricosus | 2836 | "circumclathrata, Retevirgula" | 7883 |
| Chlamys (Aequipecten) ventricosa | 2837 | "circumclathrata, Tegella" | 7880 |
| Chlamys (Hinnites) gigantea | 2861 | "circumspectrum, Branchiomma" | 4742 |
| Chlamys (Plagioctenium) ventricosum | 2838 | "circumspectrum, Megalomma" | 4741 |
| Chloeia pinnata | 4473 | "circumtexta, Ocinebrina" | 1848 |
| "chloranota, Phylloplana" | 619 | Cirolana californiensis | 6488 |
| "chloranota, Stylochoplana" | 618 | Cirolana chiltoni | 6481 |
| Chlorostoma aureotincta | 1219 | Cirolana diminuta | 6475 |
| Chlorostoma brunnea | 1222 | Cirolana harfordi | 6476 |
| Chlorostoma eiseni | 1224 | Cirolana joannae | 6490 |
| Chlorostoma funebrali | 1226 | Cirolana linguifrons | 6486 |
| "chocolata, Chemnitzia" | 2166 | Cirolanidæ | 6474 |
| "chocolata, Turbonilla" | 2165 | Cirolanoidea | 6473 |
| Chone albocincta | 4705 | Cirrata | 3602 |
| Chone bimaculata | 4752 | "cirrata, Ampharete" | 4966 |
| Chone duneri | 4753 | "cirrata, Cnemidocarpa" | 8031 |
| Chone ecaudata | 4756 | "cirrata, Laonice" | 5186 |
| Chone eiffelturris | 4759 | "cirrata, Nerine" | 5187 |
| Chone magna | 4700 | "cirrata, Spiophanes" | 5270 |
| Chone minuta | 4757 | Cirratulidae | 4826 |
| Chone mollis | 4702 | Cirratuliformia | 4821 |
| Chone mollis | 4765 | Cirratulus berkeleyorum | 4890 |
| Chone paramollis | 4764 | Cirratulus cirratulus | 4891 |
| Chone sp B | 4762 | Cirratulus cirratus | 4882 |
| Chone sp C | 4708 | Cirratulus cirratus Cmplx | 4879 |
| Chone sp SD1 | 4760 | Cirratulus luxuriosus | 4923 |
| Chone trilineata | 4707 | Cirratulus multifoculatus | 4883 |
| Chone veleronis | 4710 | Cirratulus spectabilis | 4892 |
| Chordata | 7976 | Cirratulus spirabranchus | 4887 |

INDEX

| | | | |
|--|------|---|------|
| "cirratulus, <i>Cirratulus</i> " | 4891 | <i>Cliona celata californiana</i> | 44 |
| "cirratulus, <i>Lumbricus</i> " | 5259 | <i>Clionaidae</i> | 42 |
| "cirratus Cmplx, <i>Cirratulus</i> " | 4879 | <i>Clistaxis ? polystrigma</i> | 2223 |
| "cirratus, <i>Cirratulus</i> " | 4882 | <i>Clotenia occidentalis</i> | 5355 |
| "cirratus, <i>Halitholus</i> " | 224 | <i>Clymena gracilis</i> | 3796 |
| "cirrifera, <i>Prionospio</i> " | 5223 | <i>Clymenella complanata</i> | 3778 |
| "cirrifera, <i>Prionospio</i> " | 5225 | <i>Clymenella rubrocincta</i> | 3777 |
| "cirrifera, <i>Prionospio (Minuspio)</i> " | 5222 | <i>Clymenella sp A</i> | 3779 |
| <i>Cirriformia dillonensis</i> | 4885 | <i>Clymenella sp SD1</i> | 3780 |
| <i>Cirriformia luxuriosa</i> | 4924 | <i>Clymenura columbiana</i> | 3781 |
| <i>Cirriformia sp B</i> | 4895 | <i>Clymenura gracilis</i> | 3783 |
| <i>Cirriformia sp LA1</i> | 4896 | <i>Clypeasteroida</i> | 7611 |
| <i>Cirriformia sp SD1</i> | 4897 | <i>Clypedella callomarginata</i> | 1117 |
| <i>Cirriformia sp SD2</i> | 4898 | <i>Clythrocerus decorus</i> | 7146 |
| <i>Cirriformia sp SD3</i> | 4899 | <i>Clythrocerus planus</i> | 7149 |
| <i>Cirriformia spectabilis</i> | 4888 | <i>Clytia universitatis</i> | 255 |
| <i>Cirriformia spirabrancha</i> | 4886 | <i>Cnemidocarpa cirrata</i> | 8031 |
| <i>Cirriformia tentaculata</i> | 4893 | <i>Cnemidocarpa rhizopus</i> | 8029 |
| <i>Cirripedia</i> | 5412 | <i>Cnemidocarpa sabulifera</i> | 8032 |
| "(<i>Cirrophorus</i>) aciculata, <i>Aricidea</i> " | 3940 | "(<i>Cnesterium</i>) excavata, <i>Yoldia</i> " | 2680 |
| <i>Cirrophorus aciculatus</i> | 3943 | "(<i>Cnesterium</i>) strigata, <i>Yoldia</i> " | 2681 |
| <i>Cirrophorus branchiatus</i> | 3939 | <i>Cnidaria</i> | 175 |
| "(<i>Cirrophorus</i>) branchiatus, <i>Aricidea</i> " | 3941 | "coani, <i>Rochefortia</i> " | 3032 |
| <i>Cirrophorus cf lyriiformis</i> | 3946 | "coarctata, <i>Crenella</i> " | 2726 |
| <i>Cirrophorus furcatus</i> | 3944 | "coarctata, <i>Gregariella</i> " | 2725 |
| "(<i>Cirrophorus</i>) furcatus, <i>Aricidea</i> " | 3945 | <i>Coboldus hedgpethi</i> | 5992 |
| <i>Cirrophorus lyra</i> | 3964 | "coccoes, <i>Goniocarpa</i> " | 8047 |
| <i>Cirrophorus lyra</i> | 3968 | <i>Cochiopinae</i> | 1469 |
| "cirrosa, <i>Polydora</i> " | 5204 | <i>Cochlispirinae</i> | 2053 |
| "(<i>Cirsotrema</i>) funiculata, <i>Scalaria</i> " | 1601 | "cockerelli, <i>Laila</i> " | 2438 |
| "(<i>Cirsotrema</i>) montereyensis, <i>Scala</i> " | 1611 | "cockerelli, <i>Limacia</i> " | 2437 |
| "cistella, <i>Metopa</i> " | 5980 | "cocola, <i>Schisturella</i> " | 6376 |
| "cistula, <i>Lasaea</i> " | 3003 | <i>Codakia californica</i> | 2935 |
| "citrina, <i>Berthellina</i> " | 2343 | "coeca, <i>Ampelisca</i> " | 6229 |
| "citrona, <i>Carazziella</i> " | 5152 | "coeca, <i>Tryphosa</i> " | 6332 |
| <i>Cladocarpus sp A</i> | 291 | "coecus, <i>Hippomedon</i> " | 6331 |
| <i>Cladodactyla albida</i> | 7672 | "coei, <i>Crepidula</i> " | 1348 |
| <i>Cladodactyla miniata</i> | 7688 | <i>Coelosphaeridae</i> | 94 |
| "clamator, <i>Alpheus</i> " | 6854 | <i>Coenocyathus bowersi</i> | 446 |
| "clarella, <i>Stellella</i> " | 31 | "cognatus, <i>Foxiphalus</i> " | 6122 |
| "clarki, <i>Hippolyte</i> " | 6906 | "cognatus, <i>Paraphoxus</i> " | 6123 |
| "clathrata, <i>Daphnella</i> " | 2019 | <i>Coilostegoidea</i> | 7891 |
| "(<i>Clathria</i>) asodes, <i>Clathria</i> " | 66 | "coineau difficilis, <i>Eteonides</i> " | 4406 |
| <i>Clathria (Clathria) asodes</i> | 66 | "coineau difficilis, <i>Hesionura</i> " | 4405 |
| <i>Clathria (Microciona) microjoanna</i> | 68 | <i>Colanthura squamosissima</i> | 6471 |
| <i>Clathria (Microciona) parthena</i> | 70 | <i>Coleoidea</i> | 3579 |
| <i>Clathria (Microciona) pennata</i> | 72 | "(<i>Coleophysis</i>) harpa, <i>Acteocina</i> " | 2266 |
| <i>Clathria (Microciona) spongigartina</i> | 74 | "(<i>Coleophysis</i>) harpa, <i>Retusa</i> " | 2268 |
| <i>Clathria (Thalysias) originalis</i> | 76 | <i>Collarenemertes bimaculatus</i> | 798 |
| <i>Clathrina clathrus</i> | 159 | "collaris, <i>Owenia</i> " | 4670 |
| <i>Clathrinida</i> | 157 | "collaris, <i>Owenia</i> " | 4672 |
| <i>Clathrinidae</i> | 158 | "collaris, <i>Owenia fusiformis</i> " | 4671 |
| <i>Clathrodrillia (Moniliopsis) rhines</i> | 1961 | <i>Collisella austrodigitalis</i> | 1070 |
| "clathrus, <i>Clathrina</i> " | 159 | <i>Collisella ochracea</i> | 1076 |
| "clathrus, <i>Grantia</i> " | 160 | <i>Collisella ochracea</i> | 1082 |
| <i>Clathurella crystallina</i> | 1984 | "(<i>Collisella</i>) patina var <i>ochracea</i> , <i>Acmaea</i> " | 1081 |
| <i>Clathurella lowei</i> | 1983 | <i>Collisella pelta</i> | 1085 |
| <i>Clathurellinae</i> | 1958 | <i>Collisella scabra</i> | 1091 |
| "clausa, <i>Pelia</i> " | 7189 | <i>Collodes granosus</i> | 7209 |
| <i>Clausidiidae</i> | 5484 | <i>Colloniinae</i> | 1204 |
| <i>Clausidium californiense</i> | 5487 | <i>Colomastigidae</i> | 6105 |
| <i>Clausidium vancouverense</i> | 5485 | <i>Colomastix pusilla</i> | 6107 |
| "clastris, <i>Ischyrocerus</i> " | 5870 | <i>Colomastix sp</i> | 6106 |
| "clastris, <i>Microjassa</i> " | 5869 | <i>Coloniales</i> | 852 |
| "clastris, <i>Neoischyrocerus</i> " | 5868 | "colorata, <i>Megalomma</i> " | 4743 |
| "clava, <i>Styela</i> " | 8041 | "coloratum, <i>Potamilla</i> " | 4744 |
| <i>Clavadoce sp</i> | 4426 | <i>Columbaora cyclocoxa</i> | 5707 |
| "clavatum, <i>Clavodorum</i> " | 4461 | <i>Columbella (Alia) tuberosa</i> | 1712 |
| <i>Clavellinopsis rubra</i> | 8060 | <i>Columbella (Anachis) penicillata</i> | 1743 |
| <i>Clavodorum clavatum</i> | 4461 | <i>Columbella (Astyris) permodeskta</i> | 1738 |
| <i>Clavopora occidentalis</i> | 7833 | <i>Columbella (Astyris) tuberosa</i> | 1713 |
| <i>Clavopora sp A</i> | 7835 | <i>Columbella (Mitrella) tuberosa</i> | 1714 |
| <i>Clavoporidae</i> | 7832 | <i>Columbella (Seminella) penicillata</i> | 1744 |
| <i>Clavularia sp H</i> | 347 | <i>Columbella carinata</i> | 1704 |
| <i>Clavulariidae</i> | 346 | <i>Columbella dalli</i> | 1732 |
| <i>Cleantiooides occidentalis</i> | 6504 | <i>Columbella gausapata</i> | 1730 |
| <i>Cleantis occidentalis</i> | 6505 | <i>Columbella permodeskta</i> | 1737 |
| "clemens, <i>Rhachotropis</i> " | 6012 | <i>Columbella tuberosa</i> | 1711 |
| "clemens, <i>Rhachotropis</i> " | 6013 | <i>Columbella undata</i> | 1722 |
| "clementensis, <i>Astyris</i> " | 1727 | "columbella, <i>Erato</i> " | 1514 |
| <i>Clementia (Compsomyax) subdiaphana</i> | 3307 | "columbella, <i>Hesperato</i> " | 1515 |
| <i>Clementia obliqua</i> | 3306 | <i>Columbellidae</i> | 1696 |
| <i>Clementia subdiaphana</i> | 3305 | <i>Columbellinae</i> | 1697 |
| <i>Clementiinae</i> | 3303 | "columbiae, <i>Aoroides</i> " | 5686 |
| "clementina, <i>Odostomia</i> " | 2135 | "columbiae, <i>Aoroides</i> " | 5689 |
| "clementinum, ? Lepton" | 3487 | "columbiae, <i>Aoroides</i> " | 5691 |
| "clesseni, <i>Odostomia</i> " | 2144 | "columbiae, <i>Aoroides</i> " | 5694 |
| <i>Clibanarius turgidus</i> | 7031 | "columbiae, <i>Aoroides</i> " | 5698 |
| <i>Clidiophora punctata</i> | 3453 | "columbiae, <i>Linckia</i> " | 7463 |
| <i>Clinocardiinae</i> | 3069 | "columbiae, <i>Amphorina</i> " | 5619 |
| <i>Clinocardium nuttallii</i> | 3070 | "columbiana, <i>Antalis</i> " | 2541 |
| <i>Cliona californiana</i> | 43 | | 3543 |

INDEX

| | | | |
|---|------|---|------|
| "columbiana, Armina" | 2459 | Conopea elongata | 5447 |
| "columbiana, Boccardia" | 5144 | Conopea galeata | 5443 |
| "columbiana, Catriona" | 2540 | "(Conopea) galeatus, Balanus" | 5446 |
| "columbiana, Chaetozone" | 4865 | Conopeum commensale | 7856 |
| "columbiana, Clymenura" | 3781 | "continuum, Epitonium" | 1582 |
| "columbiana, Crenella" | 2736 | "contorta, Calyptraea" | 1298 |
| "columbiana, Doto" | 2506 | "contorta, Halipteris" | 394 |
| "columbiana, Leiochone" | 3782 | "contortus, Galerus" | 1297 |
| "columbiana, Megacrenella" | 2739 | "contrerasi, Epitonium (Nitidiscala)" | 1546 |
| "columbiana, Melanella" | 1663 | Conualevia alba | 2352 |
| "columbiana, Melanella (Balcis)" | 1661 | Conus californicus | 1957 |
| "columbiana, Odostomia" | 2136 | "convexa, Enispa" | 6423 |
| "columbiana, Rhomboidella" | 2740 | "convexa, Lironeca" | 6425 |
| "columbiana, Serpula" | 4802 | "convexa, Livoneca" | 6424 |
| "columbiana, Stylatula" | 400 | "convexa, Polydora" | 5162 |
| "columbiana, Tealia" | 517 | "convoluta, Glycera" | 4319 |
| "columbiana, Urticina" | 516 | "(Cooperella) scintillaeformis, Oedalia" | 3343 |
| "columbiana, Vitreolina" | 1660 | "(Cooperella) scintillaeformis, Oedalina" | 3344 |
| "columbianum, Chelyosoma" | 8015 | Cooperella subdiaphana | 3341 |
| "columbianum, Epitonium" | 1553 | "cooperi, Caecum" | 1444 |
| "columbianum, Solamen" | 2735 | "cooperi, Cancellaria (Progabbia)" | 2082 |
| "columbianus, Hippomedon" | 6333 | "cooperi, Epitonium (Nitidiscala)" | 1547 |
| Colurostylus occidentalis | 6777 | "cooperi, Nassarius" | 1781 |
| Comatulida | 7353 | "cooperi, Odostomia" | 2130 |
| "commensale, Conopeum" | 7856 | "cooperi, Puncturella" | 1120 |
| "commensalis, Dipolydora" | 5168 | "cooperi, Rissoa" | 1439 |
| "commensalis, Polydora" | 5169 | "cooperi, Turritella" | 1289 |
| "commonalis, Chaetozone" | 4866 | "cooperi, Volvulella" | 2294 |
| "communis, Crago" | 6972 | "cooperii, Cancellaria" | 2080 |
| "communis, Crangon" | 6971 | "cooperii, Cancellaria (Narona)" | 2081 |
| "communis, Crangon" | 6976 | "cooperi, Yoldia" | 2674 |
| "communis, Mya" | 3396 | Copepoda | 5474 |
| "communis, Néocrangon" | 6970 | Coraliana truncata | 6413 |
| "comoxensis, Melanella" | 1625 | Corallanidae | 6411 |
| "compacta, Alvania" | 1416 | Corallimorpharia | 553 |
| "compacta, Balcis" | 1620 | Corallimorphidae | 554 |
| "compacta, Eulima" | 1621 | "coralliophaga, Gregariella" | 2728 |
| "compacta, Melanella" | 1622 | Coralliphilinae | 1794 |
| "compacta, Rissoa" | 1417 | Corambe pacifica | 2416 |
| "compactum, Halosoma" | 5381 | Corambe sp 1 | 2421 |
| "compactum, Phoxichilidium" | 5380 | Corambe steinbergae | 2417 |
| "compactus, Anoplodactylus" | 5379 | Corambe thompsoni | 2420 |
| "complanata, Clymenella" | 3778 | Corambidae | 2415 |
| "complanata, Harmonoe" | 4050 | "corbis, Cardium" | 3072 |
| "complanata, Hesperone" | 4049 | Corbulidae | 3428 |
| "compressa, Ampelisca" | 6220 | Corbula (Caryocorbula) luteola | 3429 |
| "compressa, Erycina" | 3016 | Corbula (Lentidium) luteola | 3424 |
| "compressa, Néaeromya" | 3015 | Corbula luteola | 3427 |
| "compressa, Pseudopythina" | 3020 | Corbula luteola var rosea | 3418 |
| "compressa, Rochefortia" | 3035 | Corbula porcella | 3431 |
| "(Compressidens) simplex, Dentalium" | 3577 | Corbulidae | 3423 |
| Compressidens stevensii | 3575 | "cordata, Ciliacea" | 6546 |
| Compsonyx subdiaphana | 3304 | "cordata, Paracerceis" | 6545 |
| "(Compsonyx) subdiaphana, Clementia" | 3307 | "cordieri, Perticola" | 3288 |
| "(Compsonyx) subdiaphana, Katherinella" | 3309 | "cordiformis, Lovenia" | 7644 |
| "(Compsonyx) subdiaphana, Venerella" | 3313 | "coreanica, Terebratella" | 7797 |
| "compta var pulloides, Phasianella" | 1238 | Corella rugosa | 8019 |
| "compta, Phasianella" | 1235 | Corella willmeriana | 8018 |
| "compta, Tricolia" | 1236 | Corellidae | 8014 |
| "comptum, Eulithidium" | 1234 | "coriacea, Cynthia" | 8044 |
| "concava, Joeropsis" | 6595 | "coriacea, Golfingia" | 3655 |
| "concavus pacificus, Balanus" | 5468 | "coriacea, Goniocarpa" | 8048 |
| "concavus, Bemlos" | 5703 | "coriacea, Styela" | 8043 |
| "concavus, Lembos" | 5704 | "coriaceum, Tethym" | 8053 |
| "conceptionis, Leda" | 2642 | "comea, Diplodonta (Felaniella)" | 3252 |
| "conceptionis, Nuculana" | 2641 | "cornicina, Salacia" | 321 |
| "conchaphila, Ostraea" | 2808 | "cornicina, Sertularia" | 322 |
| "concharum, Cryptophrys" | 7291 | "corniculata, Megalorchestia" | 5681 |
| "concharum, Dodecaceria" | 4900 | "corniculata, Orchestoidea" | 5682 |
| "concharum, Fabia" | 7290 | "cornuta francicana, Nephtys" | 4361 |
| "concharum, Polydora" | 5205 | "cornuta, Bipalponephthys" | 4359 |
| "conchicola, Photis" | 5906 | "cornuta, Nephtys" | 4360 |
| Conchifera | 1063 | "cornuta, Polydora" | 5206 |
| "conchilega, Lanice" | 5030 | "cornuta, Syllis" | 4300 |
| "conchilega, Nereis" | 5031 | "cornuta, Syllis (Ehlersia)" | 4299 |
| Conchoderma virgatum | 5417 | "corona, Chaetozone" | 4867 |
| Conchophylla lurida | 2806 | "corona, Chaetozone spinosa" | 4868 |
| "conchylega occidentalis, Nothria" | 4631 | "coronadoensis, Barleela" | 1435 |
| "conferta, Asterias" | 7445 | "coronadoensis, Cyclostremella" | 1216 |
| "conferta, Marphysa" | 4518 | "coronadoensis, Delphinoidea" | 1214 |
| "confederata, Spheiospongia" | 46 | "coronadoensis, Skenea" | 1213 |
| "confusa, Nutricola" | 3319 | "coronadoi, Metharpinia" | 6135 |
| "confusa, Transennella" | 3320 | "coronata, Echinodiadema" | 7595 |
| Conica | 269 | "coronata, Erycina" | 3028 |
| "conica, Sertularia" | 331 | "coronatus, Centrostephanus" | 7594 |
| conicostomatins | 6382 | Corophiida | 5683 |
| Conidae | 1955 | Corophidae | 5752 |
| "coniferi, Artacama" | 5064 | Corophiinae | 5753 |
| Coniae | 1956 | Corophioidea | 5724 |
| "conlanae, Heterophoxus" | 6196 | Corophium acherusicum | 5761 |
| "connellyi, Callistochiton" | 967 | Corophium alienense | 5770 |
| Conoidea | 1954 | Corophium baconi | 5759 |

INDEX

| | | | |
|-------------------------------------|------|---|------|
| Corophium californianum | 5763 | Crangon vulgaris | 6953 |
| Corophium heteroceratum | 5772 | Crangon zacae | 6979 |
| Corophium insidiosum | 5765 | Crangonidae | 6947 |
| Corophium oaklandense | 5766 | Crangonoidea | 6946 |
| Corophium salmonis | 5755 | Cranella arb | 25 |
| Corophium stimpsoni | 5757 | Cranopsis multistriata | 1108 |
| Corophium uenoii | 5768 | Crassadoma gigantea | 2859 |
| "corputenta, Mya" | 3397 | Crassatella marginata | 3052 |
| "corrugata, Glycera" | 4309 | Crassatellidae | 2899 |
| "corrugata, Mexamege" | 4994 | Crassatellites lomitensis | 2903 |
| "corrugata, Plumularia" | 300 | Crassatelloidea | 2898 |
| "corrugata, Stenoplax" | 1011 | "crassatelloides, Tivela" | 3317 |
| "corrugatus, Ischnochiton" | 1012 | "crassibranchia, Streblosoma" | 5086 |
| "cortezi, Cymopodia" | 7323 | "crassicornis, Cavolina" | 2573 |
| "cortezi, Palicus" | 7322 | "crassicornis, Hermissenda" | 2572 |
| Corymorpha aurata | 197 | "crassidens, Astarte" | 2910 |
| Corymorpha bigelowi | 189 | "crassidens, Cyclocardia" | 2909 |
| Corymorpha palma | 193 | "crassidens, Venericardia" | 2911 |
| Corymorpha sp A | 194 | Crassimarginatella tincta | 7873 |
| Corymorphidae | 188 | "crassipes, Pachygrapsus" | 7328 |
| Corymorphidae sp SD1 | 195 | Crassispira redondoensis | 2074 |
| Corynactis californica | 555 | Crassispira semiinflata | 2071 |
| Coryne eximia | 206 | Crassispirinae | 2070 |
| "corynetes, Ophiocynodus" | 7485 | Crassitellinae | 2900 |
| "corynetes, Ophioscolex" | 7484 | "crassus, Kaliapleseudes" | 6635 |
| Corynidae | 205 | "crassus, Mesokaliapleseudes" | 6634 |
| Coryphella fisheri | 2528 | "crassus, Odontaster" | 7389 |
| Coryphella iodinea | 2521 | "crassus, Typhlotanais" | 6667 |
| Coryphella piunca | 2529 | Cratena abronia | 2546 |
| Coryphella pricei | 2525 | Cratena albocrusta | 2549 |
| Coryphella sabulicola | 2522 | Cratena spadix | 2543 |
| Coryphella trilineata | 2527 | Crateronemertidae | 811 |
| "Coryrynchus) lobifrons, Podochela" | 7201 | "crawfordiana, Cancellaria" | 2083 |
| Coscinasterias serulifera | 7425 | "crawfordiana, Cancellaria (Crawfordina)" | 2085 |
| Cossura brunnea | 3767 | "crawfordiana, Cancellaria (Progabbia)" | 2086 |
| Cossura candida | 3768 | "(Crawfordina) crawfordiana, Cancellaria" | 2085 |
| Cossura lepida | 3772 | "crebricinctum, Caecum" | 1456 |
| Cossura modica | 3770 | "crebricinctum, Micranellum" | 1455 |
| Cossura pygodaetylata | 3771 | "crebricostata, Cardita borealis" | 2913 |
| Cossura rostrata | 3769 | "crebricostata, Cyclocardia" | 2912 |
| Cossura sp A | 3773 | "crenatus, Balanus" | 5453 |
| Cossuridae | 3766 | Crenella ? inflata | 2723 |
| "costarum Cmplx, Spiochaetopterus" | 5113 | Crenella coarctata | 2726 |
| "costarum pottsi, Spiochaetopterus" | 5116 | Crenella columbiana | 2736 |
| "costata, Spiochaetopterus" | 5114 | Crenella decussata | 2718 |
| "costata, Acanthomysis" | 5623 | Crenella decussata laticostata | 2720 |
| "costata, Acanthomysis" | 5626 | Crenella divaricata | 2721 |
| "costata, Crepidula" | 1304 | Crenella ecuadoriana | 2722 |
| "costata, Cuspidaria" | 3506 | Crenella rotundata | 2737 |
| "costata, Holmesimysis" | 5625 | Crenella tamurai | 2738 |
| "costata, Neomysis" | 5624 | Crenella yokoyamai | 2724 |
| "costazi, Cellepora" | 7956 | "crenellata, Diastylis" | 6779 |
| "costazi, Costazia" | 7959 | Crenellinae | 2717 |
| Costazia costazi | 7959 | "crenimarginata, Dentiscala" | 1602 |
| Costazia robersoniae | 7957 | "crenimarginata, Opalia" | 1606 |
| Costazzia robertsoniae | 7955 | "crenimarginata, Scala" | 1609 |
| "cota, Liljeborgia" | 6095 | "crenimarginatum, Epitonium (Dentiscala)" | 1605 |
| Cotylea | 654 | Crenimargo electilis | 2989 |
| "couhouyi, Admete" | 2091 | "crenispina, Anoropallene" | 5360 |
| "covilhani, Bathymedon" | 6039 | "crenulata, Erichsonella" | 6510 |
| "cowani, Parallorchestes" | 5673 | "crenulata, Fissurella" | 1119 |
| Coxophoxus hidalgo | 6177 | "crenulata, Megathura" | 1118 |
| Crago alaskensis | 6949 | "crenulata, Syrrhoe" | 6077 |
| Crago alba | 6955 | "crenulatifrons, Caecognathia" | 6430 |
| Crago communis | 6972 | "crenulatifrons, Gnathia" | 6431 |
| Crago holmesi | 6958 | Crepidula aculeata | 1299 |
| Crago munitella | 6965 | Crepidula adunca | 1341 |
| Crago nigricauda | 6960 | Crepidula aeola | 1342 |
| Crago nigromaculata | 6962 | Crepidula californica | 1303 |
| Crago resima | 6975 | Crepidula cerithicola | 1319 |
| Crago spinosissima | 6969 | Crepidula coei | 1348 |
| Crago zacae | 6978 | Crepidula costata | 1304 |
| "crangon affinis, Crangon" | 6951 | Crepidula dorsata | 1329 |
| Crangon alaskensis | 6948 | Crepidula excavata | 1351 |
| Crangon alaskensis elongata | 6950 | Crepidula explanta | 1323 |
| Crangon alba | 6954 | Crepidula exuvias | 1324 |
| Crangon bellimanus | 6851 | Crepidula fimbriata | 1325 |
| Crangon californiensis | 6853 | Crepidula folacea | 1305 |
| Crangon communis | 6971 | Crepidula fornicate | 1309 |
| Crangon communis | 6976 | Crepidula glottidiarum | 1311 |
| Crangon crangon affinis | 6951 | Crepidula gravispinosa | 1306 |
| Crangon dentipes | 6856 | Crepidula lingulata | 1328 |
| Crangon equidactylus | 6849 | Crepidula lirata | 1320 |
| Crangon handi | 6956 | Crepidula maculata | 1307 |
| Crangon holmesi | 6957 | Crepidula minuta | 1313 |
| Crangon munitella | 6966 | Crepidula naviculoides | 1326 |
| Crangon munitellus | 6964 | Crepidula nivea | 1314 |
| Crangon nigricauda | 6959 | Crepidula nivea var glottidiarum | 1312 |
| Crangon nigricauda | 6952 | Crepidula nummaria | 1315 |
| Crangon nigromaculata | 6961 | Crepidula onyx | 1317 |
| Crangon resima | 6974 | Crepidula orbiculata | 1332 |
| Crangon spinosissima | 6968 | Crepidula perforans | 1322 |

INDEX

| | | | |
|---|------|--|------|
| Crepidula rostriformis | 1343 | Ctenostomata | 7827 |
| Crepidula rugosa | 1321 | " <i>cthonius, Callistochiton</i> " | 959 |
| Crepidula rugosa naticarum | 1347 | <i>Cubanomysis mysteriosa</i> | 5639 |
| Crepidula rugosa norrisiarum | 1350 | <i>Cucumaria calcigera</i> | 7676 |
| Crepidula solida | 1344 | <i>Cucumaria fisheri</i> | 7691 |
| Crepidula tomentosa | 1308 | <i>Cucumaria fisheri astigmata</i> | 7697 |
| Crepidula uncata | 1345 | <i>Cucumaria lissoplaca</i> | 7666 |
| Crepidatella (<i>Verticumbo</i>) <i>charybdis</i> | 1333 | <i>Cucumaria lubrica</i> | 7696 |
| Crepidatella <i>dorsata</i> | 1330 | <i>Cucumaria miniata</i> | 7687 |
| Crepidatella <i>lingulata</i> | 1327 | <i>Cucumaria piperata</i> | 7689 |
| Crepidatella <i>orbiculata</i> | 1331 | <i>Cucumaria populifera</i> | 7673 |
| "cretaceous, <i>Cystodites</i> " | 7992 | <i>Cucumaria pseudocurata</i> | 7693 |
| Crinoidea | 7351 | <i>Cucumaria quinquesemita</i> | 7655 |
| Crinozoa | 7350 | <i>Cucumaria salma</i> | 7692 |
| Crisia eburnea | 7821 | <i>Cucumaria sp A</i> | 7694 |
| Crisia occidentalis | 7820 | <i>Cucumaria tenuicornata</i> | 7674 |
| Crisidae | 7819 | <i>Cucumaria trachyplaca</i> | 7681 |
| "cristata, <i>Anatoma</i> " | 1131 | <i>Cucumariidae</i> | 7686 |
| "cristata, <i>Scissurella (Anatoma)</i> " | 1132 | " <i>culticella eximia, Acteocina</i> " | 2255 |
| "cristatissima, <i>Ocenebra</i> " | 1842 | " <i>culticella intermedia, Acteocina</i> " | 2256 |
| "cristatus, <i>Loxorhynchus</i> " | 7182 | " <i>culticella, Acteocina</i> " | 2260 |
| "(<i>Crisposcala</i>) <i>acrostephanus, Epitonium</i> " | 1577 | " <i>culticella, Bulla (Akera)</i> " | 2261 |
| "(<i>Crisposcala</i>) <i>catalinae, Epitonium</i> " | 1578 | " <i>culticella, Cylichnella</i> " | 2257 |
| "cristatus, <i>Thelepus</i> " | 5092 | " <i>culticella, Utricularia</i> " | 2259 |
| "cristagalli, <i>Desmophyllum</i> " | 449 | "(<i>Cultellus</i>) <i>californiensis, Solecurtus</i> " | 3203 |
| "cristata cristata, <i>Ampelisca</i> " | 6230 | "(<i>Cultellus</i>) <i>subteres, Solecurtus</i> " | 3205 |
| "cristata heterodontia, <i>Melissa</i> " | 5014 | <i>Cumacea</i> | 6701 |
| "cristata microdentata, <i>Ampelisca</i> " | 6231 | <i>Cumanotus beaumonti</i> | 2518 |
| "cristata, <i>Ampelisca cristata</i> " | 6230 | <i>Cumanotus fernaldi</i> | 2517 |
| "cristata, <i>Arenicola</i> " | 3731 | <i>Cumella californica</i> | 6751 |
| "cristata, <i>Caulieriella</i> " | 4854 | <i>Cumella morion</i> | 6753 |
| "cristata, <i>Hippolyte</i> " | 6890 | <i>Cumella sp A</i> | 6752 |
| "cristata, <i>Spirontocaris</i> " | 6891 | <i>Cumella sp B</i> | 6755 |
| "cristatipes, <i>Glyptolithodes</i> " | 7115 | <i>Cumella sp E</i> | 6756 |
| "cristatipes, <i>Rhinolithodes</i> " | 7116 | <i>Cumella sp HYP1</i> | 6757 |
| "cristatum, <i>Cyrtophium</i> " | 5839 | <i>Cumella vulgaris</i> | 6754 |
| "cristatus, <i>Heptacarpus</i> " | 6889 | <i>Cumingia californica</i> | 3182 |
| "cristatus, <i>Podocerus</i> " | 5838 | <i>Cumingia densilineata</i> | 3183 |
| "cristatus, <i>Spirontocaris</i> " | 6892 | <i>Cumingia lamellosa</i> | 3184 |
| "crocea, <i>Parypha</i> " | 200 | <i>Cupspidaria (Tropidomya) nana</i> | 3419 |
| "crocea, <i>Pinauay</i> " | 199 | " <i>curta, Thracia</i> " | 3486 |
| "crocea, <i>Tubularia</i> " | 201 | " <i>curta, Thracia (Ixartia)</i> " | 3489 |
| Crockerella eriphyte | 1976 | " <i>curvirostrata, Bugula</i> " | 7931 |
| Crockerella evadne | 1979 | " <i>curvirostrata, Dendrobeania</i> " | 7930 |
| Crockerella lowei | 1982 | <i>Cuspidaria (Cardiomya) lanieri</i> | 3501 |
| Crossaster borealis | 7405 | <i>Cuspidaria (Cardiomya) oldroydi</i> | 3509 |
| Crossata californica | 1491 | <i>Cuspidaria (Cardiomya) pectinata</i> | 3510 |
| "crosssei, <i>Terebratulina</i> " | 7763 | <i>Cuspidaria (Luzonia) walleri</i> | 3516 |
| "crossii, <i>Terebratulina</i> " | 7764 | <i>Cuspidaria apodema</i> | 3514 |
| "crosslandi americana, <i>Ceratocephale</i> " | 4156 | <i>Cuspidaria californica</i> | 3505 |
| "crosslandi, <i>Ceratocephala</i> " | 4155 | <i>Cuspidaria costata</i> | 3506 |
| "crosslandi, <i>Chaunorhynchus</i> " | 4154 | <i>Cuspidaria dulcis</i> | 3507 |
| "crosslandi, <i>Gymnonereis</i> " | 4153 | <i>Cuspidaria parapodema</i> | 3513 |
| "cruicensis, <i>Lumbrineris</i> " | 4545 | <i>Cuspidaria pectinata</i> | 3508 |
| Crucibulum spinosum | 1335 | <i>Cuspidaria planetica</i> | 3512 |
| Crucigera zygophora | 4784 | <i>Cuspidariidae</i> | 3499 |
| "cruentatum, <i>Cardium</i> " | 3080 | <i>Cuspidaroidea</i> | 3498 |
| "cruentatus, <i>Amphiporus</i> " | 801 | " <i>cuspidata, Phyllodoce</i> " | 4434 |
| Crustacea | 5405 | " <i>cuspidata, Phyllodoce (Anaitides)</i> " | 4435 |
| "cruzensis, <i>Lumbriconereis</i> " | 4544 | " <i>cuspirostris, Araphura</i> " | 6660 |
| "cruzensis, <i>Lumbrineris</i> " | 4543 | <i>Cuthona abronia</i> | 2545 |
| Crypta unguiculus | 1316 | <i>Cuthona albocrusta</i> | 2548 |
| "cryptica, <i>Monticellina</i> " | 4902 | <i>Cuthona alpha</i> | 2544 |
| Cryptocelididae | 589 | <i>Cuthona divae</i> | 2551 |
| Cryptocelis occidentalis | 590 | <i>Cuthona lagunae</i> | 2553 |
| Cryptoconus carpenteriana | 2045 | <i>Cuthoninae</i> | 2539 |
| Cryptoconus stearnsiana | 2051 | <i>Cuvieria squamata</i> | 7652 |
| Cryptodon barbarensis | 2973 | <i>Cyamioidea</i> | 3048 |
| "(<i>Cryptodon</i>) <i>nuttallii, Lutraria</i> " | 3384 | <i>Cyamon neon</i> | 89 |
| Cryptodon serricatus | 2968 | <i>Cyamoninae</i> | 88 |
| Cryptodonta myoides | 3409 | " <i>cyanocrypta, Acanthancora</i> " | 92 |
| Cryptodromiopsis larraburei | 7135 | " <i>cyanocrypta, Hymenamphiaster</i> " | 93 |
| Cryptomya californica | 3411 | <i>Cyanoplax dentiens</i> | 1020 |
| Cryptomya magna | 3413 | <i>Cyanoplax hartwegii</i> | 1023 |
| Cryptomyiae | 3410 | " <i>cyanosus, Callistochiton</i> " | 960 |
| Cryptonatica affinis | 1390 | <i>Cyathodonta pedroana</i> | 3484 |
| Cryptonemertes actinophila | 774 | <i>Cyathodonta undulata</i> | 3485 |
| Cryptophallus magnus | 578 | <i>Cyathura munda</i> | 6462 |
| Cryptophys concharum | 7291 | <i>Cyclaspis nubila</i> | 6703 |
| Cryptopodia occidentalis | 7219 | <i>Cyclaspis sp A</i> | 6704 |
| "crystallina, <i>Clathurella</i> " | 1984 | <i>Cyclaspis sp B</i> | 6705 |
| Crystallophrisson hancocki | 894 | <i>Cyclaspis sp C</i> | 6706 |
| Crystallophrisson hartmanae | 909 | <i>Cyclaspis sp D</i> | 6707 |
| Crystallophrisson incrassatum | 916 | " <i>cyclia, Adontorhina</i> " | 2959 |
| Crystallophrisson inflatum | 895 | <i>Cyclocardia barbarensis</i> | 2907 |
| Crystallophrisson marinelli | 899 | <i>Cyclocardia crassidens</i> | 2909 |
| Crystallophrisson nitidulum var pacificum | 904 | <i>Cyclocardia crebriocostata</i> | 2912 |
| Crystallophrisson rectum | 896 | <i>Cyclocardia gouldii</i> | 2915 |
| Crystallophrisson riedli | 897 | "(<i>Cyclocardia</i>) <i>steamsii, Venericardia</i> " | 2922 |
| Ctenochelidae | 6992 | <i>Cyclocardia ventricosa</i> | 2917 |
| Ctenodrilidae | 4925 | "(<i>Cyclocardia</i>) (ventricosa var?) <i>gouldii, Venericardia</i> " | 2916 |
| Ctenodrillus serratus | 4926 | " <i>cyclocoxa, Columbaora</i> " | 5707 |

INDEX

| | | | |
|--|------|---|------|
| Cyclodorippe plana | 7148 | "dalli, Chthamalus" | 5436 |
| Cyclodorippidae | 7144 | "dalli, Columbella" | 1732 |
| Cyclodonippoidea | 7143 | "dalli, Pugettia" | 7167 |
| Cyclopecten (Delectopecten) vancouverensis | 2825 | "dalli, Spirontocaris" | 6912 |
| Cyclopecten argenteus | 2824 | Dalicordia alaskana | 3529 |
| Cyclopecten benthalis | 2877 | Dallinella obsoleta | 7784 |
| Cyclopecten catalinensis | 2878 | Dallinella occidentalis | 7785 |
| "(Cyclopecten) catalinensis, Pecten" | 2879 | Dallinidae | 7781 |
| Cyclopecten zephyrus | 2880 | "daltonae, Ancinus" | 6558 |
| Cyclostomata | 7807 | "daltonae, Bathycopea" | 6557 |
| "cyclostomata, Scrupocellaria" | 7910 | "daneae, Pandanus" | 6933 |
| Cyclostremella californica | 1215 | "danai, Terebra" | 2035 |
| Cyclostremella coronadoensis | 1216 | Daphnella clathrata | 2019 |
| "cynicus, Thysasira" | 2976 | Daphnella sp SD1 | 2020 |
| Cyllichna ? Cylindracea var attponsa | 2274 | Dasybranchus giganteus | 3757 |
| Cyllichna attponsa | 2273 | Dasybranchus glabrus | 3741 |
| Cyllichna diegensis | 2277 | Dasygyius tuberculatus | 7210 |
| Cyllichna propinquua | 2275 | "davisi, Acanthomysis" | 5622 |
| Cyllichnella (Bullinella) attponsa | 2276 | "davisi, Exacanthomysis" | 5621 |
| Cyllichnella culicella | 2257 | "dawsoni, Bathydorus" | 17 |
| Cyllichnella diegensis | 2278 | "dawsoni, Diastylopsis" | 6791 |
| Cyllichnella harpa | 2267 | "dawsoni, Metopa" | 5981 |
| Cyllichnella inculta | 2272 | "dawsoni, Orthasterias" | 7427 |
| Cyllichnidae | 2247 | "dawsoni, Rhabdocalyptus" | 16 |
| "cylindracea, Petricola" | 3348 | "daytoni, Nebalia" | 5569 |
| "Cylindracea var attponsa, Cyllichna ?" | 2274 | "debilis, Leptopodia" | 7204 |
| "cylindrica, Selaginopsis" | 323 | "debilis, Stenorhynchus" | 7203 |
| "cylindrica, Sertularella" | 309 | Decabrachia | 3580 |
| "cylindrica, Thuiaria" | 324 | Decamastus gracilis | 3742 |
| "cylindrica, Volvula" | 2292 | Decapoda | 6805 |
| "cylindrica, Volvulella" | 2291 | "decententaculata, Halcampa" | 497 |
| "cylindricum, Synthecium" | 308 | "decipiens, Orchomenella" | 6351 |
| Cylindroleberididae | 5503 | Decipifus penicillata | 6350 |
| Cylindroleberidoidea | 5502 | "decisa, Semele" | 3185 |
| Cylindroleberis lobiancoi | 5510 | "decisum, Amphidesma" | 3186 |
| Cymadusa uncinata | 5738 | "declivis, Leucon" | 6725 |
| "cymata, Nutricula" | 3321 | "decora, Psammobia" | 3178 |
| "cymata, Psephidia" | 3322 | "decoratus feminicus, Callistochiton" | 961 |
| Cymatioa electilis | 2988 | "decoratus punctocostatus, Callistochiton" | 962 |
| "cymbiformis, Haminoea" | 2209 | "decoratus, Callistochiton" | 958 |
| Cymopodia cortezi | 7323 | Decoratirivia ritteri | 1521 |
| Cymopolia lucasii | 7325 | "decorus, Clythrocerus" | 7146 |
| Cymothoida | 6399 | "decorus, Deilocerus" | 7145 |
| Cymothoidae | 6416 | "decorus, Heptacarpus" | 6875 |
| Cymothooidea | 6400 | "decorus, Spirontocaris" | 6876 |
| Cynthia arctica | 8081 | "decussata laticostata, Crenella" | 2720 |
| Cynthia coriacea | 8044 | "decussata, Cancellaria" | 2087 |
| Cynthia echinata | 8082 | "decussata, Crenella" | 2718 |
| Cynthia erecta | 8096 | "decussatus, Mytilus" | 2719 |
| Cynthia gibbsii | 8056 | "deflexa var barbarensis, Ovula (Simnia)" | 1364 |
| Cynthia haustor | 8095 | Deflexilodes enigmaticus | 6045 |
| Cynthia macrosiphonus | 8097 | Deflexilodes norvegicus | 6047 |
| Cynthia mirabilis | 8104 | Deflexilodes sp SD1 | 6046 |
| Cynthia montereyensis | 8059 | "dehiscens, Lima" | 2795 |
| Cynthia placenta | 8046 | Deilocerus decorus | 7145 |
| Cynthia villosa | 8085 | Deilocerus planus | 7147 |
| Cypreae californiana | 1518 | Delectopecten vancouverensis | 2822 |
| Cypreae spadicea | 1355 | "(Delectopecten) vancouverensis, Cyclopecten" | 2825 |
| Cypreaeidae | 1353 | "(Delectopecten) vancouverensis, Pecten" | 2827 |
| Cypreaeoidea | 1352 | "delicatula, Pandora" | 3457 |
| Cypreaolina margaritula | 1913 | "delicatulum, Haleciun" | 304 |
| Cyprideis stewarti | 5561 | "deliciosa, Odostoma" | 2145 |
| Cyprididae | 5560 | "delineata, Baseodiscus" | 756 |
| Cypridinidae | 5500 | "delineata, Polia" | 757 |
| Cypridinoidea | 5499 | Delonovolva aequalis vidleri | 1360 |
| Cypridocoina | 5558 | "delosi, Caesia" | 1765 |
| Cypridoidea | 5559 | "delosi, Nassarius" | 1766 |
| Cyrilla munita | 2612 | "delosi, Pecten (Chlamys) latiauritus var" | 2873 |
| Cyrtophium cristatum | 5839 | Delphinoidea coronoadoensis | 1214 |
| Cysticidae | 1904 | "delphinus, Sipunculus" | 3623 |
| "cystiferum, Halisceptrum" | 405 | Deltaurus holmquistae | 5609 |
| Cystiscus myrmecoon | 1919 | "demissa, Geukensia" | 2761 |
| Cystiscus politulus | 1922 | "demissus, Mytilus" | 2762 |
| "(Cystiscus) subtrigona, Hyalina" | 1909 | Demonax medius | 4767 |
| Cystodites cretaceous | 7992 | Demonax pallidus | 4768 |
| Cystodutes lobatus | 7990 | Demonax sp 1 | 4771 |
| "(Cythara) branneri, Mangilia" | 2009 | Demospongiae | 21 |
| Cytherella (Agathotoma) quintinensis | 2008 | "den, Gnathopleustes" | 5946 |
| Cytherella hexagona | 2007 | "den, Parapleustes" | 5947 |
| Cytherea callosa | 3267 | Dendraster excentricus | 7614 |
| | | Dendraster excentricus var elongatus | 7616 |
| | | Dendraster laevis | 7620 |
| | | Dendraster terminalis | 7618 |
| | | Dendrasteridae | 7613 |
| "dabouius, Paraphoxus" | 6143 | "dendriticida, Naineris" | 3858 |
| "dabouius, Rhepoxynius" | 6142 | "dendriticum, Anthostoma" | 3859 |
| Dacrydiniae | 2741 | Dendrobeania curvirostrata | 7930 |
| Dacrydium pacificum | 2742 | Dendrobranchiata | 6806 |
| Dactylopleustes sp A | 5936 | Dendrochirotida | 7646 |
| Dactylopleustinae | 5935 | Dendrochiton gothicus | 1039 |
| Dalapseudes pedispinis | 6644 | Dendrochiton thamnoporus | 1041 |
| "dalli, Caecum" | 1445 | | |

D

| | | | |
|-------------------------|------|----------------------------|------|
| "dabouius, Paraphoxus" | 6143 | "dendriticida, Naineris" | 3858 |
| "dabouius, Rhepoxynius" | 6142 | "dendriticum, Anthostoma" | 3859 |
| Dacrydiniae | 2741 | Dendrobeania curvirostrata | 7930 |
| Dacrydium pacificum | 2742 | Dendrobranchiata | 6806 |
| Dactylopleustes sp A | 5936 | Dendrochirotida | 7646 |
| Dactylopleustinae | 5935 | Dendrochiton gothicus | 1039 |
| Dalapseudes pedispinis | 6644 | Dendrochiton thamnoporus | 1041 |
| "dalli, Caecum" | 1445 | | |

INDEX

| | | | |
|---|------|--|------|
| "(Dendrochiton) thamnopora, Mopalia" | 1042 | Desmosoma symmetrica | 6575 |
| Dendrodorididae | 2391 | Desmosomatidae | 6573 |
| Dendrodoris behrensi | 2392 | Desmoxiyidae | 113 |
| Dendrodoris fulva | 2396 | Deutella californica | 5814 |
| Dendrodoris sp 1 | 2400 | Deutella venenosa | 5815 |
| Dendrodoris sp 3 | 2393 | "devaneyi, Gibberosus" | 6309 |
| Dendronotidae | 2484 | Dexaminda | 6207 |
| Dendronotus albus | 2485 | Dexaminiidae | 6209 |
| Dendronotus diversicolor | 2486 | Dexaminoidea | 6208 |
| Dendronotus giganteus | 2490 | Dexamonica redundans | 6213 |
| Dendronotus iris | 2489 | Dexiospira brasiliensis | 4806 |
| Dendronotus nanus | 2491 | "(Dexiospira) brasiliensis, Janua" | 4808 |
| Dendronotus subramosus | 2492 | "diabloensis, Ophionereis" | 7569 |
| Dendronotus venustus | 2487 | Diadematacea | 7591 |
| Dendrophyllidae | 460 | Diadematidae | 7593 |
| Dendrophyllina | 459 | Diadematoida | 7592 |
| Dendropomatinae | 1525 | Diadumene sp | 549 |
| Dendrosmilia nomlandi | 452 | Diadumenidae | 548 |
| Dendrostomum lissum | 3681 | Dialychine albocincta | 4704 |
| Dendrostomum perimeces | 3682 | Dialychine trilineata | 4706 |
| Dendrostomum schmitti | 3683 | Dialychine veleronis | 4709 |
| Dendrostomum zostericola | 3684 | Diaphiodia barbareae | 7518 |
| Dendrotonidae | 6571 | Diaphiodia psara | 7512 |
| "densilineata, Cumingia" | 3183 | "dianae, Dynamene" | 6552 |
| "densiliratum, Antalis" | 3544 | "dianae, Paradella" | 6551 |
| "densum, Halecium" | 306 | "dianthus, Desmophyllum" | 447 |
| Dentaliida | 3539 | "dianthus, Madrepora" | 448 |
| Dentaliidae | 3540 | Diaperoecia californica | 7812 |
| Dentalium (Compressidens) simplex | 3577 | Diaperoforma californica | 7810 |
| Dentalium (Graptacme) vallicolens | 3548 | Diaphana californica | 2199 |
| Dentalium (Rhabodus) rectius | 3553 | "diaphana, Lyonsia" | 3472 |
| Dentalium indianorum | 3545 | "diaphanes, Nephosoma" | 3642 |
| Dentalium neohexagonum | 3546 | "diaphanes, Phascolosoma" | 3643 |
| Dentalium pretiosum | 3542 | Diaphanidae | 2197 |
| Dentalium rectius | 3551 | Diaphaninae | 2198 |
| Dentalium stearnsii | 3576 | Diaphanoidea | 2196 |
| Dentalium vallicolens | 3547 | Diaphorodoris lirulatocauda | 2411 |
| Dentalium watsoni | 3552 | "diastata, Amphiura" | 7540 |
| "dentata, Chauliopleona" | 6681 | Diasterope pilosa | 5508 |
| "dentata, Melita" | 6295 | Diastylidae | 6775 |
| "dentata, Philomedes" | 5529 | Diastylis californica | 6778 |
| "dentatus, Trichocarcinus" | 7229 | Diastylis crenellata | 6779 |
| "dentatus, Valettiopsis" | 6388 | Diastylis newberryi | 6783 |
| "denticulata, Acanthodesia" | 7863 | Diastylis paraspinulosa | 6789 |
| "denticulata, Biflustra" | 7864 | Diastylis pellucida | 6785 |
| "denticulata, Hemiseptella" | 7865 | Diastylis santamaricensis | 6786 |
| "denticulata, Membranipora" | 7862 | Diastylis sentosa | 6788 |
| "denticulata, Modiolaria" | 2729 | Diastylis sp A | 6780 |
| "denticulatus, Berthella" | 2339 | Diastylis sp B | 6787 |
| "denticulatus, Hippomedon" | 6334 | Diastylis sp C | 6790 |
| "denticulatus, Pecten" | 2856 | Diastylis sp D | 6781 |
| "denticulatus, Pleurobranchus californicus" | 2340 | Diastylopsis dawsoni | 6791 |
| "dentiens, Chiton (onythochiton)" | 1021 | Diastylopsis tenuis | 6792 |
| "dentiens, Cyanoplax" | 1020 | Diatybia monterea | 4728 |
| "dentiens, Lepidochitona" | 1022 | Diaulula sandiegensis | 2378 |
| "(Dentipecten) circularis, Pecten" | 2847 | "dibranchis, Nephtys" | 4358 |
| "dentes, Alpheus" | 6855 | Dichonemertes hartmanae | 777 |
| "dentes, Crangon" | 6856 | "dichotoma Cmplx, Obelia" | 259 |
| Dentisca crenimarginata | 1602 | "dicirris, Aglaophamus" | 4356 |
| "(Dentisca) crenimarginatum, Epitonium" | 1605 | Dictyoceratida | 140 |
| "(Dentisca) insculpta, Opalia" | 1608 | "dictyota, Ophionereis" | 7567 |
| Dentisca nesiotica | 1603 | Didonta bicarinata | 3221 |
| "(Dentisca) nesioticum, Epitonium" | 1604 | "diegense, Caecum" | 1446 |
| "(Dentisca) spongiosa, Opalia" | 1592 | "diegensis, Acanthochites avicula var" | 1018 |
| Dentrochiton psalter | 1043 | "diegensis, Adula" | 2744 |
| Depastridae | 179 | "diegensis, Aglaophenia" | 285 |
| "depauperata, Argeia" | 6448 | "diegensis, Asthenothaerus" | 3481 |
| "depicta, Notoacmaea" | 1096 | "diegensis, Cylichna" | 2277 |
| "depicta, Patelloidea" | 1095 | "diegensis, Cylichnella" | 2278 |
| "depicta, Tectura" | 1094 | "diegensis, Euvola" | 2813 |
| "depressa, Mundopsis" | 7099 | "diegensis, Haigia" | 7044 |
| Depressiscala polita | 1568 | "diegensis, Laqueus vancouverensis" | 7774 |
| "depressus, Nacospatangus" | 7641 | "diegensis, Lophoxanthus" | 7259 |
| "depressus, Pleutes" | 5927 | "diegensis, Mitra" | 1926 |
| "depressus, Thorlaksonius" | 5926 | "diegensis, Modiolus" | 2745 |
| "derjugini, Ianiropsis" | 6582 | "diegensis, Olivella" | 1936 |
| "derjugini, Janiopsis" | 6583 | "diegensis, Pecten (Pecten)" | 2814 |
| Dermasterias imbricata | 7460 | "diegensis, Pylopagurus" | 7045 |
| Dermatomya buttoni | 3533 | "diegensis, Scrupocellarria" | 7908 |
| "(Dermatomya) soyoae, Poromya" | 3537 | "diegensis, Thracia" | 3482 |
| Dermatomya tenuiconcha | 3534 | "diegensis, Turbonilla" | 2170 |
| Dermatomya tenuiconcha sagamiensis | 3536 | "diegoensis, Callistochiton" | 963 |
| "(Dermatomya) tenuiconcha, Poromya" | 3535 | "diegoensis, Lamellaria" | 1506 |
| Dermatürus hispidus | 7113 | "diegoensis, Marsenia" | 1508 |
| "desdichada, Abludomelita" | 6288 | "diegoensis, Pecten" | 2816 |
| "desdichada, Desdimelita" | 6286 | "difficilis, Eteonides coineau" | 4406 |
| "desdichada, Melita" | 6287 | "difficilis, Hesionura coineau" | 4405 |
| Desdimelita californica | 6284 | "difformis, Ericthonius" | 5850 |
| Desdimelita desdichada | 6286 | "diffusa, Cellaria" | 7903 |
| Desmacella pennata | 73 | "diffusa, Listriella" | 6099 |
| Desmophyllum cristagalli | 449 | "digitalis, Acmaea" | 1072 |
| Desmophyllum dianthus | 447 | "digitalis, Lottia" | 1071 |

INDEX

| | | | |
|------------------------------------|------|--|------|
| "digitata, Amphiodia" | 7506 | Dodecaceria concharum | 4900 |
| "digitata, Amphiodia (Amphispina)" | 7507 | Dodecaceria fewkesi | 4901 |
| "digitata, Ophiophragmus" | 7509 | Dodecamastus mariaensis | 3743 |
| "dilatum, Phascolosoma" | 3650 | Dodecasta oraria | 3744 |
| "digueti, Armina" | 2460 | "doederleini, Parastenella" | 373 |
| "dilatae, Eteone" | 4386 | Dogielinotidae | 5658 |
| "dilatata, Dynamene" | 6532 | Dolabriferinae | 2313 |
| "dilatata, Dynamenella" | 6531 | "dolarium, Trochus" | 1178 |
| "dillonensis, Cirriformia" | 4885 | "(Dolichupis) ritteri, Trivia" | 1522 |
| "dillonensis, Euzonus" | 3843 | Donacidae | 3159 |
| "dillonensis, Pectinophelia" | 3842 | Donax gouldii | 3160 |
| "dillonensis, Thoracophelia" | 3841 | Donax nuculoides | 3123 |
| "diminuta, Cirolana" | 6475 | Donax stultorum | 3316 |
| Diiodora aspera | 1110 | Dondersiidae | 880 |
| Diogenidae | 7025 | Doridella steinbergae | 2418 |
| "diomedea, Aglaja" | 2230 | Dorididae | 2349 |
| "diomedea, Aglaja" | 2236 | Doridigittata alba | 2374 |
| "diomedea, Melanochlamys" | 2234 | Doridium adellae | 2233 |
| "diomedea, Sphaerostoma" | 2476 | Doridium diomedaeum | 2235 |
| "diomedea, Tritonia" | 2474 | Doridium ocelligerum | 2229 |
| "diomedae, Amphiura" | 7539 | Doridium purpureum | 2245 |
| "diomedea, Doridium" | 2235 | Doridoidea | 2348 |
| Diopatra ornata | 4603 | Doridopsis nigromaculata | 2402 |
| Diopatra splendidissima | 4605 | Doriopsilla albopunctata | 2394 |
| Diopatra tridentata | 4606 | Doriopsilla gemela | 2399 |
| Dioplosyllis tridentata | 4220 | Doriopsilla nigromaculata | 2401 |
| Diplandros singularis | 598 | Doriopsilla rowena | 2403 |
| "diplosia, Ophiacantha" | 7489 | Doriopsilla spaldingi | 2404 |
| "diplosia, Ophioptthalmus" | 7490 | Doriopsis fulva | 2397 |
| Diplehnia caeca | 570 | Doriopsis reticulata | 2398 |
| Diplocheilus allmani | 277 | Doris (Actinocyclus ?) sandiegensis | 2379 |
| Diplocirrus sp SD1 | 4938 | Doris albopunctata | 2395 |
| Diplodonta (Felaniella) artemidis | 3251 | Doris bilamellata | 2414 |
| Diplodonta (Felaniella) cornea | 3252 | Doris montereyensis | 2353 |
| Diplodonta orbella | 3247 | Doris odhneri | 2356 |
| Diplodonta sericata | 3249 | Doris sanguinea | 2351 |
| Dipolydora akaina | 5153 | Doris tanya | 2358 |
| Dipolydora armata | 5154 | "dorotheae, Anonyx" | 6378 |
| Dipolydora barbilla | 5158 | "dorotheae, Schisturella" | 6377 |
| Dipolydora bidentata | 5160 | "dorsale, Tetrastemma (Oerstedia)" | 794 |
| Dipolydora bifurcata | 5163 | "dorsalis Cmplx, Oerstedia" | 791 |
| Dipolydora caulleryi | 5165 | "dorsalis, Planaria" | 792 |
| Dipolydora cf armata | 5157 | "dorsalis, Tetrastemma" | 793 |
| Dipolydora commensalis | 5168 | "dorsata, Crepidula" | 1329 |
| Dipolydora elegantissima | 5170 | "dorsata, Crepipatella" | 1330 |
| Dipolydora giardi | 5172 | "dorsobranchialis, Monticellina" | 4903 |
| Dipolydora socialis | 5175 | Dorvillea (Dorvillea) sp | 4482 |
| Dirona picta | 2500 | Dorvillea (Schistomerings) annulata | 4483 |
| Dironidae | 2499 | Dorvillea (Schistomerings) longicornis | 4489 |
| Discerceis granulosa | 6529 | Dorvillea annulata | 4485 |
| Discodorididae | 2372 | Dorvillea articulata | 4491 |
| Discodoris heathi | 2382 | Dorvillea atlantica | 4492 |
| Discodoris sandiegensis | 2380 | Dorvillea caeca | 4502 |
| Discoporella umbellata | 7899 | Dorvillea gracilis | 4506 |
| Discorsopagurus schmitti | 7036 | Dorvillea rudolphi | 4493 |
| Discosolenia (Planocera) burchami | 641 | Dorvilleidae | 4481 |
| Discosolenia burchami | 639 | Doryteuthis opalescens | 3589 |
| Discosolenia washingtoniensis | 642 | Doto amyra | 2502 |
| "discreta, Ascopodaria" | 860 | Doto columbiana | 2506 |
| "discreta, Barentsia" | 859 | Doto ganda | 2503 |
| "discus, Periploma" | 3494 | Doto kya | 2507 |
| "diseedwardsi, Eusicyonia" | 6820 | Doto varians | 2504 |
| "diseedwardsi, Sicyonia" | 6819 | Doto varians | 2508 |
| "disjuncta, Garosyrhoe" | 6073 | Doto wara | 2505 |
| "disjuncta, Marphysa" | 4519 | Dotoidae | 2501 |
| "disjuncta, Pista" | 5060 | Dougaloplus amphacantha | 7549 |
| Disoma franciscanum | 5288 | Dougaloplus amphacanthus | 7543 |
| "dispar, Exogone" | 4253 | Dougaloplus sp A | 7550 |
| "disparidentata, Asychis" | 3806 | Dougaloplus sp SD1 | 7551 |
| "disparidentatus, Metasychis" | 3805 | "dowlingi, Rhabdocalyptus" | 19 |
| Displo uncinata | 5185 | "dowlingi, Staurocalyptus" | 18 |
| Disporella sp | 7825 | "draconis, Euspira" | 1392 |
| "dissimilis, Dissiminassa" | 6321 | "draconis, Lunatia" | 1393 |
| "dissimilis, Lysianassa" | 6323 | "draconis, Polinices" | 1394 |
| "dissimilis, Lysianopsis (?)" | 6324 | Drillactis sp | 465 |
| "dissimilis, Nannonyx" | 6322 | Drillia cancellata | 1960 |
| Dissiminassa dissimilis | 6321 | Drillia empyrosia | 2023 |
| "distant, Amathia" | 7846 | Drillia incisa | 1971 |
| Distaplia californica | 7996 | Drillia kennicotti | 2011 |
| Distaplia occidentalis | 7995 | Drillia kennicotti | 2027 |
| "distincta, Gracilipes" | 6015 | Drillia moesta | 2031 |
| "distincta, Manania" | 180 | Drillia penicillata | 2030 |
| "distincta, Rhachotropis" | 6014 | Drillia renaudi | 2069 |
| "distincta, Thaumastoscyphus" | 181 | Drillidae | 2021 |
| Distoma lobata | 7991 | Drilonereis falcata | 4589 |
| "divae, Cuthona" | 2551 | Drilonereis filum | 4590 |
| "divae, Precuthona" | 2552 | Drilonereis longa | 4592 |
| "divaricata, Crenella" | 2721 | Drilonereis mexicana | 4593 |
| "divaricata, Nucula" | 2622 | Drilonereis nr longa | 4598 |
| Divarsicintilla sp A | 2983 | Drilonereis nuda | 4595 |
| "diversicolor, Dendronotus" | 2486 | Drilonereis nuda | 4594 |
| "diversus, Tectidrilus" | 5319 | Drilonereis sp A | 4596 |

INDEX

| | | | |
|--------------------------------------|------|---|------|
| Drilonereis sp B | 4599 | "edentula, Psammobia" | 3171 |
| Drilonereis sp LA1 | 4600 | "edentula, Psammobia (Gobraeus)" | 3172 |
| Driloneris longa | 4597 | "edentula, Siliquaria" | 3173 |
| Dromalia alexandri | 342 | Edotea sublitoralis | 6507 |
| Dromidia sarrabrei | 7136 | Edotea sublitoralis | 6509 |
| Dromidia segnipes | 7137 | Edotia sp B | 6508 |
| Dromiidae | 7134 | Edotia sublitoralis | 6506 |
| Dromioidea | 7133 | Edwardsia (Edwardsiella) californica | 467 |
| "dubia Cmplx, Leptochelia" | 6653 | Edwardsia californica | 466 |
| "dubia, Adocia" | 137 | Edwardsia juliae | 468 |
| "dubia, Joeropsis" | 6597 | Edwardsia olguini | 471 |
| "dubia, Kefersteinia" | 4136 | Edwardsia profunda | 475 |
| "dubia, Micropodarke" | 4135 | Edwardsia sipunculides | 469 |
| "dubia, Prionospio" | 5227 | Edwardsia sp A | 476 |
| "dubia, Prionospio malmgreni var" | 5228 | Edwardsia sp G | 470 |
| "dubia, Prionospio (Prionospio)" | 5226 | "(Edwardsiella) californica, Edwardsia" | 467 |
| "dubia, Xestospongia" | 136 | Edwardsiidae | 464 |
| "dulcis, Cuspidaria" | 3507 | "eelense, Epitonium (Nitidiscalia)" | 1583 |
| Dulichia monacantha | 5834 | "effrena, Gammaropsis" | 5882 |
| Dulichia remis | 5832 | "effrenus, Megamphopus" | 5883 |
| Dulichia rhabdoplastis | 5830 | Egmundella gracilis | 335 |
| Dulichiella spinosa | 6289 | Egmundella polynema | 338 |
| Dulichiidae | 5829 | "ehlersi, Prionospio (Prionospio)" | 5232 |
| Dulichiopsis remis | 5831 | "(Ehlersia) cornuta, Syllis" | 4299 |
| "dumerili var agassizi, Platynereis" | 4177 | Ehlersia heterochaeta | 4297 |
| "dumerili, Nereis" | 4175 | "(Ehlersia) heterochaeta, Syllis" | 4296 |
| "dumerili, Platynereis" | 4179 | "(Ehlersia) hyperioni, Syllis" | 4302 |
| "dumosa, Ophiothrix" | 4178 | "eiffelturris, Chone" | 4759 |
| "dumeri, Chone" | 7556 | "eiffelturris, Paradialychone" | 4758 |
| "duospinum, Tanystylum" | 4753 | "eiseni, Chlorostoma" | 1224 |
| "duplex, Morants" | 5351 | "eiseni, Tegula" | 1225 |
| "duplex, Spiophanes" | 5273 | "elachea, Golfingia" | 3648 |
| Duseidea ambria | 5272 | Elaecyma halocydne | 2025 |
| Duvaucelia festiva | 146 | Elaecyma empyrosia | 2022 |
| Duvaucelia gilberti | 2480 | Elasipodida | 7714 |
| Duvaucelia tetraquatra | 2475 | Elasmopus antennatus | 6262 |
| "dux, Scionides" | 2467 | Elasmopus bampo | 6263 |
| "dwisula, Exogone" | 5082 | Elasmopus holgurus | 6265 |
| Dynamena pumila | 4245 | Elasmopus mutatus | 6266 |
| Dynamene dianae | 319 | Elasmopus rapax | 6264 |
| Dynamene dilatata | 6552 | Elasmopus rapax mutatus | 6267 |
| Dynamene glabra | 6532 | Elasmopus serricatus | 6268 |
| Dynamene sheareri | 6534 | Elassocumella sp SD1 | 6758 |
| Dynamene tuberculosa | 6536 | "eleonor, Leucosolenia" | 164 |
| Dynamenella dilatata | 6547 | "electilis, Crenimargo" | 2989 |
| Dynamenella glabra | 6531 | "electilis, Cymatioa" | 2988 |
| Dynamenella sheareri | 6533 | "elegans Cmplx, Urothoe" | 6117 |
| Dyopedos monacanthus | 6535 | "elegans, Balanophyllia" | 461 |
| Dysidea ambria | 5833 | "elegans, Chaetoderma" | 892 |
| ?Dysidea fragilis | 145 | "elegans, Eupomatus" | 4789 |
| Dysideidae | 147 | "elegans, Hydroides" | 4788 |
| | 143 | "elegans, Northia" | 4635 |
| | | "elegans, Nothria" | 4636 |
| | | "elegans, Onuphis" | 4634 |
| | | "elegans, Paranthura" | 6472 |
| | | "elegans, Pseudocoutierea" | 6844 |
| | | "elegans, Pygospio" | 5246 |
| | | "elegans, Urothoe" | 6118 |
| | | "elegantissima, Actinia" | 511 |
| | | "elegantissima, Anthopleura" | 510 |
| | | "elegantissima, Dipolydora" | 5170 |
| | | "elegantissima, Polydora" | 5171 |
| | | "elenensis, Nuculana" | 2660 |
| | | Eleuterocarpida | 178 |
| | | "eliasoni, Paradoneis" | 3963 |
| | | "elioti, Triopha" | 2447 |
| | | "ellisi, Heterophoxus" | 6197 |
| | | Ellobiidae | 2584 |
| | | "elongata, Aphelochaeta" | 4827 |
| | | "elongata, Calyptogena" | 3064 |
| | | "elongata, Conopea" | 5447 |
| | | "elongata, Crangon alaskensis" | 6950 |
| | | "elongata, Haploscoloplos" | 3854 |
| | | "elongata, Hippuraria" | 7839 |
| | | "elongata, Leitoscoloplos" | 3856 |
| | | "elongata, Lepas" | 5456 |
| | | "elongata, Metamysidopsis" | 5640 |
| | | "elongata, Mya" | 3398 |
| | | "elongata, Mysidopsis" | 5641 |
| | | "elongata, Pionosyllis" | 4284 |
| | | "elongata, Pista" | 5051 |
| | | "elongata, Scoloplos" | 3853 |
| | | "elongata, Stylatula" | 398 |
| | | "elongata, Stylatula" | 401 |
| | | "elongata, Syllis" | 4283 |
| | | "elongata, Syllis (Syllis)" | 4285 |
| | | "elongata, Triticella" | 7838 |
| | | "elongata, Vesicomya" | 3063 |
| | | "elongata, Virgularia" | 7616 |
| | | "elongatus, Haploscoloplos" | 3855 |
| | | "elsula, Oediceropsis" | 6061 |

E

| | | | |
|----------------------------|------|--|--|
| "eburnea, Crisia" | 7821 | | |
| "eburneus, Amphibalanus" | 5451 | | |
| "eburneus, Balanus" | 5452 | | |
| "ecaudata, Chone" | 5452 | | |
| "ecaudata, Jasmineira" | 4756 | | |
| "ecaudata, Paradialychone" | 4755 | | |
| "ecbasis, Chalinula" | 4754 | | |
| "ecbasis, Haliclona" | 124 | | |
| Echinacea | 7596 | | |
| Echinarachinus excentricus | 7617 | | |
| Echinasteridae | 7411 | | |
| "echinata, Ascidia" | 8078 | | |
| "echinata, Boltenia" | 8077 | | |
| "echinata, Cynthia" | 8082 | | |
| "echinata, Halocynthia" | 8083 | | |
| Echinocerus foraminatus | 7118 | | |
| Echinocymus terminalis | 7619 | | |
| Echinodermata | 7349 | | |
| Echinodiadema coronata | 7595 | | |
| Echinoidea | 7589 | | |
| Echinozoa | 7588 | | |
| Echinus purpuratus | 7609 | | |
| "echinus, Calyptraea" | 1301 | | |
| "echinus, Cauloramphus" | 7876 | | |
| "echinus, Membranipora" | 7877 | | |
| Echiura | 3712 | | |
| Echiuridea | 3713 | | |
| Echiuroinea | 3717 | | |
| Eclipsippe trilobata | 4984 | | |
| Ectopleura marina | 203 | | |
| Ectoprocta | 7805 | | |
| "ecuadoriana, Crenella" | 2722 | | |
| "edapha, Xestospongia" | 138 | | |
| "edaphus, Sigmadocia" | 139 | | |
| "edentata, Glyceria" | 4310 | | |
| "edentula, Gari" | 3169 | | |

INDEX

| | | | |
|--|------|--|------|
| <i>Elthusa californica</i> | 6417 | <i>Epitonium (Nitidiscala) pedroanum</i> | 1570 |
| <i>Elthusa vulgaris</i> | 6420 | <i>Epitonium (Nitidiscala) appressicostatum</i> | 1571 |
| " <i>emarginata</i> var <i>projecta</i> , <i>Thais</i> " | 1838 | <i>Epitonium (Nitidiscala) fallaciosum</i> | 1548 |
| " <i>emarginata</i> , <i>Nucella</i> " | 1829 | <i>Epitonium (Nitidiscala) indianorum</i> | 1555 |
| " <i>emarginata</i> , <i>Purpura</i> " | 1830 | <i>Epitonium (Nitidiscala) tinctum</i> var <i>bormanni</i> | 1584 |
| " <i>emarginatus</i> , <i>Monoculodes</i> " | 6057 | <i>Epitonium (Nodiscala) spongiosum</i> | 1590 |
| <i>Emarginulinae</i> | 1107 | <i>Epitonium (Opalia) evictum</i> | 1612 |
| <i>Emerita analoga</i> | 7130 | <i>Epitonium (Opalia) wroblewskii</i> | 1595 |
| " <i>emeryi</i> , <i>Harpiniopsis</i> " | 6184 | <i>Epitonium bellastriatum</i> | 1533 |
| " <i>empirensis</i> , <i>Nucula</i> " | 2623 | <i>Epitonium berryi</i> | 1538 |
| <i>Emplectonema gracile</i> | 778 | <i>Epitonium berryi</i> | 1574 |
| <i>Emplectonematidae</i> | 773 | <i>Epitonium columbianum</i> | 1553 |
| <i>Emprostopharyngidae</i> | 647 | <i>Epitonium continuatum</i> | 1582 |
| <i>Emprostopharynx gracilis</i> | 648 | <i>Epitonium hindsii</i> | 1543 |
| " <i>empyrosia</i> , <i>Drillia</i> " | 2023 | <i>Epitonium implicatum</i> | 1569 |
| " <i>empyrosia</i> , <i>Elaecyma</i> " | 2022 | <i>Epitonium inconspicua</i> | 1540 |
| <i>Enallopaguropsis guatemoci</i> | 7040 | <i>Epitonium indianorum</i> | 1551 |
| <i>Enallopaguropsis hancocki</i> | 7042 | <i>Epitonium lowei</i> | 1559 |
| " <i>enamela</i> , <i>Haliclona (Rhizoniera)</i> " | 128 | <i>Epitonium minuticosta</i> | 1564 |
| <i>Enchiridium punctatum</i> | 670 | <i>Epitonium montereense</i> | 1554 |
| <i>Enchytraeidae</i> | 5305 | <i>Epitonium persuturum</i> | 1545 |
| <i>Enchytraeus kincaidi</i> | 5306 | <i>Epitonium politum</i> | 1566 |
| <i>Enchytraeus multiannulatus</i> | 5307 | <i>Epitonium regium</i> | 1575 |
| <i>Endectyon (Hemectyon) hyle</i> | 86 | <i>Epitonium sawiniae</i> | 1572 |
| " <i>endentulus</i> , <i>Gobraeus</i> " | 3170 | <i>Epitonium tabulatum</i> | 1576 |
| " <i>endonata</i> , <i>Arabella</i> " | 4580 | <i>Epitonium tinctum</i> | 1580 |
| " <i>engeli</i> , <i>Berthellina</i> " | 2344 | <i>Epizoanthidae</i> | 558 |
| " <i>engonatum</i> , <i>Monoceros</i> " | 1810 | <i>Epizoanthus induratum</i> | 559 |
| " <i>enigmaticus</i> , <i>Deflexilodes</i> " | 6045 | <i>Epizoanthus induratus</i> | 560 |
| <i>Enispa convexa</i> | 6423 | <i>Epizoanthus leptoderma</i> | 561 |
| "(<i>Ennucula</i>) balboana, <i>Nucula</i> " | 2633 | " <i>equidactylus</i> , <i>Alpheopsis</i> " | 6847 |
| <i>Ennucula tenuis</i> | 2625 | " <i>equidactylus</i> , <i>Alpheus</i> " | 6848 |
| <i>Enopla</i> | 768 | " <i>equidactylus</i> , <i>Crangon</i> " | 6849 |
| <i>Enopla</i> sp A | 845 | " <i>equilibra</i> , <i>Caprella</i> " | 5789 |
| <i>Enopla</i> sp B | 846 | " <i>equilibra</i> , <i>Caprella</i> " | 5798 |
| " <i>ensenadensis</i> , <i>Betaeus</i> " | 6858 | <i>Eranno bicirrata</i> | 4533 |
| " <i>ensifera plena</i> , <i>Yoldia</i> " | 2678 | <i>Eranno lagunae</i> | 4535 |
| " <i>ensifera</i> , <i>Yoldia</i> " | 2677 | <i>Erato columbella</i> | 1514 |
| " <i>ensigera californiensis</i> , <i>Hemisquilla</i> " | 5579 | <i>Erato vitellina</i> | 1516 |
| <i>Ensis californicus</i> | 3214 | " <i>erecta</i> , <i>Cynthia</i> " | 8096 |
| <i>Ensis myrae</i> | 3213 | " <i>erecta</i> , <i>Lumbiconereis</i> " | 4565 |
| " <i>entalladurus</i> , <i>Uristes</i> " | 6381 | " <i>erecta</i> , <i>Lumbrineris</i> " | 4566 |
| " <i>enteromorphae</i> , <i>Aplysiopsis</i> " | 2324 | " <i>erecta</i> , <i>Scoletoma</i> " | 4564 |
| " <i>enteromorphae</i> , <i>Phyllobranchopsis</i> " | 2325 | " <i>erectans</i> , <i>Aglaophamus</i> " | 4351 |
| <i>Enteropneusta</i> | 7978 | " <i>erectans</i> , <i>Aglaophamus</i> " | 4357 |
| <i>Entodesma navicula</i> | 3466 | " <i>erectus</i> , <i>Anoplodactylus</i> " | 5383 |
| <i>Entodesma pictum</i> | 3470 | " <i>eremita californica</i> , <i>Golfingia</i> " | 3649 |
| <i>Entodesma saxicola</i> | 3469 | " <i>eremita parva</i> , <i>Onuphis</i> " | 4637 |
| <i>Entoprocta</i> | 847 | " <i>eremita</i> var <i>australe</i> , <i>Golfingia</i> " | 3656 |
| <i>Eobrolgus chumashi</i> | 6168 | " <i>eremita</i> , <i>Nephasona</i> " | 3646 |
| <i>Eobrolgus spinosus</i> | 6169 | " <i>eremita</i> , <i>Sipunculus</i> " | 3647 |
| <i>Eochelidium</i> sp A | 6050 | <i>Erichsonella crenulata</i> | 6510 |
| <i>Eogastropoda</i> | 1065 | <i>Eriichthion brasiliensis</i> | 5846 |
| <i>Eohaustorius barnardi</i> | 6111 | <i>Eriichtionus difformis</i> | 5850 |
| <i>Eohaustorius sawyeri</i> | 6113 | <i>Eriichtionus hunteri</i> | 5851 |
| <i>Eohaustorius sencillus</i> | 6114 | <i>Eriichtionus rubicornis</i> | 5848 |
| <i>Eohaustorius washingtonianus</i> | 6112 | <i>Eriichtionus</i> sp SD1 | 5852 |
| <i>Ephesia minuta</i> | 4465 | <i>Erileptus spinosus</i> | 7194 |
| <i>Ephesiella brevicapitis</i> | 4454 | " <i>erinaceus</i> , <i>Astropecten</i> " | 7374 |
| <i>Epiactis fertilis</i> | 515 | " <i>eriopisa</i> , <i>Listriella</i> " | 6100 |
| <i>Epiactis prolifera</i> | 514 | " <i>eriphyte</i> , <i>Crockerella</i> " | 1976 |
| <i>Epiatlidae</i> | 7161 | " <i>eriphyte</i> , <i>Mangelia</i> " | 1978 |
| <i>Epiatlinae</i> | 7162 | " <i>eriphyte</i> , <i>Mangilia</i> " | 1977 |
| <i>Epiatloides hiltoni</i> | 7163 | (" <i>Eriphyte</i>) <i>palolooides</i> , <i>Eunice</i> " | 4528 |
| <i>Epialtus (Antilibinia) nuttallii</i> | 7177 | " <i>erithracus</i> , <i>Acarnus</i> " | 61 |
| <i>Epialtus (Talipus) productus</i> | 7170 | " <i>eroticus</i> , <i>Saccocirrus</i> " | 5296 |
| <i>Epialtus bituberculatus</i> | 7165 | <i>Erpobdellidae</i> | 5299 |
| <i>Epialtus bituberculatus forma minima</i> | 7166 | " <i>erratum</i> , <i>Austrosignum</i> " | 6619 |
| <i>Epialtus hiltoni</i> | 7164 | " <i>erratum</i> , <i>Munnogonium</i> " | 6620 |
| <i>Epialtus nuttallii</i> | 7176 | <i>Erycina (Pseudopythina) rugifera</i> | 3019 |
| <i>Epialtus productus</i> | 7169 | <i>Erycina bakeri</i> | 3027 |
| <i>Epileucon pacifica</i> | 6722 | <i>Erycina balliana</i> | 2953 |
| <i>Epileucon</i> sp A | 6723 | <i>Erycina compressa</i> | 3016 |
| <i>Epilicina californica</i> | 2933 | <i>Erycina coronata</i> | 3028 |
| " <i>epiphanea</i> , <i>Tritonalia</i> " | 1852 | <i>Erycina santarosae</i> | 2995 |
| " <i>epistomata</i> , <i>Harpiniopsis</i> " | 6185 | " <i>erythraeus</i> , <i>Laqueus</i> " | 7773 |
| " <i>epistomatus</i> , <i>Harpiniopsis</i> " | 6186 | <i>Erythropinae</i> | 5599 |
| <i>Epistomiidae</i> | 7915 | " <i>escabrosa</i> , <i>Heterophlias seclusus</i> " | 5656 |
| " <i>epistomus</i> , <i>Paraphoxus</i> " | 6152 | " <i>escabrosus</i> , <i>Pariphinotus</i> " | 5655 |
| " <i>epistomus</i> , <i>Trichophoxus</i> " | 6153 | " <i>eschscholtzii</i> , <i>Chiton</i> " | 1048 |
| <i>Epitoniidae</i> | 1532 | " <i>esmarki</i> , <i>Ophioplocus</i> " | 7562 |
| <i>Epitonioidea</i> | 1531 | <i>Esperiopsis originalis</i> | 77 |
| <i>Epitonium (Asperiscala) bellistriatum</i> | 1536 | " <i>essenbergae</i> , <i>Flabelliderma</i> " | 4939 |
| <i>Epitonium (Asperiscala) lowei</i> | 1562 | " <i>estacula</i> , <i>Stenothoe</i> " | 5984 |
| <i>Epitonium (Asperiscala) lowei</i> | 1563 | " <i>estevanica</i> , <i>Pista</i> " | 5054 |
| <i>Epitonium (Crisposcala) acrostephanus</i> | 1577 | " <i>estrella</i> , <i>Stellella</i> " | 32 |
| <i>Epitonium (Crisposcala) catalinae</i> | 1578 | <i>Eteone aestuarina</i> | 4382 |
| <i>Epitonium (Dentiscala) crenimarginatum</i> | 1605 | <i>Eteone brigittae</i> | 4383 |
| <i>Epitonium (Dentiscala) nesioticum</i> | 1604 | <i>Eteone californica</i> | 4385 |
| <i>Epitonium (Nitidiscala) contrerasi</i> | 1546 | <i>Eteone dilatæ</i> | 4386 |
| <i>Epitonium (Nitidiscala) cooperi</i> | 1547 | <i>Eteone fauchaldi</i> | 4387 |
| <i>Epitonium (Nitidiscala) eelense</i> | 1583 | <i>Eteone fauchaldi</i> | 4384 |

INDEX

| | | | |
|--|------|---|------|
| Eteone leptotes | 4388 | Eulithidium pulloides | 1237 |
| Eteone lighti | 4390 | "(Eulithidium) rubrilineata, Phasianella" | 1243 |
| Eteone pacifica | 4391 | Eulithidium rubrilineatum | 1242 |
| Eteone pigmentata | 4392 | "(Eulithidium) substrigata, Phasianella" | 1248 |
| Eteone sp A | 4393 | Eulithidium substrigatum | 1246 |
| Eteone sp C | 4394 | Eulithidium substrigatum | 1239 |
| Eteone sp E | 4389 | Eumalacostraca | 5589 |
| Eteone spilotus | 4395 | Eumida longicornuta | 4401 |
| Eteonides coineaui difficilis | 4406 | Eumida sp 1 | 4420 |
| Eteoninae | 4381 | Eumida sp 2 | 4403 |
| Ethalia invallata | 1481 | Eumida sp 3 | 4415 |
| Ethalia supravallata | 1480 | Eumida sp 5 | 4413 |
| Eualus herdmani | 6868 | Eumida tubiformis | 4404 |
| Eualus lineatus | 6867 | Eunaticina oldroydii | 1389 |
| Eualus lineatus | 6870 | Eunice (Eriphyle) palolooides | 4528 |
| Eualus subtilis | 6869 | Eunice americana | 4510 |
| Euborlasia nigrocincta | 738 | Eunice antennata | 4511 |
| Eubranchidae | 2531 | Eunice biannulata | 4513 |
| Eubranchus olivaceus | 2534 | Eunice multiclyindri | 4514 |
| Eubranchus rupium | 2532 | Eunice multipectinata | 4515 |
| Eubranchus rusticus | 2536 | Eunicida | 4480 |
| Eucarida | 6804 | Eunicidae | 4509 |
| Euchone arenae | 4711 | Eunoec depressa | 4057 |
| Euchone barnardi | 4714 | Eunoec senta | 4039 |
| Euchone hancocki | 4712 | Eunoec sp C | 4056 |
| Euchone incolor | 4713 | Eunotomastus gordiodes | 3736 |
| Euchone limicola | 4718 | Eupagurus (Trigonocheirus) beringanus | 7056 |
| Euchone limnicola | 4717 | Eupagurus (Trigonocheirus) newcombei | 7057 |
| Euchone magna | 4701 | Eupagurus (Trigonocheirus) tanneri | 7074 |
| Euchone rosea | 4719 | Eupagurus alaskensis | 7052 |
| Euchone rosea | 4715 | Eupagurus armatus | 7053 |
| Euchone sp A | 4721 | Eupagurus californiensis | 7081 |
| Euchone sp SD1 | 4722 | Eupagurus granosimanus | 7059 |
| Euchone sp SD2 | 4723 | Eupagurus mertensi | 7079 |
| Euchone trisegmentata | 4716 | Eupagurus samuelis | 7069 |
| Euchone velifera | 4720 | Eupagurus turgidus | 7032 |
| Euclymene campanula | 3784 | Eupantopodida | 5328 |
| Euclymeninae | 3775 | Eupentacta quinquesemita | 7654 |
| Euclymeninae sp A | 3785 | Euphilomedes carcharodonta | 5520 |
| Euclymeninae sp B | 3788 | Euphilomedes longiseta | 5522 |
| Euclymeninae sp B | 3786 | Euphilomedes producta | 5524 |
| "eucnemis, Astrophyton" | 7473 | Euphosine arctia | 4477 |
| "eucnemis, Gorgonocephalus" | 7472 | Euphosine calypta | 4479 |
| Eucopella everta | 264 | Euphosinidae | 4476 |
| "Eucosmia (? variegata, var) substrata " | 1247 | Euphosyne arctia | 4478 |
| "eucosmia, Odostomia" | 2137 | Euphysa bigelowi | 191 |
| Eucrassatella fluctuata | 2901 | Euphysa sp A | 196 |
| Eucrate ? californiensis | 7273 | Euphysora bigelowi | 190 |
| Eucratopsinae | 7271 | "eupleura, Alectriion insculptusvar" | 1787 |
| "eucymatus, Boreotrophon" | 1884 | Euplexaura marki | 361 |
| "eucymatus, Trophon (Neptunea)" | 1885 | Eupolynnia heterobranchia | 5024 |
| Eudendriidae | 230 | Eupomatus elegans | 4789 |
| Eudendrium capillare | 231 | Eupomatus gracilis | 4791 |
| Eudendrium rameum | 232 | Eupulmonata | 2582 |
| Eudendrium ramosum | 234 | Eupyrigidae | 7742 |
| Eudistoma lobatum | 7993 | Euritteria regularis | 8115 |
| Eudistyla abbreviata | 4732 | Euryalina | 7470 |
| Eudistyla cf brevicomata | 4724 | "eurybrachiplax, Ophionereis" | 7570 |
| Eudistyla intermedia | 4729 | "eurybrachiplax, Ophionereis" | 7571 |
| Eudistyla plumosa | 4733 | Eurycope californiensis | 6612 |
| Eudistyla polymorpha | 4726 | Eurycyde spinosa | 5331 |
| Eudistyla tennella | 4734 | Eurycydidae | 5330 |
| Eudistyla vancouveri | 4730 | Eurydice brachyoporus | 6479 |
| Eudorella pacifica | 6717 | Eurydice caudata | 6478 |
| Eudorella tridentata | 6718 | Eurylepta aurantiaca | 664 |
| Eudorelopsis longirostris | 6719 | Eurylepta leoparda | 666 |
| Euechinoidea | 7590 | Eurylepta sp LA1 | 665 |
| "eugena, Odostomia" | 2138 | Euryleptidae | 660 |
| "eugeniae, Aglaophamus" | 4352 | Euryleptoidea | 659 |
| Eugorgia rubens | 358 | Eurypon asodes | 67 |
| Eugyra arenosa californica | 8108 | Eurystheus spinosus | 5893 |
| Euheterodontida | 2928 | Eurystheus thompsoni | 5896 |
| Eulalia (Sige) bifoliata | 4417 | Eurystheus ventosa | 5874 |
| Eulalia bilineata | 4398 | Eurythoe californica | 4475 |
| Eulalia californiensis | 4396 | "eurytoides, Truncaria" | 1699 |
| Eulalia levicornuta Cmplx | 4399 | "eurytoides, Aesopus" | 1698 |
| Eulalia longicornuta | 4402 | Eusarsiella sp A | 5540 |
| Eulalia quadrioculata | 4400 | Eusarsiella thominx | 5538 |
| Eulalia sp 4 | 4422 | Eusicyonia disedwardsi | 6820 |
| Eulepethidae | 4015 | Eusicyonia ingentis | 6822 |
| Eulima almo | 1635 | Eusigalion spinosum | 4105 |
| Eulima californica | 1638 | Eusirida | 5997 |
| Eulima compacta | 1621 | Eusiridae | 5999 |
| Eulima micans | 1624 | Eusiroidea | 5998 |
| "(Eulima) micans, Melanella" | 1628 | Eusiroides monoculoides | 6000 |
| Eulima raymondi | 1637 | Eusirus sp | 6002 |
| Eulima rutilla | 1650 | "eusoma, Nellobia" | 3716 |
| Eulima thersites | 1646 | "(Euspira) algidus, Polinices" | 1400 |
| Eulimidae | 1617 | Euspira draconis | 1392 |
| Eulimoidea | 1616 | Euspira lewisi | 1395 |
| Eulimostraca atilioi | 1648 | Eusyllinae | 4219 |
| Eulithidium comptum | 1234 | Eusyllis blomstrandii | 4221 |

INDEX

| | | | |
|---|------|---|------|
| Eusyllis habei | 4222 | F | |
| Eusyllis transecta | 4223 | "faba, Malletia" | 2664 |
| Euvelia diegensis | 2813 | "faba, Pinnixa" | 7301 |
| Euzonus dillonensis | 3843 | Fabia concharum | 7290 |
| Euzonus mucronata | 3846 | Fabia subquadrata | 7292 |
| "evadne, Crockerella" | 1979 | Fabricia brunnea | 4695 |
| "evadne, Mangilia" | 1980 | Fabricia limnicola | 4691 |
| "evadne, Spirotropis ?" | 1981 | Fabriciinae | 4689 |
| "(Evarne) fragilis, Harmothoe" | 4042 | Fabricinuda limnicola | 4690 |
| "everta, Campanularia" | 263 | Fabricinuda pseudopalpa | 4692 |
| "everta, Eucopella" | 264 | Fabriciola sp | 4693 |
| "everta, Orthopyxis" | 262 | Fabrisabella sp A | 4735 |
| "evicta, Opalia" | 1613 | Facelina hiltoni | 2576 |
| "evicta, Scala" | 1615 | Facelina stearnsi | 2571 |
| "evictum, Epitonium (Opalia)" | 1612 | Facelinidae | 2568 |
| Exacanthomysis davisi | 5621 | Facelininae | 2569 |
| "exasperatus, Microcosmos" | 8093 | "fageri, Ampelisca" | 6232 |
| "excavata, Crepidula" | 1351 | "falcata, Dironereis" | 4589 |
| "excavata, Harpinia" | 6202 | "falcata, Jassa" | 5861 |
| "excavata, Pseudoharpinia" | 6201 | "falcata, Macra" | 3377 |
| "excavata, Yoldia (Cnesterium)" | 2680 | "falcata, Simomactra" | 3376 |
| "excelsa, Kaburakia" | 577 | "falcata, Spisula" | 3378 |
| "excentrica, Scutella" | 7615 | "falcatus icelus, Leptophoxus" | 6178 |
| "excentricus var elongatus, Dendraster" | 7616 | "falcicosta, Leucon" | 6727 |
| "excentricus, Dendraster" | 7614 | Falcidens hartmanae | 908 |
| "excentricus, Echinarachinus" | 7617 | Falcidens longus | 911 |
| Exciorolana chiltoni | 6480 | Falcidens macracanthos | 913 |
| Exciorolana japonica | 6482 | Falcidens macracanthos | 901 |
| Exciorolana kincaidi | 6483 | Falcidens sp A | 902 |
| Exciorolana linguifrons | 6485 | Falcidens sp A | 914 |
| Exciorolana vancouverensis | 6484 | Falcidens sp B | 912 |
| Excorallana kathae | 6414 | Falcidentidae | 907 |
| Excorallana kathyae | 6415 | "fallaciosum, Epitonium (Nitidoscalia)" | 1548 |
| Excorallana truncata | 6412 | "fancherae, Mangilia" | 1967 |
| "exigua, Mooreonuphis" | 4612 | "fancherae, Moniliopsis incisa var" | 1968 |
| "exigua, Nothria" | 4613 | "fancherae, Ophiodermella" | 1966 |
| "exiguus, Imogene" | 581 | "farallonensis, Ophelina" | 3834 |
| "exiguus, Stylochus" | 580 | "farallonensis, Syllis (Typosyllis)" | 4294 |
| "exile, Metridium" | 541 | "farallonensis, Typosyllis" | 4293 |
| "exilis Cmplx, Branchiosyllis" | 4279 | "farcimen, Actinia" | 543 |
| "exilis, Arooides" | 5688 | "farcimen, Metridium" | 542 |
| "eximia, Acteocina" | 2253 | Farfantepenaeus californiensis | 6813 |
| "eximia, Acteocina culcitella" | 2255 | "farinacea, Aeolidia" | 2560 |
| "eximia, Bullina" | 2254 | Fartulum bakeri | 1453 |
| "eximia, Coryne" | 206 | Fartulum hemphilli | 1454 |
| "eximia, Protolaeospira" | 4812 | Fartulum occidentale | 1451 |
| "eximia, Syncoryne" | 207 | Fartulum orcutti | 1450 |
| "eximia, Tornatina" | 2258 | "fasciata, Pista" | 5061 |
| "eximioclathratus, Sipunculus" | 3624 | Fasciolaridae | 1746 |
| "eximus, Spirorbis" | 4813 | "fastigiata, Calyptarea" | 1296 |
| Exogone (Exogone) lourei | 4254 | "fatigans, Paraphoxus" | 6145 |
| Exogone (Paroxogone) molesta | 4268 | "fatigans, Rheophynius" | 6144 |
| Exogone acutipalpa | 4260 | "fauchaldi, Eteone" | 4384 |
| Exogone breviseta | 4262 | "fauchaldi, Eteone" | 4387 |
| Exogone cf verugera | 4250 | "fauchaldi, Pseudatherospio" | 5240 |
| Exogone dispar | 4253 | "fauveli, Aricidea" | 3896 |
| Exogone dwisula | 4245 | "fauveli, Loandalia" | 4187 |
| Exogone gemmifera | 4246 | "fauveli, Parandalia" | 4186 |
| Exogone longicornis | 4251 | Fauveliopsisidae | 4929 |
| Exogone lourei | 4252 | Fauveliopsis armata | 4930 |
| "(Exogone) lourei, Exogone" | 4254 | Fauveliopsis glabra | 4931 |
| Exogone molesta | 4267 | Fauveliopsis magna | 4933 |
| Exogone sp A | 4258 | Fauveliopsis sp SD1 | 4934 |
| Exogone sp B | 4247 | Favina | 437 |
| Exogone sp C | 4263 | Favoidea | 438 |
| Exogone uniformis | 4257 | "faxonii, Homola" | 7141 |
| Exogone uniformis | 4248 | "faxonii, Moloha" | 7140 |
| Exogone uniformis | 4255 | "fecundum, Laetmophasma" | 7142 |
| Exogonella brunnea | 4265 | "(Felaniella) artemidis, Diplodonta" | 7717 |
| Exogoninae | 4240 | "(Felaniella) cornea, Diplodonta" | 3251 |
| "exogyra, Chama" | 3261 | Felaniella parilis | 3253 |
| "exogyra, Pseudochama" | 3260 | "(Felaniella) sericatus, Taras" | 3255 |
| Exosphaeroma amplicauda | 6537 | "felix, Phyo" | 3872 |
| Exosphaeroma inornata | 6539 | "feminalba, Bathypera" | 8073 |
| Exosphaeroma media | 6540 | "femorata, Ampithoe" | 5744 |
| Exosphaeroma rhomburum | 6541 | "femoratum, Nymphon" | 5389 |
| "expansa, Abietenaria" | 311 | "femoratum, Phoxichilidium" | 5388 |
| "expansa, Hebellopsis" | 312 | Fenella pupoidea | 1154 |
| "expansa, Nucula" | 2628 | Fenella subpupoidea | 1156 |
| "explanta, Crepidula" | 1323 | "fenestrata, Isapis" | 2184 |
| "exsulans, Tritonia" | 2477 | "fenestrata, Iselica" | 2185 |
| "extenuata, Lagisca" | 4052 | "ferminicus, Callistochiton decoratus" | 961 |
| "extenuata, Leda" | 2645 | "fernaldi, Cumanotus" | 2517 |
| "extenuata, Nuculana" | 2644 | "ferox, Scrupocellaria" | 7909 |
| "extenuata, Polynoe" | 4053 | "ferruginea Cmplx, Nereiphylla" | 4427 |
| "exuviatas, Crepidula" | 1324 | "ferruginea, Nephtys caecoides" | 4372 |
| Eyakia robusta | 6165 | "ferruginea, Nephtys" | 4371 |
| "eydouxi, Grapsus" | 7329 | "ferruginosa, Mysella" | 3008 |
| "eyerdami, Puncturella" | 1121 | "ferruginosa, Rochefortia" | 3010 |

INDEX

| | | | |
|------------------------------------|------|---|------|
| "fertilis, Epiactis" | 515 | "floridus, Pecten (Vola)" | 2820 |
| "festiva, Babaina" | 2580 | Florimetis biangulata | 3133 |
| "festiva, Babakina" | 2579 | Florimetis obesa | 3134 |
| "festiva, Duvauceila" | 2480 | Florometra perplexa | 7359 |
| "festiva, Lateribranchaea" | 2479 | Florometra serratissima | 7356 |
| "festiva, Pteropurpura" | 1856 | "(Florometra) serratissima, Promachocrinus" | 7360 |
| "festiva, Pteropurpura (Shaskyus)" | 1858 | "flos, Balanus" | 5461 |
| "festiva, Purpa (Jaton)" | 1859 | Flosmaris grandis, | 524 |
| "festiva, Tritonia" | 2478 | "fluctuata, Astarte" | 2902 |
| "festivus, Murex" | 1857 | "fluctuata, Eucrassatella" | 2901 |
| "festivus, Shaskyus" | 1860 | Flustra savartii | 7857 |
| "fetellum, Bittium" | 1262 | Flustra tuberculata | 7867 |
| "fetellum, Lirobittum" | 1261 | "fluxa, Acanthopleura" | 1036 |
| "fewkesi, Dodecaceria" | 4901 | "fluxa, Aglaophenia" | 286 |
| "fewkesi, Idotea" | 6513 | "fluxa, Nuttallina" | 1035 |
| "ficus, Suberites" | 49 | "foetida, Travisia" | 3992 |
| "filatovae, Genaxinus" | 2960 | "foliacea, Crepidula" | 1305 |
| "filicornis, Nereis" | 5264 | "foliacea, Halocynthia haustor" | 8099 |
| "filicornis, Spiro" | 5263 | "foliolata, Luidia" | 7369 |
| Filicrisia sp | 7822 | "foliolata, Petalaster" | 7370 |
| Filifera | 211 | "foliosa occidentalis, Nerine" | 5256 |
| "filiformis Cmplx, Heteromastus" | 3745 | "foraminatus, Echinocerus" | 7118 |
| "filiformis, Heteromastus" | 3746 | "foraminatus, Lopholithodes" | 7117 |
| "filiformis, Paraonis" | 3952 | Forcepia sp | 95 |
| "fililectus, Pecten" | 2840 | "forcipulata, Asterias (Urasterias)" | 7455 |
| "fililectus, Pecten" | 2841 | "forcipulata, Orthasterias forsteri" | 7457 |
| "filobranchus, Heteromastus" | 3747 | Forcipulatida | 7415 |
| Filograna tribbranchiata | 4799 | "fordi, Antigonia" | 3282 |
| "filosa, Kennerlia" | 3462 | "fordii, Globivenus" | 3280 |
| "filosa, Pandora" | 3461 | "fordii, Ventricolaria" | 3283 |
| "filosa, Pandora (Kennerlia)" | 3463 | "fordii, Venus" | 3281 |
| "filosa, Pandora (Pandorella)" | 3464 | "fordii, Venus (Antigonia)" | 3284 |
| "filum, Drilonereis" | 4590 | "forficulimanus, Pinnixa" | 7303 |
| "filum, Lumbriconereis" | 4591 | "formidabilis, Amphiporus" | 804 |
| "fimbriata, Crepidula" | 1325 | "formosa, Bimeria" | 220 |
| "fimbriata, Paraeupholoe" | 4092 | "formosa, Garveia" | 221 |
| "fimbriata, Pelogenia" | 4100 | "formosense, Physcosoma" | 3706 |
| "fimbriata, Psammolyce" | 4101 | "formosum, Rhizorhagium" | 218 |
| "fimbriata, Spiophanes" | 5275 | "formosus, Perigonimus" | 219 |
| "fimbriata, Spiophanes" | 5279 | "fornicata, Crepidula" | 1309 |
| "fimbriatus, Fresnillo" | 6385 | "fornicata, Patella" | 1310 |
| "fimbriatus, Pachycerianthus" | 430 | "forsteri forcipulata, Orthasterias" | 7457 |
| Fimbriella robusta | 5898 | "forsteri, Asterias" | 7424 |
| Finella sp | 1284 | "forsteri, Asterias" | 7454 |
| "finitima, Aricidea (Acesta)" | 3904 | "forsteri, Orthasterias" | 7456 |
| "finmarchica, Ampharete" | 4968 | "forsteri, Stylasterias" | 7453 |
| "finmarchica, Amphicteis" | 4969 | Forreria (Austrotrophon) catalinensis | 1813 |
| Fionoidea | 2530 | Forreria belcheri | 1822 |
| "fisheri astigmata, Cucumaria" | 7697 | "forsmani, Leptocuma" | 6712 |
| "fisheri, Coryphella" | 2528 | "fossata, Nassa" | 1771 |
| "fisheri, Cucumaria" | 7691 | "fossata, Schizopyga" | 1773 |
| "fissispina, Asterias" | 7446 | "fossatum, Buccinum" | 1769 |
| Fissurella aspera | 1111 | "fossatus, Electrion (Schizopyga)" | 1770 |
| Fissurella crenulata | 1119 | "fossatus, Caesia" | 1768 |
| Fissurella volcano | 1106 | "fossatus, Nassarius" | 1772 |
| Fissurellidae | 1104 | "fossor, Sternaspis" | 4957 |
| Fissurellidae bimaculata | 1114 | "foveolata, Ocenebra" | 1851 |
| Fissurellinae | 1105 | "foveolata, Ocinebrina" | 1849 |
| Fissurelloidea | 1103 | "foveolatus, Murex" | 1850 |
| Fissuridea aspera | 1112 | Foxiphalus cognatus | 6122 |
| "fissurifera, Cellaria" | 7904 | Foxiphalus golensis | 6124 |
| "fissus, Chthamalus" | 5437 | Foxiphalus major | 6134 |
| "fistula, Lepas" | 5455 | Foxiphalus obtusidens | 6125 |
| "fistularis, Aplysina" | 153 | Foxiphalus similis | 6128 |
| "flabellatus, Modiolus" | 2774 | "fragilis, ?Dysidea" | 147 |
| Flabelliderma essenbergeae | 4939 | "fragilis, Allocentrotus" | 7605 |
| Flabelliderma ockeri | 4941 | "fragilis, Aricidea" | 3897 |
| Flabelliderma papillosa | 4940 | "fragilis, Harmothoe" | 4041 |
| Flabelligera infundibularis | 4942 | "fragilis, Harmothoe (Evarne)" | 4042 |
| Flabelligeridae | 4935 | "fragilis, Odontosyllis" | 4224 |
| Flabellina iodinea | 2519 | "fragilis, Panopaea" | 3232 |
| Flabellina opalescens | 2574 | "fragilis, Sphenia" | 3415 |
| Flabellina pricei | 2524 | "fragilis, Spongia" | 148 |
| Flabellina trilineata | 2526 | "fragilis, Strongylocentrotus" | 7604 |
| Flabellinidae | 2516 | "fragilis, Tyleria" | 3416 |
| Flabellinoidea | 2515 | "franciscana, Bimeria" | 217 |
| Flabellinopsis iodinea | 2523 | "franciscana, Garveia" | 216 |
| "flava bidentata, Polydora" | 5161 | "franciscana, Nephtys cornuta" | 4361 |
| "flavescens, Amphiporus" | 803 | "franciscana, Pinnixa" | 7304 |
| "flavescens, Chiton" | 1030 | "franciscana, Thais" | 1833 |
| "flavescens, Lineus" | 744 | "franciscanum, Disoma" | 5288 |
| "flavomaculata, Cadina" | 2361 | "franciscanum, Trochochaeta" | 5287 |
| "flebilis, Bathymedon" | 6040 | "franciscanus, Strongylocentrotus" | 7606 |
| "flexa, Spirontocaris" | 6878 | "franciscanus, Stylocactus" | 587 |
| "flexile, Halecium" | 305 | "franciscanus, Toxocidaris" | 7607 |
| "flexilis, Poraniopsis inflata" | 7410 | "franciscorum, Neomysis" | 5633 |
| "flexuosa, Tellina" | 2972 | "franciscorum, Pandanus" | 6934 |
| "flexuosa, Thyasira" | 2971 | Franginae | 3073 |
| "flexus, Heptacarpus" | 6877 | "fratula, Limifosso" | 919 |
| "florida, Janira" | 2815 | "frecanda, Stenothoe" | 5985 |
| "floridus, Pecten" | 2817 | "frenata, Carinella" | 714 |
| "floridus, Pecten (Janira)" | 2818 | "frenatus, Tubulanus" | 713 |

INDEX

| | | | |
|--|------|---|------|
| "frequens, <i>Hyale</i> " | 5677 | <i>Gammaropsis shoemakeri</i> | 5891 |
| "frequens, <i>Metaphoxus</i> " | 6179 | <i>Gammaropsis spinosa</i> | 5892 |
| "frequens, <i>Protohyale</i> " | 5676 | <i>Gammaropsis tenuicornis</i> | 5897 |
| "fresneli, <i>Melita</i> " | 6291 | <i>Gammaropsis thompsoni</i> | 5894 |
| Fresnillo fimbriatus | 6385 | <i>Gammaropsis tonichi</i> | 5899 |
| "frondosa, <i>Amphitrite</i> " | 2488 | <i>Gammarus spinicarpus</i> | 5966 |
| "frons-acutis, <i>Lambrus</i> " | 7220 | <i>Gammarus subtener</i> | 6293 |
| "frontalis, <i>Lophopanopeus</i> " | 7263 | "ganda, <i>Doto</i> " | 2503 |
| "frontalis, <i>Lophoxanthus</i> " | 7265 | <i>Gari (Gobræus) californica</i> | 3164 |
| "frontalis, <i>Lophozozymus (Lophoxanthus)</i> " | 7264 | <i>Gari californica</i> | 3162 |
| "frontifilis, <i>Acrocirrus</i> " | 4823 | <i>Gari edentula</i> | 3169 |
| "frontifilis, <i>Heterocirrus</i> " | 4824 | <i>Gari fucata</i> | 3167 |
| "fucana, <i>Olivella</i> " | 1945 | <i>Garnotia adunca</i> | 1340 |
| "fucata, <i>Gari</i> " | 3167 | <i>Garnotia naticarum</i> | 1346 |
| "fucata, <i>Tellina</i> " | 3168 | <i>Garnotia norissarium</i> | 1349 |
| "fulanus, <i>Podocerus</i> " | 5840 | <i>Garosyrhoe bigarra</i> | 6070 |
| "fulgens, <i>Harpiniopsis</i> " | 6187 | <i>Garosyrhoe bigarra Cmplx</i> | 6072 |
| "fultoni, <i>Parametaphoxus</i> " | 6181 | <i>Garosyrhoe disjuncta</i> | 6073 |
| "fulva, <i>Dendrodonis</i> " | 2396 | <i>Garosyrhoe sp A</i> | 6074 |
| "fulva, <i>Doriopsis</i> " | 2397 | "garthi, <i>Bathyleberis</i> " | 5505 |
| "funebral, <i>Chlorostoma</i> " | 1226 | "garthi, <i>Lepidepecreum</i> " | 6339 |
| "funebral, <i>Tegula</i> " | 1227 | <i>Garveia formosa</i> | 221 |
| "fungina, <i>Tylodina</i> " | 2331 | <i>Garveia franciscana</i> | 216 |
| "funiculata, <i>Opalia</i> " | 1600 | <i>Gastropoda</i> | 1064 |
| "funiculata, <i>Scalaria (Cirostrema)</i> " | 1601 | <i>Gastropteridae</i> | 2279 |
| "furcata, <i>Amphisbeta</i> " | 317 | <i>Gastroteron cinereum</i> | 2281 |
| "furcata, <i>Sertularia</i> " | 318 | <i>Gastroteron pacificum</i> | 2280 |
| "furcatus, <i>Aricidea (Cirrophorus)</i> " | 3945 | <i>Gastrosaccinae</i> | 5595 |
| "furcatus, <i>Cirrophorus</i> " | 3944 | <i>Gattyana senta</i> | 4040 |
| "furcigera, <i>Ampelisca</i> " | 6233 | "gaudichaudii, <i>Mursia</i> " | 7153 |
| Furcillidens incrassatus | 915 | "gaudichaudii, <i>Platymera</i> " | 7152 |
| "fusca, <i>Cenogenus</i> " | 4530 | "gausapata, <i>Astryris</i> " | 1729 |
| "fusca, <i>Ninoe</i> " | 4531 | "gausapata, <i>Columbella</i> " | 1730 |
| "fusca, <i>Paraninoe</i> " | 4532 | <i>Gaviota podophthalma</i> | 5880 |
| "fusca, <i>Sthenelais</i> " | 4108 | <i>Gebiidae</i> | 7007 |
| "fuscimaculatus, <i>Heptacarpus</i> " | 6879 | <i>Geitodoris heathi</i> | 2381 |
| "fuscinotata, <i>Tritonalia</i> " | 1853 | "gellindra, <i>Haliclona (Halicoclona)</i> " | 126 |
| "fuscus, <i>Stichopus</i> " | 7705 | "gellindra, <i>Halicoclona</i> " | 127 |
| "fusiformis collaris, <i>Owenia</i> " | 4671 | "gemela, <i>Doriopsilla</i> " | 2399 |
| "fusiformis, <i>Cadulus</i> " | 3567 | "geminata, <i>Lilieborgia</i> " | 6096 |
| "fusiformis, <i>Owenia</i> " | 4673 | "geminata, <i>Silophasma</i> " | 6464 |
| Fusininae | 1747 | "geminatum, <i>Haliophasma</i> " | 6463 |
| Fusinus (<i>Aptyxis</i>) luteopictus | 1750 | "gemma, <i>Chaetopleura</i> " | 956 |
| Fusinus barbarensis | 1753 | "gemma, <i>Maxwellia</i> " | 1798 |
| Fusus barbarensis | 1752 | "gemma, <i>Murex</i> " | 1799 |
| Fusus kelletii | 1690 | "gemmifera, <i>Exogone</i> " | 4246 |
| Fusus luteopictus | 1749 | "gemmulatum, <i>Calliostoma</i> " | 1179 |
| Fusus roperi | 1874 | <i>Genaxinus filatovae</i> | 2960 |
| G | | "generosa saginata, <i>Panopaea</i> " | 3233 |
| "gabbi, <i>Antiplanes</i> " | 2056 | "generosa solida, <i>Panopea</i> " | 3235 |
| "gabbi, <i>Pandora (Heteroclidus) punctata</i> " | 3455 | "generosa, <i>Panopea</i> " | 3231 |
| Gadila aberrans | 3565 | "generosa, <i>Panope</i> " | 3236 |
| Gadila tolmiei | 3571 | "generosa, <i>Panopaea</i> " | 3230 |
| Gadilida | 3554 | "(Genetyllys) castanea, <i>Phyllodoce</i> " | 4428 |
| Gadiliidae | 3556 | "geniculata, <i>Obelia</i> " | 260 |
| Gadilimorpha | 3555 | "geniculata, <i>Sertularia</i> " | 261 |
| Gadilinae | 3561 | "(Genota) stevensiana, <i>Pleurotoma</i> " | 2050 |
| "gagare, <i>Ampharete</i> " | 4980 | <i>Geodia gibberosa</i> | 35 |
| "galapagana, <i>Williamia</i> " | 2596 | <i>Geodia mesotriena</i> | 36 |
| "galapagensis, <i>Virgularia</i> " | 410 | <i>Geodiidae</i> | 33 |
| Galathea californiensis | 7093 | <i>Geodinae</i> | 34 |
| Galatheidae | 7091 | "geophiliformis, <i>Northia</i> " | 4639 |
| Galatheoidea | 7090 | "geophiliformis, <i>Nothria</i> " | 4640 |
| Galathowenia piltzi | 4661 | "geophiliformis, <i>Onuphis</i> " | 4638 |
| Galathowenia pygidialis | 4662 | <i>Geryonia octona</i> | 227 |
| "galeata, <i>Conopea</i> " | 5443 | <i>Geukensia demissa</i> | 2761 |
| "galeata, <i>Lepas</i> " | 5444 | "ghiorum, <i>Cancellaria</i> " | 2084 |
| "galeata, <i>Puncturella</i> " | 1122 | "giardi, <i>Dipolydora</i> " | 5172 |
| "galeata, <i>Rimula</i> " | 1123 | "giardi, <i>Polydora</i> " | 5173 |
| "galeatus, <i>Balanus</i> " | 5445 | "giardi, <i>Pseudione</i> " | 6453 |
| "galeatus, <i>Balanus (Conopea)</i> " | 5446 | "gibba, <i>Petricola</i> " | 3349 |
| ""Galeomma"" new species" | 2985 | "gibberosa, <i>Geodia</i> " | 35 |
| Galeommataidae | 2982 | <i>Gibberosus devaneyi</i> | 6309 |
| Galeommataidae sp A | 2984 | <i>Gibberosus myersi</i> | 6311 |
| Galeommatoidea | 2981 | <i>Gibberula subtrigona</i> | 1906 |
| "galeria, <i>Harpiniopsis</i> " | 6188 | "(Gibberula) subtrigona, <i>Persicula</i> " | 1910 |
| Galerus contortus | 1297 | "gibbosa, <i>Ancula</i> " | 2424 |
| "galerus, <i>Harpiniopsis</i> " | 6189 | "gibbosa, <i>Trionta</i> " | 2425 |
| "gallina, <i>Ischnochiton</i> " | 1001 | "gibbosulus, <i>Cancer</i> " | 7245 |
| "galloprovincialis, <i>Mytilus</i> " | 2716 | "gibbosus, <i>Saxidomus</i> " | 3312 |
| Galvina olivacea | 2535 | "gibbsii, <i>Cynthia</i> " | 8056 |
| Gamma | 6108 | "gibbsii, <i>Styela</i> " | 8055 |
| Gamma | 5651 | <i>Gibbula parcipicta</i> | 1166 |
| Gamma | 6397 | <i>Gibbula succincta</i> | 1171 |
| Gamma | 5881 | "gibbus var circularis, <i>Pecten (Aequipecten)</i> " | 2843 |
| Gamma | 5882 | "gibsi, <i>Tethym</i> " | 8057 |
| Gamma | 5884 | "gigantea, <i>Chlamys (Hinnites)</i> " | 2861 |
| Gamma | 5886 | "gigantea, <i>Crassadoma</i> " | 2859 |
| Gamma | 5888 | "gigantea, <i>Lima</i> " | 2860 |
| Gamma | | "gigantea, <i>Lottia</i> " | 1073 |
| Gamma | | "gigantea, <i>Proceraea</i> " | 4212 |

INDEX

| | | | |
|--------------------------------------|------|--|------|
| "gigantea, Sphaerostoma" | 2468 | Gnathia hirsuta | 6434 |
| "gigantea, Tritonia" | 2470 | Gnathia productatridens | 6437 |
| "giganteum, Metridium" | 546 | Gnathia sanctaecrucis | 6433 |
| "giganteus capitatus, Pisaster" | 7439 | Gnathia sp MBC1 | 6441 |
| "giganteus, Dasybranchus" | 3757 | Gnathia steveni | 6438 |
| "giganteus, Dendronotus" | 2490 | Gnathia tridens | 6439 |
| "giganteus, Hinnita" | 2862 | Gnathia trilobata | 6440 |
| "giganteus, Hinnites" | 2864 | "gnathia, Ampelisca" | 6245 |
| "giganteus, Notomastus" | 3758 | Gnathiidae | 6429 |
| "gigas, Callianassa" | 6990 | Gnathophiurina | 7492 |
| "gigas, Neotrypaea" | 6989 | Gnathopleustes den | 5946 |
| "gigas, Sipunculus" | 3625 | Gnathopleustes pugettensis | 5948 |
| "gigas, Travia" | 3989 | Gnathopleustes serratus | 5950 |
| "gilberti, Duvaucelia" | 2475 | Gnesioceridae | 628 |
| "gilesi, Mandibulophoxus" | 6163 | Gnorimosphaeroma oregonense | 6543 |
| Gitan calitemplado | 5976 | "(Gobraeus) californica, Gari" | 3164 |
| Gitanopsis vilordes | 5978 | "(Gobraeus) edentula, Psammobia" | 3172 |
| "glabra, Amphicteis" | 4975 | Gobraeus edentulus | 3170 |
| "glabra, Brada" | 4932 | "goesi, Ampharete" | 4971 |
| "glabra, Dynamene" | 6534 | "goleta, Listriella" | 6101 |
| "glabra, Dynamenella" | 6533 | "golfensis, Foxiphalus" | 6124 |
| "glabra, Fauveliopsis" | 4931 | Golfingia (Mitospion) misakiana | 3695 |
| "glabra, Gyptis arenicola" | 4144 | Golfingia (Phascolana) longirostris | 3696 |
| "glabra, Pholoe" | 4087 | Golfingia (Phascolana) tenuissima | 3697 |
| "glabrus, Dasybranchus" | 3741 | Golfingia catharinae | 3665 |
| "glabrus, Oxydromus areniculus" | 4143 | Golfingia coriacea | 3655 |
| "glabrus, Podarkeopsis" | 4142 | Golfingia elachea | 3648 |
| "glandaria Cmplx, Aphelochaeta" | 4828 | Golfingia eremita californica | 3649 |
| "glandaria, Aphelochaeta" | 4829 | Golfingia eremita var australis | 3656 |
| "glandula, Balanus" | 5458 | Golfingia hespera | 3694 |
| Glans carpenteri | 2923 | Golfingia hozawai | 3666 |
| "glauca monilceras, Leptoneris" | 4170 | Golfingia ikedai | 3633 |
| "glaucom, Physcosoma" | 3707 | Golfingia macginitieae | 3667 |
| Glebocarcinus amphiocetus | 7225 | Golfingia margaritacea | 3631 |
| Glebocarcinus oregonensis | 7230 | Golfingia margaritaceum californiensis | 3634 |
| "glebosa, Apseudomorpha" | 6638 | Golfingia minuta | 3644 |
| "glebosus, Imitapseudes" | 6639 | Golfingia nigra | 3668 |
| Globivenus fordii | 3280 | Golfingia pellucida | 3657 |
| "globula, Sphenia" | 3421 | Golfingia procura | 3669 |
| "gloriosum, Callistoma" | 1180 | Golfingia pugettensis | 3670 |
| Glossaulax reclusianus | 1401 | Golfingia sluiteri | 3658 |
| "(Glossaulax) thomsonae, Neverita" | 1406 | Golfingia sp 1 | 3641 |
| "glossipapillosum, Phascolosoma" | 3635 | Golfingiformes | 3629 |
| Glossiphoniidae | 5302 | Golfingiidae | 3630 |
| Glossoidea | 3061 | "golikovi, Phascolosoma (Rueppellisoma)" | 3703 |
| Glossophorum planum | 8000 | "golischi, Ischnochiton (Ischnochiton)" | 992 |
| Glottidea albida | 7756 | "golischi, Ischnochiton (Lepidozona)" | 993 |
| Glottidia albida | 7754 | "golischi, Lepidozona" | 969 |
| Glottidia palmeri | 7757 | "golischi, Lepidozona" | 995 |
| "glottidiarum, Crepidula" | 1311 | "golischi, Mysella" | 3009 |
| "glottidiarum, Crepidula nivea var" | 1312 | "golischi, Rochefortia" | 3011 |
| "glutaea, Rhynchospio" | 5248 | "golishi, Ischnochiton" | 970 |
| Glycera alba macrobranchium | 4318 | "gomphoidea, Leda" | 2643 |
| Glycera americana | 4308 | "gonagrus, Leptograpsus" | 7330 |
| Glycera branchiopoda | 4316 | Gonatidae | 3594 |
| Glycera capitata | 4321 | Gonatopsis borealis | 3595 |
| Glycera convoluta | 4319 | Goniactinia prolifera | 522 |
| Glycera corrugata | 4309 | Goniada acicula | 4338 |
| Glycera edentata | 4310 | Goniada annulata | 4339 |
| Glycera jucunda | 4311 | Goniada annulata | 4341 |
| Glycera laevis | 4312 | Goniada brunnea | 4340 |
| Glycera longissima | 4324 | Goniada brunnea | 4344 |
| Glycera macrobranchia | 4317 | Goniada brunnea | 4347 |
| Glycera nana | 4320 | Goniada littorea | 4343 |
| Glycera nana | 4328 | Goniada maculata | 4346 |
| Glycera oxycephala | 4322 | Goniada maculata | 4342 |
| Glycera peruviana | 4313 | Goniada uncinigera | 4345 |
| Glycera robusta | 4323 | Goniadiidae | 4334 |
| Glycera rugosa | 4314 | Goniasteridae | 7390 |
| Glycera sagittariae | 4329 | Gonimaretia laevis | 7640 |
| Glycera sp A | 4325 | Goniocarpa coccodes | 8047 |
| Glycera spadix | 4330 | Goniocarpa coriacea | 8048 |
| Glycera tenuis | 4326 | Goniocarpa lovenii | 8049 |
| Glycera tesselata | 4327 | Goniocarpa placenta | 8050 |
| Glyceridae | 4307 | Goniiodorididae | 2423 |
| Glyceriformia | 4306 | "goniophthalma, Callianassa" | 6994 |
| Glycinde armigera | 4335 | "goniophthalma, Callianopsis" | 6993 |
| Glycinde multidens | 4336 | "goniura, Mopalia" | 1059 |
| Glycinde picta | 4337 | Gonodactyloidea | 5576 |
| "glyconica, Monoculodes" | 6059 | "gonolena, Orthasterias (Stylasterias)" | 7428 |
| "glyconicus, Monoculodes" | 6058 | Gonyopodaria parva | 869 |
| Glycymerididae | 2696 | "goodei, Plumularia" | 295 |
| Glycymeridinae | 2697 | "gordanus, Nassarius insculptus" | 1790 |
| Glycymeris (Axinola) septentrionalis | 2702 | "gordiodes, Anotomastus" | 3735 |
| Glycymeris guadalupensis | 2701 | "gordiodes, Eunotomastus" | 3736 |
| Glycymeris septentrionalis | 2698 | "gordoni, Kurtzia" | 1989 |
| Glyphanostomum pallescens | 4986 | "gorgia, Caprella" | 5790 |
| Glyphis aspera | 1113 | Gorgoniidae | 355 |
| Glyphocuma sp A | 6708 | Gorgonocephalidae | 7471 |
| Glyphocuma sp LA1 | 6711 | Gorgonocephalus caryi | 7476 |
| Glyptolithodes cristatipes | 7115 | Gorgonocephalus eucnemis | 7472 |
| Gnathia crenulatifrons | 6431 | Gorgonocephalus japonicus | 7477 |

INDEX

| | | | |
|---|------|--|------|
| Gorgonocephalus sagaminus | 7478 | "granulata, Scleropax | 7296 |
| Gorgonocephalus stimpsoni | 7479 | "granulatus, Amphichondrius" | 7499 |
| "gothica, Steganoporella rozieri forma" | 7897 | "granulatus, Ancinus" | 6555 |
| "gothicus, Dendrochiton" | 1039 | "granulatus, Scleropax" | 7297 |
| "gothicus, Ischnochiton (Trachydermon)" | 1040 | Granulina margaritula | 1911 |
| "gouldi, Lyonsia" | 3476 | Granulininae | 1905 |
| "gouldi, Mitrella" | 1733 | "granulosa, Cilicaea" | 6530 |
| "gouldi, Scalaria (Psychrosoma)" | 1599 | "granulosa, Discerceis" | 6529 |
| "gouldiana, Bulla" | 2194 | Granulosina | 7387 |
| "gouldii, Angulus" | 3111 | "granulosus, Amenichondrius" | 7501 |
| "gouldii, Cyclocardia" | 2915 | "granulosus, Amphichondrius" | 7502 |
| "gouldii, Donax" | 3160 | "granulosus, Ophiocryptus" | 7575 |
| "gouldii, Lucina" | 2974 | Grapsidae | 7327 |
| "gouldii, Nitidella" | 1734 | Grapoidea | 7326 |
| "gouldii, Thyasira" | 2977 | Grapsus eydouxi | 7329 |
| "gouldii, Venericardia (Cyclocardia)(ventricosa var?) | 2916 | "(Gaptactme) vallicolens, Dentalium" | 3548 |
| "gracile, Emplectonema" | 778 | "gravida, Odostomia" | 2139 |
| "gracilior, Admete" | 2089 | "gravispinosa, Crepidula" | 1306 |
| "gracilior, Cancellaria" | 2090 | "grayi, Waldheimia" | 7801 |
| "gracilior, Caprella" | 5791 | "grebnitzkii, Archaeomysis" | 5596 |
| "gracilior, Caprella linearis var" | 5792 | "greenlandica, Chitinopoma" | 4783 |
| Gracilipes distincta | 6015 | Gregariella chenui | 2727 |
| Gracilipestes monocuspis | 5933 | Gregariella coarctata | 2725 |
| "gracilis Cmplx, Syllis" | 4286 | Gregariella coralliphaga | 2728 |
| "gracilis minuta, Paraonis" | 3953 | "grifini, Carinoma" | 703 |
| "gracilis, Ampharete" | 4979 | "grippi, Caecum" | 1447 |
| "gracilis, Anobothrus" | 4978 | "grippi, Homalopoma" | 1208 |
| "gracilis, Aonides" | 3948 | "grippi, Leptothyra" | 1209 |
| "gracilis, Ascopodaria" | 857 | "grippi, Melanella (Balcis)" | 1664 |
| "gracilis, Ascopodaria" | 870 | "grippi, Mysella" | 3038 |
| "gracilis, Barentsia" | 858 | "grippi, Rochefortia" | 3037 |
| "gracilis, Barentsia" | 871 | Grippina californica | 3434 |
| "gracilis, Bowerbankia" | 7847 | "groenlandica, Anaitides" | 4437 |
| "gracilis, Cancer" | 7239 | "groenlandica, Ancistrosyllis" | 4182 |
| "gracilis, Caulieriella" | 4870 | "groenlandica, Campanularia" | 252 |
| "gracilis, Caulieriella" | 4880 | "groenlandica, Chitinopoma" | 4781 |
| "gracilis, Chaetozone" | 4871 | "groenlandica, Hydroides norvegica" | 4782 |
| "gracilis, Clymene" | 3796 | "groenlandica, Phyllodoce" | 4436 |
| "gracilis, Clymenura" | 3783 | "groenlandica, Phyllodoce (Anaitides)" | 4438 |
| "gracilis, Decamastus" | 3742 | "grovesi, Scabrotrophon" | 1888 |
| "gracilis, Dorvillea" | 4506 | "grubei, Ampharete" | 4967 |
| "gracilis, Egmundella" | 335 | "grubei, Scoloplos" | 3865 |
| "gracilis, Emprostopharynx" | 648 | Grubelepis sp | 4016 |
| "gracilis, Eupomatus" | 4791 | "gruneri, Adula" | 2746 |
| "gracilis, Heptacarpus" | 6900 | "guadalupensis, Glycymeris" | 2701 |
| "gracilis, Hippolyte" | 6899 | "guatemoci, Enallopaguropsis" | 7040 |
| "gracilis, Hydroides" | 4790 | "guatemoci, Pylopagurus" | 7041 |
| "gracilis, Lanassa" | 5026 | "guaymasensis, Psammosolen" | 3198 |
| "gracilis, Leaena" | 5027 | "guaymasensis, Solecurtus" | 3197 |
| "gracilis, Levinsenia" | 3947 | Guernea redundans | 6212 |
| "gracilis, Metacarcinus" | 7238 | "gurjanovae, Lepidepecreum" | 6340 |
| "gracilis, Myriochele" | 4664 | "gurjanovae, Tedania (Trachytedania)" | 105 |
| "gracilis, Myriochele" | 4669 | "gurneyi, Leioptilus" | 421 |
| "gracilis, Nemertes" | 779 | "gurneyi, Pandalus" | 6935 |
| "gracilis, Nemertopsis" | 780 | "gurneyi, Pitiosarcus" | 417 |
| "gracilis, Ophorhiza" | 336 | "gurneyi, Sarcocilton" | 418 |
| "gracilis, Paraonis (Paraonides)" | 3950 | "gwilliami, Manania" | 182 |
| "gracilis, Paraonis (Paraonis)" | 3951 | Gymnolaemata | 7826 |
| "gracilis, Praxillella" | 3795 | Gymnomeniidae | 877 |
| "gracilis, Protodonvilla" | 4504 | Gymnonereis crosslandi | 4153 |
| "gracilis, Sabellaria" | 4682 | Gyptis arenicola glabra | 4144 |
| "gracilis, Spirontocaris | 6901 | Gyptis brunnea | 4126 |
| "gracilis, Stauroneres" | 4505 | Gyptis plurisetis | 4129 |
| "gracilis, Stylochoplana" | 649 | "gyrosa, Styela" | 8065 |
| "gracilis, Syllis (Syllis)" | 4287 | | |
| "gracilis, Tauberia" | 3954 | | |
| "gracillima, Idotea" | 6518 | | |
| Grandidierella japonica | 5708 | | |
| "grandiflora, Virgularia" | 387 | H | |
| "grandiflorum, Anthoptyllum" | 386 | "habei, Eusyllis" | 4222 |
| Grandifoxus longirostris | 6130 | Hadromerida | 41 |
| "grandis, Flosmaris" | 524 | Hadzioidea | 6258 |
| "grandis, Loxorhynchus" | 7183 | "haematura, Purpura" | 1878 |
| "grandis, Loxorhynchus" | 7184 | "hagemeisteri, Odostomia" | 2146 |
| "grandis, Sanguinolaria" | 3179 | "haigae, Parapagurus" | 7089 |
| "grandis, Triopha" | 2452 | "haigae, Sympagurus" | 7088 |
| "grandus, Loxorhynchus" | 7185 | Haigia diegensis | 7044 |
| Grania incerta | 5308 | "haiwei, Astrangia" | 440 |
| "granosimanus, Eupagurus" | 7059 | Halcampidae | 497 |
| "granosimanus, Pagurus" | 7058 | Halcampidae sp A | 486 |
| "granosimanus, Pagurus (Trigonocheirus)" | 7060 | Halcampoides purpurea | 495 |
| "granosus, Colloides" | 7209 | Halcampoididae | 501 |
| "granti, Megasurcula" | 2046 | "halcyonis, Turris (Surcula)" | 485 |
| "granti, Pseudochama" | 3262 | Haleciidae | 484 |
| Grantia clathrus | 160 | Haleciidae | 1974 |
| Grantiidae | 167 | Halecium beani | 301 |
| "granulata, Sabella" | 5019 | Halecium delicatulum | 302 |
| Granula subtrigona | 1908 | Halecium densum | 304 |
| "granulata, Amphipholis" | 7504 | Halecium flexile | 306 |
| "granulata, Amphipura" | 7500 | Halecium plumularioides | 305 |
| "granulata, Pectinaria" | 5018 | "halei, Munna" | 274 |
| "granulata, Pinnixa (Scleropax)" | 7298 | "halia, Turbonilla" | 6603 |
| | | | 2167 |

INDEX

| | | | |
|---------------------------------------|------|---------------------------------------|------|
| Halianthella sp A | 502 | "handi, Crangon" | 6956 |
| Halianthella sp B | 507 | Hanleyella oldroydi | 931 |
| Halichondria bowerbanki | 116 | "hansineensis, Olea" | 2327 |
| Halichondria incrustans | 98 | Hapalogastridae | 7111 |
| Halichondria panicea | 117 | Haplobranchus aestuarinus | 4739 |
| Halichondrida | 110 | Haplosclerida | 121 |
| Halichondriidae | 115 | Haplosclerina | 122 |
| Haliclona (Halicoclona) gellindra | 126 | Haploscoloplos elongata | 3854 |
| Haliclona (Rhizoniera) enamela | 128 | Haploscoloplos elongatus | 3855 |
| Haliclona ecbasis | 125 | Haploscoloplos panamensis | 3850 |
| Haliclona lunisimilis | 131 | Haplosyllis spongicola | 4280 |
| Halicoclona gellindra | 127 | Harbansus bradmyers | 5525 |
| "(Halicoclona) gellindra, Haliclona" | 126 | Harbansus mayeri | 5526 |
| Halicoides synopiae | 6088 | Harbansus sp SD1 | 5527 |
| Halioplasm geminatum | 6463 | Harenactis attenuata | 493 |
| "haliotiphila, Barleeia" | 1433 | "harfordi, Aega" | 6477 |
| Halipteridae | 390 | "harfordi, Alpheus" | 6860 |
| Halipteris californica | 391 | "harfordi, Betaeus" | 6859 |
| Halipteris contorta | 394 | "harfordi, Cirolana" | 6476 |
| Haliris aequacostata | 3522 | "harfordi, Synidotea" | 6523 |
| Halisceptrum cystiferum | 405 | Harfordia sp | 1754 |
| Halistylinae | 1152 | Harmothoe (Evarne) fragilis | 4042 |
| Halistylus pupoideus | 1153 | Harmothoe complanata | 4050 |
| "(Halistylus) pupoideus, Cantharidus" | 1155 | Harmothoe fragilis | 4041 |
| Halistylus subpeideus | 1157 | Harmothoe hirsuta | 4045 |
| Halistylus subpupoideus | 1158 | Harmothoe imbricata Cmplx | 4046 |
| Halitholus cirratus | 224 | Harmothoe impar | 4044 |
| Haloclavidae | 491 | Harmothoe lunulata | 4064 |
| "halocydne, Elaecyma" | 2025 | Harmothoe multiseta | 4047 |
| "halocydne, Kylix" | 2024 | Harmothoe nr lunulata | 4058 |
| Halocynthia castaneiformis | 8086 | Harmothoe nr lunulata | 4070 |
| Halocynthia echinata | 8083 | Harmothoe priops | 4078 |
| Halocynthia haustor | 8098 | Harmothoe scriptoria | 4069 |
| Halocynthia haustor foliacea | 8099 | Harmothoe sp A | 4059 |
| Halocynthia igabuja | 8088 | Harmothoe sp A | 4085 |
| Halocynthia johnsoni | 8100 | "haroldi, Lyonsia californica" | 3475 |
| Halocynthia mirabilis | 8105 | "arpa, Acteocina" | 2263 |
| Halocynthia okai | 8089 | "arpa, Acteocina (Coleophysis)" | 2266 |
| Halocynthia villosa | 8087 | "arpa, Cylichnella" | 2267 |
| Halocynthia washingtona | 8101 | "arpa, Retusa (Coleophysis)" | 2268 |
| Halodakra brunnea | 3053 | "arpa, Tornatina" | 2264 |
| Halodakra salmonea | 3054 | "arpa, Utriculastra" | 2269 |
| Halodakra subtrigona | 3059 | Harpacticoida | 5480 |
| Halomolgula ovoidea | 8075 | Harpinia oculata | 6200 |
| Halosoma compactum | 5381 | Harpinia affinis | 6194 |
| Halosydn brevisetosa | 4028 | Harpinia excavata | 6202 |
| Halosydn johnsoni | 4029 | Harpiniinae | 6183 |
| Halosydn lagunae | 4082 | Harpiniopsis emeryi | 6184 |
| Halosydn latior | 4031 | Harpiniopsis epistomata | 6185 |
| "hamata, Ancistargis" | 4185 | Harpiniopsis epistomatus | 6186 |
| "hamata, Ancistrosyllis" | 4183 | Harpiniopsis fulgens | 6187 |
| "hamata, Boccardiella" | 5147 | Harpiniopsis galera | 6188 |
| "hamata, Caulieriella" | 4853 | Harpiniopsis galerus | 6189 |
| "hamata, Caulieriella" | 4855 | Harpiniopsis naiadis | 6190 |
| "hamata, Caulieriella" | 4857 | Harpiniopsis profunda | 6191 |
| "hamata, Leda" | 2647 | Harpiniopsis sanpedroensis | 6203 |
| "hamata, Nuculana" | 2646 | Harpiniopsis similis | 6192 |
| "hamata, Nuculana (Thestyleda)" | 2649 | "harrimanii, Betaeus" | 6862 |
| "hamata, Polydora" | 5148 | Harrimanidae | 7983 |
| "hamatipes, Argissa" | 6082 | "harrisae, Lumbricalulus" | 4538 |
| "hamatipes, Syrrhoe" | 6083 | "harrisae, Marianasbellaria" | 4687 |
| Hamatoscalpellum californicum | 5425 | "harrisae, Paradialychone" | 4761 |
| Hamatoscalpellum sanctipetrense | 5430 | "harrisae, Spinospaera" | 5083 |
| "hamatus, Pilargin" | 4184 | "harrisae, Synelmis" | 4207 |
| "hamatus, Tharyx" | 4856 | "hartae, Campylaspis" | 6738 |
| "hamatus, Thelodus" | 5093 | "hartae, Pagurus" | 7061 |
| "hamillus, Anomia" | 2885 | "hartae, Parapagurodes" | 7062 |
| Haminaea vesicula | 2205 | "hartleyi, Aricidea (Allia)" | 3926 |
| "(Haminea) vesicula, Bulla" | 2204 | "hartmanae, Anaitides" | 4440 |
| Haminaea virescens | 2208 | "hartmanae, Chaetoderma" | 910 |
| Haminoea cymbiformis | 2209 | "hartmanae, Chaetozone" | 4869 |
| Haminoea olgae | 2210 | "hartmanae, Crystallophrisson" | 909 |
| Haminoea rosacea | 2211 | "hartmanae, Dichonetemes" | 777 |
| Haminoea strongi | 2212 | "hartmanae, Falcidens" | 908 |
| Haminoea vesicula | 2203 | "hartmanae, Hartmanodes" | 6051 |
| Haminoea virescens | 2206 | "hartmanae, Magelona" | 5122 |
| Haminoeidae | 2201 | "hartmanae, Monoculodes" | 6052 |
| Haminoeinae | 2202 | "hartmanae, Phyllodoce" | 4439 |
| Haminoeoidea | 2200 | "hartmanae, Phyllodoce (Aponaitides)" | 4441 |
| "hancocki Cmplx, Ampelisca" | 6236 | "hartmani, Socarnes" | 6329 |
| "hancocki, Acidostoma" | 6383 | "hartmanni, Rutiderma" | 5550 |
| "hancocki, Alania" | 6392 | Hartmanodes hartmanae | 6051 |
| "hancocki, Ampelisca" | 6234 | Hartmanodes murrius | 6053 |
| "hancocki, Artacamella" | 5098 | Hartmanodes sp SD1 | 6055 |
| "hancocki, Bathyleberis" | 5506 | "hartwiegii, Chiton" | 1024 |
| "hancocki, Chaetoderma" | 893 | "hartwiegii, Cyanoplax" | 1023 |
| "hancocki, Crystallophrisson" | 894 | "hartwiegii, Lepidochitona" | 1025 |
| "hancocki, Enallopaguropsis" | 7042 | "hastata, Chlamys" | 2849 |
| "hancocki, Euchone" | 4712 | "hastata, Ysideria" | 4084 |
| "hancocki, Pylopagurus" | 7043 | "hastatus, Pecten" | 2850 |
| "hancocki, Stegocephalus" | 6393 | "hastatus, Pecten (Chlamys)" | 2858 |
| "hancocki, Sthenelais" | 4111 | "haustor foliacea, Halocynthia" | 8099 |

INDEX

| | | | |
|--------------------------------------|------|---|------|
| "haustor, Cynthia" | 8095 | Hermaeina smithi | 2326 |
| "haustor, Halocynthia" | 8098 | Hermisenda crassicornis | 2572 |
| "haustor, Pyura" | 8094 | Hersilia vancouverense | 5486 |
| Haustoridae | 6110 | "hertzana, Petricola" | 3356 |
| Havelockia benti | 7659 | Hervia lagunae | 2554 |
| Havelockia benti var zacae | 7661 | "hesione, Philbertia" | 1985 |
| Havelockia charlottae | 7663 | Hesionella mccullochiae | 4130 |
| "heathi, Discodoris" | 2382 | Hesionidae | 4124 |
| "heathi, Geitodoris" | 2381 | Hesionura coineau difficilis | 4405 |
| "heathi, Lepidopleurus" | 938 | "hespera, Golfingia" | 3694 |
| "heathi, Lepidopleurus (Xiphiozona)" | 939 | "hespera, Phascolosoma" | 3698 |
| "heathi, Leucandra" | 168 | Hesperalia nans | 4226 |
| "heathi, Leuconia" | 169 | Hesperato columbella | 1515 |
| "heathi, Lophopanopeus" | 7268 | Hesperone complanata | 4049 |
| "heathi, Stylochoplana" | 617 | Hesperoneae laevis | 4051 |
| Heathia porosa | 881 | "hessleri, Nebalia" | 5571 |
| "hebe, Mangelia" | 1996 | Heterobranchia | 2095 |
| Hebellopsis expansa | 312 | "heterobranchia newportensis, Prionospio" | 5235 |
| "hecetae, Mangelia" | 1997 | "heterobranchia, Eupolymnia" | 5024 |
| "hedgpethi, Chaetozone" | 4872 | "heterobranchia, Lanice" | 5025 |
| "hedgpethi, Coboldus" | 5992 | "heterobranchia, Prionospio (Prionospio)" | 5234 |
| "hedgpethi, Idarcturus" | 6500 | "heteroceratum, Corophium" | 5772 |
| "hedgpethi, Iphimedia" | 5994 | "heteroceratum, Sinocerophium" | 5771 |
| "hedgpethi, Polycera" | 2440 | "heterochaeta, Ehlersia" | 4297 |
| "helga, Chrysallida" | 2122 | "heterochaeta, Langerhansia" | 4298 |
| "helga, Odostomia (Chrysallida)" | 2123 | "heterochaeta, Polydora" | 5211 |
| "helianthoides, Asterias" | 7450 | "heterochaeta, Sylis (Ehlersia)" | 4296 |
| "helianthoides, Pycnopodia" | 7449 | "heterochaeta, Typosyllis" | 4295 |
| Hemectyon hyle | 87 | "heterocirra, Brania" | 4243 |
| "(Hemectyon) hyle, Endectyon" | 86 | Heterocirrus frontifilis | 4824 |
| Hemicordata | 7977 | Heteroclidus punctata | 3451 |
| Hemicyclops subadhaerens | 5488 | "(Heteroclidus) punctata, Pandora" | 3454 |
| Hemicyclops thysanotus | 5489 | "(Heteroclidus) punctata gabbi, Pandora" | 3455 |
| Hemigrapsus nudus | 7335 | Heterocrypta occidentalis | 7218 |
| Hemigrapsus oregonensis | 7339 | "heterocuspatus, Paraphoxus" | 6147 |
| Hemilamprops californica | 6764 | "heterocuspatus, Rhepoxynius" | 6146 |
| Hemilamprops californicus | 6763 | "heterodonta, Oropallene" | 5361 |
| Hemilamprops sp A | 6765 | "heterodenticulatum, Nymphon" | 5367 |
| Hemilamprops sp B | 6766 | Heterodonax pacificus | 3174 |
| Hemilepis arcystata | 7538 | Heterodontia | 2895 |
| "(Hemimactra) hemphilli, Spisula" | 3370 | "heterodontia, Melinna" | 5013 |
| Hempodia borealis | 4331 | "heterodontia, Melinna cristata" | 5014 |
| Hemipodus borealis | 4332 | Heterogorgia tortuosa | 359 |
| "hemipodus, Leiochrides" | 3748 | Heterograpsus nudus | 7338 |
| "hemipodus, Notomastus" | 3760 | Heteromastus filiformis | 3746 |
| Hemiproto sp A | 5824 | Heteromastus filiformis Cmplx | 3745 |
| Hemiproto wigleyi | 5825 | Heteromastus filibranchus | 3747 |
| Hemiseptella denticulata | 7865 | "heteromorpha, Heteropodarke" | 4131 |
| Hemisquilla californiensis | 5578 | Heteromyssinae | 5608 |
| Hemisquilla ensigera californiensis | 5579 | Heteromyssis odontops | 5611 |
| Hemisquillidae | 5577 | Heteronemertea | 731 |
| "hemphilli, Fartulum" | 1454 | "heteropaes, Sclerasterias" | 7452 |
| "hemphilli, Lima (Limaria)" | 2794 | Heteropale bellis | 4122 |
| "hemphilli, Limaria" | 2793 | Heterophilas seclusus escabrosa | 5656 |
| "hemphilli, Mactra" | 3367 | Heterophoxus affinis | 6193 |
| "hemphilli, Mactromeris" | 3366 | Heterophoxus conlanae | 6196 |
| "hemphilli, Mya" | 3399 | Heterophoxus ellisi | 6197 |
| "hemphilli, Spisula" | 3369 | Heterophoxus oculatus | 6199 |
| "hemphilli, Spisula (Hemimactra)" | 3370 | Heterophoxus oculatus | 6195 |
| "hemphilli, Terebra" | 2034 | Heterophoxus oculatus | 6198 |
| "hemphilli, Terebratalia" | 7793 | Heteropdarke heteromorpha | 4131 |
| "hemphilliana, Xantho" | 7261 | "heteropsis, Calliteuthis" | 3598 |
| "hemphillii, Microrhynchus" | 7198 | "heteropsis, Histiocteuthis" | 3597 |
| "hemphillii, Podochela" | 7197 | Heteroserolis carinata | 6561 |
| "hemphillii, Terebratalia" | 7794 | Heterospio catalinensis | 5118 |
| "hemphillii, Xanthodes" | 7262 | "heteropus, Acuminodeutopus" | 5713 |
| "hennahi, Themiste" | 3680 | "hexacanthus, Amphioplus" | 7527 |
| "henrici, Pannychia moseleyi var" | 7718 | "hexacanthus, Amphioplus" | 7548 |
| Henricia aspera | 7412 | Hexactinillida | 2 |
| Henricia laeviuscula | 7414 | Hexactinosa | 4 |
| Henricia n sp | 7413 | "hexactis, Asterias" | 7430 |
| "hepburni, Cadulus" | 3568 | "hexactis, Leptasterias" | 7429 |
| Heptacarpus brevirostris | 6871 | "hexagona, Cytharella" | 2007 |
| Heptacarpus carinatus | 6874 | "hexagona, Mangelia" | 2005 |
| Heptacarpus cristatus | 6889 | "hexamytus, Listriolobus" | 3720 |
| Heptacarpus decorus | 6875 | Hexasterophora | 3 |
| Heptacarpus flexus | 6877 | Hiatella arctica | 3219 |
| Heptacarpus fuscimaculatus | 6879 | Hiatella biaperta | 3222 |
| Heptacarpus gracilis | 6900 | Hiatella monoptera | 3223 |
| Heptacarpus palpator | 6880 | Hiatellidae | 3218 |
| Heptacarpus paludicola | 6883 | Hiatelloidea | 3217 |
| Heptacarpus pictus | 6886 | "hiatus, Pinnixa" | 7305 |
| Heptacarpus sitchensis | 6884 | "hidalgo, Coxophoxus" | 6177 |
| Heptacarpus stimpsoni | 6888 | Higginsia sp | 114 |
| Heptacarpus stylus | 6893 | "hilgendorfi, Ammothea" | 5337 |
| Heptacarpus taylori | 6895 | "hilgendorfi, Lecythorhynchus" | 5338 |
| Heptacarpus tenuissimus | 6897 | "hiltoni, Epialtoides" | 7163 |
| Heptacarpus tridens | 6902 | "hiltoni, Epialtus" | 7164 |
| "herdmani, Eualus" | 6868 | "hiltoni, Facelina" | 2576 |
| "hericeus, Chlamys" | 2851 | "hiltoni, Phidiana" | 2575 |
| "hericus, Chlamys" | 2852 | "hiltoni, Schistocomus" | 5005 |
| Hermaeidae | 2321 | "hiltoni, Schistocomus" | 5007 |

INDEX

| | | | |
|--------------------------------|------|--------------------------------------|------|
| Hima mendica | 1778 | Homalorhagida | 7343 |
| "hincksi, Campanularia" | 253 | "homilis, Cephalophoxoides" | 6174 |
| Hincksinidae | 7871 | "homilis, Paraphoxus" | 6176 |
| "hindii, Epitonium" | 1543 | "homilis, Phoxocephalus" | 6175 |
| "hindii, Nitidiscala" | 1549 | "homocrepidatus, Rhepoxynius" | 6148 |
| "hindii, Scala" | 1550 | Homola faxoni | 7141 |
| "hindii, Scalaria" | 1544 | "(Homoeodesma) trapezoides, Thracia" | 3492 |
| Hinea insculpta | 1784 | Homolidae | 7139 |
| Hinnita giganteus | 2862 | Homoloidea | 7138 |
| Hinnita pouloni | 2863 | "hongkongensis, Polypus" | 3613 |
| "(Hinnites) gigantea, Chlamys" | 2861 | Hopkinsia rosacea | 2430 |
| Hinnites giganteus | 2864 | Hoplocarida | 5573 |
| Hinnites multirugosus | 2865 | Hoplonemertea | 769 |
| Hippa analoga | 7131 | Hoplonemertea sp A | 835 |
| Hippacanthomysis platypoda | 5603 | Hoplonemertea sp A | 836 |
| Hippasteria spinosa | 7394 | Hoplonemertea sp B | 839 |
| Hippidae | 7129 | Hoplonemertea sp HYP 1 | 840 |
| Hippodiplosia insculpta | 7940 | Hoplonemertea sp HYP 2 | 841 |
| Hippoidea | 7123 | Hoploplana californica | 626 |
| Hippolyte amabilis | 6898 | Hoploplana sp A | 627 |
| Hippolyte lineata | 6911 | Hoploplanidae | 625 |
| Hippolysmata californica | 6910 | "horikoshii, Acmira" | 3893 |
| Hippolyte bispinosus | 6915 | "horikoshii, Aricidea (Acmira)" | 3892 |
| Hippolyte brevirostris | 6872 | Hormathiidae | 532 |
| Hippolyte californiensis | 6904 | Hormiriscus macginittiei | 7010 |
| Hippolyte clarki | 6906 | Hornellia occidentalis | 6302 |
| Hippolyte cristata | 6890 | "hornii, Morrisia" | 7804 |
| Hippolyte gracilis | 6899 | "hornii, Platidia" | 7803 |
| Hippolyte lamellicornis | 6917 | "horrida, Aphorme" | 14 |
| Hippolyte mexicana | 6905 | "hospitis, Piromis" | 4954 |
| Hippolyte palpator | 6881 | Hourstonius vilordes | 5977 |
| Hippolyte prionota | 6919 | "hoylei, Meleagroterechthys" | 3599 |
| Hippolyte sitchensis | 6885 | "hozawai, Golfingia" | 3666 |
| Hippolyte stylus | 6894 | "hozawai, Phascolosoma" | 3671 |
| Hippolytidae | 6866 | "hudsoni, Acanthodoris" | 2408 |
| Hippomedon coecus | 6331 | "hulingsi, Parasterope" | 5511 |
| Hippomedon columbianus | 6333 | "humeralis, Amphithoe" | 5740 |
| Hippomedon denticulatus | 6334 | "humeralis, Ampithoe" | 5741 |
| Hippomedon sp A | 6338 | "humeralis, Peramphithoe" | 5739 |
| Hippomedon subrobustus | 6335 | "hunteri, Ericthonius" | 5851 |
| Hippomedon tenax | 6336 | Hutchinsonellidae | 5408 |
| Hippomedon zetesimus | 6337 | Huxleyia munita | 2611 |
| Hipponicidae | 1499 | Hyale californica | 5672 |
| Hipponix antiquatus | 1502 | Hyale canalina | 5675 |
| Hipponix panamensis | 1501 | Hyale frequens | 5677 |
| Hippopodina californica | 7933 | Hyalella azteca | 5668 |
| Hippothoa hyalina | 7938 | Hyalellidae | 5664 |
| Hippothoidae | 7935 | Hyalidae | 5670 |
| Hippuraria elongata | 7839 | Yalina (Cystiscus) subtrigona | 1909 |
| "hirsuta, Aeginella" | 5821 | Yalina myrmecoon | 1917 |
| "hirsuta, Ascidia" | 8079 | "(Yalina) myrmecoon, Marginella" | 1918 |
| "hirsuta, Boltenia" | 8080 | Yalina politulus | 1921 |
| "hirsuta, Gnathia" | 6434 | "yalina, Cellepora" | 7937 |
| "hirsuta, Harmothoe" | 4045 | "yalina, Celleporella" | 7936 |
| Hirudinea | 5297 | "yalina, Hippothoa" | 7938 |
| "hispida, Calyptraea" | 1337 | "yalina, Schizoporella" | 7939 |
| "hispida, Munida" | 7095 | Yalinoecia juvenalis | 4607 |
| "hispida, Ophiocnida" | 7552 | Yalopomatopsis occidentalis | 4797 |
| "hispida, Ophiolepis" | 7553 | Yalopomatus biformis | 4786 |
| "hispidus, Acantholithodes" | 7112 | Hyastenus longipes | 7181 |
| "hispidus, Dermaturus" | 7113 | Hyboscolex pacificus | 3983 |
| Histioteuthidae | 3596 | Hydra verticillata | 7850 |
| Histioteuthis heteropsis | 3597 | Hydractinia sp | 237 |
| "hobsonae, Magelona" | 5123 | Hydractiniidae | 236 |
| "hokkaidense, Phoxichilidium" | 5382 | Hydrobia californica | 1429 |
| Holaxonia | 354 | Hydrobia ulvae | 1438 |
| "holgurus, Elasmopus" | 6265 | Hydrobiidae | 1468 |
| "holmesi, Aruga" | 6319 | Hydroides elegans | 4788 |
| "holmesi, Crago" | 6958 | Hydroides gracilis | 4790 |
| "holmesi, Crangon" | 6957 | Hydroides norvegica groenlandica | 4782 |
| "holmesi, Orchromene" | 6353 | Hydroides pacificus | 4792 |
| "holmesi, Orchromenella" | 6352 | Hydrozoa | 183 |
| "holmesi, Palaeomonella" | 6841 | "hyle, Endectyon (Hemectyon)" | 86 |
| "holmesi, Pylopagurus" | 7084 | "hyle, Hemectyon" | 87 |
| "holmesi, Spirontocaris" | 6913 | Hymedesmisiidae | 63 |
| Holmesiella anomala | 5604 | Hymenamphiaster cyanocrypta | 91 |
| Holmesimysis costata | 5625 | Hymeniacidon sinapium | 93 |
| "holmquistae, Deltamysis" | 5609 | Hymeniacidon ungodon | 119 |
| Hololepida magna | 4021 | "hyperioni, Syllis (Ehlersia)" | 4302 |
| Holopagurus pilosus | 7027 | "hyperioni, Typosyllis" | 4301 |
| Holoplocamus sp | 2443 | "hyphalus, Stegophrynxus" | 6454 |
| Holoporella brunnea | 7963 | Hypselodoris californiensis | 2368 |
| "holosericus, Pachycheles" | 7101 | Hypsogastropoda | 1292 |
| Holothuria californica | 7703 | Hyssuridae | 6465 |
| Holothuroidea | 7645 | Hyssuridae gen A sp A | 6468 |
| Holozoa occidentalis | 7997 | "hystricina, Onchidoris" | 2412 |
| Holozoidae | 7994 | "hystrrix, Calyptraea" | 1302 |
| Homalopoma baculum | 1205 | "hystrrix, Microphthalmus" | 4134 |
| Homalopoma berryi | 1207 | "hyugensis, Phascolosoma" | 3672 |
| Homalopoma grippi | 1208 | | |
| Homalopoma liridum | 1210 | | |
| Homalorhagae | 7344 | | |

INDEX

| | | |
|---|------|---------------------------------------|
| " | | |
| Ianiropsis analoga | 6581 | "indentata, Macoma (Rexithaerus)" |
| Ianiropsis derjagini | 6582 | "index, Lumbrineris" |
| Ianiropsis minuta | 6584 | "index, Lumbrineris japonica" |
| Ianiropsis montereyensis | 6585 | "indianorum, Dentalium" |
| Ianiropsis tridens | 6586 | "indianorum, Epitonium" |
| "icelus, Leptophoxus falcatus" | 6178 | "indianorum, Epitonium (Nitidiscala)" |
| Ichthyomenia porosa | 882 | "indianorum, Nitidiscala" |
| "idae, Mitra" | 1924 | "indianorum, Scala" |
| "idae, Tellina" | 3107 | "indica, Scolelepis" |
| "idae, Tellina (Tellinella)" | 3108 | "indicus, Malacoceros" |
| Idalia vancouverensis | 2432 | "indisputabilis, Nassarius" |
| Idanthyrus sp | 4677 | "induratum, Epizoanthus" |
| Idarcturus allelomorphus | 6499 | "induratus, Epizoanthus" |
| Idarcturus hedgepathi | 6500 | "inefficax, Lepidozona" |
| "idia, Spongia" | 142 | "inermis, Aglaja" |
| Idmonea californica | 7811 | "inermis, Amphithoe" |
| Idotea aculeata | 6511 | "inermis, Aoroides" |
| Idotea fewkesi | 6513 | "inermis, Chelidonura" |
| Idotea gracillima | 6518 | "inermis, Navanax" |
| Idotea montereyensis | 6514 | "inermis, Navarchus" |
| Idotea montereyensis | 6519 | "inermis, Ophioderma" |
| Idotea resectata | 6521 | "inermis, Pleurotoma" |
| Idotea rufescens | 6515 | "inermis, Pontogeneia" |
| Idotea urotoma | 6516 | "inermis, Strategus" |
| Idoteidae | 6503 | "inflata, Crenella ?" |
| "igaboja, Halocynthia" | 8088 | "inflata, Lumbrineris" |
| "igaboja, Tethym" | 8091 | "inflata, Lyonsia" |
| "ignota, Columbaemysis" | 5619 | "inflata, Nucula" |
| "igozo, Plocamia" | 103 | "inflata, Pherusa" |
| "igozo, Plocamiancora" | 102 | "inflata, Poraniopsis" |
| "ikedai, Golfingia" | 3633 | "inflata, Trophonia" |
| Ilia ornata | 7159 | "inflatula, Poraniopsis" |
| "ilisima, Berthellina" | 2342 | "inflatula, Macoma" |
| "illgi, Antho (Acarinia)" | 80 | "inflatum, Crystallophrisson" |
| "illgi, Plocamia" | 81 | "inflatum, Scalibregma" |
| "illudens, Socarnoides" | 6386 | "inflatum, Alexandraster" |
| Ilyarachna acarina | 6613 | "infraspinis, Periclimenes" |
| Ilyarachna profunda | 6614 | "infraspinis, Urocaris" |
| "imbricata Cmplx, Harmothoe" | 4046 | "infundibularis, Flabelligera" |
| "imbricata, Asteropsis" | 7461 | "infundibulum, Myxicola" |
| "imbricata, Dermasterias" | 7460 | "infundibulum, Vermilia" |
| Imitapseudes glebosus | 6639 | "infundibulum, Vermiliopsis" |
| "imitator, Paludestrina" | 1471 | "ingens, Siphonosoma" |
| "imitator, Tryonia" | 1470 | "ingens, Siphonosomecus" |
| Imogine exiguis | 581 | "ingentis, Eusicyonia" |
| "impar, Harmothoe" | 4044 | "ingentis, Sicyonia" |
| "imparispinosus, Amphiporus" | 805 | Ingolfiellidae |
| "implicatum, Epitonium" | 1569 | "ingentis, Ingolfiellidea" |
| "imporcata, Mopalia" | 1045 | "inornata, Exosphaeroma" |
| Inachidae | 7193 | "inquieta, Leptoplana" |
| "Inachoides brevirostrum, ?" | 7211 | "inquieta, Notoplana" |
| Inachoides magdalenensis | 7212 | "inquieta, Pleioplana" |
| Inachoides tuberculatus | 7213 | "insculpta, Hinea" |
| Inachoididae | 7206 | "insculpta, Hippodiplosia" |
| "(Inachus) tuberculatus, Microrhynchus" | 7208 | "insculpta, Nassaria" |
| "inaequalis, Chevalia" | 5721 | "insculpta, Opalia" |
| "inaequalis, Neophotis" | 5722 | "insculpta, Opalia (Dentisca)" |
| "inaequipes, Maera" | 6271 | "insculpta, Schizoporella" |
| "inaequipes, Maera" | 6275 | "insculptus, gordanus, Nassarius" |
| "inaequipes, Maera" | 6278 | "insculptus, Alectrión" |
| "inarmata, Schizoporella" | 7943 | "insculptus, Alectrión (Schizopyga)" |
| "inarmata, Schizoporella linearia var" | 7944 | "insculptus, Nassarius" |
| Inarticulata | 7750 | "insculptus, Zeuxis" |
| "inca, Pecten" | 2839 | "insculptusvar euplera, Alectrión" |
| "incerta, Grania" | 5308 | "insidiosum, Corophium" |
| Incirrata | 3605 | "insidiosum, Monocorophium" |
| "incisa var fancherae, Moniliopsis" | 1968 | "insignis, Mopalia" |
| "incisa, Amphissa" | 1724 | "insignis, Schizobranchia" |
| "incisa, Caprella" | 5793 | "insolita, Inusitatomysis" |
| "incisa, Drilia" | 1971 | "instabilis, Lottia" |
| Incisocalliope bairdi | 5951 | "instabilis, Patella (Nacella)" |
| Incisocalliope newportensis | 5954 | "integra, Plumularia" |
| "inclusus, Amphithalamus" | 1425 | "interfossa beta, Tritonalia" |
| "incolor, Euchone" | 4713 | "intermedia, Actaecina culcitella" |
| "incongrua, Semele" | 3193 | "intermedia, Aoroides" |
| "inconspicua, Aglaophenia" | 287 | "intermedia, Aphrocristes" |
| "inconspicua, Epitonium" | 1540 | "intermedia, Eudistylia" |
| "inconstans, Abietenaria" | 313 | "intermedia, Molpadia" |
| "inconstans, Sertularia" | 314 | "intermedia, Nothria stigmatus" |
| "incrassatum, Crystallophrisson" | 916 | "intermedium, Tanystylum" |
| "incrassatus, Furcillidens" | 915 | "intermedium, Tanystylum" |
| "incrustans, Halichondria" | 98 | "intermedium, Trochostoma" |
| "incrustans, Myxilla" | 97 | "intermedius, Aoroides" |
| "inculta, Actaecina" | 2270 | "intermedius, Paratanais" |
| "inculta, Bulla (Tornatina)" | 2271 | "internexus, Leptopleurus" |
| "inculta, Cylichnella" | 2272 | "interrupta, Lepidasthenia" |
| "indentata tenuirostris, Macoma" | 3146 | "interruptus, Panulirus" |
| "indentata, Ampelisca" | 6237 | "interstincta, Lepidozona" |
| "indentata, Macoma" | 3145 | "interstinctus, Ischnochiton" |
| | | "intestinalis, Ascidia" |

INDEX

| | | | |
|---|------|--|------|
| "intestinalis, Ciona" | 8003 | J | |
| "intii, Mysidopsis" | 5645 | Janetogalathea californiensis | 7092 |
| "intorta, Olivella" | 1948 | Janira florida | 2815 |
| "intumescens, Synapsetudes" | 6641 | "(Janira) floridus, Pecten" | 2818 |
| Inusitatomysis californica | 5628 | Janira occidentalis | 6588 |
| Inusitatomysis insolita | 5627 | Janira solasteri | 6590 |
| Inusitatomysis serrata | 5629 | "(Janira) stearnsii var diegensis, Pecten" | 2819 |
| "invallata, Ethalia" | 1481 | Janiralata occidentalis | 6587 |
| "invallata, Pseudorotella" | 1482 | Janiralata solasteri | 6589 |
| "invallata, Telostoma" | 1484 | Janiralata sp A | 6591 |
| "iodinea, Aeolis (?Phidiana)" | 2520 | Janiralata sp B | 6592 |
| "iodinea, Coryphella" | 2521 | Janiralata sp D | 6593 |
| "iodinea, Flabellina" | 2519 | Janiridae | 6577 |
| "iodinea, Flabellinopsis" | 2523 | Janiroidea | 6570 |
| Iophon rayae | 62 | Janiroopsis derjugini | 6583 |
| Iothia lindbergi | 1100 | Janolus annulatus | 2510 |
| Iphimedia hedgepethi | 5994 | Janolus barbarensis | 2512 |
| Iphimedia rickettsi | 5995 | Janolus sp 1 | 2511 |
| Iphimediidae | 5991 | Januia (Dexiospira) brasiliensis | 4808 |
| Iphimedioidea | 5990 | "japonica index, Lumbrineris" | 4547 |
| "iricolor, Arabella" | 4581 | "japonica, Aphrodita" | 4010 |
| "iricolor, Nereis" | 4582 | "japonica, Aricidea neosuecica" | 3911 |
| "iridescent, Northia" | 4642 | "japonica, Excirolana" | 6482 |
| "iridescent, Nothria" | 4643 | "japonica, Grandidierella" | 5708 |
| "iridescent, Nothria" | 4648 | "japonica, Lumbriconereis" | 4550 |
| "iridescent, Onuphis" | 4641 | "japonica, Lumbrineris" | 4549 |
| "iris, Dendronotus" | 2489 | "japonica, Lumbrineris latreilli" | 4552 |
| "irregularis, Tagelus (Tagelus)" | 3201 | "japonica, Mya" | 3400 |
| Irus lamellifer | 3287 | "japonica, Néoleprea" | 5038 |
| Irusella lamellifera | 3285 | "japonica, Panope" | 3238 |
| Isanthidae | 518 | "japonica, Scionella" | 5081 |
| Isanthidae sp A | 519 | "japonica, Syllides" | 4235 |
| Isapis fenestrata | 2184 | "japonicum, Phascolosoma" | 3636 |
| Isapis obtusa | 2181 | "japonicum, Phascolosoma" | 3704 |
| Ischnochiton (Ischnochiton) golisci | 992 | "japonicum, Spiophanes" | 5271 |
| Ischnochiton (Ischnochiton) scabricostatus | 991 | "japonicus, Gorgonocephalus" | 7477 |
| Ischnochiton (Lepidopleurus) scabricostatus | 990 | Jasmineira ecaudata | 4755 |
| Ischnochiton (Lepidozona) golisci | 993 | Jasmineira sp B | 4737 |
| Ischnochiton (Lepidozona) mertensii | 974 | Jassa carltoni | 5858 |
| Ischnochiton (Trachydermon) gothicus | 1040 | Jassa falcata | 5861 |
| Ischnochiton (Trachydermon) retiporus | 985 | Jassa morinoi | 5859 |
| Ischnochiton aureoinctus | 986 | Jassa slatteryi | 5860 |
| Ischnochiton berryi | 1000 | Jassa staudei | 5863 |
| Ischnochiton blarciatus | 1013 | "(Jaton) festiva, Purpura" | 1859 |
| Ischnochiton brunneus | 978 | "Jeffreysi, Megerlia" | 7775 |
| Ischnochiton bryanti | 977 | Jeffreysia translucens | 1430 |
| Ischnochiton catalinae | 1007 | "jeffreysii, Aricidea" | 3886 |
| Ischnochiton corrugatus | 1012 | Jellyella tuberculata | 7866 |
| Ischnochiton gallina | 1001 | "jerrica, Maera" | 6270 |
| Ischnochiton golishi | 970 | "jewetti, Odostomia" | 2147 |
| "(Ischnochiton) golisci, Ischnochiton" | 992 | "jewetti, Turritella" | 1290 |
| Ischnochiton interstinctus | 982 | "joannae, Cirolana" | 6490 |
| Ischnochiton listrum | 1002 | "joannae, Metacirolana" | 6489 |
| Ischnochiton mertensii | 973 | Joeropsidae | 6594 |
| Ischnochiton radians | 981 | Joeropsis concava | 6595 |
| "(Ischnochiton) scabricostatus, Ischnochiton" | 991 | Joeropsis dubia | 6597 |
| Ischnochiton serratus | 1004 | Joeropsis lobata | 6598 |
| Ischnochiton sinudentatus | 999 | Joeropsis sp B | 6596 |
| Ischnochiton venezius | 987 | "johnsoni, Acharax" | 2603 |
| Ischnochiton willetti | 1006 | "johnsoni, Aricia" | 3871 |
| Ischnochitonidae | 957 | "johnsoni, Halocynthia" | 8100 |
| Ischyroceridae | 5842 | "johnsoni, Halosydna" | 4029 |
| Ischyrocerinae | 5843 | "johnsoni, Lepidonotus" | 4030 |
| Ischyrocerus anguipes | 5853 | "johnsoni, Lepidonotus" | 4081 |
| Ischyrocerus claustris | 5870 | "johnsoni, Orbinia" | 3870 |
| Ischyrocerus litotes | 5867 | "johnsoni, Owenia" | 4674 |
| Ischyrocerus minutus | 5854 | "johnsoni, Poecilochaetus" | 5132 |
| Ischyrocerus pelagops | 5855 | "johnsoni, Poecilochaetus" | 5137 |
| Ischyrocerus sp B | 5856 | "johnsoni, Solemya" | 2604 |
| Ischyrocerus sp C | 5857 | "johnsoni, Thomora (Lepidonotus)" | 4083 |
| Iselica fenestrata | 2185 | "johnsoni, Thomora" | 4080 |
| Iselica obtusa | 2180 | "joliense, Ophiomusium" | 7581 |
| Iselica ovoidea | 2182 | "joliense, Ophiopshalma" | 7579 |
| "islandicus pugetensis, Pecten" | 2855 | "joliensis, Ophiomusium" | 7580 |
| Isocheles pilosus | 7026 | "jonesi, Metharpinia" | 6136 |
| Isocirrus longiceps | 3789 | "jonesi, Paraphoxus" | 6137 |
| "isocornea, Ampelisca" | 6249 | "jonesi, Perigonimus" | 228 |
| Isoedwardsia sp A | 472 | "jordanae, Prototrygaeus" | 5347 |
| Isoedwardsia sp A | 481 | "jordani, Cancer" | 7247 |
| Isoedwardsia sp B | 473 | "jordani, Pandanus" | 6936 |
| Isoedwardsia sp B | 482 | "jordani, Romaleon" | 7246 |
| "isolirata, Cardiomysa" | 3504 | Jorunna pardus | 2383 |
| Isometridium rickettsii | 545 | Jouannetiinae | 3437 |
| Ispopheliidae | 523 | Juanella sparsa | 2366 |
| Isopoda | 6398 | "jubata, Prionospio (Prionospio)" | 5236 |
| Isorobitella trigonalis | 2990 | "jucunda, Glycera" | 4311 |
| "ivanovi, Paraonis (Paraonis)" | 3949 | "judayi, Rutiderma" | 5551 |
| Ivara turricula | 2124 | "Juliacorbula luteola" | 3430 |
| "(Ivara) turricula, Odostomia" | 2125 | "juliae, Edwardsia" | 468 |
| Ividella navisa | 2126 | "julieae, Akera" | 2318 |
| "(Ividella) navisa, Odostomia" | 2127 | | |
| "Ixartia curta, Thracia" | 3489 | | |

INDEX

| | | | |
|--|------|---|------|
| "juvenalis, Hyalinoecia" | 4607 | Kupellonura sp A | 6466 |
| K | | Kurtzia arteaga | 1986 |
| Kaburakia excelsa | 577 | Kurtzia gordoni | 1989 |
| "kadiakensis, Neomysis" | 5630 | "(Kurtziella) beta, Mangelia" | 2003 |
| "kadiakensis, Odostomia" | 2148 | Kurtziella (Kurtzina) beta | 2004 |
| Kalliapseudes crassus | 6635 | Kurtziella plumbea | 1990 |
| Kalliapseudidae | 6632 | Kurtzina beta | 2002 |
| Kalliapseudinae | 6633 | "(Kurtzina) beta, Kurtziella" | 2004 |
| Kamakidae | 5875 | "kyo, Doto" | 2507 |
| Kamakinæ | 5876 | Kylix halocydne | 2024 |
| "Kanakoff, Thracia" | 3491 | L | |
| "karykina, Antho (Acarnia)" | 82 | "labiata, Lysippe" | 4989 |
| "karykina, Plocamia" | 83 | "labiata, Lysippe" | 4991 |
| "kassites, Bathymedon" | 6041 | "labiata, Phidolopora" | 7965 |
| Katatropa uclueletensis | 8069 | "labrops, Ampharete" | 4972 |
| Katatropa vancouverensis | 8070 | "lacertosa, Ampithoe" | 5727 |
| "kathae, Excorallana" | 6414 | "lacia, Photis" | 5908 |
| Katherinella (Compsomyax) subdiaphana | 3309 | "laciñiata, Leukoma" | 3290 |
| "kathyae, Excorallana" | 6415 | "laciñiata, Paphia (Protothaca) staminea" | 3294 |
| "kazusensis, Psammobia" | 3165 | "laciñiata, Paphia staminea" | 3292 |
| "keenæ, Calliostoma" | 1181 | "laciñiata, Protothaca" | 3295 |
| "keenæ, Littorina" | 1376 | "laciñiata, Protothaca (Callithaca)" | 3296 |
| "keenæ, Nucula" | 2636 | "laciñiata, Tapes" | 3291 |
| "keenæ, Ocenebra" | 1847 | "lacroixii, Membranipora" | 7874 |
| "(Keenæa) centifolium, Nemocardium" | 3088 | "lactea, Carinomella" | 706 |
| "keepi, Turbonilla" | 2168 | Lacuna marmorata | 1379 |
| "kefersteini, Protodorvillea" | 4507 | Lacuna unifasciata | 1380 |
| Kefersteinia dubia | 4136 | Lacuninae | 1378 |
| Kefersteinia sp | 4133 | Lacydonia sp | 4349 |
| Kelletia kelletii | 1689 | Lacydoniidae | 4348 |
| Kelletia kelletii | 1691 | Laemophiurina | 7487 |
| "kelletii, Fusus" | 1690 | Laetmogonidae | 7715 |
| "kelletii, Kelletia" | 1689 | Laetmophasma fecundum | 7717 |
| "kelletii, Kelletia" | 1691 | Laevicardiinae | 3076 |
| "kelletii, Siphonalia" | 1692 | Laevicardium (Nemocardium) centifolium | 3087 |
| Kellia laperousii | 2996 | Laevicardium pedernalense | 3081 |
| Kellia rotundata | 2997 | Laevicardium substriatum | 3077 |
| Kellia suborbicularis | 2993 | "laevigata, Naineris" | 3860 |
| "kelseyi, Lirobarleeria" | 1440 | "laevis, Dendraster" | 7620 |
| "kelseyi, Lithophaga plumula" | 2752 | "laevis, Glyceria" | 4312 |
| "kelseyi, Macoma" | 3151 | "laevis, Gonimaretia" | 7640 |
| "kelseyi, Milneria" | 2927 | "laevis, Hesperoneö" | 4051 |
| "kelseyi, Nannoteretispira" | 1384 | "laevis, Nacospatangus" | 7639 |
| "kelseyi, Nodulus" | 1383 | "laevis, Tritella" | 5819 |
| "kelseyi, Pelecypion" | 1382 | "laeviuscula, Caprella" | 5796 |
| "kelseyi, Rissoa" | 1441 | "laeviuscula, Henricia" | 7414 |
| "kelseyi, Scissurella (Schizotrochus)" | 1130 | Lagenicella sp | 7971 |
| "kelseyi, Thieleella" | 1129 | "lagenifera, Plumularia" | 297 |
| "kelseyi, Turbonilla" | 2171 | Lagisca extenuata | 4052 |
| "kempi, Polydora (Carazzia)" | 5242 | Lagisca multiseta | 4048 |
| "kempi, Pseudopolydora" | 5241 | "laguna, Cuthona" | 2553 |
| "Kennedyi, Waldheimia" | 7789 | "laguna, Eranno" | 4535 |
| "(Kennerlia) bicarinata, Pandora" | 3458 | "laguna, Halosydna" | 4082 |
| Kennerlia filosa | 3462 | "laguna, Hervia" | 2554 |
| "(Kennerlia) filosa, Pandora" | 3463 | "laguna, Lebbeus" | 6907 |
| "(Kennerlia) pseudobilirata, Pandora" | 3459 | "laguna, Lumbrineris" | 4536 |
| "kennerlyi, Caprella" | 5794 | "laguna, Spirontocaris" | 6908 |
| "kennerlyi, Metacaprella" | 5795 | "laguna, Trichesia" | 2555 |
| "kennicotti, Drilia" | 2011 | Laila cockerelli | 2438 |
| "kennicotti, Drilia" | 2027 | "lajolla, Caulieriella" | 4858 |
| "kennicottii, Suavodrillia" | 2010 | "lajollaensis, Astrangia" | 441 |
| "kennicottii, Suavodrillia" | 2026 | Lakota carinata | 6372 |
| "keratium, Sinum" | 1412 | Lakota carinata | 6375 |
| Kermystheus ociosa | 5889 | Lambrus frons-acutis | 7220 |
| "kiensis, Terebratulina" | 7765 | Lamellaria diegoensis | 1506 |
| "killix, Ammotella" | 5342 | Lamellaria orbiculata | 1507 |
| "kimballi, Spiophanes" | 5277 | Lamellaria sharonae | 1512 |
| "kinahani, Liljeborgia" | 6097 | Lamellaria stearnsi | 1510 |
| Kinbergouphus vexillaria | 4610 | Lamellarinæ | 1505 |
| Kinbergouphus paradiopatra | 4608 | "lamellicornis, Hippolyte" | 6917 |
| "kincaldi, Enchytraeus" | 5306 | "lamellicornis, Spirontocaris" | 6916 |
| "kincaldi, Excirolana" | 6483 | "lamellifer, Irus" | 3287 |
| Kinorhyncha | 7342 | "lamellifera, Irusella" | 3285 |
| Kinorhynchus sp | 7346 | "lamellifera, Venerupis" | 3289 |
| Kirchenpaueria plumularioides | 273 | "lamellifera, Venus" | 3286 |
| Kirchenpaueriidae | 272 | "lamellosa, Buccinum" | 1832 |
| "kitamati, Carinonajna" | 5660 | "lamellosa, Cuminctia" | 3184 |
| "kitamati, Najna" | 5661 | "lamellosa, Nucella" | 1831 |
| "kitsapsensis, Tenonia" | 4079 | "lampe, Anomia" | 2886 |
| Kleinia pacifica | 7636 | Lampropidae | 6762 |
| "kochii, Terebratula" | 7779 | Lamprops carinata | 6768 |
| "koehleri, Asterias" | 7432 | Lamprops carinatus | 6767 |
| "koehleri, Orthasterias" | 7431 | Lamprops quadruplicata | 6770 |
| "koellikeri, Renilla" | 377 | Lamprops quadruplicatus | 6769 |
| Koinostylochus burchami | 643 | Lamprops sp D | 6772 |
| "koreae, Amphiura" | 7541 | Lamprops tomalesi | 6771 |
| "kroeyeri, Spiophanes" | 5276 | Lanassa gracilis | 5026 |
| "kroeyeri, Spiophanes" | 5280 | Lanassa sp D | 5043 |
| "kudenovi, Asclerocheilus" | 3982 | Lanassa venusta | 5028 |

INDEX

| | | | |
|--|------|--|------|
| Langerhansia heterochaeta | 4298 | Leioptilum quadrangulare | 419 |
| Lanice conchilega | 5030 | Leioptilus gurneyi | 421 |
| Lanice heterobranchia | 5025 | Leiostraca yod | 1672 |
| "lanieri, Cardiomya" | 3500 | Leitoscoloplos elongata | 3856 |
| "lanieri, Cuspideria (Cardiomya)" | 3501 | Leitoscoloplos panamensis | 3849 |
| Laomedea calceolifera | 256 | Leitoscoloplos pugettensis | 3851 |
| Laomediidae | 7008 | Leitoscoloplos sp A | 3857 |
| Laonice appelloei | 5189 | Lembos audibetius | 5702 |
| Laonice cirrata | 5186 | Lembos concavus | 5704 |
| Laonice nuchala | 5188 | Lembos macromanus | 5706 |
| Laonome sp | 4736 | "(Lentidium) luteola, Aloides" | 3425 |
| "lapazana, Strombiformis" | 1641 | "(Lentidium) luteola, Corbula" | 3429 |
| "laperousii, Kellia" | 2996 | "lentiginosa, Ancula" | 2427 |
| Laphania sp | 5032 | "lentum, Stylostomum" | 668 |
| Laphaniella venusta | 5029 | Leodice antennata | 4512 |
| "lapillus, Olivella biplicata" | 1943 | "leonina, Chioraera" | 2497 |
| Laqueidae | 7770 | "leonina, Melibe" | 2496 |
| Laqueus californianus | 7771 | "leoparda, Eurylepta" | 666 |
| Laqueus californicus | 7772 | Lepadidae | 5416 |
| Laqueus erythraeus | 7773 | Lepadomorpha | 5415 |
| Laqueus vancouverensis diegensis | 7774 | Lepas elongata | 5456 |
| "larbas, Anomia" | 2887 | Lepas fistula | 5455 |
| "larraburei, Cryptodromiopsis" | 7135 | Lepas galeata | 5444 |
| "larum, Bitium (Lirobitium)" | 1264 | Lepas plicata | 5454 |
| "larum, Lirobitium" | 1263 | Lepas virgata | 5418 |
| Lasaea adansoni | 3001 | Lepetelloidea | 1124 |
| Lasaea cistula | 3003 | Lepetidae | 1099 |
| Lasaea rubra | 3004 | "levida, Cossura" | 3772 |
| Lasaea subviridis | 3005 | Lepidametria longicirrata | 4026 |
| Lasaeidae | 2987 | Lepidasthenia berkeleyae | 4023 |
| Lasea trigonalis | 2991 | Lepidasthenia interrupta | 4024 |
| "lasius, Nipponotrophon" | 1893 | Lepidasthenia longicirrata | 4025 |
| "lasius, Trophon" | 1890 | Lepidastheninae | 4022 |
| "lasius, Trophon (Trophonopsis)" | 1897 | Lepidepecreum garthi | 6339 |
| "lasius, Trophonopsis" | 1898 | Lepidepecreum gurjanovae | 6340 |
| Lateribranchaea festiva | 2479 | Lepidepecreum magdalenensis | 6341 |
| "latericeus, Notomastus" | 3754 | Lepidepecreum serraculum | 6343 |
| "latescens, Nereis" | 4160 | Lepidepecreum sp A | 6344 |
| "latiauratus var delosi, Pecten (Chlamys)" | 2873 | Lepidochitona beanii | 1026 |
| "latiauratus, Leptopecten" | 2868 | Lepidochitona dentiens | 1022 |
| "latiauratus, Pecten" | 2869 | Lepidochitona hartwegi | 1025 |
| "latiauratus, Pecten (Aequipecten)" | 2872 | Lepidochitona thamnopora | 1044 |
| "latiauratus, Pecten (Leptopecten)" | 2874 | Lepidochitonidae | 1019 |
| "latiauratum, Pecten (Plagiocetenum)" | 2875 | Lepidonotinae | 4027 |
| "latiauritus, Pecten" | 2870 | Lepidonotus caeloris | 4034 |
| Latiaxis oldroydi | 1796 | Lepidonotus caelorus | 4035 |
| "laticauda, Rocinella" | 6406 | Lepidonotus johnsoni | 4030 |
| Laticorophium baconi | 5758 | Lepidonotus johnsoni | 4081 |
| "laticostata, Crenella decussata" | 2720 | "(Lepidonotus) johnsoni, Thormora" | 4083 |
| "latifrons, Brisaster" | 7625 | Lepidonotus spiculos | 4032 |
| "latifrons, Brisaster" | 7630 | Lepidonotus squamatus | 4036 |
| "latifrons, Oppissaster" | 7627 | Lepidopa californica | 7125 |
| "latifrons, Schizaster" | 7626 | Lepidopa myops | 7126 |
| "latior, Halosydna" | 4031 | Lepidopleurida | 928 |
| "latissimanus, Monoculodes" | 6060 | Lepidopleurina | 929 |
| "latocelis, Prosthiostomum" | 671 | Lepidopleurus (?) beanii | 1027 |
| Latocestidae | 572 | Lepidopleurus (Leptochiton) ambustus | 936 |
| Latocestidae sp 1 | 573 | Lepidopleurus (Leptochiton) lycurgus | 940 |
| Latocestidae sp 2 | 575 | Lepidopleurus (Leptochiton) oldroydi | 932 |
| "latreilli japonica, Lumbrineris" | 4552 | Lepidopleurus (Oldroydia) percrassus | 952 |
| "latreilli, Lumbriconereis" | 4551 | Lepidopleurus (Pilsbryella) ambustus | 937 |
| "latreilli, Lumbriconereis" | 4554 | Lepidopleurus (Xiphiozona) heathi | 939 |
| "latreilli, Lumbrineris" | 4553 | Lepidopleurus alasensis | 946 |
| "latus, Suberites" | 48 | Lepidopleurus assimilis | 947 |
| "laurentae, Parapagurodes" | 7077 | Lepidopleurus heathi | 938 |
| "laxa, Merona" | 240 | Lepidopleurus nexus | 941 |
| "laxa, Odostomia" | 2161 | Lepidopleurus pectinulatus | 976 |
| "laxa, Trabecula" | 2160 | Lepidopleurus rugatus | 945 |
| "laxa, Tubiclavata" | 241 | Lepidopleurus scabricostatus | 994 |
| Lazararia subquadrata | 2925 | "(Lepidopleurus) scabricostatus, Ischnochiton" | 990 |
| Leaena gracilis | 5027 | Lepidozona californiensis | 979 |
| Leanira alba | 4099 | Lepidozona golisci | 969 |
| Lebbeus lagunae | 6907 | Lepidozona golisci | 995 |
| "lecontii, Aega" | 6402 | "(Lepidozona) golisci, Ischnochiton" | 993 |
| "lecontii, Aegacylia" | 6403 | Lepidozona inefficax | 996 |
| Lecythorhynchus hilgendorfi | 5338 | Lepidozona interstincta | 983 |
| Lecythorhynchus marginatus | 5339 | Lepidozona mertensii | 971 |
| Leda conceptionis | 2642 | "(Lepidozona) mertensii, Ischnochiton" | 974 |
| Leda extenuata | 2645 | Lepidozona pectinulata | 975 |
| Leda gomphoidea | 2643 | Lepidozona radians | 980 |
| Leda hamata | 2647 | Lepidozona retiporosa | 984 |
| Leda penderi | 2651 | Lepidozona scabricostata | 989 |
| Leda taphria | 2657 | Lepidozona scrobiculata | 997 |
| Ledella sp | 2662 | Lepidozona serrata | 1003 |
| Ledellinae | 2661 | Lepidozona sp A | 1008 |
| "(Laeospira) pseudomilitaris, Spirorbis" | 4816 | Lepidozona sp B | 1009 |
| "legumen, Saxisca" | 3355 | Lepidozona sp C | 1010 |
| Leiochone columbiana | 3782 | Lepidozona willetti | 1005 |
| Leiochrides hemipodus | 3748 | Leporimetis obesa | 3130 |
| Leiomya (Plectodon) scaber | 3518 | "lepta, Callocardia" | 3066 |
| Leiomya (Plectodon) scabra | 3519 | "lepta, Upogebia" | 7012 |
| "(Leionucula) leptodontata, Nucula" | 2634 | "lepta, Vesicomya" | 3065 |

INDEX

| | | | |
|---|------|---------------------------------|------|
| "leptacanthus, Amphiporus" | 802 | Leucosolenia nautilia | 165 |
| Leptamphopus longimana | 6007 | Leucosoleniidae | 162 |
| Leptasterias hexactis | 7429 | Leucosoleniidae | 163 |
| "leptoceramus, Ceramaster" | 7391 | "leucothele, Parastichopus" | 7706 |
| "leptoceramus, Toscia" | 7392 | Leucothoe alata | 5964 |
| Leptocheiopterus pottsi | 5115 | Leucothoe spinicarpa | 5965 |
| Leptocheilia dubia Cmplx | 6653 | Leucothoida | 5920 |
| Leptocheiliidae | 6651 | Leucothoidae | 5960 |
| Leptocheiliinae | 6652 | Leucothoidea | 5921 |
| Leptochiton ambustus | 942 | Leucothoides pacifica | 5962 |
| "(Leptochiton) ambustus, Lepidopleurus" | 936 | Leukoma laciniata | 3290 |
| Leptochiton lycurgus | 943 | Leukoma staminea | 3297 |
| "(Leptochiton) lycurgus, Lepidopleurus" | 940 | Leuroleberis sharpei | 5509 |
| Leptochiton nexus | 934 | "levicornuta Cmplx, Eulalia" | 4399 |
| "(Leptochiton) nexus, Chiton" | 935 | Levinsenia gracilis | 3947 |
| Leptochiton oldroydi | 933 | Levinsenia multibranchiata | 3955 |
| "(Leptochiton) oldroydi, Lepidopleurus" | 932 | Levinsenia oculata | 3958 |
| Leptochiton punctatus | 988 | Levinsenia oculata | 3961 |
| Leptochiton rugatus | 944 | Levinsenia sp B | 3960 |
| Leptochitonidae | 930 | Levinsenia sp SD1 | 3962 |
| "leptocenia, Ophiura" | 7582 | "lewisii, Euspira" | 1395 |
| Leptocoma forsmani | 6712 | "lewisii, Lunaria" | 1397 |
| "leptoderma, Epizoanthus" | 561 | "lewisii, Natica" | 1396 |
| "leptodonta, Nucula (Leionucula)" | 2634 | "lewisii, Polinices" | 1399 |
| Leptognathia breviremis | 6648 | "licalium, Caecum" | 1448 |
| Leptognathia sp B | 6664 | Lichenoporidae | 7824 |
| Leptognathia sp C | 6684 | "liei, Malmgreniella" | 4060 |
| Leptognathia sp E | 6682 | "ligamentina, Tellina" | 3156 |
| Leptognathiidae | 6647 | "lighti, Eteone" | 4390 |
| Leptognathina | 7402 | "lighti, Prionospio (Minuspio)" | 5220 |
| Leptogorgia caryi | 360 | Lightiella serendipita | 5409 |
| Leptogorgia chilensis | 363 | "ligni, Polydora" | 5209 |
| Leptograpus gonaagrus | 7330 | "lignosa, Mopalia" | 1046 |
| "leptolena, Orthasterias" | 7458 | "lignosa, Pyura" | 8102 |
| Leptomysinae | 5638 | "lignosus, Chiton" | 1047 |
| "Lepton clementinum, ?" | 3487 | "liguata, Lumbrineris" | 4556 |
| Lepton meroeum | 2998 | Liljeborgia cota | 6095 |
| Leptoneris glauca moniloceras | 4170 | Liljeborgia kinahani | 6097 |
| "leptonoidea, Macoma" | 3142 | Liljeborgia | 6066 |
| Leptonyx bacula | 1206 | Liljeborgidae | 6094 |
| Leptopecten latiauratus | 2868 | Liljeborgioidea | 6093 |
| "(Leptopecten) latiauratus, Pecten" | 2874 | "liljeborgi, Anonyx" | 6373 |
| Leptophoxus falcatus icelus | 6178 | Lima (Limaria) hemphilli | 2794 |
| Leptoplana inquieta | 615 | Lima dehiscens | 2795 |
| Leptoplanidae | 594 | Lima gigantea | 2860 |
| Leptoplanidae sp A | 600 | Limacia cockerelli | 2437 |
| Leptoplanidae sp BL1 | 603 | "limacina, Ammotrypane" | 3830 |
| Leptoplanidae sp SD2 | 604 | "limacina, Ophelia" | 3829 |
| Leptopleurus alasicensis | 948 | Limapontioidea | 2320 |
| Leptopleurus cancellatus | 949 | Limaria hemphilli | 2793 |
| Leptopleurus internexus | 950 | "(Limaria) hemphilli, Lima" | 2794 |
| Leptopodia debilis | 7204 | "limata, Nuculana" | 2648 |
| Leptopodia sagittaria | 7205 | Limatula californica | 2798 |
| Leptostraca | 5567 | Limatula macleani | 2799 |
| Leptostylis abditus | 6793 | Limatula saturna | 2797 |
| Leptostylis calva | 6795 | Limatula subauriculata | 2800 |
| Leptostylis sp A | 6796 | "limatula, Acmaea" | 1079 |
| Leptostylis sp B | 6784 | "limatula, Anomia" | 2888 |
| Leptostylis sp C | 6798 | "limatula, Lottia" | 1078 |
| Leptostylis sp D | 6797 | Limatulinae | 2796 |
| Leptostylis sp E | 6782 | Limax papillosus | 2559 |
| Leptostylis villosa | 6794 | Limax tetraquetra | 2466 |
| Leptosynapta sp | 7723 | "limicola, Euchone" | 4718 |
| "leptotes, Eteone" | 4388 | "limicola, Lumbrineris" | 4555 |
| Leptothectae | 247 | "limicola, Polydora" | 5213 |
| Leptothyra grippi | 1209 | "limicola, Polydora ciliata" | 5214 |
| Leptothyra sanguinea lurida | 1211 | "limicolus, Phyllochaetopterus" | 5111 |
| "leslieharrisae, Opisthosyllis" | 4282 | Limida | 2789 |
| "lessonii, Pseudosquilla" | 5584 | Limidae | 2791 |
| Leucandra heathi | 168 | Limifossor fratula | 919 |
| Leucandra losangelensis | 170 | Limifossoridae | 918 |
| Leucetta losangelensis | 171 | Liminae | 2792 |
| Leucilla nuttingi | 173 | Limnactiniidae | 488 |
| Leuckartiara octona | 226 | Limnactiniidae sp A | 489 |
| Leucodore socialis | 5176 | "limnicola, Euchone" | 4717 |
| "leucomanus, Lophopanopeus" | 7266 | "limnicola, Fabricia" | 4691 |
| "leucomanus, Lophoxanthus" | 7270 | "limnicola, Fabricinuda" | 4690 |
| "leucomanus, Xanthodes" | 7267 | Limnodriloides barnardi | 5315 |
| Leucon armatus | 6720 | Limnodriloides monothecus | 5317 |
| Leucon bishopi | 6721 | Limnodriloides winckelmanni | 5316 |
| Leucon declivis | 6725 | Limnoria (Phycolimnora) algarum | 6495 |
| Leucon falcicosta | 6727 | Limnoria algarum | 6494 |
| Leucon magnadentata | 6729 | Limnoria tripunctata | 6496 |
| Leucon sp A | 6728 | Limnoriidae | 6493 |
| Leucon sp B | 6724 | Limnoriidea | 6491 |
| Leucon sp H | 6726 | Limnrioidea | 6492 |
| Leucon subnasica | 6730 | "limodes, Orchomene" | 6347 |
| Leuconia heathi | 169 | Limoidea | 2790 |
| Leuconidae | 6716 | Limopsidae | 2704 |
| Leucosiidae | 7156 | Limopsis panamensis | 2705 |
| Leucosioidea | 7155 | Limopoidea | 2703 |
| Leucosolenia eleanor | 164 | | |

INDEX

| | | | |
|--|------|---|------|
| Linckia columbiae | 7463 | "(Lithophagus) pruneri, Modiola" | 2747 |
| "lindbergi, Amphithoe" | 5743 | Lithophaginae | 2743 |
| "lindbergi, Ampithoe" | 5745 | Lithopoma undosum | 1202 |
| "lindbergi, Iothia" | 1100 | Litiopidae | 1278 |
| "lindbergi, Peramphithoe" | 5742 | "litoralis, Amphilochus" | 5973 |
| "linearia var inarmata, Schizoporella" | 7944 | "litoralis, Apolochus" | 5972 |
| "linearis var gracilior, Caprella" | 5792 | "litoralis, Mooreonuphis" | 4614 |
| "linearmanus, Photis" | 5909 | "litoralis, Onuphis" | 4615 |
| "lineata, Amphissa" | 1725 | "litoreus, Bathydrilus" | 5313 |
| "lineata, Asabellides" | 4982 | "litotes, Ischyrocerus" | 5867 |
| "lineata, Hippolyte" | 6911 | "litotes, Microjassa" | 5866 |
| "lineata, Pseudosabellides" | 4983 | "littoralis, Pinnixa" | 7306 |
| "lineatus, Eualus" | 6867 | "littoralis, Zygoplia" | 764 |
| "lineatus, Eualus" | 6870 | "littorea, Goniada" | 4343 |
| "lineatus, Lumbricillus" | 5309 | "littorea, Polydora" | 5210 |
| "lineatus, Lumbricus" | 5310 | Littorina keenae | 1376 |
| "lineatus, Lumbricus" | 5311 | Littorina planaxis | 1377 |
| "lineatus, Notomastus" | 3755 | Littorinidae | 1374 |
| Lineidae | 732 | Littorinimorpha | 1293 |
| Lineidae sp A | 739 | Littorininae | 1375 |
| Lineidae sp HYP 1 | 740 | Littorioidea | 1373 |
| "lineolatus, Cerebratulus" | 735 | "livida, Pseudolivia" | 1953 |
| Lineus albolineatus | 743 | "lividus, Macron" | 1952 |
| Lineus bilineatus | 741 | Livoneca californica | 6418 |
| Lineus flavescens | 744 | Livoneca convexa | 6424 |
| Lineus pictifrons | 745 | Livoneca vulgaris | 6421 |
| Lineus ruber | 746 | Loandalia fauveti | 4187 |
| Lineus rubescens | 749 | "lobata, Ampelisca" | 6238 |
| Lineus viridis | 748 | "lobata, Batea" | 6023 |
| Lineus wilsoni | 754 | "lobata, Distoma" | 7991 |
| "linguifrons, Cirolana" | 6486 | "lobata, Joeropsis" | 6598 |
| "linguifrons, Excirolana" | 6485 | "lobatum, Eudistoma" | 7993 |
| Lingula albida | 7755 | "lobatus, Cystodutes" | 7990 |
| "lingulata, Crepidula" | 1328 | "lobiancoi, Cylindroleberis" | 5510 |
| "lingulata, Crepapatella" | 1327 | "lobifrons, Podochela" | 7200 |
| Lingulida | 7751 | "lobifrons, Podochela (Coryrhynchus)" | 7201 |
| Lingulidae | 7753 | "lobium, Basiliochiton" | 1028 |
| Linguloidae | 7752 | "lobulata, Prionospio (Prionospio)" | 5233 |
| "linseyi, Anamixis" | 5963 | "lockingtoni, Synalpheus" | 6865 |
| "(Lioconcha) newcombiana, Circe" | 3333 | "lodo, Prachynella" | 6369 |
| "lionota, Mopalia" | 1052 | "loebbeckeana, Neosimnia" | 1369 |
| Lioptilum verrilli | 420 | "loebbeckeana, Ovula" | 1370 |
| Liosoma arenicola | 7734 | "loebbeckeana, Simnia" | 1371 |
| Liponema brevicornis | 526 | "loebbeckeana, Spiculata" | 1372 |
| Liponematidae | 525 | Loimia medusa | 5034 |
| "lirata, Crepidula" | 1320 | Loimia sp A | 5033 |
| Liriola peltoidesvar vernalis | 2595 | Loliginidae | 3588 |
| Lirobarleia kelseyi | 1440 | Loligo opalescens | 3590 |
| Lirobittum attenuatum | 1257 | Loligo stearnsi | 3591 |
| Lirobittum calenum | 1259 | "loma, Umbrella" | 384 |
| Lirobittum fetillum | 1261 | "lomae, Philomedes" | 5553 |
| Lirobittum larum | 1263 | "lomae, Rutiderma" | 5552 |
| "(Lirobittum) larum, Bittium" | 1264 | Lomanotidae | 2493 |
| Lirobittum paganicum | 1265 | Lomanotus sp | 2494 |
| Lirobittum quadrifilatum | 1268 | "lomitensis, Crassatellites" | 2903 |
| Lirobittum rugatum | 1272 | "longa, Drilonereis" | 4592 |
| Lirobittum subplanatum | 1277 | "longa, Driloneres" | 4597 |
| Lironeca californica | 6419 | "longa, Naineris" | 3861 |
| Lironeca convexa | 6425 | "longibranchiata, Amage" | 4993 |
| Lironeca vulgaris | 6422 | "longibranchiata, Mexamage" | 4992 |
| Lirularia acuticostata | 1160 | "longibranchiata, Onuphis" | 4604 |
| "(Lirularia) acuticostata, Margarites" | 1163 | "longicarpus, Pylopagurus" | 7085 |
| Lirularia parcipicta | 1165 | "longiceps, Isocirrus" | 3789 |
| "(Lirularia) parcipicta, Margarites" | 1167 | "longiceps, Pseudoclymene" | 3790 |
| Lirularia succincta | 1170 | "longicirrata, Lepidametria" | 4026 |
| Lirulariinae | 1159 | "longicirrata, Lepidasthenia" | 4025 |
| "lirulatocauda, Diaphorodoris" | 2411 | "longicornis, Dorvillea (Schistomerings)" | 4489 |
| Lischkeia cidaris | 1146 | "longicornis, Exogone" | 4251 |
| "lissa, Themiste" | 3685 | "longicornis, Magelona" | 5124 |
| "lissoplaca, Cucumaria" | 7666 | "longicornis, Schistomerings" | 4486 |
| "lissoplaca, Pentamera" | 7665 | "longicornis, Schistomerings" | 4494 |
| Lissothuria sp | 7648 | "longicornis, Stauronereis" | 4490 |
| "lissum, Dendrostomum" | 3681 | "longicornuta, Aricidea" | 3924 |
| Listriella albina | 6098 | "longicornuta, Eulalia" | 4402 |
| Listriella diffusa | 6099 | "longicornuta, Eumida" | 4401 |
| Listriella eriopisa | 6100 | "longidactylus, Alpheus" | 6864 |
| Listriella goleta | 6101 | "longidactylus, Betaeus" | 6863 |
| Listriella melanica | 6102 | "longifissus, Asteronyx" | 7481 |
| Listriella sp A | 6103 | "longifrons, Syrrhoe" | 6078 |
| Listriella sp SD1 | 6104 | "longimana, Amphithopsis" | 6006 |
| Listriolobus hexamyotus | 3720 | "longimana, Amphithoe" | 5728 |
| Listriolobus pelodes | 3721 | "longimana, Callianassa" | 6991 |
| "listrum, Ischnochiton" | 1002 | "longimana, Leptamphopus" | 6007 |
| Lithodes californiensis | 7120 | "longimana, Oradarea" | 6005 |
| Lithodes rathbuni | 7122 | "longimerus, Megaluropus" | 6310 |
| Lithodidae | 7114 | "longimerus, Megaluropus" | 6313 |
| Lithodoidea | 7110 | "longipalpa, Aphrodita" | 4011 |
| Lithodomus plumula | 2751 | "longipenis, Phaenoplana" | 612 |
| Lithophaga aristata | 2748 | "longipenis, Stylochoplana" | 613 |
| Lithophaga plumula | 2750 | "longipes turgida, Chorilia" | 7180 |
| Lithophaga plumula kelseyi | 2752 | "longipes, Anaitides" | 4443 |
| Lithophaga subula | 2753 | "longipes, Chorilia" | 7179 |

INDEX

| | | | |
|--|------|-------------------------------------|------|
| "longipes, Hyastenus" | 7181 | Loxorhynchus crispatus | 7182 |
| "longipes, Phyllodoce" | 4442 | Loxorhynchus grandis | 7183 |
| "longipes, Pinnixa" | 7307 | Loxorhynchus grandis | 7185 |
| "longipes, Pinnixa" | 7319 | Loxorhynchus grandis | 7184 |
| "longipes, Tubicola" | 7308 | Loxosomatidae | 849 |
| "longirostrata, Bugula" | 7920 | Loxosomella sp | 851 |
| "longirostris, Eudorellopsis" | 6719 | Loy thompsoni | 2419 |
| "longirostris, Golfingia (Phascolana)" | 3696 | "lubrica, Cucumaria" | 7696 |
| "longirostris, Grandifoxus" | 6130 | "lubrica, Theora" | 3195 |
| "longirostris, Pontharpinia" | 6131 | "lubricus, Pseudocnus" | 7695 |
| "longiseta, Euphilomedes" | 5522 | Lucapinella callomarginata | 1116 |
| "longiseta, Philomedes" | 5523 | "lucasii, Cymopolia" | 7325 |
| "longisetis, Sphaerophesia" | 4456 | "lucasii, Palicus" | 7324 |
| "longisetosum, Rhamphobrachium" | 4654 | "lucca, Odostomia" | 2131 |
| "longispina, Ophiopholis" | 7497 | "lucida, Nucula tenuis" | 2632 |
| "longissima, Glycera" | 4324 | "lucida, Siliqua" | 3215 |
| "longibranchiata, Aricidea" | 3905 | "lucidus, Solecurtus" | 3216 |
| "longocirrata, Syllides" | 4236 | Lucina (Myrtea) acutilineata | 2955 |
| Longosoma catalinensis | 5119 | Lucina (Myrtea) nuttallii | 2940 |
| Longosomatidae | 5117 | Lucina (Myrtea) tenuisculpta | 2943 |
| "longus, Falcidens" | 911 | Lucina (Párvilucina) tenuisculpta | 2944 |
| "lopezi lopezi, Aricidea (Acesta)" | 3898 | Lucina aequizonata | 2950 |
| "lopezi rubra, Aricidea" | 3906 | Lucina annulata | 2952 |
| "lopezi, Acmira" | 3895 | Lucina borealis | 2954 |
| "lopezi, Aricidea" | 3887 | Lucina californica | 2934 |
| "lopezi, Aricidea (Acmira)" | 3894 | Lucina gouldii | 2974 |
| "lopezi, Aricidea (Acmira) lopezi" | 3898 | Lucina nuttallii | 2938 |
| Lophelia californica | 453 | Lucina orbella | 3248 |
| Lophelia pertusa | 450 | Lucina sericata | 3250 |
| Lophelia prolifera | 454 | Lucina tellinoides | 3254 |
| Lophogorgia chilensis | 364 | Lucina tenuisculpta | 2942 |
| Lopholithodes foraminatus | 7117 | Lucinida | 2929 |
| Lophopanopeus bellus | 7256 | Lucinidae | 2931 |
| Lophopanopeus frontalis | 7263 | Lucininae | 2932 |
| Lophopanopeus heathi | 7268 | Lucinisca nuttallii | 2937 |
| Lophopanopeus leucomanus | 7266 | Lucinoidea | 2930 |
| Lophopanopeus somaterianus | 7233 | Lucinoma aequizonatum | 2949 |
| Lophoxanthus bellus | 7258 | Lucinoma annulatum | 2951 |
| Lophoxanthus bellus | 7269 | "lucubrans, Paraphoxus" | 6150 |
| "(Lophoxanthus) bellus, Lophozozymus" | 7260 | "lucubrans, Rhepoxynius" | 6149 |
| Lophoxanthus diegensis | 7259 | "luculenta, Rhachotropis" | 6016 |
| Lophoxanthus frontalis | 7265 | "ludwigi, Luidia" | 7367 |
| "(Lophoxanthus) frontalis, Lophozozymus" | 7264 | "Luetkeni, Ophioglypha" | 7585 |
| Lophoxanthus leucomanus | 7270 | "luetkeni, Ophiura" | 7586 |
| Lophozozymus (Lophoxanthus) bellus | 7260 | Lugia uschakovi | 4424 |
| Lophozozymus (Lophoxanthus) frontalis | 7264 | Lugiinae | 4423 |
| Lora regulus | 2014 | "lugubris, Acanthina" | 1827 |
| "lordi, Chione" | 3324 | "lugubris, Mexacanthina" | 1825 |
| "lordi, Nutricula" | 3323 | "lugubris, Monoceros" | 1826 |
| "lordi, Phymosoma" | 3705 | Luidia armata | 7366 |
| "lordi, Psephidia" | 3325 | Luidia asthenosoma | 7368 |
| Loricaria aegyptiaca | 7917 | Luidia foliolata | 7369 |
| "losangelensis, Leucandra" | 170 | Luidia ludwigi | 7367 |
| "losangelensis, Leucetta" | 171 | Luidiidae | 7365 |
| Lottia austrodigitalis | 1069 | "lumbicalis, Nicomache" | 3810 |
| Lottia digitalis | 1071 | "lumbicalis, Sabella" | 3811 |
| Lottia gigantea | 1073 | Lumbriaculus harsiae | 4538 |
| Lottia instabilis | 1074 | Lumbriellus lineatus | 5309 |
| Lottia limatula | 1078 | Lumbrylomene (Notoproctus) pacifica | 3801 |
| Lottia ochracea | 1080 | Lumbrylomene sp | 3799 |
| Lottia ochracea | 1077 | Lumbrymeninae | 3798 |
| Lottia pelta | 1083 | Lumbriconereis cruzensis | 4544 |
| Lottia rosacea | 1086 | Lumbriconereis erecta | 4565 |
| Lottia scabra | 1089 | Lumbriconereis filum | 4591 |
| Lottia strigatella | 1092 | Lumbriconereis japonica | 4550 |
| Lottiidae | 1068 | Lumbriconereis latreilli | 4551 |
| Lottioidea | 1067 | Lumbriconereis latreilli | 4554 |
| "lourei, Exogone" | 4252 | Lumbriconereis opalina | 4584 |
| "lourei, Exogone (Exogone)" | 4254 | Lumbriconereis zonata | 4571 |
| Lovenella nodosa | 271 | Lumbriucus cirratulus | 5259 |
| Lovenellidae | 270 | Lumbriucus lineatus | 5310 |
| "loveni, Ceratocephale" | 4151 | Lumbriucus lineatus | 5311 |
| "loveni, Styela" | 8051 | Lumbriucus squamatus | 5258 |
| "loveni, Tethyum" | 8054 | Lumbrineridae | 4529 |
| Lovenia cordiformis | 7644 | Lumbrinerides platypygos | 4539 |
| "lovenii, Ascidia" | 8045 | Lumbrineropsis sp SD1 | 4542 |
| "lovenii, Goniocarpa" | 8049 | Lumbrineris acuta | 4541 |
| "lovenii, Stelya" | 8052 | Lumbrineris bassi | 4563 |
| Loveniidae | 7643 | Lumbrineris bicirrata | 4534 |
| "loweana, Mitra" | 1927 | Lumbrineris bifilaris | 4537 |
| "lowei, Asperiscala" | 1561 | Lumbrineris californiensis | 4557 |
| "lowei, Clathrella" | 1983 | Lumbrineris crucensis | 4545 |
| "lowei, Crockerella" | 1982 | Lumbrineris cruentis | 4543 |
| "lowei, Epitonium" | 1559 | Lumbrineris erecta | 4566 |
| "lowei, Epitonium (Asperiscala)" | 1562 | Lumbrineris index | 4546 |
| "lowei, Epitonium (Asperoscalia)" | 1563 | Lumbrineris inflata | 4548 |
| "lowei, Mopalia" | 1053 | Lumbrineris japonica | 4549 |
| "lowei, Scala" | 1560 | Lumbrineris japonica index | 4547 |
| "lowei, Turbonilla" | 2169 | Lumbrineris lagunae | 4536 |
| "lowei, Volutella" | 2295 | Lumbrineris latreilli | 4553 |
| Lower Heterobranchia | 2096 | | |
| Loxomespilon sp | 850 | | |

INDEX

| | | | |
|---|------|--------------------------------------|------|
| Lumbrineris latreilli japonica | 4552 | M | |
| Lumbrineris ligulata | 4556 | "macfarlandi, Chromodoris" | 2367 |
| Lumbrineris limicola | 4555 | "macfarlandi, Platydoris" | 2387 |
| Lumbrineris platypygos | 4540 | "macfarlandi, Runcina" | 2301 |
| Lumbrineris sp A | 4574 | "macginitiei, Golfingia" | 3667 |
| Lumbrineris sp B | 4576 | "macginitiei, Hormoriscus" | 7010 |
| Lumbrineris sp C | 4578 | "macginitiei, Malmgreniella" | 4061 |
| Lumbrineris sp E | 4558 | "macginitiei, Naushonia" | 7009 |
| Lumbrineris zonata | 4572 | "macginitieorum, Upogebia" | 7014 |
| "luna, Ananthura" | 6457 | "macinerneyi, Photis" | 5911 |
| "luna, Bathura" | 6458 | "maciolekae, Spio" | 5265 |
| Lunatia draconis | 1393 | "macleani, Limatula" | 2799 |
| Lunatia lewisi | 1397 | Macoma (? Psammacoma) carlottensis | 3144 |
| "lunisimilis, Haliclona" | 131 | Macoma (Psammacoma) yoldiformis | 3158 |
| "lunisimilis, Niphates" | 130 | Macoma (Rexithaerus) indentata | 3147 |
| "lunula, Chaetozone" | 4873 | Macoma (Rexithaerus) rickettsi | 3148 |
| Lunulariidae | 7898 | Macoma (Rexithaerus) secta | 3155 |
| "lunulata, Harmothoe" | 4064 | Macoma carlottensis | 3140 |
| "lunulata, Malmgrenia" | 4065 | Macoma indentata | 3145 |
| "lunulata, Malmgrenia" | 4071 | Macoma indentata tenuirostris | 3146 |
| Lunulites umbellata | 7900 | Macoma inflatula | 3141 |
| "lurida, Conchophylla" | 2806 | Macoma kelseyi | 3151 |
| "lurida, Leptothyra sanguinea" | 1211 | Macoma leptonoidea | 3142 |
| "lurida, Ostrea" | 2807 | Macoma nasuta | 3149 |
| "luridum, Hormlopoma" | 1210 | Macoma quadrana | 3143 |
| "lutea, Acanthodoris" | 2409 | Macoma secta | 3153 |
| "lutea, Modiola" | 2758 | Macoma yoldiformis | 3157 |
| "luteola var rosea, Corbula" | 3427 | Macominae | 3129 |
| "luteola, Aloides (Lentidium)" | 3425 | "macra, Melanella" | 1668 |
| "luteola, Aloidis (Caryocorbula)" | 3426 | "macra, Melanella (Balcis)" | 1666 |
| "luteola, Corbula" | 3424 | "macra, Vitreolina" | 1665 |
| "luteola, Corbula (Caryocorbula)" | 3428 | "macracanthos, Falcidens" | 901 |
| "luteola, Corbula (Lentidium)" | 3429 | "macracanthos, Falcidens" | 913 |
| "luteola, Juliacerbula" | 3430 | "macraspis, Amphiodia" | 7521 |
| "luteomarginata, Cadlina" | 2362 | "macraspis, Amphioplus" | 7520 |
| "luteopictus, Aptyxis" | 1748 | "macrobranchia, Glycera" | 4317 |
| "luteopictus, Fusinus (Aptyxis)" | 1750 | "macrobranchium, Glyceria alba" | 4318 |
| "luteopictus, Fusus" | 1749 | "macrocephala unsocalae, Ampelisca" | 6252 |
| "luteus, Mytilus" | 2760 | "macrocephala, Ampelisca" | 6227 |
| "luti, Scoletoma" | 4568 | Macrochaeta sp A | 4825 |
| "liticastella, Monticellina" | 4906 | "macrochisma, Anomia" | 2892 |
| "liticastella, Tharyx" | 4907 | "macrochisma, Pododesmus" | 2891 |
| "liticola, Corbula" | 3418 | "macrochisma, Pododesmus (Monia)" | 2894 |
| "liticola, Sphenia" | 3417 | Macrocyprididae | 5563 |
| Lutaria (Cryptodon) nuttallii | 3384 | Macrocypridoidea | 5562 |
| Lutaria undulata | 3389 | Macrocyprina pacifica | 5564 |
| Lutariinae | 3382 | "macrodactylus, Palaemon" | 6840 |
| "lutulenta, Nitidella" | 1735 | "macrodonta, Ampelisca" | 6246 |
| "luxuriosa, Cirriformia" | 4924 | "macrodonta, Spirontocaris" | 6920 |
| "luxuriosa, Timarete" | 4922 | "macromanus, Bemlos" | 5705 |
| "luxuriosus, Cirratulus" | 4923 | "macromanus, Lembos" | 5706 |
| Luzonia walleri | 3515 | "macromera, Aruga" | 6326 |
| "(Luzonia) walleri, Cuspidaria" | 3516 | "macromera, Macronassa" | 6325 |
| "lyalli, Nucula" | 2624 | Macromphalina californica | 1498 |
| "lycurgus, Lepidopleurus (Leptochiton)" | 940 | Macron lividus | 1952 |
| "lycurgus, Leptochiton" | 943 | Macronassa macromera | 6325 |
| Lygdaminae | 4686 | Macronassa pariter | 6327 |
| "lynnae, Adontorhina" | 2961 | "macropsis, Acanthomysis" | 5618 |
| Lyonsia californica | 3474 | "macropsis, Alienacanthomysis" | 5616 |
| Lyonsia californica haroldi | 3475 | "macropsis, Neomysis" | 5617 |
| Lyonsia diaphana | 3472 | "macroptera, Pteropurpura" | 1861 |
| Lyonsia gouldi | 3476 | "macropterus, Murex" | 1862 |
| Lyonsia inflata | 3473 | "macropus, Ascopodaria" | 861 |
| Lyonsia navicula | 3467 | "macrosiphonus, Cynthia" | 8097 |
| Lyonsia nesiotes | 3477 | "macrotica, Photis" | 5912 |
| Lyonsia picta | 3471 | Mactra (Spisula) catilliformis | 3363 |
| Lyonsiella alaskana | 3530 | Mactra californica | 3372 |
| Lyonsiellidae | 3528 | Mactra falcata | 3377 |
| "lyra, Cirrophorus" | 3465 | Mactra hemphilli | 3367 |
| "lyra, Cirrophorus" | 3964 | Mactra nasuta | 3375 |
| "lyra, Paradoneis" | 3968 | Mactra ovalina | 3373 |
| "lyra, Paraonis (Paraonides)" | 3966 | Mactra planulata | 3380 |
| "lyra, Paraonis (Paraonides)" | 3965 | Mactridae | 3359 |
| Lysianassa dissimilis | 3967 | Mactriniae | 3360 |
| Lysianassa pariter | 6323 | Mactroidea | 3358 |
| Lysianassidae | 6328 | "Mactromeris catilliformis, Spisula" | 3361 |
| Lysianassidea | 6317 | Mactromeris hemphilli | 3366 |
| Lysianassinae | 6315 | Mactrotoma californica | 3371 |
| Lysianassoidea | 6318 | Mactrotoma nasuta | 3374 |
| Lysianopsis (?) dissimilis | 6316 | "maculata, Crepidula" | 1307 |
| Lysidice sp | 6324 | "maculata, Goniada" | 4342 |
| Lysilla sp SD1 | 4516 | "maculata, Goniada" | 4346 |
| Lysippe annectens | 5035 | "maculata, Nerinides" | 5268 |
| Lysippe labiata | 4999 | "maculata, Pilargis" | 4191 |
| Lysippe labiata | 4989 | "maculata, Pista" | 5052 |
| Lysippe sp A | 4991 | "maculata, Praxillura" | 3818 |
| Lysippe sp B | 4988 | "maculata, Spio" | 5267 |
| Lysmata californica | 6909 | "maculata, Triopha" | 2450 |
| Lysacina | 11 | "maculatus, Raricirrus" | 4928 |
| Lytechinus anamesus | 7602 | | |
| Lytechinus pictus | 7600 | | |

INDEX

| | | | |
|-----------------------------------|------|---|------|
| "maculinodulosa, Campylaspis" | 6739 | "mamolus, Megamphopus" | 5885 |
| Madrepora dianthus | 448 | Manania distincta | 180 |
| Madrepora pertusa | 451 | Manania gwiliami | 182 |
| Madrepora prolifera | 455 | Manayunkia aestuarina | 4738 |
| Maera bousfieldi | 6269 | Manayunkia speciosa | 4740 |
| Maera inaequipes | 6271 | "mandibulata, Cellaria" | 7905 |
| Maera inaequipes | 6275 | Mandibulophoxus gilesi | 6163 |
| Maera inaequipes | 6278 | Mangelia (Kurtziella) beta | 2003 |
| Maera jerrica | 6270 | Mangelia (Taranis) strongi | 2076 |
| Maera modesta | 3116 | Mangelia alesidota | 1992 |
| Maera nelsonae | 6272 | Mangelia angulata | 1993 |
| Maera reishi | 6277 | Mangelia angulata var subangulata | 1994 |
| Maera reishi | 6280 | Mangelia arteaga | 1987 |
| Maera salmonea | 3124 | Mangelia arteaga var roperi | 1988 |
| Maera simile | 6274 | Mangelia barbarensis | 1995 |
| Maera similis | 6273 | Mangelia eriphyle | 1978 |
| Maera spinicauda | 6261 | Mangelia hebe | 1996 |
| Maera vigota | 6282 | Mangelia hecetae | 1997 |
| Maeridae | 6259 | Mangelia hexagona | 2005 |
| Maeroides thompsoni | 5895 | Mangelia oenoa | 1998 |
| "magdalenensis, Inachoides" | 7212 | Mangelia plumbea | 1991 |
| "magdalenensis, Lepidepecreum" | 6341 | Mangelia sulcata | 1999 |
| "magdalenensis, Orchomenella" | 6342 | Mangelia tersa | 2000 |
| Magelona berkeleyi | 5121 | Mangelia wrighti | 2001 |
| Magelona hartmanae | 5122 | Mangeliinae | 1975 |
| Magelona hobsoneae | 5123 | Mangilia (Cythara) branneri | 2009 |
| Magelona longicornis | 5124 | Mangilia eriphyle | 1977 |
| Magelona pitelkai | 5125 | Mangilia evadne | 1980 |
| Magelona riojai | 5126 | Mangilia fancherae | 1967 |
| Magelona sacculata | 5127 | "manimaculis, Petrolisthes" | 7108 |
| Magelona sp A | 5128 | "manriquei, Sabellides" | 5002 |
| Magelona sp B | 5129 | Manzanellidae | 2610 |
| Magelona sp SD10 | 5130 | Manzanelloidea | 2609 |
| Magelonidae | 5120 | Marcia (Venerella) subdiaphana | 3311 |
| "magna, Chone" | 4700 | Marcia subdiaphana | 3310 |
| "magna, Cryptomya" | 3413 | "marenzelleri, Pista" | 5053 |
| "magna, Euchone" | 4701 | Margarita acuticostata | 1161 |
| "magna, Fauveliopsis" | 4933 | Margarita cidaris | 1145 |
| "magna, Hololepida" | 4021 | "margaritacea, Golfingia" | 3631 |
| "magna, Polydora" | 5180 | "margaritaceum californiensis, Golfingia" | 3634 |
| "magna, Polydora caeca var" | 5178 | "margaritaceum, Sipunculus" | 3632 |
| "magnadentata, Leucon" | 6729 | Margarites (Lirularia) acuticostata | 1163 |
| "magnifica, Synidotea" | 6524 | Margarites (Lirularia) parcipicta | 1167 |
| "magniflora, Umbellula" | 383 | Margarites (Pupillaria) acuticostatus | 1164 |
| "magnus, Cryptophallus" | 578 | Margarites (Pupillaria) parcipictus | 1169 |
| "magnus, Notomastus" | 3756 | Margarites acuticostatus | 1162 |
| Majoidea | 7160 | Margarites parcipictus | 1168 |
| "majör, Antiplanes" | 2057 | "margaritifer, Asteracanthion" | 7444 |
| "major, Foxiphalus" | 6134 | "margaritula, Cypraeolina" | 1913 |
| "major, Majoxiphalus" | 6132 | "margaritula, Granulina" | 1911 |
| "major, Paraphoxus obtusidens" | 6133 | "margaritula, Marginella" | 1912 |
| Majoxiphalus major | 6132 | "marginata, Cadlina" | 2363 |
| "makarovi, Parapagurodes" | 7078 | "marginata, Crassatella" | 3052 |
| Makrokylindrus sp | 6799 | "marginata, Pileolaria (Pileolaria)" | 4811 |
| "makrothrix, Pseudotanais" | 6673 | "marginatus, Cerebratulus" | 736 |
| Malacoceros indicus | 5190 | "marginatus, Lecythorhynchus" | 5339 |
| Malacoceros punctata | 5192 | Marginella (Hyalina) myrmecoon | 1918 |
| Malacoplax californiensis | 7272 | Marginella margaritula | 1912 |
| Malacostegoidea | 7854 | Marginella subtrigona | 1907 |
| Malacostraca | 5565 | Marginellidae | 1899 |
| Maldane californiensis | 3803 | Marginellinae | 1900 |
| Maldane carinata | 3808 | "mariaensis, Dodecamastus" | 3743 |
| Maldane sarsi | 3804 | Mariansabellaria harrisae | 4687 |
| Maldane tenuis | 3817 | "marina, Ectopleura" | 203 |
| Maldanella catalina | 3791 | "marina, Pinayay" | 202 |
| Maldanella robusta | 3793 | "marinelli, Chaetoderma" | 898 |
| Maldanidae | 3774 | "marinelli, Crystallophrisson" | 899 |
| Maldanidae sp 1 | 3787 | "marioni, Aphelochaeta" | 4830 |
| Maldaninae | 3802 | "marki, Eplexaura" | 361 |
| "maledivensis, Zeuxo" | 6696 | "marmorata, Lacuna" | 1379 |
| Malletia faba | 2664 | "marmorata, Pseudosquillopsis" | 5582 |
| Malletia pacifica | 2665 | "marmorata, Squilla" | 5583 |
| Malletiidae | 2663 | Morphysa angelensis | 4517 |
| Malmgrenia nigralba | 4063 | Morphysa belli oculata | 4520 |
| "malmgreni var dubia, Prionospio" | 5228 | Morphysa conferta | 4518 |
| "malmgreni, Prionospio" | 5238 | Morphysa disjuncta | 4519 |
| Malmgrenia lunulata | 4065 | Morphysa mortensenii | 4522 |
| Malmgrenia lunulata | 4071 | Morphysa sanguinea | 4523 |
| Malmgreniella bansei | 4054 | Morphysa sp A | 4521 |
| Malmgreniella baschi | 4055 | Morphysa sp B | 4526 |
| Malmgreniella liei | 4060 | Morphysa stylobranchiata | 4525 |
| Malmgreniella macginitieei | 4061 | Marsenia diegoensis | 1508 |
| Malmgreniella nigralba | 4062 | Marsenia stearnsii | 1509 |
| Malmgreniella sampedroensis | 4066 | Marseniopsis sharonae | 1511 |
| Malmgreniella scriptoria | 4068 | "martesia, Gammaropsis" | 5886 |
| Malmgreniella sp A | 4072 | "martesia, Megamphopus" | 5887 |
| Malmgreniella sp SD2 | 4073 | Martesiinae | 3442 |
| Malmgreniella sp SD3 | 4067 | Marthasterias serulifera | 7426 |
| "maltzani, Nipponotrophon" | 1894 | "martini, Peocilochaetus" | 5133 |
| "maltzani, Scabrotrophon" | 1891 | Maxilllopoda | 5410 |
| "maltzani, Trophon" | 1892 | Maxwellia gemma | 1798 |
| "mamola, Gammaropsis" | 5884 | Maxwellia santarosana | 1800 |

INDEX

| | | | |
|--|------|--|------|
| Mayerella acanthopoda | 5816 | Melita fresneli | 6291 |
| Mayerella banksia | 5817 | Melita nitida | 6296 |
| "mayeri, Harbansus" | 5526 | Melita rylvoae | 6297 |
| "mccullochae, Hesionella" | 4130 | Melita sulca | 6298 |
| "mea, Amphithoe" | 5747 | Melitidae | 6283 |
| "mea, Peramphithoe" | 5746 | Meloscaphander sp A | 2114 |
| "media, Exosphaeroma" | 6540 | Melphidippa amoria | 6307 |
| "media, Synidotea" | 6525 | Melphidippidae | 6304 |
| Mediaster aequalis | 7395 | Melphidippoidea | 6300 |
| "mediodentata, Brania" | 4244 | Melphisana bola | 6306 |
| Mediomastus acutus | 3749 | Melphisana bola Cmplx | 6305 |
| Mediomastus ambiseta | 3750 | Membranipora aquilirostris | 7879 |
| Mediomastus californiensis | 3752 | Membranipora circumclathrata | 7881 |
| Mediomastus capensis | 3753 | Membranipora denticulata | 7862 |
| "medipallata, Anaitides" | 4447 | Membranipora echinus | 7877 |
| "medipallata, Phyllodoce" | 4446 | Membranipora lacroixii | 7874 |
| "medipallata, Phyllodoce (Anaitides)" | 4448 | Membranipora patula | 7888 |
| "medius, Demonax" | 4767 | Membranipora tehuelcha | 7868 |
| Medridium senile Cmplx | 547 | Membranipora tenuis | 7861 |
| "medusa, Loimia" | 5034 | Membranipora tuberculata | 7869 |
| Megabalanus californicus | 5463 | Membraniporidae | 7855 |
| "megacheles, Cheiriphotis" | 5774 | "mendax, Caprella" | 5797 |
| Megacrenella columbiana | 2739 | "mendica, Hima" | 1778 |
| Megalomma circumspectum | 4741 | "mendica, Nassa" | 1779 |
| Megalomma colorata | 4743 | "mendicus, Alectriion (Schizopyga)" | 1780 |
| Megalomma pigmentum | 4745 | "mendicus, Nassarius" | 1783 |
| Megalomma splendida | 4746 | "mendociana, Nereis" | 4161 |
| Megalomphalus californicus | 1497 | Menesiniella aquila | 5465 |
| Megalorchestia benedicti | 5679 | Menipea occidentalis | 7913 |
| Megalorchestia corniculata | 5681 | "menziesi, Ammotella" | 5340 |
| Megalopidae | 6308 | "menziesi, Rhepoxynius" | 6151 |
| Megalopidae sp A | 6314 | "mercedensis, Spisula" | 3364 |
| Megaloporus longimerus | 6310 | "mercenaria, Mya" | 3401 |
| Megaloporus longimerus | 6313 | "merckii, Chiton" | 1049 |
| Megaloporus myersi | 6312 | Meretricinae | 3314 |
| Megamoera subtener | 6292 | "meroeum, Lepton" | 2998 |
| Megamphopus effrenus | 5883 | "meroeum, Platomyisia" | 2999 |
| Megamphopus mamolus | 5885 | Merona laxa | 240 |
| Megamphopus martesia | 5887 | "meropsis, Tellina" | 3109 |
| Megastraea turbanica | 1195 | "meropsis, Tellina (Angulus)" | 3112 |
| "(Megastraea) turbanica, Astraea" | 1197 | "meropsis, Tellina (Moerella)" | 3110 |
| Megastraea undosa | 1200 | "mertensi, Eupagurus" | 7079 |
| Megasurcula carpenteriana | 2043 | "mertensi, Chiton" | 972 |
| Megasurcula granti | 2046 | "mertensi, Ischnochiton" | 973 |
| Megasurcula remondii | 2052 | "mertensi, Ischnochiton (Lepidozona)" | 974 |
| Megasurcula steamsiana | 2049 | "mertensi, Lepidozona" | 971 |
| Megasurcula tremperiana | 2047 | Mesochaetopterus sp | 5110 |
| Megatebennus bimaculatus | 1115 | Mesocrangon munifella | 6963 |
| Megathura crenulata | 1118 | Mesokalliapseudes crassus | 6634 |
| Megerlia Jeffreysi | 7775 | Mesolamprops bispinososa | 6774 |
| Melampinae | 2585 | Mesolamprops bispinosus | 6773 |
| Melampus olivaceus | 2586 | "mesotriena, Geodia" | 36 |
| Melanella (Balci's) catalinensis | 1669 | Metacaprella kennerlyi | 5795 |
| Melanella (Balci's) columbiana | 1661 | Metacarcinus anthonyi | 7236 |
| Melanella (Balci's) grippi | 1664 | Metacarcinus gracilis | 7238 |
| Melanella (Balci's) macra | 1666 | Metaceradocus occidentalis | 6303 |
| Melanella (Balci's) micans | 1627 | Metachone mollis | 4703 |
| Melanella (Balci's) prefalcata | 1670 | Metacirolana joannae | 6489 |
| Melanella (Balci's) rutila | 1653 | Metacrangon spinosissima | 6967 |
| Melanella (Eulima) micans | 1628 | Metamysidopsis elongata | 5640 |
| Melanella (Melanella) micans borealis | 1631 | Metandrocarpa taylori | 8034 |
| Melanella (Melanella) oldroydi | 1630 | Metapenaeopsis minori | 6817 |
| Melanella (Melanella) rutila | 1654 | Metaphoxus frequens | 6179 |
| Melanella (Sabinella) bakeri | 1659 | Metapseudidae | 6636 |
| Melanella berryi | 1619 | Metapseudinae | 6637 |
| Melanella columbiana | 1663 | Metasychis disparidentatus | 3805 |
| Melanella comoxensis | 1625 | Metatiron tropakis | 6075 |
| Melanella compacta | 1622 | Metedwardsia sp A | 477 |
| Melanella macra | 1668 | Metharpinia coronadoi | 6135 |
| Melanella micans | 1626 | Metharpinia jonesi | 6136 |
| "(Melanella) micans borealis, Melanella" | 1631 | Metharpiiniiae | 6121 |
| "(Melanella) oldroydi, Melanella" | 1630 | Metis alta | 3135 |
| Melanella rosa | 1644 | Metopa cistella | 5980 |
| Melanella rutila | 1652 | Metopa dawsoni | 5981 |
| "(Melanella) rutila, Melanella" | 1654 | Metopella aporpis | 5982 |
| Melanella taravalii | 1674 | Metridiidae | 540 |
| Melanella thersites | 1645 | Metridium exile | 541 |
| Melanella yod | 1673 | Metridium farcimen | 542 |
| "melanica, Listriella" | 6102 | Metridium giganteum | 546 |
| Melanochlamys diomedea | 2234 | Metzgeria sp | 1931 |
| Melanochlamys nana | 2239 | Mexacanthina lugubris | 1825 |
| Melanoides tuberculata | 1286 | Mexamage corrugata | 4994 |
| Meleagroteuthis hoylei | 3599 | Mexamage longibranchiata | 4992 |
| Meilice leonina | 2496 | "mexicana, Drilonereis" | 4593 |
| Melininae | 5012 | "mexicana, Hippolyte" | 6905 |
| Melinna cristata heterodonta | 5014 | "mexicana, Neilonella" | 2667 |
| Melinna heterodonta | 5013 | "mexicana, Olivella" | 1937 |
| Melinna oculata | 5015 | "mexicana, Subadyte" | 4074 |
| Melita appendiculata | 6290 | "mexicana, Tindaria" | 2668 |
| Melita californica | 6285 | Mexichromis porterae | 2370 |
| Melita dentata | 6295 | "micans borealis, Melanella (Melanella)" | 1631 |
| Melita desdichada | 6287 | "micans, Balci's" | 1623 |

INDEX

| | | | |
|--|------|---------------------------------------|------|
| "micans, Eulima" | 1624 | "minutum, Sphaerordidium" | 4466 |
| "micans, Melanella" | 1626 | "minutus, Cancer" | 7332 |
| "micans, Melanella (Balcis)" | 1627 | "minutus, Ischyrocerus" | 5854 |
| "micans, Melanella (Eulima)" | 1628 | "minutus, Planes" | 7331 |
| "michaelseni, Aricia" | 3873 | "minutus, Solen" | 3228 |
| Micranellum barkleyense | 1462 | "minutus, Syllides" | 4238 |
| Micranellum catalinense | 1463 | Miogryphus willetti | 7786 |
| Micranellum crebricinctum | 1455 | "mirabilis, Calistochiton palmulatus" | 968 |
| Micranellum oregonense | 1466 | "mirabilis, Ceratonereis" | 4152 |
| Micranellum perfoense | 1464 | "mirabilis, Cynthia" | 8104 |
| Micranellum profundicolum | 1465 | "mirabilis, Halocynthia" | 8105 |
| Micranellum rosanum | 1467 | "mirabilis, Petricola" | 3350 |
| "microcera, Microspio" | 5194 | "mirabilis, Placiphorella" | 1060 |
| "microcera, Rhynchospio" | 5195 | "mirabilis, Pyura" | 8103 |
| Microcharon sp A | 6600 | "mirus, Alexandraster" | 7409 |
| Microciona microjoanna | 69 | "misakiana, Apionsoma" | 3693 |
| "(Microciona) microjoanna, Clathria" | 68 | "misakiana, Golfingia (Mitosiphon)" | 3695 |
| Microciona parthena | 71 | "misakianum, Apionsoma" | 3691 |
| "(Microciona) parthena, Clathria" | 70 | "misakianum, Phascolosoma" | 3692 |
| "(Microciona) pennata, Clathria" | 72 | "misakiensis, Ascopodaria" | 862 |
| "(Microciona) spongigartina, Clathria" | 74 | "misakiensis, Barentsia" | 863 |
| Microcionidae | 64 | Misophriidae | 5478 |
| Microcionina | 59 | Misophrioida | 5477 |
| Microcioninae | 65 | "missionensis, Spiophanes" | 5274 |
| Microcosmos exasperatus | 8093 | "mitchelli, Opisthodonta" | 4230 |
| Microcosmus squamiger | 8092 | Mitella polymerus | 5423 |
| Microcosmus transversus | 8106 | Mithrax rostratus | 7186 |
| "microdentata, Ampelisca cristata" | 6231 | "(Mitosiphon) misakiana, Golfingia" | 3695 |
| Microdeutopus schmitti | 5710 | Mitra catalinae | 1925 |
| Microglyphis brevicula | 2188 | Mitra diegensis | 1926 |
| "(Microglyphis) breviculus, Actaeon" | 2189 | Mitra idae | 1924 |
| Microjassa barnardi | 5864 | Mitra loweana | 1927 |
| Microjassa bousfieldi | 5865 | Mitra montereyi | 1928 |
| Microjassa claustris | 5869 | Mitra semiusta | 1929 |
| Microjassa litotes | 5866 | "mitra, Acmaea" | 1098 |
| "microjoanna, Clathria (Microciona)" | 68 | Mitrella aurantiaca | 1728 |
| "microjoanna, Microciona" | 69 | Mitrella californica | 1705 |
| Microparaselidae | 6599 | Mitrella carinata | 1706 |
| Microphthalmus hystrix | 4134 | Mitrella gouldi | 1733 |
| "micropleon, Americhelidium" | 6027 | Mitrella permodesta | 1739 |
| "micropleon, Synchelidium" | 6028 | Mitrella tuberosa | 1715 |
| Micropleustes nautilus | 5956 | "(Mitrella) tuberosa, Columbella" | 1714 |
| Micropodarke amemiyai | 4137 | Mitridae | 1923 |
| Micropodarke dubia | 4135 | "modesta, Alderia" | 2323 |
| Micropora sp | 7893 | "modesta, Cadlina" | 2364 |
| Microporella sp | 7946 | "modesta, Maera" | 3116 |
| Microporellidae | 7945 | "modesta, Tellina" | 3114 |
| Microporidae | 7892 | "modesta, Tellina (Angulus)" | 3118 |
| "micropyrus, Octopus" | 3610 | "modesta, Tellina (Oudardia)" | 3121 |
| Microrhynchus (Inachus) tuberculatus | 7208 | "modesta, Triopha" | 2448 |
| Microrhynchus hemphillii | 7198 | "modestus, Angulus" | 3115 |
| Microspio microcera | 5194 | "modestus, Tellina (Angulus)" | 3119 |
| Microspio pigmentata | 5196 | "modica, Cossura" | 3770 |
| "(Microspio) pigmentata, Spio" | 5199 | Modiola (Lithophagus) pruneri | 2747 |
| Micrura alaskensis | 750 | Modiola bellardina | 2732 |
| Micrura olivaris | 751 | Modiola capax | 2766 |
| Micrura pardalis | 752 | Modiola lutea | 2758 |
| Micrura wilsoni | 753 | Modiola plicatula | 2763 |
| "mikeli, Syllides" | 4237 | Modiola polita | 2756 |
| "milleri, Ampelisca" | 6240 | Modiola recta | 2773 |
| "millsi, Byblis" | 6255 | Modiola semicostata | 2764 |
| Milneria kelseyi | 2927 | Modiola senhousia | 2731 |
| "mimetrica, Baptodoris" | 2377 | Modiolaria denticulata | 2729 |
| "miner, Metapenaeopsis" | 6817 | Modiolinae | 2754 |
| "miniata, Asterias" | 7399 | Modiolus capax | 2765 |
| "miniata, Asterina" | 7400 | Modiolus diegensis | 2745 |
| "miniata, Cladodactyla" | 7688 | Modiolus flabellatus | 2774 |
| "miniata, Cucumaria" | 7687 | Modiolus modiolus | 2768 |
| "miniata, Patina" | 7398 | Modiolus neglectus | 2770 |
| "minima, Epialtus bituberculatus forma" | 7166 | Modiolus pallidulus | 2759 |
| "minimus, Orthopagurus" | 7046 | Modiolus rectus | 2772 |
| "minimus, Pagurus (Trigonocheirus)" | 7047 | Modiolus sacculifer | 2776 |
| "minimus, Parapagurus" | 7048 | "modiolus, Modiolus" | 2768 |
| "minimus, Pylopagurus" | 7049 | "modiolus, Mytilus" | 2769 |
| "minuscula, Pinnixa" | 7309 | "modosa, Stenula" | 5989 |
| "(Minuspio) cirrifera, Prionospio" | 5222 | "(Moerella) arenica, Tellina" | 3105 |
| "(Minuspio) lighti, Prionospio" | 5220 | "(Moerella) meropsis, Tellina" | 3110 |
| "(Minuspio) multibranchiata, Prionospio" | 5224 | "(Moerella) paziana, Tellina" | 3113 |
| Minuspio sp A | 5221 | "moesta, Drillia" | 2031 |
| "minuta, Chone" | 4757 | "molesta, Exogone" | 4267 |
| "minuta, Crepidula" | 1313 | "molesta, Exogone (Parexogone)" | 4268 |
| "minuta, Ephesia" | 4465 | "molesta, Paraexogone" | 4266 |
| "minuta, Golfingia" | 3644 | Molgula napiformis | 8112 |
| "minuta, Ianiropsis" | 6584 | Molgula pugettensis | 8109 |
| "minuta, Munna" | 6609 | Molgula regularis | 8113 |
| "minuta, Paraonis gracilis" | 3953 | Molgula sp SD1 | 8117 |
| "minuta, Pholoe" | 4095 | Molgula verrucifera | 8116 |
| "minuta, Sphaerodoropsis" | 4464 | Molgulidae | 8107 |
| "minuticosta, Epitonium" | 1564 | "molis, Chone" | 4702 |
| "minuticosta, Scala (Viciniscala)" | 1565 | "molis, Chone" | 4765 |
| "minutum, Phascolosoma" | 3645 | "molis, Metachone" | 4703 |
| "minutum, Sphaerodorum" | 4467 | Mollusca | 872 |

INDEX

| | | | |
|--|------|--|------|
| Moloha faxoni | 7140 | Moreonuphis litoralis | 4614 |
| Molpadia arenicola | 7735 | Moreonuphis nebulosa | 4616 |
| Molpadia chilensis | 7738 | Moreonuphis nr nebulosa | 4618 |
| Molpadia intermedia | 7730 | Moreonuphis segmentispadix | 4619 |
| Molpadida | 7728 | Moreonuphis sp B | 4621 |
| Molpadiidae | 7729 | Moreonuphis sp LA1 | 4628 |
| Momedosa symmetrica | 6574 | Moreonuphis sp SD1 | 4629 |
| "monacantha, Dulichia" | 5834 | Moreonuphis stigmatis | 4622 |
| "monacanthus, Dyopedos" | 5833 | Moreonuphis veletronis | 4625 |
| "(Monia) macrochisma, Pododesmus" | 2894 | Moresamytha biculata | 4995 |
| "monicae, Allia" | 3929 | Mopalia (Dendrochiton) thamnopora | 1042 |
| "monicae, Aricidea (Allia)" | 3928 | Mopalia goniura | 1059 |
| "monilaris, Aphelochaeta" | 4835 | Mopalia imporcata | 1045 |
| "monilaris, Polydora" | 5156 | Mopalia insignis | 1051 |
| "monilaris, Tharyx" | 4836 | Mopalia lignosa | 1046 |
| Moniliopsis cancellata | 1962 | Mopalia lionota | 1052 |
| Moniliopsis chacei | 1963 | Mopalia lowei | 1053 |
| Moniliopsis incisa var fancherae | 1968 | Mopalia muscosa | 1054 |
| Moniliopsis rhines | 1964 | Mopalia phorminx | 1056 |
| "(Moniliopsis) rhines, Clathrodrillia" | 1961 | Mopalia sinuata | 1057 |
| "monilceras, Leptoneris glauca" | 4170 | "(Mopaliella) stigmata, Tonicella" | 1032 |
| "monilceras, Nicon" | 4169 | Mopaliidae | 1038 |
| Monobrachium parasiticum | 244 | "mora, Ampelisca" | 6247 |
| Monobrachium parasitum | 243 | Morants duplex | 5273 |
| Monoceros engonatum | 1810 | "morinoi, Jassa" | 5859 |
| Monoceros lugubris | 1826 | "morion, Cumella" | 6753 |
| Monoceros punctulata | 1806 | Morrisia hornii | 7804 |
| Monocorophium acherusicum | 5760 | "mortenseni, Acoetes" | 3999 |
| Monocorophium californianum | 5762 | "mortenseni, Marphysa" | 4522 |
| Monocorophium insidiosum | 5764 | "mortenseni, Panthalis" | 4001 |
| Monocorophium uenoi | 5767 | "mortenseni, Polyodontes" | 4000 |
| Monoculodes emarginatus | 6057 | "mortoni, Rochefortia" | 3039 |
| Monoculodes glyconica | 6059 | "moseleyi var henrici, Pannychia" | 7718 |
| Monoculodes glyconicus | 6058 | "moseleyi, Pannychia" | 7716 |
| Monoculodes hartmanae | 6052 | "mosslandica, Cerberilla" | 2565 |
| Monoculodes latissimanus | 6060 | Mouretia reticulata | 2590 |
| Monoculodes murrius | 6054 | "mucronata, Amphicteis" | 4976 |
| Monoculodes norvegicus | 6049 | "mucronata, Euzonus" | 3846 |
| Monoculodes sp SD1 | 6056 | "mucronata, Ophelia (Thoracophelia)" | 3845 |
| Monoculodes spinipes | 6063 | "mucronata, Thoracophelia" | 3844 |
| "monoculoides, Atylus" | 6001 | Mucronella californica | 7949 |
| "monoculoides, Eusiroides" | 6000 | "multianulata, Onuphis" | 4644 |
| "monocuspis, Gracilipelestes" | 5933 | "multianulatus, Enchytraeus" | 5307 |
| "monocuspis, Stenopleustes" | 5934 | "multibranchiata, Levinsenia" | 3955 |
| "monoptera, Hiatella" | 3223 | "multibranchiata, Paraonis" | 3956 |
| Monostylifera sp A | 763 | "multibranchiata, Prionospio (Minuspio)" | 5224 |
| Monostylifera sp B | 820 | "multibranchiata, Tauberia" | 3957 |
| Monostylifera sp C | 821 | "multicelis, Prosthiostomum" | 672 |
| Monostylifera sp SD1 | 782 | "multicostata, Anadara" | 2694 |
| Monostyliferoidea | 770 | "multicostata, Arcat" | 2695 |
| "monothecus, Limnodriloides" | 5317 | "multicostatus, Boreotrophon" | 1886 |
| "monotimeris, Pecten" | 2871 | "multicostatus, Murex" | 1887 |
| Monstrilloida | 5492 | "multicylindri, Eunice" | 4514 |
| "montagui tridens, Pandanus" | 6941 | "multidens, Glycinde" | 4336 |
| "montagui, Pandanus" | 6940 | "multifilis Type II, Aphelochaeta" | 4839 |
| "monterea, Diatyla" | 4728 | "multiloculata, Chaetozone" | 4884 |
| "monterea, Nereis (Neanthes)" | 4172 | "multiloculatus, Cirratulus" | 4883 |
| "monterea, Perinereis" | 4171 | "multipectinata, Eunice" | 4515 |
| Montereina nobilis | 2385 | "multirugosus, Hinntis" | 2865 |
| "montereyense, Epitonium" | 1554 | "multirugosus, Pecten (Chlamys)" | 2866 |
| "montereyense, Tethym" | 8062 | "multirugosus, Pecten (Pecten)" | 2867 |
| "montereyensis, Archidoris" | 2354 | "multisetosa, Harmothoe" | 4047 |
| "montereyensis, Cardita ventricosa" | 2920 | "multisetosa, Lagisca" | 4048 |
| "montereyensis, Chiton" | 1050 | "multisetosa, Trochochaeta" | 5289 |
| "montereyensis, Cynthia" | 8059 | "multistriata, Cranopsis" | 1108 |
| "montereyensis, Doris" | 2353 | "multistriata, Punctarella" | 1109 |
| "montereyensis, Ianiropsis" | 6585 | "munda, Cyathura" | 6462 |
| "montereyensis, Idotea" | 6514 | Munida hispida | 7095 |
| "montereyensis, Idotea" | 6519 | Munida quadrispina | 7096 |
| "montereyensis, Opalia" | 1610 | Munididae | 7094 |
| "montereyensis, Ophiodermella" | 1972 | Munidion pleuroncodis | 6451 |
| "montereyensis, Pentidotea" | 6517 | Munidopsis depressa | 7099 |
| "montereyensis, Pterocirus" | 4411 | "munita, Cyrilla" | 2612 |
| "montereyensis, Scala (Cirostrema)" | 1611 | "munita, Huxleyia" | 2611 |
| "montereyensis, Selia" | 1681 | "munita, Nucinella" | 2613 |
| "montereyensis, Sige" | 4412 | "munitella, Crago" | 6965 |
| "montereyensis, Styela" | 8058 | "munitella, Crangon" | 6966 |
| "montereyi, Mitra" | 1928 | "munitella, Mesocrangon" | 6963 |
| "montereyi, Semele pulchra var" | 3194 | "munitellus, Crangon" | 6964 |
| "montereyensis, Odostomia" | 2132 | Munna chromatocephala | 6602 |
| "montgomeryi, Cerebratulus" | 737 | Munna halei | 6603 |
| Monticellina cryptica | 4902 | Munna minuta | 6609 |
| Monticellina dorsobranchialis | 4903 | Munna sp A | 6606 |
| Monticellina lenticastella | 4906 | Munna spinifrons | 6604 |
| Monticellina serratisteta | 4908 | Munna stephensi | 6605 |
| Monticellina siblina | 4911 | Munna ubiquita | 6608 |
| Monticellina sp 1 | 4916 | Munnidae | 6601 |
| Monticellina sp A | 4904 | Munnogonium erratum | 6620 |
| Monticellina tesselata | 4914 | Munnogonium tillerae | 6617 |
| Monticellina tesselata | 4912 | Munnogonium waldronense | 6621 |
| "moorei, Pista" | 5057 | Munnopsidae | 6610 |
| Moreonuphis exigua | 4612 | Munnopsurus sp A | 6615 |

INDEX

| | | | |
|--|------|--|------|
| Munopsidae | 7098 | "(Myrteia) tenuisculpta, Lucina" | 2943 |
| Murex (<i>Cerostoma</i>) nuttalli | 1816 | Myreinae | 2948 |
| Murex (<i>Murexiella</i>) santarosanus | 1802 | <i>Mysella aleutica</i> | 3044 |
| Murex (<i>Muricidea</i>) barbarensis | 1840 | <i>Mysella ferruginosa</i> | 3008 |
| Murex (<i>Phyllonotus</i>) santarosana | 1801 | <i>Mysella golischii</i> | 3009 |
| Murex alba | 1863 | <i>Mysella grippi</i> | 3038 |
| Murex belcheri | 1823 | <i>Mysella pedroana</i> | 3006 |
| Murex festivus | 1857 | <i>Mysella</i> sp A | 3033 |
| Murex foveolatus | 1850 | <i>Mysella</i> sp B | 3040 |
| Murex gemma | 1799 | <i>Mysella</i> sp C | 3012 |
| Murex macropterus | 1862 | <i>Mysella</i> sp D | 3036 |
| Murex multicostatus | 1887 | <i>Mysella</i> sp E | 3013 |
| Murex petri | 1864 | <i>Mysella</i> sp H | 3014 |
| Murex rhyssus | 1871 | <i>Mysella tumida</i> | 3045 |
| Murex tremperi | 1865 | <i>Mysida</i> | 5591 |
| Murex trialatus | 1868 | <i>Mysidae</i> | 5592 |
| Murex turricula | 2016 | <i>Mysidella americana</i> | 5613 |
| Murexiella santarosana | 1803 | <i>Mysidellinae</i> | 5612 |
| "(Murexiella) santarosanus, Murex" | 1802 | <i>Mysidopsis brattegardi</i> | 5642 |
| Muricea californica | 366 | <i>Mysidopsis californica</i> | 5643 |
| Muricidae | 1793 | <i>Mysidopsis cathengelae</i> | 5644 |
| "(Muricidea) barbarensis, Murex" | 1840 | <i>Mysidopsis elongata</i> | 5641 |
| Muricoidea | 1792 | <i>Mysidopsis intii</i> | 5645 |
| Muricopsinae | 1797 | <i>Mysidopsis onofrensis</i> | 5646 |
| "murrayi, Anthoptilum" | 388 | <i>Mysidopsis</i> sp 1 | 5610 |
| "murrinus, Hartmanodes" | 6053 | <i>Mysinae</i> | 5614 |
| "murrinus, Monoculodes" | 6054 | <i>Mysis rayii</i> | 5632 |
| Mursia gaudichaudii | 7153 | "mysteriosa, Cubanomysis" | 5639 |
| "muscosa, Mopalia" | 1054 | <i>Mystides caeca</i> | 4407 |
| "muscous, Chiton" | 1055 | <i>Mytilida</i> | 2709 |
| Musculista senhousia | 2730 | <i>Mytilidae</i> | 2711 |
| Musculus pygmæus | 2734 | <i>Mytilinae</i> | 2712 |
| Musculus senhousei | 2733 | <i>Mytiloidea</i> | 2710 |
| "mutabilis, Carinoma" | 702 | <i>Mytilus adamsianus</i> | 2714 |
| "mutator, Solenocera" | 6811 | <i>Mytilus aristatus</i> | 2749 |
| "mutatus, Elasmopus" | 6266 | <i>Mytilus bifurcatus</i> | 2780 |
| "mutatus, Elasmopus rapax" | 6267 | <i>Mytilus californianus</i> | 2715 |
| "mutica, Caprella" | 5799 | <i>Mytilus decussatus</i> | 2719 |
| Mya acuta | 3394 | <i>Mytilus demissus</i> | 2762 |
| Mya alba | 3395 | <i>Mytilus galloprovincialis</i> | 2716 |
| Mya arctica | 3220 | <i>Mytilus luteus</i> | 2760 |
| Mya arenaria | 3393 | <i>Mytilus modiolus</i> | 2769 |
| Mya cancellata | 3408 | <i>Myxicola infundibulum</i> | 4750 |
| Mya communis | 3396 | <i>Myxicola</i> sp | 4749 |
| Mya copulenta | 3397 | <i>Myxilla barentsi</i> | 99 |
| Mya elongata | 3398 | <i>Myxilla behringensis</i> | 100 |
| Mya hemphilli | 3399 | <i>Myxilla incrassans</i> | 97 |
| Mya japonica | 3400 | <i>Myxilla rosacea</i> | 101 |
| Mya mercenaria | 3401 | <i>Myxiliidae</i> | 96 |
| Mya oonogai | 3403 | <i>Myxiliina</i> | 90 |
| Mya paternalis | 3402 | <i>Myxoderma platyacanthum</i> | 7466 |
| Mya suborbicularis | 2994 | <i>Myzotarsa anaxiphilus</i> | 5924 |
| Mya subovata | 3404 | | |
| Mya subtruncata | 3405 | | |
| "myaciformis, Pseudopythina" | 3021 | | |
| Mycale psila | 108 | | |
| Mycalidae | 107 | | |
| Mycalina | 106 | "(Nacella) instabilis, Patella" | 1075 |
| "myersi, Gibberosus" | 6311 | <i>Nacella peltoides</i> | 2594 |
| "myersi, Megaluropus" | 6312 | <i>Nacospatangus depressus</i> | 7641 |
| Myidae | 3391 | <i>Nacospatangus laevis</i> | 7639 |
| Myidae sp SD1 | 3420 | "naiadis, Harpinopsis" | 6190 |
| Myidae sp SD2 | 3414 | <i>Naididae</i> | 5312 |
| Myinae | 3392 | <i>Naineris berkeleyorum</i> | 3869 |
| Myodocopa | 5496 | <i>Naineris cf grubei</i> | 3864 |
| Myodocopida | 5497 | <i>Naineris dendritica</i> | 3858 |
| Myodocopina | 5498 | <i>Naineris laevigata</i> | 3860 |
| Myoidea | 3390 | <i>Naineris longa</i> | 3861 |
| "myoides, Cryptodonta" | 3409 | <i>Naineris nannobranchia</i> | 3862 |
| "myops, Lepidopa" | 7126 | <i>Naineris quadricuspida</i> | 3866 |
| "myops, Psammolyce" | 4102 | <i>Naineris robusta</i> | 3863 |
| Myopsina | 3587 | <i>Naineris uncinata</i> | 3868 |
| "myrae, Ensis" | 3213 | <i>Nais pictus</i> | 3840 |
| "myrakeenae, Tritonia" | 2483 | <i>Nais quadricuspida</i> | 3867 |
| Myrianiida pachycera | 4210 | <i>Najna ? consiliorum</i> | 5662 |
| Myriaporidae | 7972 | <i>Najna kitamati</i> | 5661 |
| Myriochele gracilis | 4664 | <i>Najinae</i> | 5659 |
| Myriochele gracilis | 4669 | "nana, Aglaja" | 2237 |
| Myriochele olgae | 4665 | "nana, Cupspidaria (Tropidomya)" | 3419 |
| Myriochele pygidialis | 4663 | "nana, Glyceria" | 4320 |
| Myriochele sp M | 4667 | "nana, Glyceria" | 4328 |
| Myriochele striolata | 4666 | "nana, Melanochlamys" | 2239 |
| Myriotrichidae | 7726 | "nana, Yoldia" | 2684 |
| Myriotrochussp | 7727 | "nana, Yoldiella" | 2683 |
| Myriowenia californiensis | 4668 | "nanaimensis, Odontosyllis phosphorea" | 4227 |
| Myriozoum sp | 7973 | <i>Nannastacidae</i> | 6731 |
| "myrmecoon, Cystiscus" | 1919 | "nannobranchia, Naineris" | 3862 |
| "myrmecoon, Hyalina" | 1917 | <i>Nannonyx dissimilis</i> | 6322 |
| "myrmecoon, Marginella (Hyalina)" | 1918 | <i>Nannoteretispira kelseyi</i> | 1384 |
| "myrmecoon, Plesiocystiscus" | 1916 | "nans, Hesperalia" | 4226 |
| "(Myrteia) acutilineata, Lucina" | 2955 | "nanulum, Chaetoderma" | 900 |
| "(Myrteia) nuttallii, Lucina" | 2940 | "nanus, Dendronotus" | 2491 |

INDEX

| | | | |
|--|------|-------------------------------------|------|
| "napiformis, Molgula" | 8112 | "neoborealis, Petaloprotus" | 3814 |
| Narica ovoidea | 2183 | "neocardalia, Polydora" | 5181 |
| "narica, Polydora" | 5215 | Neocopepoda | 5475 |
| "(Narona) cooperi, Cancellaria" | 2081 | Neocrangon communis | 6970 |
| Nasageneia quinsana | 6003 | Neocrangon resima | 6973 |
| Nassa fossata | 1771 | Neocrangon zacae | 6977 |
| Nassa insculpta | 1785 | Neodexiospira pseudocorrugata | 4809 |
| Nassa mendica | 1779 | Neogastropoda | 1685 |
| Nassa perpinguis | 1775 | Neoheretodontei | 3244 |
| Nassa tegula | 1762 | "neohexagonum, Dentalium" | 3546 |
| Nassa tiarula | 1758 | Neoischyrocerus claustris | 5868 |
| Nassariidae | 1755 | Neoleprea californica | 5036 |
| Nassariinae | 1756 | Neoleprea japonica | 5038 |
| Nassarina penicillata | 1745 | Neoleprea spiralis | 5039 |
| Nassarius cooperi | 1781 | Neolepton salmonea | 3055 |
| Nassarius delosi | 1766 | Neolepton salmoneum | 3050 |
| Nassarius fossatus | 1772 | Neolepton subtrigona | 3057 |
| Nassarius indisputabilis | 1782 | Neoleptonidae | 3049 |
| Nassarius insculptus | 1789 | Neomeniomorpha sp A | 878 |
| Nassarius insculptus gordanus | 1790 | Neomeniomorpha sp B | 886 |
| Nassarius mendicus | 1783 | Neomeniomorpha sp C | 879 |
| Nassarius perpinguis | 1777 | Neomysis costata | 5624 |
| Nassarius tegula | 1763 | Neomysis franciscorum | 5633 |
| Nassarius tiarula | 1764 | Neomysis kadiakensis | 5630 |
| "nasuta, Macoma" | 3149 | Neomysis macropsis | 5617 |
| "nasuta, Macra" | 3375 | Neomysis rayi | 5631 |
| "nasuta, Mactrotoma" | 3374 | Neomysis toton | 5634 |
| "nasuta, Tellina" | 3150 | "neon, Cyamom" | 89 |
| "natalensis, Caprella" | 5801 | "neonigripes, Nereis" | 4162 |
| "natalensis, Caprella acutifrons var" | 5802 | "neopapillata, Pherusa" | 4948 |
| "natalensis, Caprella penantis var" | 5805 | Neopetrosia zumi | 134 |
| Natatalana californiensis | 6487 | Neophotis inaequalis | 5722 |
| Natica algida | 1398 | Neopleustes bairdi | 5953 |
| Natica lewisi | 1396 | Neopleustes oculatus | 5944 |
| Natica reclusiana | 1402 | Neorhabdochela sp HYP1 | 685 |
| "naticarum, Crepidula rugosa" | 1347 | Neosabellaria cementarium | 4678 |
| "naticarum, Garnotia" | 1346 | Neosimnia aequalis | 1358 |
| Naticidae | 1386 | Neosimnia barbarensis | 1363 |
| Naticoidea | 1385 | "(Neosimnia) barbarensis, Simnia" | 1366 |
| "natrix, Boccardia" | 5146 | Neosimnia catalinensis | 1365 |
| Naushonia macgininitie | 7009 | "(Neosimnia) catalinensis, Simnia" | 1367 |
| "nautilia, Leucosolenia" | 165 | Neosimnia loebbeckeana | 1369 |
| "nautilus, Micropleustes" | 5956 | "neosuecica japonica, Aricidea" | 3911 |
| "nautilus, Parapleustes" | 5957 | "neosuecica, Aricidea" | 3910 |
| Navanax inermis | 2240 | Neotrypaea affinis | 6984 |
| Navarchus inermis | 2246 | Neotrypaea bifari | 6986 |
| "navicula, Entodesma" | 3466 | Neotrypaea californiensis | 6987 |
| "navicula, Lyonsia" | 3467 | Neotrypaea gigas | 6989 |
| "naviculoides, Crepidula" | 1326 | Nephasoma diaphanes | 3642 |
| "navisa, Ividella" | 2126 | Nephasoma eremita | 3646 |
| "navisa, Odostomia (Ividella)" | 2127 | Nephasoma pellucidum | 3653 |
| Nearera pectinata | 3503 | "nephrophthalma, Acanthomysis" | 5636 |
| Neærømya compressa | 3015 | "nephrophthalma, Pacifacanthomysis" | 5635 |
| Neærømya rugifera | 3017 | Nephthys caecoides | 4366 |
| Neærømya stearnsii | 3023 | Nephthys caecoides ferruginea | 4372 |
| Neanthes acuminata | 4158 | Nephthys californiensis | 4370 |
| Neanthes acuminata Cmplx | 4157 | Nephthys verrilli | 4355 |
| Neanthes caudata | 4159 | Nephthyidae | 4350 |
| "(Neanthes) monterea, Nereis" | 4172 | Nephthys assignis | 4364 |
| "(Neaplysia) californica, Aplysia" | 2310 | Nephthys caecoides | 4365 |
| "neapolitanus Cmplx, Amphilochus" | 5970 | Nephthys californiensis | 4369 |
| "neapolitanus, Amphilochus" | 5971 | Nephthys californiensis | 4367 |
| Neastacilla californica | 6501 | Nephthys californiensis | 4373 |
| Nebalia daytoni | 5569 | Nephthys cornuta | 4360 |
| Nebalia hessleri | 5571 | Nephthys cornuta franciscana | 4361 |
| Nebalia pugettensis Cmplx | 5572 | Nephthys dibranchis | 4358 |
| Nebalia sp A | 5570 | Nephthys ferruginea | 4371 |
| Nebaliidae | 5568 | Nephthys parva | 4362 |
| "nebulosa, Bulla" | 2195 | Nephthys punctata | 4375 |
| "nebulosa, Mooreonuphis" | 4616 | Nephthys signifera | 4374 |
| "nebulosa, Onuphis" | 4617 | Nephthys signifera | 4363 |
| "neglectus, Modiolus" | 2770 | Nephthys simoni | 4376 |
| "negligens, Aphrodita" | 4012 | Nephthys sp B | 4368 |
| "negligens, Pherusa" | 4945 | Nephthys sp SD2 | 4379 |
| "negligens, Stylaroides" | 4946 | Nephthys sp SD3 | 4378 |
| Neilonella mexicana | 2667 | Nephthys squamosa | 4377 |
| Neilonella ritteri | 2669 | "(Neptunea) bentleyi, Trophon" | 1883 |
| Neilonellidae | 2666 | "(Neptunea) eucymatus, Trophon" | 1885 |
| Nellobia eusoma | 3716 | Neptunea tabulata | 1693 |
| "nelsonae, Maera" | 6272 | "neptunea, Thais" | 1834 |
| Nematoda | 7347 | Neptunus xantusii | 7252 |
| Nemertea | 695 | Nereididae | 4149 |
| Nemertea sp A | 827 | Nereidiformia | 4118 |
| Nemertes gracilis | 779 | Nereidinae | 4150 |
| Nemertopsis actinophila | 776 | Nereiphylla ferruginea Cmplx | 4427 |
| Nemertopsis actinophila | 775 | Nereis (Neanthes) monterea | 4172 |
| Nemertopsis gracilis | 780 | Nereis bicanaliculata | 4174 |
| "(Nemocardium) centifolosum, Cardium" | 3085 | Nereis conchilega | 5031 |
| "(Nemocardium) centifolosum, Laevicardium" | 3087 | Nereis dumerilli | 4175 |
| Nemocardium (Keenaea) centifolosum | 3088 | Nereis dumerilli | 4179 |
| Nemocardium centifolosum | 3082 | Nereis filicornis | 5264 |
| Neoamphitrite robusta | 5023 | Nereis iricolor | 4582 |

INDEX

| | | | |
|---|------|--|------|
| Nereis latescens | 4160 | Nitidiscala hindsii | 1549 |
| Nereis mendociana | 4161 | Nitidiscala indianorum | 1556 |
| Nereis neonigripes | 4162 | "(Nitidiscala) pedroanum, Epitonium" | 1570 |
| Nereis nr procura | 4165 | Nitidiscala sawinae | 1579 |
| Nereis procura | 4166 | Nitidiscala tincta | 1585 |
| Nereis sanguinea | 4524 | "(Nitidiscala) appressicostatum, Epitonium" | 1571 |
| Nereis sp A | 4164 | "(Nitidiscala) fallaciosum, Epitonium" | 1548 |
| Nereis sp B | 4167 | "(Nitidiscala) indianorum, Epitonium" | 1555 |
| Nereis sp SD1 | 4168 | "(Nitidiscala) tintum var bormanni, Epitonium" | 1584 |
| Nereis vexillosa | 4163 | "nitidulum var pacificum, Crystallophrisson" | 904 |
| Nerine cirrata | 5187 | "nitidum, Osteodesma" | 3478 |
| Nerine foliosa occidentalis | 5256 | "nivea var glottidiarum, Crepidula" | 1312 |
| Nerinides acuta | 5260 | "nivea, Crepidula" | 1314 |
| Nerinides maculata | 5268 | "nobilis, Anisodoris" | 2386 |
| Nerinides pigmentata | 5198 | "nobilis, Montereina" | 2385 |
| Nerinides tridentata | 5250 | "nobilis, Peltodoris" | 2384 |
| Nerita affinis | 1391 | "nodiferus, Pisaster ochraceus forma" | 7447 |
| Nerita tuberculata | 1287 | Nodisca spongiosa | 1588 |
| "neritina, Bugula" | 7921 | "(Nodisca) spongiosa, Opalia" | 1593 |
| "neritina, Serularia" | 7922 | "(Nodisca) spongiosum, Epitonium" | 1590 |
| Nerocila acuminata | 6426 | "nodosa, Lovenella" | 271 |
| Nerocila californica | 6427 | "nodosus, Anoplodactylus" | 5384 |
| "nesiotes, Lyonsia" | 3477 | "nodulosa, Campylaspis" | 6743 |
| "nesiotica, Dentiscalia" | 1603 | Nodulus kelseyi | 1383 |
| "nesioticum, Epitonium (Dentiscalia)" | 1604 | Nolella sp | 7843 |
| Netastoma rostrata | 3440 | "nomlandi, Dendrosmilia" | 452 |
| Netastoma rostratum | 3438 | "norissiarum, Garnotia" | 1349 |
| "nettiae, Aplysia" | 2311 | "normani, Anatanius" | 6699 |
| Neverita (Glossaulax) thomsonae | 1406 | "normani, Tanais" | 6698 |
| Neverita alta | 1403 | "normani, Zeuxo" | 6697 |
| Neverita callosa | 1404 | Normania tenuilaminaris | 39 |
| Neverita reclusiana | 1405 | "norrisi, Norrisia" | 1228 |
| "(Neverita) recluzianus, Polinices" | 1408 | "norrisi, Spiophanes" | 5281 |
| "newberryi, Diastylis" | 6783 | "norrisi, Trochiscus" | 1229 |
| "newcombei, Eupagurus (Trigonocheirus)" | 7057 | Norrisia norrisi | 1228 |
| "newcombiiana, Circe (Lioconcha)" | 3333 | "norrisiarum, Crepidula rugosa" | 1350 |
| "newcombianus, Pitar" | 3332 | Northia elegans | 4635 |
| "newcombianus, Pitaria" | 3334 | Northia geophiliformis | 4639 |
| "newportensis, Incisocalliope" | 5954 | Northia iridescentis | 4642 |
| "newportensis, Prionospio heterobranchia" | 5235 | "norvegica groenlandica, Hydroides" | 4782 |
| "nexus, Chiton (Leptochiton)" | 935 | "norvegicus, Deflexilodes" | 6047 |
| "nexus, Lepidopleurus" | 941 | "norvegicus, Monoculodes" | 6049 |
| "nexus, Leptochiton" | 934 | "norvegicus, Oedicerus" | 6048 |
| Nichtina tuberculata | 7870 | "notabilis, Synaptotanais" | 6695 |
| Nicippe tumida | 6090 | Nothria conchylega occidentalis | 4631 |
| Nicolea sp A | 5041 | Nothria elegans | 4636 |
| Nicomache lumbicalis | 3810 | Nothria exigua | 4613 |
| Nicomache personata | 3812 | Nothria geophiliformis | 4640 |
| Nicomachinae | 3809 | Nothria iridescentis | 4643 |
| Nicon moniloceras | 4169 | Nothria iridescentis | 4648 |
| "nidrosiensis, Sosane sulcata" | 4981 | Nothria occidentalis | 4630 |
| "nigra, Golfingia" | 3668 | Nothria pallida | 4646 |
| "nigra, Thysanocardia" | 3663 | Nothria stigmatis | 4624 |
| "nigralba, Malmgenia" | 4063 | Nothria stigmatis paradiopatra | 4609 |
| "nigralba, Malmgreniella" | 4062 | Nothria stigmatus intermedia | 4627 |
| "nigricauda, Crago" | 6960 | "(Nothria) veleronis, Onuphis" | 4626 |
| "nigricauda, Crangon" | 6952 | "nothus, Tubulanus" | 720 |
| "nigricauda, Crangon" | 6959 | "noto, Phascolosoma" | 3637 |
| "nigrifrons, Tetrastemma" | 826 | Notoacmaea depicta | 1096 |
| "nigrocincta, Euborlasia" | 738 | Notocirrus californiensis | 4601 |
| "nigromaculata, Crago" | 6962 | Notocomplana acticola | 605 |
| "nigromaculata, Crangon" | 6961 | Notocomplana rupicola | 607 |
| "nigromaculata, Doridopsis" | 2402 | Notomastus giganteus | 3758 |
| "nigromaculata, Doriopsilla" | 2401 | Notomastus hemipodus | 3760 |
| "nigropunctata, Proceraea" | 4213 | Notomastus latericeus | 3754 |
| "nigrum, Phascolosoma" | 3664 | Notomastus lineatus | 3755 |
| "ninis, Parametopella" | 5983 | Notomastus magnus | 3756 |
| Ninoë fusca | 4531 | Notomastus sp A | 3761 |
| Ninoë palmata | 4559 | Notomastus sp SD2 | 3763 |
| Ninoë sp A | 4561 | Notomastus sp SD3 | 3764 |
| Ninoë tridentata | 4560 | Notomastus tenuis | 3759 |
| Niphates lunisimilis | 130 | Notomastus tenuis | 3762 |
| Niphatidae | 129 | Notophyllinae | 4425 |
| Nipponemertes bimaculata | 799 | Notoplana acticola | 606 |
| Nipponemertes pacificus | 812 | Notoplana iniqua | 620 |
| Nipponemertes punctatulus | 814 | Notoplana rupicola | 608 |
| "nipponica, Syllis (Typosyllis)" | 4304 | Notoplana sp | 599 |
| "nipponica, Typosyllis" | 4303 | "(Notoproctus) pacifica, Lumbriclymene" | 3801 |
| Nipponotrophon lasius | 1893 | Notoproctus pacificus | 3800 |
| Nipponotrophon maltzani | 1894 | Nototanaidae | 6666 |
| Nipponotrophon scitulus | 1889 | Nototropis tridens | 6211 |
| Nipponotrophon subserratus | 1895 | Novafabricia brunnea | 4694 |
| Niso attilioi | 1647 | Novafabricia triangularis | 4696 |
| "nitentior, Cadulus" | 3569 | "novemcostatus, Trigonulina" | 3524 |
| "nitida, Melita" | 6296 | "novemcostatus, Verticordia" | 3525 |
| Nitidella carinata | 1707 | "nubila, Cyclaspis" | 6703 |
| Nitidella gouldii | 1734 | "nubilus, Balanus" | 5459 |
| Nitidella lutulenta | 1735 | Nucella emarginata | 1829 |
| Nitidiscala catalinense | 1541 | Nucella lamellosa | 1831 |
| "(Nitidiscala) contrerasi, Epitonium" | 1546 | Nucella ostrina | 1836 |
| "(Nitidiscala) cooperi, Epitonium" | 1547 | "nuchala, Laonice" | 5188 |
| "(Nitidiscala) eelense, Epitonium" | 1583 | "nuchalis, Polydora" | 5216 |

INDEX

| | | | |
|---|------|---|------|
| Nucinella munita | 2613 | "nybakkeni, <i>Saxicavella</i> " | 3241 |
| Nucula (Ennucula) balboana | 2633 | "nyctea, <i>Archidoris</i> " | 2355 |
| Nucula (Leionucula) leptodonta | 2634 | <i>Nymphon femoratum</i> | 5389 |
| Nucula arctica | 2676 | <i>Nymphon heterodenticulatum</i> | 5367 |
| Nucula bellotti | 2627 | <i>Nymphon pixellae</i> | 5368 |
| Nucula carlottensis | 2635 | <i>Nymphon solitarium</i> | 5369 |
| Nucula castrensis | 2620 | <i>Nymphon variatum</i> | 5370 |
| Nucula divaricata | 2622 | <i>Nymphonidae</i> | 5366 |
| Nucula empirensis | 2623 | <i>Nymphonoidea</i> | 5356 |
| Nucula expansa | 2628 | <i>Nymphopsis spinosissima</i> | 5345 |
| Nucula inflata | 2629 | <i>Nynantheae</i> | 463 |
| Nucula keenae | 2636 | | |
| Nucula lyalli | 2624 | | |
| Nucula petriola | 2614 | | |
| Nucula quirica | 2630 | | |
| Nucula takashii | 2637 | | |
| Nucula tenuis | 2631 | "oaklandense, <i>Corophium</i> " | 5766 |
| Nucula tenuis lucida | 2632 | <i>Obelia dichotoma Cmplx</i> | 259 |
| Nuculana (Thestyleda) hamata | 2649 | <i>Obelia geniculata</i> | 260 |
| Nuculana acuta | 2652 | <i>Obelia sp A</i> | 258 |
| Nuculana burchi | 2653 | "obesa, <i>Florimetus</i> " | 3134 |
| Nuculana caelata | 2658 | "obesa, <i>Leporimetis</i> " | 3130 |
| Nuculana conceptionis | 2641 | "obesa, <i>Odostomia</i> " | 2149 |
| Nuculana elenensis | 2660 | "obesa, <i>Psammotreta</i> " | 3136 |
| Nuculana extenuata | 2644 | "obesa, <i>Tellina</i> " | 3131 |
| Nuculana hamata | 2646 | "obliqua, <i>Clementia</i> " | 3306 |
| Nuculana limata | 2648 | "oblonga, <i>Pleoschisma</i> " | 5535 |
| Nuculana oxia | 2654 | "oblongus, <i>Philomedes</i> " | 5536 |
| Nuculana penderi | 2650 | "oblongus, <i>Zeugophilomedes</i> " | 5534 |
| Nuculana redondoensis | 2655 | "obsoleta, <i>Dallinella</i> " | 7784 |
| Nuculana sp A | 2659 | "obsoleta, <i>Terebratalia</i> " | 7795 |
| Nuculana taphria | 2656 | "obsoleta, <i>Terebratella occidentalis var</i> " | 7788 |
| Nuculanida | 2638 | "obstipa, <i>Balcis (Vitreolina)</i> " | 1667 |
| Nuculanidae | 2639 | "obtusa, <i>Isapis</i> " | 2181 |
| Nuculaninae | 2640 | "obtusa, <i>Iselica</i> " | 2180 |
| Nuculida | 2615 | "obtusa, <i>Orchomene</i> " | 6348 |
| Nuculidae | 2617 | "obtusa, <i>Orchomenopsis</i> " | 6349 |
| Nuculinæ | 2618 | "obtusidens major, <i>Paraphoxus</i> " | 6133 |
| Nuculoidea | 2616 | "obtusidens, <i>Foxiphalus</i> " | 6125 |
| "nuculoides, <i>Donax</i> " | 3123 | "obtusidens, <i>Paraphoxus</i> " | 6127 |
| "nuculoides, <i>Tellina</i> " | 3122 | "obtusidens, <i>Pontharpinia</i> " | 6126 |
| "nuculoides, <i>Tellina (Cadella)</i> " | 3125 | "occator, <i>Paguristes</i> " | 7034 |
| "nuda, <i>Aricia</i> " | 3875 | "occelata, <i>Pseudopotamilla</i> " | 4774 |
| "nuda, <i>Drilonereis</i> " | 4594 | "occidentale, <i>Caecum</i> " | 1452 |
| "nuda, <i>Drilonereis</i> " | 4595 | "occidentale, <i>Chrysopetalum</i> " | 4120 |
| "nuda, <i>Solariella</i> " | 1189 | "occidentalis, <i>Fartulum</i> " | 1451 |
| Nudibranchia | 2347 | "occidentalis Cmplx, <i>Pinnixa</i> " | 7310 |
| Nudipleura | 2332 | "occidentalis var obsoleta, <i>Terebratella</i> " | 7788 |
| "nudum, <i>Tanystylum</i> " | 5353 | "occidentalis, <i>Aclis</i> " | 1676 |
| "nudus, <i>Brachynotus</i> " | 7337 | "occidentalis, <i>Amaea</i> " | 5067 |
| "nudus, <i>Hemigrapsus</i> " | 7335 | "occidentalis, <i>Amaeana</i> " | 5066 |
| "nudus, <i>Heterograpsus</i> " | 7338 | "occidentalis, <i>Amphiodia</i> " | 7511 |
| "nudus, <i>Phylo</i> " | 3874 | "occidentalis, <i>Anchicolurus</i> " | 6776 |
| "nudus, <i>Pseudograpsus</i> " | 7336 | "occidentalis, <i>Anobothrus</i> " | 5009 |
| "nudus, <i>Sipunculus</i> " | 3621 | "occidentalis, <i>Ascorhiza</i> " | 7834 |
| "nudus, <i>Syrinx</i> " | 3627 | "occidentalis, <i>Blepharipoda</i> " | 7128 |
| "nummaria, <i>Crepidula</i> " | 1315 | "occidentalis, <i>Clavopora</i> " | 7833 |
| Nutricola confusa | 3319 | "occidentalis, <i>Cleantiooides</i> " | 6504 |
| Nutricola cymata | 3321 | "occidentalis, <i>Cleantis</i> " | 6505 |
| Nutricola lordi | 3323 | "occidentalis, <i>Clotenia</i> " | 5355 |
| Nutricola ovalis | 3326 | "occidentalis, <i>Colurostylus</i> " | 6777 |
| Nutricola sp SD1 | 3328 | "occidentalis, <i>Crisia</i> " | 7820 |
| Nutricola tantilla | 3329 | "occidentalis, <i>Cryptocelis</i> " | 590 |
| "nuttalli, <i>Ceratostoma</i> " | 1815 | "occidentalis, <i>Cryptopodia</i> " | 7219 |
| "nuttalli, <i>Ceratostoma (Ceratostoma)</i> " | 1817 | "occidentalis, <i>Dallinella</i> " | 7785 |
| "nuttalli, <i>Lucina</i> " | 2938 | "occidentalis, <i>Distaplia</i> " | 7995 |
| "nuttalli, <i>Lucinisa</i> " | 2937 | "occidentalis, <i>Heterocrypta</i> " | 7218 |
| "nuttalli, <i>Murex (Cerostoma)</i> " | 1816 | "occidentalis, <i>Holozoa</i> " | 7997 |
| "nuttalli, <i>Purpura (Purpura)</i> " | 1820 | "occidentalis, <i>Hornellia</i> " | 6302 |
| "nuttalli, <i>Saxidomus</i> " | 3335 | "occidentalis, <i>Hyalopomatopsis</i> " | 4797 |
| "nuttalli, <i>Schizothaerus</i> " | 3385 | "occidentalis, <i>Janira</i> " | 6588 |
| Nuttallia nuttalli | 3176 | "occidentalis, <i>Janiralata</i> " | 6587 |
| "nuttallii albescens, <i>Purpura</i> " | 1818 | "occidentalis, <i>Menipea</i> " | 7913 |
| "nuttallii albofasciata, <i>Purpura</i> " | 1819 | "occidentalis, <i>Metaceradocus</i> " | 6303 |
| "nuttallii Cardium" | 3071 | "occidentalis, <i>Nerine foliosa</i> " | 5256 |
| "nuttallii, <i>Clinocardium</i> " | 3070 | "occidentalis, <i>Nothria</i> " | 4630 |
| "nuttallii, <i>Epialtus</i> " | 7176 | "occidentalis, <i>Nothria conchylega</i> " | 4631 |
| "nuttallii, <i>Epialtus (Antilibinaria)</i> " | 7177 | "occidentalis, <i>Pinnixa</i> " | 7312 |
| "nuttallii, <i>Lucina (Myreta)</i> " | 2940 | "occidentalis, <i>Pinnixa</i> " | 7315 |
| "nuttallii, <i>Lutraria (Cryptodon)</i> " | 3384 | "occidentalis, <i>Pseudochitinopoma</i> " | 4796 |
| "nuttallii, <i>Nuttallia</i> " | 3176 | "occidentalis, <i>Scolelepis (Scolelepis)</i> " | 5255 |
| "nuttallii, <i>Phacoides</i> " | 2939 | "occidentalis, <i>Sosane</i> " | 5008 |
| "nuttallii, <i>Sanguinolaria</i> " | 3177 | "occidentalis, <i>Tanystylum</i> " | 5354 |
| "nuttallii, <i>Schizothaerus</i> " | 3386 | "occidentalis, <i>Terebratalia</i> " | 7782 |
| "nuttallii, <i>Taliepus</i> " | 7175 | "occidentalis, <i>Terebratella</i> " | 7783 |
| "nuttallii, <i>Tresus</i> " | 3383 | "occidentalis, <i>Tricellaria</i> " | 7912 |
| Nuttallina californica | 1033 | "occidentalis, <i>Tubulipora</i> " | 7817 |
| Nuttallina fluxa | 1035 | Oceaniiidae | 239 |
| "nuttingi, <i>Leucilla</i> " | 173 | "ocellata, <i>Ascidia</i> " | 8006 |
| "nuttingi, <i>Rhabdodermella</i> " | 174 | "ocellata, <i>Ciona</i> " | 8008 |
| "nuttingi, <i>Telesto</i> " | 350 | "ocelligera, <i>Aglaja</i> " | 2228 |
| "nuttingi, <i>Turbanilla</i> " | 2172 | "ocelligerum, <i>Doridium</i> " | 2229 |
| | | Ocenebra barbarensis | 1841 |

INDEX

| | | | |
|---|------|---|------|
| Ocenebra beta | 1846 | Odostomia laxa | 2161 |
| Ocenebra crispatissima | 1842 | Odostomia lucca | 2131 |
| Ocenebra foveolata | 1851 | Odostomia montereyensis | 2132 |
| Ocenebra keenae | 1847 | Odostomia obesa | 2149 |
| Ocenebra poulsoni | 1873 | Odostomia oldroydi | 2133 |
| Ocenebrinae | 1804 | Odostomia phanea | 2150 |
| "ochotensis, <i>Pagurus</i> " | 7054 | Odostomia pupiformis | 2119 |
| "ochracea, <i>Acmaea (Collisella) patina</i> var" | 1081 | Odostomia ritteri | 2140 |
| "ochracea, <i>Asterias</i> " | 7443 | Odostomia santarosana | 2151 |
| "ochracea, <i>Collisella</i> " | 1076 | Odostomia sitkaensis | 2152 |
| "ochracea, <i>Collisella</i> " | 1082 | Odostomia socorroensis | 2153 |
| "ochracea, <i>Lottia</i> " | 1077 | Odostomia sp D | 2159 |
| "ochracea, <i>Lottia</i> " | 1080 | Odostomia stephensae | 2154 |
| "ochraceus forma nodiferus, <i>Pisaster</i> " | 7447 | Odostomia straminea | 2155 |
| "ochraceus segnis, <i>Pisaster</i> " | 7448 | Odostomia tenuisculpta | 2141 |
| "ochraceus, <i>Pisaster</i> " | 7442 | Odostomia tillamookensis | 2156 |
| Ocinebrina barbarensis | 1839 | Odostomia valdeni | 2157 |
| Ocinebrina beta | 1844 | Odostomia virginalis | 2158 |
| Ocinebrina circumtexta | 1848 | Odostomiinae | 2117 |
| Ocinebrina foveolata | 1849 | Oedalia (Cooperella) scintillaeformis | 3343 |
| Ocinebrina interfossa | 1855 | Oedalia subdiaphana | 3342 |
| "ociosa, <i>Gammaropsis</i> " | 5888 | Oedalia (Cooperella) scintillaeformis | 3344 |
| "ociosa, <i>Kermesheus</i> " | 5889 | Oediceropsis elsula | 6061 |
| "ociosa, <i>Podoceropsis</i> " | 5890 | Oedicerotidae | 6026 |
| "ockeri, <i>Flabelliderma</i> " | 4941 | Oedicerotoidea | 6025 |
| Ocosingo borlus | 6384 | Oedicerus norvegicus | 6048 |
| Octobrachia | 3600 | Oegopsina | 3593 |
| Octobranchus sp A | 5099 | "oenoa, <i>Mangelia</i> " | 1998 |
| Octocoralia | 344 | Oenonidae | 4579 |
| "octona, <i>Geryonia</i> " | 227 | Oenopota regulus | 2013 |
| "octona, <i>Leuckartiara</i> " | 226 | Oenopotinae | 2012 |
| Octopoda | 3601 | "(Oerstedia) dorsale, <i>Tetrastemma</i> " | 794 |
| Octopodidae | 3606 | Oerstedia dorsalis Cmplx | 791 |
| Octopus bimaculoides | 3607 | "oerstedi, <i>Astropecten</i> " | 7375 |
| Octopus californicus | 3608 | Ogyrides sp A | 6925 |
| Octopus micropyrus | 3610 | Ogyrididae | 6924 |
| Octopus rubescens | 3611 | "okadai, <i>Autolytus (Regulatus)</i> " | 4215 |
| Octopus veliger | 3614 | "okadai, <i>Proceraea</i> " | 4214 |
| "ocularis, <i>Parandalia</i> " | 4188 | "okai, <i>Halocynthia</i> " | 8089 |
| "oculata, <i>Aruga</i> " | 6320 | "okai, <i>Pyura</i> " | 8090 |
| "oculata, <i>Harpina</i> " | 6200 | Okenia angelensis | 2428 |
| "oculata, <i>Levinsenia</i> " | 3958 | Okenia rosacea | 2429 |
| "oculata, <i>Levinsenia</i> " | 3961 | Okenia sp A | 2433 |
| "oculata, <i>Marphydro belli</i> " | 4520 | Okenia vancouverensis | 2431 |
| "oculata, <i>Melinna</i> " | 5015 | "okinoseanum, <i>Phascolosoma</i> " | 3638 |
| "oculata, <i>Paraonis</i> " | 3959 | Olavius tannerensis | 5318 |
| "oculata, <i>Rhachotropis</i> " | 6018 | "oldroydae, <i>Balcis</i> " | 1629 |
| "oculata, <i>Spinosphaera</i> " | 5085 | "oldroydi, <i>Acteocina</i> " | 2265 |
| "oculatus, <i>Allorchestes</i> " | 5666 | "oldroydi, <i>Atrina</i> " | 2788 |
| "oculatus, <i>Amphideutopus</i> " | 5877 | "oldroydi, <i>Babelomurex</i> " | 1795 |
| "oculatus, <i>Chromopleutes</i> " | 5943 | "oldroydi, <i>Cuspidaria (Cardiomya)</i> " | 3509 |
| "oculatus, <i>Heterophoxus</i> " | 6195 | "oldroydi, <i>Hanleyella</i> " | 931 |
| "oculatus, <i>Heterophoxus</i> " | 6198 | "oldroydi, <i>Latiaxis</i> " | 1796 |
| "oculatus, <i>Heterophoxus</i> " | 6199 | "oldroydi, <i>Lepidopleurus (Leptochiton)</i> " | 932 |
| "oculatus, <i>Neopleustes</i> " | 5944 | "oldroydi, <i>Leptochiton</i> " | 933 |
| "oculatus, <i>Paraphoxus</i> " | 6172 | "oldroydi, <i>Melanella (Melanella)</i> " | 1630 |
| "oculatus, <i>Parapleustes</i> " | 5945 | "oldroydi, <i>Odostomia</i> " | 2133 |
| "oculatus, <i>Scyphoproctus</i> " | 3765 | "oldroydi, <i>Vitrinella</i> " | 1488 |
| "oculifera, <i>Plehnia caeca</i> var" | 569 | Oldroydia percrassa | 951 |
| "oculospinus, <i>Anoplodactylus</i> " | 5385 | "(Oldroydia) percrassus, <i>Lepidopleurus</i> " | 952 |
| "odhneri, <i>Archidoris</i> " | 2357 | "oldroydii, <i>Calinaticina</i> " | 1387 |
| "odhneri, <i>Doris</i> " | 2356 | "oldroydii, <i>Eunaticina</i> " | 1389 |
| Odontaster crassus | 7389 | "oldroydii, <i>Sigaretina</i> " | 1388 |
| Odontasteridae | 7388 | Olea hansineensis | 2327 |
| "odontonyx, <i>Podocerus</i> " | 5862 | "algae, <i>Haminoea</i> " | 2210 |
| Odontophora | 7598 | "algae, <i>Myriochela</i> " | 4665 |
| "odontops, <i>Heteromysis</i> " | 5611 | "oliguini, <i>Edwardsia</i> " | 471 |
| Odontosyllis fragilis | 4224 | Oligochaeta | 5304 |
| Odontosyllis phosphorea | 4225 | "oligoglena, <i>Paraplanocera</i> " | 631 |
| Odontosyllis phosphorea nanaimoensis | 4227 | "oligoglenus, <i>Stylochus</i> " | 632 |
| Odontosyllis sp SD1 | 4229 | Olinidiidae | 242 |
| Odontosyllis trilineata | 4228 | Olivella biplicata | 1940 |
| Odostomia (<i>Chrysallida</i>) helga | 2123 | "olivacea, <i>Galvina</i> " | 2535 |
| Odostomia (<i>Chrysallida</i>) oregonensis | 2121 | "olivaceus, <i>Eubranchus</i> " | 2534 |
| Odostomia (<i>Ivara</i>) turricula | 2125 | "olivaceus, <i>Melampus</i> " | 2586 |
| Odostomia (<i>Ividella</i>) navisa | 2127 | "olivaris, <i>Micrura</i> " | 751 |
| Odostomia aequisculpta | 2128 | Olivella angelana | 1941 |
| Odostomia amchitkana | 2142 | Olivella baetica | 1935 |
| Odostomia astricta | 2129 | Olivella biplicata | 1942 |
| Odostomia baranoffensis | 2143 | Olivella biplicata lapillus | 1943 |
| Odostomia canfieldi | 2134 | Olivella diegensis | 1936 |
| Odostomia clementina | 2135 | Olivella fucana | 1945 |
| Odostomia clesseni | 2144 | Olivella intorta | 1948 |
| Odostomia columbiana | 2136 | Olivella mexicana | 1937 |
| Odostomia cooperi | 2130 | Olivella parva | 1944 |
| Odostomia deliciosa | 2145 | Olivella pedroana | 1949 |
| Odostomia eucosmia | 2137 | Olivella porteri | 1938 |
| Odostomia eugena | 2138 | Olivella pycna | 1947 |
| Odostomia gravida | 2139 | Olivellidae | 1933 |
| Odostomia hagemeisteri | 2146 | "oliviae, <i>Aeolidiella</i> " | 2563 |
| Odostomia jewetti | 2147 | "oliviae, <i>Spurilla</i> " | 2564 |
| Odostomia kadiakensis | 2148 | Olividea | 1932 |

INDEX

| | | | |
|--------------------------------------|------|--------------------------------|------|
| Ombellulidae | 382 | Ophioglycera sp | 4333 |
| Ommastrephes tryoni | 3592 | Ophioglypha Luetkenii | 7585 |
| "onagawa, <i>Phascolosoma</i> " | 3673 | Ophioglypha Luetkenii | 7584 |
| Oncidorididae | 2406 | Ophiolepididae | 7561 |
| Oncidoridoidea | 2405 | Ophiolepis annulata | 7565 |
| Oncidoris bilamellata | 2413 | Ophiolepis hispida | 7553 |
| Oncidoris hystrixina | 2412 | Ophiolepis simplex | 7495 |
| Onchesoma sp A | 3678 | Ophiolepis squamata | 7535 |
| Oncoscolex pacificus | 3985 | Ophiolepis triloba | 7566 |
| Oniscidea | 6563 | Ophiomixina | 7482 |
| Oniscoidea | 6564 | Ophiomusium joliense | 7581 |
| "onofrensis, <i>Mysidopsis</i> " | 5646 | Ophiomusium joliensis | 7580 |
| Onuphidae | 4602 | Ophiomyxidae | 7483 |
| Onuphis (<i>Nothria</i>) veleronis | 4626 | Ophionereidae | 7563 |
| Onuphis affinis | 4633 | Ophionereis annulata | 7564 |
| Onuphis elegans | 4634 | Ophionereis diabolensis | 7569 |
| Onuphis eremita parva | 4637 | Ophionereis dictyota | 7567 |
| Onuphis geophiliformis | 4638 | Ophionereis eurybrachiplax | 7570 |
| Onuphis iridescentis | 4641 | Ophionereis eurybrachyplax | 7571 |
| Onuphis litoralis | 4615 | Ophionereis xantusii | 7568 |
| Onuphis longibranchiata | 4604 | Ophiopholis bakeri | 7496 |
| Onuphis multiannulata | 4644 | Ophiopholis longispina | 7497 |
| Onuphis nebulosa | 4617 | Ophiophragmus digitata | 7509 |
| Onuphis pallida | 4645 | Ophiophragmus urtica | 7519 |
| Onuphis parva | 4652 | Ophiophthalmus diplosia | 7490 |
| Onuphis segmentispadix | 4620 | Ophioplocus esmarki | 7562 |
| "Onuphis sp ""intermediates"" " | 4650 | Ophiopsila californica | 7558 |
| Onuphis sp 1 | 4649 | Ophiopteris papillosa | 7559 |
| Onuphis sp A | 4647 | Ophiocolex corynetes | 7484 |
| Onuphis stigmatis | 4623 | Ophiopalma joliense | 7579 |
| Onuphis vexillaria | 4611 | Ophiothrix dumosa | 7556 |
| "(Onychociton) dentiens, Chiton" | 1021 | Ophiothrix spiculata | 7555 |
| "onyx, Crepidula" | 1317 | Ophiotrichidae | 7554 |
| "oonogai, Mya" | 3403 | Ophiura leptocentria | 7582 |
| "opalescens, Doryteuthis" | 3589 | Ophiura luetkenii | 7586 |
| "opalescens, Flabellina" | 2574 | Ophiura luetkenii | 7583 |
| "opalescens, Loligo" | 3590 | Ophiura sarsi | 7587 |
| Opalia (Dentiscala) insculpta | 1608 | Ophiurida | 7486 |
| Opalia (Dentiscala) spongiosa | 1592 | Ophiuriidae | 7577 |
| Opalia (Nodiscala) spongiosa | 1593 | Ophiuroconis bispinosa | 7576 |
| Opalia borealis | 1594 | Ophiuroidea | 7468 |
| Opalia chacei | 1596 | Ophitaspongiinae | 79 |
| Opalia crenimarginata | 1606 | Ophryotrocha sp A | 4497 |
| Opalia evicta | 1613 | Ophryotrocha sp B | 4498 |
| "(Opalia) evictum, Epitonium" | 1612 | Ophryotrocha sp C | 4499 |
| Opalia funiculata | 1600 | Opisa tridentata | 6365 |
| Opalia insculpta | 1607 | Opisidae | 6364 |
| Opalia montereiensis | 1610 | Opistobranchia | 2190 |
| Opalia pluricostata | 1614 | Opistodonta mitchelli | 4230 |
| Opalia retiporosa | 1591 | Opistodonta uraga | 4231 |
| Opalia spongiosa | 1589 | Opisthopus transversus | 7294 |
| "(Opalia) wroblewskii, Epitonium" | 1595 | Opisthosyllis leslieharrisiae | 4282 |
| Opalia wroblewskyi chacei | 1597 | Opistoteuthidae | 3603 |
| "opalina, Arabella" | 4583 | Opistoteuthis sp A | 3604 |
| "opalina, Lumbriconereis" | 4584 | Oplophoridae | 6836 |
| "opata, Pontogeneia" | 6021 | Oplophoroidea | 6835 |
| "opata, Tethygeneia" | 6020 | Oplorhiza gracilis | 336 |
| Ophelia (Thoracophelia) mucronata | 3845 | Oplorhiza polynema | 337 |
| Ophelia assimilis | 3828 | Oppissa stater latifrons | 7627 |
| Ophelia limacina | 3829 | Oradarea longimana | 6005 |
| Ophelia pulchella | 3831 | "oraria, Dodecaseta" | 3744 |
| Opheliidae | 3821 | "orbella, Diplodonta" | 3247 |
| Ophelina acuminata | 3832 | "orbella, Lucina" | 3248 |
| Ophelina agilis | 3823 | "orbella, Tapes staminea var" | 3302 |
| Ophelina farallonensis | 3834 | "orbiculata, Crepidula" | 1332 |
| Ophelina pallida | 3835 | "orbiculata, Crepitatella" | 1331 |
| Ophelina sp SD1 | 3838 | "orbiculata, Lamellaria" | 1507 |
| Ophelina sp SD2 | 3837 | Orbinia johnsoni | 3870 |
| Ophiacantha diplasia | 7489 | Orbinidae | 3847 |
| Ophiacantha phragma | 7491 | Orchostoidea benedict | 5680 |
| Ophiacanthidae | 7488 | Orchostoidea corniculata | 5682 |
| Ophiactidae | 7493 | Orchomene anaquela | 6346 |
| Ophiactis simplex | 7494 | Orchomene anaquelus | 6345 |
| Ophidiasteridae | 7462 | Orchomene decipiens | 6351 |
| Ophiocnida amphacantha | 7544 | Orchomene holmesi | 6353 |
| Ophiocnida hispida | 7552 | Orchomene limodes | 6347 |
| Ophiocoma papillosa | 7560 | Orchomene obtusa | 6348 |
| Ophiocomidae | 7557 | Orchomene pacifica | 6355 |
| Ophiocryptus granulosus | 7575 | Orchomene pacificus | 6356 |
| Ophiocnemis sp | 7578 | Orchomene pinguis | 6359 |
| Ophiocnemis corynetes | 7485 | Orchomenella decipiens | 6350 |
| Ophioderma panamense | 7574 | Orchomenella holmesi | 6352 |
| "ophioderma, Ophiodermella" | 1973 | Orchomenella magdalenensis | 6342 |
| Ophiodermatidae | 7573 | Orchomenella pacifica | 6354 |
| Ophiodermella cancellata | 1959 | Orchomenella pinguis | 6357 |
| Ophiodermella fancherae | 1966 | Orchomenopsis obtusa | 6349 |
| Ophiodermella inermis | 1969 | "orcitti, Caecum" | 1449 |
| Ophiodermella montereiensis | 1972 | "orcitti, Fartulum" | 1450 |
| Ophiodermella ophioderma | 1973 | "orcitti, Sanguinolaria" | 3180 |
| Ophiodromus (Podarke) pugettensis | 4140 | "oregonense, Caecum" | 1459 |
| Ophiodromus pugettensis | 4138 | "oregonense, Gnorimosphaeroma" | 6543 |
| Ophiodromus pugettensis | 4141 | "oregonense, Micranellum" | 1466 |

INDEX

| | | | |
|---|------|--|------|
| "oregonensis, Boonea" | 2120 | P | |
| "oregonensis, Brachynotus" | 7341 | "Pachastrellidae" | 37 |
| "oregonensis, Cancer" | 7231 | "pachycera, Myrianda" | 4210 |
| "oregonensis, Glebocarcinus" | 7230 | Pachycerianthus fimbriatus | 430 |
| "oregonensis, Hemigrapsus" | 7339 | Pachycerianthus torreyi | 431 |
| "oregonensis, Odostomia (Chrysallida)" | 2121 | "pachycerus, Autolytus" | 4211 |
| "oregonensis, Pseudograpsus" | 7340 | Pachycheles holosericus | 7101 |
| "oregonensis, Sphaeroma" | 6544 | Pachycheles pubescens | 7102 |
| "oregonensis, Trichocera" | 7232 | Pachycheles rufus | 7103 |
| Oregonidae | 7214 | Pachycheles sp SD1 | 6367 |
| "orientalis, Saxicava" | 3225 | Pachygrapsus crassipes | 7328 |
| "originali, Axiochelita" | 78 | Pachynidae | 6366 |
| "originalis, Clathria (Thalysias)" | 76 | Pachynus barnardi | 6368 |
| "originalis, Esperiopsis" | 77 | Pachyegmentaria | 883 |
| "ornata, Diopatra" | 4603 | Pachythyonne rubra | 7656 |
| "ornata, Ilia" | 7159 | Pacifacanthomysis nephrophthalma | 5635 |
| "ornata, Randallia" | 7158 | "pacifica, Abarenicola" | 3729 |
| "ornata, Verticordia" | 3527 | "pacifica, Acetes" | 4002 |
| "ornatissimus, Astropecten" | 7378 | "pacifica, Aedicira" | 3919 |
| "ornatissimus, Astropecten (Braziliensis)" | 7379 | "pacifica, Ampelisca" | 6241 |
| "ornatus, Apistobranchus" | 5107 | "pacifica, Anamixis" | 5961 |
| "ornatus, Petaloprocus" | 3815 | "pacifica, Ancula" | 2426 |
| Orobittella bakeri | 3029 | "pacifica, Aricidea (Aedicira)" | 3918 |
| Orobittella californica | 3025 | "pacifica, Balticina" | 393 |
| Oropallene heterodonta | 5361 | "pacifica, Brissopsis" | 7634 |
| Oropallene palpida | 5359 | "pacifica, Bugula" | 7923 |
| Orthasterias (Stylasterias) gonolena | 7428 | "pacifica, Callipallene" | 5364 |
| Orthasterias dawsoni | 7427 | "pacifica, Caullierella" | 4859 |
| Orthasterias forsteri | 7456 | "pacifica, Caullierella viridis var" | 4860 |
| Orthasterias forsteri forcipulata | 7457 | "pacifica, Corambe" | 2416 |
| Orthasterias koehleri | 7431 | "pacifica, Epileucon" | 6722 |
| Orthasterias leptolena | 7458 | "pacifica, Eteone" | 4391 |
| Orthogastropoda | 1101 | "pacifica, Eudorella" | 6717 |
| Orthopagurus minimus | 7046 | "pacifica, Kleinia" | 7636 |
| Orthopagurus schmitti | 7038 | "pacifica, Leucothoides" | 5962 |
| Orthopyxis everta | 262 | "pacifica, Lumbrichymene (Notoproctus)" | 3801 |
| "orthosymmetrica, Turritella" | 1291 | "pacifica, Macrocyprina" | 5564 |
| "osborni, Polycheria" | 6215 | "pacifica, Malletia" | 2665 |
| "osseum, Scalpellum" | 5429 | "pacifica, Orchomene" | 6355 |
| "osseum, Scalpellum californicum" | 5428 | "pacifica, Orchomenella" | 6354 |
| Osteodesma nitidum | 3478 | "pacifica, Oxyurostylis" | 6800 |
| Ostracoda | 5495 | "pacifica, Pallene" | 5365 |
| Ostracoda sp SD1 | 5528 | "pacifica, Panthalis" | 4003 |
| Ostracoda sp SD2 | 5519 | "pacifica, Pasiphaea" | 6833 |
| Ostracoda sp SD3 | 5546 | "pacifica, Pelia" | 7190 |
| Ostrea conchaphila | 2808 | "pacifica, Petaloclymene" | 3794 |
| Ostrea lurida | 2807 | "pacifica, Phidolopora" | 7966 |
| Ostreida | 2801 | "pacifica, Praxillella" | 3797 |
| Ostreidae | 2803 | "pacifica, Psammobia" | 3175 |
| Ostreinae | 2804 | "pacifica, Rossia" | 3584 |
| Ostreini | 2805 | "pacifica, Saxicavella" | 3243 |
| Ostroidea | 2802 | "pacifica, Sirilla" | 5598 |
| "ostrina, Nucella" | 1836 | "pacifica, Streblosomal" | 5087 |
| "ostrina, Purpura" | 1837 | "pacifica, Trigonulina" | 3526 |
| "(Otohelicophora) spiralis, Otothyphlonemertes" | 789 | "pacifica, Vaunthompsonia" | 6713 |
| Otothyphlonemertes (Otohelicophora) spiralis | 789 | Pacificides psammophilus | 694 |
| Otothyphlonemertes spiralis | 788 | "pacificum, Chaetoderma" | 903 |
| Otothyphlonemertidae | 787 | "pacificum, Crystallophrisson nitidulum var" | 904 |
| "(Oudardia) buttoni, Tellina" | 3120 | "pacificum, Dacrydium" | 2742 |
| "(Oudardia) modesta, Tellina" | 3121 | "pacificum, Gastropteron" | 2280 |
| "ovalina, Mactra" | 3373 | "pacificus, Amphiduros" | 4125 |
| "ovalis, Nutricola" | 3326 | "pacificus, Amphiporus" | 813 |
| "ovalis, Psephidia" | 3327 | "pacificus, Anoplodactylus" | 5386 |
| "ovoida, Bathypera" | 8074 | "pacificus, Balanus" | 5469 |
| "ovoida, Halomolgula" | 8075 | "pacificus, Balanus concavus" | 5468 |
| "ovoidea, Chaceia" | 3443 | "pacificus, Heterodonax" | 3174 |
| "ovoidea, Iselica" | 2182 | "pacificus, Hyboscolex" | 3983 |
| "ovoidea, Narica" | 2183 | "pacificus, Hydroides" | 4792 |
| "ovoidea, Pholas" | 3444 | "pacificus, Nipponemertes" | 812 |
| "ovoidea, Sphenia" | 3406 | "pacificus, Notoproctus" | 3800 |
| Ovula (Simnia) deflexa var barbarensis | 1364 | "pacificus, Oncoscolex" | 3985 |
| Ovula loebbeckeana | 1370 | "pacificus, Orchomene" | 6356 |
| Ovulidae | 1356 | "pacificus, Paraconcavus" | 5467 |
| Ovulinæ | 1357 | "pacificus, Sclerocheilus" | 3984 |
| Ovulum aequale | 1359 | "pacificus, Toxobrissus" | 7635 |
| Ovulum vidleri | 1361 | Pacifoculodes barnardi | 6062 |
| Owenia collaris | 4670 | "pacilis, Anomia" | 2889 |
| Owenia collaris | 4672 | Paedaridium breve | 5827 |
| Owenia fusiformis | 4673 | "paganicum, Bittium (Stylium)" | 1267 |
| Owenia fusiformis collaris | 4671 | "paganicum, Lirobitium" | 1265 |
| Owenia johnsoni | 4674 | "paganicum, Stylium" | 1266 |
| Oweniidae | 4660 | Paguridae | 7035 |
| "oxia, Nuculana" | 2654 | Paguristes bakeri | 7028 |
| "oxybasis, Solariella" | 1148 | Paguristes occator | 7034 |
| "oxycephala, Glyceria" | 4322 | Paguristes parvus | 7029 |
| Oxydromus arenicolus glabrus | 4143 | Paguristes turgidus | 7030 |
| Oxydromus brunnea | 4127 | Paguristes ulreyi | 7033 |
| Oxyurostylis pacifica | 6800 | Paguroidea | 7024 |
| Oxyurostylis tertia | 6801 | Pagurus (Trigonocheirus) granosimanus | 7060 |
| | | Pagurus (Trigonocheirus) minimus | 7047 |

INDEX

| | | | |
|--|------|---|------|
| Pagurus (<i>Trigonocheirus</i>) samuelis | 7070 | Pandora (<i>Heteroclidus</i>) punctata | 3454 |
| Pagurus (<i>Trigonocheirus</i>) tanneri | 7075 | Pandora (<i>Heteroclidus</i>) punctata gabbi | 3455 |
| Pagurus armatus | 7050 | Pandora (<i>Kennerlia</i>) bicarinata | 3458 |
| Pagurus beringanus | 7055 | Pandora (<i>Kennerlia</i>) filosa | 3463 |
| Pagurus californiensis | 7082 | Pandora (<i>Kennerlia</i>) pseudobilirata | 3459 |
| Pagurus granosimanus | 7058 | Pandora (<i>Pandorella</i>) bilirata | 3460 |
| Pagurus hartae | 7061 | Pandora (<i>Pandorella</i>) filosa | 3464 |
| Pagurus ochoensis | 7054 | Pandora bilirata | 3456 |
| Pagurus quaylei | 7063 | Pandora delicatula | 3457 |
| Pagurus redondoensis | 7064 | Pandora filosa | 3461 |
| Pagurus retrorsimanus | 7066 | Pandora punctata | 3452 |
| Pagurus samuelis | 7068 | "(<i>Pandorella</i>) bilirata, <i>Pandora</i> " | 3460 |
| Pagurus sp 1 | 7072 | "(<i>Pandorella</i>) filosa, <i>Pandora</i> " | 3464 |
| Pagurus sp 2 | 7067 | Pandoridae | 3450 |
| Pagurus sp 3 | 7065 | Pandoroidea | 3449 |
| Pagurus sp 4 | 7076 | "panicea, <i>Halichondria</i> " | 117 |
| Pagurus spilocarpus | 7071 | "panicea, <i>Spongia</i> " | 118 |
| Pagurus tanneri | 7073 | Pannychia moseleyi | 7716 |
| "painei, <i>Actaeon</i> (<i>Rictaxis</i>)" | 2102 | Pannychia moseleyi var henrici | 7718 |
| "painei, <i>Rictaxis</i> " | 2101 | Pannychia pallida | 7719 |
| Palaemon macrodactylus | 6840 | "(<i>Panomya</i>) vaskuchevskensis, <i>Panope</i> " | 3240 |
| Palaemonidae | 6839 | Panopaea fragilis | 3232 |
| Palaemonoidea | 6838 | Panopaea generosa | 3231 |
| Palaemonella holmesi | 6841 | Panopaea generosa saginata | 3233 |
| Palaeonemertea | 700 | Panope (<i>Panomya</i>) vaskuchevskensis | 3240 |
| Palaeonemertea sp A | 729 | Panope generosa | 3236 |
| Palaeonemertea sp B | 704 | Panope generosa taeniata | 3237 |
| Palaeonemertea sp C | 727 | Panope japonica | 3238 |
| Paleanotus bellis | 4121 | Panope tenuis | 3239 |
| Paleanotus chrysolepis | 4123 | Panopea abrupta | 3234 |
| Paleopneustina | 7623 | Panopea generosa | 3230 |
| Palicidae | 7321 | Panopea generosa solida | 3235 |
| Palicoidea | 7320 | Panopeidae | 7254 |
| Palicus cortezi | 7322 | Panopeinæ | 7255 |
| Palicus lucasii | 7324 | Panoploea (?) hedgpethi | 5993 |
| Palinuridae | 7018 | Panoploea rickettsi | 5996 |
| Palinuroidea | 7017 | Panthalis mortenseni | 4001 |
| Pallene californiensis | 5363 | Panthalis pacifica | 4003 |
| Pallene pacifica | 5365 | Panthalis panamensis | 4005 |
| "pallescens, <i>Glyphanostomum</i> " | 4986 | Pantomus affinis | 6942 |
| "pallescens, <i>Samytha</i> " | 4987 | Panulirus interruptus | 7019 |
| "palilda, <i>Ammotrypane</i> " | 3836 | Paphia (<i>Protothaca</i>) staminea laciniata | 3294 |
| "palilda, <i>Nothria</i> " | 4646 | Paphia (<i>Protothaca</i>) staminea var laciniata | 3293 |
| "palilda, <i>Onuphis</i> " | 4645 | Paphia (<i>Protothaca</i>) staminea var orbella | 3299 |
| "palilda, <i>Ophelina</i> " | 3835 | Paphia (<i>Protothaca</i>) tenerima | 3271 |
| "palilda, <i>Pannychia</i> " | 7719 | Paphia staminea laciniata | 3292 |
| "palilda, <i>Parasabella</i> " | 4766 | Paphia tenerima | 3270 |
| "palidulum, <i>Amygdalum</i> " | 2757 | "papillata, <i>Campylaspis</i> " | 6744 |
| "palidulus, <i>Modiolus</i> " | 2759 | "papillata, <i>Pherusa</i> " | 4949 |
| "palidus, <i>Demonax</i> " | 4768 | "papillata, <i>Trophonia</i> " | 4950 |
| "palma, <i>Corymorpha</i> " | 193 | "papillifer, <i>Sphaerodorum</i> " | 4470 |
| "palmata, <i>Anguinella</i> " | 7842 | "papillosa, <i>Aeolidia</i> " | 2558 |
| "palmata, <i>Ninoe</i> " | 4559 | "papillosa, <i>Flabelliderma</i> " | 4940 |
| "palmeri, <i>Glostidium</i> " | 7757 | "papillosa, <i>Ophiocoma</i> " | 7560 |
| "palmulatus mirabilis, <i>Callistochiton</i> " | 968 | "papillosa, <i>Ophioperis</i> " | 7559 |
| "palmulatus, <i>Callistochiton</i> " | 964 | "papillosa, <i>Phyllocte</i> " | 4445 |
| Palola paloloides | 4527 | "papillosa, <i>Phyllodocida</i> (<i>Anaitides</i>)" | 4444 |
| "palolooides, <i>Eunice</i> (<i>Eriphyte</i>)" | 4528 | "papillosus, <i>Limax</i> " | 2559 |
| "palolooides, <i>Palola</i> " | 4527 | "papulosa, <i>Asterias</i> (<i>Pisaster</i>)" | 7436 |
| Palpata | 3993 | "papulosus, <i>Pisaster</i> " | 7437 |
| "palpator, <i>Heptacarpus</i> " | 6880 | Papyrula saccharis | 30 |
| "palpator, <i>Hippolyte</i> " | 6881 | Paracaprella sp SD1 | 5818 |
| "palpator, <i>Spirontocaris</i> " | 6882 | Paracaudina chilensis | 7737 |
| "palpida, <i>Anoropallene</i> " | 5358 | Paracerceis cordata | 6545 |
| "palpida, <i>Oropallene</i> " | 5359 | Paracerceis sculpta | 6548 |
| Paludestrina imitator | 1471 | Paracerceis sp A | 6550 |
| "paludicola, <i>Heptacarpus</i> " | 6883 | Paraconcavus pacificus | 5467 |
| "panamense, <i>Ophioderma</i> " | 7574 | Paractis vinosa | 531 |
| "panamensis, <i>Ambidexter</i> " | 6928 | Paracyathus caltha | 457 |
| "panamensis, <i>Antisabia</i> " | 1500 | Paracyathus stearnsii | 456 |
| "panamensis, <i>Haploscoloplos</i> " | 3850 | Paracyathus tiburonensis | 458 |
| "panamensis, <i>Hipponix</i> " | 1501 | Paradella dianae | 6551 |
| "panamensis, <i>Leitoscoloplos</i> " | 3849 | Paradexamine sp SD1 | 6214 |
| "panamensis, <i>Limopsis</i> " | 2705 | Paradialychone bimaculata | 4751 |
| "panamensis, <i>Panthalis</i> " | 4005 | Paradialychone ecaudata | 4754 |
| "panamensis, <i>Polyodontes</i> " | 4004 | Paradialychone eiffelturris | 4758 |
| "panamensis, <i>Solemya</i> " | 2608 | Paradialychone harrisiae | 4761 |
| "panamica, <i>Volvella</i> " | 2296 | Paradialychone paramollis | 4763 |
| "panamicus, <i>Rhizorus</i> " | 2297 | Paradiopatra parva | 4651 |
| Pandalidae | 6931 | "paradiopatra, <i>Kinbergiophis</i> " | 4608 |
| Pandaloidea | 6930 | "paradiopatra, <i>Nothria stigmatis</i> " | 4609 |
| Pandalopsis ampla | 6932 | Paradoneis eliasoni | 3963 |
| Pandalus danae | 6933 | Paradoneis lyra | 3966 |
| Pandalus franciscorum | 6934 | Paradoneis sp SD1 | 3972 |
| Pandalus gurneyi | 6935 | Paradoneis spinifera | 3969 |
| Pandalus jordani | 6936 | Paraehleria articulata | 4233 |
| Pandalus montagui | 6940 | Paraeupholoe fimbriata | 4092 |
| Pandalus montagui tridens | 6941 | Paraexogone acutipalpa | 4259 |
| Pandalus platyceros | 6937 | Paraexogone breviseta | 4261 |
| Pandalus pubescens | 6938 | Paraexogone brunnea | 4264 |
| Pandalus tridens | 6939 | Paraexogone molesta | 4266 |
| Pandeidae | 223 | Paragrubia uncinata | 5736 |

INDEX

| | | | |
|--------------------------------------|------|---|------|
| Parajassa angularis | 5872 | "parapodema, Cuspidaria" | 3513 |
| Paraleptognathia bisetulosa | 6650 | Parapronospio alata | 5200 |
| Paralithodes californiensis | 7119 | Parapronospio pinnata | 5202 |
| Paralithodes rathbuni | 7121 | Parapseudes pedispinis | 6643 |
| "parallelia, Volvarina" | 1903 | Parapseudidae | 6642 |
| Parallorchestes cowani | 5673 | Parasabella nr rugosa | 4769 |
| Paralysippe annectens | 4998 | Parasabella pallida | 4766 |
| Paramage scutata | 5000 | Parasabella sp 1 | 4770 |
| Paramblyops sp SMB1 | 5605 | "(Parascolepis) texana, Scolelepis" | 5251 |
| Parametaphoxus fultoni | 6181 | "(Parascolepis) tridentata, Scolelepis" | 5249 |
| Parametaphoxus quaylei | 6182 | "parasiticum, Monobrachium" | 244 |
| Parametaphoxus sp 1 | 6180 | "parasitum, Monobrachium" | 243 |
| Parametopella ninis | 5983 | Parasmittina californica | 7948 |
| Paramicrodeutopus schmitti | 5709 | Parasmittina trispinosa | 7950 |
| "paramollis, Chone" | 4764 | Parasmittina tubulata | 7951 |
| "paramollis, Paradialychone" | 4763 | "paraspinulosa, Diastylis" | 6789 |
| Paramphithoe bairdi | 5952 | Parasquillidae | 5581 |
| Paramunna quadratifrons | 6622 | Parasquilloidea | 5580 |
| Paramunna sp SD1 | 6623 | Parastenella doederleini | 373 |
| Paramunnidae | 6616 | Parastenella ramosa | 371 |
| Paramya sp A | 3242 | Parasterope barnesi | 5513 |
| Paranaitis polynoides | 4430 | Parasterope hulingsi | 5511 |
| "(Paranaitis) polynoides, Phylodoce" | 4432 | Parastichopus californicus | 7702 |
| Paranaitis sp SD1 | 4433 | Parastichopus leucothele | 7706 |
| Parandalia fauvelli | 4186 | Parastichopus parvimensis | 7707 |
| Parandalia ocularis | 4188 | Parastichopus sp A | 7709 |
| Paranemertes californica | 781 | Parastichopus sp A | 7710 |
| Paranemertes californica | 786 | Paratanaidae | 6654 |
| Paranemertes peregrina | 784 | Paratanaidae sp A | 6656 |
| Paranemertes sp A | 783 | Paratanais intermedius | 6655 |
| Paranemertes sp B | 785 | Paratanaoidea | 6646 |
| Paraninoe fusca | 4532 | Paraxanthias taylori | 7277 |
| "paranormani, Zeuxo" | 6700 | "(Paraxius) spinulicauda, Axius" | 7002 |
| Paranothria sp A | 4632 | "parcipcta, Gibbula" | 1166 |
| Paranthora elegans | 6472 | "parcipcta, Lirularia" | 1165 |
| Paranthuridae | 6469 | "parcipcta, Margarites (Lirularia)" | 1167 |
| Paraonella platybranchia | 3975 | "parcipctus, Margarites" | 1168 |
| Paraonidae | 3880 | "parcipctus, Margarites (Pupillaria)" | 1169 |
| "(Paraonides) gracilis, Paraonis" | 3950 | "pardalis, Micrura" | 752 |
| "(Paraonides) lyra, Paraonis" | 3965 | Pardalisca tenuipes | 6091 |
| "(Paraonides) lyra, Paraonis" | 3967 | Pardalisella symmetrica | 6092 |
| Paraonides platybranchia | 3973 | Pardaliscidae | 6087 |
| "(Paraonis) gracilis, Paraonis" | 3951 | Pardaliscoidea | 6086 |
| "(Paraonis) ivanovi, Paraonis" | 3949 | Pardisynopia synopiae | 6089 |
| Paraonis (Paraonides) lyra | 3967 | "pardus, Jorunna" | 2383 |
| Paraonis (Paraonides) gracilis | 3950 | Paresperella psila | 109 |
| Paraonis (Paraonides) lyra | 3965 | Parerythroc californica | 4474 |
| Paraonis (Paraonides) gracilis | 3951 | Parharpiniiae | 6164 |
| Paraonis (Paraonides) ivanovi | 3949 | Parhyalella sp | 5663 |
| Paraonis filiformis | 3952 | "parilis, Felaniella" | 3253 |
| Paraonis gracilis minuta | 3953 | Pariphinotus escabrosus | 5655 |
| Paraonis multibranchiata | 3956 | "pariter, Lysianassa" | 6328 |
| Paraonis oculata | 3959 | "pariter, Macronassa" | 6327 |
| Paraonis platybranchia | 3974 | "parkeri, Bathydrilus" | 5314 |
| Paraonis spinifera | 3970 | "(Parexogone) molesta, Exogone" | 4268 |
| Parapaguridae | 7086 | Paromola faxoni | 7142 |
| Parapagurodes hartae | 7062 | Paronella spinifera | 3971 |
| Parapagurodes laurentae | 7077 | Parougia caeca | 4500 |
| Parapagurodes makarovi | 7078 | "parthena, Clathria (Microciona)" | 70 |
| Parapagurus benedicti | 7087 | "parthena, Microciona" | 71 |
| Parapagurus haigae | 7089 | Parthenope serrata | 4927 |
| Parapagurus minimus | 7048 | Parthenopidae | 7217 |
| "parapectinatus, Tubificoides" | 5323 | Parthenopoidea | 7216 |
| Parapholoe tuberculata | 4093 | "partita, Styela" | 8039 |
| Paraphoxus abronius | 6139 | "parva, Barentsia" | 868 |
| Paraphoxus bicuspidatus | 6141 | "parva, Gonypodaria" | 869 |
| Paraphoxus cognatus | 6123 | "parva, Nephtys" | 4362 |
| Paraphoxus daboios | 6143 | "parva, Olivella" | 1944 |
| Paraphoxus epistomus | 6152 | "parva, Onuphis" | 4652 |
| Paraphoxus fatigans | 6145 | "parva, Onuphis eremita" | 4637 |
| Paraphoxus heterocrepidatus | 6147 | "parva, Paradiopatra" | 4651 |
| Paraphoxus homilis | 6176 | "parva, Sarsonuphis" | 4653 |
| Paraphoxus jonesi | 6137 | Parvamplustrum sp | 2112 |
| Paraphoxus lucubrans | 6150 | Parvamplustrum sp A | 2110 |
| Paraphoxus obtusidens | 6127 | Parvamplustrum sp B | 2113 |
| Paraphoxus obtusidens major | 6133 | "parvidons, Photis" | 5913 |
| Paraphoxus oculatus | 6172 | "(Parvilicina) approximata, Phacoides" | 2946 |
| Paraphoxus robustus | 6166 | Parvilicina tenuisculpta | 2941 |
| Paraphoxus similis | 6129 | "(Parvilicina) tenuisculpta, Lucina" | 2944 |
| Paraphoxus sp 1 | 6171 | "(Parvilicina) tenuisculpta, Phacoides" | 2947 |
| Paraphoxus spinosus | 6170 | "parvimensis, Parastichopus" | 7707 |
| Paraphoxus stenodes | 6155 | "parvimensis, Stichopus" | 7708 |
| Paraphoxus tridentatus | 6158 | Parviplana californica | 609 |
| Paraphoxus variatus | 6160 | "parvum, Phoxichilidium" | 5390 |
| Paraplanocera oligoglena | 631 | "parvus, Paguristes" | 7029 |
| Parapleustes behningi | 5958 | Parypha crocea | 200 |
| Parapleustes den | 5947 | Pasiphaea pacifica | 6833 |
| Parapleustes nautilus | 5957 | Pasiphaea tarda | 6834 |
| Parapleustes oculatus | 5945 | Pasiphaeidae | 6832 |
| Parapleustes pugettensis | 5949 | Pasiphaeoidea | 6831 |
| Parapleustes pugettensis | 5955 | "patagonicus, Ceramaster" | 7393 |
| Parapleustinae | 5942 | Patella (Nacella) instabilis | 1075 |

INDEX

| | | | |
|--|------|---|------|
| Patella aculeata | 1300 | "pedroana, Mysella" | 3006 |
| Patella fornicata | 1310 | "pedroana, Olivella" | 1949 |
| Patella peziza | 1339 | "pedroana, Petricola" | 3351 |
| Patella scabra | 1090 | "pedroana, Rochefortia" | 3007 |
| Patellogastropoda | 1066 | "pedroana, Terebra" | 2036 |
| Patelloida depicta | 1095 | "pedroana, Terebra albocincta var" | 2037 |
| "paternalis, Mya" | 3402 | "pedroana, Terebra (Strioterebrum)" | 2040 |
| "patina var ochracea, Acmaea (Collisella)" | 1081 | "pedroanum, Epitonium (Nitidiscala)" | 1570 |
| Patiria miniata | 7398 | "pedroanus var vancouverensis, Pecten (Pseudamusium)" | 2830 |
| "patula, Chapperia" | 7890 | "pedroense, Caecum" | 1460 |
| "patula, Chapperiopsis" | 7887 | Pedunculata | 5414 |
| "patula, Membranipora" | 7888 | Pegmata | 5327 |
| "patulum, Amphiblestrum" | 7889 | Peisidice aspera | 4091 |
| "paucibranchiata, Polydora" | 5244 | Peisidice tuberculata | 4094 |
| "paucibranchiata, Pseudopolydora" | 5243 | "pelagops, Ischyrocerus" | 5855 |
| "paucilamellata, Aglaophamus" | 4353 | Pelia clausa | 7189 |
| "paucispina, Asterias" | 7435 | Pelia pacifica | 7190 |
| "paucispina, Pisaster" | 7438 | Pelia tumida | 7187 |
| "pauperata, Argeia" | 6449 | Peliciidae | 1381 |
| "pavlenkoi, Phascolosoma" | 3674 | "pellucida, Carinella" | 716 |
| Pavonaria californica | 392 | "pellucida, Chama" | 3259 |
| Paxillosida | 7364 | "pellucida, Diastylis" | 6785 |
| "paziana, Tellina (Moerella)" | 3113 | "pellucida, Golfingia" | 3657 |
| Peachia quinquecapitata | 494 | "pellucidum, Nephasona" | 3653 |
| Pecten (Aequipecten) gibbus var circularis | 2843 | "pellucidum, Phascolosoma" | 3654 |
| Pecten (Aequipecten) latiauratus | 2872 | "pellucidus, Zoobotryon" | 7851 |
| Pecten (Argus) circularis | 2844 | "pelodes, Listriolobus" | 3721 |
| Pecten (Argus) ventricosus | 2845 | Pelogenia fimbriata | 4100 |
| Pecten (Chlamys) circularis | 2846 | "pelta, Acmaea" | 1084 |
| Pecten (Chlamys) hastatus | 2858 | "pelta, Collisella" | 1085 |
| Pecten (Chlamys) latiauritus var delosi | 2873 | "pelta, Lottia" | 1083 |
| Pecten (Chlamys) multirugosus | 2866 | Peltodoris nobilis | 2384 |
| Pecten (Cyclopecten) catalinenensis | 2879 | "peltoides, Nacella" | 2594 |
| Pecten (Delectopecten) vancouverensis | 2827 | "peltoides, Williamia" | 2593 |
| Pecten (Dentipecten) circularis | 2847 | "peltoidesvar vernalis, Liriola" | 2595 |
| Pecten (Janira) floridus | 2818 | Pelycidion kelseyi | 1382 |
| Pecten (Janira) steamsii var diegensis | 2819 | Penaeidae | 6812 |
| Pecten (Leptopecten) latiauratus | 2874 | Penaeoidea | 6807 |
| Pecten (Pecten) diegensis | 2814 | Penaeus brasiliensis | 6815 |
| Pecten (Pecten) multirugosus | 2867 | Penaeus brevirostris | 6816 |
| Pecten (Plagioctenium) latiauratum | 2875 | Penaeus californiensis | 6814 |
| Pecten (Plagioctenium) ventricosus | 2848 | "penantis var natalensis, Caprella" | 5805 |
| Pecten (Pseudamusium) pedroanus var vancouverensis | 2830 | "penantis, Caprella" | 5804 |
| Pecten (Pseudamusium) alaskense | 2828 | "penantis, Caprella" | 5806 |
| Pecten (Pseudamusium) arces | 2829 | Penares saccharis | 29 |
| Pecten (Pseudamusium) vancouverensis | 2823 | Penatula tenua | 422 |
| Pecten (Vola) floridus | 2820 | "penderi, Leda" | 2651 |
| Pecten altiplectus | 2853 | "penderi, Nuculana" | 2650 |
| Pecten altiplicatus | 2854 | "penicillata, ? Anachis" | 1741 |
| Pecten denticulatus | 2856 | "penicillata, Anachis (Chauvetia)" | 1742 |
| "(Pecten) diegensis, Pecten" | 2814 | "penicillata, Columbella (Anachis)" | 1743 |
| Pecten diegoensis | 2816 | "penicillata, Columbella (Seminella)" | 1744 |
| Pecten filiextus | 2840 | "penicillata, Decipifus" | 1740 |
| Pecten filiextus | 2841 | "penicillata, Drilia" | 2030 |
| Pecten floridus | 2817 | "penicillata, Nassarina" | 1745 |
| Pecten hastatus | 2850 | "penicillata, Pseudomelatoma" | 2029 |
| Pecten inca | 2839 | "penicillata, Sicyonia" | 6823 |
| Pecten islandicus pugetensis | 2855 | "penicillata var semiinflata, Pseudomelatoma" | 2072 |
| Pecten latiauratus | 2869 | "penicillatus, Persephonaster" | 7384 |
| Pecten latiauritus | 2870 | "penicillatus, Thrissacanthias" | 7383 |
| Pecten monotimeris | 2871 | Pennariidae | 209 |
| "(Pecten) multirugosus, Pecten" | 2867 | "pennata, Clathria (Microciona)" | 72 |
| Pecten randolphi | 2826 | "pennata, Desmacella" | 73 |
| Pecten rastellinum | 2857 | Pennatula aculeata | 415 |
| Pecten tumidus | 2842 | Pennatula californica | 414 |
| Pecten ventricosus | 2833 | Pennatula phosphorea var californica | 416 |
| Pectinaria californiensis | 5017 | Pennatulacea | 374 |
| Pectinaria granulata | 5018 | Pennatulidae | 413 |
| Pectinariidae | 5016 | "pentacantha, Amphiacantha" | 7546 |
| "pectinata, Arabella" | 4585 | "pentacantha, Amphilimina" | 7547 |
| "pectinata, Cardiomya" | 3502 | Pentacta piperata | 7690 |
| "pectinata, Cuspidaria" | 3508 | Pentacta populifera | 7670 |
| "pectinata, Cuspidaria (Cardiomya)" | 3510 | Pentactinia californica | 487 |
| "pectinata, Neaera" | 3503 | Pentameria charlottae | 7664 |
| Pectinidae | 2810 | Pentameria lissoplaca | 7665 |
| Pectininae | 2811 | Pentameria pediparva | 7667 |
| Pectinini | 2812 | Pentameria populifera | 7669 |
| Pectinoidea | 2809 | Pentameria pseudocalcigera | 7675 |
| Pectinophelia dillonensis | 3842 | Pentameria pseudopopulifera | 7677 |
| "pectinulata, Lepidozona" | 975 | Pentameria rigida | 7678 |
| "pectinulatus, Lepidopleurus" | 976 | Pentameria sp A | 7679 |
| Pectunculus septentrionalis | 2699 | Pentameria sp B | 7668 |
| "pedernalense, Laevicardium" | 3081 | Pentameria sp C | 7682 |
| Pedicellina australis | 867 | Pentameria trachyplaca | 7680 |
| Pedicellina benedeni | 856 | Pentidotea aculeata | 6512 |
| "pediparva, Pentameria" | 7667 | Pentidotea montereyensis | 6517 |
| "pedispinis, Dalapseudes" | 6644 | Pentidotea resectata | 6520 |
| "pedispinis, Parapseudes" | 6643 | Peocilochaetus martini | 5133 |
| "pedrensis, Sertularella" | 330 | Peracarida | 5590 |
| "pedrensis, Symplectoscyphus" | 329 | "peramabilis, Solaria" | 1190 |
| "pedroana philippianum, Terebra" | 2038 | Peramphithoe humeralis | 5739 |
| "pedoana, Cyathodonta" | 3484 | | |

INDEX

| | | | |
|------------------------------------|------|--|------|
| Peramphithoe lindberg | | Pettiboneia sanmatiensis | 4503 |
| i | | "peziza, Patella" | 1339 |
| Peramphithoe mea | 5742 | Phacoides (Parvilucina) approximata | 2946 |
| Peramphithoe plea | 5746 | Phacoides (Parvilucina) tenuisculpta | 2947 |
| Peramphithoe tea | 5748 | Phacoides annulata | 2956 |
| "perconvexus, Alloniscus" | 5750 | Phacoides californica | 2936 |
| "percassa, Oldroydia" | 6566 | Phacoides nuttallii | 2939 |
| "percyi, Pista" | 951 | Phacoides tenuisculptus | 2945 |
| "peregrina, Paranemertes" | 952 | Phaenoplana longipenis | 612 |
| "perforans, Crepidula" | 5050 | "phalacra, Alabina" | 1255 |
| Periclimenes infraspinis | 1322 | "phanea, Odostomia" | 2150 |
| Perigonimus formosus | 6842 | Pharidae | 3212 |
| Perigonimus jonesi | 219 | Pharyngobdellida | 5298 |
| Perigonimus serpens Cmplx | 228 | "(Phascolana) longirostris, Golfingia" | 3696 |
| Perigonimus serpens Cmplx | 222 | "(Phascolana) tenuissima, Golfingia" | 3697 |
| Perigonimus sp A | 229 | Phascolion sp A | 3677 |
| Perigonimus yoldiarctiae | 215 | Phascolionidae | 3676 |
| "perimeces, Dendrostomum" | 225 | Phascolosoma (Ruepellisoma) golikovi | 3703 |
| "perimeces, Themiste" | 3682 | Phascolosoma agassizii | 3702 |
| Perinereis monterea | 3686 | "(Phascolosoma) borealis, Sipunculus" | 3652 |
| Periploma discus | 4171 | Phascolosoma cinereum | 3659 |
| Periploma planiusculum | 3494 | Phascolosoma diaphanes | 3643 |
| Periploma rosewateri | 3495 | Phascolosoma digitatum | 3650 |
| Periplomatidae | 3496 | Phascolosoma glossipapillosum | 3635 |
| "perkinsi, Podarkeopsis" | 3493 | Phascolosoma hespera | 3698 |
| Perkinsiana sp | 4145 | Phascolosoma hozawai | 3671 |
| "perflatus, Cancer" | 4772 | Phascolosoma hyugensis | 3672 |
| "permodesta, Astyris" | 7224 | Phascolosoma japonicum | 3636 |
| "permodesta, Columbella" | 1736 | Phascolosoma japonicum | 3704 |
| "permodesta, Columbella (Astyris)" | 1737 | Phascolosoma minutum | 3645 |
| "permodesta, Mitrella" | 1738 | Phascolosoma misakianum | 3692 |
| "(Peronidia) bodegensis, Tellina" | 1739 | Phascolosoma nigrum | 3664 |
| Perophora annexens | 3099 | Phascolosoma noto | 3637 |
| Perophoridae | 8013 | Phascolosoma okinoseanum | 3638 |
| Perotripus brevis | 8012 | Phascolosoma onagawa | 3673 |
| "perpinguis, Alectriion" | 5826 | Phascolosoma pavlenkoi | 3674 |
| "perpinguis, Caesia" | 1776 | Phascolosoma pellucidum | 3654 |
| "perpinguis, Nassa" | 1774 | Phascolosoma pusillum | 3700 |
| "perpinguis, Nassarius" | 1775 | Phascolosoma riisei | 3660 |
| "perplexa, Antedon" | 1777 | Phascolosoma signum | 3639 |
| "perplexa, Florometra" | 7358 | Phascolosoma sluteri | 3661 |
| "perplexus, Polycirrus" | 7359 | Phascolosoma soyo | 3640 |
| Persephonaster penicillatus | 5070 | Phascolosoma verrillii | 3662 |
| Persicula (Gibberula) subtrigona | 7384 | Phascolosoma zenibakense | 3675 |
| "personata, Nicomache" | 1910 | Phascolosomatidae | 3690 |
| "persuturum, Epitonium" | 3812 | Phascolosomatidea | 3688 |
| Perticola cordieri | 1545 | Phascolosomatiformes | 3689 |
| "pertense, Micranellum" | 3288 | Phasianella (Eulithidium) rubrilineata | 1243 |
| "pertusa, Lophelia" | 1464 | Phasianella (Eulithidium) substriata | 1248 |
| "pertusa, Madrepora" | 450 | Phasianella (Tricolia) pulloides | 1240 |
| "peruviana, Anomia" | 451 | Phasianella complata | 1235 |
| "peruviana, Glyceria" | 2883 | Phasianella complata var pulloides | 1238 |
| "peruviana, Processa" | 4313 | Phasianella typica | 1244 |
| "peruvianus, Astropecten" | 6929 | Phasianellidae | 1232 |
| "pervernicosa, Solemya" | 7376 | Phenacia setosus | 5095 |
| "perversa, Antiplanes" | 2606 | Pherusa capulata | 4953 |
| "perversa, Pleurotoma (Surcula)" | 2058 | Pherusa cf negligens | 4947 |
| Petalaster foliolata | 2060 | Pherusa inflata | 4943 |
| Petaloclymene pacifica | 7370 | Pherusa negligens | 4945 |
| Petaloconchus sp | 3794 | Pherusa neopapillata | 4948 |
| Petaloprotus borealis | 1526 | Pherusa papillata | 4949 |
| Petaloprotus neoborealis | 3813 | Phidiana hiltoni | 2575 |
| Petaloprotus ornatus | 3814 | Phidiana pugnax | 2577 |
| Petaloprotus tenuis | 3815 | Phidolopora labiata | 7965 |
| Petalosarsia sp A | 3816 | Phidolopora pacifica | 7966 |
| Petelodoris spongicola | 6803 | Phidoloporidae | 7964 |
| "petersenae, Aphelochaeta" | 2376 | Phibertia hesione | 1985 |
| "petersenae, Aphelochaeta" | 4838 | Philine alba | 2215 |
| Petraliidae | 4848 | Philine alba | 2220 |
| "petravis, Anachis" | 7932 | Philine auriformis | 2218 |
| "petri, Murex" | 1702 | Philine bakeri | 2219 |
| Petricola (Rupellaria) carditoides | 1864 | Philine bakeri | 2216 |
| Petricola arcuata | 3352 | Philine californica | 2221 |
| Petricola awana | 3347 | Philine polystrigma | 2222 |
| Petricola carditoides | 3227 | Philine sp 1 | 2225 |
| Petricola cylindracea | 3345 | Philine sp A | 2224 |
| Petricola gibba | 3348 | Philiniidae | 2214 |
| Petricola hertzana | 3349 | Philinoglossa sp A | 2283 |
| Petricola mirabilis | 3356 | Philinoglossidae | 2282 |
| Petricola pedroana | 3350 | Philinoidea | 2213 |
| Petricola tellimyalis | 3351 | "philippinum, Terebra pedroana" | 2038 |
| Petricolidae | 3357 | "philippinarum, Tapes" | 3339 |
| "petriola, Nucula" | 3340 | "philippinarum, Venerupis" | 3337 |
| Petrolisthes cinctipes | 2614 | "philippinarum, Venus" | 3338 |
| Petrolisthes manimaculis | 7104 | "philipsi, Aphelochaeta" | 4840 |
| Petrolisthes rupicolus | 7108 | "philipsi, Scoloura" | 6683 |
| Petrosiidae | 7106 | Philobrya setosa | 2707 |
| Petrosina | 133 | Philobryidae | 2706 |
| "petrothauma, Astraea" | 132 | Philomedes carcharodonta | 5521 |
| "pettiboneae, Phylloidoce" | 1198 | Philomedes dentata | 5529 |
| | 4449 | Philomedes lomae | 5553 |

INDEX

| | | | |
|---|------|---|------|
| Philomedes longiseta | 5523 | Phylodoce (Aponaitides) hartmanae | 4441 |
| Philomedes oblongus | 5536 | Phylodoce (Genetyllis) castanea | 4428 |
| Philomedes sp A | 5530 | Phylodoce (Paranaïtis) polynoides | 4432 |
| Philomedes sp LA1 | 5531 | Phylodoce cuspidata | 4434 |
| Philomedes trituberculata | 5533 | Phylodoce groenlandica | 4436 |
| Philomedidae | 5517 | Phylodoce hartmanae | 4439 |
| "philopsammum, Rhynchothorax" | 5398 | Phylodoce longipes | 4442 |
| "philospammum, Rhynchothorax" | 5399 | Phylodoce mediapillata | 4446 |
| Phimochirus californiensis | 7080 | Phylodoce papillosa | 4445 |
| Phisidia sanctaemariae | 5042 | Phylodoce pettiboneae | 4449 |
| Phlebobranchiata | 8001 | Phylodoce sp A | 4450 |
| Phliantidae | 5654 | Phylodoce williamsi | 4451 |
| Phliantoidea | 5653 | Phyllodocida | 3995 |
| "phocae, Aglaja" | 2231 | Phyllodocidae | 4380 |
| "phocae, Chelidonura" | 2232 | Phyllodocinae | 4429 |
| Pholadidae | 3436 | Phylloclurus abdominalis | 6452 |
| Pholadidea rostrata | 3441 | "(Phyllonotus) santarosana, Murex" | 1801 |
| "pholadidea, Sphenia" | 3422 | Phylloporidae | 7658 |
| Pholadoidea | 3435 | Phylloporidae sp A | 7683 |
| Pholadomyida | 3448 | Phylloporidae sp B | 7685 |
| Pholas ovoidea | 3444 | Phylloporidae sp SD1 | 7684 |
| Pholas rostrata | 3439 | Phylloplana chloranota | 619 |
| Pholidoskepia | 876 | "phylosclera, Adelogorgia" | 356 |
| Pholoe glabra | 4087 | Phylo felix | 3872 |
| Pholoe minuta | 4095 | Phylo nudus | 3874 |
| Pholoe sp A | 4088 | Phylpagurus schmitti | 7039 |
| Pholoe sp B | 4089 | Phymosoma lordi | 3705 |
| Pholoidae | 4086 | Physcosoma formosense | 3706 |
| Pholoides aspera | 4096 | Physcosoma glaucum | 3707 |
| Pholoides asperus | 4090 | Physcosoma yezoense | 3708 |
| Pholoides tuberculata | 4097 | Physonectae | 340 |
| Phorcus pulligo | 1231 | "picadurus, Amphirochus" | 5975 |
| "phorminx, Mopalia" | 1056 | "picadurus, Apolochus" | 5974 |
| Phorona | 7744 | "picta, Dirona" | 2500 |
| Phoronida | 7745 | "picta, Glycinde" | 4337 |
| Phoronidae | 7746 | "picta, Lyonsia" | 3471 |
| Phoronis sp | 7747 | "picta, Spirontocaris" | 6887 |
| Phoronopsis sp | 7748 | "pictifrons, Lineus" | 745 |
| "phosphorea nanaimoensis, Odontosyllis" | 4227 | "pictum, Entodesma" | 3470 |
| "phosphorea var californica, Pennatula" | 416 | "pictus, Heptacarpus" | 6886 |
| "phosphorea, Odontosyllis" | 4225 | "pictus, Lytechinus" | 7600 |
| Photidae | 5878 | "pictus, Nais" | 3840 |
| Photis bifurcata | 5900 | "pictus, Polyophtalmus" | 3839 |
| Photis brevipes | 5901 | "pictus, Psammechinus" | 7601 |
| Photis californica | 5903 | "pigmentata, Eteone" | 4392 |
| Photis californica | 5902 | "pigmentata, Microspio" | 5196 |
| Photis chiconola | 5905 | "pigmentata, Nerinides" | 5198 |
| Photis conchicola | 5906 | "pigmentata, Spio (Microspio)" | 5199 |
| Photis lacia | 5908 | "pigmentata, Spiophanes" | 5197 |
| Photis linearmanus | 5909 | "pigmentum, Megalomma" | 4745 |
| Photis macinerneyi | 5911 | Pilargidae | 4180 |
| Photis macrotica | 5912 | Pilargidae genus A sp A | 4271 |
| Photis parvidons | 5913 | Pilargis berkeleyae | 4189 |
| Photis reinhardi | 5904 | Pilargis berkeleyi | 4190 |
| Photis sp A | 5915 | Pilargis hamatus | 4184 |
| Photis sp B | 5916 | Pilargis maculata | 4191 |
| Photis sp C | 5917 | Pilargis sp 1 | 4193 |
| Photis sp D | 5910 | Pilargis sp 2 | 4195 |
| Photis sp E | 5918 | Pilargis sp 3 | 4196 |
| Photis sp F | 5907 | Pilargis sp 4 | 4197 |
| Photis sp OC1 | 5919 | Pilargis sp A | 4192 |
| Photis viuda | 5914 | Pilargis sp B | 4194 |
| Photoidea | 5841 | "(Pileolaria) marginata, Pileolaria" | 4811 |
| Phoxichiliidae | 5372 | Pileolaria (Pileolaria) marginata | 4811 |
| Phoxichiliidoidea | 5371 | "pilicarpa, Caprella" | 5807 |
| Phoxichilidium compactum | 5380 | "pilimana, Tritella" | 5820 |
| Phoxichilidium femoratum | 5388 | "pilosa, Brada" | 4936 |
| Phoxichilidium hokkaidoense | 5382 | "pilosa, Brada" | 4937 |
| Phoxichilidium parvum | 5390 | "pilosa, Diasterope" | 5508 |
| Phoxichilidium quadradentatum | 5391 | "pilosus, Holopagurus" | 7027 |
| Phoxocephalidae | 6120 | "pilosus, Isocheles" | 7026 |
| Phoxocephalinae | 6173 | "(Pilsbryella) ambustus, Lepidopleurus" | 937 |
| Phoxocephaloidea | 6115 | "piltzi, Galathowenia" | 4661 |
| Phoxocephalus homilis | 6175 | Pilumnidae | 7281 |
| "phragma, Ophiacantha" | 7491 | Pilumnoidea | 7280 |
| Phragmatopoma californica | 4680 | Pilumnooides rotundus | 7286 |
| Phrynophiurida | 7469 | Pilumnoididae | 7285 |
| Phtisica sp | 5828 | Pilumnus spinohirsutus | 7282 |
| Phtisicinae | 5823 | Pinauay crocea | 199 |
| "(Phycolimnora) algarum, Limnoria" | 6495 | Pinauay marina | 202 |
| Phylactellidae | 7970 | "pingi, Argela" | 6450 |
| Phyllaplysia taylori | 2314 | "pinguis, Anonyx" | 6358 |
| Phyllaplysia zostericola | 2315 | "pinguis, Orchomena" | 6359 |
| Phyllidoidea | 2390 | "pinguis, Orchomenella" | 6357 |
| Phyllobranchopsis enteromorphae | 2325 | "pinnata, Chloeia" | 4473 |
| Phyllocarida | 5566 | "pinnata, Parapriionospio" | 5202 |
| Phyllochaetopterus limicolus | 5111 | Pinnidae | 2787 |
| Phyllochaetopterus prolificus | 5112 | Pinnixa (Scleroplax) granulata | 7298 |
| Phylodoce (Anaitides) cuspidata | 4435 | Pinnixa ? nitida | 7317 |
| Phylodoce (Anaitides) groenlandica | 4438 | Pinnixa barnharti | 7300 |
| Phylodoce (Anaitides) mediapillata | 4448 | Pinnixa californiensis | 7311 |
| Phylodoce (Anaitides) papillosa | 4444 | Pinnixa faba | 7301 |

INDEX

| | | | |
|---|------|--|------|
| Pinnixa forficulimanus | 7303 | Planoceroidea | 593 |
| Pinnixa franciscana | 7304 | "planulata, Mactra" | 3380 |
| Pinnixa hiatus | 7305 | "planulata, Simomactra" | 3379 |
| Pinnixa littoralis | 7306 | "planulata, Spisula" | 3381 |
| Pinnixa longipes | 7307 | "planum, Glossophorum" | 8000 |
| Pinnixa longipes | 7319 | "planum, Polyclinum" | 7999 |
| Pinnixa minuscula | 7309 | "planus, Clythrocerus" | 7149 |
| Pinnixa occidentalis | 7312 | "planus, Deilocerus" | 7147 |
| Pinnixa occidentalis Cmplx | 7315 | Platidia hornii | 7803 |
| Pinnixa scamit | 7310 | Platidiidae | 7802 |
| Pinnixa schmitti | 7313 | "platinum, Calliostoma" | 1182 |
| Pinnixa tomentosa | 7314 | Platomyzia meroeum | 2999 |
| Pinnixa tubicola | 7316 | Platonea sp | 7814 |
| Pinnixa tumida | 7318 | Platophium brasiliense | 5837 |
| Pinnoidea | 7302 | "platyacanthum, Myxoderma" | 7466 |
| Pinnothereliinae | 2786 | "platyacanthus, Zoroaster" | 7467 |
| Pinnotheres pugettensis | 7299 | Platyasteracea | 7363 |
| Pinnotheridae | 7295 | "platybranchia, Paraonella" | 3975 |
| Pinnotherinae | 7288 | "platybranchia, Paraonides" | 3973 |
| Pinnotheroidea | 7289 | "platybranchia, Paraonis" | 3974 |
| Pionosyllis articulata | 4234 | Platycarcinus recurvidens | 7234 |
| Pionosyllis elongata | 4284 | "platyceros, Pandanus" | 6937 |
| Pionosyllis uraga | 4232 | Platydoris macfarlandi | 2387 |
| "piperata, Cucumaria" | 7689 | Platyhelminthes | 562 |
| "piperata, Pentacta" | 7690 | Platyhelminthes sp E | 582 |
| Piromis capulata | 4951 | Platyhelminthes sp G | 658 |
| Piromis hospitis | 4954 | Platyhelminthes sp I | 583 |
| Piromis sp A | 4955 | Platyhelminthes sp SD1 | 683 |
| Pisaster brevispinus | 7433 | Platyischnopidae | 6204 |
| Pisaster capitatus | 7441 | Platymera californiensis | 6206 |
| Pisaster giganteus capitatus | 7439 | Platymera gaudichaudii | 7154 |
| Pisaster ochraceus | 7442 | Platyneris agassizii | 4176 |
| Pisaster ochraceus forma nodiferus | 7447 | Platyneris bicanaliculata | 4173 |
| Pisaster ochraceus segnis | 7448 | Platyneris dumerilii var agassizi | 4177 |
| Pisaster papulosus | 7437 | Platyneris dumerilii | 4178 |
| "(Pisaster) papulosa, Asterias" | 7436 | Platyodon cancellatus | 3407 |
| Pisaster paucispina | 7438 | "platypa, Pleustes" | 5929 |
| Pisinae | 7178 | "platypoda, Hippacanthomysis" | 5603 |
| Pisione remota | 4116 | "platypus, Thorlaksonius" | 5928 |
| Pisionidae | 4115 | "platypygos, Lumbinerides" | 4539 |
| Pisooides (?) tumidus | 7188 | "platypygos, Lumbineris" | 4540 |
| Pista agassizi | 5044 | "(Platyschides) californicus, Cadulus" | 3563 |
| Pista agassizi | 5048 | "plea, Amphithoe" | 5749 |
| Pista alata | 5046 | "plea, Peramphithoe" | 5748 |
| Pista alata | 5049 | Plectodon scaber | 3517 |
| Pista bansei | 5055 | "(Plectodon) scaber, Leiomya" | 3518 |
| Pista brevibranchia | 5045 | "(Plectodon) scabra, Leiomya" | 3519 |
| Pista brevibranchiata | 5047 | Plehnia caeca | 568 |
| Pista cf pacifica | 5058 | Plehnia caeca var oculifera | 569 |
| Pista disjuncta | 5060 | Plehnidiidae | 567 |
| Pista elongata | 5051 | Pleioplana inquieta | 614 |
| Pista estevanica | 5054 | "plena, Polydora" | 5182 |
| Pista fasciata | 5061 | "plena, Polydora socialis" | 5184 |
| Pista maculata | 5052 | "plena, Yoldia ensifera" | 2678 |
| Pista marenzelleri | 5053 | Pleocymata | 6829 |
| Pista moorei | 5057 | Pleoschisma oblonga | 5535 |
| Pista percyi | 5050 | Plesiocysticinae | 1915 |
| Pista sp B | 5056 | Plesiocystiscus myrmecoon | 1916 |
| Pista sp C | 5062 | Plesiocystiscus politulus | 1920 |
| Pista wui | 5059 | Plesionika beebei | 6943 |
| Pitar newcombianus | 3332 | Plesionika carinirostris | 6944 |
| Pitaria newcombianus | 3334 | Plesionika trispinus | 6945 |
| Pitarinae | 3318 | Pleurobranchaea californica | 2346 |
| "pitelkai, Magelona" | 5125 | Pleurobranchaeinae | 2345 |
| "piunca, Coryphella" | 2529 | Pleurobranchidae | 2335 |
| "pixellae, Nymphon" | 5368 | Pleurobranchinae | 2336 |
| "placenta, Cynthia" | 8046 | Pleurobranchoidea | 2334 |
| "placenta, Goniocarpa" | 8050 | Pleurobranchomorpha | 2333 |
| Placiphorella mirabilis | 1060 | Pleurobranchus californicus | 2338 |
| Placiphorella velata | 1061 | Pleurobranchus californicus denticulatus | 2340 |
| Placostegus californicus | 4793 | Pleurobranchus chacei | 2341 |
| "(Plagioctenium) circularis, Aequipecten" | 2834 | Pleurogonium californiense | 6625 |
| "(Plagioctenium) latiauritum, Pecten" | 2875 | Pleurogonium sp A | 6626 |
| "(Plagioctenium) ventricosum, Chlamys" | 2838 | Pleuroncodes planipes | 7097 |
| "(Plagioctenium) ventricosus, Pecten" | 2848 | "pleuroncodis, Munidion" | 6451 |
| Plakosyllis sp | 4269 | Pleurophyllidia californica | 2458 |
| "plana, Cyclodorippe" | 7148 | Pleurophyllidia vancouverensis | 2462 |
| Planaria candida | 825 | Pleurotoma (Antiplanes) catalinae | 2055 |
| Planaria dorsalis | 792 | Pleurotoma (Antiplanes) thalea | 2062 |
| Planaria ruber | 747 | Pleurotoma (Genota) stearnsiana | 2050 |
| "planaxis, Littorina" | 1377 | Pleurotoma (Spirotropis) smithi | 2067 |
| Planes minutus | 7331 | Pleurotoma (Surcula) carpenteriana | 2044 |
| "planetica, Cardiomya" | 3511 | Pleurotoma (Surcula) perversa | 2060 |
| "planetica, Cuspidaria" | 3512 | Pleurotoma (Surcula) tryoniana | 2048 |
| "planipes, Pleuroncodes" | 7097 | Pleurotoma inermis | 1970 |
| "planisculum, Periploma" | 3495 | Pleusirinae | 5937 |
| Planocera burchami | 640 | Pleusirus secorsus | 5938 |
| "(Planocera) burchami, Discosolenia" | 641 | Pleutes depressus | 5927 |
| Planocera californica | 635 | Pleutes platypa | 5929 |
| Planocera sandiegensis | 637 | Pleustidae | 5922 |
| Planoceridae | 630 | Pleustinae | 5925 |

INDEX

| | | | |
|--------------------------------------|------|----------------------------|------|
| Pleusympytinae | 5939 | Polyceridae | 2435 |
| Pleusympetes subglaber | 5940 | Polycerinae | 2436 |
| Plexauridae | 365 | Polyceroidea | 2434 |
| "plicata, Ascidia" | 8064 | Polychaeta | 3726 |
| "plicata, Lepas" | 5454 | Polychelida | 7020 |
| "plicata, Styela" | 8063 | Polychelidae | 7021 |
| "plicatula, Modiola" | 2763 | Polycheria osborni | 6215 |
| "plicatum, Tethyum" | 8067 | Polycirrinae | 5065 |
| Plocamia igzo | 103 | Polycirrus caliendrum | 5069 |
| Plocamia ilgi | 81 | Polycirrus californicus | 5068 |
| Plocamia karykina | 83 | Polycirrus californicus | 5071 |
| Plocamiancora igzo | 102 | Polycirrus perplexus | 5070 |
| "plumbea, Kurtziella" | 1990 | Polycirrus sp A | 5075 |
| "plumbea, Mangelia" | 1991 | Polycirrus sp I | 5072 |
| "plumosa, Ampelisca" | 6242 | Polycirrus sp III | 5073 |
| "plumosa, Eudistyla" | 4733 | Polycirrus sp OC1 | 5076 |
| "plumosa kelseyi, Lithophaga" | 2752 | Polycirrus sp SD3 | 5077 |
| "plumula, Lithodomus" | 2751 | Polycirrus sp V | 5074 |
| "plumula, Lithophaga" | 2750 | Polycitoridae | 7989 |
| Plumularia alicia Cmplx | 294 | Polycladida | 564 |
| Plumularia corrugata | 300 | Polycladida sp 27 | 653 |
| Plumularia goodei | 295 | Polycladida sp 41 | 602 |
| Plumularia integra | 296 | Polycladida sp 43 | 675 |
| Plumularia lagenifera | 297 | Polycladida sp A | 624 |
| Plumularia plumularioides | 275 | Polycladida sp B | 644 |
| Plumularia setacea | 298 | Polycladida sp C | 584 |
| Plumularia struthionides | 289 | Polycladida sp D | 571 |
| Plumulariidae | 292 | Polycladida sp E | 622 |
| "plumularioides, Halecium" | 274 | Polycladida sp F | 585 |
| "plumularioides, Kirchenpaueria" | 273 | Polycladida sp G | 591 |
| "plumularioides, Plumularia" | 275 | Polycladida sp H | 592 |
| "plumulosa, Ampithoe" | 5729 | Polycladida sp HYP2 | 681 |
| "pluricosta, Opalia" | 1614 | Polycladida sp I | 611 |
| "plurisetis, Gyptis" | 4129 | Polycladida sp K | 633 |
| Podarke pugettensis | 4139 | Polycladida sp M | 676 |
| ("Podarke) pugettensis, Ophiodromus" | 4140 | Polycladida sp N | 616 |
| Podarkeopsis glabrus | 4142 | Polycladida sp O | 662 |
| Podarkeopsis perkinsi | 4145 | Polycladida sp P | 586 |
| Podarkeopsis sp A | 4147 | Polycladida sp P | 663 |
| Podarkeopsis sp A | 4148 | Polycladida sp R | 677 |
| Podarkeopsis sp B | 4146 | Polycladida sp S | 574 |
| Podoceridae | 5835 | Polycladida sp SD1 | 601 |
| Podoceropsis ociosa | 5890 | Polycladida sp SD2 | 682 |
| Podocerus brasiliensis | 5836 | Polycladida sp T | 652 |
| Podocerus cristatus | 5838 | Polyclinidae | 7998 |
| Podocerus fulanus | 5840 | Polyclinum planum | 7999 |
| Podocerus odontonyx | 5862 | Polydora bifurcata | 5164 |
| Podochela (Coryrhynchus) lobifrons | 7201 | Polydora (Carazzia) kempfi | 5242 |
| Podochela barbrensis | 7202 | Polydora amarincola | 5207 |
| Podochela hemphillii | 7197 | Polydora anomculata | 5174 |
| Podochela lobifrons | 7200 | Polydora armata | 5155 |
| Podochela tenuipes | 7199 | Polydora barbilla | 5159 |
| Podocopa | 5556 | Polydora bioccipitalis | 5203 |
| Podocopida | 5557 | Polydora brachycephala | 5167 |
| Pododesmus (Monia) macrochisma | 2894 | Polydora caeca | 5177 |
| Pododesmus cepio | 2893 | Polydora caeca var magna | 5178 |
| Pododesmus macrochisma | 2891 | Polydora carunculata | 5179 |
| "podophthalma, Ampelisciphotos" | 5879 | Polydora caulleryi | 5166 |
| "podophthalma, Gaviota" | 5880 | Polydora cf hoplura | 5212 |
| Podoplea | 5476 | Polydora ciliata limicola | 5214 |
| Poecillastra tenuilaminaris | 38 | Polydora ciliatum | 5208 |
| Poecilochaetidae | 5131 | Polydora cirrosa | 5204 |
| Poecilochaetus johnsoni | 5132 | Polydora commensalis | 5169 |
| Poecilochaetus johnsoni | 5137 | Polydora concharum | 5205 |
| Poecilochaetus sp A | 5134 | Polydora convexa | 5162 |
| Poecilochaetus sp A | 5135 | Polydora cornuta | 5206 |
| Poecilochaetus sp A | 5136 | Polydora elegantissima | 5171 |
| Poecilosclerida | 58 | Polydora flava bidentata | 5161 |
| Poeclostomatoida | 5483 | Polydora giardi | 5173 |
| Polia delineata | 757 | Polydora hamata | 5148 |
| Polinices (Euspira) algidus | 1400 | Polydora heterochaeta | 5211 |
| Polinices (Neverita) recluzianus | 1408 | Polydora ligni | 5209 |
| Polinices altus | 1407 | Polydora limicola | 5213 |
| Polinices draconis | 1394 | Polydora littorea | 5210 |
| Polinices lewisi | 1399 | Polydora magna | 5180 |
| "politæ, Depressiscala" | 1568 | Polydora monilaris | 5156 |
| "politæ, Modiola" | 2756 | Polydora narica | 5215 |
| "politæ, Scalaria" | 1567 | Polydora neocardalia | 5181 |
| "politæ, Squilla" | 5588 | Polydora nuchalis | 5216 |
| "politulus, Cystiscus" | 1922 | Polydora paucibranchiata | 5244 |
| "politulus, Hyalina" | 1921 | Polydora plena | 5182 |
| "politulus, Plesiocystiscus" | 1920 | Polydora pygidialis | 5217 |
| "politum, Amygdalum" | 2755 | Polydora socialis | 5183 |
| "politum, Epitonium" | 1566 | Polydora socialis plena | 5184 |
| "politus, Schmittius" | 5587 | Polydora spongicola | 5218 |
| "pollex, Ampithoe" | 5730 | Polydora websteri | 5219 |
| Policipedidae | 5421 | Polygireulima rutila | 1649 |
| Policipes polymerus | 5422 | Polygordiidae | 5290 |
| Polyandrocarpa zorritensis | 8035 | Polygordius sp SD1 | 5291 |
| Polycera atra | 2439 | "polymerus, Mitella" | 5423 |
| Polycera hedgpethi | 2440 | "polymerus, Pollicipes" | 5422 |
| Polycera tricolor | 2441 | "polymorpha, Bispira" | 4727 |

INDEX

| | | | |
|---|------|---|------|
| "polymorpha, Eudistyla" | 4726 | Prionospio (Prionospio) ehlersi | 5232 |
| "polymorphus, Tubulanus" | 715 | Prionospio (Prionospio) heterobranchia | 5234 |
| "polyrema, Egmondella" | 338 | Prionospio (Prionospio) jubata | 5236 |
| "polyrema, Ophiorhiza" | 337 | Prionospio (Prionospio) lobulata | 5233 |
| Polynoe extenuata | 4053 | Prionospio (Prionospio) sp A | 5237 |
| Polynoe pulchra | 4020 | Prionospio (Prionospio) steenstrupi | 5231 |
| Polynoe spicula | 4033 | Prionospio alata | 5201 |
| Polynoidae | 4017 | Prionospio cirrifera | 5223 |
| "polynoides, Anaitis" | 4431 | Prionospio cirrifera | 5225 |
| "polynoides, Paranaitis" | 4430 | Prionospio dubia | 5227 |
| "polynoides, Phyllodoce (Paranaitis)" | 4432 | "(Prionospio) dubia, Prionospio" | 5226 |
| Polynoinae | 4037 | "(Prionospio) ehlersi, Prionospio" | 5232 |
| Polyodontes mortensenii | 4000 | "(Prionospio) heterobranchia, Prionospio" | 5234 |
| Polyodontes panamensis | 4004 | Prionospio heterobranchia newportensis | 5235 |
| Polyonyx quadriungulatus | 7109 | "(Prionospio) jubata, Prionospio" | 5236 |
| Polyopthalmus pictus | 3839 | "(Prionospio) lobulata, Prionospio" | 5233 |
| Polyplacophora | 927 | Prionospio malmgreni | 5238 |
| Polypus apollyon | 3612 | Prionospio malmgreni var dubia | 5228 |
| Polypus californicus | 3609 | Prionospio pygmaea | 5142 |
| Polypus hongkongensis | 3613 | Prionospio pygmæus | 5141 |
| Polyschides californicus | 3564 | Prionospio sp A | 5239 |
| Polyschides quadrifissatus | 3558 | Prionospio sp B | 5229 |
| "(Polyschides) quadrifissatus, Cadulus" | 3559 | Prionospio steenstrupi | 5230 |
| Polyschides tolmiei | 3573 | "(Prionospio) steenstrupi, Prionospio" | 5231 |
| "polystrigma, Clistaxis ?" | 2223 | "prionota, Hippolyte" | 6919 |
| "polystrigma, Philine" | 2222 | "prionota, Spirontocaris" | 6918 |
| Pomatiopsidae | 1473 | "priops, Harmothoe" | 4078 |
| Pomaulax turbanicus | 1196 | "priops, Tenonia" | 4077 |
| Pontharpinia longirostris | 6131 | Proboscida | 248 |
| Pontharpinia obtusidens | 6126 | "probus, Tectridrilus" | 5320 |
| Pontharpinia tridentata | 6157 | Procampylaspis caenosaa | 6759 |
| Pontharpiniiae | 6162 | Procampylaspis sp A | 6760 |
| Pontogeneia inermis | 6008 | Procephalothrix sp | 699 |
| Pontogeneia opata | 6021 | "procera, Golfingia" | 3669 |
| Pontogeneia quisana | 6004 | "procera, Nereis" | 4166 |
| Pontogeneia rostrata | 6010 | Proceraea gigantea | 4212 |
| Pontoporeoidea | 6109 | Proceraea nigropunctata | 4213 |
| "populifera, Cucumaria" | 7673 | Proceraea okadae | 4214 |
| "populifera, Pentacta" | 7670 | Procerastea sp | 4216 |
| "populifera, Pentamera" | 7669 | Procerodidae | 693 |
| Poraniidae | 7406 | Procerodoidea | 692 |
| Poraniopsis inflata | 7407 | Processa peruviana | 6929 |
| Poraniopsis inflata flexilis | 7410 | Processidae | 6927 |
| "porcella, Caryocorbula" | 3432 | Processoidea | 6926 |
| "porcella, Corbula" | 3431 | Prochaetoderma californicum | 922 |
| Porcellana cinctipes | 7105 | Prochaetodermatidae | 920 |
| Porcellana rupicola | 7107 | Prochelator sp A | 6576 |
| Porcellanidae | 7100 | Proclea sp A | 5078 |
| Poromya (Dermatomya) soyaoe | 3537 | "producta, Chelyosoma" | 8017 |
| Poromya (Dermatomya) tenuiconcha | 3535 | "producta, Euphilomedes" | 5524 |
| Poromyidae | 3532 | "producta, Pugettia" | 7168 |
| "porosa, Heathia" | 3531 | "producta, Pugettia" | 7171 |
| "porosa, Ichthyomenia" | 881 | "productatridens, Gnathia" | 6437 |
| "porterae, Chromodoris" | 882 | "productum, Chelyosoma" | 8016 |
| "porterae, Mexichromis" | 2371 | "productus, Cancer" | 7223 |
| "porteri, Olivella" | 2370 | "productus, Epialtus" | 7169 |
| Portunidae | 1938 | "productus, Epialtus (Taliepus)" | 7170 |
| Portunoidea | 7249 | "profunda, Edwardsia" | 475 |
| Portunus xantusii | 7248 | "profunda, Harpinopsis" | 6191 |
| "portus, Anoplodactylus" | 7250 | "profunda, Ilyarachna" | 6614 |
| Postasterope barnesi | 5376 | "profundicolum, Micranellum" | 1465 |
| Potamethus sp A | 5512 | "profundus, Scoloplos acmeceps" | 3878 |
| Potamididae | 4773 | "profusus, Tectidrilus" | 5321 |
| "(Potamilla) brevicomata, Sabella" | 1280 | "(Progabba) cooperi, Cancellaria" | 2082 |
| Potamilla coloratum | 4725 | "(Progabba) crawfordiana, Cancellaria" | 2086 |
| "potti, Leptochaetopterus" | 4744 | "projecta, Thais emarginata var" | 1838 |
| "potti, Spirochaetopterus costarum" | 5115 | "projectus, Anoplodactylus" | 5377 |
| "poulsoni, Hinntai" | 5116 | "prolifera, Epiactis" | 514 |
| "poulsoni, Ocenebra" | 2863 | "prolifera, Goniatinia" | 522 |
| "poulsoni, Roperia" | 1873 | "prolifera, Lophelia" | 454 |
| Prachynella lodo | 1872 | "prolifera, Madrepora" | 455 |
| Praegeria remota | 6369 | "prolifica, Phyllochaetopterus" | 5112 |
| "praescuta, Tricellaria" | 4117 | Promachocrinus (Florometra) serratissima | 7360 |
| Pratulum (?) centrifilosum | 7914 | Promartyria pulligo | 1230 |
| Praxillella gracilis | 3089 | Promenia spectabilis | 4889 |
| Praxillella pacifica | 3795 | Proneomysis wailesi | 5637 |
| Praxillura maculata | 3797 | Propeamussiidae | 2876 |
| Precuthona divae | 3818 | Propebela turricula | 2015 |
| "prefalcata, Melanella (Balcis)" | 2552 | "propinqua, Cylichna" | 2275 |
| "pretiosa, Antalis" | 1670 | "propinquus, Tanaella" | 6663 |
| "pretiosum, Dentalium | 3541 | Prosorhochmididae | 790 |
| "priapus, Actinia" | 3542 | Prosorhochmus albodus | 822 |
| "pricei, Coryphella" | 544 | Prostheceraeus bellostriatus | 667 |
| "pricei, Flabellina" | 2525 | Prosthiostomum latocelis | 671 |
| Primnoidae | 2524 | Prosthiostomum multicelis | 672 |
| "princeps, Baseodiscus" | 370 | Prostigmata | 5403 |
| "princeps, Taeniosoma" | 758 | Prostictostomidae | 669 |
| Prionospio (Minusprio) cirrifera | 759 | Protoarcicella sp A | 3876 |
| Prionospio (Minusprio) lighti | 5222 | Protobranchia | 2598 |
| Prionospio (Minusprio) multibranchiata | 5220 | Protocardia centifilosa | 3090 |
| Prionospio (Prionospio) dubia | 5224 | "(Protocardia) centifilum, Cardium" | 3086 |
| | 5226 | Protocirrineris socialis | 4917 |

INDEX

| | | | |
|---|------|--|------|
| Protocirrineris sp 1 | 4919 | "pseudocurata, Cucumaria" | 7693 |
| Protocirrineris sp 2 | 4921 | Pseudoexogone williamsae | 4270 |
| Protocirrineris sp A | 4918 | Pseudofabriciola californica | 4697 |
| Protocirrineris sp B | 4920 | Pseudograpsus nudus | 7336 |
| Protocetenostomata | 7828 | Pseudograpsus oregonensis | 7340 |
| Protodorvillea gracilis | 4504 | Pseudokoroga rima | 6361 |
| Protodorvillea kefersteini | 4507 | Pseudolivia livida | 1953 |
| Protodorvillea recuperata | 4508 | Pseudolividae | 1951 |
| Protodrillida | 5292 | Pseudolivoidea | 1950 |
| Protodrillidae | 5293 | Pseudomelatoma penicillata | 2029 |
| Protodrilus sp | 5294 | Pseudomelatoma penicillata var semiinflata | 2072 |
| Protohyale canalina | 5674 | Pseudomelatomidae | 2028 |
| Protohyale frequens | 5676 | "pseudomilitaris, Simularia" | 4815 |
| Protolaeospira (Protolaeospira) triflabellis | 4814 | "pseudomilitaris, Spirorbis (Laeospira)" | 4816 |
| "(Protolaeospira) triflabellis, Protolaeospira" | 4814 | Pseudomma berkeleyi | 5606 |
| Protolaeospira eximia | 4812 | Pseudomma californica | 5607 |
| Protomedea articulata | 5776 | "pseudonormani, Anatanais" | 6691 |
| Protomedea articulata Cmplx | 5775 | "pseudopalpa, Fabricinuda" | 4692 |
| Protomedea prudens | 5777 | Pseudopolydora kempfi | 5241 |
| Protomedeiinae | 5773 | Pseudopolydora paucibranchiata | 5243 |
| "protomutans, Arabella" | 4586 | "pseudopopulifera, Pentamera" | 7677 |
| Protomystides sp | 4408 | Pseudopotamilla occelata | 4774 |
| Protothaca (Callithaca) laciniata | 3296 | Pseudopotamilla socialis | 4775 |
| Protothaca (Callithaca) staminea | 3301 | Pseudopotamilla sp 1 | 4776 |
| Protothaca (Callithaca) tenerima | 3274 | Pseudopotamilla splendida | 4747 |
| Protothaca laciniata | 3295 | Pseudopythina compressa | 3020 |
| Protothaca restorationensis | 3272 | Pseudopythina myaciformis | 3021 |
| Protothaca staminea | 3300 | Pseudopythina rugifera | 3022 |
| "(Protothaca) laciniata, Paphia" | 3294 | "(Pseudopythina) rugifera, Erycina" | 3019 |
| "(Protothaca) staminea var laciniata, Paphia" | 3293 | Pseudorotella invallata | 1482 |
| "(Protothaca) staminea var orbella, Paphia" | 3299 | Pseudorotella supravallata | 1483 |
| Protothaca tenerima | 3273 | Pseudosabellidies lineata | 4983 |
| "(Protothaca) tenerima, Paphia" | 3271 | Pseudosabinella bakeri | 1655 |
| Prototrygaeus jordanae | 5347 | Pseudosquilla lessonii | 5584 |
| Protula superba | 4794 | Pseudosquillopsis marmorata | 5582 |
| Protula tubularia | 4795 | Pseudostegoidea | 7901 |
| "prudens, Protomedea" | 5777 | Pseudostylochus burchami | 645 |
| "pruneri, Modiola (Lithophagus)" | 2747 | Pseudotanaidae | 6671 |
| "psaltes, Dentrochiton" | 1043 | Pseudotanais californiensis | 6672 |
| Psamathesp | 4132 | Pseudotanais makrothrix | 6673 |
| "(Psammacoma) yoldiformis, Macoma" | 3158 | Pseudotaranis strongi | 2075 |
| Psammechinus pictus | 7601 | Pseudoziobia | 7284 |
| Psammobia (Gobraeus) edentula | 3172 | "psila, Mycale" | 108 |
| Psammobia californica | 3163 | "psila, Paresperella" | 109 |
| Psammobia decora | 3178 | Psilodens sp | 926 |
| Psammobia edentula | 3171 | Psolidae | 7647 |
| Psammobia kazusensis | 3165 | Psolidium bidiscum | 7649 |
| Psammobia pacifica | 3175 | Psolus chitonoides | 7650 |
| Psammobiidae | 3161 | Psolus squamatus | 7651 |
| Psammodoris thompsoni | 2422 | "(Psychrosoma) gouldi, Scalaria" | 1599 |
| Psammogorgia arbuscula | 362 | Ptenoglossa | 1530 |
| Psammolyce fimbriata | 4101 | Pteria sterna | 2784 |
| Psammolyce myops | 4102 | Pterienda | 2781 |
| Psammolyce spinosa | 4103 | Pteridae | 2783 |
| "psammophila, Caecianiopsis" | 6580 | Pterioidea | 2782 |
| "psammophilus, Pacificides" | 694 | Pteriomorphia | 2689 |
| Psammosolen guaymasensis | 3198 | Pterisopodus bartschi | 6428 |
| Psammotreta obesa | 3136 | Pterocirrus californiensis | 4409 |
| "psara, Amphiodia" | 7510 | Pterocirrus montereensis | 4411 |
| "psara, Diamphiodia" | 7512 | Pterocirrus sp A | 4414 |
| Psephidia cymata | 3322 | Pteronotus carptneri | 1866 |
| Psephidia lordi | 3325 | Pteropsellinae | 3387 |
| Psephidia ovalis | 3327 | Pteropurpura (Shaskyus) festiva | 1858 |
| Psephidia salmonea | 3056 | Pteropurpura festiva | 1856 |
| Psephis salmonea | 3051 | Pteropurpura macroptera | 1861 |
| Psephis tellimyalis | 3060 | Pteropurpura trialata | 1867 |
| Pseudallioplana californica | 634 | Pteropurpura vokesae | 1870 |
| Pseudallioplana sandiegensis | 636 | Pterynotus aciculiger | 1821 |
| "(Pseudamusium) pedroanus var vancouverensis, Pecten" | 2830 | "(Ptychostylis) caffea, Turcica" | 1140 |
| "(Pseudamusium) alaskense, Pecten" | 2828 | Ptilosarcus gurneyi | 417 |
| "(Pseudamusium) arces, Pecten" | 2829 | Ptilosarcus quadrangularis | 423 |
| "(Pseudamusium) vancouverensis, Pecten" | 2823 | Ptychoderidae | 7979 |
| Pseudarchaster pusillus | 7396 | "pubescens, Pachycheles" | 7102 |
| Pseudatherospio fauchaldi | 5240 | "pubescentulus, Pandalus" | 6938 |
| Pseudoharpinia excavata | 6201 | "pugetana, Amphipolis" | 7528 |
| Pseudione giardi | 6453 | "pugetana, Amphiura" | 7529 |
| "pseudoarticulata, Aricidea (Aricidea)" | 3936 | "pugetana, Axiognathus" | 7530 |
| "pseudobilirata, Pandora (Kennenlia)" | 3459 | "pugetensis, Pecten islandicus" | 2855 |
| "pseudocalcigera, Pentamera" | 7675 | "pugetica, Ampelisca" | 6243 |
| Pseudoceros sp | 657 | "pugetensis, Caesira" | 8111 |
| Pseudocerotidae | 656 | "pugetensis, Molgula" | 8109 |
| Pseudocerotoidea | 655 | "pugettensis Cmplx, Nebalia" | 5572 |
| Pseudochama exogyra | 3260 | "pugettensis, Argeia" | 6446 |
| Pseudochama granti | 3262 | "pugettensis, Boccardia" | 5145 |
| Pseudochitinopoma occidentalis | 4796 | "pugettensis, Gnathopleustes" | 5948 |
| Pseudoclymene longiceps | 3790 | "pugettensis, Golfingia" | 3670 |
| Pseudocnus astigmatus | 7698 | "pugettensis, Leitoscoloplos" | 3851 |
| Pseudocnus lubricus | 7695 | "pugettensis, Ophiadromus" | 4138 |
| "pseudocorrugata, Neodexiospira" | 4809 | "pugettensis, Ophiadromus" | 4141 |
| "pseudocorrugatus, Spirorbis" | 4810 | "pugettensis, Ophiadromus (Podarke)" | 4140 |
| Pseudocoutierea elegans | 6844 | "pugettensis, Parapleustes" | 5949 |
| Pseudocumatidae | 6802 | "pugettensis, Parapleustes" | 5955 |

INDEX

| | | | |
|--|------|--|------|
| "pugettensis, <i>Pinnotheres</i> " | 7295 | Pycnogonidae | 5393 |
| "pugettensis, <i>Podarce</i> " | 4139 | Pycnogonoidea | 5392 |
| "pugettensis, <i>Scoloplos</i> (<i>Scoloplos</i>)" | 3852 | <i>Pycnogonum rickettsi</i> | 5394 |
| "pugettensis, <i>Upogebia</i> " | 7013 | <i>Pycnogonum stearnsi</i> | 5395 |
| "pugettensis, <i>Upogebia</i> " | 7015 | Pycnophyidae | 7345 |
| Pugettia dalli | 7167 | <i>Pycnopodia helianthoides</i> | 7449 |
| Pugettia producta | 7168 | " <i>pycnopodia</i> , <i>Aphanasterias</i> " | 7423 |
| Pugettia richi | 7173 | <i>Pycnotheca allmani</i> | 276 |
| Pugettia richii | 7172 | <i>Pyctilus brasiliensis</i> | 5847 |
| Pugettia venetae | 7174 | " <i>pygidialis</i> , <i>Galathowenia</i> " | 4662 |
| Puggettia producta | 7171 | " <i>pygidialis</i> , <i>Myriochele</i> " | 4663 |
| " <i>pugnax</i> , <i>Phidiana</i> " | 2577 | " <i>pygidialis</i> , <i>Polydora</i> " | 5217 |
| " <i>pulchella</i> , <i>Caudina</i> " | 7740 | " <i>pygmaea</i> , <i>Apporionospio</i> " | 5140 |
| " <i>pulchella</i> , <i>Ophelia</i> " | 3831 | " <i>pygmaea</i> , <i>Prionospio</i> " | 5142 |
| " <i>pulchra</i> var <i>montereyi</i> , <i>Semele</i> " | 3194 | " <i>pygmaeus</i> , <i>Cancer</i> " | 7228 |
| " <i>pulchra</i> , <i>Arctone</i> " | 4019 | " <i>pygmaeus</i> , <i>Musculus</i> " | 2734 |
| " <i>pulchra</i> , <i>Polynoe</i> " | 4020 | " <i>pygmaeus</i> , <i>Prionospio</i> " | 5141 |
| " <i>pulchra</i> , <i>Rostanga</i> " | 2388 | " <i>pygodactyla</i> , <i>Cossura</i> " | 3771 |
| " <i>pulligo</i> , <i>Phorcus</i> " | 1231 | <i>Pygospio californica</i> | 5245 |
| " <i>pulligo</i> , <i>Promartynia</i> " | 1230 | <i>Pygospio elegans</i> | 5246 |
| " <i>pulloides</i> , <i>Eulithidium</i> " | 1237 | <i>Pylopagurus californiensis</i> | 7083 |
| " <i>pulloides</i> , <i>Phasianella</i> (<i>Tricola</i>)" | 1240 | <i>Pylopagurus diegensis</i> | 7045 |
| " <i>pulloides</i> , <i>Phasianella</i> <i>compta</i> var" | 1238 | <i>Pylopagurus guatemocci</i> | 7041 |
| " <i>pulloides</i> , <i>Tricola</i> " | 1241 | <i>Pylopagurus hancocki</i> | 7043 |
| Pulmonata | 2581 | <i>Pylopagurus holmesi</i> | 7084 |
| Pulsellum aberrans | 3570 | <i>Pylopagurus longicarpus</i> | 7085 |
| " <i>pumila</i> , <i>Dynamena</i> " | 319 | <i>Pylopagurus minimus</i> | 7049 |
| " <i>pumila</i> , <i>Sertularia</i> " | 320 | <i>Pylopagurus schmitti</i> | 7037 |
| " <i>pumilus</i> , <i>Bathymedon</i> " | 6042 | Pyramidellidae | 2116 |
| " <i>punctata</i> , <i>Clidiophora</i> " | 3453 | Pyramidelloidea | 2115 |
| " <i>punctata</i> , <i>Heteroclidus</i> " | 3451 | " <i>pyriformis</i> , <i>Volutella</i> " | 1914 |
| " <i>punctata</i> , <i>Malacoceros</i> " | 5192 | <i>Pyromaia tuberculata</i> | 7207 |
| " <i>punctata</i> , <i>Neptys</i> " | 4375 | <i>Python rugifera</i> | 3018 |
| " <i>punctata</i> , <i>Pandora</i> " | 3452 | <i>Pyura haustor</i> | 8094 |
| " <i>punctata</i> , <i>Pandora</i> (<i>Heteroclidus</i>)" | 3454 | <i>Pyura lignosa</i> | 8102 |
| " <i>punctata</i> , <i>Spiro</i> " | 5193 | <i>Pyura mirabilis</i> | 8103 |
| " <i>punctata</i> <i>gabbi</i> , <i>Pandora</i> (<i>Heteroclidus</i>)" | 3455 | <i>Pyura okai</i> | 8090 |
| " <i>punctatulus</i> , <i>Amphiporus</i> " | 815 | Pyuridae | 8072 |
| " <i>punctatulus</i> , <i>Nipponemertes</i> " | 814 | | |
| " <i>punctatum</i> , <i>Enchiridium</i> " | 670 | | |
| " <i>punctatus</i> , <i>Leptochiton</i> " | 988 | | |
| " <i>punctatus</i> , <i>Tylos</i> " | 6568 | | |
| " <i>punctocaelata</i> , <i>Acteon</i> (<i>Rictaxis</i>)" | 2106 | Q | |
| " <i>punctocaelata</i> , <i>Tornatella</i> " | 2104 | " <i>quadradentatum</i> , <i>Phoxichilidium</i> " | 5391 |
| " <i>punctocaelatus</i> <i>vancouverensis</i> , <i>Acteon</i> " | 2105 | " <i>quadragenarium</i> , <i>Cardium</i> " | 3093 |
| " <i>punctocaelatus</i> , <i>Acteon</i> (<i>Rictaxis</i>)" | 2107 | " <i>quadragenarium</i> , <i>Trachycardium</i> " | 3092 |
| " <i>punctocaelatus</i> , <i>Rictaxis</i> " | 2103 | " <i>quadrana</i> , <i>Macoma</i> " | 3143 |
| " <i>punctocoelata</i> , <i>Rhextaxis</i> " | 2108 | " <i>quadrangulare</i> , <i>Leioplium</i> " | 419 |
| " <i>punctocostatus</i> , <i>Callistochiton</i> <i>decoratus</i> " | 962 | " <i>quadrangularis</i> , <i>Ptilosarcus</i> " | 423 |
| " <i>punctulata</i> , <i>Acanthinucella</i> " | 1805 | " <i>quadratifrons</i> , <i>Paramunna</i> " | 6622 |
| " <i>punctulata</i> , <i>Monoceros</i> " | 1806 | " <i>quadricuspida</i> , <i>Naineris</i> " | 3866 |
| Puncturella cooperi | 1120 | " <i>quadricuspida</i> , <i>Nais</i> " | 3867 |
| Puncturella eyerdami | 1121 | " <i>quadridentatum</i> , <i>Stachyptilum</i> " | 395 |
| Puncturella galeata | 1122 | " <i>quadrifilatum</i> , <i>Bittium</i> " | 1269 |
| Puncturella multistriata | 1109 | " <i>quadrifilatum</i> , <i>Bittium</i> (<i>Semibittium</i>)" | 1270 |
| " <i>pungoarena</i> , <i>Cerberilla</i> " | 2566 | " <i>quadrifilatum</i> , <i>Bittium</i> (<i>Stylium</i>)" | 1271 |
| " <i>puntarenae</i> , <i>Amphipholis</i> " | 7505 | " <i>quadrifilatum</i> , <i>Lirobittum</i> " | 1268 |
| " <i>pupa</i> , <i>Travisia</i> " | 3990 | " <i>quadrifissatum</i> , <i>Siphonodentalium</i> " | 3560 |
| " <i>pupiformis</i> , <i>Aartsenia</i> " | 2118 | " <i>quadrifissatus</i> , <i>Cadulus</i> (<i>Polyschides</i>)" | 3559 |
| " <i>pupiformis</i> , <i>Odostomia</i> " | 2119 | " <i>quadrifissatus</i> , <i>Polyschides</i> " | 3558 |
| (<i>Pupillaria</i>) <i>acuticostatus</i> , <i>Margarites</i> " | 1164 | " <i>quadrilineatum</i> , <i>Tetrastemma</i> " | 828 |
| (<i>Pupillaria</i>) <i>parcictus</i> , <i>Margarites</i> " | 1169 | " <i>quadrilobata</i> , <i>Aricidea</i> (<i>Allia</i>)" | 3922 |
| " <i>pupoidea</i> , <i>Fenella</i> " | 1154 | " <i>quadrilobata</i> , <i>Aricidea</i> (<i>Allia</i>)" | 3931 |
| " <i>pupoideus</i> , <i>Cantharidus</i> (<i>Halistylus</i>)" | 1155 | " <i>quadrimaculata</i> , <i>Atagema</i> " | 2375 |
| " <i>pupoideus</i> , <i>Halistylus</i> " | 1153 | Quadrimaera carla | 6276 |
| Purpura (Jaton) festiva | 1859 | Quadrimaera reishi | 6279 |
| (<i>Purpura</i>) <i>nuttalli</i> , <i>Purpura</i> " | 1820 | Quadrimaera vigota | 6281 |
| Purpura (<i>Purpura</i>) <i>nuttalli</i> | 1820 | " <i>quadrioculata</i> , <i>Eulalia</i> " | 4400 |
| Purpura besselialis | 1877 | " <i>quadruplicata</i> , <i>Lamprops</i> " | 6770 |
| Purpura emarginata | 1830 | " <i>quadruplicatus</i> , <i>Lamprops</i> " | 6769 |
| Purpura haematura | 1878 | " <i>quadrispina</i> , <i>Munida</i> " | 7096 |
| Purpura nuttallii albescens | 1818 | " <i>quadrirungulatus</i> , <i>Polyonyx</i> " | 7109 |
| Purpura nuttallii albofasciata | 1819 | " <i>quaylei</i> , <i>Pagurus</i> " | 7063 |
| Purpura ostrina | 1837 | " <i>quaylei</i> , <i>Parametaphoxus</i> " | 6182 |
| Purpura spirata | 1808 | " <i>quentinensis</i> , <i>Thracia</i> " | 3488 |
| " <i>purpuratus</i> , <i>Echinus</i> " | 7609 | Questa caudicirra | 3977 |
| " <i>purpuratus</i> , <i>Strongylocentrotus</i> " | 7608 | Questidae | 3976 |
| " <i>purpuratus</i> , <i>Toxocidaris</i> " | 7610 | " <i>quinicornis</i> , <i>Tridentella</i> " | 6443 |
| " <i>purpurea</i> , <i>Alvania</i> " | 1420 | " <i>quinqecapitata</i> , <i>Peachia</i> " | 494 |
| " <i>purpurea</i> , <i>Halcampaa</i> " | 486 | " <i>quinquesemita</i> , <i>Cucumaria</i> " | 7655 |
| " <i>purpurea</i> , <i>Halcampoides</i> " | 485 | " <i>quinquesemita</i> , <i>Eupentacta</i> " | 7654 |
| " <i>purpureum</i> , <i>Doridium</i> " | 2245 | " <i>quinqueseriatus</i> , <i>Calastacus</i> " | 6997 |
| " <i>purpuroincta</i> , <i>Bugula</i> " | 7924 | " <i>quinqueseriatus</i> , <i>Calocarides</i> " | 6996 |
| " <i>pusilla</i> , <i>Abarenicola</i> " | 3730 | " <i>quinqueseriatus</i> , <i>Calocaris</i> (<i>Calastacus</i>)" | 6995 |
| " <i>pusilla</i> , <i>Brisingella</i> " | 7418 | " <i>quinsana</i> , <i>Nasageneia</i> " | 6003 |
| " <i>pusilla</i> , <i>Colomastix</i> " | 6107 | " <i>quinsana</i> , <i>Pontogeneia</i> " | 6004 |
| " <i>pusillum</i> , <i>Phascolosoma</i> " | 3700 | " <i>quintinensis</i> , <i>Agathotoma</i> " | 2006 |
| " <i>pusillus</i> , <i>Pseudarchaster</i> " | 7396 | " <i>quintinensis</i> , <i>Cytherealla</i> (<i>Agathotoma</i>)" | 2008 |
| (<i>Pusula</i>) <i>californiana</i> , <i>Trivia</i> " | 1519 | " <i>quirica</i> , <i>Nucula</i> " | 2630 |
| " <i>pycna</i> , <i>Callianax</i> " | 1946 | " <i>quoyarum</i> , <i>Sphaeroma</i> " | 6553 |
| " <i>pycna</i> , <i>Olivella</i> " | 1947 | | |
| Pycnogonida | 5326 | | |

INDEX

R

| | | | |
|---|------|--|------|
| "radians, Ischnochiton" | 981 | "remis, Dulichiopsis" | 5831 |
| "radians, Lepidozona" | 980 | "remondii, Megasurcula" | 2052 |
| Raeta undulata | 3388 | "remota, Pisione" | 4116 |
| "ramea, Tubularia" | 233 | "remota, Praegeria" | 4117 |
| "rameum, Eudendrium" | 232 | "renaudi, Drillia" | 2069 |
| Ranex californica | 5080 | "renaudi, Rhodopetoma" | 2068 |
| "ramondi, Ampithoe" | 5731 | Renilla amethystina | 378 |
| "ramosa, Allia" | 3933 | Renilla koelikeri | 377 |
| "ramosa, Aricidea (Aricidea)" | 3934 | Renilliidae | 376 |
| "ramosa, Parastenella" | 371 | "resecata, Idotea" | 6521 |
| "ramosa, Stenella" | 372 | "resecata, Pentidotea" | 6520 |
| "ramosa, Tubularia" | 235 | "resima, Crago" | 6975 |
| "ramosum, Eudendrium" | 234 | "resima, Crangon" | 6974 |
| Randallia bulligera | 7157 | "resima, Neocrangon" | 6973 |
| Randallia ornata | 7158 | "restorationensis, Protothaca" | 3272 |
| "randolphi, Pecten" | 2826 | Retevirgula circumclathrata | 7883 |
| Ranella californica | 1492 | "reticulata, Amphissa" | 1717 |
| "ranunculus, Sphaerosyllis" | 4276 | "reticulata, Amphissa versicolor var." | 1718 |
| Rapaninae | 1875 | "reticulata, Doriopsis" | 2398 |
| "rapax mutatus, Elasmopus" | 6267 | "reticulata, Mourertia" | 2590 |
| "rapax, Elasmopus" | 6264 | "reticulata, Tritonia" | 2482 |
| Raphitominae | 2018 | "reticulatum, Tetrastremma" | 829 |
| Raphonotus subquadratus | 7293 | "reticulatus, Trimusculus" | 2589 |
| Raricirrus maculatus | 4928 | "retifera, Bornia" | 3031 |
| Raspailiidae | 84 | "retifera, Rhamphidonta" | 3030 |
| Raspailiinae | 85 | "retiporosa, Lepidozona" | 984 |
| "rastellinum, Pecten" | 2857 | "retiporosa, Opalia" | 1591 |
| Rathbunaster californicus | 7451 | "retiporosus, Ischnochiton (Trachydermon)" | 985 |
| "rathbuni, Lithodes" | 7122 | "retrospinanus, Pagurus" | 7066 |
| "rathbuni, Paralithodes" | 7121 | Retusa (Actecina) carinata | 2250 |
| "rayae, Hymedesanisochela" | 63 | Retusa (Coleophysis) harpa | 2268 |
| "rayae, lophon" | 62 | Retusa xystrum | 2286 |
| "rayi, Neomysis" | 5631 | Retusidae | 2284 |
| "rayii, Mysis" | 5632 | "(Rexithaerus) indentata, Macoma" | 3147 |
| "raymondi, Eulima" | 1637 | "(Rexithaerus) rickettsi, Macoma" | 3148 |
| "raymondi, Turbonilla" | 2173 | "(Rexithaerus) secta, Macoma" | 3155 |
| "reclusiana, Natica" | 1402 | Rhabdidae | 3549 |
| "reclusiana, Neverita" | 1405 | Rhabdochalyptus dawsoni | 16 |
| "reclusianus, Glossaulax" | 1401 | Rhabdochalyptus dowlingi | 19 |
| "recluzianus, Polinices (Neverita)" | 1408 | Rhabdocoela | 684 |
| "recta, Modiola" | 2773 | Rhabdocoela sp A | 686 |
| "recta, Volsella" | 2775 | Rhabdocoela sp A | 687 |
| "rectangularis, Styela" | 8040 | Rhabdocoela sp HYP1 | 688 |
| Rectangulata | 7823 | Rhabdocoela sp HYP2 | 689 |
| "rectilaminata, Scala" | 1542 | Rhabdoderma nuttingi | 174 |
| "recitipalmum, Americhelidium" | 6030 | "rhabdoplastis, Dulicia" | 5830 |
| "recitipalmum, Synchelidium" | 6031 | Rhabdus rectius | 3550 |
| "(Rectiplanes) santarosana, Antiplanes" | 2065 | "(Rhabdus) rectius, Dentalium" | 3553 |
| "(Rectiplanes) willetti, Antiplanes" | 2066 | Rachotropis barnardi | 6011 |
| "rectius, Dentalium" | 3551 | Rachotropis clemens | 6013 |
| "rectius, Dentalium (Rhabdus)" | 3553 | Rachotropis clemens | 6012 |
| "rectius, Rhabdus" | 3550 | Rachotropis distincta | 6014 |
| "rectum, Crystallophrisson" | 896 | Rachotropis luculenta | 6016 |
| "rectus, Modiolus" | 2772 | Rachotropis oculata | 6018 |
| "rectus, Volsella" | 2771 | Rachotropis sp A | 6017 |
| "recuperata, Protodorvillea" | 4508 | Rachotropis sp HYP1 | 6019 |
| "recurvidens, Platycarcinus" | 7234 | Rhamphidonta retifera | 3030 |
| "redondoensis, Aliena" | 2964 | Rhamphidonta sp A | 3000 |
| "redondoensis, Axinodon" | 2963 | Rhamphobrachium longisetosum | 4654 |
| "redondoensis, Axinulus" | 2965 | Rhamphostomella sp | 7969 |
| "redondoensis, Burchia" | 2073 | Rhamphostomiidae | 7968 |
| "redondoensis, Cardita ventricosa" | 2919 | Rhepoxyini abronius | 6138 |
| "redondoensis, Crassispira" | 2074 | Rhepoxyini bicuspatus | 6140 |
| "redondoensis, Nuculana" | 2655 | Rhepoxyini dabouis | 6142 |
| "redondoensis, Pagurus" | 7064 | Rhepoxyini fatigans | 6144 |
| "redondoensis, Tomburhus" | 2966 | Rhepoxyini heterocuspatus | 6146 |
| "reduncans, Dexamonica" | 6213 | Rhepoxyini homocuspatus | 6148 |
| "reduncans, Guernea" | 6212 | Rhepoxyini lucubrans | 6149 |
| "refulgida, Aphrodita" | 4013 | Rhepoxyini menziesi | 6151 |
| "regina, Turbonilla" | 2174 | Rhepoxyini sp A | 6161 |
| "regionmontana, Scalaria" | 1558 | Rhepoxyini stenodes | 6154 |
| "regium, Epitonium" | 1575 | Rhepoxyini tridentatus | 6156 |
| "regularis, Caesira" | 8114 | Rhepoxyini variatus | 6159 |
| "regularis, Euritteria" | 8115 | Rhextaaxis punctocoelata | 2108 |
| "regularis, Molgula" | 8113 | "rhines, Clathrodrilla (Moniliopsis)" | 1961 |
| "(Regulatus) okadae, Autolytus" | 4215 | "rhines, Moniliopsis" | 1964 |
| "regulus, Lora" | 2014 | "rhines, Surcula" | 1965 |
| "regulus, Oenopota" | 2013 | Rhinolithodes cristatipes | 7116 |
| "reidi, Solemya" | 2607 | Rhisangiidae | 439 |
| "reinhardi, Photis" | 5904 | Rhizocaulus verticillatus | 265 |
| "reinhardtii, Virgularia" | 411 | "(Rhizoniera) enamelia, Haliclona" | 128 |
| "reishi, Armatoplana" | 595 | "rhizopus, Cnemidocarpa" | 8029 |
| "reishi, Maera" | 6277 | "rhizopus, Styela" | 8030 |
| "reishi, Maera" | 6280 | Rhizorhagium formosum | 218 |
| "reishi, Quadrimaera" | 6279 | Rhizorus californicus | 2289 |
| "reishi, Stylochoplana" | 596 | Rhizorus panamicus | 2297 |
| "reishi, Syllides" | 4239 | Rhodaliidae | 341 |
| "reishi, Terebelliides" | 5101 | Rhodine bitorquata | 3820 |
| "remis, Dulichiaria" | 5832 | Rhodininae | 3819 |
| | | "rhodoceras, Acanthodoris" | 2410 |
| | | Rhodopetoma renaudi | 2068 |
| | | Rhomboidella columbiana | 2740 |

INDEX

| | | | |
|-------------------------------------|------|---|------|
| "rhomburum, Exosphaeroma" | 6541 | Romaleon antennarius | 7240 |
| "rhomburum, Sphaeroma" | 6542 | Romaleon branneri | 7243 |
| Rhynchobellida | 5301 | Romaleon jordani | 7246 |
| Rhynchobolus americanus | 4315 | "romigi ciego, Ampelisca" | 6250 |
| Rhynchospio arenicola | 5247 | "romigi, Ampelisca" | 6248 |
| Rhynchospio glutaea | 5248 | "roperi, Fusus" | 1874 |
| Rhynchospio microcera | 5195 | "roperi, Mangelia arteaga var" | 1988 |
| Rhyncothoracidae | 5397 | Roperia poulsoni | 1872 |
| Rhyncothoracoidea | 5396 | "roquedo, Bathymedon" | 6043 |
| Rhyncothorax philopsammum | 5398 | "rosa, Melanella" | 1644 |
| Rhyncothorax philospammum | 5399 | "rosacea, Acmaea (? pileolus Midd. var)" | 1087 |
| Rhynchozoon sp | 7967 | "rosacea, Haminoea" | 2211 |
| Rhynocrangon alata | 6980 | "rosacea, Hopkinsia" | 2430 |
| "rhyssa, Admete" | 2092 | "rosacea, Lottia" | 1086 |
| "rhyssa, Solariella" | 1191 | "rosacea, Myxilla" | 101 |
| "rhyssus, Murex" | 1871 | "rosacea, Okenia" | 2429 |
| "richardsoni, Cardium" | 3084 | "rosacea, Tectura" | 1088 |
| "richi, Pugettia" | 7173 | "rosaceus, Solen" | 3209 |
| "richii, Pugettia" | 7172 | "rosaceus, Solen sicarius" | 3210 |
| Ricinella angustata | 6405 | "rosana, Alvania" | 1421 |
| "rickeri, Allorchestes" | 5667 | "rosanum, Caecum" | 1461 |
| "rickettsi, Isometridium" | 545 | "rosanum, Micranellum" | 1467 |
| "rickettsi, Iphimedia" | 5995 | "rosea, Corbula luteola var" | 3427 |
| "rickettsi, Macoma (Rexithaerus)" | 3148 | "rosea, Euchone" | 4715 |
| "rickettsi, Panoploea" | 5996 | "rosea, Euchone" | 4719 |
| "rickettsi, Pycnogonum" | 5394 | "rosewateri, Periploma" | 3496 |
| Rictaxis painei | 2101 | Rossellidae | 12 |
| "(Rictaxis) painei, Actaeon" | 2102 | Rossellinae | 13 |
| "(Rictaxis) punctocaelata, Acteon" | 2106 | Rossia borealis | 3585 |
| Rictaxis punctocaelatus | 2103 | Rossia pacifica | 3584 |
| "(Rictaxis) punctocaelatus, Acteon" | 2107 | Rostanga pulchra | 2388 |
| "riedli, Crystallophrisson" | 897 | "rostrata, Cossura" | 3769 |
| "rigida, Ancistrosyllis" | 4205 | "rostrata, Netastoma" | 3440 |
| "rigida, Ancistrosyllis" | 4206 | "rostrata, Pholadidea" | 3441 |
| "rigida, Pentameria" | 7678 | "rostrata, Pholas" | 3439 |
| "rigida, Venus" | 3275 | "rostrata, Pontogeneia" | 6010 |
| "riisei, Phascolosoma" | 3660 | "rostratum, Netastoma" | 3438 |
| "rima, Pseudokoroga" | 6361 | "rostratum, Rutiderma" | 5554 |
| "rima, Rimakoroga" | 6360 | "rostratus, Anasimus" | 7195 |
| Rimakoroga rima | 6360 | "rostratus, Mithrax" | 7186 |
| Rimula galeata | 1123 | "rostriformis, Crepidula" | 1343 |
| "rimuloides, Scissurella" | 1135 | "rostriformis, Solen" | 3208 |
| "rimuloides, Sinezona" | 1134 | "rostriserratus, Calastacus" | 6998 |
| "ringei, Stylatula" | 402 | "rotula, Antiplanes" | 2063 |
| Ringiculidae | 2187 | "rotundata, Crenella" | 2737 |
| Ringiculoidae | 2186 | "rotundata, Kellia" | 2997 |
| "riojai, Magelonida" | 5126 | "rotundum, Rutiderma" | 5555 |
| Rissella sp SD1 | 1472 | "rotundus, Pilumnooides" | 7286 |
| Rissoa acutelirata | 1418 | "rowena, Doriopsilla" | 2403 |
| Rissoa compacta | 1417 | "rozieri forma gothica, Steganoporella" | 7897 |
| Rissoa cooperi | 1439 | "rozieri var californica, Thalamoporella" | 7896 |
| Rissoa kelseyi | 1441 | "rubellus, Amphiporus" | 806 |
| Rissoidae | 1414 | "rubens, Eugorgia" | 358 |
| Rissoinæ | 1415 | "rubens, Valencia" | 761 |
| Rissooidea | 1413 | "rubens, Zygeupolia" | 760 |
| "ritteri, Decoratrvicia" | 1521 | "ruber, Lineus" | 746 |
| "ritteri, Neilonella" | 2669 | "ruber, Planaria" | 747 |
| "ritteri, Odostomia" | 2140 | "rubescens, Lineus" | 749 |
| "ritteri, Tinaria" | 2670 | "rubescens, Octopus" | 3611 |
| "ritteri, Trivia" | 1520 | "rubescens, Terebratalia" | 7796 |
| "ritteri, Trivia (Dolichupis)" | 1522 | "rubescens, Terebratalia caurina" | 7792 |
| "riversi, Strombiformis" | 1642 | "rubescens, Tetraclitia" | 5440 |
| "robertsoniae, Costazia" | 7957 | "rubra, Aricidea (Acmira)" | 3900 |
| "robertsoniae, Celleporina" | 7954 | "rubra, Aricidea lopezii" | 3906 |
| "robertsoniae, Costazzia" | 7955 | "rubra, Carinella" | 717 |
| "robusta, Amphitrite" | 5022 | "rubra, Clavellinopsis" | 8060 |
| "robusta, Barentsia" | 864 | "rubra, Lasaea" | 3004 |
| "robusta, Eyakia" | 6165 | "rubra, Pachythone" | 7656 |
| "robusta, Fimbriella" | 5898 | "rubra, Styela" | 8061 |
| "robusta, Glycera" | 4323 | "rubra, Thyone" | 7657 |
| "robusta, Maldanella" | 3793 | "rubricornis, Cerapus" | 5849 |
| "robusta, Naineris" | 3863 | "rubricornis, Ericthonius" | 5848 |
| "robusta, Neoamphitrite" | 5023 | "rubrilineata, Phasianella (Eulithidium)" | 1243 |
| "robustus, Anoplodactylus" | 5378 | "rubrilineata, Tricolia" | 1245 |
| "robustus, Paraphoxus" | 6166 | "rubrilineatum, Eulithidium" | 1242 |
| Rochefortia aleutica | 3046 | "rubrocincta, Axiothella" | 3776 |
| Rochefortia coani | 3032 | "rubrocincta, Clymenella" | 3777 |
| Rochefortia compressa | 3035 | "rubrolineatum, Amphidesma" | 3187 |
| Rochefortia ferruginosa | 3010 | "rubromaculata, Campylaspis" | 6742 |
| Rochefortia golischii | 3011 | "rubropicta, Semele" | 3189 |
| Rochefortia grippi | 3037 | "rubroradiata, Sanguinolaria" | 3166 |
| Rochefortia mortoni | 3039 | "rubrotincta, Semele" | 3188 |
| Rochefortia pedroana | 3007 | Rudillemboides sp A | 5715 |
| Rochefortia sp A | 3034 | Rudillemboides stenopropodus | 5714 |
| Rochefortia sp B | 3041 | "rudis, Pachycheles" | 7103 |
| Rochefortia sp LA1 | 3047 | "rudolphi, Dorvillea" | 4493 |
| Rochefortia tumida | 3042 | "rudolphi, Stauronereis" | 4488 |
| Rocinela alaskensis | 6410 | "rudolphi, Stauronereis" | 4496 |
| Rocinela angustata | 6404 | "(Ruepellisoma) golikovi, Phascolosoma" | 3703 |
| Rocinela belliceps | 6407 | "rufa, Campylaspis" | 6745 |
| Rocinella laticauda | 6406 | "rufescens, Idotea" | 6515 |
| "rolleri, Tornastra" | 2262 | Ruffojassa angularis | 5871 |

INDEX

| | | | |
|---------------------------------------|------|---|------|
| "rugatum, Bittium" | 1273 | Salmacina tribanchiata | 4798 |
| "rugatum, Bittium (Semibittium)" | 1276 | "salmonea, Halodakra" | 3054 |
| "rugatum, Lirobittium" | 1272 | "salmonea, Maera" | 3124 |
| "rugatus, Lepidopleurus" | 945 | "salmonea, Neolepton" | 3055 |
| "rugatus, Leptochiton" | 944 | "salmonea, Psephidia" | 3056 |
| "rugifera, Erycina (Pseudopythina)" | 3019 | "salmonea, Psephis" | 3051 |
| "rugifera, Neaeromya" | 3017 | "salmonea, Tellina (Cadella)" | 3126 |
| "rugifera, Pseudopythina" | 3022 | "salmoneum, Neolepton" | 3050 |
| "rugifera, Pythina" | 3018 | "salmonis, Americorophium" | 5754 |
| "rugosa naticarum, Crepidula" | 1347 | "salmonis, Corophium" | 5755 |
| "rugosa norrisiarum, Crepidula" | 1350 | "samuelis, Eupagurus" | 7069 |
| "rugosa, Caudina" | 7741 | "samuelis, Pagurus" | 7068 |
| "rugosa, Corella" | 8019 | "samuelis, Pagurus (Trigonocheirus)" | 7070 |
| "rugosa, Crepidula" | 1321 | Samyntha bioculata | 4996 |
| "rugosa, Glycera" | 4314 | Samyntha californiensis | 5004 |
| "rugosa, Sertularella" | 325 | Samyntha pallescens | 4987 |
| "rugosa, Sertularia" | 326 | "sanctaecrucis, Caecognathia" | 6432 |
| "rugosus, Balanus" | 5457 | "sanctaecrucis, Gnathia" | 6433 |
| Runcina macfarlandi | 2301 | "sanctaemariae, Phisidea" | 5042 |
| Runcinidae | 2300 | "sanctipetrense, Hamatostcalpellum" | 5430 |
| Runcinoidea | 2299 | "sanctipetrense, Scalpellum" | 5431 |
| (Rupellaria) carditoides, Petricola" | 3352 | "sandiegensis, Diaulula" | 2378 |
| "rupicola, Astraea (Uvanilla)" | 1199 | "sandiegensis, Discodoris" | 2380 |
| "rupicola, Notocomplana" | 607 | "sandiegensis, Doris (Actinocyclus?)" | 2379 |
| "rupicola, Notoplana" | 608 | "sandiegensis, Planocera" | 637 |
| "rupicola, Porcellana" | 7107 | "sandiegensis, Pseudallioiplana" | 636 |
| "rupicolus, Petrolisthes" | 7106 | "sanguinea lurida, Leptoptyra" | 1211 |
| "rupium, Eubranchus" | 2532 | "sanguinea, Aldisa" | 2350 |
| "rupium, Tergipes" | 2533 | "sanguinea, Doris" | 2351 |
| "rustya, Capellinia" | 2537 | "sanguinea, Marphysa" | 4523 |
| "rustyus, Eubranchus" | 2536 | "sanguinea, Nereis" | 4524 |
| Rutiderma apex | 5548 | Sanguinolaria grandis | 3179 |
| Rutiderma chessi | 5549 | Sanguinolaria nuttallii | 3177 |
| Rutiderma hartmanni | 5550 | Sanguinolaria orcutti | 3180 |
| Rutiderma judayi | 5551 | Sanguinolaria rubroradiata | 3166 |
| Rutiderma lomae | 5552 | "sanjuanensis, Barleeria" | 1436 |
| Rutiderma rostratum | 5554 | "sanmatiensis, Pettiboneia" | 4503 |
| Rutiderma rotundum | 5555 | "sanpedroensis, Harpiniopsis" | 6203 |
| Rutidermatidae | 5547 | "sanpedroensis, Malmgreniella" | 4066 |
| "rutila, Balcis" | 1651 | "santamariensis, Diastylis" | 6786 |
| "rutila, Eulima" | 1650 | "santarosae, Erycina" | 2995 |
| "rutila, Melanella" | 1652 | "santarosae, Tellina" | 3098 |
| "rutila, Melanella (Balcis)" | 1653 | "santarosana, Antiplanes" | 2064 |
| "rutila, Melanella (Melanella)" | 1654 | "santarosana, Antiplanes (Rectiplanes)" | 2065 |
| "rutila, Polygireulima" | 1649 | "santarosana, Maxwellia" | 1800 |
| "rylovae, Melita" | 6297 | "santarosana, Murex (Phyllonotus)" | 1801 |
| S | | "santarosana, Murexiella" | 1803 |
| Sabellaria (Potamilla) brevicomata | 4725 | "santarosana, Odostomia" | 2151 |
| Sabellaria granuata | 5019 | "santarosana, Turbonilla" | 2175 |
| Sabellaria lumbicalis | 3811 | "santarosana, Murex (Murexiella)" | 1802 |
| Sabellaria vancouveri | 4731 | Sarcophilus gurneyi | 418 |
| Sabellaria californica | 4681 | Sarcophilus sinuosus | 424 |
| Sabellaria cementarium | 4679 | "sarraburei, Dromidia" | 7136 |
| Sabellaria gracilis | 4682 | "sarsi, Maldane" | 3804 |
| Sabellaria nanella | 4685 | "sarsi, Ophiura" | 7587 |
| Sabellaria spinulosa alcocki | 4683 | Sarsia tubulosaCmplx | 208 |
| Sabellaria spinulosa var | 4684 | Sarsiella sp A | 5539 |
| Sabellariidae | 4675 | Sarsiella sp B | 5541 |
| Sabellariinae | 4676 | Sarsiella sp C | 5544 |
| Sabellida | 4659 | Sarsiella sp F | 5542 |
| Sabellidae | 4688 | Sarsiella sp H | 5543 |
| Sabellides anops | 4963 | Sarsiellidae | 5537 |
| Sabellides manriquei | 5002 | Sarsiellidae sp SD1 | 5545 |
| Sabellides sp 1 | 5003 | Sarsielloidea | 5516 |
| Sabellinae | 4698 | Sarsonuphis parva | 4653 |
| Sabinella bakeri | 1656 | "saturna, Limatula" | 2797 |
| ("Sabinella) bakeri, Melanella" | 1659 | "savarti, Acanthodesia" | 7858 |
| "sabulicola, Coryphella" | 2522 | "savartii, Acanthodesia" | 7859 |
| "sabulifera, Cnemidocarpa" | 8032 | "Savartii, Biflustra" | 7860 |
| "sabulifera, Styela" | 8033 | "savartii, Flustra" | 7857 |
| "sacccharis, Papyrula" | 30 | "savignyi, Ciona" | 8011 |
| "sacccharis, Penares" | 29 | "sawinae, Epitonium" | 1572 |
| Saccocirridae | 5295 | "sawinae, Nitidiscala" | 1579 |
| Saccocirrus eroticus | 5296 | "sawinae, Scala" | 1573 |
| Saccoglossus sp | 7984 | "sawyeri, Eohaustorius" | 6113 |
| "sacculata, Magelona" | 5127 | Saxicava abrupta | 3353 |
| "sacculifer, Modiolus" | 2776 | Saxicava arctica | 3224 |
| "sacculifer, Volsella" | 2777 | Saxicava californica | 3354 |
| Sacoglossa | 2319 | Saxicava carditoides | 3346 |
| "sagamiensis, Dermatomya tenuiconcha" | 3536 | Saxicava legumen | 3355 |
| "sagaminus, Gorgonocephalus" | 7478 | Saxicava orientalis | 3225 |
| Sagartia catalinensis | 537 | Saxicava sakhalinensis | 3226 |
| Sagartiidae | 536 | Saxicavella nybakkeni | 3241 |
| "sagittaria, Leptopodia" | 7205 | Saxicavella pacifica | 3243 |
| "sagittariae, Glycera" | 4329 | "saxicola, Agriodesma" | 3468 |
| "sagrinata, Panopaea generosa" | 3233 | "saxicola, Entodesma" | 3469 |
| "sakhalinensis, Saxicava" | 3226 | Saxidomus gibbosus | 3312 |
| Salacia cornicina | 321 | Saxidomus nuttalli | 3335 |
| "saima, Cucumaria" | 7692 | "scaber, Chiton" | 1037 |
| | | "scaber, Leiomya (Plectodon)" | 3518 |
| | | "scaber, Plectodon" | 3517 |
| | | "scabra, Collisella" | 1091 |

INDEX

| | | | |
|--|------|---|------|
| "scabra, <i>Leiomya (Plectodon)</i> " | 3519 | "scintillaeformis, <i>Oedalia (Cooperella)</i> " | 3343 |
| "scabra, <i>Lottia</i> " | 1089 | "scintillaeformis, <i>Oedalina (Cooperella)</i> " | 3344 |
| "scabra, <i>Patella</i> " | 1090 | <i>Scintillona bellerophon</i> | 2986 |
| "scabrigostata, <i>Lepidozona</i> " | 989 | <i>Scionella japonica</i> | 5081 |
| "scabrigostatus, <i>Ischnochiton (Ischnochiton)</i> " | 991 | <i>Scionides dux</i> | 5082 |
| "scabrigostatus, <i>Ischnochiton (Lepidopleurus)</i> " | 990 | "scissurata, <i>Yoldia</i> " | 2679 |
| "scabrigostatus, <i>Lepidopleurus</i> " | 994 | <i>Scissurella (Anatoma) crispata</i> | 1132 |
| Scabrotrophon grovesi | 1888 | <i>Scissurella (Schizotrochus) kelseyi</i> | 1130 |
| Scabrotrophon maltzani | 1891 | <i>Scissurellidae</i> | 1135 |
| "scabrum, <i>Chaeloderma</i> " | 905 | <i>Scissurelloidea</i> | 1133 |
| Scala (<i>Cirostrema</i>) montereiensis | 1611 | "scitulus, <i>Nipponotrophon</i> " | 1889 |
| Scala (<i>Viciniscalpa</i>) minuticosta | 1565 | <i>Scleractinia</i> | 436 |
| Scala bellastriata | 1537 | <i>Sclerasterias heteropaeas</i> | 7452 |
| Scala berryi | 1539 | <i>Sclerocheilus acirratus</i> | 3980 |
| Scala crenimarginata | 1609 | <i>Sclerocheilus pacificus</i> | 3984 |
| Scala evicta | 1615 | <i>Scleroconcha trituberculata</i> | 5532 |
| Scala hindssii | 1550 | <i>Sclerocrangon alata</i> | 6981 |
| Scala indianorum | 1557 | <i>Sclerodactylidae</i> | 7653 |
| Scala lowei | 1560 | <i>Sclerodoris tanya</i> | 2359 |
| Scala rectilaminata | 1542 | <i>Scleroplax granulata</i> | 7296 |
| Scala sawinae | 1573 | "(Scleroplax) granulata, <i>Pinnixa</i> " | 7298 |
| Scala tincta | 1586 | <i>Scolanthus scamiti</i> | 7297 |
| Scala Wrblewskyi | 1598 | <i>Scolanthus</i> sp A | 478 |
| Scalaria (? Indianorum var.) tincta | 1581 | <i>Scolanthus</i> sp A | 474 |
| Scalaria (<i>Cirsotrema</i>) funiculata | 1601 | <i>Scolanthus</i> sp A | 483 |
| Scalaria (<i>Cirsotrema</i>) montereensis | 1611 | <i>Scolanthus</i> sp B | 479 |
| Scalaria (<i>Psychrosoma</i>) gouldi | 1599 | <i>Scolanthus triangulus</i> | 480 |
| Scalaria bellastriata | 1534 | <i>Scolecida</i> | 3727 |
| Scalaria hindssii | 1544 | <i>Scolelepis (Parascolelepis) sp SD1</i> | 5252 |
| Scalaria indianorum | 1552 | <i>Scolelepis (Parascolelepis) texana</i> | 5251 |
| Scalaria polita | 1567 | <i>Scolelepis (Parascolelepis) tridentata</i> | 5249 |
| Scalaria regiomontana | 1558 | <i>Scolelepis (Scolelepis) bullibranchia</i> | 5254 |
| Scalaria subcoronata | 1587 | "(Scolelepis) bullibranchia, <i>Scolelepis</i> " | 5254 |
| Scalibregma californicum | 3986 | <i>Scolelepis (Scolelepis) occidentalis</i> | 5255 |
| Scalibregma inflatum | 3987 | "(Scolelepis) occidentalis, <i>Scolelepis</i> " | 5255 |
| Scalibregmatidae | 3978 | <i>Scolelepis (Scolelepis) squamata</i> | 5257 |
| Scaliolidae | 1283 | "(Scolelepis) squamata, <i>Scolelepis</i> " | 5257 |
| Scalpellidae | 5424 | <i>Scolelepis indica</i> | 5191 |
| Scalpelloidea | 5420 | <i>Scolelepis</i> sp 1 | 5253 |
| Scalpellomorpha | 5419 | <i>Scoletoma bassi</i> | 4562 |
| Scalpellum californicum | 5426 | <i>Scoletoma erecta</i> | 4564 |
| Scalpellum californicum osseum | 5428 | <i>Scoletoma luti</i> | 4568 |
| Scalpellum osseum | 5429 | <i>Scoletoma</i> sp A | 4573 |
| Scalpellum sanctipetrense | 5431 | <i>Scoletoma</i> sp B | 4575 |
| "scamit, <i>Pinnixa</i> " | 7313 | <i>Scoletoma</i> sp C | 4577 |
| "scamiti, <i>Scolanthus</i> " | 478 | <i>Scoletoma tetraura</i> | 4569 |
| "scaphobranchia, <i>Amphicteis</i> " | 4977 | <i>Scoletoma tetraura</i> Cmplx | 4567 |
| Scaphopoda | 3538 | <i>Scoletoma zonata</i> | 4570 |
| "scaura var californica, <i>Caprella</i> " | 5788 | <i>Scoloplos (Scoloplos) pugettensis</i> | 3852 |
| "scaura var scauroides, <i>Caprella</i> " | 5787 | <i>Scoloplos acmeceps</i> | 3877 |
| "scaura, <i>Caprella</i> " | 5786 | <i>Scoloplos acmeceps profundus</i> | 3878 |
| "scauroides, <i>Caprella scaura</i> var" | 5787 | <i>Scoloplos armiger</i> Cmplx | 3879 |
| Schistocomas hiltoni | 5005 | <i>Scoloplos elongata</i> | 3853 |
| Schistocomas hiltoni | 5007 | <i>Scoloplos grubei</i> | 3865 |
| Schistocomas sp A | 5006 | "(Scoloplos) pugettensis, <i>Scoloplos</i> " | 3852 |
| "(Schistomerings) annulata, <i>Dorvillea</i> " | 4483 | <i>Scoloura phillipsi</i> | 6683 |
| Schistomerings longicornis | 4486 | <i>Scopularia</i> | 5 |
| Schistomerings longicornis | 4494 | "scopolosum, <i>Sinum</i> " | 1409 |
| "(Schistomerings) longicornis, <i>Dorvillea</i> " | 4489 | "scopolosus, <i>Sigaretus</i> " | 1410 |
| Schistomerings nr annulata | 4487 | "scrippiana, <i>Triopha</i> " | 2449 |
| Schisturella cocula | 6376 | "scriptoria, <i>Harmothoe</i> " | 4069 |
| Schisturella dorothaeae | 6377 | "scriptoria, <i>Malmgreniella</i> " | 4068 |
| Schisturella tracaleri | 6379 | <i>Scrobicularia biangulata</i> | 3137 |
| Schizaster latifrons | 7626 | "scrobiculata, <i>Lepidozona</i> " | 997 |
| Schizaster townsendi | 7629 | "scrobiculatus, <i>Chiton</i> " | 998 |
| Schizaster ventricosus | 7631 | <i>Scrupocellaria cyclostomata</i> | 7910 |
| Schizasteridae | 7624 | <i>Scrupocellaria diegensis</i> | 7908 |
| Schizobranchia insignis | 4777 | <i>Scrupocellaria ferox</i> | 7909 |
| Schizocardium sp | 7982 | <i>Scrupocellaria varians</i> | 7911 |
| Schizoporella hyalina | 7939 | "sculpta, <i>Ciliacea</i> " | 6549 |
| Schizoporella inarmata | 7943 | "sculpta, <i>Paracerceis</i> " | 6548 |
| Schizoporella insculpta | 7941 | "scutata, <i>Amage</i> " | 5001 |
| Schizoporella lineararia var inarmata | 7944 | "scutata, <i>Paramage</i> " | 5000 |
| Schizoporellidae | 7942 | <i>Scutella excentrica</i> | 7615 |
| Schizopyga californica | 1767 | <i>Scutellidium</i> sp | 5482 |
| Schizopyga fossata | 1773 | <i>Scutellina</i> | 7612 |
| "(Schizopyga) fossatus, <i>Alectron</i> " | 1770 | <i>Scutopidae</i> | 925 |
| "(Schizopyga) insculptus, <i>Alectron</i> " | 1788 | <i>Scutopoda</i> | 887 |
| "(Schizopyga) mendicus, <i>Alectron</i> " | 1780 | <i>Scycettida</i> | 166 |
| "(Schizopyga) tegulus, <i>Alectron</i> " | 1760 | <i>Scyphacidae</i> | 6565 |
| Schizothaerus nuttalli | 3385 | <i>Scyphoprocetus oculatus</i> | 3765 |
| Schizothaerus nuttallii | 3386 | <i>Scyra acutifrons</i> | 7191 |
| "(Schizotrochus) kelseyi, <i>Scissurella</i> " | 1130 | <i>Scyra acutifrons</i> | 7192 |
| "schmitti, <i>Dendrostomum</i> " | 3683 | "seclusus escabrosa, <i>Heterophlias</i> " | 5656 |
| "schmitti, <i>Discorsopagurus</i> " | 7036 | "secorus, <i>Pleusirus</i> " | 5938 |
| "schmitti, <i>Microdeutopus</i> " | 5710 | "secta, <i>Macoma</i> " | 3153 |
| "schmitti, <i>Orthopagurus</i> " | 7038 | "secta, <i>Macoma (Rexithaerus)</i> " | 3155 |
| "schmitti, <i>Paramicrodeutopus</i> " | 5709 | "secta, <i>Tellina</i> " | 3154 |
| "schmitti, <i>Phylopagurus</i> " | 7039 | "sectimanus, <i>Ampithoe</i> " | 5732 |
| "schmitti, <i>Pinnixa</i> " | 7314 | "secunda, <i>Aoroides</i> " | 5696 |
| "schmitti, <i>Pylopagurus</i> " | 7037 | "secundus, <i>Aoroides</i> " | 5695 |
| Schmittius politus | 5587 | | |

INDEX

| | | | |
|---|------|---|------|
| "seftoni, Admete" | 2093 | Sertularia cornicina | 322 |
| "segmentispadix, Mooreonuphis" | 4619 | Sertularia furcata | 318 |
| "segmentispadix, Onuphis" | 4620 | Sertularia geniculata | 261 |
| "segnipes, Dromidia" | 7137 | Sertularia inconstans | 314 |
| "segnis, Pisaster ochraceus" | 7448 | Sertularia neritina | 7922 |
| Seguenzioidea | 1136 | Sertularia pumila | 320 |
| Seila montereyensis | 1681 | Sertularia rugosa | 326 |
| Selaginopsis cylindrica | 323 | Sertularia setacea | 299 |
| Semele ashleyi | 3190 | Sertularia syringa | 282 |
| Semele decisa | 3185 | Sertularia tenella | 328 |
| Semele incongrua | 3193 | Sertularia traski | 316 |
| Semele pulchra var montereyi | 3194 | Sertularia turgida | 333 |
| Semele rubropicta | 3189 | Sertularia verticillata | 266 |
| Semele rubrotincta | 3188 | Sertularia volubilis | 251 |
| Semele venusta | 3191 | Sertulariidae | 310 |
| Semelidae | 3181 | "sertulifera, Asterias" | 7422 |
| "(Semibittium) quadrifilatum, Bittium" | 1270 | "sertulifera, Astrometis" | 7421 |
| "(Semibittium) rugatum, Bittium" | 1276 | "sertulifera, Coscinasterias" | 7425 |
| "semicostata, Modiola" | 2764 | "sertulifera, Marthasterias" | 7426 |
| "semiflata, Crassispira" | 2071 | Sessilia | 5432 |
| "semiflata, Pseudomelatoma penicillata var" | 2072 | Sessiliflorae | 375 |
| "semimaculata, Arabella" | 4587 | "setacea, Plumularia" | 298 |
| "semimaculata, Aracoda" | 4588 | "setacea, Sertularia" | 299 |
| "(Seminella) penicillata, Columbella" | 1744 | "seticomvus, Ancinus" | 6556 |
| "seminuda, Yoldia" | 2675 | "setosa Cmplx, Chaetozone" | 4875 |
| Semitubigera tuba | 7816 | "setosa, Ammotrocha" | 5341 |
| "semiusta, Mitra" | 1929 | "setosa, Bryophilida" | 2708 |
| "sencillus, Eohaustorius" | 6114 | "setosa, Philobrya" | 2707 |
| "senhousei, Musculus" | 2733 | "setosa, Sigambra" | 4200 |
| "senhousei, Modiola" | 2731 | "setosus, Phenacia" | 5095 |
| "senhousei, Musculista" | 2730 | "setosus, Thelipus" | 5094 |
| "senile Cmplx, Medridium" | 547 | "sexlineatum, Tetrastemma" | 830 |
| "senta, Eunoe" | 4039 | "sharonae, Lamellaria" | 1512 |
| "senta, Gattyana" | 4040 | "sharonae, Marseniopsis" | 1511 |
| "sentica, Chaetozone" | 4874 | "sharpel, Leuroleberis" | 5509 |
| "sentosa, Diastylis" | 6788 | Shasyus festivus | 1860 |
| Sepioidea | 3581 | "(Shasyus) festiva, Pteropurpura" | 1858 |
| Sepiolida | 3582 | "shearer, Dynamene" | 6536 |
| Sepiolidae | 3583 | "shearer, Dynamenella" | 6535 |
| "septentrionalis var verrucosa, Caprella" | 5812 | "shimizuensis, Ampithoe" | 5735 |
| "septentrionalis, Agnesia" | 8024 | "shoemakeri, Americhelidium" | 6032 |
| "septentrionalis, Agnezia" | 8023 | "shoemakeri, Gammaropsis" | 5891 |
| "septentrionalis, Glycymeris" | 2698 | "shoemakeri, Synchelidium" | 6033 |
| "septentrionalis, Glycymeris (Aixinola)" | 2702 | "siblinia, Monticellina" | 4911 |
| "septentrionalis, Pectunculus" | 2699 | Siboglinidae | 4818 |
| Septibranchia | 3497 | Siboglinum veleronis | 4819 |
| Septifer bifurcatus | 2779 | "sica, Spirontocaris" | 6921 |
| Septiferinae | 2778 | "sicarius rosaceus, Solen" | 3210 |
| "serendipita, Lightiella" | 5409 | "sicarius, Solen" | 3211 |
| Sergestes (Sergestes) similis | 6828 | Sicyonia disedwardsi | 6819 |
| Sergestes atlanticus | 6827 | Sicyonia ingentis | 6821 |
| Sergestes similis | 6826 | Sicyonia penicillata | 6823 |
| "(Sergestes) similis, Sergestes" | 6828 | Sicyoniidae | 6818 |
| Sergestidae | 6825 | "siderialis, Astropecten" | 7377 |
| Sergestoidea | 6824 | Sigalion spinosus | 4104 |
| Serifata | 690 | Sigalionidae | 4098 |
| "sericata, Diplodonta" | 3249 | Sigambra bassi | 4198 |
| "sericata, Lucina" | 3250 | Sigambra setosa | 4200 |
| "sericatus, Taras (Felaniella)" | 3255 | Sigambra tentaculata | 4201 |
| Serolidae | 6560 | Sigaretus oldroydii | 1388 |
| Serolis carinata | 6562 | Sigaretus scopulosus | 1410 |
| Seroloidea | 6559 | Sige bifoliata | 4416 |
| "serpens Cmplx, Perigonimus" | 222 | Sige bifoliata | 4418 |
| "serpens Cmplx, Perigonimus" | 229 | "(Sige) bifoliata, Eulalia" | 4417 |
| Serpula columbiana | 4802 | Sige californiensis | 4410 |
| Serpula zygophora | 4785 | Sige montereyensis | 4412 |
| Serpulidae | 4778 | Sige sp A | 4419 |
| Serpulinae | 4779 | Sige sp B | 4421 |
| Serpulorbis squamigerus | 1528 | Sigmadocia edaphus | 139 |
| "serraculum, Lepidepecreum" | 6343 | "signifer, Tetrasemma" | 831 |
| "serrana, Alaba" | 1658 | "signifera, Nephtys" | 4363 |
| "serrata, Inusitatomyosis" | 5629 | "signifera, Nephtys" | 4374 |
| "serrata, Lepidozona" | 1003 | "signum, Phascolosoma" | 3639 |
| "serrata, Parthenope" | 4927 | Silicea | 1 |
| "serratisetia, Aphelochaeta" | 4910 | Siliqua lucida | 3215 |
| "serratisetia, Monticellina" | 4908 | Siliquaria edentula | 3173 |
| "serratisetia, Tharyx" | 4909 | Silophasma geminata | 6464 |
| "serratissima, Antedon" | 7357 | "simia, Caprella" | 5808 |
| "serratissima, Florometra" | 7356 | "simile, Maera" | 6274 |
| "serratissima, Promachocrinus (Florometra)" | 7360 | "similis, Foxiphalus" | 6128 |
| "serratus, Ctenodrilus" | 4926 | "similis, Harpiniopsis" | 6192 |
| "serratus, Gnathopleustes" | 5950 | "similis, Maera" | 6273 |
| "serratus, Ischnochiton" | 1004 | "similis, Paraphoxus" | 6129 |
| "serricata, Axinopsisida" | 2967 | "similis, Sergestes" | 6826 |
| "serricatus, Axinopsis" | 2969 | "similis, Sergestes (Sergestes)" | 6828 |
| "serricatus, Cryptodon" | 2968 | "similisetsis, Sphaerephesia" | 4457 |
| "serricatus, Elasmopus" | 6268 | "(Simnia) deflexa var barbarensse, Ovula" | 1364 |
| Sertularella conica | 331 | Simnia loebbeckeana | 1371 |
| Sertularella cylindrica | 309 | Simnia vidleri | 1362 |
| Sertularella pedrensis | 330 | Simnia (Neosimnia) barbarensis | 1366 |
| Sertularella rugosa | 325 | Simnia (Neosimnia) catalinensis | 1367 |
| Sertularella tenella | 327 | Simmomactra falcata | 3376 |

INDEX

| | | | |
|---|------|--|------|
| Simomactra planulata | 3379 | Solecurtus (<i>Cultellus</i>) californiensis | 3203 |
| "simoni, Nephtys" | 4376 | Solecurtus (<i>Cultellus</i>) subteres | 3205 |
| Simplaria pseudomilitaris | 4815 | Solecurtus affinis | 3200 |
| "simplex, Acmira" | 3908 | Solecurtus guaymasensis | 3197 |
| "simplex, Aricidea (Acesta)" | 3909 | Solecurtus lucidus | 3216 |
| "simplex, Aricidea (Acmira)" | 3907 | Solemya johnsoni | 2604 |
| "simplex, Aricidea suecica" | 3912 | Solemya panamensis | 2608 |
| "simplex, Branchiomaldane" | 3732 | Solemya perverncosa | 2606 |
| "simplex, Dentalium (Compressidens)" | 3577 | Solemya reidi | 2607 |
| "simplex, Ophiactis" | 7494 | Solemyida | 2599 |
| "simplex, Ophiolepis" | 7495 | Solemyidae | 2601 |
| "simplex, Terebra" | 2039 | Solemyinae | 2605 |
| "simplissima, Achelia" | 5335 | Solemyoidea | 2600 |
| "simplissima, Ammothea" | 5336 | Solen minutus | 3228 |
| "simulans, Ampithoe" | 5733 | Solen rosaceus | 3209 |
| "sinapium, Hymeniacidon" | 119 | Solen rostriformis | 3208 |
| Sinelobus stanfordi | 6692 | Solen sicarius | 3211 |
| Sinezona rimuloides | 1134 | Solen sicarius rosaceus | 3210 |
| "singularis, Diplantrös" | 598 | Solenidae | 3207 |
| Sinocorophium alienense | 5769 | Solenocera mutator | 6811 |
| Sinocorophium heteroceratum | 5771 | Solenoceridae | 6810 |
| "sinuata, Mopalia" | 1057 | Solenogastres | 874 |
| "sinudentatus, Ischnochiton" | 999 | Solenoidae | 3206 |
| Sinum californicum | 1411 | "solida, Crepidula" | 1344 |
| Sinum keratium | 1412 | "solida, Panopea generosa" | 3235 |
| Sinum scopolosum | 1409 | "solidus, Stauromaclyptus" | 20 |
| "sinuosus, Sarcoptilus" | 424 | Solitaria | 848 |
| Siphonalia kelletti | 1692 | "solitarium, Nymphon" | 5369 |
| Siphonariidae | 2592 | "sommaterianus, Lophopanopeus" | 7233 |
| Siphonarioidea | 2591 | Sonatsa carinata | 3807 |
| Siphonodentaliinae | 3557 | Sorbeoconcha | 1251 |
| Siphonodentalium quadrifissatum | 3560 | Sosane occidentalis | 5008 |
| Siphonolabrum californiense | 6685 | Sosane sulcata nidrosiensis | 4981 |
| Siphonophora | 339 | Sosanopsis sp A | 5010 |
| Siphonosoma ingens | 3619 | Sosanopsis sp A | 5011 |
| Siphonosomecus ingens | 3620 | "souleae, Celleporina" | 7958 |
| Sipuncula | 3615 | "soyo, Phascolosoma" | 3640 |
| Sipunculidae | 3618 | "soyoae, Poromya (Dermatomya)" | 3537 |
| Sipunculidae | 3616 | "spadicea, Cypraea" | 1355 |
| "sipunculides, Edwardsia" | 469 | "spadicea, Zonaria" | 1354 |
| Sipunculiformes | 3617 | "spadix, Cratena" | 2543 |
| Sipunculus (<i>Phascolosoma</i>) borealis | 3652 | "spadix, Glycera" | 4330 |
| Sipunculus balanophorus | 3622 | "spaldingi, Doriopsilla" | 2404 |
| Sipunculus boreale | 3651 | "sparsa, Cadlina" | 2365 |
| Sipunculus delphinus | 3623 | "sparsa, Juanella" | 2366 |
| Sipunculus eremita | 3647 | Spatangidae | 7638 |
| Sipunculus eximioclathratus | 3624 | Spatangoida | 7622 |
| Sipunculus gigas | 3625 | Spatangus californicus | 7642 |
| Sipunculus margaritaceus | 3632 | Spathoderma californicum | 921 |
| Sipunculus nudus | 3621 | Spathoderma sp A | 923 |
| Sipunculus titubans | 3626 | "species, Galeomma new" | 2985 |
| Siriella pacifica | 5598 | "speciosa, Carinella" | 718 |
| Siriellinae | 5597 | "speciosa, Manayunkia" | 4740 |
| "sitchensis, Heptacarpus" | 6884 | "spectabilis, Cirratulus" | 4892 |
| "sitchensis, Hippolyte" | 6885 | "spectabilis, Cirriformia" | 4888 |
| "sitkensis, Odostomia" | 2152 | "spectabilis, Promenia" | 4889 |
| "sitkana, Thais" | 1835 | Spengeliidae | 7981 |
| Skenea californica | 1217 | Specocarcinus californiensis | 7274 |
| Skenea coronadoensis | 1213 | Sphaenia californica | 3412 |
| Skeneinae | 1212 | Sphaerephesia longisetis | 4456 |
| "slatteryi, Asteropella" | 5504 | Sphaerephesia similisets | 4457 |
| "slatteryi, Jassa" | 5860 | "sphaericosa, Adontorhina" | 2962 |
| "sluiteri, Golfingia" | 3658 | Sphaerodoridae | 4453 |
| "sluiteri, Phascolosoma" | 3661 | Sphaerodoridium biserialis | 4458 |
| "smithi, Hermaeina" | 2326 | Sphaerodoridium sp A | 4460 |
| "smithi, Pleurotoma (Spirotropis)" | 2067 | Sphaerodoropsis biserialis | 4462 |
| Smittina sp | 7952 | Sphaerodoropsis biserialis | 4459 |
| Smittinidae | 7947 | Sphaerodoropsis minuta | 4464 |
| "snyderi, Spirontocaris" | 6922 | Sphaerodoropsis sphaerulifer | 4468 |
| Socarnes hartmani | 6329 | Sphaerodorum biserialis | 4463 |
| Socarnoides illudens | 6386 | Sphaerodorum brevicapitis | 4455 |
| "sociable, Tethyum" | 8010 | Sphaerodorum minutum | 4467 |
| "socialis, Ciona" | 8009 | Sphaerodorum papillifer | 4470 |
| "socialis plena, Polydora" | 5184 | Sphaerodorum sphaerulifer | 4469 |
| "socialis, Dipolydora" | 5175 | Sphaeroma amplicauda | 6538 |
| "socialis, Leucodore" | 5176 | Sphaeroma oregonensis | 6544 |
| "socialis, Polydora" | 5183 | Sphaeroma quoyarum | 6553 |
| "socialis, Protocirrineris" | 4917 | Sphaeroma rhomburum | 6542 |
| "socialis, Pseudopotamilla" | 4775 | Sphaeromatidae | 6528 |
| "socorroensis, Odostomia" | 2153 | Sphaeromatidea | 6526 |
| Solamen columbianum | 2735 | Sphaeromatoidea | 6527 |
| Solariella cidaris | 1147 | Sphaerordidium minutum | 4466 |
| Solariella nuda | 1189 | Sphaerostoma diomedea | 2476 |
| Solariella oxybasis | 1148 | Sphaerostoma gigantea | 2468 |
| Solariella peramabilis | 1190 | Sphaerostoma tenuiquatra | 2469 |
| Solariella rhyssa | 1191 | Sphaerostoma undulata | 2481 |
| Solariellidae | 1188 | Sphaerosyllis bilineata | 4272 |
| Solaster borealis | 7404 | Sphaerosyllis brandhorsti | 4277 |
| "solasteri, Janira" | 6590 | Sphaerosyllis californiensis | 4275 |
| "solasteri, Janiralata" | 6589 | Sphaerosyllis californiensis | 4256 |
| Solasteridae | 7403 | Sphaerosyllis californiensis | 4273 |
| Solecurtidae | 3196 | Sphaerosyllis californiensis | 4249 |

INDEX

| | | | |
|-------------------------------------|------|--|------|
| Sphaerosyllis ranunculus | 4276 | Spiophanes kimballi | 5277 |
| Sphaerosyllis sp A | 4274 | Spiophanes kroeyeri | 5276 |
| "sphaerulifer, Sphaerodopsis" | 4468 | Spiophanes missionensis | 5274 |
| "sphaerulifer, Sphaerodorum" | 4469 | Spiophanes norrisi | 5281 |
| Spheciopspongia confoederata | 46 | Spiophanes pigmentata | 5197 |
| Sphenia bilirata | 3229 | Spiophanes wigleyi | 5283 |
| Sphenia fragilis | 3415 | Spiophanicola spinulosus | 5491 |
| Sphenia globula | 3421 | Spiophanicolidae | 5490 |
| Sphenia luteola | 3417 | Spiophanes kroeyeri | 5280 |
| Sphenia ovoidea | 3406 | "spirabrancha, Cirriformia" | 4886 |
| Sphenia phaladidea | 3422 | "spirabranchus, Cirratulus" | 4887 |
| Spheniopsidae | 3433 | "spiralis, Amphitrite" | 5040 |
| Sphincturella sp A | 40 | "spiralis, Neoleptrea" | 5039 |
| "spicula, Polynoe" | 4033 | "spiralis, Ototyphlonemertes" | 788 |
| Spiculata barbarensis | 1368 | "spiralis, Ototyphlonemertes (Otohelicophora)" | 789 |
| Spiculata loebbeckeana | 1372 | Spirastrellidae | 45 |
| "spiculata, Ophiothrix" | 7555 | "spirata, Acanthina" | 1809 |
| "spiculus, Lepidonotus" | 4032 | "spirata, Acanthinucella" | 1807 |
| "spilocarpus, Pagurus" | 7071 | "spirata, Purpura" | 1808 |
| "spilotus, Eteone" | 4395 | Spirobbranchus spinosus | 4803 |
| "spinicarpa, Leucothoe" | 5965 | Spironotcaris brevirostris | 6873 |
| "spinicarpus, Gammarius" | 5966 | Spirontocaris bispinosa | 6914 |
| "spinicauda, Maera" | 6261 | Spirontocaris cristata | 6891 |
| "spinicaudus, Ceradocus" | 6260 | Spirontocaris cristatus | 6892 |
| Spinicirrus sp | 629 | Spirontocaris dalli | 6912 |
| "spinifera, Ammotella" | 5343 | Spirontocaris decorus | 6876 |
| "spinifera, Paradoneis" | 3969 | Spirontocaris flexa | 6878 |
| "spinifera, Paraonis" | 3970 | Spirontocaris gracilis | 6901 |
| "spinifera, Paronella" | 3971 | Spirontocaris holmesi | 6913 |
| "spinifrons, Munna" | 6604 | Spirontocaris lagunae | 6908 |
| "spinipes, Monoculodes" | 6063 | Spirontocaris lamellicornis | 6916 |
| "spino-hirsutus, Acanthus" | 7283 | Spirontocaris macrodonta | 6920 |
| "spinohirsutus, Pilumnus" | 7282 | Spirontocaris palpator | 6882 |
| "spinosa corona, Chaetozone" | 4868 | Spirontocaris picta | 6887 |
| "spinosa, Aoroides" | 5697 | Spirontocaris prionota | 6918 |
| "spinosa, Calyptraea" | 1336 | Spirontocaris sica | 6921 |
| "spinosa, Chaetozone" | 4876 | Spirontocaris snyderi | 6922 |
| "spinosa, Dulichiella" | 6289 | Spirontocaris taylori | 6896 |
| "spinosa, Eurycye" | 5331 | Spirontocaris tridens | 6903 |
| "spinosa, Gammaropsis" | 5892 | Spirontocaris truncata | 6923 |
| "spinosa, Hippasteria" | 7394 | Spirophorida | 23 |
| "spinosa, Psammolyce" | 4103 | Spiorbinae | 4804 |
| "spinosa, Thalenessa" | 4106 | Spirorbis (Laeospira) pseudomilitaris | 4816 |
| "spinossissima, Ammothea" | 5346 | Spirorbis bifurcatus | 4817 |
| "spinossissima, Crago" | 6969 | Spirorbis brasiliensis | 4807 |
| "spinossissima, Crangon" | 6968 | Spirorbis eximius | 4813 |
| "spinossissima, Metacrangon" | 6967 | Spirorbis pseudocorragatus | 4810 |
| "spinossissima, Nymphopsis" | 5345 | Spirotropis ? evadne | 1981 |
| Spinosphaera harrietae | 5083 | "(Spirotropis) smithi, Pleurotoma" | 2067 |
| Spinosphaera oculata | 5085 | Spirularia | 427 |
| Spinosphaera sp SD1 | 5084 | Spisula (Hemimactra) hemphilli | 3370 |
| "spinosum, Crucibulum" | 1335 | Spisula (Mactromeris) catilliformis | 3365 |
| "spinosum, Eustiglion" | 4105 | Spisula cameronis | 3368 |
| "spinosus, Anasimus" | 7196 | Spisula catilliformis | 3362 |
| "spinosus, Eobrolgus" | 6169 | "(Spisula) catilliformis, Mactra" | 3363 |
| "spinosus, Erileptus" | 7194 | Spisula falcata | 3378 |
| "spinosus, Eurystheus" | 5893 | Spisula hemphilli | 3369 |
| "spinosus, Paraphoxus" | 6170 | Spisula mercedensis | 3364 |
| "spinosus, Sigalion" | 4104 | Spisula planulata | 3381 |
| "spinosus, Spirobbranchus" | 4803 | "splendens, Bathypera" | 8076 |
| "spinulicauda, Axiopsis" | 7004 | "splendens, Calliostoma" | 1184 |
| "spinulicauda, Axiopsis (Axiopsis)" | 7005 | "splendida, Megalomma" | 4746 |
| "spinulicauda, Axius" | 7001 | "splendida, Pseudopotamilla" | 4747 |
| "spinulicauda, Axius (Paraxius)" | 7002 | "splendidissima, Diopatra" | 4605 |
| "spinulicauda, Calocarides" | 7000 | Spongia fragilis | 148 |
| "spinulicaudus, Acanthaxius" | 7003 | Spongia idia | 142 |
| "spinulosa alcocki, Sabellaria" | 4683 | Spongia panicea | 118 |
| "spinulosa var, Sabellaria" | 4684 | "spongicola, Haplosyllis" | 4280 |
| Spinulosida | 7401 | "spongicola, Petelodoris" | 2376 |
| "spinulosus, Spiophanicola" | 5491 | "spongicola, Polydora" | 5218 |
| Spio (Microspio) pigmentata | 5199 | "spongicola, Syllis" | 4281 |
| Spio acuta | 5261 | "spongigartina, Anaata" | 75 |
| Spio bombyx | 5282 | "spongigartina, Clathria (Microciona)" | 74 |
| Spio butler | 5262 | Spongiidae | 141 |
| Spio filicornis | 5263 | "spongiosa, Nodiscala" | 1588 |
| Spio macrolekiae | 5265 | "spongiosa, Opalia" | 1589 |
| Spio maculata | 5267 | "spongiosa, Opalia (Dentiscala)" | 1592 |
| Spio punctata | 5193 | "spongiosa, Opalia (Nodiscala)" | 1593 |
| Spio sp A | 5266 | "spongiosum, Epitonium (Nodiscala)" | 1590 |
| Spiochaetopterus costarum | 5114 | "spongiphila, Syllis" | 4288 |
| Spiochaetopterus costarum Cmplx | 5113 | "spongiphila, Syllis (Syllis)" | 4289 |
| Spiochaetopterus costarum pottsi | 5116 | Sportella californica | 3026 |
| Spionida | 5105 | Sportella stearnsii | 3024 |
| Spionidae | 5138 | Spurilla chromosoma | 2562 |
| Spiophanes berkeleyorum | 5269 | Spurilla oliviae | 2564 |
| Spiophanes berkeleyorum | 5278 | "squamata, Amphipholis" | 7531 |
| Spiophanes cf wigleyi | 5284 | "squamata, Amphipura" | 7533 |
| Spiophanes cirrata | 5270 | "squamata, Asterias" | 7532 |
| Spiophanes duplex | 5272 | "squamata, Axiognathus" | 7534 |
| Spiophanes fimbriata | 5275 | "squamata, Ophiolepis" | 7535 |
| Spiophanes fimbriata | 5279 | "squamata, Scolelepis (Scolelepis)" | 5257 |
| Spiophanes japonicum | 5271 | "squamatus, Lepidonotus" | 4036 |

INDEX

| | | | |
|---|------|------------------------------------|------|
| "squamatus, Lumbricus" | 5258 | "stephensi, Munna" | 7985 |
| "squamatus, Psolus" | 7651 | "sterna, Avicula" | 2785 |
| "quamiger, Microcosmus" | 8092 | "sterna, Pteria" | 2784 |
| "quamigerus, Aletes" | 1529 | Sternaspidae | 4956 |
| "quamigerus, Serpulorbis" | 1528 | Sternaspis affinis | 4958 |
| "quamosa, Nephtys" | 4377 | Sternaspis fessor | 4957 |
| "quamosissima, Califanthura" | 6470 | "stevensi, Gnathia" | 6438 |
| "quamosissima, Colanthura" | 6471 | "stewarti, Cyprideis" | 5561 |
| "quamulifer, Trophon" | 1854 | Sthenelais articulata | 4110 |
| Squilla marmorata | 5583 | Sthenelais berkeleyi | 4107 |
| Squilla polita | 5588 | Sthenelais fusca | 4108 |
| Squillidae | 5586 | Sthenelais hancocki | 4111 |
| Squilloidea | 5585 | Sthenelais tertiglabra | 4109 |
| "squumata, Cuvieria" | 7652 | Sthenelais verruculosa | 4113 |
| Stachyptilidae | 379 | Sthenelais verruculosa | 4112 |
| Stachyptilum quadridentatum | 395 | Sthenelanella uniformis | 4114 |
| Stachyptilum superbum | 380 | Stichopodidae | 7701 |
| "staminea laciniata, Paphia" | 3292 | Stichopus californicus | 7704 |
| "staminea laciniata, Paphia (Protothaca)" | 3294 | Stichopus fuscus | 7705 |
| "staminea var laciniata, Paphia (Protothaca)" | 3293 | Stichopus parvimensis | 7708 |
| "staminea var orbella, Paphia (Protothaca)" | 3299 | "stigmata, Tonicella (Mopaliella)" | 1032 |
| "staminea var orbella, Tapes" | 3302 | "stigmatis paradiopatra, Nothria" | 4609 |
| "staminea, Leukoma" | 3297 | "stigmatis, Mooreonuphis" | 4622 |
| "staminea, Protothaca" | 3300 | "stigmatis, Nothria" | 4624 |
| "staminea, Protothaca (Callithaca)" | 3301 | "stigmatis, Onuphis" | 4623 |
| "staminea, Venus" | 3298 | "stigmatus intermedia, Nothria" | 4627 |
| "stanfordi, Sinelobus" | 6692 | "stimpsoni, Americorophium" | 5756 |
| "stanfordi, Tanais" | 6693 | "stimpsoni, Astrophyton" | 7475 |
| "staudei, Jassa" | 5863 | "stimpsoni, Corophium" | 5757 |
| Staurocalyptus dowlingi | 18 | "stimpsoni, Gorgonocephalus" | 7479 |
| Staurocalyptus solidus | 20 | "stimpsoni, Heptacarpus" | 6888 |
| Staurocephalus caecus | 4501 | Stirparia californica | 7926 |
| Stauromedusae | 177 | Stirparia ciliata | 7929 |
| Stauronereis annulatus | 4484 | Stirpariella californica | 7927 |
| Stauronereis articulatus | 4495 | Stolidobranchiata | 8026 |
| Stauronereis gracilis | 4505 | Stolonata | 853 |
| Stauronereis longicornis | 4490 | Stolonica zorritensis | 8036 |
| Stauronereis rudolphi | 4488 | Stolonifera | 345 |
| Stauronereis rudolphi | 4496 | Stolonifera gen 1 sp B | 352 |
| Stauropzoa | 176 | Stomatopoda | 5574 |
| "stearnsi, Austraeolis" | 2570 | Stomphia vinoso | 530 |
| "stearnsi, Facelina" | 2571 | "straminea, Odostomia" | 2155 |
| "stearnsi, Lamellaria" | 1510 | Stramonita biserialis | 1876 |
| "stearnsi, Loligo" | 3591 | "(Stramonita) biserialis, Thais" | 1879 |
| "stearnsi, Pycnogonum" | 5395 | Strategus inermis | 2241 |
| "stearnsiana, Cryptoconus" | 2051 | Streblosoma crassibranchia | 5086 |
| "stearnsiana, Megasurcula" | 2049 | Streblosoma pacifica | 5087 |
| "stearnsiana, Pleurotoma (Genota)" | 2050 | Streblosoma sp A | 5088 |
| "stearnsii var diegensis, Pecten (Janira)" | 2819 | Streblosoma sp B | 5089 |
| "stearnsii, Compressidens" | 3575 | Streblosoma sp SF1 | 5090 |
| "stearnsii, Dentalium" | 3576 | Streblosoma verrilli | 5096 |
| "stearnsii, Marsemina" | 1509 | Streblospio benedicti | 5285 |
| "stearnsii, Nearomya" | 3023 | "strigata, Yoldia (Cnesterium)" | 2681 |
| "stearnsii, Paracyathus" | 456 | "strigatella, Acmaea" | 1093 |
| "stearnsii, Sportella" | 3024 | "strigatella, Lottia" | 1092 |
| "stearnsii, Venericardia (Cyclocardia)" | 2922 | "striolata, Myriochela" | 4666 |
| "stebbingi, Argissa" | 6085 | "(Striaterebra) pedroana, Terebra" | 2040 |
| "steenstrupi, Prionospio" | 5230 | Strombiformis almo | 1636 |
| "steenstrupi, Prionospio (Prionospio)" | 5231 | Strombiformis californica | 1639 |
| Steenstrupia bigelowi | 192 | Strombiformis lapazana | 1641 |
| Steganoporella rozieri form gothica | 7897 | Strombiformis riversi | 1642 |
| Steggoa californiensis | 4397 | Strombiformis townsendi | 1643 |
| Stegocephalidae | 6390 | Stromiformis californicus | 1640 |
| Stegocephalinae | 6391 | "strongi, Haminoea" | 2212 |
| Stegocephaloidea | 6389 | "strongi, Mangelia (Taranis)" | 2076 |
| Stegocephalus hancocki | 6393 | "strongi, Pseudotaranis" | 2075 |
| Stegophrynxus hyphalus | 6454 | Strongylocentrotidae | 7603 |
| "steinbergae, Corambe" | 2417 | Strongylocentrotus fragilis | 7604 |
| "steinbergae, Dordella" | 2418 | Strongylocentrotus franciscanus | 7606 |
| Stellella clarella | 31 | Strongylocentrotus purpuratus | 7608 |
| Stellella estrella | 32 | "strongyloplax, Amphiodia" | 7523 |
| Stelya lovenii | 8052 | "strongyloplax, Amphioplus" | 7522 |
| Stenella ramosa | 372 | "strongyloplax, Unioplus" | 7524 |
| "stenodes, Paraphoxus" | 6155 | "struthionides, Aglaophenia" | 288 |
| "stenodes, Rhepoxynius" | 6154 | "struthionides, Plumularia" | 289 |
| Stenolaemata | 7806 | "stultorum, Donax" | 3316 |
| Stenoplax corrugata | 1011 | "stultorum, Tivela" | 3315 |
| Stenopleustes monocuspis | 5934 | Styela barbaris | 8038 |
| Stenopleustinae | 5932 | Styela barnhardti | 8042 |
| "stenopropodus, Rudilemboides" | 5714 | Styela barnharti | 8066 |
| Stenorhynchus debilis | 7203 | Styela canopus | 8037 |
| Stenothoe estacula | 5984 | Styela clava | 8041 |
| Stenothoe frecanda | 5985 | Styela coriacea | 8043 |
| Stenothoe valida | 5986 | Styela gibbsii | 8055 |
| Stenothoidae | 5979 | Styela gyrosa | 8065 |
| Stenothoidea | 5967 | Styela loveni | 8051 |
| Stenothoides bicoma | 5987 | Styela montereyensis | 8058 |
| Stenothoides burbanki | 5988 | Styela partita | 8039 |
| Stenula modosa | 5989 | Styela plicata | 8063 |
| Stephanauge annularis | 534 | Styela rectangularis | 8040 |
| Stephanauge sp A | 535 | Styela rhizopus | 8030 |
| "stephensae, Odostomia" | 2154 | Styela rubra | 8061 |

INDEX

| | | | |
|--|------|---------------------------------------|------|
| Styela sabulifera | 8033 | "subtener, Gammarus" | 6293 |
| Styela truncata | 8068 | "subtener, Megamoera" | 6292 |
| Styelidae | 8027 | "subtenuis, Barleea" | 1437 |
| Stylactis sp | 238 | "subteres, Solecurtus (Cultellus)" | 3205 |
| Stylarioides negligens | 4946 | "subteres, Tagelus" | 3204 |
| Stylasterias forreni | 7453 | "subtilis, Eualus" | 6869 |
| "(Stylasterias) gonolena, Orthasterias" | 7428 | "subtorquata, Watersipora" | 7975 |
| Stylatula columbiana | 400 | "subtrigona, Circe" | 3058 |
| Stylatula elongata | 398 | "subtrigona, Gibberula" | 1906 |
| Stylatula elongata | 401 | "subtrigona, Granula" | 1908 |
| Stylatula ringei | 402 | "subtrigona, Halodakra" | 3059 |
| Stylatula sp A | 403 | "subtrigona, Hyalina (Cystiscus)" | 1909 |
| Stylium paganicum | 1266 | "subtrigona, Marginella" | 1907 |
| "(Stylium) paganicum, Bittium" | 1267 | "subtrigona, Neolepton" | 3057 |
| "(Stylium) quadrifilatum, Bittium" | 1271 | "subtruncata, Mya" | 1910 |
| "stylobranchiata, Marphysa" | 4525 | "subtrurita, Anachis" | 3405 |
| Stylochidae | 576 | "subtruritus, Aesopus" | 1701 |
| Stylochoidea | 566 | "subula, Lithophaga" | 2753 |
| Stylochoplana californica | 610 | "subviridis, Lasaea" | 3005 |
| Stylochoplana chloranota | 618 | "succincta, Gibbula" | 1171 |
| Stylochoplana gracilis | 649 | "succincta, Lirularia" | 1170 |
| Stylochoplana heathi | 617 | "suecica simplex, Aricidea" | 3912 |
| Stylochoplana longipenis | 613 | "suecica, Aricidea" | 3899 |
| Stylochoplana reishi | 596 | "sulca, Melita" | 6298 |
| Stylochoplana sp HYP1 | 621 | "sulcata nidrosiensis, Sosane" | 4981 |
| Stylochoplana sp HYP2 | 597 | "sulcata, Mangelia" | 1999 |
| Stylochoplana sp HYP3 | 623 | Sulcoretusa xystrum | 2285 |
| Stylococcus californicus | 579 | Sulcularia xystrum | 2287 |
| Stylococcus exiguum | 580 | "sulcus, Caliniphargus" | 6299 |
| Stylococcus franciscanus | 587 | "superba, Protula" | 4794 |
| Stylococcus oligoglenus | 632 | "superbum, Stachyptilum" | 380 |
| Stylococcus tripartitus | 588 | "supragranosum, Callistoma" | 1183 |
| Styloptocuma sp | 6761 | "supravallata, Ethalia" | 1480 |
| Stylostomum lenticum | 668 | "supravallata, Pseudorotella" | 1483 |
| "stylus, Heptacarpus" | 6893 | "supravallata, Teinostoma" | 1485 |
| "stylus, Hippolyte" | 6894 | "supravallatum, Teinostoma" | 1479 |
| Suavodrilla kennicottii | 2010 | "(Surcula) carpenteriana, Pleurotoma" | 2044 |
| Suavodrilla kennicottii | 2026 | "(Surcula) halcyonis, Turris" | 1974 |
| "subadhaerens, Hemicyclops" | 5488 | "(Surcula) perversa, Pleurotoma" | 2060 |
| Subadyte mexicana | 4074 | Surcula rhines | 1965 |
| Subadyte sp A | 4075 | "(Surcula) tryoniana, Pleurotoma" | 2048 |
| Subadyte sp B | 4076 | Swiftia sp | 367 |
| "subangulata, Mangelia angulata var" | 1994 | Syllidae | 4208 |
| "subauriculata, Limatula" | 2800 | Syllides japonica | 4235 |
| "subcarinatus, Thorlaksonius" | 5930 | Syllides longocirrata | 4236 |
| "subcoronata, Scalaria" | 1587 | Syllides mikeli | 4237 |
| "subdiaphana, Callista" | 3308 | Syllides minutus | 4238 |
| "subdiaphana, Clementia" | 3305 | Syllides reishi | 4239 |
| "subdiaphana, Clementia (Compsomyax)" | 3307 | Syllinæ | 4278 |
| "subdiaphana, Compsomyax" | 3304 | Syllis elongata | 4283 |
| "subdiaphana, Cooperella" | 3341 | Syllis (Ehlersia) cornuta | 4299 |
| "subdiaphana, Katherinella (Compsomyax)" | 3309 | Syllis (Ehlersia) heterochaeta | 4296 |
| "subdiaphana, Marcia" | 3310 | Syllis (Ehlersia) hyperioni | 4302 |
| "subdiaphana, Marcia (Venerella)" | 3311 | Syllis (Syllis) elongata | 4285 |
| "subdiaphana, Oedalia" | 3342 | "(Syllis) elongata, Syllis" | 4285 |
| "subdiaphana, Venerella (Compsomyax)" | 3313 | Syllis (Syllis) gracilis | 4287 |
| "suberia, Suberites" | 50 | "(Syllis) gracilis, Syllis" | 4287 |
| Suberites ficus | 49 | Syllis (Syllis) spongiphila | 4289 |
| Suberites latus | 48 | Syllis (Typosyllis) farallonensis | 4294 |
| Suberites suberia | 50 | Syllis (Typosyllis) nipponica | 4304 |
| Suberitidae | 47 | Syllis cornuta | 4300 |
| "subglaber, Pleusymtes" | 5940 | Syllis gracilis Cmplx | 4286 |
| "subglaber, Sympleustes" | 5941 | Syllis spongicola | 4281 |
| "sublittoralis, Edotea" | 6507 | Syllis spongiphila | 4288 |
| "sublittoralis, Edotea" | 6509 | "(Syllis) spongiphila, Syllis" | 4289 |
| "sublittoralis, Edotia" | 6506 | Sympseudinae | 6640 |
| "subnasica, Leucon" | 6730 | "symmetrica, Desmosoma" | 6575 |
| "suborbicularis, Kellia" | 2993 | "symmetrica, Momedosa" | 6574 |
| "suborbicularis, Mya" | 2994 | "symmetrica, Pardaliscella" | 6092 |
| "subovata, Mya" | 3404 | Sympagurus haigae | 7088 |
| "subpeideus, Halistylus" | 1157 | Symplectoscyphus pedrensis | 329 |
| "subplanatum, Bittium" | 1275 | Symplectoscyphus turgidus | 332 |
| "subplanatum, Lirobittum" | 1277 | Sympleustes subglaber | 5941 |
| "subpupoidea, Fenella" | 1156 | Synallactes alexandri | 7713 |
| "subpupoidea, Halistylus" | 1158 | Synallactes virgulisolida | 7712 |
| "subquadrata, Fabia" | 7292 | Synallactidae | 7711 |
| "subquadrata, Lazaria" | 2925 | Synalpheus lockingtoni | 6865 |
| "subquadratus, Raphonotus" | 7293 | Synapseudes intumescens | 6641 |
| "subramosus, Dendronotus" | 2492 | Synaptidae | 7722 |
| "subrigida, Barentsia" | 865 | Synaptotanais notabilis | 6695 |
| "subrobustus, Hippomedon" | 6335 | Syncera translucens | 1431 |
| Subselliflorae | 381 | Synchelidium micropleon | 6028 |
| "subserratus, Nipponotrophon" | 1895 | Synchelidium rectipalmum | 6031 |
| "subserratus, Trophon" | 1896 | Synchelidium shoemakeri | 6033 |
| "substriata, Eucosmia (?variegata, var)" | 1247 | Synchelidium sp M | 6029 |
| "substriata, Phasianella (Eulithidium)" | 1248 | Syncoryne eximia | 207 |
| "substriata, Tricolia" | 1249 | Synelmis albini | 4203 |
| "substriatum, Cardium" | 3078 | Synelmis harrisae | 4207 |
| "substriatum, Eulithidium" | 1239 | Synidotea calcarea | 6522 |
| "substriatum, Eulithidium" | 1246 | Synidotea harfordi | 6523 |
| "substriatum, Laevicardium" | 3077 | Synidotea magnifica | 6524 |
| "subtener, Abludomelita" | 6294 | | |

INDEX

| | | | |
|--------------------------------------|------|--------------------------------------|------|
| Synidotea media | 6525 | "taylori, Xanthias" | 7279 |
| Synnotum aegyptiacum | 7916 | "taylori, Xanthodes" | 7278 |
| Synnotum aviculare | 7918 | "tea, Amphithoe" | 5751 |
| "synopiae, Halicoides" | 6088 | "tea, Peramphithoe" | 5750 |
| "synopiae, Pardisynopia" | 6089 | Tealia columbiana | 517 |
| Synopiidae | 6068 | Tectidrilus diversus | 5319 |
| Synopioidea | 6067 | Tectidrilus profusus | 5321 |
| Syntheciidae | 307 | Tectidrilus probus | 5320 |
| Synthecium cylindricum | 308 | Tectura depicta | 1094 |
| "syringa, Calicella" | 283 | Tectura rosacea | 1088 |
| "syringa, Calycella" | 281 | Tedania (Trachytedania) gurjanovae | 105 |
| "syringa, Sertularia" | 282 | Tedaniidae | 104 |
| Syrinx nudus | 3627 | Tegella aquilostris | 7878 |
| Syrinx tesselatus | 3628 | Tegella circumclathrata | 7880 |
| Syrhoe crenulata | 6077 | Tegula aureotincta | 1221 |
| Syrhoe hamatipes | 6083 | Tegula brunnea | 1223 |
| Syrhoe longifrons | 6078 | Tegula eiseni | 1225 |
| Syrhoe sp A | 6079 | Tegula funebralis | 1227 |
| Syrroites bigarra | 6071 | "tegula, Alectriion" | 1759 |
| | | "tegula, Alectriion (Zeuxis)" | 1761 |
| | | "tegula, Nassa" | 1762 |
| | | "tegula, Nassarius" | 1763 |
| T | | Tegulinæ | 1218 |
| "tabulata, Chrysodomus" | 1694 | "tegulus, Alectriion (Schizopyga)" | 1760 |
| "tabulata, Neptunea" | 1693 | "tehuelcha, Membranipora" | 7868 |
| "tabulatum, Epitonium" | 1576 | Teinostoma invalidata | 1484 |
| "taeniata, Panope generosa" | 3237 | Teinostoma supravallata | 1485 |
| "taeniolata, Volvarina" | 1901 | Teinostoma supravallatum | 1479 |
| Taeniosoma princeps | 759 | Teinostomatinae | 1478 |
| Tagelus (Tagelus) irregularis | 3201 | Telestidae | 348 |
| Tagelus affinis | 3199 | Telesto californica | 349 |
| Tagelus californianus | 3202 | Telesto nuttingi | 350 |
| "(Tagelus) irregularis, Tagelus" | 3201 | "telesta, Capitella" | 3740 |
| Tagelus subteres | 3204 | Tellimya tumida | 3043 |
| "takashii, Nucula" | 2637 | "tellimyalis, Petricola" | 3357 |
| Taliepus nuttallii | 7175 | "tellimyalis, Psephis" | 3060 |
| "(Taliepus) productus, Epialtus" | 7170 | Tellina (Angulus) carpenteri | 3103 |
| Talitrida | 5652 | Tellina (Angulus) meropsis | 3112 |
| Talitridae | 5678 | Tellina (Angulus) modesta | 3118 |
| Talitroidea | 5657 | Tellina (Angulus) modestus | 3119 |
| "tamurai, Crenella" | 2738 | Tellina (Cadella) nuculoides | 3125 |
| Tanaella propinquus | 6663 | Tellina (Cadella) salmonaea | 3126 |
| Tanaella sp A | 6665 | Tellina (Moerella) arenica | 3105 |
| Tanaellidae | 6657 | Tellina (Moerella) meropsis | 3110 |
| Tanaidacea | 6627 | Tellina (Moerella) paziana | 3113 |
| Tanaidae | 6690 | Tellina (Oudardia) buttoni | 3120 |
| Tanaidoidea | 6689 | Tellina (Oudardia) modesta | 3121 |
| Tanaidomorpha | 6645 | Tellina (Peronidia) bodegensis | 3099 |
| Tanais breviremis | 6649 | Tellina (Tellinella) idae | 3108 |
| Tanais normani | 6698 | Tellina adansonii | 3002 |
| Tanais stanfordi | 6693 | Tellina alta | 3138 |
| Tanais vanis | 6694 | Tellina bodegensis | 3097 |
| Tanaopsis cadieri | 6687 | Tellina buttoni | 3117 |
| Tanaopsis sp A | 6688 | Tellina cadieni | 3100 |
| "tannerensis, Acanthomunna" | 6572 | Tellina carpenteri | 3102 |
| "tannerensis, Olavius" | 5318 | Tellina carpenteri | 3101 |
| "tanneri, Chionoecetes" | 7215 | Tellina carpenteri | 3128 |
| "tanneri, Eupagurus (Trigonochirus)" | 7074 | Tellina flexuosa | 2972 |
| "tanneri, Pagurus" | 7073 | Tellina fucata | 3168 |
| "tanneri, Pagurus (Trigonocheirus)" | 7075 | Tellina idae | 3107 |
| "tantilla, Nutricula" | 3329 | Tellina ligamentina | 3156 |
| "tantilla, Transenella" | 3331 | Tellina meropsis | 3109 |
| "tantillus, Venus" | 3330 | Tellina modesta | 3114 |
| "tanya, Doris" | 2358 | Tellina nasuta | 3150 |
| "tanya, Sclerodoris" | 2359 | Tellina nuculoides | 3122 |
| Tanystylum californicum | 5349 | Tellina obesa | 3131 |
| Tanystylum duospinum | 5351 | Tellina santarosae | 3098 |
| Tanystylum intermedium | 5352 | Tellina secta | 3154 |
| Tanystylum intermedium | 5350 | Tellina sp A | 3106 |
| Tanystylum nudum | 5353 | Tellina sp B | 3127 |
| Tanystylum occidentalis | 5354 | Tellina terfa | 3152 |
| Tapes laciniata | 3291 | Tellina turgida | 3139 |
| Tapes philippinarum | 3339 | "(Tellinella) idae, Tellina" | 3108 |
| Tapes staminea var orbella | 3302 | Tellinidae | 3095 |
| Tapes tenerima | 3269 | Tellininae | 3096 |
| Tapetinae | 3336 | Tellinoidea | 3094 |
| "taphria, Leda" | 2657 | "tellinoides, Lucina" | 3254 |
| "taphria, Nuculana" | 2656 | "tenax, Hippomedon" | 6336 |
| "(Taranis) strongi, Mangelia" | 2076 | "tenella, Sertularella" | 327 |
| Taras (Felanilla) sericatus | 3255 | "tenella, Sertularia" | 328 |
| "taravalli, Melanella" | 1674 | "tenerrima, Callithaca" | 3268 |
| "tarda, Pasiphæa" | 6834 | "tenerrima, Papbia" | 3270 |
| Tauberia gracilis | 3954 | "tenerrima, Papbia (Protothaca)" | 3271 |
| Tauberia multibranchiata | 3957 | "tenerrima, Protothaca" | 3273 |
| "taylori, Aricidea (Acesta)" | 3916 | "tenerrima, Protothaca (Callithaca)" | 3274 |
| "taylori, Aricidea (Acmina)" | 3914 | "tenerrima, Tapes" | 3269 |
| "taylori, Aricidea (Aricidea)" | 3915 | "tennela, Eudistylia" | 4734 |
| "taylori, Heptacarpus" | 6895 | Tenonia kitsapsensis | 4079 |
| "taylori, Metandrocarpa" | 8034 | Tenonia priops | 4077 |
| "taylori, Paraxanthias" | 7277 | "tentaculata, Ancistrosyllis" | 4202 |
| "taylori, Phyllaplysia" | 2314 | "tentaculata, Cirriformia" | 4893 |
| "taylori, Spirontocaris" | 6896 | "tentaculata, Sigambra" | 4201 |

INDEX

| | | | |
|--|------|---|------|
| "tentaculata, <i>Terebella</i> " | 4894 | "tersa, <i>Mangelia</i> " | 2000 |
| "tenua, <i>Penatula</i> " | 422 | "tersa, <i>Tellina</i> " | 3152 |
| "tenuiconcha sagamiensis, <i>Dermatomya</i> " | 3536 | "tertaqueta, <i>Tritoniopsilla</i> " | 2472 |
| "tenuiconcha, <i>Dermatomya</i> " | 3534 | "tertia, <i>Oxyurostylis</i> " | 6801 |
| "tenuiconcha, <i>Poromya</i> (<i>Dermatomya</i>) | 3535 | "tertiaglabra, <i>Sthenelais</i> " | 4109 |
| "tenuicriata, <i>Allothyone</i> " | 7671 | "tesselata, <i>Glycera</i> " | 4327 |
| "tenuicriata, <i>Cucumaria</i> " | 7674 | "tesselata, <i>Monticellina</i> " | 4912 |
| "tenuicornis, <i>Gammaropsis</i> " | 5897 | "tesselata, <i>Monticellina</i> " | 4914 |
| "tenuicula, <i>Chemnitzia</i> " | 2177 | "tesselata, <i>Tharyx</i> " | 4913 |
| "tenuicula, <i>Turbonilla</i> " | 2176 | "tesselata, <i>Tharyx</i> " | 4915 |
| "tenuilaminaris, <i>Normania</i> " | 39 | "tesselatus, <i>Syrinx</i> " | 3628 |
| "tenuilaminaris, <i>Poecillastra</i> " | 38 | <i>Tethya aurantium</i> var <i>californiana</i> | 53 |
| "tenuipeps, <i>Pardalisca</i> " | 6091 | <i>Tethya aurantium</i> | 54 |
| "tenuipeps, <i>Podochela</i> " | 7199 | <i>Tethya californiana</i> | 52 |
| "tenuirostris, <i>Macoma indentata</i> " | 3146 | <i>Tethygenia opata</i> | 6020 |
| "tenuis lucida, <i>Nucula</i> " | 2632 | <i>Tethyidae</i> | 51 |
| "tenuis, <i>Amphithalamus</i> " | 1426 | <i>Tethyidae</i> | 2495 |
| "tenuis, <i>Arca</i> " | 2626 | <i>Tethyum coriaceum</i> | 8053 |
| "tenuis, <i>Diastylopsis</i> " | 6792 | <i>Tethyum gibssi</i> | 8057 |
| "tenuis, <i>Ennucula</i> " | 2625 | <i>Tethyum igaboja</i> | 8091 |
| "tenuis, <i>Glycera</i> " | 4326 | <i>Tethyum loveni</i> | 8054 |
| "tenuis, <i>Maldane</i> " | 3817 | <i>Tethyum montereicense</i> | 8062 |
| "tenuis, <i>Membranipora</i> " | 7861 | <i>Tethyum plicatum</i> | 8067 |
| "tenuis, <i>Notomastus</i> " | 3759 | <i>Tethyum sociabile</i> | 8010 |
| "tenuis, <i>Notomastus</i> " | 3762 | <i>Tethyum truncatum</i> | 8071 |
| "tenuis, <i>Nucula</i> " | 2631 | <i>Tetilla arb</i> | 26 |
| "tenuis, <i>Panope</i> " | 3239 | <i>Tetillidae</i> | 24 |
| "tenuis, <i>Petaloprocus</i> " | 3816 | <i>Tetracilita rubescens</i> | 5440 |
| "tenuisculpta, <i>Lucina</i> " | 2942 | <i>Tetracilitidae</i> | 5439 |
| "tenuisculpta, <i>Lucina</i> (<i>Myrtea</i>)" | 2943 | <i>Tetractitoidea</i> | 5438 |
| "tenuisculpta, <i>Lucina</i> (<i>Parvilucina</i>)" | 2944 | <i>Tetractinomorpha</i> | 22 |
| "tenuisculpta, <i>Odostomia</i> " | 2141 | "tetraqueta, <i>Duvaucelia</i> " | 2467 |
| "tenuisculpta, <i>Parvilucina</i> " | 2941 | "tetraqueta, <i>Limax</i> " | 2466 |
| "tenuisculpta, <i>Phacoides</i> (<i>Parvilucina</i>)" | 2947 | "tetraqueta, <i>Sphaerostoma</i> " | 2469 |
| "tenuisculptus, <i>Phacoides</i> " | 2945 | "tetraqueta, <i>Tochuina</i> " | 2465 |
| "tenuissima, <i>Golfingia</i> (<i>Phascolana</i>)" | 3697 | "tetraqueta, <i>Tritonia</i> " | 2471 |
| "tenuissima, <i>Tritella</i> " | 5822 | <i>Tetrametma</i> (<i>Oerstedia</i>) <i>dorsale</i> | 794 |
| "tenuissima, <i>Volvella</i> " | 2298 | <i>Tetrametma</i> <i>albidum</i> | 819 |
| "tenuissimus, <i>Heptacarpus</i> " | 6897 | <i>Tetrametma</i> <i>bilineatum</i> | 823 |
| <i>Terebella californica</i> | 5037 | <i>Tetrametma</i> <i>caecum</i> | 818 |
| <i>Terebella tentaculata</i> | 4894 | <i>Tetrametma</i> <i>candidum</i> | 824 |
| <i>Terebellida</i> | 4820 | <i>Tetrametma</i> <i>dorsalis</i> | 793 |
| <i>Terebellidae</i> | 5020 | <i>Tetrametma</i> <i>nigrifrons</i> | 826 |
| <i>Terebellides californica</i> | 5100 | <i>Tetrametma</i> <i>quadridelineatum</i> | 828 |
| <i>Terebellides reishi</i> | 5101 | <i>Tetrametma</i> <i>reticulatum</i> | 829 |
| <i>Terebellides</i> sp Type C | 5102 | <i>Tetrametma</i> <i>sexlineatum</i> | 830 |
| <i>Terebellides</i> sp Type D | 5103 | <i>Tetrametma</i> <i>signifer</i> | 831 |
| <i>Terebelliformia</i> | 4959 | <i>Tetrametma</i> sp A | 837 |
| <i>Terebellinae</i> | 5079 | <i>Tetrametma</i> sp D | 838 |
| <i>Terebra</i> (<i>Strioterebrum</i>) <i>pedroana</i> | 2040 | <i>Tetrametma</i> sp HYP1 | 832 |
| <i>Terebra albocincta</i> var <i>pedroana</i> | 2037 | <i>Tetrasemmatidae</i> | 816 |
| <i>Terebra danai</i> | 2035 | "tetraura, <i>Cmplx, Scoletoma</i> " | 4567 |
| <i>Terebra hemphilli</i> | 2034 | "tetraura, <i>Scoletoma</i> " | 4569 |
| <i>Terebra pedroana</i> | 2036 | <i>Teuthida</i> | 3586 |
| <i>Terebra pedroana philippianum</i> | 2038 | "texana, <i>Scolelepis</i> (<i>Parascolelepis</i>)" | 5251 |
| <i>Terebra simplex</i> | 2039 | <i>Thais</i> (<i>Stramonita</i>) <i>biserialis</i> | 1879 |
| "terebrans, <i>Chelura</i> " | 5718 | <i>Thais</i> <i>emarginata</i> var <i>projecta</i> | 1838 |
| <i>Terebratalia arnoldi</i> | 7787 | <i>Thais franciscana</i> | 1833 |
| <i>Terebratalia caurina rubescens</i> | 7792 | <i>Thais neptunea</i> | 1834 |
| <i>Terebratalia hemphilli</i> | 7793 | <i>Thais sitkana</i> | 1835 |
| <i>Terebratalia hemphillii</i> | 7794 | <i>Thalamoporella californica</i> | 7895 |
| <i>Terebratalia obsoleta</i> | 7795 | <i>Thalamoporella rozieri</i> var <i>californica</i> | 7896 |
| <i>Terebratalia occidentalis</i> | 7782 | <i>Thalamoporellidae</i> | 7894 |
| <i>Terebratalia rubescens</i> | 7796 | <i>Thalassematidae</i> | 3718 |
| <i>Terebratalia transversa</i> | 7790 | "thalea, <i>Antiplanes</i> " | 2061 |
| <i>Terebratella coreanica</i> | 7797 | "thalea, <i>Pleurotoma</i> (<i>Antiplanes</i>)" | 2062 |
| <i>Terebratella occidentalis</i> | 7783 | <i>Thalenessa spinosa</i> | 4106 |
| <i>Terebratella occidentalis</i> var <i>obsoleta</i> | 7788 | <i>Thalotia caffea</i> | 1142 |
| <i>Terebratellidina</i> | 7768 | "(Thalasias) originalis, <i>Clathria</i> " | 76 |
| <i>Terebratelloidea</i> | 7769 | "thamnopora, <i>Lepidochitona</i> " | 1044 |
| <i>Terebratula californiana</i> | 7776 | "thamnopora, <i>Mopalia</i> (<i>Dendrochiton</i>)" | 1042 |
| <i>Terebratula californianus</i> f. <i>vancouveriensis</i> | 7777 | "thamnoporus, <i>Dendrochiton</i> " | 1041 |
| <i>Terebratula californica</i> | 7778 | <i>Tharyx hamatus</i> | 4856 |
| <i>Terebratula caurina</i> | 7798 | <i>Tharyx liticastella</i> | 4907 |
| <i>Terebratula caurina transversa</i> | 7799 | <i>Tharyx monilaris</i> | 4836 |
| <i>Terebratula kochii</i> | 7779 | <i>Tharyx</i> nr sp C | 4833 |
| <i>Terebratula transversa</i> | 7791 | <i>Tharyx serratiseta</i> | 4909 |
| <i>Terebratulida</i> | 7759 | <i>Tharyx</i> sp A | 4905 |
| <i>Terebratulidina</i> | 7760 | <i>Tharyx</i> sp C | 4834 |
| <i>Terebratulina crossei</i> | 7763 | <i>Tharyx</i> sp G | 4837 |
| <i>Terebratulina crossii</i> | 7764 | <i>Tharyx</i> <i>tesselata</i> | 4913 |
| <i>Terebratulina kiensis</i> | 7765 | <i>Tharyx</i> <i>tesselata</i> | 4915 |
| <i>Terebratulina transversa</i> | 7800 | <i>Thaumastoscyphus distincta</i> | 181 |
| <i>Terebratulina unguicula</i> | 7766 | <i>Thecaliinae</i> | 2926 |
| <i>Terebratulus unguicula</i> | 7767 | <i>Thecostraca</i> | 5411 |
| <i>Terebridae</i> | 2032 | <i>Thelepodinae</i> | 5091 |
| <i>Terebrinae</i> | 2033 | <i>Thelepus crispus</i> | 5092 |
| <i>Tereratalia occidentalis</i> var <i>obsoleta</i> | 7788 | <i>Thelepus hamatus</i> | 5093 |
| <i>Tergipedidae</i> | 2538 | <i>Thelepus setosus</i> | 5094 |
| <i>Tergipes rupium</i> | 2533 | <i>Themiste hennahi</i> | 3680 |
| "terminalis, <i>Dendraster</i> " | 7618 | <i>Themiste lissa</i> | 3685 |
| "terminalis, <i>Echinocyamus</i> " | 7619 | <i>Themiste perimeces</i> | 3686 |

INDEX

| | | | |
|---------------------------------------|------|--|------|
| Themiste zostericola | 3687 | Tivela stultorum | 3315 |
| Themistidae | 3679 | Tochuina tetraquestra | 2465 |
| Theora lubrica | 3195 | "toion, Neomysis" | 5634 |
| "thersites, Eulima" | 1646 | "tolmiei, Cadulus" | 3572 |
| "thersites, Melanella" | 1645 | "tolmiei, Gadila" | 3571 |
| Thesea sp A | 368 | "tolmiei, Polyschides" | 3573 |
| Thesea sp B | 369 | "tomalesi, Lamprops" | 6771 |
| Thespesiopsyllidae | 5493 | Tomburchus redondoensis | 2966 |
| ("Thestyleda) hamata, Nuculana" | 2649 | "tomentosa, Crepidula" | 1308 |
| Thiaridae | 1285 | "tomentosa, Pinnixa" | 7316 |
| Thieleella kelseyi | 1129 | "tone, Westwoodilla" | 6064 |
| "thiona, Ailochroia" | 151 | Tonicella (Mopaliella) stigma | 1032 |
| "thiona, Verongia" | 152 | Tonicella venusta | 1062 |
| Thoa beanii | 303 | "tonichi, Gammaropsis" | 5899 |
| "thominx, Eusarsiella" | 5538 | Tonnoidea | 1489 |
| Thomora (Lepidonotus) johnsoni | 4083 | Tornastral rolleri | 2262 |
| "thompsoni, Corambe" | 2420 | Tornatella punctocaelata | 2104 |
| "thompsoni, Eurystheus" | 5896 | Tornatina carinata | 2249 |
| "thompsoni, Gammaropsis" | 5894 | "(Tornatina) cerealis, Bulla" | 2252 |
| "thompsoni, Loy" | 2419 | Tornatina eximia | 2258 |
| "thompsoni, Maeroides" | 5895 | Tornatina harpa | 2264 |
| "thompsoni, Psammodoris" | 2422 | "(Tornatina) inculta, Bulla" | 2271 |
| "thomsonae, Neverita (Glossaulax)" | 1406 | Tornidae | 1475 |
| "thomsoni, Anthoptilum" | 389 | "torreyi, Pachycerianthus" | 431 |
| Thoracica | 5413 | "tortuosa, Heterogorgia" | 359 |
| Thoracophelia dillonensis | 3841 | Tosia leptoceramus | 7392 |
| Thoracophelia mucronata | 3844 | "townsendi, Brisaster" | 7628 |
| ("Thoracophelia) mucronata, Ophelia" | 3845 | "townsendi, Schizaster" | 7629 |
| Thordisa bimaculata | 2389 | "townsendi, Strombiformis" | 1643 |
| Thorlaksonius depressus | 5926 | Toxadocia zumi | 135 |
| Thorlaksonius platypus | 5928 | Toxobrissus pacificus | 7635 |
| Thorlaksonius subcarinatus | 5930 | Toxicidaris franciscanus | 7607 |
| Thorlaksonius truncatus | 5931 | Toxicidaris purpuratus | 7610 |
| Thormora johnsoni | 4080 | Toxopneustidae | 7599 |
| Thracia (Homoeodesma) trapezoides | 3492 | Trabecula laxa | 2160 |
| Thracia (Ixartia) curta | 3489 | "tracalero, Schisturella" | 6379 |
| Thracia curta | 3486 | "tracalero, Thrombasia" | 6380 |
| Thracia diegensis | 3482 | Trachycardiinae | 3091 |
| Thracia kanakoffi | 3491 | Trachycardium quadrangarium | 3092 |
| Thracia quentinensis | 3488 | "(Trachydermon) gothicus, Ischnochiton" | 1040 |
| Thracia trapezoides | 3490 | "(Trachydermon) retiporus, Ischnochiton" | 985 |
| Thraciidae | 3480 | "trachyplaca, Cucumaria" | 7681 |
| Thracioidea | 3479 | "trachyplaca, Pentamera" | 7680 |
| Thrissacanthias penicillatus | 7383 | Trachylepastes trevori | 5959 |
| Thrombasia tracalero | 6380 | "(Trachytania) gurjanovae, Tedania" | 105 |
| Thuiaria cylindrica | 324 | "transcta, Eusyllis" | 4223 |
| "thyabilis, Byblis" | 6256 | Transenella tantilla | 3331 |
| Thyasira barbarensis | 2975 | Transenella confusa | 3320 |
| Thyasira cygnus | 2976 | "translucens, Jeffreysia" | 1430 |
| Thyasira flexuosa | 2971 | "translucens, Syncera" | 1431 |
| Thyasira gouldii | 2977 | "transversa, Batea" | 6024 |
| Thyasira trisinuata | 2978 | "transversa, Terebratalia" | 7790 |
| Thyasiridae | 2958 | "transversa, Terebratula" | 7791 |
| Thyasiridae sp LA1 | 2979 | "transversa, Terebratula caurina" | 7799 |
| Thyasiroidea | 2957 | "transversa, Terebratulina" | 7800 |
| Thyne benti | 7660 | "transversus, Microcosmus" | 8106 |
| Thyne benti var zacae | 7662 | "transversus, Opisthopus" | 7294 |
| Thyne rubra | 7657 | "trapezoides, Thracia" | 3490 |
| Thysanocardia nigra | 3663 | "trapezoides, Thracia (Homoeodesma)" | 3492 |
| "thysanotus, Hemicyclops" | 5489 | "traski, Abietinaria" | 315 |
| "tiarula, Arcularia" | 1757 | "traski, Sertularia" | 316 |
| "tiarula, Nassa" | 1758 | "traski, Acteon" | 2100 |
| "tiarula, Nassarius" | 1764 | Travisia brevis | 3988 |
| Tiburonella viscana | 6205 | Travisia carnea | 3991 |
| "tiburonensis, Paracyathus" | 458 | Travisia foetida | 3992 |
| "tigrina, Aphelochaeta" | 4841 | Travisia gigas | 3989 |
| "tilamookensis, Odostomia" | 2156 | Travisia pupa | 3990 |
| "tillerae, Austrosignum" | 6618 | "tremperi, Murex" | 1865 |
| "tillerae, Munnogonium" | 6617 | "tremperiana, Megasurcula" | 2047 |
| Timarete luxuriosa | 4922 | Tresus nuttallii | 3383 |
| Timea authia | 56 | "trevori, Trachylepastes" | 5959 |
| Timeidae | 55 | "trialata, Alipupura" | 1869 |
| "timida, Barentsia" | 866 | "trialata, Pteropurpura" | 1867 |
| "timsii, Apomatus" | 4780 | "trialatus, Murex" | 1868 |
| Tinaria ritteri | 2670 | "triangularis, Novafabricia" | 4696 |
| "tincta, Antropora" | 7872 | "triangularis, Scolanthus" | 480 |
| "tincta, Crassimarginatella" | 7873 | "tribranchiata, Filograna" | 4799 |
| "tincta, Nitidiscalia" | 1585 | "tribranchiata, Salmacina" | 4798 |
| "tincta, Scala" | 1586 | Tricellaria occidentalis | 7912 |
| "tincta, Scalaria (?indianorum, var)" | 1581 | Tricellaria praescuta | 7914 |
| "tinctum, Epitonium" | 1580 | Trichobranchidae | 5097 |
| Tindaria californica | 2671 | Trichobranchidae sp LA1 | 5104 |
| Tindaria mexicana | 2668 | Trichocarcinus dentatus | 7229 |
| Tindaria sp | 2687 | Trichocarcinus walkeri | 7235 |
| Tindariidae | 2686 | "trichocephala, Apionsoma" | 3699 |
| "tintinnabulum californicum, Balanus" | 5464 | Trichocera oregonensis | 7232 |
| Tiron biocellata | 6080 | Trichophoxus epistomus | 6153 |
| Tiron tropakis | 6076 | Tricladida | 691 |
| Tisbidae | 5481 | Tricolia compta | 1236 |
| "titubans, Balcis (Vitreolina)" | 1662 | Tricolia pulloides | 1241 |
| "titubans, Sipunculus" | 3626 | "(Tricolia) pulloides, Phasianella" | 1240 |
| Tivela crassatelloides | 3317 | Tricolia rubrilineata | 1245 |

INDEX

| | | | |
|---|------|--|------|
| Tricolia substriata | 1249 | Tritoniopsis aurantia | 2473 |
| Tricoliinae | 1233 | Tritonoidea | 2463 |
| "tricolor, Calliostoma" | 1185 | "trituberculata, Philomedes" | 5533 |
| "tricolor, Polycera" | 2441 | "trituberculata, Scleroconcha" | 5532 |
| "tridens, Atylus" | 6210 | Trivia (Dolichupis) ritteri | 1522 |
| "tridens, Gnathia" | 6439 | Trivia (Pusula) californiana | 1519 |
| "tridens, Heptacarpus" | 6902 | Trivia californiana | 1517 |
| "tridens, Ianiropsis" | 6586 | Trivia ritteri | 1520 |
| "tridens, Nototropis" | 6211 | Trividiae | 1513 |
| "tridens, Pandalus" | 6939 | Trochidae | 1151 |
| "tridens, Pandalus montagui" | 6941 | Trochiscus norrisi | 1229 |
| "tridens, Spirontocaris" | 6903 | Trochochaeta franciscanum | 5287 |
| "tridentata, Diopatra" | 4606 | Trochochaeta multiseta | 5289 |
| "tridentata, Dioplosyllis" | 4220 | Trochochaetidae | 5286 |
| "tridentata, Eudorella" | 6718 | Trochoidea | 1150 |
| "tridentata, Nerinides" | 5250 | Trochostoma arenicola | 7736 |
| "tridentata, Ninoe" | 4560 | Trochostoma intermedium | 7731 |
| "tridentata, Opisa" | 6365 | Trochus annulatum | 1175 |
| "tridentata, Pontharpinia" | 6157 | Trochus aureoinctus | 1220 |
| "tridentata, Scolelepis (Parascolelepis)" | 5249 | Trochus canaliculatus | 1177 |
| "tridentatus, Paraphoxus" | 6158 | Trochus dolarium | 1178 |
| "tridentatus, Rhepoxynius" | 6156 | Trochus undosus | 1201 |
| Tridentella quinicornis | 6443 | "tropakis, Metatiron" | 6075 |
| Tridentellidae | 6442 | "tropakis, Tiron" | 6076 |
| "triflabellis, Protolaeospira (Protolaeospira)" | 4814 | Trophon (Austrotrophon) catalinensis | 1812 |
| "trigibba, Amathimysis" | 5600 | Trophon (Austrotrophon) cerrosensis catalinensis | 1814 |
| "trigonalis, Isorobifella" | 2990 | Trophon (Neptunea) bentleyi | 1883 |
| "trigonalis, Lasea" | 2991 | Trophon (Neptunea) eucymatus | 1885 |
| "(Trigonocheirus) beringanus, Eupagurus" | 7056 | Trophon (Trophonopsis) lasius | 1897 |
| "(Trigonocheirus) granosimanus, Pagurus" | 7060 | Trophon lasius | 1890 |
| "(Trigonocheirus) minimus, Pagurus" | 7047 | Trophon maltzani | 1892 |
| "(Trigonocheirus) newcombei, Eupagurus" | 7057 | Trophon squamulifer | 1854 |
| "(Trigonocheirus) samuelis, Pagurus" | 7070 | Trophon subserratus | 1896 |
| "(Trigonocheirus) tanneri, Pagurus" | 7075 | Trophonia capulata | 4952 |
| "(Trigonocheirus) tanneri, Eupagurus" | 7074 | Trophonia inflata | 4944 |
| Trigonulina novemcostatus | 3524 | Trophonia papillata | 4950 |
| Trigonulina pacifica | 3526 | Trophoninae | 1880 |
| "trigonus, Balanus" | 5462 | Trophonopsis lasius | 1898 |
| "trilineata, Chone" | 4707 | "(Trophonopsis) lasius, Trophon" | 1897 |
| "trilineata, Coryphella" | 2527 | "(Tropidomya) nana, Cupspidaria" | 3419 |
| "trilineata, Dialychine" | 4706 | "(Truncacila) beringiana, Acila" | 2621 |
| "trilineata, Flabellina" | 2526 | Truncaria euryoides | 1699 |
| "trilineata, Odontosyllis" | 4228 | "truncata, Corallana" | 6413 |
| "triloba, Ophiolepis" | 7566 | "truncata, Excorallana" | 6412 |
| "trilobata, Eclyssipe" | 4984 | "truncata, Spirontocaris" | 6923 |
| "trilobata, Gnathia" | 6440 | "truncata, Styela" | 8068 |
| "trilobatus, Anobrothrus" | 4985 | "truncatum, Tethym" | 8071 |
| Trimusculidae | 2588 | "truncatus, Thorlaksonius" | 5931 |
| Trimusculoidea | 2587 | "tryoni, Ommastrephes" | 3592 |
| Trimusculus reticulatus | 2589 | Tryonia imitator | 1470 |
| Trinchesia abronia | 2547 | "tryoniana, Pleurotoma (Surcula)" | 2048 |
| Trinchesia albocrusta | 2550 | Trypanosyllis adamanteus | 4292 |
| Trinchesia lagunae | 2555 | Trypanosyllis sp | 4290 |
| Triopa catalinae | 2445 | Tryphosa coeca | 6332 |
| Triopha aurantiaca | 2451 | Tryphosinae | 6330 |
| Triopha carpenteri | 2446 | "tsuji, Vargula" | 5501 |
| Triopha catalinae | 2444 | "tuba, Semitubigera" | 7816 |
| Triopha elioti | 2447 | "tuba, Tubulipora" | 7815 |
| Triopha grandis | 2452 | "tuberculata, Ammothella" | 5344 |
| Triopha maculata | 2450 | "tuberculata, Bruzelia" | 6069 |
| Triopha modesta | 2448 | "tuberculata, Flustra" | 7867 |
| Triopha scrippsiana | 2449 | "tuberculata, Jellyella" | 7866 |
| Triophinae | 2442 | "tuberculata, Melanoides" | 1286 |
| "tripartitus, Stylochus" | 588 | "tuberculata, Membranipora" | 7869 |
| Triphora catalinensis | 1683 | "tuberculata, Nerita" | 1287 |
| Triphoridae | 1682 | "tuberculata, Nictina" | 7870 |
| Triphoris catalinensis | 1684 | "tuberculata, Parapholoe" | 4093 |
| Triphoroidea | 1677 | "tuberculata, Peisidice" | 4094 |
| "tripunctata, Limnoria" | 6496 | "tuberculata, Pholoides" | 4097 |
| "trisegmentata, Euchone" | 4716 | "tuberculata, Pyromnia" | 7207 |
| "trisinuata, Thyasira" | 2978 | "tuberculata, Virgularia" | 408 |
| "trispinosa, Parasmittina" | 7950 | "tuberculatus, Dasygyius" | 7210 |
| "trispinus, Plesionika" | 6945 | "tuberculatus, Inachoides" | 7213 |
| Tritella laevis | 5819 | "tuberculatus, Microrhynchus (Inachus)" | 7208 |
| Tritella pilimana | 5820 | "tuberculosa, Dynamene" | 6547 |
| Tritella tenuissima | 5822 | "tuberosa, Alia" | 1708 |
| Triticella elongata | 7838 | "tuberosa, Amycla" | 1709 |
| Triticellidae | 7837 | "tuberosa, Astris" | 1710 |
| Tritonalia barbarensis | 1843 | "tuberosa, Columbella" | 1711 |
| Tritonalia epiphanea | 1852 | "tuberosa, Columbella (Alia)" | 1712 |
| Tritonalia fusconotata | 1853 | "tuberosa, Columbella (Astyris)" | 1713 |
| Tritonalia interfossa beta | 1845 | "tuberosa, Columbella (Mitrella)" | 1714 |
| Tritonia diomedea | 2474 | "tuberosa, Mitrella" | 1715 |
| Tritonia exsulans | 2477 | Tubiclavula laxa | 241 |
| Tritonia festiva | 2478 | Tubicola longipes | 7308 |
| Tritonia gibbosa | 2425 | "tubicola, Pinnixa" | 7318 |
| Tritonia gigantea | 2470 | "tubifera, Calyptraea" | 1338 |
| Tritonia myrakeenae | 2483 | Tubificoides bakeri | 5322 |
| Tritonia reticulata | 2482 | Tubificoides parapectinatus | 5323 |
| Tritonia tetraqueta | 2471 | "tubiformis, Eumida" | 4404 |
| Tritoniidae | 2464 | Tubulanidae | 705 |
| Tritoniopsilla tertaqueta | 2472 | Tubulanidae sp A | 722 |

INDEX

| | | | |
|-----------------------------------|------|--------------------------------------|------|
| Tubulanidae sp B | 725 | "typica, Phasianella" | 1244 |
| Tubulanidae sp C | 726 | Typosyllis adamanteus | 4291 |
| Tubulanidae sp D | 728 | Typosyllis farallonensis | 4293 |
| Tubulanidae sp E | 730 | "(Typosyllis) farallonensis, Syllis" | 4294 |
| Tubulanidae sp SD1 | 724 | Typosyllis heterochaeta | 4295 |
| Tubulanus nothus | 720 | Typosyllis hyperioni | 4301 |
| Tubulanus albocinctus | 707 | Typosyllis nipponica | 4303 |
| Tubulanus capistratus | 709 | "(Typosyllis) nipponica, Syllis" | 4304 |
| Tubulanus cingulatus | 711 | "tyrianthina, Acanthina" | 1828 |
| Tubulanus frenatus | 713 | | |
| Tubulanus polymorphus | 715 | | |
| Tubulanus sp A | 719 | | |
| Tubulanus sp SD1 | 721 | | |
| Tubularia crocea | 201 | U | |
| Tubularia ramea | 233 | "ubiquita, Munna" | 6608 |
| Tubularia ramosa | 235 | "ubiquita, Uromunna" | 6607 |
| Tubularia sp A | 204 | "uclueletensis, Katafropa" | 8069 |
| "tubularia, Protula" | 4795 | "uenoi, Corophium" | 5768 |
| Tubulariidae | 198 | "uenoi, Monocorophium" | 5767 |
| "tubularis Cmplx, Cerapus" | 5844 | "ulreyi, Paguristes" | 7033 |
| "tubularis, Cerapus" | 5845 | "ulvae, Hydrobia" | 1438 |
| "tubulata, Parasmittina" | 7951 | "umbellata, Discoporella" | 7899 |
| Tubulipora occidentalis | 7817 | "umbellata, Lunulites" | 7900 |
| Tubulipora tuba | 7815 | Umbellula loma | 384 |
| Tubuliporidae | 7813 | Umbellula magniflora | 383 |
| Tubuliporina | 7808 | Umbraculida | 2328 |
| "tubulosaCmplx, Sarsia" | 208 | Umbraculoidea | 2329 |
| "tumida, Alvania" | 1423 | "unamexici, Amphichondrius" | 7503 |
| "tumida, Mysella" | 3045 | "uncata, Boccardia" | 5149 |
| "tumida, Nicippe" | 6090 | "uncata, Crepidula" | 1345 |
| "tumida, Petia" | 7187 | "uncinata, Acanthogribia" | 5737 |
| "tumida, Pinnixa" | 7302 | "uncinata, Cymadusa" | 5738 |
| "tumida, Rochefortia" | 3042 | "uncinata, Dispio" | 5185 |
| "tumida, Tellima" | 3043 | "uncinata, Naineris" | 3868 |
| "tumidus, Pecten" | 2842 | "uncinata, Paragrubia" | 5736 |
| "turbanica, Astraea (Megastraea)" | 1197 | "uncinigera, Goniada" | 4345 |
| "turbanica, Megastraea" | 1195 | Unciolidae | 5711 |
| "turbanicus, Pomaualax" | 1196 | "undata, Amphissa" | 1719 |
| Turbellaria | 563 | "undata, Amycla" | 1720 |
| Turbinellidae | 1930 | "undata, Columbella" | 1722 |
| Turbinidae | 1193 | "undatella, Chione" | 3278 |
| Turbininae | 1194 | "undatella, Venus" | 3279 |
| Turboidea | 1192 | "undosa, Astraea" | 1203 |
| "turbanum, Calliostoma" | 1186 | "undosa, Megastraea" | 1200 |
| Turbanilla almo | 2163 | "undosum, Lithopoma" | 1202 |
| Turbanilla castanea | 2164 | "undosus, Trochus" | 1201 |
| Turbanilla chocolata | 2165 | "undulata, Cyathodonta" | 3485 |
| Turbanilla diegensis | 2170 | "undulata, Lutraria" | 3389 |
| Turbanilla halia | 2167 | "undulata, Raeta" | 3388 |
| Turbanilla keepi | 2168 | "undulata, Sphaerostoma" | 2481 |
| Turbanilla kelseyi | 2171 | "ungodon, Hymeniacidon" | 120 |
| Turbanilla lowei | 2169 | "unguicula, Terebratulina" | 7766 |
| Turbanilla nuttingi | 2172 | "unguicula, Terebratulus" | 7767 |
| Turbanilla raymondi | 2173 | "unguiculus, Crypta" | 1316 |
| Turbanilla regina | 2174 | Ungulinidae | 3246 |
| Turbanilla santarosana | 2175 | Ungulinoidea | 3245 |
| Turbanilla sp A | 2178 | "unifasciata, Lacuna" | 1380 |
| Turbanilla tenuicula | 2176 | "uniformis, Exogone" | 4248 |
| Turbanillinae | 2162 | "uniformis, Exogone" | 4255 |
| Turcica caffea | 1139 | "uniformis, Exogone" | 4257 |
| Turcica (Ptychostylis) caffea | 1140 | "uniformis, Sthenelanella" | 4114 |
| "Turcica) caffea, Calliostoma" | 1141 | Unioplus strongyloplax | 7524 |
| Turcicula (?) cidaris | 1149 | Unipeltata | 5575 |
| "turgida, Chorilia longipes" | 7180 | "universitatis, Clytia" | 255 |
| "turgida, Sertularia" | 333 | "unsocalae, Ampelisca" | 6228 |
| "turgida, Tellina" | 3139 | "unsocalae, Ampelisca" | 6251 |
| "turgidus, Clibanarius" | 7031 | "unsocalae, Ampelisca macrocephala" | 6252 |
| "turgidus, Eupagurus" | 7032 | Upogebia leptata | 7012 |
| "turgidus, Paguristes" | 7030 | Upogebia macginitieorum | 7014 |
| "turgidus, Symplectoscyphus" | 332 | Upogebia pugettensis | 7013 |
| "turricula, Ivara" | 2124 | Upogebia pugettensis | 7015 |
| "turricula, Murex" | 2016 | Upogebiidae | 7011 |
| "turricula, Odostomia (Ivara)" | 2125 | "uraga, Opisthodontia" | 4231 |
| "turricula, Propebela" | 2015 | "uraga, Pionosyllis" | 4232 |
| Turnidae | 2041 | "(Urasterias) forcipulata, Asterias" | 7455 |
| Turnidae sp SD1 | 2017 | "urceolata, Campanularia" | 254 |
| Turninae | 2042 | Urechidae | 3723 |
| Turnis (Surcula) halcyonis | 1974 | Urechis caupo | 3724 |
| Turnitella cooperi | 1289 | Uristes entalladurus | 6381 |
| Turnitella jewetti | 1290 | Uristidae | 6370 |
| Turnitella orthosymmetrica | 1291 | Urocaris infraspinis | 6843 |
| Turnitellidae | 1288 | Urochordata | 7986 |
| Tyleria fragilis | 3416 | Uromunna ubiquita | 6607 |
| Tylidae | 6567 | Urothoe elegans | 6118 |
| Tylochina fungina | 2331 | Urothoe elegans Cmplx | 6117 |
| Tylochinidae | 2330 | Urothoe varvarini | 6119 |
| Tylos punctatus | 6568 | Urothoidae | 6116 |
| Typhlotanais crassus | 6667 | "urotoma, Idotea" | 6516 |
| Typhlotanais sp A | 6668 | "urtica, Amphiodia" | 7513 |
| Typhlotanais sp A | 6670 | "urtica, Amphipolis" | 7516 |
| Typhlotanais williamsi | 6669 | "urtica, Amphiura" | 7514 |
| "typica, Argissa" | 6084 | "urtica, Ophiophragmus" | 7519 |
| | | Urticina columbiana | 516 |

INDEX

| | | | |
|-------------------------------|------|---|------|
| "uschakovi, Aricidea" | 3913 | Venerupis philippinarum | 3337 |
| "uschakovi, Aricidea" | 3925 | "venetiae, Pugettia" | 7174 |
| "uschakovi, Aricidea" | 3930 | "venezius, Ischnochiton" | 987 |
| "uschakovi, Lugia" | 4424 | Ventojassa ventosa | 5873 |
| Utriculastra culcifera | 2259 | "ventosa, Eurystheus" | 5874 |
| Utriculastra harpa | 2269 | "ventosa, Ventojassa" | 5873 |
| (Uvanilla) rupicola, Astraea" | 1199 | Ventricolaria fordii | 3283 |
| | | "ventricosa montereyensis, Cardita" | 2920 |
| | | "ventricosa redondoensis, Cardita" | 2919 |
| | | "ventricosa, Amphissa" | 1721 |
| | | "ventricosa, Cardita" | 2918 |
| | | "ventricosa, Chlamys (Aequipecten)" | 2837 |
| | | "ventricosa, Cyclocardia" | 2917 |
| | | "ventricosa, Venericardia" | 2921 |
| | | "ventricosum, Chlamys (Plagioctenium)" | 2838 |
| | | "ventricosus, Argopecten" | 2832 |
| | | "ventricosus, Chlamys" | 2836 |
| | | "ventricosus, Pecten" | 2833 |
| | | "ventricosus, Pecten (Argus)" | 2845 |
| | | "ventricosus, Pecten (Plagioctenium)" | 2848 |
| | | "ventricosus, Schizaster" | 7631 |
| | | Venus (Antigonia) fordii | 3284 |
| | | Venus californiensis | 3277 |
| | | Venus fordii | 3281 |
| | | Venus lamellifera | 3286 |
| | | Venus philippinarum | 3338 |
| | | Venus rigida | 3275 |
| | | Venus staminea | 3298 |
| | | Venus tantillus | 3330 |
| | | Venus undatella | 3279 |
| | | "venusta venusta, Lanassa" | 5028 |
| | | "venusta, Amphidessa" | 3192 |
| | | "venusta, Lanassa venusta" | 5028 |
| | | "venusta, Laphaniella" | 5029 |
| | | "venusta, Semelle" | 3191 |
| | | "venusta, Tonicella" | 1062 |
| | | "venustus, Dendronotus" | 2487 |
| | | "vera, Ampelisca" | 6221 |
| | | Vermetidae | 1524 |
| | | Vermetinae | 1527 |
| | | Vermetoidea | 1523 |
| | | Vermilia infundibulum | 4801 |
| | | Vermiliopsis biformis | 4787 |
| | | Vermiliopsis infundibulum | 4800 |
| | | "vernalis, Liriola peltoidesvar" | 2595 |
| | | Verongia thiona | 152 |
| | | Verongida | 149 |
| | | "verrilli californicus, Astropecten" | 7381 |
| | | "verrilli, Aglaophamus" | 4354 |
| | | "verrilli, Amphiura" | 7542 |
| | | "verrilli, Astropecten" | 7382 |
| | | "verrilli, Lioptilum" | 420 |
| | | "verrilli, Nephthys" | 4355 |
| | | "verrilli, Streblosoma" | 5096 |
| | | "verrillii, Phascolosoma" | 3662 |
| | | "verrucifera, Molgula" | 8116 |
| | | "verrucosa, Caprella" | 5809 |
| | | "verrucosa, Caprella acutifrons var" | 5810 |
| | | "verrucosa, Caprella septentrionalis var" | 5812 |
| | | "verruculosa, Sthenelais" | 4112 |
| | | "verruculosa, Sthenelais" | 4113 |
| | | "versicolor, Amphissa" | 1723 |
| | | "versicolor var reticulata, Amphissa" | 1718 |
| | | "verticillata, Campanularia" | 267 |
| | | "verticillata, Hydra" | 7850 |
| | | "verticillata, Sertularia" | 266 |
| | | "verticillata, Verticillina" | 268 |
| | | "verticillatum, Zoobotryon" | 7849 |
| | | "verticillatus, Rhizocalus" | 265 |
| | | Verticillina verticillata | 268 |
| | | Verticordia aequacostata | 3523 |
| | | Verticordia novemcostatus | 3525 |
| | | Verticordia ornata | 3527 |
| | | Verticordiidae | 3521 |
| | | Verticordioidea | 3520 |
| | | Verticumbo charybdis | 1334 |
| | | "(Verticumbo) charybdis, Crepitatella" | 1333 |
| | | Vesicomya elongata | 3063 |
| | | Vesicomyidae | 3062 |
| | | "vesicula, Bulla (Haminea)" | 2204 |
| | | "vesicula, Haminaea" | 2205 |
| | | "vesicula, Haminoea" | 2203 |
| | | Vesiculariidae | 7845 |
| | | Vesicularoidea | 7844 |
| | | Vetigastropoda | 1102 |
| | | "vexillaria, Kinbergonuphis" | 4610 |
| | | "vexillaria, Onuphis" | 4611 |
| | | "vexillosa, Nereis" | 4163 |
| | | "(Viciniscala) minuticosta, Scala" | 1565 |
| | | "vidleri, Delonovolva aequalis" | 1360 |
| | | "vidleri, Ovulum" | 1361 |
| Venerupis lamellifera | 3289 | | |

INDEX

| | | | |
|--------------------------------------|------|--------------------------------------|------|
| "vidleri, Simnia" | 1362 | "washington, Xylophaga" | 3446 |
| "vigota, Maera" | 6282 | "washingtonianus, Eohaustorius" | 6112 |
| "vigota, Quadrimaera" | 6281 | "washingtoniensis, Discosolenia" | 642 |
| "villosa, Boltenia" | 8084 | "wassi, Aricidea (Aricidea)" | 3937 |
| "villosa, Cynthia" | 8085 | Watersiporidae | 7975 |
| "villosa, Halocynthia" | 8087 | Watersiporidae | 7974 |
| "villosa, Leptostylis" | 6794 | "watsoni, Dentalium" | 3552 |
| "vilosior, Astenothaerus" | 3483 | "websteri, Polydora" | 5219 |
| "vilordes, Gitanopsis" | 5978 | Westwoodilla caecula | 6065 |
| "vilordes, Hourstonius" | 5977 | Westwoodilla tone | 6064 |
| "vinosa, Paractis" | 531 | "whiteavesianus, Aphrocallistes" | 9 |
| "vinosa, Stomphia" | 530 | "wigleyi, Hemiproto" | 5825 |
| "virescens, ?Chiton" | 1031 | "wigleyi, Spiophanes" | 5283 |
| "virescens, Amphiporus" | 810 | "willetti, Antiplanes (Recipipes)" | 2066 |
| "virescens, Bulla" | 2207 | "willetti, Ischnochiton" | 1006 |
| "virescens, Haminaea" | 2208 | "willetti, Lepidozona" | 1005 |
| "virescens, Haminaea" | 2206 | "willetti, Miogryphus" | 7786 |
| "virescens, Zygometes" | 809 | Williamia galapagana | 2596 |
| "virgata, Lepas" | 5418 | Williamia pettoides | 2593 |
| "virgatum, Conchoderma" | 5417 | "williamsae, Aphelochaeta" | 4843 |
| "virginalis, Odostomia" | 2158 | "williamsae, Pseudoxogone" | 4270 |
| Virgularia agassizii | 404 | "williamsi, Anaitides" | 4452 |
| Virgularia bromleyi | 406 | "williamsi, Phylodocae" | 4451 |
| Virgularia californica | 409 | "williamsi, Typhlotanais" | 6669 |
| Virgularia elongata | 399 | "williamsi, Woodbridgea" | 2226 |
| Virgularia galapagensis | 410 | "willmeriana, Corella" | 8018 |
| Virgularia grandiflora | 387 | "willowi, Alderia" | 2322 |
| Virgularia reinwardti | 411 | "wilsoni, Lineus" | 754 |
| Virgularia sp A | 407 | "wilsoni, Micrura" | 753 |
| Virgularia sp B | 412 | "winckelmanni, Limnodriloides" | 5316 |
| Virgularia tuberculata | 408 | Woodbridgea williamsi | 2226 |
| Virgulariidae | 396 | "woodworthi, Admete" | 2094 |
| "virgulisolida, Synallactes" | 7712 | "wrighti, Mangelia" | 2001 |
| "viridintestinalis, Anoplodactylus" | 5387 | "wroblewskii, Epitonium (Opalia)" | 1595 |
| "viridis var pacifica, Caulleriella" | 4860 | "wroblewskyi chacei, Opalia" | 1597 |
| "viridis, Axinopsis" | 2970 | "Wroblewskyi, Scala" | 1598 |
| "viridis, Lineus" | 748 | "wui, Pista" | 5059 |
| "viscana, Platyischnopus" | 6206 | | |
| "viscana, Tiburonella" | 6205 | | |
| "vitellina, Erato" | 1516 | | |
| Vitreolina columbiana | 1660 | | |
| Vitreolina macra | 1665 | | |
| Vitreolina yod | 1671 | Xanthias taylori | 7279 |
| Vitrinella berryi | 1487 | Xanthidae | 7275 |
| Vitrinella oldroydi | 1488 | Xanthinae | 7276 |
| Vitrinellinae | 1486 | Xantho bella | 7257 |
| "(Vitreolina) obstipa, Balcis" | 1667 | Xantho hemphilliana | 7261 |
| "(Vitreolina) titubans, Balcis" | 1662 | Xanthodes hemphillii | 7262 |
| "viuda, Photis" | 5914 | Xanthodes leucomanus | 7267 |
| "vokesae, Pteropurpura" | 1870 | Xanthodes taylori | 7278 |
| "(Volva) floridus, Pecten" | 2820 | "xanthogrammica, Actinia" | 513 |
| "volcano, Fissurella" | 1106 | "xanthogrammica, Anthopleura" | 512 |
| Volsella capax | 2767 | Xanthoidea | 7253 |
| Volsella recta | 2775 | "xantusii, Achelous" | 7251 |
| Volsella rectus | 2771 | "xantusii, Neptunus" | 7252 |
| Volsella sacculifer | 2777 | "xantusii, Ophionereis" | 7568 |
| "volubilis, Campanularia" | 250 | "xantusii, Portunus" | 7250 |
| "volubilis, Sertularia" | 251 | Xenoleberis californica | 5514 |
| Volutella pyriformis | 1914 | Xenopneusta | 3722 |
| Volvarina californica | 1902 | Xestospongia dubia | 136 |
| Volvarina parallela | 1903 | Xestospongia edapha | 138 |
| Volvarina taeniola | 1901 | "(Xiphiozona) heathi, Lepidopleurus" | 939 |
| Volvula cylindrica | 2292 | Xylophaga californica | 3447 |
| Volvulella californica | 2288 | Xylophaga washingtona | 3446 |
| Volvulella callicera | 2293 | Xylophaginiæ | 3445 |
| Volvulella catharia | 2290 | "xystrum, Retusa" | 2286 |
| Volvulella cooperi | 2294 | "xystrum, Sulcoretusa" | 2285 |
| Volvulella cylindrica | 2291 | "xystrum, Sulcularia" | 2287 |
| Volvulella lowei | 2295 | | |
| Volvulella panamica | 2296 | | |
| Volvulella tenuissima | 2298 | | |
| "voyi, Antiplanes" | 2059 | | |
| "vulgaris, Crangon" | 6953 | Y | |
| "vulgaris, Cumella" | 6754 | "yatsui, Aphrocallistes" | 10 |
| "vulgaris, Elthusa" | 6420 | "yezoense, Physcosoma" | 3708 |
| "vulgaris, Lironeca" | 6422 | "yod, Leirostraca" | 1672 |
| "vulgaris, Livoneca" | 6421 | "yod, Melanella" | 1673 |
| "vulpeculus, Bathymedon" | 6044 | "yod, Vitreolina" | 1671 |
| | | "yokoyamai, Crenella" | 2724 |
| | | Yoldia (Chesterium) excavata | 2680 |
| | | Yoldia (Chesterium) strigata | 2681 |
| | | Yoldia cooperii | 2674 |
| | | Yoldia ensifera | 2677 |
| | | Yoldia ensifera plena | 2678 |
| | | Yoldia nana | 2684 |
| | | Yoldia scissurata | 2679 |
| | | Yoldia seminuda | 2675 |
| | | "yoldiarcticae, Perigonus" | 225 |
| | | Yoldiella nana | 2683 |
| | | Yoldiella sp A | 2685 |
| | | Yoldiellinae | 2682 |
| | | "yoldiformis, Macoma" | 3157 |

W

| | |
|--------------------------------|------|
| "wailesi, Proneomysis" | 5637 |
| Waldeimia californica | 7780 |
| Waldeimia grayi | 7801 |
| Waldeimia Kennedyi | 7789 |
| "waldronense, Munnogonium" | 6621 |
| "walkeri, Trichocarcinus" | 7235 |
| "walleri, Cupidaria (Luzonia)" | 3516 |
| "walleri, Luzonia" | 3515 |
| "wara, Dotu" | 2505 |
| "washingtona, Halocynthia" | 8101 |

INDEX

| | |
|--|------|
| "yoldiformis, <i>Macoma (Psammacoma)</i> " | 3158 |
| <i>Yoldiidae</i> | 2672 |
| <i>Yoldiinae</i> | 2673 |
| <i>Ysideria hastata</i> | 4084 |

Z

| | |
|--------------------------------------|------|
| "zacae, <i>Crago</i> " | 6978 |
| "zacae, <i>Crangon</i> " | 6979 |
| "zacae, <i>Havelockia benti</i> var" | 7661 |
| "zacae, <i>Neocrangon</i> " | 6977 |
| <i>Zanclea bomala</i> | 246 |
| <i>Zanclidae</i> | 245 |
| <i>Zaolitus actius</i> | 521 |
| "zara, <i>Ascidia</i> " | 8021 |
| "zelenzovi, <i>Aricidea</i> " | 3888 |
| "zenibakense, <i>Phascolosoma</i> " | 3675 |
| <i>Zephyrinidae</i> | 2509 |
| "zephyrus, <i>Cyclopecten</i> " | 2880 |
| "zetesimus, <i>Hippomedon</i> " | 6337 |
| <i>Zeugophilomedes oblongus</i> | 5534 |
| <i>Zeuxis insculptus</i> | 1791 |
| "(Zeuxis) <i>tegula, Alectron</i> " | 1761 |
| <i>Zeuxo maledivensis</i> | 6696 |
| <i>Zeuxo normani</i> | 6697 |
| <i>Zeuxo paranormani</i> | 6700 |
| <i>Zoantharia</i> | 435 |
| <i>Zoanthidae</i> | 557 |
| <i>Zoanthidea</i> | 556 |
| <i>Zonaria spadicea</i> | 1354 |
| "zonata, <i>Lumbriconereis</i> " | 4571 |
| "zonata, <i>Lumbrineris</i> " | 4572 |
| "zonata, <i>Scoletoma</i> " | 4570 |
| <i>Zoobotryon pellucidus</i> | 7851 |
| <i>Zoobotryon verticillatum</i> | 7849 |
| <i>Zoroaster platyacanthus</i> | 7467 |
| <i>Zoroasteridae</i> | 7465 |
| <i>Zorocalida</i> | 7464 |
| "zoritensis, <i>Polyandrocarpa</i> " | 8035 |
| "zoritensis, <i>Stolonica</i> " | 8036 |
| "zostericola, <i>Dendrostomum</i> " | 3684 |
| "zostericola, <i>Phyllaplysia</i> " | 2315 |
| "zostericola, <i>Thémiste</i> " | 3687 |
| "zumi, <i>Neopetrosia</i> " | 134 |
| "zumi, <i>Toxadocia</i> " | 135 |
| <i>Zygeupolia littoralis</i> | 764 |
| <i>Zygeupolia rubens</i> | 760 |
| <i>Zygonemertes virescens</i> | 809 |
| "zygophora, <i>Crucigera</i> " | 4784 |
| "zygophora, <i>Serpula</i> " | 4785 |