

# A TAXONOMIC LISTING OF BENTHIC MACRO- and MEGAINVERTEBRATES

from

Infaunal & Epifaunal Monitoring and Research Programs  
in the Southern California Bight

EDITION 11

1 July 2016



Prepared by

The Southern California Association of Marine Invertebrate Taxonomists  
Natural History Museum of Los Angeles County Research & Collections  
900 Exposition Boulevard Los Angeles, CA 90007

The editors of this list intend that it undergo regular updates. SCAMIT hopes to maintain the list as a document useful to those involved with monitoring programs within the Southern California Bight. To this end we solicit the users' assistance. Please forward any comments, corrections, or suggested additions you may have to them:

Donald B. Cadien  
dcadien@lacsd.org  
Marine Biology Laboratory  
County Sanitation Districts  
of Los Angeles County  
24501 S. Figueroa St.  
Carson, CA 90745

or

Lawrence L. Lovell  
llovell@lacsd.org  
Marine Biology Laboratory  
County Sanitation Districts  
of Los Angeles County  
24501 S. Figueroa St.  
Carson, CA 90745

This document is available to members for downloading in Portable Document Format (pdf) at the SCAMIT web site ([www.scamit.org](http://www.scamit.org)). To view or download the document you must have the Adobe Acrobat Reader which allows you to view or print pdf files. The reader is distributed by Adobe free of charge and may be downloaded from their web site ([www.adobe.com](http://www.adobe.com)).

Copyright © 2016 by the Southern California Association of Marine Invertebrate Taxonomists  
This material may not be duplicated and resold.  
Permission to copy or use is hereby granted subject to inclusion of this copyright notice.



## Southern California Association of Marine Invertebrate Taxonomists

### A TAXONOMIC LISTING OF BENTHIC MACRO- and MEGAINVERTEBRATES

from

Infaunal and Epifaunal Monitoring and Research Programs in the Southern California Bight

Prepared by

The Southern California Association of Marine Invertebrate Taxonomists

Donald B. Cadien and Lawrence L. Lovell, editors

### EDITION 11

Taxonomic standardization, assuring that the same name is applied to an organism by different taxonomists each time that organism is encountered, is an important quality control concern in any biological monitoring program. Compatibility of taxonomic data generated by agencies and organizations contributing to regional monitoring programs is essential if the full value of these surveys is to be realized. There are two obstacles to achieving the goal of standardization: the complexity and fluidity of invertebrate taxonomy; and the differences in expertise, experience, and opinion of taxonomists involved in monitoring within the region. While these obstacles hinder us from achieving uniformity, a great deal can be accomplished in its pursuit. Central to that effort is regional cooperation and communication among the taxonomists responsible for the surveys.

The Southern California Association of Marine Invertebrate Taxonomists (SCAMIT) was formed in 1982 to promote the study of invertebrate taxonomy and develop a standardized taxonomy of marine invertebrates within the region. Its membership includes most of the taxonomists responsible for conducting infaunal and epifaunal monitoring programs in Southern California coastal waters. SCAMIT's activities include monthly meetings, workshops, and communication of taxonomic information to its membership through a newsletter and website ([www.scamit.org](http://www.scamit.org)).

This list of invertebrates from benthic habitats of the Southern California Bight (SCB) is a contribution of SCAMIT toward the development of regionally coordinated monitoring within the Bight. This edition updates Edition 10 of July 2015, and continues SCAMIT's efforts to compile and maintain a list of species for which taxonomy is believed standard within the region. That is, a list of species names that are uniformly and consistently applied to organisms in research and monitoring programs within the region. Like earlier editions, this is a conservative document constrained by both the information base from which it is derived and by the criteria for inclusion of taxa on the list.

Caution is required in the use of this or any other “master species” list. Taxonomic listings do not in themselves constitute standardization of taxonomic usage. They are only tools that contribute to standardization, both as a product and in the process of their development and maintenance. Those responsible for developing regional monitoring should not attempt to impose on contributing surveys an artificially rigid

taxonomy based upon a static list of standard names. Such an approach would inevitably lead to poorer quality survey data. Some differences in taxonomy and nomenclatural usage will continue to appear in data sets originating from contributing surveys. Most of these will reflect either change in the species encountered or new revisionary work. Some will represent non-standard usage despite efforts such as this listing and other activities of SCAMIT. Regional data-management systems must allow both growth and emendation to their species lists to conform to current usage. Ranasinghe *et al.* (2003b) evaluated the success of quality assurance taxonomic standardization in the second regional monitoring survey Bight '98 (B'98) and provided some idea of both the value of the contributions to standardization made to date and the magnitude of the unresolved issues.

Edition 7 was the first edition available only on-line. It was available in Portable Document Format (pdf), which is fully searchable. This renders the Index provided in previous editions obsolete, and none is provided here. Edition 11 is another step in the evolution to a fully interactive on-line list in the future, where comments and questions regarding the list contents can be made by users in real-time. Future lists will be linked to other resources on the internet, providing additional information on the species covered. We have not yet accomplished this, but look forward to doing so in the near future.

## COVERAGE OF EDITION 11

This document provides a list of macroinvertebrates and megainvertebrates from both soft and hard bottom habitats of the SCB. Holoplanktonic species are not included in the list. For the purposes of the list, macroinvertebrates are defined as those organisms retained upon a 0.3 mm or larger mesh screen. Epibenthic megainvertebrates are defined as benthic organisms captured in otter trawls and having a body dimension greater than 1 cm. The list draws from sampling programs that have been in existence since as early as 1970 (see table of contributors). Over that period, sampling frequencies and station locations have varied but gear types and methods have been stable. The list reflects organisms collected from thousands of samples within the habitats covered. Most records are from soft substrate on the inner to mid shelf within the SCB, but increasingly information on other habitats from the intertidal to the near-shore basins is also represented. Records in the published literature are not sufficient for inclusion, only actual examined specimens form the basis for this listing. There are 3227 species-level taxa on the list representing 17 phyla, 39 classes, 132 orders, and 706 families.

Geographic coverage is from Point Conception, California to Bahía Todos Santos, Baja California Sur, Mexico in intertidal to 1000m depths. As in previous editions, the information on which the list is based comes from survey data collected in monitoring programs of publicly owned wastewater treatment works (POTWs). Coverage within the Bight is biased by the distribution of sampling efforts associated with these programs. The largest of these are centered on the metropolitan areas of Los Angeles/Orange County and San Diego. The fauna from shelf

## Contributing Programs

### LARGE DISCHARGE MONITORING PROGRAMS

City of Los Angeles, Bureau of Sanitation, Environmental Monitoring Division  
County Sanitation Districts of Los Angeles County  
Orange County Sanitation District  
City of San Diego, Public Utilities Department

### SMALL DISCHARGE MONITORING PROGRAMS

Goleta Sanitary District  
City of Santa Barbara  
Carpenteria Sanitary District  
City of Oxnard  
South East Regional Reclamation Authority  
City of Oceanside  
Encina Water Pollution Control Facility  
San Elijo Joint Powers Authority  
City of Avalon  
International Treatment Plant

### MISCELLANEOUS STUDIES

Terminal Island Treatment Plant Outfall Study  
Tijuana Ocean Engineering Study  
LACSD Reference Survey  
San Diego Sediment Mapping Study  
San Diego Deep Benthic Pilot Study

### REGIONAL SURVEYS

Southern California Coastal Water Research Project Reference Surveys  
1994 Southern California Bight Pilot Project (SCBPP)  
Southern California Bight 1998, 2003, 2008, and 2013 Regional Monitoring Projects

and upper slope depths in these areas is well represented. North of the Los Angeles region, monitoring programs are fewer in number and smaller in scale. Consequently, the fauna of the northern Bight is under-represented. Records from Regional Monitoring Surveys in 1994, 1998, 2003, 2008 and 2013 (Allen *et al.* 1998, 2002, 2007, 2011; Bergen *et al.* 1998; Ranasinghe *et al.* 2003a, 2007, 2012) improved coverage in this northern region as well as between POTW monitoring areas. Coverage is poorer south of the US/Mexico border where the only records come from monitoring of the South Bay Ocean Outfall (south to Punta Banderas) and the Mexican component of the Bight '98 Regional Survey (south to Bahía Todos Santos). Records from estuaries, bays, and harbors taken in regional monitoring programs are included here. Salinities may be reduced in such enclosed habitats, but records from waters of less than 12ppt salinity are excluded. This represents the midpoint of mesohaline water salinities, where euryhaline marine species reach their distributional endpoint, and estuarine endemics occur (Boesch 1978). Organisms from fresher oligohaline waters, those characterized as fresh-water species, are not covered in this listing

Most sampling effort has been expended at mid shelf depths of 40 to 80 meters and the fauna from this range is better represented than that of shallower or deeper waters. More information on slope and basin habitats is becoming available, but depths between 300 and 1000m are still under-represented in Edition 11. Most source programs are restricted to subtidal soft-bottom monitoring, but records from both rocky and soft intertidal habitats and fouling have been included since Edition 6. Coverage will be far less comprehensive for these habitats initially, but in future editions will approach that of the central shelf. Records are derived from a broad spectrum of sources. Many cooperative programs are underway by state, federal, and other agencies which sample embayments or open coastal intertidal and shallow subtidal habitats. Records from Introduced Species Studies conducted within the SCB were included. Other efforts designed to quantify effects of anthropogenic contaminants and other human usages in bays, harbors and estuaries are also continuing. These include the long series of EMAP programs along the entire west coast of North America, sampling to develop sediment quality objectives, and other efforts. Only records from within the covered geographic portion of these broad scale programs will be included in this listing. Only those records either generated by or subsequently reviewed by SCAMIT member taxonomists or SCAMIT associated taxonomists are admissible. The requirement that use of the included taxon name be standardized within the region is in force here as well.

## PROCESS OF COMPILED

Because all subsequent editions build on the original, the description of the information sources and compilation process which produced Edition 1 (March, 1994) is restated below.

The base list was compiled from encountered-species lists from the infaunal monitoring programs of the Bureau of Sanitation, Environmental Monitoring Division, City of Los Angeles (CLA, EMD); the County Sanitation Districts of Los Angeles County (CSDLAC); the County Sanitation Districts of Orange County (CSDOC); and the Metropolitan Wastewater Department, City of San Diego (CSD, MWD). The encountered-species lists provided by these agencies covered a range of time spans, from eight to more than 20 years. The base list was broken into phylogenetic groupings (phylum or class level) for review by SCAMIT members with expertise in each group and knowledge of the history of the programs from which the data were derived. This latter factor is important given the long term nature of the programs from which the list was derived. These programs have been in place since as early as 1972. There is substantial potential for confusion of species identities because of the many taxonomists involved over the period. Every species name on the base list was subject to review and discussion prior to acceptance on the final list. Names retained were those 1) found to have been applied to taxa recognized as unique and 2) for which consensus among SCAMIT reviewers existed as to the name used to represent these taxa. Consensus here does not imply unanimity of opinion, but an agreement to accept a standard use of a name in the interest of regional conformity. Conflicts of opinion were resolved by review of appropriate literature and, in many cases, re-examination of voucher specimens by the reviewers.

Following compilation of the list from the four largest programs, encountered-species lists from monitoring programs conducted by the smaller POTWs in the Bight and studies by the Southern California Coastal Water Research Project (SCCWRP) were reviewed. This latter stage was hindered by the general absence

in the smaller monitoring programs of easily accessible databases from which to draw encountered-species lists, frequent changes in contractors performing the sample analysis, and the unavailability of the taxonomists responsible for the data. The encountered-species lists received were typically from the most recent surveys, although the actual time spans were not given. Approximately 10% of the species on the final list were added as a result of review of the small POTW encountered-species lists.

The process of compilation resulted in a list, which is generally exclusive in nature. Many taxa names reported in the contributed species lists were eliminated by the reviewers, frequently because of the absence of voucher specimens or documentation allowing their confirmation. Inevitably, some taxa names eliminated will later be found acceptable. In addition, voucher specimens were not examined in all cases and some taxa deemed uncontroversial may later be discovered to be inconsistent in application or otherwise unacceptable. It is anticipated that this list will grow and change during future updates.

The first edition (1994) drew upon the encountered-species lists of 16 infaunal monitoring programs in the region. Subsequent editions built upon the first through a similar process of addition and emendation. In each edition newly detected taxa were added, nomenclatural revisions were incorporated, and errors in the previous edition corrected. Previously listed names found to be based upon doubtful or unverifiable records were dropped from the list. Provisional species names lacking adequate characterization or uniformity of application within the region were also dropped.

The second edition (1996) included, for the first time, epibenthic invertebrates taken in trawl surveys within the Bight as well as new records from the surveys conducted as part of the 1994 Southern California Bight Pilot Project. This regional project included surveys of mainland coastal soft-bottom infaunal and epibenthic communities from Pt. Conception to the US/Mexico border, employing the same techniques used in POTW monitoring programs.

The third edition (1998) was enlarged by the inclusion of abbreviated synonymies. These presented both valid synonyms and synonyms based upon nomenclatural usage. They were not exhaustive, but rather sought to provide examples of the various combinations under which a name has occurred with an emphasis on usage in the Southern California Bight and the Northeast Pacific. An explanation of the notation employed in synonymies is provided below.

The fourth edition (2001) continued to grow in coverage by accretion. Abbreviated synonymies were enlarged as more information became available. The range of habitats examined expanded by inclusion of results of the second regional survey (B'98), which sampled bays, estuaries, offshore island shelves, and northwestern Baja California.

The fifth edition (2008) incorporated additional records from habitats little covered in previous editions, particularly the upper continental slope, bays and harbors. It reflected many changes, particularly in the higher structure of the nomenclatural hierarchy, published in the last decade, even revising the number of phyla included in coverage. It reported additional taxa taken in the B'03 Regional Monitoring Study, expanded coverage into the intertidal zone, and incorporated non- POTW or regional monitoring efforts within the acceptable coverage limits.

The sixth (2011), seventh (2012), eighth (2013), ninth (2014), tenth (2015) and current edition continued the coverage expansions begun earlier, filling in increasing numbers of species from embayment and rocky and sandy intertidal sampling. Described species and most provisional species added during the B'08 and B'13 regional monitoring were included. Continued changes to higher classification from ongoing molecular and combined molecular/morphological based phyletic reexaminations were incorporated. Edition six was the first to benefit from the Species List Review Committee. Their efforts increased the effectiveness of the review, and have been continued in preparation of subsequent editions.

## CONVENTIONS

Arrangement of the list is hierarchical. The categories used are phylum, subphylum, class, subclass, infra-class, superorder, order, suborder, infraorder, tribe, superfamily, family, subfamily, genus (subgenus) and

species. For ease of use each taxonomic category is offset from the next higher category. Each category above genus is, moreover, indicated directly by inclusion with the taxon name itself to avoid ambiguity (e.g., Subphylum Echinozoa). Arrangement of families is phylogenetic when information is available and alphabetic otherwise. Genera, and species within them, are arranged alphabetically within each family or subfamily, as appropriate. Authorship is attributed in conformance with ICZN rules. The listing of genus-level identifications (e.g., *Bimeria* sp) represents the degree to which the identities of these taxa are known in the region. This form is also used in cases where the only specimens representing the genus were indeterminable due to absence of diagnostic characters. It is regional practice in monitoring programs to identify some groups of organisms at family or higher level. An example is harpacticoid copepods, which are reported at the ordinal level. For these taxa the term **unidentified** appears in the binomen position. The level at which they are typically reported is indicated by the lowest level taxon provided in the hierarchy.

The degree of detail in the use of higher taxonomic categories varies between groups. In groups where there are both large numbers of species and wide variations in form, numerous categories are listed between the phylum and genus level (arthropods, for example). In poorly represented groups with few species (e.g., cephalochordates) there may be few categories listed between phylum and family.

Within the list the following typographic conventions have been employed:

**PHYLUM LEVEL IS ALL CAPS**

**Family and Subfamily levels are bolded**

*Genus and species are in italics*

Synonyms are indented below currently accepted binomens and not italicized

Included in the list are a number of unpublished provisional species names erected by workers in the area. These names are applied to organisms suspected of being new species or whose identities cannot be determined from available literature. Provisional names are typically in the form of a genus name followed by the word **species** (abbreviated as **sp**) and an alphabetic, alphanumeric, or numeric designator. In provisional binomens, the generic level name is italicized, while the specific name is not. Synonyms are left un-italicized to help clarify their status. In cases where the allocation of a taxon is uncertain, the levels at which uncertainty exists are indicated (e.g., family uncertain, suborder uncertain, etc.). Ideally, a provisional name is provided as a temporary designation pending resolution of the organism's identity through further research or publication. In practice, many have become long standing, stable, and widely recognized taxa names within the region. Some are published, and this is reflected in their authorship. Of the provisional taxa included in Edition 11, some date back to the 1970's. Many of the provisional taxa recognized by SCAMIT member taxonomists have now been described either by the members themselves or by other taxonomists. You will find them on this list as synonyms of formally described taxa. All listed provisionals have been subject to examination and their descriptions distributed through the activities of SCAMIT (1982 to present) or its antecedent, the SCCWRP Taxonomic Standardization Program (1973-1980). For these reasons, as well as the significant proportion (9+ %) of the listed taxa they represent, these provisional species names are included in the list. The unpublished provisional names are distinguished from formally erected species and provisional names published in the literature by the symbol § following the author. Authorship is attributed for provisional names to tie them to specific diagnoses. Attribution of authorship of these unpublished names **does not** follow a rule of priority, but attempts to indicate the most recent and/or complete source of information regarding the species. The date provided represents the date of distribution of diagnoses or descriptions. Provisional species names for which there is no regional recognition or available diagnoses are not included. These are numerous, and usually become provisional names whose usage is regionally standardized as voucher sheets on them are distributed. The rules for inclusion of provisional taxa are outlined in SCAMIT Newsletter (2015; Vol. 34(1)).

Three conditional designations are used in the list. The terms **conferre** and **near** (abbreviated as **cf** and **nr**) inserted in the binomen indicates that the organism closely resembles the nominal species but its actual identity is in question. The term **complex** (**Cmplx**) appended to a name indicates that the listed taxon is recognized as having a high degree of poorly defined variability and may belong to an incompletely discriminated group of species.

The first entry in the synonymy is the name as originally described if it differs from that listed as currently used. Otherwise entries are in alphabetical order. The form in which authorship is provided is used to distinguish the nature of the entries. Examples of the forms used and their meaning are provided below.

Schmitt 1921	Synonym
Schmitt 1921 in part	Partial synonymy
of Holmes 1900	Variant generic placement or orthography
of Schmitt 1921 not Blazor 1899	Specific instance of incorrect usage
of authors not Bates 1885	Incorrect usage by several authors
of authors SCB not Baird 1863	Incorrect usage regionally by several authors

Usage cited as “of authors” is not restricted to usage in the literature, but also includes usage in survey results and reports. The acronyms NEP and SCB stand for Northeast Pacific and Southern California Bight respectively.

Each new edition in the past has had name changes and new entries from the previous edition. These modifications were not listed or noted prior to Ed 5, making them hard to find for taxonomists and database managers who were concerned with updating species lists. In Edition 11 all changes (other than deletions) from Ed 10 are noted in **red colored font**. This will make finding and noting changes much easier. Rules were established for red color fonting. The rules highlight the changes to Ed 10 that taxonomists and database managers should be aware of when reporting binomens, authors, or hierarchical position of taxa.

- 1) New name not in Ed 10 (upper hierarchical addition, new species addition either as valid name or synonym).
- 2) Change in status of synonym, elevation to valid name.
- 3) Change in status of valid name, placed in synonymy.
- 4) Spelling correction, red fonting the changed name either genus or species (not the entire binomen) or author.
- 5) Correction to authorship attribution.
- 6) Change in assigned genus.
- 7) Change in placement within the hierarchy.

#### AUTHORITY LIST FOR TAXONOMIC INFORMATION

A broad range of sources was used in construction of this hierarchical listing of organisms. The overall basis is that embodied in *An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific* (Austin 1985). This classification has been superseded in a number of areas by investigations over the past quarter century which aimed to put animal classification on a more phylogenetic basis. These investigations initially used cladistic methods to reassess relationships based on morphological characters. More recent contributions typically utilize molecular data. Use of the weight of evidence approach, which combines molecular, morphological, paleontological, and developmental lines of evidence, has become increasingly common. These investigations are ongoing, and much uncertainty remains for many groups. A recent synthesis (Cracraft & Donoghue 2004), while still imperfect, can serve as a consensus base for updating the hierarchical relationships used by Austin. Where groups have been revised at higher level based on phylogenetic information in Cracraft & Donoghue, it is so indicated under each group below.

The formation of superfamily names follows recommendation 29A of the *International Code of Zoological Nomenclature* (Ride 1999). With this exception and those listed below, all of the classification above genus-level is derived from Austin (op. cit.). Genus-level taxa names and the distribution of species among genera are derived from multiple sources in the recent literature. The degree of congruence of this list with the World Register of Marine Species (<http://www.marinespecies.org/>) is checked and differences are resolved on a case by case basis by the SCAMIT Species List Review Committee. Differences in this list from the treatment in WoRMS are intentional, and reflect the position of SCAMIT on issues in dispute within the taxonomic community.

#### Phylum Porifera

This taxon was found to be paraphyletic, and has been separated into two phyla Silicea and Calcarea (see Eernisse & Peterson 2004). In their taxonomic reassessment of the sponges Hooper & van Soest (2002) discussed, but did not adopt this conclusion. It is followed here. Silicea consists of Demospongia and Hexactinellida, while Calcarea consists of the calcareous sponges only. Organization within the sponges below phylum level follows Hooper & van Soest, although level of nominal categories may be changed in conformance with the adoption of the two phylum system. Exceptions to this are based on Lee *et al.* 2007.

Use of subfamilial names in Geodiidae follows Cardenas *et al.* 2010.

#### Phylum Cnidaria

Modifications follow Cairns *et al.* 2002 unless otherwise indicated.

Placement of Oplorhiza in Campanulinidae follows Hochberg & Ljubenkov 1998.

Placement of species not recorded by Austin follows Ljubenkov 1980.

Most cases which vary from Cairns *et al.* are based on information in either the  
World Hexacorallian Database (<http://hercules.kgs.ku.edu/hexacoral/anemone2/index.cfm>) or  
the  
World Hydrozoan Database (<http://www.marinespecies.org/hydrozoa/>).

#### Phylum Platyhelminthes

Developments in the understanding of this group have been numerous and far-reaching. The traditional phylum Platyhelminthes as used by Austin has been modified to exclude the Acoela, which with the Nemertodermatida form the Acelomorpha, now considered the sister taxon to all other bilaterians (see Eernisse & Peterson 2004, Littlewood *et al.* 2004). No acoels have yet been taken by surveys within the SCB, and so this change is not reflected in the listing. Other high-level changes within this phylum do require some modifications of the hierarchy as used in Austin, but are also only needed for forms not yet reported on the list. The classification of the Polycladida generally follows Faubel (1983, 1984), with some input from Prudhoe 1985.

#### Phylum Nemertea

Treatment of Cerebratulidae as Cerebratulinae within Lineidae follows MacEwen 1980.

## Phylum Mollusca

The Class Aplacophora as used by Austin has been suggested to be paraphyletic (see Salvini-Plawen & Steiner 1996, Haszprunar 2000), although there is still not complete agreement on the issue (see Scheltema 1996 for a dissenting opinion). The paraphyly seems clear, although just how the Solenogastres and Caudofoveata are related to the Polyplacophora is not (see discussions in Lindberg *et al.* 2004, Salvini-Plawen 2003). A series of recent investigations utilizing molecular, paleontological, anatomical, and developmental data have now clearly defined the Subphylum Aculifera, which includes the classes Polyplacophora, Solenogastres, and Caudofoveata (Faller *et al.* 2012, Kocot *et al.* 2011, Kocot 2013, Scherholz *et al.* 2013, Sigwart & Sutton 2007, Sutton *et al.* 2012, Telford 2013, Vinther *et al.* 2012).

Nomenclature within the chitons follows Stebbins & Eernisse 2009 where it differs from Austin.

Placement of Class Monoplacophora in the Subphylum Conchifera follows Hazprunar *et al.* 2008.

Year of publication for taxa erected by Reeve, the Sowerbys, and Gray follows Petit 2007, 2009, and 2012.

Year of publication for taxa erected by P. P. Carpenter between 1864 and 1866 follows Palmer 1958.

General classification of the Gastropoda, and most specifics as well, follows Bouchet & Rocroi 2005 (with Linnaean categories assigned to their clades).

Classification of the vetigastropod families Scissurellidae and Anatomidae follows Geiger 2012.

Classification of the vetigastropod superfamilies Trochoidea and Turbinoidea follows Williams 2012 and Williams *et al.* 2008.

Organization within the Hypsogastropoda follows the phyletic analysis of Takano & Kano 2014.

Nomenclature embodied in McLean 2007 was incorporated unless superseded by more recent work, for instance Galindo *et al.*'s (2016) molecularly based phylogeny of the Nassariidae.

Elevation of Cysticinae to family rank follows Coovert & Coovert 1995.

Allocation of genera to families within the Superfamily Conoidea follows Bouchet *et al.* 2011. Phylogenetic arrangement of the families within the superfamily follows Puillandre *et al.* 2011 and is based on their 3 gene derived phylogeny.

General structure of the heterobranch clades follows Kocot *et al.* 2013. In particular the introduction of the Panpulmonata as a sister group to the Nudipleura is their innovation.

Placement of *Iselica* in Amathinidae follows Turgeon *et al.* 1998.

Organization of the “Cephalaspidea” follows Oskars *et al.* 2014, as does the order of heterobranch clades not included in Kocot *et al.* 2013.

Placement of *Pleurobranchaea* in Pleurobranchaeidae follows Behrens 2004.

Within the Order Nudibranchia superfamily-level taxa are from Abbott 1974; allocation of genera among families follows Behrens 2004.

Classification of the Bivalvia follows Coan, *et al.* 2000, with modifications based on Taylor *et al.* 2007, Valentich Scott & Skoglund 2010, Bieler *et al.* 2010, Oliver & Taylor 2012, Sharma *et al.* 2012, and Bieler *et al.* 2014.

Innovations to both individual species, generic, familial, and higher classifications by Coan & Valentich Scott 2012 are included throughout the Bivalvia.

Genus and family allocations in Scaphopoda follow Shimek 1995; groups not covered in Shimek follow Turgeon *et al.* 1998.

Formulation of higher taxon names within cephalopods follows Sweeney & Roper 2000, as modified by Nishiguchi & Mapes 2008.

## Phylum Sipuncula

Classification follows Cutler 1994, except that Golfiniiformes rather than Golfiniiformes is used following Edmonds 2000b. The validity of this morphologically derived system was reinforced by recent combined evidence (morphological/molecular) analysis (Schulze *et al.* 2007).

## Phylum Annelida

Classification of the Class Polychaeta follows Rouse & Fauchald 1997 and Rouse & Pleijel 2001.

Inclusion of Echiura as a Subclass of Polychaeta with Order Echiuridea and Suborders

Bonelloinea, Echiuroinea, and Xenopneusta follows Margalis & Schwartz 1998.

Revival of Subclasses Errantia and Sedentaria follows Struck 2011.

Use of Infraclasses Canalipalpata and Scolecida follows Zrzavý *et al.* 2009.

Placement of *Travisia* within the Scalibregmatidae follows Bleidorn *et al.* 2003.

Use of Acoetidae instead of Polyodontidae follows Pettibone 1989.

Use of Pholoidae instead of Pholididae follows Pettibone 1984.

Placement of *Pholoe* in Pholoidae follows Pettibone 1992.

Placement of Pholoididae and Pisionidae in Sigalionidae follows Nerlinder *et al.* 2012.

Use of Pilargidae instead of Pilargiidae follows Licher 1994.

Revisions within the Syllidae follow Aguado & San Martin 2009, Aguado *et al.* 2011, Böggeman & Westheide 2004, Lattig & Martin 2009, San Martin 2003, and San Martin *et al.* 2009.

Nomenclature within the Glyceridae follows the revision of Böggemann 2002, with exceptions.

Nomenclature within the Goniadidae follows the revision of Böggemann 2005, with exceptions.

Use of Nereididae instead of Nereidae follows Pettibone 1971.

Use of Oenonidae instead of Arabellidae follows Orensanz 1990.

Inclusion of the Siboglinidae in the Sabellida follows Rouse & Pleijel 2001.

Elevation of Fabriciinae to Fabriciidae follows Huang, Fitzhugh, & Rouse 2011.

Placement of *Raricirrus* in Ctenodrilidae, follows Petersen & George 1991.

Generic changes within the Flabelligeridae follows Salazar-Vallejo 2007, 2012.

Generic changes within the Sternaspidae follows Salazar-Vallejo & Buzhinskaya 2013

Placement of *Artacamella* in Trichobranchidae follows Holthe 1977.

Use of Longosomatidae instead of Heterospionidae follows Borowski 1995.

Use of Tubificidae instead of Naididae follows Erseus & Gustavsson 2002.

Arrangements of subfamily assignments within the Polychaeta follow:

Ampharetidae — Fauchald 1977.

Maldanidae — Fauchald 1977.

Nereididae — Fitzhugh 1987.

Phyllodocidae — Pleijel 1991.

Polynoidae — Salazar-Silva 2006.

Sabellidae — Fitzhugh 1989.

Serpulidae — Fitzhugh 1989.

Syllidae — Fauchald 1977.

Terebellidae — Fauchald 1977.

## Phylum Arthropoda

Subphylum taxa are from Brusca & Brusca 2003.

Arrangement and nomenclature within the Pycnogonida follows Bamber 2007.

Within Subphylum Crustacea the revised classification of Martin & Davis 2001 is adopted (with some emendation from McLaughlin *et al.* 2005 and Regier *et al.* 2010).

Mysid subfamily arrangement follows the cladistic analysis of Meland & Willassen 2007.

Higher classification of the Order Amphipoda based on Lowry & Myers 2013, or Bousfield 2001

Allocations of taxa and systematic arrangement within superfamilies of amphipods follow:

Corophioidea — Myers & Lowry 2003.

Lysianassoidea — Cadien 2015

Stegocephaloidea — Berge & Vader 2001.

Talitroidea — Serejo 2004.

Removal of the Maera-clade of amphipods from the Melitidae to their own family follows Krapp-Schickel 2008.

Subordinal and superfamilial taxa in Isopoda follow Brandt & Poore 2003.

Family allocations in Anthuridea follow Poore 2001.

Family allocations in the Tanaidacea follow Larson & Wilson 2002

Nomenclature within the Order Decapoda follows De Grave *et al.* 2009, with galatheoids after Ahyong *et al.* 2010.

## Phylum Echinodermata

Differences in classification above family are from Maluf 1988, or Kroh & Smith 2010.

Arrangement of Ophiuroidea follows suggestions of Smith *et al.* 1995.

## Phylum Phoronida

No exceptions.

## Phylum Brachiopoda

Classification of the phylum follows Williams *et al.* 1996.

## Phylum Ectoprocta

General classification of the phylum follows Hausdorf *et al.* 2010.

Within cheilostomes the analysis of Knight *et al.* 2011 was followed.

Use of Annectocymidae instead of Diaperoeciidae follows Soule *et al.* 1995.

Retention of *Diaperiformia* there does not follow WoRMS.

Use of Candidae instead of Scrupocellariidae follows Soule *et al.* 1995.

Placement of *Cauloramphus* in Calloporidae follows Soule *et al.* 1995.

Placement of *Celleporaria* in Celloporariidae follows Soule *et al.* 1995.

## Phylum Chordata

No exceptions.

## ACKNOWLEDGEMENTS

The editors would like to thank the members of the Species List Review Committee and the large number of SCAMIT members who have devoted their time to the origination and maintenance of this taxonomic listing. Comments from non-SCAMIT members have also been received, and are always welcome. The

application of many sets of eyes to this list has helped eliminate many errors during its development. While Edition 11, like previous ones, will undoubtedly have errors, these are the responsibility of the editors alone.

## LITERATURE CITED

- Abbott RT. 1974. *American Seashells*, second edition. New York (NY). Van Nostrand Reinholdt Co. 663pp.
- Ahyong ST, Baba K, MacPherson E, Poore GCB. 2010. A new classification of the Galatheoidea (Crustacea: Decapoda: Anomura). *Zootaxa* 2676:57-68.
- Aguado, MT & San Martin G. 2009. Phylogeny of Syllidae (Polychaeta) based on molecular data. *Zoologica Scripta*, 38:379-402.
- , ----- & Siddall ME. 2011. Systematics and evolution of syllids (Annelida, Syllidae). *Cladistics*, 27:1-17.
- Allen MJ, Cadien DB, Miller E, Diehl DW, Ritter K, Moore SL, Cash C, Pondella DJ, Raco-Rands C, Thomas C, et al. 2011. Southern California Bight 2008 Regional Monitoring Program: Volume IV. Demersal Fishes and Megabenthic Invertebrates. Southern California Coastal Water Research Project, Costa Mesa, Ca. Technical Report 655.
- , Groce AK, Diener D, Brown J, Steinert SA, Deets G, Noblet JA, Moore SL, Diehl D, Jarvis ET, et al. 2002. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 1998 Regional Monitoring Program V: 1-572. Westminster (Ca). Southern California Coastal Water Research Project.
- , Mikel TK, Cadien DB, Kalman JE, Jarvis ET, Schiff KC, Diehl DW, Moore SL, Walther S, Deets G, et al. 2007. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 2003 Regional Monitoring Program IV: 1-339. Newport Beach (Ca). Southern California Coastal Water Research Project.
- , Moore SL, Schiff KC, Weisberg SB, Diener D, Stull JK, Groce A, Mubarak J, Tang CL, Gartman R. 1998. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight Pilot Project V: 1-365. Westminster (Ca). Southern California Coastal Water Research Project.
- Austin WC. 1985. *An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific*, vols. 1, 2 & 3. Cowichan Bay (British Columbia). Khoyatan Marine Laboratory.
- Bamber RN. 2007. A holistic re-interpretation of the phylogeny of the Pycnogonida Latreille, 1810 (Arthropoda). *Zootaxa* 1668:295-312.
- Behrens DW. 2004. Pacific Coast Nudibranchs, Supplement II. New species to the Pacific Coast and new information on the oldies. *Proceedings of the California Academy of Sciences* 55(2):11-54.
- Berge J, Vader W. 2001. Revision of the amphipod (Crustacea) family Stegocephalidae. *Zoological Journal of the Linnean Society* 133:531-592.
- Bergen M, Weisberg SB, Cadien DB, Dalkey A, Montagne D, Smith RW, Stull JK, Velarde RG. 1998. Benthic Infauna. Southern California Bight Pilot Project: IV:1-53. Westminster (Ca). Southern California Coastal Water Research Project.
- Bieler R, Carter JC, Coan EV. 2010. Classification of Bivalve Families. *Malacologia* 52(2):113-184.
- , Mikkelsen PM, Collins, TM, Glover EA, González VL, Graf DL, Harper EM, Healy J, Kawauchi GY, Sharma PP, Staubach S., Strong EE, Taylor JD, Témkin I, Zardus JD, Clark S, Guzmán,A, McIntyre E, Sharp P, Giribet G. 2014. Investigating the Bivalve Tree of Life – an exemplar-based approach combining molecular and novel morphological characters. *Invertebrate Systematics* 28: 32-115.
- Bleidorn C, Vogt L, Bartolomaeus T. 2003. New insights into polychaete phylogeny (Annelida) inferred from 18S rDNA sequences. *Molecular Phylogenetics and Evolution* 29: 279- 288.
- Boesch DF. 1978. A new look at the zonation of benthos along the estuarine gradient. Pp. 245-266 IN: Coull BC, ed. *Ecology of Marine Benthos*. University of South Carolina Press. 467pp.

- Böggemann M. 2002. Revision of the Glyceridae Grube 1850 (Annelida: Polychaeta). *Abhandlungen der Senckenbergischen naturforschenden Gesellschaft Frankfurt am Main* 555:1-249.
- 2005. Revision of the Goniadidae (Annelida, Polychaeta). *Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg (NF)* 39:1-354.
- & Westheide W. 2004. Interstitial Syllidae (Annelida:Polychaeta) from Maha(Seychelles). *Journal of Natural History* 38(4):403-446
- Borowoski C. 1995. New records of Longosomatidae (Heterospionidae) (Annelida, Polychaeta) from the abyssal southeast pacific, with description of *Heterospio peruviana* sp. n. and general remarks on the Family. *Mittheilungen aus den Hamburgischen Zoologischen Museum und Institut* 92 (Ergänzungsband 1):129-144.
- Bouchet P, Kantor YI, Sysoev A, Puillandre N. 2011. A new operational classification of the Conoidea (Gastropoda). *Journal of Molluscan Studies* 77:273-308
- , Rocroi JP. 2005. Classification and Nomenclator of Gastropod Families. *Malacologia* 47 (1-2):1-397.
- Bousfield, E. 2001. An updated commentary on the phyletic classification of the amphipod Crustacea and its application to the North American fauna. *Amphipacifica* 3(1): 49-119.
- Brandt A, Poore GCB. 2003. Higher classification of the flabelliferan and related Isopoda based on a reappraisal of relationships. *Invertebrate Systematics* 17:893-923.
- Brusca RC, Brusca GJ. 2003. *Invertebrates*. 2nd Ed. Sunderland, Massachusetts: Sinauer Associates, Inc. 936pp.
- Cadien DB. 2015. Amphipoda of the Northeast Pacific (Equator to Aleutians, intertidal to abyss): XV. Lysianassoidea – an updated and revised review. 98pp. [http://scamit.org/taxonomic\\_tools/Arthropoda/Malacostraca/Eumalacostraca/Peracarida/Amphipoda/](http://scamit.org/taxonomic_tools/Arthropoda/Malacostraca/Eumalacostraca/Peracarida/Amphipoda/).
- Cairns SD, Calder DR, Brinckmann-Voss A, Castro CB, Fautin DG, Pugh PR, Mills CE, Japp WC, Arai MN, Haddock SHD, Opresko DM. 2002. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Cnidaria and Ctenophora, second edition. *American Fisheries Society Special Publication* 28. 115pp.
- Cardenas P, Rapp HT, Schander C, Tendal OS. 2010. Molecular taxonomy and phylogeny of the Geodiidae (Porifera, Demospongiae, Astrophorida) – combining phylogenetic and Linnaean classification. *Zoologica Scripta* 39(1):89-106.
- Coan EV, Valentich Scott PH. 2012. Bivalve seashells of tropical West America: marine bivalve mollusks from Baja California to Northern Peru. *Santa Barbara Museum of Natural History Monographs* 6. 1258pp.
- , -----, Bernard FR. 2000. Bivalve Seashells of Western North America: Marine Bivalve Mollusks from Arctic Alaska to Baja California. *Santa Barbara Museum of Natural History Monographs* 2. 764pp.
- Coovert GA, Coovert HK. 1995. Revision of the supraspecific classification of marginelliform gastropods. *The Nautilus* 109(2-3):43-110.
- Cracraft J, Donoghue MJ, eds. 2004. *Assembling the Tree of Life*. New York (NY). Oxford University Press. 576pp.
- Cutler EB. 1994. *The Sipuncula: Their Systematics, Biology, and Evolution*. Ithaca (NY). Cornell University Press. 453pp.
- De Grave S, Pentcheff D, Ayhong ST, Chan T-Y, Crandall, KA, Dworschak, PC, Felder, DL, Feldman RM, Fransen GHJM, Goulding LYD, et al. 2009. A classification of living and fossil genera of Decapod Crustaceans. *Raffles Bulletin of Zoology Supplement* 21:1-109.
- Edmonds SJ. 2000b. Phylum Sipuncula. In: Beesley PL, Ross GJB, Glasby CJ, eds. *Polychaetes & Allies: The Southern Synthesis. Fauna of Australia, Vol. 44 (Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula)*. Melbourne (Aus). CSIRO Publishing. p.375-400

- Eernisse DJ, Peterson KJ. 2004. The history of animals. Chapter 13 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p.197-208
- Erseus C, & Gustavsson L. 2002. A proposal to regard the former family Naididae as a subfamily within Tubificidae (Annelida, Clitellata). *Hydrobiologia*. 485, 253-256.
- Faller S, Rothe BH, Todt C, Schmidt-Rhaesa A, Loesel R. 2012. Comparative neuroanatomy of Caudofoveata, Solenogastres, Polyplacophora, and Scaphopoda (Mollusca) and its phylogenetic implications. *Zoomorphology* 131: 149-170.
- Faubel A. 1983. The Polycladida, Turbellaria proposal and establishment of a new system Part I. The Acotylea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 80:17-121.
- 1984. The Polycladida, Turbellaria proposal and establishment of a new system Part II. The Cotylea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 81:189-259.
- Fauchald K. 1977. The Polychaete Worms: Definitions and Keys to the Orders, Families, and Genera. *Natural History Museum of Los Angeles County, Science Series* (28):1-190.
- Fitzhugh K. 1987. Phylogenetic relationships within the Nereididae (Polychaeta): implications at the subfamily level. *Bulletin of the Biological Society of Washington* (7):174-183.
- 1989. A systematic revision of the Sabellidae-Caobangiidae-Sabellongidae complex(Annelida: Polychaeta). *Bulletin of the American Museum of Natural History* (102):1- 104.
- Galindo LA, Puillandre N, Utge J, Lozouet P and Bouchet P (2016). The phylogeny and systematics of the Nassariidae revisited (Gastropoda, Buccinoidea). *Molecular Phylogenetics and Evolution*, <http://dx.doi.org/10.1016/j.ympev.2016.03.019>
- Geiger DL. 2012. Monograph of the Little Slit Shells. *Santa Barbara Museum of Natural History Studies in Biodiversity* No. 5, Santa Barbara, CA, USA. 1291pp.
- Haszprunar G. 2000. Is the Aplacophora monophyletic? A cladistic point of view. *American Malacological Bulletin* 15(2):115-130.
- , Schander C & Halanych KM. 2008. Relationships of higher molluscan taxa. PP. 19-32 IN: Ponder WF & Lindberg DR. 2008. *Phylogeny and Evolution of the Mollusca*. University of California Press, Berkeley CA., USA. 469pp.
- Hausdorf B, Helmkampf M, Nesnidal MP, Bruchhaus I. 2010. Phylogenetic relationships within the lophophorate lineages (Ectoprocta, Brachiopoda, and Phoronida). *Molecular Phylogenetics and Evolution* 55: 1121-1127.
- Hochberg FG. 1996. Chapter 1 – The Brachiopoda. In: Blake JA, Scott PH, Lissner A, eds. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 14 – Miscellaneous Taxa*. Santa Barbara (Ca). Santa Barbara Museum of Natural History. p. 1-47.
- , Ljubenkov JC. 1998. Chapter 1 – Class Hydrozoa. In: Valentich Scott PH, Blake JA, eds. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 3 – The Cnidaria*. Santa Barbara (Ca). Santa Barbara Museum of Natural History. p.1-54.
- Holthe T. 1977. The systematic position of *Artacamella* Hartman, 1955 (Polychaeta, Terebellomorpha). *Sarsia* 63(1):35-37.
- Hooper JNA, Soest RWM van, (eds). 2002. *Systema Porifera: A guide to the Classification of Sponges*. New York (NY). Kluwer Academic/Plenum Publishers. 1708pp.
- Huang D, Fitzhugh K, Rouse G. 2011. Inference of phylogenetic relationships within Fabriciidae (Sabellida, Annelida) using molecular and morphological data. *Cladistics* 27: 356–379.
- Knight S, Gordon DP, Lavery SD. 2011. A multi-locus analysis of phylogenetic relationships within cheilostome bryozoans supports multiple origins of ascophoran frontal shields. *Molecular Phylogenetics and Evolution* 61: 351-362.
- Kocot KM. 2013. Recent advances and unanswered questions in deep molluscan phylogenetics. *American Malacological Bulletin* 31(1): 195-208.

- , Cannon JT, Todt C, Citarella MR, Kohn AB, Meyer A, Santos S, Schander C, Moroz L, Lieb B, Halanych KM. 2011. Phylogenomics reveals deep molluscan relationships. *Nature* 477: 452-457.
- , Halanych KM, Krug PJ. 2013. Phylogenomics supports Panpulmonata: opisthobranch paraphyly and key evolutionary steps in a major radiation of gastropod mollusks. *Molecular Phylogenetics and Evolution* 69: 764-771.
- Krapp-Schickel T. 2008. What has happened with the *Maera*-clade (Crustacea, Amphipoda) during the last decades? *Bulletino del Museo di Storia Naturale di Verona* 32:3-32.
- Kroh A, Smith AB. 2010. The phylogeny and classification of post-Paleozoic echinoids. *Journal of Systematic Palaeontology* 8(2):147-212.
- Larson K, Wilson GDF. 2002. Tanaidacean phylogeny, the first step: the superfamily Paratanaidoidea. *Journal of Zoological Systematics and Evolutionary Research* 40(4):205-222.
- Lattig P, Martin D. 2009. A taxonomic revision of the genus *Haplosyllis* Langerhans, 1887 (Polychaeta: Syllidae: Syllinae). *Zootaxa*, 2220:1-40.
- Lee WL, Elvin W & Reiswig HM. 2007. *The sponges of California. A guide and key to the marine sponges of California*. Monterey, California, USA: Monterey Bay Sanctuary Foundation.
- Licher F. 1994. Resurrection of *Glyphohesione* Friedrich, 1950, with redescription of *G. klatti* Friedrich, 1950 and description of *G. longocirrata* (Polychaeta: Hesionidae). *Proceedings of the Biological Society of Washington* 107(4): 600-608.
- Lindberg DR, Ponder WF, Haszprunar G. 2004. The Mollusca: relationships and patterns from their first half-billion years. Chapter 16 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p. 252-278.
- Littlewood DTJ, Telford MJ, Bray R. 2004. Protostomes and Platyhelminthes: the worm's turn. Chapter 14 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p. 209-234.
- Ljubenkov JC. 1980. Cnidaria. In: Straughan D, Klink RW, eds. A Taxonomic Listing of Common Marine Invertebrate Species from Southern California. *Technical Reports of the Allan Hancock Foundation* 3:44-68.
- Lowry JL, Myers AA. 2013. A phylogeny and classification of the Senticaudata subord. nov. (Crustacea, Amphipoda). *Zootaxa* 3610(1): 1-80.
- MacEwen P. 1980. Nemertea. In: Straughan D, Klink RW, eds. A Taxonomic Listing of Common Marine Invertebrate Species from Southern California. *Technical Reports of the Allan Hancock Foundation* 3: 69-76.
- Maluf LY. 1988. Composition and Distribution of the Central Eastern Pacific Echinoderms. *Natural History Museum of Los Angeles County, Technical Report Number 2*. 242 pp.
- Margulis L, Schwartz KV. 1998. Five Kingdoms: an illustrated guide to the Phyla of life on earth. 3rd edition. Freeman: New York, NY (USA). ISBN 0-7167-3027-8. xx, 520 pp.
- Martin JW, Davis GE. 2001. An updated classification of the recent Crustacea. *Natural History Museum of Los Angeles County, Science Series*, 39:1-124.
- McLean JH. 2007. Shelled Gastropoda. In: Carlton JT, ed. *The Light and Smith Manual: Intertidal Invertebrates from Central California to Oregon*, 4th edition. University of California Press. p. 713-753.
- McLaughlin PA, Camp DK, Angel MV, Bousfield EL, Brunel P, Brusca RC, Cadine DB, Cohen AC, Conlan K, Eldredge LG, et al. 2005. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Crustaceans. *American Fisheries Society Special Publication* 31. 545pp.
- Meland K, Willassen E. 2007. The disunity of "Mysidacea" (Crustacea). *Molecular Phylogenetics and Evolution* 44(3): 1083-1104.
- Myers AA, Lowry JK. 2003. A phylogeny and a new classification of the Corophiidea Leach, 1814 (Amphipoda). *Journal of Crustacean Biology* 23(2): 443-485.

- Nishiguchi MK, Mapes RH. 2008. Cephalopoda. Chapter 8 In: Ponder WF, Lindberg DR, eds. *Phylogeny and Evolution of the Mollusca*. 163-199. Berkeley California USA, University of California Press.
- Norlinder E, Nygren A, Wiklund H, Pleijel F. 2012. Phylogeny of scale-worms (Aphroditiformia, Annelida), assessed from 18SrRNA, 28SrRNA, 16SrRNA, mitochondrial cytochrome c oxidase subunit I (COI), and morphology. *Molecular Phylogenetics and Evolution* 65(2): 490-499.
- Oliver PG, Taylor JD. 2012. Bacterial symbiosis in the Nucinellidae (Bivalvia: Solemyida), with descriptions of two new species. *Journal of Molluscan Studies* 78:81-91.
- Orensanz JM. 1990. The Eunicemorph Polychaete Annelids from Antarctic and Subantarctic Seas. Biology of the Antarctic Seas XXI. *Antarctic Research Series* 52:1-183.
- Oskars TR, Bouchet P, Malaquias MAE. 2015. A new phylogeny of the Cephalaspidea (Gastropoda: Heterobranchia) based on expanded taxon sampling and gene markers. *Molecular Phylogenetics and Evolution* 89: 130-150.
- Palmer KV. 1958. Type specimens of marine Mollusca described by P. P. Carpenter from the west coast [San Diego to British Columbia]. *Geological Society of America Memoir* 76. 376pp
- Peterson ME, George JD. 1991. A new species of *Raricirrus* from northern Europe, with notes on its biology and a discussion of the affinities of the genus (Polychaeta: Ctenodrilidae) In: Peterson ME, Kirkegaard JB, eds. Systematics, Biology and Morphology of World Polychaeta Proceedings of the 2nd International Polychaete Conference, Copenhagen 1986. *Ophelia Supplement* 5:185-208.
- Petit RE. 2007. Lovell Augustus Reeve (1814-1865): malacological author and publisher. *Zootaxa* 1648:1-120.
- 2009. George Brettingham Sowerby, I, II & III: their conchological publications and molluscan taxa. *Zootaxa* 2189:1-218.
- 2012. John Edward Gray (1800-1875): his malacological publications and molluscan taxa. *Zootaxa* 3214:1-125.
- Pettibone MH. 1971. Revision of some species referred to *Leptonereis*, *Nicon*, and *Laeonereis* (Polychaeta, Nereididae). *Smithsonian Contributions to Zoology* 104:1-53.
- 1984. Annelida. In: Parker SB, ed. *Synopsis and Classification of Living Organisms* 2 New York (NY). McGraw-Hill. pp 1-43.
- 1989. Revision of the Aphroditoid Polychaetes of the family Acoetidae Kinberg (=Polyodontidae Augener) and reestablishment of Acoetes Audouin and Milne-Edwards, 1832, and Euarche Ehlers, 1887. *Smithsonian Contributions to Zoology* 464:1-138.
- 1992. Contribution to the Polychaete family Pholoidae Kinberg. *Smithsonian Contributions to Zoology* 532:1-24.
- Pleijel F. 1991. Phylogeny and classification of the Phyllodocidae (Polychaeta). *Zoologica Scripta* 20: 225-261.
- Poore, GCB. 2001. Families and genera of Isopoda Anthuridea. *Crustacean Issues* 13: 63-173.
- Prudhoe S. 1985. *A Monograph on Polyclad Turbellaria*. New York (NY). British Museum (Natural History)/Oxford University Press. 259pp.
- Puillandre N, Kanto YI, Sysoev A, Coulhoun A, Meyer C, Rawlings T, Todd JA, Bouchet P. 2011. The Dragon Tamed? A molecular phylogeny of the Conoidea (Gastropoda). *Journal of Molluscan Studies* 77:259-272.
- Ranasinghe JA, Barnett AM, Schiff KC, Montagne DE, Brantley C, Beegan C, Cadien DB, Cash C, Deets GB, Diener DR, Mikel TK, et al. 2007. Southern California Bight 2003 Regional Monitoring Program III: Benthic Macrofauna. Costa Mesa (Ca). Southern California Coastal Water Research Project. 66pp.
- , Montagne DE, Smith RW, Mikel TK, Weisberg SB, Cadien DB, Velarde RG, Dalkey A. 2003a. Southern California Bight 1998 Regional Monitoring Program VII: Benthic Macrofauna. Westminster (Ca). Southern California Coastal Water Research Project. 91pp.

- , -----, Weisberg SB, Bergen M, Velarde RG. 2003b. Variability in the identification and enumeration of marine benthic invertebrate samples and its effect on benthic assessment measures. *Environmental Monitoring and Assessment* 81:199-206.
- , Schiff KC, Brantley CA, Lovell LL, Cadieu DB, Mikel, TK, Velarde, RG, Holt S., Johnson SC. 2012. Southern California Bight 2008 Regional Monitoring Program: VI. Benthic Macrofauna. Southern California Coastal Water Research Project. Costa Mesa, CA. Technical Report 665.
- Regier JC, Shultz JW, Zwick A, Hussey A, Ball B, Wetzer R, Martin JW, Cunningham CW. 2010. Arthropod relationships revealed by phylogenomic analysis of nuclear protein-coding sequences. *Nature* 463: 1079-1098.
- Ride WDL (chair). 1999. *International Code of Zoological Nomenclature*, Fourth Edition. International Trust for Zoological Nomenclature. 306pp.
- Rouse GW, Fauchald K. 1997. Cladistics and polychaetes. *Zoological Scripta* 26:139-204.
- , Pleijel F. 2001. *Polychaetes*. New York (NY). Oxford University Press. 354 pp.
- Salazar-Silva P. 2006. Scaleworms (Polychaeta: Polynoidae) from the Mexican Pacific and Eastern Pacific sites. *Investigaciones Marinas* 34(2): 143-161.
- Salazar-Vallejo SI 2007. Revision of *Flabelligerida* Hartman, 1969. *Journal of Natural History* 41:2061-.
- Salazar-Vallejo SI 2012. Revision of *Ilyphagus* Chamberlin, 1919 (Polychaeta, Flabelligeridae). *ZooKeys* 190: 1-19
- Salazar-Vallejo SI & Buzhinskaya G. 2013. Six new deep-water sternaspid species (Annelida, Sternaspidae) from the Pacific Ocean. *ZooKeys* 348: 1-27.
- Salvini-Plawen Lv. 2003. On the phylogenetic significance of the aplacophoran Mollusca. *Iberus* 21(1): 67-97.
- , Steiner G. 1996. Synapomorphies and plesiomorphies in higher classification of Mollusca. Chapter 2 In: Taylor, JD, ed. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press, p. 39-51.
- San Martin G 2003. Annelida, Polychaeta II: syllidae. In: Ramos MA et al. (eds) *Fauna Iberica*, Vol 21, Museo nacional de Ciencias Naturales. CSIC, Madrid, p 1-554.
- , E. Lopez & M.T. Aguado. 2009. Revision of the genus *Pionosyllis* (Polychaeta: Syllidae: Eusyllinae), with a cladistic analysis, and the description of five new genera and two new species. *Journal Marine Biological Association United Kingdom*, 89: 1455-1498.
- Scheltema AH. 1996. Phylogenetic position of Sipuncula, Mollusca and the progenetic Aplacophora. Chapter 3 In. Taylor, JD ed. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press. p. 53-58.
- Scherholz M, Redl E, Wollesen T, Todt C, Wanninger A. 2013. Aplacophoran mollusks evolved from ancestors with polyplacophoran-like features. *Current Biology* 23 (21): 2130-2134.
- Schulze A, Cutler EB, Giribet G. 2007. Phylogeny of sipunculan worms: a combined analysis of four gene regions and morphology. *Molecular Phylogenetics and Evolution* 42(1): 171-192.
- Serejo CS. 2004. Cladistic revision of talitroidean amphipods (Crustacea, Gammaridea), with a proposal of a new classification. *Zoologica Scripta* 33(6): 551-586.
- Sharma PP, González VL, Kawauchi GY, Andrade SCS, Guzmán A, Collins TM, Glover EA, Harper EM, Healy JM, Mikkelsen PM, Taylor JD, Bieler R, Giribet G. 2012. Phylogenetic analysis of four nuclear protein-encoding genes largely corroborates the traditional classification of Bivalvia (Mollusca). *Molecular Phylogenetics and Evolution* 65: 64-74.
- Shimek RL. 1995. Class Scaphopoda. *Presentation at the Northern Association of Marine Invertebrate Taxonomists Molluscan Workshop, 18-19 November, 1995*. Seattle Aquarium, Seattle Washington.
- Sigward JD, Sutton MD. 2007. Deep molluscan phylogeny: synthesis of paleontological and neontological data. *Proceedings of the Royal Society of London, B – Biological Sciences* 274: 2413-2419.

- Smith AB, Patterson GLJ and Lafay B. 1995. Ophiuroid phylogeny and higher taxonomy: morphological, molecular, and paleontological perspectives. *Zoological Journal of the Linnean Society* 114: 213-243.
- Soule DF, Soule JD, Chaney HW. 1995. Volume 13 — The Bryozoa. In: *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel*. Blake JA, Chaney HW, Scott PH, Lissner AL, eds. Santa Barbara (Ca). Santa Barbara Museum of Natural History. 344pp.
- Stebbins TD, Eernisse DJ. 2009. Chitons (Mollusca: Polyplacophora) known from benthic monitoring programs in the Southern California Bight. *The Festivus* 41 [Special Issue]: 53-100.
- Struck T. 2011. Direction of evolution within Annelida and the definition of Pleistoannelida. *Journal of Zoological Systematics and Evolutionary Research* 49(4): 340–345.
- , Paul C, Hill N, Hartmann S, Hösel C, Kube M, Lieb B, Meyer A, Tiedemann R, Günter Purschke G, Bleidorn C. Phylogenomic analyses unravel annelid evolution. *Nature* Vol 471: 95-98.
- Sutton MD, Briggs DEG, Siveter Da, Siveter De, Sigwart J. 2012. A Silurian armoured aplacophoran and implications for molluscan phylogeny. *Nature* 490: 94-97.
- Sweeney MJ, Roper CFE. 2000. Classification, type localities and type repositories of recent Cephalopoda. In: Voss NA, Vecchione M, Toll RB, Sweeney MJ eds. Systematics and Biogeography of Cephalopods. *Smithsonian Contributions To Zoology* 586:561-582.
- Takano T, Kano Y. 2014. Molecular phylogenetic investigations of the relationships of the echinoderm-parasite family Eulimidae within Hypsogastropoda (Mollusca). *Molecular Phylogenetics and Evolution* 79: 258-269.
- Taylor JD, Williams ST, Glover EA, Dyal P. 2007. A molecular phylogeny of heterodont bivalves (Mollusca: Bivalvia: Heterodontia): new analyses of 18S and 28S rRNA genes. *Zoologica Scripta* 36(6): 587-606.
- Telford M. 2013. Molluscan evolution: seven shells on the sea shore. *Current Biology* 23 (21): 952-954.
- Turgeon DD, Quinn Jr JF, Bogan AE, Coan EV, Hochberg FG, Lyons WG, Mikkelsen PM, Neves RJ, Roper CF, Rosenberg G. 1998. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Mollusks, Second Edition. *American Fisheries Society Special Publication* 26. 526pp.
- Valentich Scott P, Skoglund C. 2010. A review of the recent Pandoridae (Bivalvia) in the Panamic Province with descriptions of three new species. *The Nautilus* 124(3): 55-76.
- Vinther J, Sperling EA, Briggs DEG, Peterson K. 2012. A molecular paleobiological hypothesis for the origin of aplacophoran molluscs and their derivation from chiton-like ancestors. *Proceedings of the Royal Society of London, B – Biological Sciences* 279: 1259-1268.
- Williams A, Carlson SJ, Brunton CHC, Holmer LE, Popov LE. 1996. A supra-ordinal classification of the Brachiopoda. *Philosophical Transactions of the Royal Society of London, B Biological Sciences* 351: 1171-1193.
- Williams ST. 2012. Advances in molecular systematics of the vetigastropod superfamily Trochoidea. *Zoologica Scripta* 41(6): 571-595.
- , Karube S and Ozawa T. 2008. Molecular systematics of Vetigastropoda: Trochidae, Turbinidae and Trochoidea redefined. *Zoologica Scripta* 37(5): 483-506.
- Zrzavý J, Xiha P, Piálek L, Janouškovec J. 2009. Phylogeny of Annelida (Lophotrochozoa): total-evidence analysis of morphology and six genes. *BMC Evolutionary Biology* 9:189.



PHYLUM SILICEA

Class Hexactinellida

Subclass Hexasterophora

Order Hexactinosa

Suborder Scopularia

**Family Aphrocallistidae**

*Aphrocallistes vastus*

*Aphrocalistes intermedia*

*Aphrocallistes whiteavesianus*

*Aphrocallistes yatsui*

Schulze 1886

Okada 1932

Lambe 1892

Okada 1932

Order Lyssacinosa

**Family Rossellidae**

**Subfamily Rossellinae**

*Aphorme horrida*

Schultze 1899

**Subfamily Acanthascininae**

*Rhabdocalyptus dawsoni*

(Lambe 1892)

*Bathydorus dawsoni*

Lambe 1892

*Staurocalyptus dowlingi*

(Lambe 1894)

*Rhabdocalyptus dowlingi*

Lambe 1894

*Staurocalyptus solidus*

of SCAMIT Ed 5 not Schulze 1899

Class Demospongiae

Subclass Tetractinomorpha

Order Spirophorida

**Family Tetillidae**

*Craniella arb*

(de Laubenfels 1930)

*Tetilla arb*

de Laubenfels 1930

Order Astrophorida

**Family Anchorinidae**

*Penares cortius*

de Laubenfels 1930

*Penares saccharis*

(de Laubenfels 1930)

*Papyrula saccharis*

de Laubenfels 1930

*Stelletta clarella*

de Laubenfels 1930

*Stellella estrella*

de Laubenfels 1930

**Family Geodiidae**

**Subfamily Geodinae**

*Geodia gibberosa*

Lamarck 1815

*Geodia mesotriaena*

von Ledenfeld 1910

**Family Pachastrellidae**

*Poecillastra tenuilaminaris*

(Sollas 1886)

*Normania tenuilaminaris*

Sollas 1886

*Vulcanella* sp A

(Green & Bakus 1994)

*Sphincturella* sp A

Green & Bakus 1994

Order Hadromerida

**Family Clionaidae**

*Cliona californiana*

(de Laubenfels 1932)

*Cliona celata californiana*

de Laubenfels 1932

**Family Spirastrellidae**

*Spheciospongia confoederata*

de Laubenfels 1930

**Family Suberitidae**

*Suberites latus*

Lambe 1892

*Suberites ficus*

of authors NEP in part not (Johnston 1842)

*Suberites suberia*

of SCAMIT Ed 5 not (Montagu 1818)

**Family Tethyidae**

*Tethya californiana*

de Laubenfels 1932

*Tethya aurantia var californiana*

de Laubenfels 1932

*Tethya aurantium*

of authors NEP not (Pallis 1766)

**Family Timeidae**

*Timea authia*

(de Laubenfels 1930)

Subclass Ceractinomorpha

Order Poecilosclerida

Suborder Microcionina

**Family Acarnidae**

*Acarinus erithracus*

*Iophon rayae*

Hymedesanisochela rayae

de Laubenfels 1927

(Bakus 1966)

Bakus 1966

**Family Microcionidae**

**Subfamily Microcioninae**

*Clathria (Clathria) asodes*

Eurypon asodes

*Clathria (Microciona) microjoanna*

Microciona microjoanna

*Clathria (Microciona) parthena*

Microciona parthena

*Clathria (Microciona) pennata*

Desmacella pennata

*Clathria (Microciona) spongigartina*

Anaata spongigartina

*Clathria (Thalysias) originalis*

Esperiopsis originalis

Axiocielita originalis

(de Laubenfels 1930)

de Laubenfels 1930

(de Laubenfels 1930)

de Laubenfels 1930

(de Laubenfels 1930)

de Laubenfels 1930

(Lambe 1895)

Lambe 1895

(de Laubenfels 1930)

de Laubenfels 1930

(de Laubenfels 1930)

de Laubenfels 1930

of authors NEP

**Subfamily Ophilitaspongiinae**

*Anthro (Acarnia) illgi*

Plocamilla illgi

*Anthro (Acarnia) karykina*

Plocamia karykina

(Bakus 1966)

Bakus 1966

(de Laubenfels 1927)

de Laubenfels 1927

**Family Raspailiidae**

**Subfamily Raspailiinae**

*Raspailia (Raspaxilla) hyle*

Hemectyon hyle

Endectyon (Hemectyon) hyle

de Laubenfels 1930

de Laubenfels 1930

of SCAMIT Ed 8

**Subfamily Cyamoninae**

*Cyamon neon*

*Trikentriion catalina*

Cyamon catalina

Trikentriion flabelliformis

de Laubenfels 1930

(Sim & Bakus 1986)

Sim & Bakus 1986

of SCAMIT Ed 5

Suborder Myxillina

**Family Hymedesmiidae**

*Acanthancora cyanocrypta*

Hymenamphiaster cyanocrypta

(de Laubenfels 1930)

de Laubenfels 1930

**Family Coelosphaeridae**

*Forcepia* sp

*Lissodendoryx firma*

Myxilla firma

Lissodendoryx kyma

Lissodendoryx noxiosa

(Lambe 1895

Lambe 1895

of Green & Bakus 1994

de Laubenfels 1930

**Family Myxiliidae**

*Myxilla incrustans*

Halichondria incrustans

Myxilla barentsi

Myxilla behringensis

Myxilla rosacea

*Plocamiancra igzo*

Plocamia igzo

(Johnston 1842)

Johnston 1842

Lambe 1895

Lambe 1895

Lambe 1893

(de Laubenfels 1930)

de Laubenfels 1930

**Family Tedaniidae**

*Tedania (Trachytedania) gurjanovae*

Koltun 1958

Suborder Mycalina

**Family Mycalidae**

*Mycale psila*

(de Laubenfels 1930)

Paresperella psila	de Laubenfels 1930
Order Halichondrida	
<b>Family Axinellidae</b>	
<i>Axinella</i> sp	
<i>Dragmacidon</i> sp	
<b>Family Desmoxiyidae</b>	
<i>Higginsia</i> sp	
<b>Family Halichondriidae</b>	
<i>Halichondria bowerbanki</i>	Burton 1930
<i>Halichondria panicea</i>	(Pallas 1766)
<i>Spongia panicea</i>	Pallas 1766
<i>Hymeniacidon sinapium</i>	de Laubenfels 1930
<i>Hymeniacidon ungodon</i>	de Laubenfels 1932
Order Haplosclerida	
Suborder Haplosclerina	
<b>Family Chalinidae</b>	
<i>Chalinula ecbasis</i>	(de Laubenfels 1930)
<i>Haliclona ecbasis</i>	de Laubenfels 1930
<i>Calinula loosanoffi</i>	(Hartman 1958)
<i>Haliclona loosanoffi</i>	Hartman 1958
<i>Haliclona (Halichoclona) gellindra</i>	(de Laubenfels 1932)
<i>Halicoclona gellindra</i>	de Laubenfels 1932
<i>Haliclona (Rhizoniera) enamela</i>	de Laubenfels 1930
<b>Family Niphatidae</b>	
<i>Niphates lunisimilis</i>	(de Laubenfels 1930)
<i>Haliclona lunisimilis</i>	de Laubenfels 1930
Suborder Petrosina	
<b>Family Petrosiidae</b>	
<i>Neopetrosia zumi</i>	(Ristau 1978)
<i>Toxadocia zumi</i>	Ristau 1978
<i>Xestospongia dubia</i>	(Ristau 1978)
<i>Adocia dubia</i>	Ristau 1978
<i>Xestospongia edapha</i>	(de Laubenfels 1930)
<i>Sigmadocia edaphus</i>	de Laubenfels 1930
Order Dictyoceratida	
<b>Family Spongiidae</b>	
<i>Spongia idia</i>	de Laubenfels 1932
<b>Family Dysideidae</b>	
<i>Aplysinopsis</i> sp	
<i>Dysidea amblia</i>	(de Laubenfels 1930)
<i>Duseideia amblia</i>	de Laubenfels 1930
<i>?Dysidea fragilis</i>	(Montagu 1818)
<i>Spongia fragilis</i>	Montagu 1818
Order Verongida	
<b>Family Aplysinidae</b>	
<i>Ailochroia thiona</i>	(de Laubenfels 1930)
<i>Verongia thiona</i>	de Laubenfels 1930
<i>Aplysina fistularis</i>	of Sim & Bakus 1986
PHYLUM CALCAREA	
Class Calcarea	
Subclass Calcinea	
Order Clathrinida	
<b>Family Clathrinidae</b>	
<i>Clathrina clathrus</i>	(Schmidt 1864)
<i>Grantia clathrus</i>	Schmidt 1864
Subclass Calcaronea	
Order Leucosolenida	
<b>Family Leucosoleniidae</b>	
<i>Leucosolenia eleanor</i>	Urban 1905

	<i>Leucosolenia nautilia</i>	de Laubenfels 1930
Order Scyctettida		
<b>Family Grantiidae</b>		
<i>Leucandra heathi</i>	Urban 1905	
<i>Leuconia heathi</i>	of de Laubenfels 1930	
<i>Leucandra losangelensis</i>	(de Laubenfels 1930)	
<i>Leucetta losangelensis</i>	de Laubenfels 1930	
<b>Family Amphoriscidae</b>		
<i>Leucilla nuttingi</i>	(Urban 1902)	
<i>Rhabdodermella nuttingi</i>	Urban 1902	
<b>Family Sycettidae</b>		
<i>Sycon ciliatum</i>	(Fabricius 1780)	
<i>Spongia ciliata</i>	Fabricius 1780	
<i>Sycon coronatum</i>	of de Laubenfels 1932	
PHYLUM CNIDARIA		
Class Staurozoa		
Order Stauromedusae		
Suborder Myostaurida		
<b>Family Haliclystidae</b>		
<i>Manania gwilliami</i>	Larsen & Fautin 1989	
<i>Manania handi</i>	Larsen & Fautin 1989	
Class Hydrozoa		
Subclass Hydroidolina		
Order Anthoathecata		
Suborder Aplanulata		
<b>Family Candelabridae</b>		
<i>Candelabrum</i> sp		
<b>Family Corymorphidae</b>		
<i>Corymorpha bigelowi</i>	(Maas 1905)	
<i>Euphysora bigelowi</i>	Maas 1905	
<i>Euphysa bigelowi</i>	of Uchida 1927	
<i>Steenstrupia bigelowi</i>	of Mayer 1910	
<i>Corymorpha palma</i>	Torrey 1902	
<i>Corymorpha</i> sp A	Ljubenkov 1997 §	
<i>Corymorphidae</i> sp SD1	Pasko 1999 §	
<i>Euphysa</i> sp A	Hochberg & Ljubenkov 1998	
<i>Corymorpha aurata</i>	of Fauchald & Jones 1976 not (Forbes 1848)	
<b>Family Tubulariidae</b>		
<i>Ectopleura crocea</i>	(L. Agassiz 1862)	
<i>Parrypha crocea</i>	L. Agassiz 1862	
<i>Pinauay crocea</i>	of SCAMIT Ed 6	
<i>Tubularia crocea</i>	of authors NEP	
<i>Ectopleura marina</i>	(Torrey 1902)	
<i>Tubularia marina</i>	Torrey 1902	
<i>Pinauay marina</i>	of SCAMIT Ed 6	
<i>Tubularia</i> sp A	Ljubenkov 1993 §	
<b>Family Corynidae</b>		
<i>Coryne eximia</i>	Allman 1859	
<i>Syncoryne eximia</i>	of authors NEP	
<i>Sarsia tubulosa</i> Cmplx		
<b>Family Pennariidae</b>		
unidentified		
Suborder Filifera		
<b>Family Bougainvilliidae</b>		
<i>Bimeria</i> sp		
<i>Bougainvilliidae</i> sp A	(Ljubenkov 1976 §)	
<i>Perigonimus</i> sp A	Ljubenkov 1976 §	
<i>Garveia franciscana</i>	(Torrey 1902)	
<i>Bimeria franciscana</i>	Torry 1902	

<i>Rhizorhagium formosum</i>	(Fewkes 1889)
<i>Perigonimus formosus</i>	Fewkes 1889
<i>Bimeria formosa</i>	of Torrey 1902
<i>Garveia formosa</i>	of Fraser 1948
<i>Perigonimus serpens Cmplx</i>	of SCAMIT Ed 4 in part
<b>Family Pandeidae</b>	
<i>Halitholus cirratus</i>	Hartlaub 1913
<i>Perigonimus yoldiarctiae</i>	of authors NEP not Birula 1897
<i>Leuckartiara octona</i>	(Fleming 1823)
<i>Geryonia octona</i>	Fleming 1823
<i>Perigonimus jonesi</i>	Osborn & Hargitt 1894
<i>Perigonimus serpens Cmplx</i>	of SCAMIT Ed 4 in part
<i>Neoturris abyssi</i>	(G. O. Sars 1874)
<i>Perigonimus abyssi</i>	G. O. Sars 1874
<i>Leuckartiara abyssi</i>	of authors
<b>Family Eudendriidae</b>	
<i>Eudendrium capillare</i>	Alder 1856
<i>Eudendrium rameum</i>	(Pallas 1766)
<i>Tubularia ramea</i>	Pallas 1766
<i>Eudendrium ramosum</i>	(Linnaeus 1758)
<i>Tubularia ramosa</i>	Linnaeus 1758
<b>Family Hydractiniidae</b>	
<i>Hydractinia</i> sp	
<i>Stylactis</i> sp	
<b>Family Oceaniiidae</b>	
<i>Merona laxa</i>	(Fraser 1938)
<i>Tubiclava laxa</i>	Fraser 1938
<b>Family Olindiidae</b>	
<i>Monobrachium parasitum</i>	Mereschkovsky 1877
<i>Monobrachium parasiticum</i>	Bonnevie 1899
<b>Family Styasteridae</b>	
<i>Styaster californicus</i>	(Verrill 1866)
<i>Allopora californica</i>	Verrill 1866
<b>Family Zancleidae</b>	
<i>Zanclea bomala</i>	Boero, Bouillon & Gravili 2000
<b>Order Leptothecata</b>	
<b>Family Campanulariidae</b>	
<b>Suborder Capitata</b>	
<i>Campanularia denticulata</i>	Clark 1877
<i>Sertularia volubilis</i>	Linnaeus 1758
<i>Campanularia groenlandica</i>	Levensen 1893
<i>Campanularia hincksi</i>	Alder 1857
<i>Campanularia urceolata</i>	S. F. Clark 1876
<i>Clytia paulensis</i>	(Vanhöffen 1910)
<i>Campanularia paulensis</i>	Vanhöffen 1910
<i>Campanularia Ingitheca</i>	Fraser 1914
<i>Clytia universitatis</i>	Torrey 1904
<i>Laomedea calceolifera</i>	(Hincks 1871)
<i>Campanularia calceolifera</i>	Hincks 1871
<i>Obelia</i> sp A	MEC 1990 §
<i>Obelia dichotoma Cmplx</i>	
<i>Obelia geniculata</i>	(Linnaeus 1758)
<i>Sertularia geniculata</i>	Linnaeus 1758
<i>Orthopyxis everta</i>	(S. F. Clark 1876)
<i>Campanularia everta</i>	S. F. Clark 1876
<i>Euopella everta</i>	of Fraser 1937
<i>Rhizocaulus verticillatus</i>	(Linnaeus 1758)
<i>Sertularia verticillata</i>	Linnaeus 1758
<i>Campanularia verticillata</i>	of Fraser 1937

	Verticillina verticillata	of Naumov 1960
<b>Family Lovenellidae</b>		
	<i>Lovenella nodosa</i>	Fraser 1938
<b>Family Kirchenpaueriidae</b>		
	<i>Kirchenpaueria plumularioides</i>	(S. F. Clark 1876)
	<i>Halecium plumularioides</i>	S. F. Clark 1876
	<i>Plumularia plumularioides</i>	of authors NEP
	<i>Pycnotheca allmani</i>	(Torrey 1902)
	<i>Diplocheilus allmani</i>	Torrey 1902
<b>Family Campanulinidae</b>		
	<i>Campanulina</i> sp	
	<i>Calycella syringa</i>	(Linnaeus 1767)
	<i>Sertularia syringa</i>	Linnaeus 1767
	<i>Calicella syringa</i>	of Naumov 1969
	<i>Egmundella gracilis</i>	Stechow 1921
	<i>Oplorhiza gracilis</i>	of authors NEP
	<i>Oplorhiza polynema</i>	(Fraser 1948)
	<i>Egmundella polynema</i>	Fraser 1948
<b>Family Aglaopheniidae</b>		
	<i>Aglaophenia diegensis</i>	Torrey 1904
	<i>Aglaophenia fluxa</i>	Fraser 1948
	<i>Aglaophenia inconspicua</i>	Torrey 1902
	<i>Aglaophenia struthionides</i>	(Murray 1860)
	<i>Plumularia struthionides</i>	Murray 1860
	<i>Aglaophenia</i> sp A	MEC 1990 §
	<i>Cladocarpus</i> sp A	MEC 1990 §
<b>Family Plumulariidae</b>		
	<i>Antennella avalonia</i>	Torrey 1902
	<i>Plumularia alicia</i> Cmplx	
	<i>Plumularia goodei</i>	Nutting 1900
	<i>Plumularia insolens</i>	Fraser 1948
	<i>Plumularia integra</i>	Fraser 1948
	<i>Plumularia lagenifera</i>	Allman 1885
	<i>Plumularia mobilis</i>	Fraser 1938
	<i>Plumularia setacea</i>	(Linnaeus 1758)
	<i>Sertularia setacea</i>	Linnaeus 1758
	<i>Plumularia corrugata</i>	Nutting 1900
<b>Family Haleciidae</b>		
	<i>Halecium beani</i>	(Johnston 1838)
	<i>Thoa beanii</i>	Johnston 1838
	<i>Halecium delicatulum</i>	Coughtrey 1876
	<i>Halecium flexile</i>	Allman 1888
	<i>Halecium densum</i>	Calkins 1899
<b>Family Syntheciidae</b>		
	<i>Synthecium cylindricum</i>	(Bale 1888)
	<i>Sertularella cylindrica</i>	Bale 1888
<b>Family Sertulariidae</b>		
	<i>Abietinaria expansa</i>	Fraser 1938
	<i>Hebellopsis expansa</i>	of authors NEP
	<i>Abietinaria inconstans</i>	(Clark 1876)
	<i>Sertularia inconstans</i>	Clark 1876
	<i>Abietinaria pacifica</i>	Stechow 1923
	<i>Abietinaria traski</i>	(Torrey 1902)
	<i>Sertularia traski</i>	Torrey 1902
	<i>Amphisbetia furcata</i>	(Trask 1857)
	<i>Sertularia furcata</i>	Trask 1857
	<i>Dynamena pumila</i>	(Linnaeus 1768)
	<i>Sertularia pumila</i>	Linnaeus 1768
	<i>Salacia cornicina</i>	(McCrady 1858)

<i>Sertularia cornicina</i>	McCrady 1858
<i>Selaginopsis cylindrica</i>	(S. F. Clark 1876)
<i>Thuiaria cylindrica</i>	S. F. Clark 1876
<i>Sertularella rugosa</i>	(Linnaeus 1758)
<i>Sertularia rugosa</i>	Linnaeus 1758
<i>Sertularella tenella</i>	(Alder 1857)
<i>Sertularia tenella</i>	Alder 1857
<i>Symplectoscyphus pedrensis</i>	(Torrey 1904)
<i>Sertularella pedrensis</i>	Torrey 1904
<i>Sertularella conica</i>	of Torrey 1902 not Allman 1877
<i>Symplectoscyphus tricuspidatus</i>	(Alder 1856)
<i>Sertularia tricuspidata</i>	Alder 1856
<i>Sertularella tricuspidata</i>	of authors NEP
<i>Symplectoscyphus turgidus</i>	(Trask 1857)
<i>Sertularia turgida</i>	Trask 1857
Order Siphonophora	
Suborder Physonectae	
<b>Family Rhodaliidae</b>	
<i>Dromalia alexandri</i>	Bigelow 1911
Class Anthozoa	
Subclass Octocorallia	
Order Alcyonacea	
Suborder Stolonifera	
<b>Family Clavulariidae</b>	
<b>Subfamily Clavulariinae</b>	
<i>Clavularia</i> sp H	Hochberg 1979 §
<i>Cryptophyton jedsmithi</i>	Williams 2013
<b>Subfamily Telestinae</b>	
<i>Telesto californica</i>	Kükenthal 1913
<i>Telesto rigida</i>	of Nutting 1909 non Wright & Studer 1889
<i>Telesto nuttingi</i>	Kükenthal 1913
<b>Family uncertain</b>	
<i>Stolonifera</i> gen 1 sp B	Hochberg 1979 §
Suborder Holaxonia	
<b>Family Gorgoniidae</b>	
<i>Adelogorgia phyllosclera</i>	Bayer 1958
<i>Adelogorgia</i> sp A	Ljubenkov 1994 §
<i>Eugorgia rubens</i>	Verrill 1868
<i>Heterogorgia tortuosa</i>	Verrill 1868
<i>Leptogorgia caryi</i>	Verrill 1868
<i>Euplexaura marki</i>	Kükenthal 1913
<i>Psammogorgia arbuscula</i>	Nutting 1909
<i>Leptogorgia chilensis</i>	Verrill 1868
<i>Lophogorgia chilensis</i>	of authors NEP
<b>Family Plexauridae</b>	
<i>Muricea californica</i>	Aurivillius 1931
<i>Muricea fruticosa</i>	Verrill 1869
<i>Swiftia kofoidi</i>	(Nutting 1909)
<i>Stenogorgia kofoidi</i>	Nutting 1909
<i>Thesea</i> sp A	Ljubenkov 1986 §
<i>Thesea</i> sp B	Ljubenkov 1986 §
<b>Family Primnoidae</b>	
<i>Parastenella ramosa</i>	(Studer 1894)
<i>Stenella ramosa</i>	Studer 1894
<i>Parastenella doederleini</i>	of SCAMIT Ed 5 not (Wright & Studer 1889)
Order Pennatulacea	
Suborder Sessiliflorae	
<b>Family Renillidae</b>	

<i>Renilla koellikeri</i>	Pfeffer 1886
<i>Renilla amethystina</i>	Verrill 1864
<b>Family Stachyptilidae</b>	
<i>Stachyptilum superbum</i>	Studer 1894
Suborder Subselliflorae	
<b>Family Umbellulidae</b>	
<i>Umbellula magniflora</i>	Kölliker 1880
<i>Umbellula loma</i>	Nutting 1909
<b>Family Anthoptilidae</b>	
<i>Anthoptilum grandiflorum</i>	(Verrill 1879)
<i>Virgularia grandiflora</i>	Verrill 1879
<i>Anthoptilum murrayi</i>	of Nutting 1912 not Kölliker 1889
<i>Anthoptilum thomsoni</i>	Kölliker 1881
<i>Virgularia sp B</i>	Ljubenkov 2011 §
<b>Family Halipteridae</b>	
<i>Halipteris californica</i>	(Moroff 1902)
<i>Pavonaria californica</i>	Moroff 1902
<i>Balticina pacifica</i>	Nutting 1909
<i>Halipteris contorta</i>	Nutting 1909
<i>Stachyptilum quadridentatum</i>	Nutting 1909
<b>Family Virgulariidae</b>	
<i>Acanthoptilum sp</i>	
<i>Stylatula elongata</i>	(Gabb 1863)
<i>Virgularia elongata</i>	Gabb 1863
<i>Stylatula columbiana</i>	Verrill 1922
<i>Stylatula elongata</i>	Verrill 1864
<i>Stylatula ringei</i>	Pfeffer 1886
<i>Stylatula sp A</i>	Ljubenkov 1991 §
<i>Virgularia agassizii</i>	Studer 1894
<i>Halisceptrum cystiferum</i>	Nutting 1909
<i>Virgularia bromleyi</i>	of authors NEP not Kölliker 1880
<i>Virgularia sp A</i>	Ljubenkov 1991 §
<i>Virgularia tuberculata</i>	of authors NEP not Marshall 1877
<i>Virgularia californica</i>	Pfeffer 1886
<i>Virgularia galapagensis</i>	of Ricketts et al 1968 not Hickson 1930
<i>Virgularia reinwardti</i>	of Kukenthal 1915 not Herklots 1858
<b>Family Pennatulidae</b>	
<i>Pennatula phosphorea</i>	Linnaeus 1758
<i>Pennatula aculeata</i>	of Nutting 1909 not Danielssen 1858
<i>Pennatula californica</i>	of SCAMIT Ed 8
<i>Pennatula phosphorea var californica</i>	Kükenthal 1913
<i>Ptilosarcus gurneyi</i>	(J. E. Gray 1860)
<i>Sarcoptilus gurneyi</i>	J. E. Gray 1860
<i>Leioptilum quadrangulare</i>	of Kükenthal 1913
<i>Lioptilum verrilli</i>	Pfeffer 1886
<i>Leioptilus gurneyi</i>	of Ricketts et al 1968
<i>Penatula tenua</i>	Gould 1853
<i>Ptilosarcus quadrangularis</i>	Moroff 1902
<i>Sarcoptilus sinuosus</i>	J. E. Gray 1860
Subclass Ceriantharia	
Order Penicillaria	
<b>Family Arachnactidae</b>	
<i>Arachnanthus sp A</i>	Ljubenkov & Pasko 1998 §
<i>Isarachnanthus nocturnus</i>	(den Hartog 1977)
<i>Arachnanthus nocturnus</i>	den Hartog 1977
Order Spirularia	
<b>Family Cerianthidae</b>	
<i>Pachycerianthus fimbriatus</i>	McMurrich 1910
<i>Pachycerianthus torreyi</i>	Arai 1965

<b>Family uncertain</b>		
Ceriantharia sp C	MEC 1986 §	
Ceriantharia sp D	MEC 1986 §	
Subclass Zoantharia		
Order Scleractinia		
Suborder Faviina		
Superfamily Favoidea		
<b>Family Rhizangiidae</b>		
<i>Astrangia haimei</i>	Verrill 1866	
<i>Astrangia lajollaensis</i>	Durham 1947	
Suborder Caryophylliina		
Superfamily Caryophylloidea		
<b>Family Caryophylliidae</b>		
<i>Caryophyllia alaskensis</i>	Vaughan 1941	
<i>Coenocyathus bowersi</i>	Vaughan 1906	
<i>Desmophyllum dianthus</i>	(Esper 1794)	
<i>Madrepora dianthus</i>	Esper 1794	
<i>Desmophyllum cristagalli</i>	H. Milne Edwards & Haime 1848	
<i>Lophelia pertusa</i>	(Linnaeus 1758)	
<i>Madrepora pertusa</i>	Linnaeus 1758	
<i>Dendrosmilia nomlandi</i>	Durham & Barnard 1952	
<i>Lophelia californica</i>	Durham 1947	
<i>Lophelia prolifera</i>	of Cairns 1979	
<i>Madrepora prolifera</i>	Pallas 1766	
<i>Paracyathus stearnsii</i>	Verrill 1869	
<i>Paracyathus caltha</i>	Verrill 1869	
<i>Paracyathus tiburonensis</i>	Durham 1947	
Suborder Dendrophylliina		
<b>Family Dendrophylliidae</b>		
<i>Balanophyllia elegans</i>	Verrill 1864	
Order Actiniaria		
Suborder Nynantheae		
<b>Family Edwardsiidae</b>		
<i>Edwardsia californica</i>	McMurrich 1903	
<i>Edwardsia (Edwardsiella) californica</i>	McMurrich 1903	
<i>Edwardsia handi</i>	Daly & Ljubenkov 2008	
<i>Edwardsia juliae</i>	Daly & Ljubenkov 2008	
<i>Edwardsia sipunculoides</i>	of authors NEP not (Stimpson 1853)	
<i>Edwardsia sp G</i>	MEC 1992 §	
<i>Edwardsia mcmurrichi</i>	<b>Daly &amp; Ljubenkov 2008</b>	
<i>Edwardsia olgini</i>	Daly & Ljubenkov 2008	
<i>Isoedwardsia sp A</i>	Ljubenkov 1980 § in part	
<i>Isoedwardsia sp B</i>	Ljubenkov 1980 § in part	
<i>Scolanthus sp A</i>	SCAMIT 1983 § in part	
<i>Edwardsia profunda</i>	Daly & Ljubenkov 2008	
<i>Edwardsia sp A</i>	SCAMIT 1983 §	
<i>Metedwardsia sp A</i>	Ljubenkov 1980 §	
<i>Nematostella vectensis</i>	<b>Stephenson 1935</b>	
<i>Drillactis sp</i>	of authors SCB	
<i>Scolanthus scamiti</i>	Daly & Ljubenkov 2008	
<i>Scolanthus sp B</i>	MEC 1992 §	
<i>Scolanthus triangulus</i>	Daly & Ljubenkov 2008	
<i>Isoedwardsia sp A</i>	Ljubenkov 1980 § in part	
<i>Isoedwardsia sp B</i>	Ljubenkov 1980 § in part	
<i>Scolanthus sp A</i>	SCAMIT 1983 § in part	
<b>Family Halcampoididae</b>		
<i>Halcampoides purpurea</i>	(Studer 1879)	
<i>Halcampula purpurea</i>	Studer 1879	
<i>Pentactinia californica</i>	Carlgren 1900	

<b>Family Limnactiniidae</b>		
<i>Limnactiniidae</i> sp A	SCAMIT 1989 §	
Anthozoa #84	Ljubenkov 1984 §	
<b>Family Haloclavidae</b>		
<i>Anemonactis</i> sp A	Ljubenkov 1986 §	
<i>Harenactis attenuata</i>	Torrey 1902	
<i>Peachia quinquecapitata</i>	McMurrich 1913	
<b>Family Halcampidae</b>		
<i>Cactosoma arenaria</i>	Carlgren 1931	
<i>Halcampa decenttentaculata</i>	Hand 1954	
Anthozoa #87	Ljubenkov 1984 §	
Anthozoa #92	Ljubenkov 1984 §	
Athenaria sp A	SCAMIT 1989 §	
Halcampidae sp A	SCAMIT 1989 §	
<i>Halianthella</i> sp A	SCAMIT 1989 §	
Anthozoa #12	Ljubenkov 1984 §	
Anthozoa #21	Ljubenkov 1984 §	
Anthozoa #85	Ljubenkov 1984 §	
Anthozoa #88	Ljubenkov 1984 §	
<i>Halianthella</i> sp B	Ljubenkov 1989 §	
Anemone #109	Ljubenkov 1984 §	
<b>Family Actiniidae</b>		
<i>Anthopleura artemisia</i>	(Pickering in Dana 1846)	
Actinia artemisia	Pickering in Dana 1846	
<i>Anthopleura elegantissima</i>	(Brandt 1835)	
Actinia elegantissima	Brandt 1835	
<i>Anthopleura sola</i>	Pearse & Francis 2000	
<i>Anthopleura xanthogrammica</i>	(Brandt 1835)	
Actinia xanthogrammica	Brandt 1835	
<i>Epiactis prolifera</i>	Verrill 1869	
Epiactis fertilis	Carlgren 1945	
<i>Urticina columbiana</i>	Verrill 1922	
Tealia columbiana	of Gotshall & Laurent 1979	
<i>Urticina</i> sp A	McPeak 1978 §	
<b>Family Isanthidae</b>		
<i>Isanthidae</i> sp A	SCAMIT 1989 §	
Anthozoa #96	Ljubenkov 1984 §	
<i>Zaolotus actius</i>	Hand 1955	
Gonactinia prolifera	of authors SCB not M. Sars 1835	
<b>Family Isopheliidae</b>		
<i>Flosmaris grandis</i>	Hand & Bushnell 1967	
<b>Family Liponematidae</b>		
<i>Liponema brevicorne</i>	(McMurrich 1893)	
Bolocera brevicornis	McMurrich 1893	
Liponema brevicornis	of SCAMIT Ed 7	
<b>Family Actinostolidae</b>		
<i>Actinostola</i> sp A	Ljubenkov 1998 §	
<i>Stomphia vinosa</i>	(McMurrich 1893)	
Paractis vinosa	McMurrich 1893	
<b>Family Hormathiidae</b>		
<i>Amphianthus californicus</i>	Carlgren 1936	
<i>Hormathia digitata</i>	(Müller 1776)	
Actinia digitata	Müller 1776	
<i>Stephanauge annularis</i>	Carlgren 1936	
<i>Stephanauge</i> sp A	Ljubenkov 1991 §	
<b>Family Sagartiidae</b>		
<i>Sagartia catalinensis</i>	McPeak 1968	
<b>Family Boloceroididae</b>		
<i>Bunodeopsis</i> sp A	Ljubenkov 1998 §	

<b>Family Metridiidae</b>	
<i>Metridium exile</i>	Hand 1956
<i>Metridium farcimen</i>	(Brandt 1835)
<i>Actinia farcimen</i>	Brandt 1835
<i>Actinia priapus</i>	Tilesius 1809 not Forskal 1775
<i>Isometridium rickettsii</i>	Carlgren 1949
<i>Metridium giganteum</i>	Fautin, Buckland & Hand 1990
<i>Medridium senile</i> Cmplx	of SCAMIT Ed 3 in part
<b>Family Diadumenidae</b>	
<i>Diadumene franciscana</i>	Hand 1956
<i>Diadumene lineata</i>	(Verrill 1869)
<i>Sagartia lineata</i>	Verrill 1869
<i>Haiplanella luciae</i>	of Hand 1956
<i>Sagartia luciae</i>	Verrill 1898
<b>Family uncertain</b>	
<i>Anthozoa #49</i>	Ljubenkov 1984 §
<i>Anthozoa #76</i>	Ljubenkov 1984 §
Order Corallimorpharia	
<b>Family Corallimorphidae</b>	
<i>Corynactis californica</i>	Carlgren 1936
Order Zoanthidea	
<b>Family Zoanthidae</b>	
<b>Family Epizoanthidae</b>	
<i>Epizoanthus induratum</i>	Cutress & Pequegnat 1960
<i>Epizoanthus induratus</i>	of SCAMIT Ed 4
<i>Epizoanthus leptoderma</i>	Cutress & Pequegnat 1960
<b>Family Parazoanthidae</b>	
<i>Savalia lucifera</i>	(Cutress & Pequegnat 1960)
<i>Parazoanthus lucificum</i>	Cutress & Pequegnat 1960
PHYLUM PLATYHELMINTHES	
Class Turbellaria	
Order Polycladida	
Suborder Acotylea	
Superfamily Ilyplanoidea	
<b>Family Enantiidae</b>	
<i>Enantiidae sp A</i>	SCAMIT 2013 §
Superfamily Stylochooidea	
<b>Family Callioplanidae</b>	
<i>Kaburakia excelsa</i>	Bock 1925
<i>Cryptophallus magnus</i>	Freeman 1933
<i>Koinostylochus burchami</i>	(Heath & McGregor 1912)
<i>Planocera burchami</i>	Heath & McGregor 1912
<i>Discosolenia (Planocera) burchami</i>	of Prudhoe 1985
<i>Discosolenia burchami</i>	of SCAMIT Ed 7
<i>Discosolenia washingtoniensis</i>	Freeman 1933
<i>Polycladida sp B</i>	Phillips 1987 §
<i>Pseudostylochus burchami</i>	of Hyman 1952
<b>Family Planoceridae</b>	
<i>Paraplanocera oligoglena</i>	(Schmarda 1859)
<i>Stylochus oligoglenus</i>	Schmarda 1859
<i>Polycladida sp K</i>	Phillips 1987 §
<b>Family Plehnidiidae</b>	
<i>Diplehnia caeca</i>	(Hyman 1953)
<i>Plehnia caeca</i>	Hyman 1953
<i>Plehnia caeca var oculifera</i>	Hyman 1953
<i>Polycladida sp D</i>	Phillips 1987 §
<b>Family Latocestidae</b>	
<i>Latocestidae sp A</i>	SCAMIT 2013 §
<i>Latocestidae sp 1</i>	Phillips 2005 §

<i>Polycladida</i> sp S	Phillips 2004 §
<i>Latoplana levis</i>	(Hyman 1953)
<i>Mexityllochus levis</i>	Hyman 1953
<i>Latocestidae</i> sp 2	Phillips 2006 §
<b>Family Stylochidae</b>	
<i>Stylochus atentaculatus</i>	Hyman 1953
<i>Stylochus exiguum</i>	Hyman 1953
<i>Imogine exiguum</i>	of SCAMIT Ed 4
<i>Platyhelminthes</i> sp E	MBC 1978 §
<i>Platyhelminthes</i> sp I	MBC 1980 §
<i>Polycladida</i> sp C	Phillips 1987 §
<i>Polycladida</i> sp F	Phillips 1987 §
<i>Polycladida</i> sp P	Paquette 1980 §
<i>Stylochus franciscanus</i>	Hyman 1953
<i>Stylochus insolitus</i>	Hyman 1953
<i>Stylochus tripartitus</i>	Hyman 1953
Superfamily Leptopanoidea	
<b>Family Cryptocelididae</b>	
<i>Cryptocelis occidentalis</i>	Hyman 1953
<i>Polycladida</i> sp C	Paquette 1980 §
<i>Polycladida</i> sp G	Phillips 1987 §
<i>Polycladida</i> sp H	Phillips 1987 §
<i>Polycladida</i> sp J	Ljubenkov 1978 §
<i>Hylocelis californica</i>	(Heath & McGregor 1912)
<i>Planocera californica</i>	Heath & McGregor 1912
<i>Pseudalliplana californica</i>	of SCAMIT Ed 7
<b>Family Leptoplanidae</b>	
<i>Hoploplana californica</i>	Hyman 1953
<i>Hoploplana</i> sp A	SCAMIT 2007 §
<i>Hoploplana</i> sp A	MEC 1989 §
<i>Leptoplanidae</i> sp A	SCAMIT 2013 §
<i>Leptoplanidae</i> sp A	MEC 1988 §
<i>Polycladida</i> sp SD1	Pasko 1996 §
<i>Polycladida</i> sp 41	Ljubenkov 1989 §
<i>Parviplana hymani</i>	Faubel 1983
<i>Parviplana californica</i>	of Hyman 1953 not <i>Stylochoplana californica</i> Woodworth 1894
<i>Polycladida</i> sp I	Phillips 1987 §
<b>Family Notocirridae</b>	
<i>Diplandros singularis</i>	Hyman 1953
<b>Family Notoplanidae</b>	
<i>Notocomplana acticola</i>	(Boone 1929)
<i>Notoplana acticola</i>	Boone 1929
<i>Notocomplana rupicola</i>	(Heath & McGregor 1912)
<i>Notoplana rupicola</i>	Heath & McGregor 1912
<b>Family Pleioplanidae</b>	
<i>Pleioplaia inquieta</i>	(Heath & McGregor 1912)
<i>Leptoplana inquieta</i>	Heath & McGregor 1912
<i>Polycladida</i> sp N	Phillips 1987 §
<i>Stylochoplana heathi</i>	Boone 1929
<b>Family Stylochoplaniidae</b>	
<i>Armatoplana reishi</i>	(Hyman 1959)
<i>Stylochoplana reishi</i>	Hyman 1959
<i>Stylochoplana</i> sp HYP2	Phillips 2006 §
<i>Emprostropharynx gracilis</i>	(Heath & McGregor 1912)
<i>Stylochoplana gracilis</i>	Heath & McGregor 1912
<i>Interplana sandiegensis</i>	(Boone 1929)
<i>Planocera sandiegensis</i>	Boone 1929
<i>Pseudalliplana sandiegensis</i>	of SCAMIT Ed 7
<i>Phaenoplana longipenis</i>	(Hyman 1953)

<i>Stylochoplana longipenis</i>	Hyman 1953
<i>Leptoplanidae</i> sp BL1	Phillips 2005 §
<i>Platyhelminthes</i> sp A	MBC 1984 §
<i>Platyhelminthes</i> sp G	Paquette 1979 §
<i>Polycladida</i> sp T	Phillips 2004 §
<i>Stylochoplana chloranota</i>	(Boone 1929)
<i>Phylloplana chloranota</i>	Boone 1929
<i>Notoplana inquieta</i>	of Freeman 1933 not (Heath & McGregor 1912)
<i>Stylochoplana</i> sp A	SCAMIT 2013 §
<i>Stylochoplana</i> sp HYP1	Phillips 1988 §
<i>Polycladida</i> sp E	Phillips 1988 §
<i>Stylochoplana</i> sp B	SCAMIT 2013 §
<i>Polycladida</i> sp A	Phillips 1987 §
<i>Stylochoplana</i> sp HYP3	Phillips 2006 §
<i>Triplana viridis</i>	(Freeman 1933)
<i>Stylochoplana viridis</i>	Freeman 1933
<i>Phylloplana viridis</i>	(Freeman 1933)
Suborder Cotylea	
Superfamily Pseudocerotoidea	
<b>Family Pseudocerotidae</b>	
<i>Pseudoceros mexicanus</i>	Hyman 1953
<i>Pseudoceros montereyensis</i>	Hyman 1953
Superfamily Euryleptoidea	
<b>Family Euryleptidae</b>	
<i>Acerotisa californica</i>	Hyman 1953
<i>Polycladida</i> sp O	Phillips 1987 §
<i>Acerotisa langi</i>	(Heath & McGregor 1912)
<i>Aceros langi</i>	Heath & MacGregor 1912
<i>Polycladida</i> sp 43	Ljubenkov 1989 §
<i>Polycladida</i> sp M	Phillips 1987 §
<i>Polycladida</i> sp R	Phillips 1991 §
<i>Eurylepta aurantiaca</i>	Heath & McGregor 1912
<i>Eurylepta</i> sp LA1	Cadien 2001 §
<i>Eurylepta leoparda</i>	Freeman 1933
<i>Euryleptodes insularis</i>	Hyman 1953
<i>Praestheceraeus bellostriatus</i>	Hyman 1953
<i>Prostheceraeus bellostriatus</i>	of SCAMIT Ed 7
<i>Stylostomum lendum</i>	Heath & McGregor 1912
<b>Family Prostostomidae</b>	
<i>Enchiridium punctatum</i>	Hyman 1953
<i>Prosthiosomum latocelis</i>	Hyman 1953
<i>Platyhelminthes</i> sp N	MBC 1983 §
<i>Prosthiosomum multicelis</i>	Hyman 1953
Order Rhabdocoela	
<i>Neorhabdocoela</i> sp HYP1	Phillips 2006 §
<i>Rhabdocoela</i> sp A	SCAMIT 1998 §
<i>Rhabdocoela</i> sp A	Lilly & Pasko 1997 §
<i>Rhabdocoela</i> sp HYP1	Phillips 2006 §
<i>Rhabdocoela</i> sp HYP2	Phillips 2006 §
Order Seriata	
Suborder Tricladida	
Superfamily Procerodoidea	
<b>Family Procerodidae</b>	
<i>Pacificides psammophilus</i>	Holmquist & Karling 1972
Order uncertain	
Suborder uncertain	
Superfamily uncertain	
<b>Family uncertain</b>	
<i>Turbellaria</i> sp A	SCAMIT 2013 §

Platyhelminthes sp SD1	Pasko 2000 §
Polycladida sp 27	Ljubenkov 1986 §
Polycladida sp SD2	Pasko 2000 §
Spinnicirris sp	of SCAMIT Ed 7
Turbellaria sp B	SCAMIT 2013 §
Polycladida sp HYP 2	Phillips 2001 §
Turbellaria sp C	SCAMIT 2013 §
Leptoplanidae sp SD2	Lilly & Pasko 1997 §
<b>PHYLUM NEMERTEA</b>	
Class Anopla	
Order Archinemertea	
<b>Family Cephalotrichidae</b>	
<i>Cephalothrix</i> sp	
<i>Procephalothrix</i> sp	of SCAMIT Ed 8
Order Palaeonemertea	
<b>Family Carinomidae</b>	
<i>Carinoma mutabilis</i>	Griffin 1898
<i>Carinoma griffini</i>	Coe 1901
<i>Palaeonemertea</i> sp B	Paquette 1989 §
<i>Carinomella lactea</i>	Coe 1905
<b>Family Tubulanidae</b>	
<i>Tubulanus albocinctus</i>	(Coe 1904)
<i>Carinella albocincta</i>	Coe 1904
<i>Tubulanus capistratus</i>	(Coe 1901)
<i>Carinella capistrata</i>	Coe 1901
<i>Tubulanus cingulatus</i>	(Coe 1904)
<i>Carinella cingulata</i>	Coe 1904
<i>Tubulanus frenatus</i>	(Coe 1904)
<i>Carinella frenata</i>	Coe 1904
<i>Tubulanus polymorphus</i>	Renier 1804
<i>Carinella pellucida</i>	Coe 1895
<i>Carinella rubra</i>	Griffin 1898
<i>Carinella speciosa</i>	Coe 1901
<i>Tubulanus</i> sp A	SCAMIT 2005 §
<i>Tubulanus nothus</i>	of authors NEP not (Bürger 1892)
<i>Tubulanus</i> sp SD1	Pasko 2000 §
<i>Tubulanidae</i> sp A	SCAMIT 1995 §
<i>Anopla</i> sp A	Phillips 1987 §
<i>Tubulanidae</i> sp SD1	Pasko 1998 §
<i>Tubulanidae</i> sp B	SCAMIT 2005 §
<i>Tubulanidae</i> sp C	SCAMIT 2005 §
<i>Palaeonemertea</i> sp C	SCAMIT 1995 §
<i>Tubulanidae</i> sp D	SCAMIT 2005 §
<i>Palaeonemertea</i> sp A	Phillips 1988 §
<i>Tubulanidae</i> sp E	SCAMIT 2005 §
<b>Family Uncertain</b>	
<i>Palaeonemertea</i> sp OC1	Pasko 2014 §
Order Heteronemertea	
<b>Family Lineidae</b>	
<i>Cerebratulus albifrons</i>	Coe 1901
<i>Cerebratulus californiensis</i>	Coe 1905
<i>Cerebratulus lineolatus</i>	Coe 1905
<i>Cerebratulus marginatus</i>	Renier 1804
<i>Cerebratulus montgomeryi</i>	Coe 1901
<i>Euborlasia nigrocincta</i>	Coe 1940
<i>Lineidae</i> sp A	Paquette 1989 §
<i>Lineidae</i> sp HYP 1	SCAMIT 2007 §
<i>Lineus bilineatus</i>	(Renier 1804)
<i>Cerebratulus bilineatus</i>	Renier 1804

<i>Lineus albolineatus</i>	Coe 1904
<i>Lineus flavescens</i>	Coe 1904
<i>Lineus pictifrons</i>	Coe 1904
<i>Lineus rubescens</i>	Coe 1904
<i>Maculaura alaskensis</i> Cmplx	
<i>Micrura alaskensis</i>	of Coe 1901 in part
<i>Micrura coei</i>	Gibson 1995
<i>Micrura pardalis</i>	of SCAMIT Ed 10
<i>Micrura wilsoni</i>	(Coe 1904)
<i>Lineus wilsoni</i>	Coe 1904
<i>Ramphigordius sanguineus</i>	(Rathke 1799)
<i>Planaria sanguineus</i>	Rathke 1799
<i>Lineus ruber</i>	of SCAMIT Ed 10
<i>Zygeupolia rubens</i>	(Coe 1895)
<i>Valencinia rubens</i>	Coe 1895
<i>Anopla sp D</i>	SCAMIT 1995 §
<i>Monostylifera sp A</i>	Ljubenkov 1989 §
<i>Zygeupolia littoralis</i>	Thompson 1900
<b>Family Valenciniidae</b>	
<i>Baseodiscus delineatus</i>	(Delle Chiaje 1825)
<i>Polia delineata</i>	Delle Chiaje 1825
<i>Baseodiscus princeps</i>	(Coe 1901)
<i>Taeniosoma princeps</i>	Coe 1901
<i>Baseodiscus punnetti</i>	(Coe 1904)
<i>Taeniosoma punnetti</i>	Coe 1904
<b>Family uncertain</b>	
<i>Heteronemertea</i> sp SD2	Lilly 2006 §
<i>Anopla</i> sp OC1	Pasko 2011
Order uncertain	
<b>Family uncertain</b>	
<i>Anopla</i> sp C	SCAMIT 1995 §
Class Enopla	
<b>Subclass Hoplonemertea</b>	
Order Monostilifera	
<b>Suborder Cratenemertea</b>	
<b>Family Crateronemertidae</b>	
<i>Nipponnemertes pacificus</i>	(Coe 1905)
<i>Amphiporus pacificus</i>	Coe 1905
<i>Nipponnemertes punctatula</i>	(Coe 1905)
<i>Amphiporus punctatulus</i>	Coe 1905
<i>Amphiporus nebulosus</i>	Coe 1901
<i>Nipponnemertes punctatulus</i>	of SCAMIT Ed 8
<i>Nipponnemertes rubella</i>	(Coe 1905)
<i>Amphiporus rubellus</i>	Coe 1905
<b>Suborder Eumonostilifera</b>	
<b>Family Carcinonemertidae</b>	
<i>Carcinonemertes</i> sp	
<b>Family Embletonematidae</b>	
<i>Cryptonemertes actinophila</i>	(Bürger 1904)
<i>Nemertopsis actinophila</i>	Bürger 1904
<i>Nemertopsella actinophila</i>	of Friedrich 1958
<i>Dichonemertes hartmanae</i>	Coe 1938
<i>Embletonema gracile</i>	(Johnston 1837)
<i>Nemertes gracilis</i>	Johnston 1837
<i>Nemertopsis gracilis</i>	Coe 1904
<i>Paranemertes californica</i>	Coe 1904
<i>Monostylifera</i> sp SD1	CSD 1994 §
<i>Paranemertes</i> sp A	SCAMIT 1984 §
<i>Paranemertes peregrina</i> Cmplx	

<i>Paranemertes peregrina</i>	of Coe 1901 in part
<i>Paranemertes</i> sp B	SCAMIT 2007 §
<i>Paranemertes californica</i>	of Coe 1940 not Coe 1904
<b>Family Ototyphlonemertidae</b>	
<i>Ototyphlonemertes spiralis</i>	Coe 1940
<i>Ototyphlonemertes (Otohelicophora) spiralis</i>	of Envall 1996
<b>Family Prosorhochmidae</b>	
<i>Oerstedia dorsalis</i> Cmplx	
<i>Planaria dorsalis</i>	Abildgaard 1806
<i>Tetrastemma dorsalis</i>	McIntosh 1873
<i>Tetrastemma (Oerstedia) dorsale</i>	Coe 1904
<b>Family Amphiporidae</b>	
<i>Amphiporidae</i> sp B	MEC 1989 §
<i>Amphiporus bimaculatus</i>	Coe 1901
<i>Collarenemertes bimaculatus</i>	Chernyshev 1993
<i>Nipponemertes bimaculata</i>	(Coe 1901)
<i>Amphiporus californicus</i>	Coe 1905
<i>Amphiporus cruentatus</i>	Verrill 1879
<i>Amphiporus leptacanthus</i>	Coe 1905
<i>Amphiporus flavesces</i>	Coe 1905
<i>Amphiporus formidabilis</i>	Griffin 1898
<i>Amphiporus exilis</i>	Coe 1901
<i>Amphiporus imparispinosus</i>	Griffin 1898
<i>Amphiporus luciodus</i>	Coe 1901
<i>Amphiporus similis</i>	Coe 1905
<i>Amphiporus</i> sp A	Phillips 1988 §
<i>Amphiporus</i> sp B	Phillips 1989 §
<i>Zygonemertes virescens</i>	(Verrill 1879)
<i>Amphiporus virescens</i>	Verrill 1879
<i>Amphiporus agilis</i>	Verrill 1879
<b>Family Tetrastemmatidae</b>	
<i>Amphinemertes caeca</i>	(Coe 1901)
<i>Tetrastemma caecum</i>	Coe 1901
<i>Quasitetrastemma nigritrons</i>	(Coe 1904)
<i>Tetrastemma nigritrons</i>	Coe 1904
<i>Nemertea</i> sp A	Paquette 1988 §
<i>Tetrastemma albidum</i>	Coe 1905
<i>Monostylifera</i> sp B	SCAMIT 1995 §
<i>Monostylifera</i> sp C	SCAMIT 1995 §
<i>Prosorhochmus albidus</i>	of authors NEP
<i>Tetrastemma bilineatum</i>	Coe 1904
<i>Tetrastemma candidum</i>	(O. F. Müller 1774)
<i>Planaria candida</i>	O. F. Müller 1774
<i>Tetrastemma quadrilineatum</i>	Coe 1904
<i>Tetrastemma reticulatum</i>	Coe 1904
<i>Tetrastemma sexlineatum</i>	Coe 1940
<i>Tetrastemma signifer</i>	Coe 1904
<i>Tetrastemma</i> sp HYP 1	SCAMIT 2007 §
Suborder uncertain	
<b>Family uncertain</b>	
<i>Hoploneurtea</i> sp A	Paquette 1988 §
<i>Hoploneurtea</i> sp A	SCAMIT 2007 §
<i>Tetrastemma</i> sp A	SCAMIT 1995 §
<i>Tetrastemma</i> sp D	MEC/Ljubenkov 1988 §
<i>Hoploneurtea</i> sp B	SCAMIT 2011 §
<i>Hoploneurtea</i> sp HYP 1	SCAMIT 2007 §
<i>Hoploneurtea</i> sp C	SCAMIT 2011 §
<i>Hoploneurtea</i> sp HYP 2	SCAMIT 2007 §
Order uncertain	

Suborder uncertain	
<b>Family uncertain</b>	
<i>Enopla</i> sp A	SCAMIT 1995 §
<i>Enopla</i> sp B	SCAMIT 1995 §
<i>Anopla</i> sp B	SCAMIT 1995 §
PHYLUM ENTOPROCTA	
Order Solitaria	
<b>Family Loxosomatidae</b>	
<i>Loxomespilon</i> sp	
<i>Loxosomella</i> sp	
Order Coloniales	
Suborder Stolonata	
<b>Family Barentsiidae</b>	
<i>Barentsia benedeni</i>	(Foettinger 1887)
<i>Pedicellina benedeni</i>	Foettinger 1887
<i>Ascopodaria gracilis</i>	of Craig 1929 not (M. Sars 1835)
<i>Barentsia gracilis</i>	of Hedgpeth 1964 not (M. Sars 1835)
<i>Barentsia discreta</i>	(Busk 1886)
<i>Ascopodaria discreta</i>	Busk 1886
<i>Ascopodaria macropus</i>	Ehlers 1890
<i>Ascopodaria misakiensis</i>	Oka 1890
<i>Barentsia misakiensis</i>	of Oka 1895
<i>Barentsia robusta</i>	O'Donoghue 1924
<i>Barentsia subrigida</i>	Osburn 1953
<i>Barentsia timida</i>	Verrill 1900
<i>Pedicellina australis</i>	Jullien 1888
<i>Barentsia parva</i>	(O'Donoghue & O'Donoghue 1923)
<i>Gonypodaria parva</i>	O'Donoghue & O'Donoghue 1923
<i>Ascopodaria gracilis</i>	of Robertson 1900 not (M. Sars 1835)
<i>Barentsia gracilis</i>	of Osburn 1953 not (M. Sars 1835)
PHYLUM MOLLUSCA	
Subphylum Aculifera	
Class Solenogastres	
Superorder Aploegementaria	
Order Pholidoskepia	
<b>Family Gymnomeniidae</b>	
<i>Neomeniomorpha</i> sp A	SCAMIT 2005 §
<i>Neomeniomorpha</i> sp C	SCAMIT 2005 §
<b>Family Dondersiidae</b>	
<i>Heathia porosa</i>	(Heath 1911)
<i>Ichthyomenia porosa</i>	Heath 1911
Superorder Pachyegmentaria	
Order Cavibelonia	
<b>family uncertain</b>	
<i>Neomeniomorpha</i> sp B	SCAMIT 2005 §
Class Caudofoveata	
Superorder Chaetodermatimorpha	
Order Chaetodermatida	
<b>Family Chaetodermatidae</b>	
<i>Chaetoderma elegans</i>	Scheltema 1998
<i>Chaetoderma hancocki</i>	(Schwabl 1963)
<i>Crystallophrisson hancocki</i>	Schwabl 1963
<i>Crystallophrisson inflatum</i>	Schwabl 1963
<i>Crystallophrisson rectum</i>	Schwabl 1963 in part
<i>Crystallophrisson riedli</i>	Schwabl 1963 in part
<i>Chaetoderma marinelli</i>	(Schwabl 1963)
<i>Crystallophrisson marinelli</i>	Schwabl 1963
<i>Chaetoderma nanulum</i>	Heath 1911
<i>Falcidens macracanthos</i>	of SCAMIT Ed 4 in part not Scheltema 1998

<i>Falcidens</i> sp A	SCAMIT 1985 § in part
<i>Chaetoderma pacificum</i>	(Schwabl 1963)
<i>Crystallophrisson nitidulum</i> var <i>pacificum</i>	Schwabl 1963
<i>Chaetoderma scabrum</i>	Heath 1911
<i>Chaetoderma</i> sp A	SCAMIT 2005 §
<i>Falcidens hartmanae</i>	(Schwabl 1961)
<i>Crystallophrisson hartmanae</i>	Schwabl 1961
<i>Chaetoderma hartmanae</i>	of authors NEP
<i>Falcidens longus</i>	Scheltema 1998
<i>Falcidens</i> sp B	SCAMIT 1985 §
<i>Falcidens macracanthos</i>	Scheltema 1998
<i>Falcidens</i> sp A	SCAMIT 1985 § in part
<i>Furcillidens incrassatus</i>	(Schwabl 1963)
<i>Crystallophrisson incrassatum</i>	Schwabl 1963
? <i>Chaetoderma</i> sp B	of Shrake 1985 §
<b>Family Limifossoridae</b>	
<i>Limifossor fratula</i>	Heath 1911
<i>Psilodens</i> sp	
<b>Family Prochaetodermatidae</b>	
<i>Spathoderma californicum</i>	(Schwabl 1963)
<i>Prochaetoderma californicum</i>	Schwabl 1963
<i>Spathoderma</i> sp A	SCAMIT 2005 §
<i>Chevroderma</i> sp LA1	Cadien 2003 §
Class Polyplacophora	
Order Lepidopleurida	
Suborder Lepidopleurina	
<b>Family Leptochitonidae</b>	
<i>Hanleyella oldroydi</i>	(Dall 1919 ex Bartsch MS)
<i>Lepidopleurus</i> ( <i>Leptochiton</i> ) <i>oldroydi</i>	Dall 1919 ex Bartsch MS
<i>Leptochiton oldroydi</i>	of Burghardt & Burghardt 1969
<i>Leptochiton nexus</i>	Carpenter 1864
<i>Chiton</i> ( <i>Leptochiton</i> ) <i>nexus</i>	of Orcutt 1885
<i>Lepidopleurus</i> ( <i>Leptochiton</i> ) <i>ambustus</i>	Dall 1919
<i>Lepidopleurus</i> ( <i>Pilsbryella</i> ) <i>ambustus</i>	of LeLoup 1940
<i>Lepidopleurus heathi</i>	of Burghardt & Burghardt 1969
<i>Lepidopleurus</i> ( <i>Xiphiozona</i> ) <i>heathi</i>	Berry 1919
<i>Lepidopleurus</i> ( <i>Leptochiton</i> ) <i>lycurgus</i>	Dall 1919
<i>Lepidopleurus nexus</i>	of Pilsbry 1892
<i>Leptochiton ambustus</i>	of Smith & Gordon 1948
<i>Leptochiton lycurgus</i>	of Burghardt & Burghardt 1969
<i>Leptochiton rugatus</i>	(Carpenter in Pilsbry 1892)
<i>Lepidopleurus rugatus</i>	Carpenter in Pilsbry 1892
<i>Lepidopleurus alascensis</i>	Thiele 1909
<i>Lepidopleurus assimilis</i>	Thiele 1909
<i>Leptopleurus alascensis</i>	of Smith 1947
<i>Leptopleurus cancellatus</i>	of Dall 1879 not (G. B. Sowerby II 1839)
<i>Leptopleurus internexus</i>	Carpenter in Pilsbry 1892
<i>Oldroydia percrassa</i>	(Dall 1894)
<i>Lepidopleurus</i> ( <i>Oldroydia</i> ) <i>percrassus</i>	Dall 1894
Order Chitonida	
Suborder Chitonina	
<b>Family Chaetopleuridae</b>	
<i>Chaetopleura gemma</i>	Dall 1879 ex Carpenter MS
<b>Family Ischnochitonidae</b>	
<i>Callistochiton crassicostatus</i>	Pilsbry 1893
<i>Callistochiton decoratus</i>	Keep 1887
<i>Callistochiton cthonius</i>	Dall 1919
<i>Callistochiton cyanosus</i>	Dall 1919
<i>Callistochiton decoratus ferminicus</i>	Berry 1922

<i>Callistochiton decoratus</i>	punctostatus	Pilsbry 1896
<i>Callistochiton diegoensis</i>		Thiele 1910
<i>Callistochiton palmulatus</i>		Dall 1879 ex Carpenter MS
<i>Callistochiton acinatus</i>		Dall 1919
<i>Callistochiton celetus</i>		Dall 1919
<i>Callistochiton connellyi</i>		Willett 1937
<i>Callistochiton palmulatus mirabilis</i>		Pilsbry 1893
<i>Lepidozona golischii</i>		(Berry 1919)
<i>Ischnochiton golischii</i>		Berry 1919
<i>Lepidozona mertensi</i>		(Middendorff 1847)
<i>Chiton mertensi</i>		Middendorff 1847
<i>Ischnochiton mertensi</i>		of Dall 1921
<i>Ischnochiton (Lepidozona) mertensi</i>		of Abbott 1954
<i>Lepidozona pectinulata</i>		(Carpenter in Pilsbry 1893)
<i>Lepidopleurus pectinulatus</i>		Carpenter in Pilsbry 1893
<i>Ischnochiton brunneus</i>		Dall 1919
<i>Ischnochiton bryanti</i>		Dall 1919
<i>Lepidozona californiensis</i>		Berry 1931
<i>Lepidozona radians</i>		(Carpenter in Pilsbry 1892)
<i>Ischnochiton radians</i>		Carpenter in Pilsbry 1892
<i>Ischnochiton interstinctus</i>		of Abbott 1974
<i>Lepidozona interstincta</i>		of SCAMIT Ed 5 not (Gould 1852)
<i>Lepidozona retiporosa</i>		(Carpenter 1864)
<i>Ischnochiton (Trachydermon) retiporus</i>		Carpenter 1864
<i>Ischnochiton aureotinctus</i>		Carpenter in Pilsbry 1892
<i>Ischnochiton venezius</i>		Dall 1919
<i>Leptochiton punctatus</i>		Whiteaves 1886
<i>Lepidozona scabricostata</i>		(Carpenter 1864)
<i>Ischnochiton (Lepidopleurus) scabricostatus</i>		Carpenter 1864
<i>Ischnochiton (Ischnochiton) scabricostatus</i>		of Pilsbry 1892
<i>Ischnochiton (Lepidozona) golischii</i>		of authors NEP not Berry 1919
<i>Lepidopleurus scabricostatus</i>		of Carpenter 1864
<i>Lepidozona golischii</i>		of Burghardt & Burghardt 1969 not Berry 1919
<i>Lepidozona inefficax</i>		Berry 1963
<i>Lepidozona scrobiculata</i>		(Middendorff 1847)
<i>Chiton scrobiculatus</i>		Middendorff 1847
<i>Ischnochiton sinudentatus</i>		Carpenter in Pilsbry 1892
<i>Ischnochiton berryi</i>		Dall 1919
<i>Ischnochiton gallina</i>		Berry 1925
<i>Ischnochiton listrum</i>		Dall 1919
<i>Lepidozona serrata</i>		(Carpenter 1864)
<i>Ischnochiton serratus</i>		Carpenter 1864
<i>Lepidozona willetti</i>		(Berry 1917)
<i>Ischnochiton willetti</i>		Berry 1917
<i>Ischnochiton catalinae</i>		Willett 1931
<i>Lepidozona</i> sp A		Stebbins & Eernisse 2009 §
<i>Lepidozona</i> sp B		Stebbins & Eernisse 2009 §
<i>Lepidozona</i> sp C		Stebbins & Eernisse 2009 §
<i>Stenoplax conspicua</i>		(Pilsbry 1892 ex Carpenter MS)
<i>Ischnochiton (Stenoradsia) conspicua</i>		Pilsbry 1892 ex Carpenter MS
<i>Ischnochiton conspicuum</i>		of Oldroyd 1927
<i>Stenoplax corrugata</i>		(Carpenter in Pilsbry 1892)
<i>Ischnochiton corrugatus</i>		Carpenter in Pilsbry 1892
<i>Ischnochiton biarcuatus</i>		Dall 1903
Suborder Acanthochitonina		
<b>Family Acanthochitonidae</b>		
<i>Acanthochitona avicula</i>		(Carpenter 1864)
<i>Acanthochites avicula</i>		Carpenter 1864
<i>Acanthochites avicula</i> var <i>diegensis</i>		Pilsbry 1893

<b>Family Lepidochitonidae</b>	
<i>Cyanoplax dentiens</i>	(Gould 1846)
Chiton (Onythochiton) dentiens	Gould 1846
<i>Lepidochitona dentiens</i>	of authors NEP
<i>Cyanoplax hartwegii</i>	(Carpenter 1855)
Chiton hartwegii	Carpenter 1855
<i>Lepidochitona hartwegii</i>	of authors NEP
<i>Lepidochitona beanii</i>	(Carpenter 1857)
<i>Lepidopleurus (?) beanii</i>	Carpenter 1857
<i>Basiliochiton lobium</i>	Berry 1925
<i>Chiton bipunctatus</i>	G. B. Sowerby I 1832
<i>Chiton flavescens</i>	Carpenter 1857
? <i>Chiton virescens</i>	Reeve 1847
<i>Tonicella (Mopaliliella) stigmata</i>	Dall 1909
<i>Nuttallina californica</i>	(Reeve 1847)
<i>Chiton californicus</i>	Reeve 1847
<i>Nuttallina fluxa</i>	(Carpenter 1864)
<i>Acanthopleura fluxa</i>	Carpenter 1864
<i>Chiton scaber</i>	Reeve 1847
<b>Family Mopaliidae</b>	
<i>Dendrochiton gothicus</i>	(Carpenter 1864)
<i>Ischnochiton (Trachydermon) gothicus</i>	Carpenter 1864
<i>Dendrochiton thamnoporus</i>	(Berry 1911)
<i>Mopalia (Dendrochiton) thamnopora</i>	Berry 1911
<i>Dentrochiton psaltes</i>	Berry 1963
<i>Lepidochitona thamnopora</i>	of SCAMIT Ed 4
<i>Mopalia imporcata</i>	Carpenter 1865
<i>Mopalia lignosa</i>	(Gould 1846)
<i>Chiton lignosus</i>	Gould 1846
<i>Chiton eschscholtzii</i>	von Middendorff 1847
<i>Chiton merckii</i>	von Middendorff 1847
<i>Chiton montereyensis</i>	Carpenter 1855
<i>Mopalia insignis</i>	Pilsbry 1893 ex Newcomb MS
<i>Mopalia lionota</i>	Pilsbry 1918
<i>Mopalia lowei</i>	Pilsbry 1918
<i>Mopalia muscosa</i>	(Gould 1846)
<i>Chiton muscosus</i>	Gould 1846
<i>Mopalia phorminx</i>	Berry 1919
<i>Mopalia sinuata</i>	Carpenter 1864
<i>Callistochiton aepynotus</i>	Dall 1919
<i>Mopalia goniura</i>	Dall 1919
<i>Placiphorella mirabilis</i>	Clark 1994
<i>Placiphorella velata</i>	Dall 1879
<i>Tonicella venusta</i>	Clark 1999
Subphylum Conchifera	
Class Monoplacophora	
Order Tryblidiida	
<b>Family Neopilinidae</b>	
<i>Laevipilina hyalina</i>	(McLean 1979)
<i>Vema (Laevipilina) hyalina</i>	McLean 1979
Class Gastropoda	
Subclass Eogastropoda	
Superorder Patellogastropoda	
Superfamily Lottioidae	
<b>Family Lottiidae</b>	
<i>Lottia asmi</i>	(Middendorff 1847)
<i>Patella asmi</i>	Middendorff 1847
<i>Collisella asmi</i>	of Lindberg 1981
<i>Lottia austrodigitalis</i>	(Murphy 1978)

<i>Collisella austrodigitalis</i>	Murphy 1978
<i>Acmaea conus</i>	Test 1945
<i>Collisella conus</i>	of McLean 1969
<i>Lottia conus</i>	(Test 1945)
<i>Lottia depicta</i>	(Hinds 1842)
<i>Patelloidea depicta</i>	Hinds 1842
<i>Notoacmaea depicta</i>	of Lindberg 1981
<i>Lottia digitalis</i>	(Rathke 1833)
<i>Acmaea digitalis</i>	Rathke 1833
<i>Lottia fenestrata</i>	(Reeve 1855)
<i>Patella fenestrata</i>	Reeve 1855
<i>Notoacmea fenestrata</i>	of Lindberg 1981
<i>Lottia gigantea</i>	G. B. Sowerby I 1834
<i>Lottia insessa</i>	(Hinds 1842)
<i>Patella insessa</i>	Hinds 1842
<i>Notoacmaea insessa</i>	of Lindberg 1981
<i>Lottia instabilis</i>	(Gould 1846)
<i>Patella (Nacella) instabilis</i>	Gould 1846
<i>Acmaea (Collisella) patina var ochracea</i>	Dall 1871
<i>Collisella ochracea</i>	of Lindberg 1981 in part
<i>Lottia ochracea</i>	of authors NEP
<i>Lottia limatula</i>	(Carpenter 1864)
<i>Acmaea limatula</i>	Carpenter 1864
<i>Lottia pelta</i>	(Rathke 1833)
<i>Acmaea pelta</i>	Rathke 1833
<i>Collisella pelta</i>	of Lindberg 1981
<i>Lottia rosacea</i>	(Carpenter 1864)
<i>Acmaea (? pileolus Midd. var.) rosacea</i>	Carpenter 1864
<i>Tectura rosacea</i>	of SCAMIT Ed 4
<i>Lottia scabra</i>	(Gould 1846)
<i>Patella scabra</i>	Gould 1846
<i>Collisella scabra</i>	of Lindberg 1981
<i>Lottia strigatella</i>	(Carpenter 1864)
<i>Acmaea strigatella</i>	Carpenter 1864
<b>Family Acmaeidae</b>	
<i>Acmaea funiculata</i>	Carpenter 1864
<i>Niveotectura funiculata</i>	(Carpenter 1864)
<i>Acmaea mitra</i>	Rathke 1833
<b>Family Lepetidae</b>	
<i>Iothia lindbergi</i>	McLean 1985
Subclass Orthogastropoda	
Superorder Vetigastropoda	
Superfamily Haliotoidea	
<b>Family Haliotidae</b>	
<i>Haliotis corrugata</i>	W. Woods 1828
<i>Haliotis cracherodii</i>	Leach 1814
<i>Haliotis fulgens</i>	Philippi 1845
<i>Haliotis rufescens</i>	Swainson 1822
<i>Haliotis sorenseni</i>	Bartsch 1940
Superfamily Fissurelloidea	
<b>Family Fissurellidae</b>	
<b>Subfamily Fissurellinae</b>	
<i>Fissurella volcano</i>	Reeve 1849
<b>Subfamily Emarginulinae</b>	
<i>Cranopsis multistriata</i>	(Dall 1914)
<i>Puncturella multistriata</i>	Dall 1914
<i>Fissurellidea bimaculata</i>	Dall 1871
<i>Megatebennus bimaculatus</i>	of McLean 1969

<i>Lucapinella callomarginata</i>	(Dall 1871)
<i>Clypedella callomarginata</i>	Dall 1871
<i>Puncturella cooperi</i>	Carpenter 1864
<i>Puncturella eyerdami</i>	Dall 1924
<i>Puncturella galeata</i>	(Gould 1846)
<i>Rimula galeata</i>	Gould 1846
<b>Subfamily Diodorinae</b>	
<i>Diodora aspera</i>	(Rathke 1833)
<i>Fissurella aspera</i>	Rathke 1833
<i>Fissuridea aspera</i>	of Williamson 1892
<i>Glyphis aspera</i>	of Carpenter 1856
<i>Megathura crenulata</i>	(G. B. Sowerby I 1825)
<i>Fissurella crenulata</i>	G. B. Sowerby I 1825
Superfamily Lepetelloidea	
<b>Family Addisoniidae</b>	
<b>Subfamily Addisoniinae</b>	
<i>Addisonia brophyi</i>	McLean 1985
Superfamily Scissurelloidea	
<b>Family Anatomidae</b>	
<i>Anatoma kelseyi</i>	(Dall 1905)
<i>Scissurella (Schizotrochus) kelseyi</i>	Dall 1905
<i>Anatoma crispata</i>	of McLean 1996 (not Fleming 1828)
<i>Scissurella (Anatoma) crispata</i>	of Mclean 1967 not Fleming 1828
<i>Scissurella chiricova</i>	Dall 1919
<i>Thielella kelseyi</i>	of SCAMIT Ed 7
<b>Family Scissurellidae</b>	
<i>Sinezona rimuloides</i>	(Carpenter 1865)
<i>Scissurella rimuloides</i>	Carpenter 1865
Superfamily Seguenzioidea	
<b>Family Chilodontidae</b>	
<b>Subfamily Chilodontinae</b>	
<i>Turcica caffea</i>	Gabb 1865
<i>Turcica (Ptychostylis) caffea</i>	Gabb 1865
<i>Calliostoma (Turcica) caffea</i>	of Pilsbry 1889
<i>Thalotia caffea</i>	of Arnold 1903
<b>Family Calliotropidae</b>	
<i>Bathybembix bairdii</i>	(Dall 1889)
<i>Turcicula bairdii</i>	Dall 1889
<i>Lischkeia bairdii</i>	of Abbott 1974
<i>Solariella oxybasis</i>	Dall 1890
<i>Cidarina cidaris</i>	(Carpenter 1864)
<i>Margarita cidaris</i>	Carpenter 1864
<i>Lischkeia cidaris</i>	of Abbott 1954
<i>Solariella cidaris</i>	of Williamson 1892
<i>Solariella oxybasis</i>	Dall 1889
<i>Turcicula (?) cidaris</i>	of Pilsbry 1889
Superfamily Trochoidea	
<b>Family Trochidae</b>	
<b>Subfamily Halistylinae</b>	
<i>Halistylus pupoideus</i>	(Carpenter 1864)
<i>Fenella pupoidea</i>	Carpenter 1864
<i>Cantharidus (Halistylus) pupoideus</i>	of Williamson 1892
<i>Fenella subpupoidea</i>	Tryon 1887
<i>Halistylus subpeideus</i>	of J. Burch 1946
<i>Halistylus subpupoideus</i>	of Dall 1921
<b>Subfamily Umboniinae</b>	
<i>Lirularia acuticostata</i>	(Carpenter 1864)
<i>Margarita acuticostata</i>	Carpenter 1864
<i>Margarites acuticostatus</i>	of Keen 1937

Margarites ( <i>Lirularia</i> ) acuticostata	of Dall 1921
Margarites ( <i>Pupillaria</i> ) acuticostatus	of Palmer 1958
<i>Lirularia parcipicta</i>	(Carpenter 1864)
<i>Gibbula parcipicta</i>	Carpenter 1864
<i>Margarites (<i>Lirularia</i>) parcipicta</i>	of Dall 1921
<i>Margarites parcipictus</i>	of Keen 1937
<i>Margarites (<i>Pupillaria</i>) parcipictus</i>	of Woodring, Bramlette & Kew 1946
<i>Lirularia succincta</i>	(Carpenter 1864)
<i>Gibbula succincta</i>	Carpenter 1864
<b>Family Margaritidae</b>	
<i>Margarites</i> sp	
<b>Family Calliostomatidae</b>	
<b>Subfamily Calliostomatinae</b>	
<i>Calliostoma annulatum</i>	(Lightfoot 1786)
<i>Trochus annulatum</i>	Lightfoot 1786
<i>Calliostoma canaliculatum</i>	(Lightfoot 1786)
<i>Trochus canaliculatus</i>	Lightfoot 1786
<i>Trochus dolarium</i>	Holten 1802
<i>Calliostoma gemmulumatum</i>	Carpenter 1864
<i>Calliostoma gloriosum</i>	Dall 1871
<i>Calliostoma keenae</i>	McLean 1970
<i>Calliostoma platinum</i>	Dall 1890
<i>Calliostoma supragranosum</i>	Carpenter 1864
<i>Calliostoma splendens</i>	Carpenter 1864
<i>Calliostoma tricolor</i>	Gabb 1865
<i>Calliostoma turbinum</i>	Dall 1896
<i>Calliostoma variegatum</i>	Carpenter 1864
<b>Family Solariellidae</b>	
<i>Solariella nuda</i>	Dall 1896
<i>Solariella peramabilis</i>	Carpenter 1864
<i>Solariella rhyssa</i>	Dall 1919
<b>Family Skeneidae</b>	
<i>Skenea coronadoensis</i>	(Arnold 1903)
<i>Delphinoidea coronadoensis</i>	Arnold 1903
<i>Cyclostremella californica</i>	Bartsch 1907
<i>Cyclostremella coronadoensis</i>	of SCAMIT Ed 3
<i>Skenea californica</i>	of Abbott 1974
Superfamily Turbinoidea	
<b>Family Turbinidae</b>	
<b>Subfamily Turbininae</b>	
<i>Megastraea turbanica</i>	(Dall 1910)
<i>Pomaulax turbanicus</i>	Dall 1910
<i>Astraea (Megastraea) turbanica</i>	of Abbott 1974
<i>Astraea petrothama</i>	Berry 1940
<i>Astraea (Uvanilla) rupicola</i>	Stohler 1959
<i>Megastraea undosa</i>	(Wood 1828)
<i>Trochus undosus</i>	Wood 1828
<i>Lithopoma undosum</i>	of SCAMIT Ed 3
<i>Astraea undosa</i>	of McLean 1969
<i>Pomaulax gibberosus</i>	(Dillwyn 1817)
<i>Trochus gibberosus</i>	Dillwyn 1817
<i>Astraea gibberosa</i>	of McLean 1969
<i>Lithopoma gibberosa</i>	of Turgeon et al 1998
<b>Subfamily Teguliniae</b>	
<i>Chlorostoma aureotincta</i>	(Forbes 1850)
<i>Trochus aureotinctus</i>	Forbes 1850
<i>Tegula aureotincta</i>	of SCAMIT Ed 5
<i>Chlorostoma brunnea</i>	(Philippi 1848)
<i>Tegula brunnea</i>	Philippi 1848

<i>Chlorostoma eiseni</i>	(Jordan 1936)
<i>Tegula eiseni</i>	Jordan 1936
<i>Chlorostoma funebralis</i>	(A. Adams 1855)
<i>Tegula funebralis</i>	A. Adams 1855
<i>Norrisia norrisi</i>	(G. B. Sowerby I 1838)
<i>Trochiscus norrisi</i>	G. B. Sowerby I 1838
<i>Promartynia pulligo</i>	(Gmelin 1791)
<i>Phorcus pulligo</i>	Gmelin 1791
<i>Tegula regina</i>	Stearns 1892
Superfamily Phasianelloidea	
<b>Family Phasianellidae</b>	
<b>Subfamily Tricoliinae</b>	
<i>Eulithidium comptum</i>	(Gould 1855)
<i>Phasianella compta</i>	Gould 1855
<i>Tricolia compta</i>	of McLean 1969
<i>Eulithidium pulloides</i>	(Carpenter 1865)
<i>Phasianella compta</i> var <i>pulloides</i>	Carpenter 1865
<i>Eulithidium substriatum</i>	of Berry 1907 not (Carpenter 1864)
<i>Phasianella</i> ( <i>Tricolia</i> ) <i>pulloides</i>	of Strong 1928
<i>Tricolia pulloides</i>	of McLean 1969
<i>Eulithidium rubrilineatum</i>	Strong 1928
<i>Phasianella</i> ( <i>Eulithidium</i> ) <i>ruberlineata</i>	Strong 1928
<i>Phasianella typica</i>	of I. Oldroyd 1927 not Dall 1908
<i>Tricolia rubrilineata</i>	of McLean 1969
<i>Eulithidium substriatum</i>	(Carpenter 1864)
<i>Eucosmia</i> (?) <i>variegata</i> , var <i>substrata</i>	Carpenter 1864
<i>Phasianella</i> ( <i>Eulithidium</i> ) <i>substrata</i>	of Dall 1921
<i>Tricolia substrata</i>	of McLean 1969
<b>Family Colloniidae</b>	
<b>Subfamily Colloniinae</b>	
<i>Homalopoma baculum</i>	(Carpenter 1864)
<i>Leptonyx bacula</i>	Carpenter 1864
<i>Homalopoma berryi</i>	McLean 1964
<i>Homalopoma grippi</i>	(Dall 1911)
<i>Leptothyra grippi</i>	Dall 1911
<i>Homalopoma luridum</i>	(Dall 1885)
<i>Leptothyra sanguinea lurida</i>	Dall 1885
<i>Homalopoma carpenteri</i>	(Pilsbry 1888)
<i>Homalopoma juanensis</i>	(Dall 1919)
Superorder Caenogastropoda	
Order Sorbeoconcha	
Superfamily Cerithioidea	
<b>Family Cerithiidae</b>	
<b>Subfamily Bittiinae</b>	
<i>Bittium fastigiatum</i>	(Carpenter 1864)
<i>Bittium fastigiatum</i>	Carpenter 1864
<i>Diastoma fastigiatum</i>	of Bartsch 1911
<i>Lirobittium attenuatum</i>	(Carpenter 1864)
<i>Bittium attenuatum</i>	Carpenter 1864
<i>Lirobittium calenum</i>	(Dall 1919)
<i>?Alabina calena</i>	Dall 1919
<i>Lirobittium fetellum</i>	(Bartsch 1911)
<i>Bittium fetellum</i>	Bartsch 1911
<i>Lirobittium larum</i>	(Bartsch 1911)
<i>Bittium</i> ( <i>Lirobittium</i> ) <i>larum</i>	Bartsch 1911
<i>Lirobittium paganicum</i>	(Dall 1919)
<i>Stylium paganicum</i>	Dall 1919
<i>Bittium</i> ( <i>Stylium</i> ) <i>paganicum</i>	of Oldroyd 1927
<i>Lirobittium quadrifilatum</i>	(Carpenter 1864)

Bittium quadrifilatum	Carpenter 1864
Bittium (Semibittium) quadrifilatum	of Bartsch 1911
Bittium (Stylium) quadrifilatum	of Abbott 1954
<i>Lirobittium rugatum</i>	(Carpenter 1864)
Bittium rugatum	Carpenter 1864
Bittium asperum	of Carpenter 1864 not Gabb 1861
Bittium subplanatum	Bartsch 1911
Bittium (Semibittium) rugatum	of Bartsch 1911
Lirobittium subplanatum	of Houbrick 1993
<b>Family Litiopidae</b>	
<i>Alaba</i> sp	
<b>Family Potamididae</b>	
<i>Cerithidea californica</i>	(Haldeman 1840)
<i>Cerithium californicum</i>	Haldeman 1840
<b>Family Scaliolidae</b>	
<i>Finella tenuisculpta</i>	(Carpenter 1864)
<i>Mesalia tenuisculpta</i>	Carpenter 1864
<i>Alabina tenuisculpta phalacra</i>	Bartsch 1911
<b>Family Thiaridae</b>	
<i>Melanoides tuberculata</i>	(O. F. Müller 1774)
<i>Nerita tuberculata</i>	O. F. Müller 1774
<b>Family Turritellidae</b>	
<i>Turritella cooperi</i>	Carpenter 1864
<i>Turritella jewetti</i>	Carpenter 1864
<i>Turritella orthosymmetrica</i>	Berry 1953
Order Hypsogastropoda	
Suborder Littorinimorpha	
Superfamily Calyptraeoidea	
<b>Family Calyptraeidae</b>	
<i>Calyptarea fastigiata</i>	Gould 1846
<i>Calyptarea contorta</i>	Carpenter 1864
<i>Galerus contortus</i>	Carpenter 1865
<i>Crepidula aculeata</i>	(Gmelin 1791)
<i>Patella aculeata</i>	Gmelin 1791
<i>Calyptarea echinus</i>	Broderip 1834
<i>Calyptarea hystrix</i>	Broderip 1834
<i>Crepidula californica</i>	Tryon 1886 ex. Nuttall MS
<i>Crepidula costata</i>	of Menke 1847 not G. B. Sowerby I 1824
<i>Crepidula foliacea</i>	Broderip 1834
<i>Crepidula gravispinosa</i>	Kuroda & Habe 1950
<i>Crepidula maculata</i>	Quoy & Gaimard 1832-33
<i>Crepidula tomentosa</i>	Quoy & Gaimard 1832-33
<i>Crepidula convexa</i>	Say 1822
<i>Crepidula acuta</i>	H. C. Lea 1842
<i>Crepidula glauca</i>	Say 1822
<i>Crepidula fornicata</i>	(Linnaeus 1758)
<i>Patella fornicata</i>	Linnaeus 1758
<i>Crepidula glottidiarum</i>	Dall 1905
<i>Crepidula nivea</i> var <i>glottidiarum</i>	Dall 1905
<i>Crepidula minuta</i>	Middendorff 1849
<i>Crepidula nivea</i>	of authors NEP not C. B. Adams 1852
<i>Crepidula nummaria</i>	of Hoagland 1977 in part not Gould 1846
<i>Crypta unguiculus</i>	H. & A. Adams 1858
<i>Crepidula onyx</i>	G. B. Sowerby I 1824
<i>Calyptarea amygdalus</i>	Valenciennes 1846
<i>Crepidula cerithicola</i>	C. B. Adams 1852
<i>Crepidula lirata</i>	Reeve 1859
<i>Crepidula rugosa</i>	of Carpenter 1856 not Anton 1839
<i>Crepidula perforans</i>	Valenciennes 1846

Crepidula explanta	Gould 1853
Crepidula exuviatas	of Reeve 1859
Crepidula fimbriata	Reeve 1859
Crepidula naviculoides	of authors NEP not G. B. Sowerby I 1824
<i>Crepipatella lingulata</i>	(Gould 1846)
Crepidula lingulata	Gould 1846
Crepidula dorsata	of Hoagland 1977
Crepipatella dorsata	of SCAMIT Ed 4
<i>Crepipatella orbiculata</i>	(Dall 1919)
Crepidula orbiculata	Dall 1919
Crepipatella (Verticumbo) charybdis	of Abbott 1974
Verticumbo charybdis	Berry 1940
<i>Crucibulum spinosum</i>	(G. B. Sowerby I 1824)
Calyptrea spinosa	G. B. Sowerby I 1824
Calyptrea hispida	Broderip 1834
Calyptrea tubifera	Lesson 1830
Patella peziza	Wood 1828
<i>Garnotia adunca</i>	(G. B. Sowerby I 1825)
Crepidula adunca	G. B. Sowerby I 1825
Crepidula aeola	Dall 1927
Crepidula rostriformis	Gould 1846
Crepidula solida	Hinds 1844
Crepidula uncata	Menke 1847
<i>Garnotia naticarum</i>	(Williamson 1905)
Crepidula rugosa naticarum	Williamson 1905
Crepidula coei	Berry 1950
<i>Garnotia norissiarum</i>	(Williamson 1905)
Crepidula rugosa norrisiarum	Williamson 1905
Crepidula excavata	of authors NEP not Broderip 1834
Superfamily Cypraeoidea	
<b>Family Cypraeidae</b>	
<i>Neobernaya spadicea</i>	(Swainson 1823)
Cypraea spadicea	Swainson 1823
Zonaria spadicea	of SCAMIT Ed 7
<b>Family Ovulidae</b>	
<b>Subfamily Ovulinae</b>	
<i>Phenacovolva bellamaris</i>	(Berry 1946)
Neosimnia bellamaris	Berry 1946
<i>Phenacovolva lenoreae</i>	Cardin & Walls 1980
<i>Simnia barbarensis</i>	(Dall in Williamson 1892)
Ovula (Simnia) deflexa var barbarensis	Dall in Williamson 1892
Neosimnia barbarensis	of SCAMIT Ed 7
Neosimnia catalinensis	Berry 1916
Simnia (Neosimnia) catalinensis	of I. Oldroyd 1927
Spiculata barbarensis	of Cate 1973
<i>Simnia loebbeckeana</i>	(Weinkauff 1881)
Ovula loebbeckeana	Weinkauff 1881
Neosimnia loebbeckeana	of SCAMIT Ed 7
Simnia loebbeckeana	of Abbott 1974
Spiculata loebbeckeana	of Cate 1973
<i>Simnia vidleri</i>	(G. B. Sowerby III 1881)
Ovulum vidleri	G. B. Sowerby III 1881
Delonovolva aequalis vidleri	of Cate 1973
Neosimnia aequalis	of SCAMIT Ed 7
Superfamily Littorioidea	
<b>Family Littorinidae</b>	
<b>Subfamily Lacuninae</b>	
<i>Lacuna marmorata</i>	Dall 1919
<i>Lacuna unifasciata</i>	Carpenter in Gould & Carpenter 1856

<b>Subfamily Littorininae</b>	
<i>Littorina keenae</i>	Rosewater 1978
<i>Littorina planaxis</i>	of authors NEP not Philippi 1847
<i>Littorina plena</i>	Gould 1849
<i>Littorina scutulata</i>	of authors NEP in part not Gould 1849
<i>Littorina scutulata</i>	Gould 1849
<b>Family Pelyciidae</b>	
<i>Pelycidion kelseyi</i>	(Bartsch 1911)
<i>Nodulus kelseyi</i>	Bartsch 1911
<i>Nannoteretispira kelseyi</i>	of authors NEP
<b>Superfamily Naticoidea</b>	
<b>Family Naticidae</b>	
<i>Calinaticina oldroydii</i>	(Dall 1897)
<i>Sigaretus oldroydii</i>	Dall 1897
<i>Eunaticina oldroydii</i>	of I. Oldroyd 1927
<i>Cryptonatica affinis</i>	(Gmelin 1791)
<i>Nerita affinis</i>	Gmelin 1791
<i>Neverita draconis</i>	(Dall 1903)
<i>Lunatia draconis</i>	Dall 1903
<i>Euspira draconis</i>	of SCAMIT Ed 9
<i>Polinices draconis</i>	(Dall 1903) of authors NEP
<i>Neverita lewisi</i>	(Gould 1847)
<i>Natica lewisi</i>	Gould 1847
<i>Euspira lewisi</i>	of SCAMIT Ed 9
<i>Lunatia lewisi</i>	of Woodring, Bramlette & Kew 1946
<i>Natica algida</i>	Gould 1848
<i>Polinices lewisi</i>	of SCAMIT Ed 3
<i>Polinices (Euspira) algidus</i>	of I. Oldroyd 1927
<i>Neverita recluziana</i>	(Deshayes 1839)
<i>Natica reclusiana</i>	Deshayes 1839
<i>Glossaulax recluzianus</i>	of SCAMiT Ed 9
<i>Neverita alta</i>	of Pilsbry 1929
<i>Neverita callosa</i>	Gabb 1866
<i>Neverita (Glossaulax) thomsonae</i>	Hickman 1969
<i>Polinices altus</i>	Arnold 1903
<i>Polinices (Neverita) recluzianus</i>	of Grant & Gale 1931
<i>Sinum scopulosum</i>	(Conrad 1849)
<i>Sigaretus scopulosus</i>	Conrad 1849
<i>Sinum californicum</i>	I. Oldroyd 1917
<i>Sinum keratium</i>	Dall 1919
<b>Superfamily Rissooidea</b>	
<b>Family Rissoidae</b>	
<b>Subfamily Rissoinae</b>	
<i>Alvania compacta</i>	(Carpenter 1864)
<i>Rissoa compacta</i>	Carpenter 1864
<i>Rissoa acutelirata</i>	Carpenter 1864
<i>Alvania acutilirata</i>	of Bartsch 1911
<i>Alvania purpurea</i>	Dall 1871
<i>Alvania rosana</i>	Bartsch 1911
<i>Alvania burrardensis</i>	Bartsch 1921
<i>Alvania tumida</i>	Carpenter 1857
<i>Cingula</i> sp	
<b>Family Rissoinidae</b>	
<i>Rissoina</i> sp	
<b>Family Anabathridae</b>	
<i>Amphithalamus inclusus</i>	Carpenter 1864
<i>Amphithalamus tenuis</i>	Bartsch 1911
<b>Family Assimineidae</b>	
<i>Assiminea californica</i>	(Tryon 1865)

Hydrobia californica	Tryon 1865
Jeffreysia translucens	Carpenter 1964
Syncera translucens	of Bartsch 1920
<b>Family Barleeiidae</b>	
<i>Barleeia halotiphila</i>	Carpenter 1864
<i>Barleeia californica</i>	Bartsch 1920
<i>Barleeia coronadoensis</i>	Bartsch 1920
<i>Barleeia sanjuanensis</i>	Bartsch 1920
<i>Barleeia subtenuis</i>	Carpenter 1864
<i>Hydrobia ulvae</i>	of Carpenter 1857
<i>Rissoa cooperi</i>	Tryon 1887
<i>Lirobarleeia kelseyi</i>	(Dall & Bartsch 1902)
<i>Rissoa kelseyi</i>	Dall & Bartsch 1902
<b>Family Caecidae</b>	
<i>Caecum californicum</i>	Dall in Orcutt 1885
<i>Caecum cooperi</i>	of Carpenter 1864 not Smith 1860
<i>Caecum crebricinctum</i>	Carpenter 1864
<i>Caecum barkleyense</i>	Bartsch 1920
<i>Caecum catalinense</i>	Bartsch 1920
<i>Caecum oregonense</i>	Bartsch 1920
<i>Caecum pedroense</i>	Bartsch 1920
<i>Caecum rosanum</i>	Bartsch 1920
<i>Micranellum barkleyense</i>	Bartsch 1920
<i>Micranellum catalinense</i>	Bartsch 1920
<i>Micranellum crebricinctum</i>	of SCAMIT Ed 10
<i>Micranellum pertoense</i>	Bartsch 1920
<i>Micranellum profundicolum</i>	Bartsch 1920
<i>Micranellum oregonense</i>	Bartsch 1920
<i>Micranellum rosanum</i>	Bartsch 1920
<i>Caecum dalli</i>	Bartsch 1920
<i>Caecum diegense</i>	Bartsch 1920
<i>Caecum grippi</i>	Bartsch 1920
<i>Caecum licalium</i>	Bartsch 1920
<i>Caecum occidentale</i>	(Bartsch 1920)
<i>Fartulum occidentale</i>	Bartsch 1920
<i>Fartulum bakeri</i>	Bartsch 1920
<i>Fartulum hemphilli</i>	Bartsch 1920
<i>Caecum orcutti</i>	Dall 1885
<i>Fartulum orcutti</i>	of McLean 2007
<b>Family Cochliopidae</b>	
<i>Tryonia imitator</i>	(Pilsbry 1899)
<i>Paludestrina imitator</i>	Pilsbry 1899
<i>Rissoella sp SD1</i>	Barwick 1998 §
<b>Family Pomatiopsidae</b>	
<i>Cecina sp</i>	
<b>Family Tornidae</b>	
Subfamily Circuliniae	
<i>Circulus</i> sp	
Subfamily Teinostomatinae	
<i>Teinostoma supravallatum</i>	(Carpenter 1864)
<i>Ethalia supravallata</i>	Carpenter 1864
<i>Ethalia invallata</i>	Carpenter 1864
<i>Pseudorotella invallata</i>	of Woodring, Bramlette & Kew 1946
<i>Pseudorotella supravallata</i>	of Woodring, Bramlette & Kew 1946
<i>Teinostoma invallata</i>	of Dall 1921
<i>Teinostoma supravallata</i>	of Dall 1921
Subfamily Vitrinellinae	
<i>Vitrinella berryi</i>	Bartsch 1907
<i>Vitrinella oldroydi</i>	Bartsch 1907

<i>Vitrinella stearnsi</i>	Bartsch 1907
Superfamily Tonoidea	
<b>Family Bursidae</b>	
<i>Crossata ventricosa</i>	(Broderip 1833)
<i>Ranella ventricosa</i>	Broderip 1833
<i>Bursa californica</i>	of Grant & Gale 1931
<i>Bursa (Bufonaria) californica</i>	of I. Oldroyd 1927
<i>Crossata californica</i>	of SCAMIT Ed 7
<i>Ranella californica</i>	Hinds 1843
Superfamily Vanikoroidea	
<b>Family Vanikoridae</b>	
<i>Megalomphalus californicus</i>	(Dall 1903)
<i>Macromphalina californica</i>	Dall 1903
<b>Family Hipponicidae</b>	
<i>Antisabia panamensis</i>	(C. B. Adams 1852)
<i>Hipponix panamensis</i>	C. B. Adams 1852
<i>Hipponix antiquatus</i>	of authors NEP not (Linnaeus 1767)
Superfamily Velutinoidea	
<b>Family Velutinidae</b>	
Subfamily Lamellariinae	
<i>Hainotis sharonae</i>	(Willett 1939)
<i>Lamellaria sharonae</i>	Willett 1939
<i>Marseniopsis sharonae</i>	of SCAMIT Ed 10
<i>Lamellaria diegoensis</i>	Dall in Orcutt 1885
<i>Lamellaria orbiculata</i>	of Keen 1971 not Dall 1871
<i>Marsenia diegoensis</i>	of Bergh 1886
<i>Marsenina stearnsii</i>	(Dall 1871)
<i>Lamellaria stearnsi</i>	Dall 1871
<b>Family Triviidae</b>	
Subfamily Eratoinae	
<i>Hesperato columbella</i>	(Menke 1847)
<i>Erato columbella</i>	Menke 1847
<i>Hesperato vitellina</i>	(Hinds 1844)
<i>Erato vitellina</i>	Hinds 1844
Subfamily Triviinae	
<i>Dolichupis ritteri</i>	(Raymond 1903)
<i>Trivia ritteri</i>	Raymond 1903
<i>Decoratirvia ritteri</i>	of Cate 1979
<i>Trivia (Dolichupis) ritteri</i>	of Abbott 1974
<i>Pseudopusula californiana</i>	(J. E. Gray 1827)
<i>Cypraea californiana</i>	J. E. Gray 1827
<i>Trivia (Pusula) californiana</i>	of Abbott 1974
<i>Trivia californiana</i>	of SCAMIT Ed 10
<i>Pusula solandri</i>	(G. B. Sowerby I 1832)
<i>Cypraea solandri</i>	G. B. Sowerby I 1832
<i>Trivia solandri</i>	of McLean 1969
Superfamily Vermetoidea	
<b>Family Vermetidae</b>	
Subfamily Dendropomatinae	
<i>Petaloconchus montereyensis</i>	Dall 1919
Subfamily Vermetinae	
<i>Thylacodes squamigerus</i>	(Carpenter, 1857)
<i>Aletes squamigerus</i>	Carpenter 1857
<i>Serpulorbis squamigerus</i>	of Turgeon et al 1998
Suborder Ptenoglossa	
Superfamily Epitonioidae	
<b>Family Epitoniidae</b>	
<i>Epitonium bellastriatum</i>	(Carpenter 1864)
<i>Scalaria bellastrata</i>	Carpenter 1864

Asperiscala bellastrata	of DuShane 1979
Epitonium (Asperiscala) bellistriatum	of Palmer 1958
Scala bellastrata	of Arnold 1903
<i>Epitonium berryi</i>	(Dall 1907)
Scala berryi	Dall 1907
Epitonium inconspicua	of Dall 1921 not G. B. Sowerby II 1847
Nitidiscala catalinense	DuShane 1979
Scala rectilaminata	Dall 1907
<i>Epitonium hindsii</i>	(Carpenter 1856)
Scalaria hindsii	Carpenter 1856
Epitonium persuturum	Dall 1917
Epitonium (Nitidiscala) contrerasi	Jordan & Hertlein 1926
Epitonium (Nitidiscala) cooperi	Strong 1930
Epitonium (Nitidoscala) fallaciosum	Dall 1917
Nitidiscala hindsii	of DuShane 1979
Scala hindsii	of Arnold 1903
<i>Epitonium indianorum</i>	(Carpenter 1864)
Scalaria indianorum	Carpenter 1864
Epitonium columbianum	Dall 1917
Epitonium montereyense	Dall 1917
Epitonium (Nitidoscala) indianorum	of Dall 1917
Nitidiscala indianorum	of DuShane 1979
Scala indianorum	of Arnold 1903
Scalaria regiomontana	Dall in DeBoury 1919 (Dall 1906)
<i>Epitonium lowei</i>	Dall 1906
Scala lowei	of DuShane 1979
Asperiscala lowei	of Keen 1971
Epitonium (Asperiscala) lowei	of Dall 1921
<i>Epitonium minuticosta</i>	(De Boury 1912)
Scala (Viciniscala) minuticosta	De Boury 1912
<i>Epitonium politum</i>	(G. B. Sowerby II 1844)
Scalaria polita	G. B. Sowerby II 1844
Depressiscala polita	of DuShane 1979
Epitonium implicatum	Dall & Ochsner 1928
Epitonium (Nitidiscala) pedroanum	Willett 1932
Epitonium (Nitidoscala) appressicostatum	Dall 1917
<i>Epitonium sawinae</i>	(Dall 1903)
Scala sawinae	Dall 1903
Epitonium berryi	of Dall 1917 not (Dall 1907)
Epitonium regium	Dall 1917
Epitonium tabulatum	Dall 1917
Epitonium (Crisposcala) acrostephanus	Dall 1908
Epitonium (Crisposcala) catalinae	Dall 1908
Nitidiscala sawinae	of Dushane 1979
<i>Epitonium tinctum</i>	(Carpenter 1865)
Scalaria (? Indianorum var.) tincta	Carpenter 1865
Epitonium continuatum	T. Oldroyd 1925
Epitonium (Nitidiscala) eelense	Durham 1937
Epitonium (Nitidoscala) tinctum var bormanni	Strong 1941
Nitidiscala tincta	of DuShane 1979
Scala tincta	of Arnold 1903
Scalaria subcoronata	Carpenter 1864
<i>Opalia funiculata</i>	(Carpenter 1857)
Scalaria (Cirostrema) funiculata	Carpenter 1857
Dentiscala crenimarginata	Dall 1917
Dentiscala nesiotica	Dall 1917
Epitonium (Dentiscala) nesioticum	of I. Oldroyd 1927
Epitonium (Dentiscala) crenimarginatum	of I. Oldroyd 1927

<i>Opalia crenimarginata</i>	of Abbott 1974
<i>Opalia insculpta</i>	Carpenter 1864
<i>Opalia (Dentiscala) insculpta</i>	of Dall 1917
<i>Scala crenimarginata</i>	of DeBoury 1919
<i>Opalia montereyensis</i>	(Dall 1907)
<i>Scala (Cirostrema) montereyensis</i>	Dall 1907
<i>Epitonium (Opalia) evictum</i>	of I. Oldroyd 1927
<i>Opalia evicta</i>	of Abbott 1974
<i>Opalia pluricostata</i>	of Dall 1917
<i>Scala evicta</i>	DeBoury 1919
<i>Opalia spongiosa</i>	Carpenter 1864
<i>Epitonium (Nodiscala) spongiosum</i>	of I. Oldroyd 1927
<i>Opalia retiporosa</i>	Carpenter 1864
<i>Opalia (Dentiscala) spongiosa</i>	of Abbott 1974
<i>Opalia (Nodiscala) spongiosa</i>	of Palmer 1958 <b>(Mörch 1875)</b>
<i>Opalia wroblewskii</i>	Mörch 1875
<i>Scala Wroblewskyi</i>	of Dall 1917
<i>Epitonium (Opalia) wroblewskii</i>	<b>of SCAMIT Ed 10</b>
<i>Epitonium borealis</i>	Strong 1937
<i>Opalia chacei</i>	of Emerson 1956
<i>Opalia wroblewskyi chacei</i>	of Tapparone-Caneffri 1876 not Deshayes 1861
Superfamily Eulimoidea	
<b>Family Eulimidae</b>	
<i>Balcis berryi</i>	(Bartsch 1917)
<i>Melanella berryi</i>	Bartsch 1917
<i>Balcis compacta</i>	(Carpenter 1864)
<i>Eulima compacta</i>	Carpenter 1864
<i>Melanella compacta</i>	of Dall 1921
<i>Balcis micans</i>	(Carpenter 1864)
<i>Eulima micans</i>	Carpenter 1864
<i>Melanella comoxensis</i>	Bartsch 1917
<i>Melanella micans</i>	of I. Oldroyd 1927
<i>Melanella (Balcis) micans</i>	of Abbott 1974
<i>Melanella (Eulima) micans</i>	of Bailey 1935
<i>Balcis oldroydae</i>	(Bartsch 1917)
<i>Melanella (Melanella) oldroydi</i>	Bartsch 1917
<i>Melanella (Melanella) micans borealis</i>	Bartsch 1917
<i>Balcis sp A</i>	SCAMIT 2003 §
<i>Balcis sp SD1</i>	Barwick & Douglass 2003 §
<i>Balcis sp SD2</i>	Barwick & Douglass 2003 §
<i>Eulima almo</i>	(Bartsch 1917)
<i>Strombiformis almo</i>	Bartsch 1917
<i>Eulima raymondi</i>	Rivers 1904
<i>Eulima californica</i>	of Cadieri 1980
<i>Strombiformis californica</i>	Bartsch 1917
<i>Stromiformis californicus</i>	of Abbott 1974
<i>Strombiformis lapazana</i>	Bartsch 1917
<i>Strombiformis riversi</i>	Bartsch 1917
<i>Strombiformis townsendi</i>	Bartsch 1917
<i>Haliella abyssicola</i>	<b>Bartsch 1917</b>
<i>Melanella rosa</i>	Willett 1944
<i>Melanella thersites</i>	(Carpenter 1864)
<i>Eulima thersites</i>	Carpenter 1864
<i>Niso attilioi</i>	(Hertz & Hertz 1982)
<i>Eulimostraca attilioi</i>	Hertz & Hertz 1982
<i>Polygireulima rutila</i>	(Carpenter 1866)
<i>Eulima rutila</i>	Carpenter 1866
<i>Balcis rutila</i>	of J. Burch 1945

<i>Melanella rutila</i>	of I. Oldroyd 1927
<i>Melanella (Balcis) rutila</i>	of Abbott 1974
<i>Melanella (Melanella) rutila</i>	of Bartsch 1917
<i>Pseudosabinella bakeri</i>	(Bartsch 1917)
<i>Sabinella bakeri</i>	Bartsch 1917
<i>Alaba catalinensis</i>	Bartsch 1920
<i>Alaba serrana</i>	Smith & Gordon 1948
<i>Melanella (Sabinella) bakeri</i>	of I. Oldroyd 1927
<i>Vitreolina columbiana</i>	(Bartsch 1917)
<i>Melanella (Balcis) columbiana</i>	Bartsch 1917
<i>Balcis (Vitreolina) titubans</i>	Berry 1956
<i>Melanella columbiana</i>	of I. Oldroyd 1927
<i>Melanella (Balcis) grippi</i>	Bartsch 1917
<i>Vitreolina yod</i>	(Carpenter 1857)? in part
<i>Vitreolina macra</i>	(Bartsch 1917)
<i>Melanella (Balcis) macra</i>	Bartsch 1917
<i>Balcis (Vitreolina) obstipa</i>	Berry 1954
<i>Melanella macra</i>	of I. Oldroyd 1917
<i>Melanella (Balcis) catalinensis</i>	Bartsch 1917
<i>Melanella (Balcis) prefalcata</i>	Bartsch 1917
<i>Vitreolina yod</i>	(Carpenter 1857)? in part
Superfamily Triphoroidea	
<b>Family Cerithiopsidae</b>	
<b>Subfamily Cerithiopsinae</b>	
<i>Cerithiopsis carpenteri</i>	Bartsch 1911
<i>Seila montereyensis</i>	Bartsch 1907
<b>Family Triphoridae</b>	
<i>Triphora catalinensis</i>	(Bartsch 1907)
<i>Triphoris catalinensis</i>	Bartsch 1907
Suborder Neogastropoda	
Superfamily Buccinoidea	
<b>Family Buccinidae</b>	
<b>Subfamily Buccininae</b>	
<i>Kelletia kelletii</i>	(Forbes 1850)
<i>Fusus kelletii</i>	Forbes 1850
<i>Kelletia kelletii</i>	of I. Oldroyd 1927
<i>Siphonalia kelletii</i>	of Arnold 1903
<i>Neptunea tabulata</i>	(Baird 1863)
<i>Chrysodomus tabulata</i>	Baird 1863
<i>Chrysodomus bairdi</i>	Dall 1909
<b>Subfamily Busyconinae</b>	
<i>Busycotypus canaliculatus</i>	(Linnaeus 1758)
<i>Murex canaliculatus</i>	Linnaeus 1758
<b>Family Columbellidae</b>	
<b>Subfamily Columbellinae</b>	
<i>Aesopus eurytoideus</i>	(Carpenter 1864)
<i>Truncaria eurytoides</i>	Carpenter 1864
<i>Aesopus subturritus</i>	(Carpenter 1866)
<i>Anachis subturrita</i>	Carpenter 1866
<i>Anachis petravis</i>	Dall 1908
<i>Alia carinata</i>	(Hinds 1844)
<i>Columbella carinata</i>	Hinds 1844
<i>Mitrella californica</i>	(Gaskoin 1852)
<i>Mitrella carinata</i>	of McLean 1969
<i>Nitidella carinata</i>	of I. Oldroyd 1927
<i>Alia tuberosa</i>	(Carpenter 1864)
<i>Amycla tuberosa</i>	Carpenter 1864
<i>Astyris tuberosa</i>	of Keep 1888
<i>Columbella tuberosa</i>	of I. Oldroyd 1927

Columbella (Alia) tuberosa	of Dall 1921
Columbella (Astyris) tuberosa	of Williamson 1892
Columbella (Mitrella) tuberosa	of Tryon 1883
Mitrella tuberosa	of McLean 1969
<i>Amphissa bicolor</i>	Dall 1892
<i>Amphissa reticulata</i>	Dall 1916
<i>Amphissa versicolor</i> var <i>reticulata</i>	Dall 1916
<i>Amphissa undata</i>	(Carpenter 1864)
<i>Amycla undata</i>	Carpenter 1864
<i>Amphissa ventricosa</i>	Arnold 1903
<i>Columbella undata</i>	of Tryon 1883
<i>Amphissa versicolor</i>	Dall 1871
<i>Amphissa incisa</i>	Dall 1916
<i>Amphissa lineata</i>	Stearns 1872
<i>Astyris aurantiaca</i>	Dall 1871
<i>Astyris clementensis</i>	Bartsch 1927
<i>Mitrella aurantiaca</i>	of McLean 1969
<i>Astyris gausapata</i>	(Gould 1850)
<i>Columbella gausapata</i>	Gould 1850
<i>Alia casciana</i>	Dall 1919
<i>Columbella dalli</i>	E. A. Smith 1880
<i>Mitrella gouldi</i>	of Grant & Gale 1931
<i>Nitidella gouldii</i>	Carpenter in Gould & Carpenter 1857
<i>Nitidella lutulenta</i>	Dall 1919
<i>Astyris permodesta</i>	(Dall 1890)
<i>Columbella permodesta</i>	Dall 1890
<i>Columbella (Astyris) permodesta</i>	of I. Oldroyd 1927
<i>Mitrella permodesta</i>	of Abbott 1974
<i>Decipifus penicillata</i>	(Carpenter 1864)
? <i>Anachis penicillata</i>	Carpenter 1864
<i>Anachis (Chauvetia) penicillata</i>	of Grant & Gale 1931
<i>Columbella (Anachis) penicillata</i>	of Dall 1921
<i>Columbella (Seminella) penicillata</i>	of Tryon 1883
<i>Nassarina penicillata</i>	of McLean 1969

### Family Fasciolariidae

#### Subfamily Fusininae

<i>Aptyxis luteopictus</i>	(Dall 1877)
<i>Fusus luteopictus</i>	Dall 1877
<i>Fusinus (Aptyxis) luteopictus</i>	of Abbott 1974
<i>Barbarofusus barbarensis</i>	(Trask 1855)
<i>Fusus barbarensis</i>	Trask 1855
<i>Fusinus barbarensis</i>	of McLean 1996

*Harfordia* sp

### Family Nassariidae

#### Subfamily Nassariinae

<i>Caesia delosi</i>	(Woodring in Woodring, Bramlette & Kew 1946)
<i>Nassarius delosi</i>	Woodring in Woodring, Bramlette & Kew 1946
<i>Schizopyga californica</i>	of authors not Conrad 1856
<i>Caesia fossatus</i>	(Gould 1850)
<i>Buccinum fossatum</i>	Gould 1850
<i>Alectron (Schizopyga) fossatus</i>	of I. Oldroyd 1927
<i>Nassa fossata</i>	of Keep 1888
<i>Nassarius fossatus</i>	of McLean 1978
<i>Schizopyga fossata</i>	of Dall 1921
<i>Caesia perpinguis</i>	(Hinds 1844)
<i>Nassa perpinguis</i>	Hinds 1844
<i>Alectron perpinguis</i>	of Dall 1917
<i>Nassarius perpinguis</i>	of McLean 1996
<i>Nassarius mendicus</i>	(Gould 1850)

<i>Nassa mendica</i>	Gould 1850
<i>Alectriion (Schizopyga) mendicus</i>	of I. Oldroyd 1927
<b>Hima mendica</b>	of SCAMIT Ed 10
<i>Nassarius cooperi</i>	(Forbes 1852)
<i>Nassarius indisputabilis</i>	(I. Oldroyd 1927)
<i>Nassa tiarula</i>	Kiener 1841
<i>Alectriion tegula</i>	of Jordan 1924
<i>Alectriion (Schizopyga) tegulus</i>	of I. Oldroyd 1927
<i>Alectriion (Zeuxis) tegula</i>	of Dall 1921 (Kiener 1841)
<b><i>Nassarius tiarula</i></b>	of SCAMIT Ed 10
<b><i>Arcularia tiarula</i></b>	Reeve 1853
<i>Nassa tegula</i>	of McLean 1969
<i>Nassarius tegula</i>	Carpenter 1864
<i>Nassa insculpta</i>	of Dall 1917
<i>Alectriion insculptus</i>	Dall 1917
<i>Alectriion insculptusvar eupleura</i>	of I. Oldroyd 1927
<i>Alectriion (Schizopyga) insculptus</i>	(Carpenter 1864) of SCAMIT Ed 10
<b><i>Tritia insculpta</i></b>	of McLean 1996
<b><i>Hinea insculpta</i></b>	Hertlein & Strong 1951
<i>Nassarius insculptus</i>	of Dall 1921
<i>Nassarius insculptus gordanus</i>	
<i>Zeuxis insculptus</i>	
Superfamily Muricoidea	
<b>Family Muricidae</b>	
<b>Subfamily Coralliophillinae</b>	
<i>Babelomurex oldroydi</i>	(I. Oldroyd 1929)
<i>Latiaxis oldroydi</i>	I. Oldroyd 1929
<b>Subfamily Muricopsinae</b>	
<i>Maxwellia gemma</i>	(G. B. Sowerby II 1879)
<i>Murex gemma</i>	G. B. Sowerby II 1879
<i>Maxwellia santarosana</i>	(Dall 1905)
<i>Murex (Phyllonotus) santarosana</i>	Dall 1905
<i>Murex (Murexiella) santarosanus</i>	of Abbott 1974
<i>Murexiella santarosana</i>	of Keen 1971
<b>Subfamily Ocenebrinae</b>	
<i>Acanthinucella punctulata</i>	(G. B. Sowerby I 1835)
<i>Monoceros punctulata</i>	G. B. Sowerby I 1835
<i>Acanthinucella spirata</i>	(de Blainville 1832)
<i>Purpura spirata</i>	de Blainville 1832
<i>Acanthina spirata</i>	of McLean 1978
<i>Monoceros engonatum</i>	of Keep 1888
<i>Austrotrophon catalinensis</i>	(I. Oldroyd 1927)
<i>Trophon (Austrotrophon) catalinensis</i>	I. Oldroyd 1927
<i>Forreria (Austrotrophon) catalinensis</i>	of Grant & Gale 1931
<i>Trophon (Austrotrophon) cerrosensis catalinensis</i>	of Abbott 1974
<i>Ceratostoma foliatum</i>	(Gmelin 1791)
<i>Murex foliatus</i>	Gmelin 1791
<i>Ceratostoma nuttalli</i>	(Conrad 1837)
<i>Murex (Cerostoma) nuttalli</i>	Conrad 1837
<i>Ceratostoma (Ceratostoma) nuttalli</i>	of Abbott 1974
<i>Purpura nuttallii albescens</i>	Dall 1919
<i>Purpura nuttallii albofasciata</i>	Dall 1919
<i>Purpura (Purpura) nuttalli</i>	of Grant & Gale 1931
<i>Pterynotus aciculiger</i>	Valenciennes 1846
<i>Forreria belcheri</i>	(Hinds 1843)
<i>Murex belcheri</i>	Hinds 1843
<i>Chorus belcheri</i>	of Arnold 1903
<i>Mexacanthina lugubris</i>	(G. B. Sowerby I 1822)
<i>Monoceros lugubris</i>	G. B. Sowerby I 1822

Acanthina lugubris	of authors NEP
Acanthina tyrianthina	Berry 1957
<i>Nucella emarginata</i>	(Deshayes 1839)
Purpura emarginata	Deschayes 1839
<i>Nucella lamellosa</i>	(Gmelin 1791)
Buccinum lamellosa	Gmelin 1791
Thais franciscana	Dall 1915
Thais neptunaea	Dall 1915
Thais sitkana	Dall 1915
<i>Nucella ostrina</i>	(Gould 1852)
Purpura ostrina	Gould 1852
Thais emarginata var projecta	Dall 1915
<i>Ocinebrina barbarensis</i>	(Gabb 1865)
Murex (Muricidea) barbarensis	Gabb 1865
Ocenebra barbarensis	of McLean 1978
Ocenebra crispatissima	Berry 1953
Tritonalia barbarensis	of Dall 1921
<i>Ocinebrina beta</i>	(Dall 1919)
Tritonalia interfossa beta	Dall 1919
Ocenebra beta	of Abbott 1974
Ocenebra keenae	Bormann 1946
<i>Ocinebrina circumtexta</i>	Stearns 1871
<i>Ocinebrina foveolata</i>	(Hinds 1844)
Murex foveolatus	Hinds 1844
Ocenebra foveolata	of Radwin & D'Attilio 1976
Tritonalia epiphanea	Dall 1919
Tritonalia fusconotata	Dall 1919
Trophon squamulifer	Carpenter in Gabb 1869
<i>Ocinebrina interfossa</i>	Carpenter 1864
<i>Pteropurpura festiva</i>	(Hinds 1844)
Murex festivus	Hinds 1844
Pteropurpura (Shaskyus) festiva	of Abbott 1974
Purpura (Jaton) festiva	of Grant & Gale 1931
Shaskyus festivus	of J. Burch & Campbell 1963
<i>Pteropurpura macroptera</i>	(Deshayes 1839)
Murex macropterus	Deshayes 1839
Murex alba	Berry 1908
Murex petri	Dall 1900
Murex tremperi	Dall 1910
Pteronotus carpenteri	Dall 1899
<i>Pteropurpura trialata</i>	(G. B. Sowerby II 1834)
Murex trialatus	G. B. Sowerby II 1834
Alipurpura trialata	of Dall 1921
<i>Pteropurpura vokesae</i>	Emerson 1964
Murex rhyssus	Dall 1919 not Tate 1888
<i>Roperia poulsoni</i>	(Carpenter 1864)
Ocenebra poulsoni	Carpenter 1864
Fusus roperi	Dall 1898
<b>Subfamily Rapaninae</b>	
<i>Stramonita biserialis</i>	(de Blainville 1832)
Purpura beserialis	Blainville 1832
Purpura haematura	Valenciennes 1846
Thais (Stramonita) biserialis	Keen 1971
<b>Subfamily Trophoninae</b>	
<i>Boreotrophon avalonensis</i>	Dall 1902
<i>Boreotrophon bentleyi</i>	Dall 1908
Trophon (Neptunea) bentleyi	of I. Oldroyd 1927
<i>Boreotrophon eucymatus</i>	Dall 1902
Trophon (Neptunea) eucymatus	of I. Oldroyd 1927

<i>Boreotrophon multicostatus</i>	(Eschscholtz 1829)
<i>Murex multicostatus</i>	
<i>Scabrotrophon grovesi</i>	Eschscholtz 1829
<i>Nipponotrophon scitulus</i>	McLean 1996
<i>Trophon lasius</i>	
<i>Scabrotrophon maltzani</i>	of Myers & D'Attilio 1980 in part not (Dall 1891)
<i>Trophon maltzani</i>	of Willett 1938 in part not (Dall 1919)
<i>Nipponotrophon lasius</i>	(Kobelt & Küster 1878)
<i>Nipponotrophon maltzani</i>	Kobert & Küster 1878
<i>Nipponotrophon subserratus</i>	of Radwin & D'Attilio 1976 not (Dall 1919)
<i>Trophon subserratus</i>	of Houart 1985
<i>Trophon (Trophonopsis) lasius</i>	of Roth 1981
<i>Trophonopsis lasius</i>	G. B. Sowerby II 1880
	of Willett 1938 in part not (Dall 1919)
	of Abbott 1974 in part not (Dall 1919)
<b>Family Marginellidae</b>	
<b>Subfamily Marginellinae</b>	
<i>Volvarina taeniolata</i>	Mörch 1860
<i>Volvarina californica</i>	Tomlin 1816
<i>Volvarina parallela</i>	Dall 1918
<b>Family Cysticidae</b>	
<b>Subfamily Persiculinae</b>	
<i>Gibberula subtrigona</i>	(Carpenter 1864)
<i>Marginella subtrigona</i>	Carpenter 1864
<i>Granula subtrigona</i>	of authors NEP
<i>Hyalina (Cystiscus) subtrigona</i>	of Grant & Gale 1931
<i>Persicula (Gibberula) subtrigona</i>	of Abbott 1954
<b>Subfamily Granulininae</b>	
<i>Granulina margaritula</i>	(Carpenter 1857)
<i>Marginella margaritula</i>	Carpenter 1857
<i>Cypraeolina margaritula</i>	of I. Oldroyd 1927
<i>Volutella pyriformis</i>	Carpenter 1864
<b>Subfamily Plesiocysticinae</b>	
<i>Plesiocystiscus myrmecoon</i>	(Dall 1919)
<i>Hyalina myrmecoon</i>	Dall 1919
<i>Marginella (Hyalina) myrmecoon</i>	of I. Odryoyd 1927
<i>Cystiscus myrmecoon</i>	of Coan & Roth 1966
<i>Plesiocystiscus politulus</i>	(Dall 1919)
<i>Hyalina politulus</i>	Dall 1919
<i>Cystiscus politulus</i>	of McLean 1969
<b>Family Mitridae</b>	
<i>Mitra idae</i>	Melvill 1893
<i>Mitra catalinae</i>	Dall 1919
<i>Mitra diegensis</i>	Dall 1919
<i>Mitra loweana</i>	Dall 1903
<i>Mitra montereyi</i>	Berry 1920
<i>Mitra semiusta</i>	Berry 1957
Superfamily Olivoidea	
<b>Family Olivellidae</b>	
<i>Callianax baetica</i>	(Carpenter 1857)
<i>Olivella baetica</i>	Carpenter 1857
<i>Olivella diegensis</i>	T. Oldroyd 1921
<i>Olivella mexicana</i>	T. Oldroyd 1921
<i>Olivella porteri</i>	Dall 1910
<i>Callianax biplicata</i>	(G. B. Sowerby I 1825)
<i>Oliva biplicata</i>	G. B. Sowerby I 1825
<i>Olivella angelana</i>	T. Oldroyd 1918
<i>Olivella biplicata</i>	of authors NEP
<i>Olivella biplicata lapillus</i>	Vanatta 1915
<i>Olivella fucana</i>	T. Oldroyd 1921
<i>Olivella parva</i>	T. Oldroyd 1921

<i>Callianax pycna</i>	(Berry 1935)
<i>Olivella pycna</i>	Berry 1935
<i>Olivella intorta</i>	Carpenter 1857
<i>Olivella pedroana</i>	of authors NEP not Conrad 1856
Superfamily Pseudolivoidea	
<b>Family Pseudolividae</b>	
<i>Macron lividus</i>	(A. Adams 1855)
<i>Pseudolivia livida</i>	A. Adams 1855
<b>Family Ptychatractidae</b>	
<i>Metzgeria</i> sp	
Superfamily Conoidea	
<b>Family Conidae</b>	
<i>Californiconus californicus</i>	(Hinds 1844)
<i>Conus californicus</i>	Hinds 1844
<b>Family Borsoniidae</b>	
<i>Borsonella merriami</i>	(Arnold 1903)
<i>Drillia merriami</i>	Arnold 1903
<i>Ophiodermella cancellata</i>	(Carpenter 1864)
<i>Drillia cancellata</i>	Carpenter 1864
<i>Clathrodrillia (Moniliopsis) rhines</i>	of Dall 1921
<i>Moniliopsis cancellata</i>	of Dall 1918
<i>Moniliopsis chacei</i>	Berry 1941
<i>Moniliopsis rhines</i>	of Dall 1919
<i>Surcula rhines</i>	Dall 1908
<i>Ophiodermella fancherae</i>	(Dall 1903)
<i>Mangilia fancherae</i>	Dall 1903
<i>Moniliopsis incisa</i> var <i>fancherae</i>	of Grant & Gale 1931
<i>Ophiodermella inermis</i>	(Reeve 1843)
<i>Pleurotoma inermis</i>	Reeve 1843
<i>Drillia incisa</i>	Carpenter 1864
<i>Ophiodermella montereyensis</i>	Bartsch 1944
<i>Ophiodermella ophioderma</i>	of McLean 1978
<i>Turris (Surcula) halcyonis</i>	Dall 1908
<i>Suavodrillia kennicotti</i>	(Dall 1871)
<i>Drillia kennicotti</i>	Dall 1871
<b>Family Clathurellidae</b>	
<i>Crockerella eriphyle</i>	(Dall 1919)
<i>Mangilia eriphyle</i>	Dall 1919
<i>Mangelia eriphyle</i>	of Abbott 1974
<i>Crockerella evadne</i>	(Dall 1919)
<i>Mangilia evadne</i>	Dall 1919
<i>Spirotropis ? evadne</i>	Grant & Gale 1931
<i>Crockerella lowei</i>	(Dall 1903)
<i>Clathurella lowei</i>	Dall 1903
<i>Clathurella crystallina</i>	of Abbott 1974 not Gabb 1865
<i>Philbertia hesione</i>	Dall 1919
<b>Family Mitromorphidae</b>	
<i>Mitromorpha gracilior</i>	(Tryon 1884)
<i>Daphnella gracilior</i>	Tryon 1884
<b>Family Mangeliidae</b>	
<i>Kurtzia arteaga</i>	(Dall & Bartsch 1910)
<i>Mangelia arteaga</i>	Dall & Bartsch 1910
<i>Mangelia arteaga</i> var <i>roperi</i>	Dall 1919
<i>Kurtzia gordoni</i>	Bartsch 1944
<i>Kurtziella plumbea</i>	(Hinds 1843)
<i>Mangelia plumbea</i>	Hinds 1843
<i>Mangelia alesidota</i>	Dall 1919
<i>Mangelia angulata</i>	Carpenter 1864
<i>Mangelia angulata</i> var <i>subangulata</i>	Carpenter 1857

<i>Mangelia barbarensis</i>	I. Oldroyd 1924
<i>Mangelia hebe</i>	Dall 1919
<i>Mangelia hecetae</i>	Dall & Bartsch 1910
<i>Mangelia oenoa</i>	Dall 1919
<i>Mangelia sulcata</i>	Carpenter 1865
<i>Mangelia terfa</i>	Dall 1919
<i>Mangelia wrighti</i>	Jordan 1936
<i>Mangeliidae</i> sp HYP1	Phillips 1990 §
<i>Kurtzina beta</i>	(Dall 1919)
<i>Mangelia (Kurtziella) beta</i>	Dall 1919
<i>Kurtziella (Kurtzina) beta</i>	of McLean in Keen 1971
<i>Mangelia hexagona</i>	Gabb 1865
<i>Agathotoma quintinensis</i>	of Dall 1925
<i>Cytherella hexagona</i>	of I. Oldroyd 1927
<i>Cytherella (Agathotoma) quintinensis</i>	Dall 1921
<i>Mangilia (Cytherella) branneri</i>	Arnold 1903
<i>Oenopota regulus</i>	(Dall 1919)
<i>Lora regulus</i>	Dall 1919
<i>Propebela turricula</i>	(Montagu 1803)
<i>Murex turricula</i>	Montagu 1803
<i>Turridae</i> sp SD1	Lilly 2004 §
<b>Family Raphitomidae</b>	
<i>Daphnella clathrata</i>	Gabb 1865
<i>Daphnella</i> sp SD1	Barwick 1998 §
<i>Pleurotomella herminea</i>	Dall 1919
<b>Family Drillidae</b>	
<i>Elaeocyma empyrosia</i>	(Dall 1899)
<i>Drillia empyrosia</i>	Dall 1899
<i>Kylix halocydne</i>	(Dall 1919)
<i>Elaecyma halocydne</i>	Dall 1919
<b>Family Pseudomelatomidae</b>	
<i>Antiplanes catalinae</i>	(Raymond 1904)
<i>Pleurotoma (Antiplanes) catalinae</i>	Raymond 1904
<i>Antiplanes gabbi</i>	Kantor & Syssov 1991
<i>Antiplanes major</i>	Bartsch 1944
<i>Antiplanes perversa</i>	of I. Oldroyd 1927
<i>Antiplanes voyi</i>	of Abbott 1974 not Gabb 1866
<i>Pleurotoma (Surcula) perversa</i>	of Gabb 1855 not Philippi 1847
<i>Antiplanes thalea</i>	(Dall 1902)
<i>Pleurotoma (Antiplanes) thalea</i>	Dall 1902
<i>Antiplanes rotula</i>	Dall 1921
<i>Antiplanes santarosana</i>	Dall 1902
<i>Antiplanes (Rectiplanes) santarosana</i>	of McLean 1971
<i>Antiplanes (Rectiplanes) willetti</i>	Berry 1953
<i>Pleurotoma (Spirotropis) smithi</i>	of Arnold 1903 not Forbes 1840
<i>Crassispira semiinflata</i>	(Grant & Gale 1931)
<i>Pseudomelatoma penicillata</i> var <i>semiinflata</i>	Grant & Gale 1931
<i>Burchia redondoensis</i>	of Bartsch 1944
<i>Crassispira redondoensis</i>	T. Burch 1938
<i>Megasurcula carpenteriana</i>	(Gabb 1865)
<i>Pleurotoma (Surcula) carpenteriana</i>	Gabb 1865
<i>Cryptoconus carpenteriana</i>	of Dall 1921
<i>Megasurcula granti</i>	Bartsch 1944
<i>Megasurcula tremperiana</i>	Dall 1911
<i>Pleurotoma (Surcula) tryoniana</i>	Gabb 1866
<i>Megasurcula stevensiana</i>	(Raymond 1904)
<i>Pleurotoma (Genota) stevensiana</i>	Raymond 1904
<i>Cryptoconus stevensiana</i>	of Dall 1921
<i>Megasurcula remondii</i>	of authors NEP not Gabb 1866

<i>Pseudomelatoma penicillata</i>	(Carpenter 1865)
<i>Drillia penicillata</i>	Carpenter 1865
<i>Drillia moesta</i>	Carpenter 1865
<i>Pseudotaranis strongi</i>	(Arnold 1903)
<i>Mangelia (Taranis) strongi</i>	Arnold 1903
<i>Rhodopetoma renaudi</i>	(Arnold 1903)
<i>Drillia renaudi</i>	Arnold 1903
<b>Family Terebridae</b>	
<b>Subfamily Terebrinae</b>	
<i>Terebra hemphilli</i>	Vanatta 1924
<i>Terebra danai</i>	Berry 1958
<i>Terebra pedroana</i>	Dall 1908
<i>Terebra albocincta</i> var <i>pedroana</i>	of Grant & Gale 1931
<i>Terebra pedroana philippianum</i>	of Dall 1925 not Deshayes 1859
<i>Terebra simplex</i>	of Arnold 1903
<i>Terebra (Strioterebrum) pedroana</i>	of I. Oldroyd 1927
Superfamily Cancelloidea	
<b>Family Cancellariidae</b>	
<b>Subfamily Cancellariinae</b>	
<i>Cancellaria cooperii</i>	Gabb 1865
<i>Cancellaria (Narona) cooperii</i>	Gabb 1865
<i>Cancellaria (Progabbia) cooperi</i>	of Dall 1921
<i>Cancellaria crawfordiana</i>	Dall 1891
<i>Cancellaria ghiorum</i>	Costa 1993
<i>Cancellaria (Crawfordina) crawfordiana</i>	of Abbott 1974
<i>Cancellaria (Progabbia) crawfordiana</i>	of I. Oldroyd 1927
<i>Cancellaria decussata</i>	G. B. Sowerby I 1832
<b>Subfamily Admetinae</b>	
<i>Admete californica</i>	(Dall 1908)
<i>Cancellaria (Admete?) californica</i>	Dall 1908
<i>Admete gracilior</i>	(Carpenter in Gabb 1869)
<i>Cancellaria gracilior</i>	Carpenter 1869
<i>Admete couthouyi</i>	of authors not Jay 1839
<i>Admete rhyssa</i>	Dall 1919
<i>Admete seftoni</i>	Berry 1956
<i>Admete woodworthi</i>	Dall 1905
Subclass Heterobranchia	
Infraclass unassigned	
Superfamily Actenoidea	
<b>Family Acteonidae</b>	
<i>Acteon traskii</i>	Stearns 1898
<i>Rictaxis painei</i>	(Dall 1903)
<i>Actaeon (Rictaxis) painei</i>	Dall 1903
<i>Rictaxis punctocaelatus</i>	(Carpenter 1864)
<i>Tornatella punctocaelata</i>	Carpenter 1864
<i>Acteon punctocaelatus vancouverensis</i>	I. Oldroyd 1927
<i>Acteon (Rictaxis) punctocaelata</i>	of Dall 1921
<i>Acteon (Rictaxis) punctocaelatus</i>	of Grant & Gale 1931
<i>Rhextaxis punctocoelata</i>	of Keep 1887
<b>Family Aplustridae</b>	
<i>Parvaplustrum</i> sp A	SCAMIT 1995 §
<i>Cephalaspidea</i> sp A	SCAMIT 1993 §
<i>Parvamplustrum</i> sp	of Gosliner 1996
<i>Parvaplustrum</i> sp B	SCAMIT 1996 §
<i>Meloscaphander</i> sp A	SCAMIT 1995 §
Superfamily Murchisonelloidea	
<b>Family Murchisonellidae</b>	
<b>Subfamily Murchisonellinae</b>	
<i>Murchisonella occidentalis</i>	(Hemphill 1894)

<i>Eulimella occidentalis</i>	Hemphill 1894
<i>Aclis occidentalis</i>	of SCAMIT Ed 10
<i>Turbanilla (Cingulina) evermanni</i>	Baker, Hanna & Strong 1928
Superfamily Pyramidelloidea	
Family <b>Pyramidellidae</b>	
Subfamily <b>Odostomiinae</b>	
<i>Aartsenia pupiformis</i>	(Carpenter 1865)
<i>Odostomia pupiformis</i>	Carpenter 1865
<i>Boonea oregonensis</i>	(Dall & Bartsch 1907)
<i>Odostomia (Chrysallida) oregonensis</i>	Dall & Bartsch 1907
<i>Chrysallida eucosmia</i>	(Dall & Bartsch 1909)
<i>Odostomia eucosmia</i>	Dall & Bartsch 1909
<i>Chrysallida helga</i>	(Dall & Bartsch 1909)
<i>Odostomia (Chrysallida) helga</i>	Dall & Bartsch 1909
<i>Ivara turricula</i>	(Dall & Bartsch 1903)
<i>Odostomia (Ivara) turricula</i>	Dall & Bartsch 1903
<i>Ividella navisa</i>	(Dall & Bartsch 1907)
<i>Odostomia (Ividella) navisa</i>	Dall & Bartsch 1907
<i>Odostomia aequisculpta</i>	Carpenter 1864
<i>Odostomia astricta</i>	Dall & Bartsch 1907
<i>Odostomia cooperi</i>	Dall & Bartsch 1907
<i>Odostomia lucca</i>	Dall & Bartsch 1909
<i>Odostomia montereyensis</i>	Dall & Bartsch 1909
<i>Odostomia oldroydi</i>	Dall & Bartsch 1909
<i>Odostomia canfieldi</i>	Dall 1908
<i>Odostomia clementina</i>	Dall & Bartsch 1909
<i>Odostomia columbiana</i>	Dall & Bartsch 1907
<i>Odostomia eugena</i>	Dall & Bartsch 1909
<i>Odostomia gravida</i>	Gould 1853
<i>Odostomia ritteri</i>	Dall & Bartsch 1909
<i>Odostomia tenuisculpta</i>	Carpenter 1864
<i>Odostomia amchitkana</i>	Dall & Bartsch 1907
<i>Odostomia baranoffensis</i>	Dall & Bartsch 1907
<i>Odostomia clesseni</i>	Dall & Bartsch 1907
<i>Odostomia deliciosa</i>	Dall & Bartsch 1907
<i>Odostomia hagemeisteri</i>	Dall & Bartsch 1907
<i>Odostomia jewetti</i>	Dall & Bartsch 1907
<i>Odostomia kadiakensis</i>	Dall & Bartsch 1907
<i>Odostomia obesa</i>	Dall & Bartsch 1907
<i>Odostomia phanea</i>	Dall & Bartsch 1907
<i>Odostomia santarosana</i>	Dall & Bartsch 1907
<i>Odostomia sitkaensis</i>	Clessin 1900
<i>Odostomia socorroensis</i>	Dall & Bartsch 1907
<i>Odostomia stephensae</i>	Dall & Bartsch 1907
<i>Odostomia straminea</i>	Carpenter 1865
<i>Odostomia tillamookensis</i>	Dall & Bartsch 1907
<i>Odostomia valdeni</i>	Dall & Bartsch 1907
<i>Odostomia virginalis</i>	Dall & Bartsch 1909
<i>Odostomia sp D</i>	MBC 1980 §
<i>Trabecula laxa</i>	(Dall & Bartsch 1909)
<i>Odostomia laxa</i>	Dall & Bartsch 1909
Subfamily <b>Turbanillinae</b>	
<i>Turbanilla almo</i>	Dall & Bartsch 1909
<i>Turbanilla castanea</i>	Keep 1887
<i>Turbanilla chocolata</i>	(Carpenter 1864)
<i>Chemnitzia chocolata</i>	Carpenter 1864
<i>Turbanilla halia</i>	Dall & Bartsch 1909
<i>Turbanilla keepi</i>	Dall & Bartsch 1909
<i>Turbanilla lowei</i>	Dall & Bartsch 1908

<i>Turbanilla</i> sp SD2	Barwick 1995 §
<i>Turbanilla</i> sp LAH1	Phillips 2010 §
<i>Turbanilla</i> sp SMB1	Phillips 2001 §
<i>Turbanilla</i> sp SMB4	Phillips 2006 §
<i>Turbanilla diegensis</i>	Dall & Bartsch 1909
<i>Turbanilla kelseyi</i>	Dall & Bartsch 1909
<i>Turbanilla laminata</i>	(Carpenter 1864)
<i>Dunkeria</i> laminata	Carpenter 1864
<i>Turbanilla</i> sp HYP4	Phillips 1998 §
<i>Turbanilla nuttingi</i>	Dall & Bartsch 1909
<i>Turbanilla raymondi</i>	Dall & Bartsch 1909
<i>Turbanilla regina</i>	Dall & Bartsch 1909
<i>Turbanilla santarosana</i>	Dall & Bartsch 1909
<i>Turbanilla</i> sp SD1	Barwick 1995 §
<i>Turbanilla</i> sp HYP2	Phillips 1996 §
<i>Turbanilla signae</i>	Dall & Bartsch 1909
<i>Turbanilla</i> sp SD7	Barwick 1995 §
<i>Turbanilla (Pyrgiscus)</i> sp HYP2	Phillips 2006 §
<i>Turbanilla tenuicula</i>	(Gould 1853)
<i>Chemnitzia</i> tenuicula	Gould 1853
<i>Turbanilla</i> sp DC2	Phillips 2015 §
<i>Turbanilla tridentata</i>	(Carpenter 1864)
<i>Chemnitzia</i> tridentata	Carpenter 1864
<i>Turbanilla</i> sp DC1	Phillips 2016 §
<i>Turbanilla weldi</i>	Dall & Bartsch 1909
<i>Turbanilla</i> sp GOL1	Phillips 2014 §
<i>Turbanilla</i> sp A	SCAMIT 1988 §
<b>Family Amathinidae</b>	
<i>Iselica obtusa</i>	(Carpenter 1864)
<i>Isapis obtusa</i>	Carpenter 1864
<i>Iselica ovoidea</i>	(Gould 1853)
<i>Narica ovoidea</i>	Gould 1853
<i>Isapis fenestrata</i>	Carpenter 1864
<i>Iselica fenestrata</i>	of McLean 1969
Superfamily Ringiculoidea	
<b>Family Ringiculidae</b>	
<i>Microglyphis brevicula</i>	(Dall 1902)
<i>Actaeon (Microglyphis)</i> breviculus	Dall 1902
Superfamily Rissoelloidea	
<b>Family Rissoellidae</b>	
<i>Rissoella</i> sp	
Infraclass Opisthobranchia	
Superorder Nudipleura	
Order Nudibranchia	
Superfamily Doridoidea	
<b>Family Dorididae</b>	
<i>Aldisa sanguinea</i>	(Cooper 1863)
<i>Doris sanguinea</i>	Cooper 1863
<i>Conualevia alba</i>	Collier & Farmer 1964
<i>Doris montereyensis</i>	Cooper 1863
<i>Archidoris montereyensis</i>	of SCAMIT Ed 4
<i>Archidoris nyctea</i>	Bergh 1900
<i>Doris odhneri</i>	(MacFarland 1966)
<i>Archidoris odhneri</i>	MacFarland 1966
<i>Doris pickensi</i>	Marcus & Marcus 1967
<i>Doris tanya</i>	(Ev. Marcus 1971)
<i>Sclerodoris tanya</i>	Ev. Marcus 1971
<b>Family Actinocyclidae</b>	
<i>Hallaxa chani</i>	Gosliner & Williams 1975

**Family Chromodorididae**

<i>Cadlina flavomaculata</i>	MacFarland 1905
<i>Cadlina limbaughorum</i>	Lance 1962
<i>Cadlina limbaughi</i>	Lance 1962
<i>Cadlina luteomarginata</i>	MacFarland 1966
<i>Cadlina marginata</i>	MacFarland 1905
<i>Cadlina modesta</i>	MacFarland 1966
<i>Cadlina sparsa</i>	(Odhner 1921)
<i>Juanella sparsa</i>	Odhner 1921
<i>Felimare californiensis</i>	(Bergh 1879)
<i>Chromodoris californiensis</i>	Bergh 1879
<i>Hypselodoris californiensis</i>	of SCAMIT Ed 7
<i>Felimare porterae</i>	(Cockerell 1901)
<i>Chromodoris porterae</i>	Cockerell 1901
<i>Mexichromis porterae</i>	of SCAMIT Ed 7
<i>Felimida macfarlandi</i>	(Cockerell 1901)
<i>Chromodoris macfarlandi</i>	Cockerell 1901

**Family Discodorididae**

<i>Atagema alba</i>	(O'Donoghue 1927)
<i>Doridigata alba</i>	O'Donoghue 1927
<i>Atagema quadrimaculata</i>	Collier 1963
<i>Petelodoris spongicola</i>	MacFarland 1966
<i>Baptodoris mimetica</i>	Gosliner 1991
<i>Diaulula sandiegensis</i>	(Cooper 1863)
<i>Doris (Actinocyclus ?) sandiegensis</i>	Cooper 1863
<i>Discodoris sandiegensis</i>	of McDonald & Nybakken 1980
<i>Geitodoris heathi</i>	(MacFarland 1905)
<i>Discodoris heathi</i>	MacFarland 1905
<i>Jorunna pardus</i>	Behrens & Henderson 1981
<i>Peltodoris mullineri</i>	Millen & Bertsch 2000
<i>Peltodoris nobilis</i>	(MacFarland 1905)
<i>Montereina nobilis</i>	MacFarland 1905
<i>Anisodoris nobilis</i>	of SCAMIT Ed 4
<i>Platydoris macfarlandi</i>	Hanna 1951
<i>Rostanga pulchra</i>	MacFarland 1905
<i>Thordisa bimaculata</i>	Lance 1966

## Superfamily Phyllidoidea

**Family Dendrodorididae**

<i>Dendrodoris nigromaculata</i>	(Cockerell in Cockerell & Eliot 1905)
<i>Doridopsis nigromaculata</i>	Cockerell in Cockerell & Eliot 1905
<i>Dendrodoris behrensi</i>	Millen & Bertsch 2005
<i>Dendrodoris sp 3</i>	of Behrens 1991
<i>Doriopsilla albopunctata</i>	(Cooper 1863)
<i>Doris albopunctata</i>	Cooper 1863
<i>Doriopsis reticulata</i>	Cockerell & Eliot 1905
<i>Doriopsilla davebeehrensi</i>	Hoover et al 2015
<i>Doriopsilla albopunctata</i>	of Gosliner, Schafer & Behrens 1999 in part not (Cooper 1868)
<i>Doriopsilla fulva</i>	(Macfarland 1905)
<i>Doriopsis fulva</i>	MacFarland 1905
<i>Doriopsilla gemela</i>	Gosliner, Schafer & Millen 1999
<i>Dendrodoris sp 1</i>	of Behrens 1991
<i>Doriopsilla rowena</i>	Marcus & Marcus 1967
<i>Dendrodoris nigromaculata</i>	of Behrens 1991 not (Cockerell in Cockerell & Eliot 1905)
<i>Doriopsilla nigromaculata</i>	of Behrens & Hermosillo 2005 not (Cockerell in Cockerell & Eliot 1905)
<i>Doriopsilla spaldingi</i>	Valdés & Behrens 1998

## Superfamily Onchidoridoidea

**Family Onchidorididae**

<i>Acanthodoris brunnea</i>	MacFarland 1905
<i>Acanthodoris hudsoni</i>	MacFarland 1905

<i>Acanthodoris lutea</i>	MacFarland 1925
<i>Acanthodoris rhodoceras</i>	Cockerell in Cockerell & Eliot 1905
<i>Corambe pacifica</i>	MacFarland & O'Donoghue 1929
<i>Corambe steinbergae</i>	(Lance 1962)
<i>Doridella steinbergae</i>	Lance 1962
<i>Diaphorodoris lirulatocauda</i>	Millen 1985
<i>Onchidoris hystricina</i>	of authors NEP not (Bergh 1878)
<i>Loy thompsoni</i>	(Millen & Nybakken 1991)
<i>Corambe thompsoni</i>	Millen & Nybakken 1991
<i>Corambe sp 1</i>	Behrens 1991
<i>Psammodoris thompsoni</i>	of SCAMIT Ed 4
<i>Onchidoris bilamellata</i>	(Linnaeus 1767)
<i>Doris bilamellata</i>	Linnaeus 1767
<b>Family Goniodorididae</b>	
<i>Ancula gibbosa</i>	(Risso 1818)
<i>Tritonia gibbosa</i>	Risso 1818
<i>Ancula pacifica</i>	of SCAMIT Ed 8
<i>Ancula lentiginosa</i>	Farmer in Farmer & Sloan 1964
<i>Okenia angelensis</i>	Lance 1966
<i>Okenia rosacea</i>	(MacFarland 1905)
<i>Hopkinsia rosacea</i>	MacFarland 1905
<i>Okenia vancouverensis</i>	(O'Donoghue 1921)
<i>Idalia vancouverensis</i>	O'Donoghue 1921
<i>Okenia sp A</i>	Cadien 1982 §
Superfamily Polyceroidea	
<b>Family Polyceridae</b>	
<b>Subfamily Polycerinae</b>	
<i>Crimora coneja</i>	Marcus 1961
<i>Limacia cockerelli</i>	(MacFarland 1905)
<i>Laila cockerelli</i>	MacFarland 1905
<i>Polycera atra</i>	MacFarland 1905
<i>Polycera hedgpethi</i>	Marcus 1964
<i>Polycera tricolor</i>	Robilliard 1971
<i>Polycerella glandulosa</i>	Behrens & Gosliner 1988
<i>Polycera zoobotryon</i>	of authors NEP not Smallwood 1910
<i>Trapania velox</i>	(Cockerell 1901)
<i>Thecacera velox</i>	Cockerell 1901
<i>Drepania velox</i>	of MacFarland 1929
<b>Subfamily Triophinae</b>	
<i>Holoplocamus sp</i>	Gosliner 1996
<i>Triopha catalinae</i>	(Cooper 1863)
<i>Triopa catalinae</i>	Cooper 1863
<i>Triopha carpenteri</i>	Stearns 1873
<i>Triopha elioti</i>	O'Donoghue 1921
<i>Triopha modesta</i>	Bergh 1880
<i>Triopha scrippsiana</i>	Cockerell 1915
<i>Triopha maculata</i>	MacFarland 1905
<i>Triopha aurantiaca</i>	Cockerell 1908
<i>Triopha grandis</i>	MacFarland 1905
<b>Family Aegiretidae</b>	
<i>Aegires albopunctatus</i>	MacFarland 1905
Superfamily Arminoidea	
<b>Family Arminidae</b>	
<i>Armina californica</i>	(Cooper 1863)
<i>Pleurophyllidia californica</i>	Cooper 1863
<i>Armina columbiana</i>	O'Donoghue 1924
<i>Armina digueti</i>	Pruvot-Fol 1955
<i>Armina sp A</i>	SCAMIT 2000 §
<i>Pleurophyllidia vancouveriensis</i>	Bergh 1876

Superfamily Tritonoidea

**Family Tritoniidae**

*Tochuina gigantea*

Tritonia gigantea  
Sphaerostoma gigantea  
Sphaerostoma tetraqueta  
Tochuina tetraqueta  
Tritonia tetraqueta  
Tritoniopsis tertiaqueta  
Tritoniopsis aurantia

*Tritonia festiva*

Lateribranchaea festiva  
Duvaucelia festiva  
Sphaerostoma undulata  
Tritonia reticulata  
Tritoniopsis palmeri

*Tritonia myrakeenae*

*Tritonia tetraqueta*

Limax tetraqueta  
Duvaucelia gilberti  
Duvaucelia (Duvaucelia) septemtrionalis  
Duvaucelia tetraqueta  
Sphaerostoma diomedea  
Tritonia diomedea  
Tritonia exsulans  
Tritonia palmeri  
Tritonia primorjensis  
Tritonia spoloides

**Family Dendronotidae**

*Dendronotus albopunctatus*

*Dendronotus albus*

Dendronotus diversicolor

*Dendronotus iris*

Dendronotus giganteus

Dendronotus nanus

*Dendronotus subramosus*

*Dendronotus venustus*

Dendronotus frondosus

**Family Hancockiidae**

*Hancockia californica*

(Bergh 1904)

Bergh 1904  
of O'Donoghue 1926  
of O'Donoghue 1924  
of authors NEP not (Pallas 1788)

of Bergh 1879  
of Odhner 1936

Mattox 1955  
(Stearns 1873)

Stearns 1873  
of MacFarland 1966  
O'Donoghue 1924

Bergh 1881  
of Cockerell & Eliot 1903

Bertsch & Mozqueira 1986  
(Pallas 1788)

Pallas 1788  
MacFarland 1966

Baba 1917

of MacFarland 1966

of O'Donoghue 1924

Bergh 1894

Bergh 1894

Cooper 1863

Minichev 1971

Aurivillius 1887

**Robilliard 1972**

MacFarland 1966

Robilliard 1970

Cooper 1863

O'Donoghue 1921

Marcus & Marcus 1967

MacFarland 1966

MacFarland 1966

of SCAMIT Ed 5 not (Ascanius 1774)

MacFarland 1923

**Family Lomanotidae**

*Lomanotus* sp

**Family Tethyidae**

*Melibe leonina*

Chiaraera leonina

(Gould 1852)

Gould 1852

Superfamily Flabellinoidea

**Family Flabellinidae**

*Cumanotus fernaldi*

Cumanotus beaumonti

Cumanotus sp I

*Flabellina cooperi*

Coryphella cooperi

*Flabellina goddardi*

*Flabellina iodinea*

Aeolis (? Phidiana) iodinea

Coryphella iodinea

Coryphella sabulicola

Flabellinopsis iodinea

*Flabellina pricei*

Thompson & Brown 1984

of Turgeon et al 1988

of Behrens & Hermosillo 2005

(Cockerell 1901)

Cockerell 1901

Gosliner 2010

(Cooper 1863)

Cooper 1863

of Williams & Gosliner 1978

Cowen & Laur 1978

of MacFarland 1966

(MacFarland 1966)

<i>Coryphella pricei</i>	MacFarland 1966
<i>Flabellina trilineata</i>	(O'Donoghue 1921)
<i>Coryphella trilineata</i>	O'Donoghue 1921
<i>Coryphella fisheri</i>	MacFarland 1966
<i>Coryphella piunca</i>	Er. Marcus 1961
Superfamily Fionoidea	
<b>Family Eubranchidae</b>	
<i>Eubranchus rupium</i>	(Möller 1842)
<i>Tergipes rupium</i>	Möller 1842
<i>Eubranchus olivaceus</i>	of Behrens 1980
<i>Galvina olivacea</i>	O'Donoghue 1922
<i>Eubranchus rustyus</i>	(Marcus 1961)
<i>Capellinia rustyia</i>	Marcus 1961
<b>Family Tergipedidae</b>	
<b>Subfamily Cuthoninae</b>	
<i>Catriona columbiana</i>	(O'Donoghue 1922)
<i>Amphorina columbiana</i>	O'Donoghue 1922
<i>Catriona alpha</i>	of Behrens 1980
<i>Cratena spadix</i>	MacFarland 1966
<i>Cuthona alpha</i>	Baba & Hamatani 1963
<i>Catriona rickettsi</i>	Behrens 1984
<i>Cuthona abronia</i>	(MacFarland 1966)
<i>Cratena abronia</i>	MacFarland 1966
<i>Trinchesia abronia</i>	of Behrens 1980
<i>Cuthona albocrusta</i>	(MacFarland 1966)
<i>Cratena albocrusta</i>	MacFarland 1966
<i>Trinchesia albocrusta</i>	of Behrens 1980
<i>Cuthona divae</i>	(Er. Marcus 1961)
<i>Precuthona divae</i>	Er. Marcus 1961
<i>Cuthona flavovulta</i>	(MacFarland 1966)
<i>Cratena flavovulta</i>	MacFarland 1966
<i>Cuthona fulgens</i>	(MacFarland 1966)
<i>Cratena fulgens</i>	MacFarland 1966
<i>Cuthona hamanni</i>	Behrens 1987
<i>Cuthona lagunae</i>	(O'Donoghue 1926)
<i>Hervia lagunae</i>	O'Donoghue 1926
<i>Trinchesia lagunae</i>	of Behrens 1980
<i>Cuthona rolleri</i>	<b>Gosliner &amp; Behrens 1988</b>
<i>Tenellia adspersa</i>	(Nordmann 1845)
<i>Tergipes adspersus</i>	Nordmann 1845
<i>Tenellia pallida</i>	of Cadieri 1980
Superfamily Aeolidioidea	
<b>Family Aeolidiidae</b>	
<i>Aeolidia loui</i>	<b>Kienberger et al 2016</b>
<i>Aeolidia farinacea</i>	(Stimpson 1854)
<i>Aeolidia papillosa</i>	<b>of authors NEP not (Linnaeus 1761)</b>
<i>Aeolidia papillosa herculea</i>	<b>of MacFarland 1966 not Bergh 1894</b>
<i>Antaeolidiella chromosoma</i>	(Cockerell & Eliot 1905)
<i>Spurilla chromosoma</i>	Cockerell & Eliot 1905
<i>Aeolidiella chromosoma</i>	(Cockerell & Eliot 1905)
<i>Antaeolidiella indica</i>	(Bergh 1888)
<i>Aeolidiella indica</i>	Bergh 1888
<i>Antaeolidiella oliviae</i>	(MacFarland 1966)
<i>Aeolidiella oliviae</i>	MacFarland 1966
<i>Spurilla oliviae</i>	of Behrens 1980
<i>Cerberilla mosslandica</i>	McDonald & Nybakken 1975
<i>Cerberilla pungoarena</i>	Collier & Farmer 1964
<i>Cerberilla sp 1</i>	Behrens 1991
<b>Family Facelinidae</b>	

<b>Subfamily Facelininae</b>	
<i>Austraeolis stearnsi</i>	(Cockerell 1901)
<i>Facelina stearnsi</i>	Cockerell 1901
<i>Emarcusia morroensis</i>	Roller 1972
<i>Hermisenda opalescens</i>	(Cooper 1863)
<i>Flabellina opalescens</i>	Cooper 1863
<i>Hermissenda crassicornis</i>	of SCAMIT Ed 10
<i>Phidiana hiltoni</i>	(O'Donoghue 1927)
<i>Facelina hiltoni</i>	O'Donoghue 1927
<i>Phidiana nigra</i>	MacFarland 1966
<i>Phidiana pugnax</i>	Lance 1962
<b>Subfamily Babakininae</b>	
<i>Babakina festiva</i>	(Roller 1972)
<i>Babaina festiva</i>	Roller 1972
Superfamily unknown	
<b>Family Dironidae</b>	
<i>Dirona albolineata</i>	MacFarland in Cockerell & Eliot 1905
<i>Dirona picta</i>	MacFarland in Cockerell & Eliot 1905
<b>Family Dotoidae</b>	
<i>Doto amyra</i>	Er. Marcus 1961
<i>Doto ganda</i>	Er. Marcus 1961
<i>Doto varians</i>	MacFarland 1966 in part
<i>Doto wara</i>	Er. Marcus 1961
<i>Doto columbiana</i>	O'Donoghue 1921
<i>Doto kya</i>	Er. Marcus 1961
<i>Doto varians</i>	MacFarland 1966 in part
<i>Doto lancei</i>	Marcus & Marcus 1967
<b>Family Zephyrinidae</b>	
<i>Janolus anulatus</i>	Camacho-Garcia & Gosliner 2007
<i>Janolus sp 1</i>	of Behrens 1991
<i>Janolus barbarensis</i>	(Cooper 1863)
<i>Aolis barbarensis</i>	Cooper 1863
<i>Antiopella barbarensis</i>	of MacFarland 1966
Order Pleurobranchomorpha	
Superfamily Pleurobranchoidea	
<b>Family Pleurobranchidae</b>	
<b>Subfamily Pleurobranchiniae</b>	
<i>Berthella californica</i>	(Dall 1900)
<i>Pleurobranchus californicus</i>	Dall 1900
<i>Berthella denticulatus</i>	of Lee & Foster 1985
<i>Pleurobranchus californicus denticulatus</i>	MacFarland 1966
<i>Pleurobranchus chacei</i>	J. Burch 1944
<i>Berthella strongi</i>	(MacFarland 1966)
<i>Pleurobranchus strongi</i>	MacFarland 1966
<i>Berthellina ilisima</i>	Marcus & Marcus 1967
<i>Berthellina citrina</i>	(Ruppell & Leuckart 1828)
<i>Berthellina engeli</i>	Gardner 1936
<b>Subfamily Pleurobranchaeinae</b>	
<i>Pleurobranchaea californica</i>	MacFarland 1966
Order Umbraculida	
Superfamily Umbraculoidea	
<b>Family Tylodinidae</b>	
<i>Tylospina fungina</i>	Gabb 1865
Order Runcinacea	
Superfamily Runcinoidea	
<b>Family Runcinidae</b>	
<i>Runcina macfarlandi</i>	Gosliner 1991
Order Anaspidea	
Superfamily Aplysioidea	

<b>Family Aplysiidae</b>	
<b>Subfamily Aplysiinae</b>	
<i>Aplysia californica</i>	Cooper 1863
<i>Aplysia (Neaplysia) californica</i>	Cooper 1863
<i>Aplysia nettae</i>	Winkler 1959
<i>Aplysia vaccaria</i>	Winkler 1955
<b>Subfamily Dolabridferinae</b>	
<i>Phyllaplysia taylori</i>	Dall 1900
<i>Phyllaplysia zostericola</i>	McCauley 1960
Superfamily Akeroidea	
<b>Family Akeridae</b>	
<i>Akera julieae</i>	Valdés & Barwick 2005
<b>Order Cephalaspidea</b>	
Superfamily Bulloidea	
<b>Family Bullidae</b>	
<i>Bulla gouldiana</i>	Pilsbry 1895
<i>Bulla nebulosa</i>	of A. Adams 1850 ex. Gould MS not Schröter 1804
<b>Family Retusidae</b>	
<i>Sulcoretusa xystrum</i>	(Dall 1919)
<i>Retusa xystrum</i>	Dall 1919
<i>Sulcularia xystrum</i>	(Dall 1919)
<b>Family Rhizoridae</b>	
<i>Volvulella californica</i>	(Dall 1919)
<i>Rhizorus californicus</i>	Dall 1919
<i>Volvulella catharia</i>	Dall 1919
<i>Volvulella cylindrica</i>	(Carpenter 1864)
<i>Volvula cylindrica</i>	Carpenter 1864
<i>Volvulella callicera</i>	Dall 1919
<i>Volvulella cooperi</i>	Dall 1919
<i>Volvulella lowei</i>	(Strong & Hertlein 1937)
<i>Volvulella panamica</i>	Dall 1919
<i>Rhizorus panamicus</i>	(Dall 1919)
<i>Volvulella tenuissima</i>	Willett 1944
<b>Family Acteocinidae</b>	
<i>Acteocina carinata</i>	(Carpenter 1856)
<i>Tornatina carinata</i>	Carpenter 1856
<i>Retusa (Acteocina) carinata</i>	of Grant & Gale 1931
<i>Acteocina cerealis</i>	(Gould 1853)
<i>Bulla (Tornatina) cerealis</i>	Gould 1853
<i>Acteocina eximia</i>	of SCAMIT Ed 4
<i>Bullina eximia</i>	Baird 1863
<i>Acteocina culcitella eximia</i>	of Willett 1928
<i>Acteocina culcitella intermedia</i>	Willett 1928
<i>Cylichnella culcitella</i>	of Gosliner 1979 not (Gould 1853)
<i>Tornatina eximia</i>	of Pilsbry 1895
<i>Utriculastra culcitella</i>	of Er. Marcus 1977
<i>Acteocina culcitella</i>	(Gould 1853)
<i>Bulla (Akera) culcitella</i>	Gould 1853
<i>Tornastra rolleri</i>	Er. Marcus 1977
<i>Acteocina harpa</i>	(Dall 1871)
<i>Tornatina harpa</i>	Dall 1871
<i>Acteocina oldroydi</i>	Dall 1925
<i>Acteocina (Coleophysis) harpa</i>	of Abbott 1974
<i>Cylichnella harpa</i>	of SCAMIT 1994
<i>Retusa (Coleophysis) harpa</i>	of I. Oldroyd 1927
<i>Utriculastra harpa</i>	of Thiele 1925
<i>Acteocina inculta</i>	(Gould 1855)
<i>Bulla (Tornatina) inculta</i>	Gould 1855
<i>Cylichnella inculta</i>	of Gosliner 1979

Superfamily Haminoeoidea

**Family Haminoeidae**

**Subfamily Haminoeinae**

*Haminoea vesicula*

Bulla (Haminea) vesicula

Haminaea vesicula

*Haminoea virescens*

Bulla virescens

Haminaea virescens

Haminoea cymbiformis

Haminoea olgae

Haminoea rosacea

Haminoea strongi

(Gould 1855)

Gould 1855

of SCAMIT Ed 3

(G. B. Sowerby I 1833)

G. B. Sowerby I 1833

of SCAMIT Ed 3

Carpenter 1857

Dall 1919

Spicer 1933

Baker & Hanna 1927

Superfamily Philinoidea

**Family Philinidae**

*Philine auriformis*

*Philine bakeri*

Philine alba

*Philine hemphilli*

Woodbridgea williamsi

*Philine ornatissima*

Philine sp A

Philine sp 1

*Philine polystrigma*

Clistaxis ? polystrigma

Woodbridgea polystrigma

Suter 1909

Dall 1919

of Abbott 1974 not Mattox 1958

**Dall 1919**

S. S. Berry 1953

**Yokoyama 1927**

of SCAMIT Ed 10

Gosliner 1996

(Dall 1908)

Dall 1908

of SCAMIT Ed 10

**Family Aglajidae**

*Aglaja ocelligera*

Doridium ocelligerum

Aglaja diomedea

Aglaja phocae

Chelidonura phocae

Doridium adellae

*Melanochlamys diomedea*

Doridium diomedaeum

Aglaja diomedea

Aglaja nana

Aglaja sp A

Melanochlamys nana

*Navanax inermis*

Strategus inermis

Aglaja bakeri

Aglaja inermis

Chelidonura inermis

Doridium purpureum

Navarchus inermis

(Bergh 1893)

Bergh 1893

of MacFarland 1966 in part

of Rudman 1974

Er. Marcus 1961

Dall 1894

(Bergh 1893)

Bergh 1893

of MacFarland 1966 in part

Steinberg & Jones 1960

Cadien 1989 §

of Rudman 1972

(Cooper 1863)

Cooper 1863

MacFarland 1924

of Austin 1985

of Er. Marcus 1961

Bergh 1893

of Cooper 1863

**Family Gastropteridae**

*Gastropteron pacificum*

Gastropteron cinereum

Bergh 1893

Dall 1925

**Family Philinoglossidae**

*Philinoglossa* sp A

SCAMIT 1998 §

**Family Scaphandridae**

Scaphandridae unid

**Family Philinorbidae**

*Philinorbus albus*

Philine alba

Philine bakeri

Philine bakeri

(Mattox 1958)

**Mattox 1958**

of Behrens 1991 not Dall 1919

of MacFarland 1966 in part not Dall 1919

**Family Laoniidae**

<i>Laona californica</i>	(Willett 1944)
<i>Philine californica</i>	Willett 1944
Superfamily Diaphanoidea	
<b>Family Cylichnidae</b>	
<i>Cylichna attonsa</i>	Carpenter 1865
<i>Cylchna ? Cylindracea var attonsa</i>	Carpenter 1865
<i>Cylchna propinqua</i>	E. A. Smith 1872
<i>Cylchnella (Bullinella) attonsa</i>	of Dall 1921
<i>Cylichna diegensis</i>	(Dall 1919)
<i>Cylchnella diegensis</i>	Dall 1919
<b>Family Diaphanidae</b>	
<b>Subfamily Diaphaninae</b>	
<i>Diaphana californica</i>	Dall 1919
superfamily uncertain	
<b>family uncertain</b>	
<i>Bullomorpha</i> sp A	Ljubenkov 1994 §
Order Sacoglossa	
Superfamily Limapontoidea	
<b>Family Hermaeidae</b>	
<i>Alderia willowi</i>	Krug, Ellingson, Burton & Valdés 2007
<i>Alderia modesta</i>	of authors SCB not (Lóven 1844)
<i>Aplysiopsis enteromorphae</i>	(Cockerell & Eliot 1905)
<i>Phyllobranchopsis enteromorphae</i>	Cockerell & Eliot 1905
<i>Hermaeina smithi</i>	Marcus 1961
<i>Aplysiopsis oliviae</i>	(MacFarland 1966)
<i>Hermaeina oliviae</i>	MacFarland 1966
<i>Olea hansineensis</i>	Agersborg 1923
<b>Family Limapontiidae</b>	
<i>Placida dendritica</i>	(Alder & Hancock 1843)
<i>Calliopaea dendritica</i>	Alder & Hancock 1843
Superfamily Plakobranchoidea	
<b>Family Plakobranchidae</b>	
<i>Elysia hedgpethi</i>	Marcus 1961
Infraclass Pulmonata	
Order Pulmonata [unassigned]	
Superfamily Ellobioidea	
<b>Family Ellobiidae</b>	
<b>Subfamily Melampiniae</b>	
<i>Melampus olivaceus</i>	Carpenter 1857
Superfamily Trimusculoidea	
<b>Family Trimusculidae</b>	
<i>Trimusculus reticulatus</i>	(G. B. Sowerby I 1835)
<i>Mouretia reticulata</i>	G. B. Sowerby I 1835
Superfamily Siphonarioidea	
<b>Family Siphonariidae</b>	
<i>Siphonaria brannani</i>	Stearns 1873
<i>Williamia peltoides</i>	(Carpenter 1864)
<i>Nacella peltoides</i>	Carpenter 1864
<i>Liriola peltoides</i> var <i>vernalis</i>	Dall 1878
<i>Williamia galapagana</i>	Dall 1909
Class Bivalvia	
Subclass Protobranchia	
Order Nuculida	
Superfamily Nuculoidea	
<b>Family Nuculidae</b>	
<b>Subfamily Nuculiniae</b>	
<i>Acila castrensis</i>	(Hinds 1843)
<i>Nucula castrensis</i>	Hinds 1843
<i>Acila (Truncacilia) beringiana</i>	Slodkevisch 1967

Nucula divaricata	of Conrad 1848 not Hinds 1843
Nucula empiresis	Howe 1922
Nucula lyalli	W. Baird 1863
<i>Ennucula lincki</i>	(Dall 1916)
<i>Nucula lincki</i>	Dall 1916
<i>Ennucula tenuis</i>	(Montagu 1808)
<i>Arca tenuis</i>	Montagu 1808
<i>Nucula bellottii</i>	A. Adams 1856
<i>Nucula expansa</i>	of Reeve 1855 not Brown 1848
<i>Nucula inflata</i>	of Hancock 1846 not G. B. Sowerby I 1827
<i>Nucula quirica</i>	Dall 1916
<i>Nucula tenuis</i>	of Bernard 1983
<i>Nucula tenuis lucida</i>	Whiteaves 1887
<i>Nucula (Ennucula) balboana</i>	Herlein & Grant 1972
<i>Nucula (Leionucula) leptodonta</i>	Bernard 1983
<i>Nucula carlottensis</i>	Dall 1897
<i>Nucula keenae</i>	Bernard 1983
<i>Nucula takashii</i>	Bernard 1983
<i>Nucula exigua</i>	G. B. Sowerby I 1833
<i>Nucula paytensis</i>	A. Adams 1856
<i>Nucula suprastriata</i>	Arnold 1903
Order Solemyida	
Superfamily Solemyoidea	
<b>Family Solemyidae</b>	
<b>Subfamily Acharacinae</b>	
<i>Acharax johnsoni</i>	(Dall 1891)
<i>Solemya johnsoni</i>	Dall 1891
<b>Subfamily Solemyinae</b>	
<i>Solemya perverncosa</i>	Kuroda 1948
<i>Solemya reidi</i>	Bernard 1980
<i>Solemya panamensis</i>	of authors NEP not Dall 1908
Superfamily Manzanelloidea	
<b>Family Nucinellidae</b>	
<i>Huxleyia munita</i>	(Dall 1898)
<i>Cyrilla munita</i>	Dall 1898
<i>Nucinella munita</i>	(Dall 1898)
<i>Nucula petriola</i>	Dall 1916
Order Nuculanida	
<b>Family Nuculanidae</b>	
<b>Subfamily Nuculaninae</b>	
<i>Nuculana conceptionis</i>	(Dall 1896)
<i>Leda conceptionis</i>	Dall 1896
<i>Leda gomphoidea</i>	Dall 1916
<i>Nuculana extenuata</i>	(Dall 1897)
<i>Leda extenuata</i>	Dall 1897
<i>Nuculana hamata</i>	(Carpenter 1864)
<i>Leda hamata</i>	Carpenter 1864
<i>Nuculana limata</i>	(Dall 1916)
<i>Nuculana (Thestyleda) hamata</i>	of Hertlein & Strong 1940
<i>Nuculana taphria</i>	(Dall 1896)
<i>Leda taphria</i>	Dall 1896
<i>Nuculana caelata</i>	of (Hinds 1843) not (Conrad 1833)
<i>Nuculana sp A</i>	SCAMIT 2006 §
<i>Nuculana elenensis</i>	of authors NEP not G. B. Sowerby I in Broderip & Sowerby 1833
<i>Nuculana sp B</i>	SCAMIT 2013 §
<i>Nuculana sp B</i>	SCAMIT 2010 §
<i>Nuculana leonina</i>	of authors NEP not (Dall 1896)
<i>Nuculana navisa</i>	of OCSD not (Dall 1916)
<i>Saccella penderi</i>	(Dall & Bartsch 1910)

<i>Leda penderi</i>	Dall & Bartsch 1910
<i>Nuculana acuta</i>	of authors not (Conrad 1832)
<i>Nuculana burchi</i>	Willett 1944
<i>Nuculana oxia</i>	Dall 1916
<i>Nuculana penderi</i>	of SCAMIT Ed 6
<i>Nuculana redondoensis</i>	J. Burch 1944
<b>Subfamily Ledellinae</b>	
<i>Ledella fiascona</i>	(Dall 1916)
<i>Leda fiascona</i>	Dall 1916
<b>Family Mallettiidae</b>	
<i>Malletia faba</i>	Dall 1897
<i>Malletia pacifica</i>	Dall 1897
<b>Family Neilonellidae</b>	
<i>Neilonella mexicana</i>	(Dall 1908)
<i>Tindaria mexicana</i>	Dall 1908
<i>Neilonella ritteri</i>	(Dall 1916)
<i>Tindaria ritteri</i>	Dall 1916
<i>Tindaria californica</i>	Dall 1916
<b>Family Yoldiidae</b>	
<b>Subfamily Yoldiinae</b>	
<i>Yoldia cooperii</i>	Gabb 1865
<i>Yoldia seminuda</i>	Dall 1871
<i>Nucula arctica</i>	of Broderip & G. B. Sowerby I 1829 not J. E. Gray 1824
<i>Yoldia ensifera</i>	Dall 1897
<i>Yoldia ensifera plena</i>	Dall 1908
<i>Yoldia scissurata</i>	Dall 1897
<i>Yoldia (Cnesterium) excavata</i>	Dall 1925
<i>Yoldia (Cnesterium) strigata</i>	Dall 1909
<b>Subfamily Yoldiellinae</b>	
<i>Yoldiella nana</i>	(M. Sars 1865)
<i>Yoldia nana</i>	M. Sars 1865
<i>Yoldiella</i> sp A	Coan, Valentich Scott & Bernard 2000
<b>Family Tindariidae</b>	
<i>Tindaria</i> sp	
Subclass Autobranchia	
Superorder Pteriomorphia	
Order Arcida	
Superfamily Arcoidea	
<b>Family Arcidae</b>	
<b>Subfamily Arcinae</b>	
<i>Acar bailyi</i>	Bartsch 1931
<b>Subfamily Anadarinae</b>	
<i>Anadara multicostata</i>	(G. B. Sowerby I 1833)
<i>Arca multicostata</i>	G. B. Sowerby I 1833
<i>Anadara tuberculosa</i>	(G. B. Sowerby I 1833)
<i>Arca tuberculosa</i>	G. B. Sowerby I 1833
<i>Arca septicostata</i>	Reeve 1844
<b>Family Glycymerididae</b>	
<i>Glycymeris septentrionalis</i>	(Middendorff 1849)
<i>Pectunculus septentrionalis</i>	Middendorff 1849
<i>Axinaea (?) Septentrionalis) subobsoleta</i>	Carpenter 1864
<i>Glycymeris guadalupensis</i>	A. M. Strong 1938
<i>Glycymeris (Axinola) septentrionalis</i>	of Coan & Scott 1997
<b>Family Noetiidae</b>	
<b>Subfamily Striarcinae</b>	
<i>Arcopsis solida</i>	(G. B. Sowerby I 1833)
<i>Arca solida</i>	G. B. Sowerby I 1833
<i>Barbatia digueti</i>	Mabille 1895
Superfamily Limopsoidea	

<b>Family Limopsidae</b>		
<i>Limopsis panamensis</i>	Dall 1902	
<b>Family Philobryidae</b>		
<i>Philobrya setosa</i>	(Carpenter 1864)	
<i>Bryophila setosa</i>	Carpenter 1864	
Order Mytilida		
Superfamily Mytiloidea		
<b>Family Mytilidae</b>		
<b>Subfamily Mytilinae</b>		
<i>Brachidontes adamsianus</i>	(Dunker 1857)	
<i>Mytilus adamsianus</i>	Dunker 1857	
<i>Mytilus californianus</i>	Conrad 1837	
<i>Mytilus galloprovincialis</i>	Lamarck 1819	
<b>Subfamily Crenellinae</b>		
<i>Crenella decussata</i>	(Montagu 1808)	
<i>Mytilus decussatus</i>	Montagu 1808	
<i>Crenella decussata laticostata</i>	Scarlato 1960	
<i>Crenella divaricata</i>	of authors NEP not Orbigny 1847	
<i>Crenella ecuadoriana</i>	Pilsbry & Olsson 1941	
<i>Crenella ? inflata</i>	of Carpenter 1864	
<i>Crenella yokoyamai</i>	Nomura 1932	
<i>Gregariella coarctata</i>	(Carpenter 1857)	
<i>Crenella coarctata</i>	Carpenter 1857	
<i>Gregariella chenui</i>	of authors not (Récluz 1842)	
<i>Gregariella coralliphaga</i>	of authors not (Gmelin 1791)	
<i>Modiolaria denticulata</i>	Dall 1871	
<i>Musculista senhousia</i>	(Benson in Cantor 1842)	
<i>Modiola senhousia</i>	Benson in Cantor 1842	
<i>Modiola bellardina</i>	Tapparone-Carelli 1874	
<i>Musculus senhousei</i>	of Cadieri 1980	
<i>Musculus pygmaeus</i>	Glynn 1964	
<i>Solamen columbianum</i>	(Dall 1897)	
<i>Crenella columbiana</i>	Dall 1897	
<i>Crenella rotundata</i>	Dall 1916	
<i>Crenella tamurai</i>	Habe 1955	
<i>Megacrenella columbiana</i>	of Bernard 1983	
<i>Rhomboidella columbiana</i>	of Abbott 1974	
<i>Solamen megas</i>	(Dall 1902)	
<i>Crenella megas</i>	Dall 1902	
<b>Subfamily Dacrydiinae</b>		
<i>Dacrydium pacificum</i>	Dall 1916	
<b>Subfamily Lithophaginae</b>		
<i>Adula diegensis</i>	(Dall 1911)	
<i>Modiolus diegensis</i>	Dall 1911	
<i>Adula gruneri</i>	(R. A. Philippi 1851)	
<i>Modiola (Lithophagus) gruneri</i>	R.A. Philippi 1851	
<i>Lithophaga aristata</i>	(Dillwyn 1817)	
<i>Mytilus aristatus</i>	Dillwyn 1817	
<i>Lithophaga plumula</i>	(Hanley 1844)	
<i>Lithodomus plumula</i>	Hanley 1844	
<i>Lithophaga plumula kelseyi</i>	Hertlein & Strong 1946	
<i>Lithophaga subula</i>	of Soot-Ryen 1955 not (Reeve 1857)	
<b>Subfamily Modiolinae</b>		
<i>Amygdalum pallidulum</i>	(Dall 1916)	
<i>Modiolus pallidulus</i>	Dall 1916	
<i>Amygdalum politum</i>	of SCAMIT Ed 6	
<i>Geukensia demissa</i>	(Dilwyn 1817)	
<i>Mytilus demissus</i>	Dilwyn 1817	
<i>Modiola plicatula</i>	Lamarck 1819	

<i>Modiola semicostata</i>	Conrad 1837
<i>Modiolatus neglectus</i>	(Soot-Ryen 1955)
<i>Modiolus neglectus</i>	Soot-Ryen 1955
<i>Volsella rectus</i>	of authors not Conrad 1837
<i>Modiolus capax</i>	(Conrad 1837)
<i>Modiola capax</i>	Conrad 1837
<i>Volsella capax</i>	of Grant & Gale 1931
<i>Modiolus modiolus</i>	(Linnaeus 1758)
<i>Mytilus modiolus</i>	Linnaeus 1758
<i>Modiolus rectus</i>	(Conrad 1837)
<i>Modiola recta</i>	Conrad 1837
<i>Modiolus flabellatus</i>	Gould 1850
<i>Volsella recta</i>	of Grant & Gale 1931
<i>Modiolus sacculifer</i>	(Berry 1953)
<i>Volsella sacculifer</i>	Berry 1953
<b>Subfamily Septiferinae</b>	
<i>Septifer bifurcatus</i>	(Conrad 1837)
<i>Mytilus bifurcatus</i>	Conrad 1837
Order Pterida	
Superfamily Pterioidea	
<b>Family Pteridae</b>	
<i>Pteria sterna</i>	(Gould 1851)
<i>Avicula sterna</i>	Gould 1851
Superfamily Pinoidea	
<b>Family Pinnidae</b>	
<i>Atrina oldroydii</i>	Dall 1901
Order Limida	
Superfamily Limoidea	
<b>Family Limidae</b>	
<b>Subfamily Liminae</b>	
<i>Limaria hemphilli</i>	(Hertlein & Strong 1946)
<i>Lima (Limaria) hemphilli</i>	Hertlein & Strong 1946
<i>Lima dehiscens</i>	Conrad 1837
<b>Subfamily Limatulinae</b>	
<i>Limatula saturna</i>	Bernard 1978
<i>Limatula californica</i>	Bernard 1988
<i>Limatula macleani</i>	Bernard 1988
<i>Limatula subauriculata</i>	of authors NEP not (Montagu 1808)
Order Ostreida	
Superfamily Ostreoidea	
<b>Family Ostreidae</b>	
<b>Subfamily Ostreinae</b>	
<b>Tribe Ostreini</b>	
<i>Crassostrea gigas</i>	(Thunberg 1793)
<i>Ostrea gigas</i>	Thunberg 1793
<i>Ostrea lurida</i>	Carpenter 1864
Superfamily Pectinoidea	
<b>Family Pectinidae</b>	
<b>Subfamily Pectininae</b>	
<b>Tribe Pectinini</b>	
<i>Leopecten diegensis</i>	(Dall 1898)
<i>Pecten (Pecten) diegensis</i>	Dall 1898
<i>Euvola diegensis</i>	of SCAMIT Ed 6
<i>Janira florida</i>	of Cooper 1888
<i>Pecten diegoensis</i>	of Keep 1904
<i>Pecten floridus</i>	of Hinds 1845 not (Gmelin 1791)
<i>Pecten (Janira) floridus</i>	of Williamson 1892
<i>Pecten (Janira) stearnsii</i> var <i>diegensis</i>	of Grant & Gale 1931
<i>Pecten (Vola) floridus</i>	of Kobelt 1887

**Subfamily Camptonotinae**

<i>Delectopecten vancouverensis</i>	(Whiteaves 1893)
Pecten ( <i>Pseudamussium</i> ) <i>vancouverensis</i>	Whiteaves 1893
Cyclopecten <i>argenteus</i>	Bernard 1978
Cyclopecten ( <i>Delectopecten</i> ) <i>vancouverensis</i>	of Grau 1959
Pecten <i>randolphi</i>	Dall 1897
Pecten ( <i>Delectopecten</i> ) <i>vancouverensis</i>	of J. Burch 1944
Pecten ( <i>Pseudamussium</i> ) <i>alaskense</i>	of Dall 1921
Pecten ( <i>Pseudamussium</i> ) <i>arces</i>	Dall 1913
Pecten ( <i>Pseudamusium</i> ) <i>pedroanus</i> var <i>vancouverensis</i>	of Grant & Gale 1931 in part

**Subfamily Chlamydinae**

<i>Argopecten ventricosus</i>	(G. B. Sowerby II 1842)
Pecten <i>ventricosus</i>	G. B. Sowerby II 1842
Aequipecten ( <i>Plagioctenium</i> ) <i>circularis</i>	of Keen 1958
Argopecten <i>circularis</i>	of Bernard 1983 not (Sowerby 1835)
Chlamys <i>ventricosus</i>	of Tomlin 1928
Chlamys ( <i>Aequipecten</i> ) <i>ventricosa</i>	of Lamy 1909
Chlamys ( <i>Plagioctenium</i> ) <i>ventricosum</i>	of Bavay 1936
Pecten <i>inca</i>	d'Orbigny 1846
Pecten <i>filiextus</i>	Li 1930
Pecten <i>filitextus</i>	of Pilsbry 1932
Pecten <i>tumidus</i>	of G. B. Sowerby I 1835 not (Turton 1819)
Pecten ( <i>Aequipecten</i> ) <i>gibbus</i> var <i>circularis</i>	of Grant & Gale 1931 in part
Pecten ( <i>Argus</i> ) <i>circularis</i>	of Mörch 1861
Pecten ( <i>Argus</i> ) <i>ventricosus</i>	of Mörch 1861
Pecten ( <i>Chlamys</i> ) <i>circularis</i>	of Dall 1921
Pecten ( <i>Dentipecten</i> ) <i>circularis</i>	of Kobelt 1887
Pecten ( <i>Plagioctenium</i> ) <i>ventricosus</i>	of Dall 1898

*Chlamys hastata*

Pecten <i>hastatus</i>	(G. B. Sowerby II 1842)
Chlamys <i>hericeus</i>	G. B. Sowerby II 1842
Chlamys <i>hericius</i>	of authors not (Gould 1850)
Pecten <i>altiplectus</i>	(Gould 1850)
Pecten <i>altiplicatus</i>	Conrad 1857
Pecten <i>islandicus</i> <i>pugentensis</i>	Conrad 1857
Pecten <i>denticulatus</i>	I. Oldroyd 1920
Pecten <i>rastellinum</i>	A. Adams & Reeve 1848
Pecten ( <i>Chlamys</i> ) <i>hastatus</i>	Valenciennes 1846

*Crassadoma gigantea*

Lima <i>gigantea</i>	(J. E. Gray 1825)
Chlamys ( <i>Hinnites</i> ) <i>gigantea</i>	of Bernard 1983
Hinnita <i>giganteus</i>	of Gray 1826
Hinnita <i>poulsoni</i>	Conrad 1834
Hinnites <i>giganteus</i>	of Cadier 1980
Hinnites <i>multirugosus</i>	of Fitch 1953
Pecten ( <i>Chlamys</i> ) <i>multirugosus</i>	Gale 1928
Pecten ( <i>Pecten</i> ) <i>multirugosus</i>	of Grant & Gale 1931

*Leptopecten latiauratus*

Pecten <i>latiauratus</i>	(Conrad 1837)
Pecten <i>latiauritus</i>	Conrad 1837
Pecten <i>monotimeris</i>	of authors not Conrad 1837
Pecten ( <i>Aequipecten</i> ) <i>latiauratus</i>	Conrad 1837
Pecten ( <i>Chlamys</i> ) <i>latiauritus</i> var <i>delosi</i>	of Grant & Gale 1931
Pecten ( <i>Leptopecten</i> ) <i>latiauratus</i>	Arnold 1906
Pecten ( <i>Plagioctenium</i> ) <i>latiauritum</i>	of Hertlein 1935
	of Bavay 1936

**Family Propeamussiidae**

<i>Cyclopecten benthalis</i>	Grau 1959
<i>Cyclopecten catalinensis</i>	(Willett 1931)
Pecten ( <i>Cyclopecten</i> ) <i>catalinensis</i>	Willett 1931

<i>Cyclopecten zephyrus</i>	Grau 1959
Superfamily Anomioidea	
<b>Family Anomiidae</b>	
<i>Anomia peruviana</i>	d'Orbigny 1846
Anomia alectus	Gray 1850
Anomia hamillus	Gray 1850
Anomia lampe	Gray 1850
Anomia larbas	Gray 1850
Anomia limatula	Dall 1878
Anomia pacilis	Gray 1850
<i>Calyptraea aberrans</i>	C. B. Adams 1852
<i>Pododesmus macrochisma</i>	(Deshayes 1839)
Anomia macrochisma	Deshayes 1839
<i>Pododesmus cepio</i>	(J. E. Gray 1850)
<i>Pododesmus (Monia) macrochisma</i>	of Hertlein & Grant 1972
Subclass Heterodonta	
Superorder Heteroconchia	
Order Carditida	
Superfamily Crassatelloidea	
<b>Family Crassatellidae</b>	
<b>Subfamily Crassatellinae</b>	
<i>Eucrassatella fluctuata</i>	(Carpenter 1864)
Astarte fluctuata	Carpenter 1864
Crassatellites lomitensis	I. Oldroyd 1924
Superfamily Carditoidea	
<b>Family Carditidae</b>	
<b>Subfamily Venericardiinae</b>	
<i>Cyclocardia bailyi</i>	(J.Q. Burch 1944)
Cardita bailyi	J. Q. Burch 1944
<i>Cyclocardia barbarensis</i>	(Stearns 1890)
Venericardia barbarensis	Stearns 1890
<i>Cyclocardia crassidens</i>	(Broderip & G. B. Sowerby I 1829)
Astarte crassidens	Broderip & G. B. Sowerby I 1829
Venericardia crassidens	of Dall 1903
<i>Cyclocardia gouldii</i>	(Dall 1903)
Venericardia (Cyclocardia) (ventricosa var ?) gouldii	Dall 1903
<i>Cyclocardia ventricosa</i>	(Gould 1850)
Cardita ventricosa	Gould 1850
Cardita ventricosa redondoensis	T. Burch in J. Burch 1944
Cardita ventricosa montereyensis	Smith & Gordon 1948
Venericardia ventricosa	of I. Oldroyd 1924
Venericardia (Cyclocardia) stevensii	Dall 1903
<i>Glans carpenteri</i>	(Lamy 1922)
Cardita (Carditamera) carpenteri	Lamy 1922
Lazaria subquadrata	Carpenter 1864 non Cardita subquadrata Conrad 1848
<b>Subfamily Thecaliinae</b>	
<i>Milneria kelseyi</i>	Dall 1916
Superorder Euheterodonta	
Order Lucinida	
Superfamily Lucinoidea	
<b>Family Lucinidae</b>	
<b>Subfamily Lucininae</b>	
<i>Epilucina californica</i>	(Conrad 1837)
Lucina californica	Conrad 1837
Codakia californica	of Abbott 1954
Lucina artemidis	Carpenter in Gould & Carpenter 1857
Lucina japonica	Osaki 1958
Lucina (Myrtea) nipponica	Nomura & Hatai 1936
Phacoides californica	of Kee 1911

<i>Lucinisca nuttalli</i>	(Conrad 1837)
<i>Lucina nuttalli</i>	Conrad 1837
<i>Lucina (Myrtea) nuttallii</i>	of Grant & Gale 1931
<i>Phacoides nuttallii</i>	I. Oldroyd 1924
<i>Parvilucina tenuisculpta</i>	(Carpenter 1864)
<i>Lucina tenuisculpta</i>	Carpenter 1864
<i>Lucina (Myrtea) tenuisculpta</i>	of Grant & Gale 1931
<i>Lucina (Parvilucina) tenuisculpta</i>	of Palmer 1958
<i>Phacoides tenuisculptus</i>	of Packard 1918
<i>Phacoides (Parvilucina) approximata</i>	of authors NEP not Dall 1901
<i>Phacoides (Parvilucina) tenuisculpta</i>	of Dall 1901
<b>Subfamily Myreinae</b>	
<i>Lucinoma aequizonatum</i>	(Stearns 1890)
<i>Lucina aequizonata</i>	Stearns 1890
<i>Lucinoma annulatum</i>	(Reeve 1850)
<i>Lucina annulata</i>	Reeve 1850
<i>Erycina balliana</i>	Dall 1916
<i>Lucina borealis</i>	of Dall 1874 not Linnaeus 1767
<i>Lucina (Myrtea) acutilineata</i>	of Grant & Gale 1931 not Conrad 1849
<i>Phacoides annulata</i>	(Reeve 1850)
<i>Woodia concentrica</i>	Yokoyama 1920
Superfamily Thyasiroidea	
<b>Family Thysiridae</b>	
<i>Adontorhina cyclia</i>	Berry 1947
<i>Genaxinus filatovae</i>	M. B. Ivanova & Moskalets 1984
<i>Adontorhina lynnae</i>	Valentich Scott 2000
<i>Adontorhina sphaericosa</i>	Scott 1986
<i>Axinodon redondoensis</i>	(T. Burch 1941)
<i>Aligena redondoensis</i>	T. Burch 1941
<i>Axinulus redondoensis</i>	of Bernard 1983
<i>Tomburchus redondoensis</i>	of Harry 1969
<i>Axinopsida serricata</i>	(Carpenter 1864)
<i>Cryptodon serricatus</i>	Carpenter 1864
<i>Axinopsis serricatus</i>	of I. Oldroyd 1924
<i>Axinopsis viridis</i>	Dall 1901
<i>Mendicula ferruginosa</i>	(Forbes 1844)
<i>Kellia ferruginosa</i>	Forbes 1844
<i>Aligena (Odontogena) borealis</i>	M. Cowan 1964
<i>Leptaxinus oyamai</i>	Habe 1961
<i>Thyasira flexuosa</i>	(Montagu 1803)
<i>Tellina flexuosa</i>	Montagu 1803
<i>Cryptodon barbarensis</i>	Dall 1890
<i>Lucina gouldii</i>	Philippi 1845
<i>Thyasira barbarensis</i>	of Bernard 1983
<i>Thyasira cygnus</i>	Dall 1916
<i>Thyasira gouldii</i>	of Bernard 1983
<i>Thyasira trisinuata</i>	of authors not d'Orbigny in Sagra 1853
<i>Thysiridae sp LA 1</i>	Cadien 1999 §
Order Venerida	
Superfamily Galeommatoidea	
<b>Family Galeommatidae</b>	
<i>Chlamydoconcha orcutti</i>	Dall 1884
<i>Cymatioa electilis</i>	(Berry 1963)
<i>Crenimargo electilis</i>	Berry 1963
<i>Scintillona bellerophon</i>	O'Foighil & Gibson 1984
<i>Waldo arthuri</i>	Valentich Scott et al 2013
<i>Divariscintilla sp A</i>	Scott 1998
<i>Galeommatidae sp A</i>	Cadien 1982 §
<i>Galeomma new species</i>	of Coan & Scott 1997

Waldo sp A	of SCAMIT Ed 9
<b>Family Lasaeidae</b>	
<i>Aligena trigonalis</i>	(Carpenter 1857)
<i>Lasea trigonalis</i>	Carpenter 1857
<i>Aligena cerritensis</i>	Arnold 1903
<i>Isorobitella trigonalis</i>	of SCAMIT Ed 6
<i>Kellia suborbicularis</i>	(Montagu 1803)
<i>Mya suborbicularis</i>	Montagu 1803
<i>Erycina santarosae</i>	Dall 1916
<i>Kellia laperousii</i>	(Deshayes 1839)
<i>Kellia rotundata</i>	Carpenter 1864
<i>Lepton meroeum</i>	Carpenter 1864
<i>Platomysia meroeum</i>	of Bernard 1983
<i>Rhamphidonta sp A</i>	Cadien 1993 §
<i>Lasaea adansoni</i>	(Gmelin 1791)
<i>Tellina adansoni</i>	Gmelin 1791
<i>Lasaea cistula</i>	Keen 1938
<i>Lasaea rubra</i>	(Montagu 1803)
<i>Lasaea subviridis</i>	Dall 1899
<i>Kurtiella coani</i>	(Scott 1998)
<i>Mysella coani</i>	Scott 1998
<i>Mysella sp A</i>	SCAMIT 1988 §
<i>Rochefortia sp A</i>	of SCAMIT Ed 3
<i>Kurtiella grippi</i>	(Dall 1912)
<i>Rochefortia grippi</i>	Dall 1912
<i>Mysella grippi</i>	of Cadien 1980
<i>Kurtiella mortoni</i>	(Scott 1998)
<i>Rochefortia mortoni</i>	Scott 1998
<i>Mysella sp B</i>	SCAMIT 1988 §
<i>Rochefortia sp B</i>	of SCAMIT Ed 3
<i>Kurtiella pedroana</i>	(Dall 1899)
<i>Mysella pedroana</i>	Dall 1899
<i>Rochefortia pedroana</i>	of authos NEP
<i>Mysella ferruginosa</i>	Dall 1916
<i>Mysella golischii</i>	Dall 1916
<i>Mysella sp H</i>	SCAMIT 2001 §
<i>Rochefortia ferruginosa</i>	of I. Oldroyd 1927
<i>Rochefortia golischii</i>	of I. Oldroyd 1927
<i>Kurtiella tumida</i>	(Carpenter 1864)
<i>Tellimya tumida</i>	Carpenter 1864
<i>Mysella aleutica</i>	Dall 1899
<i>Mysella tumida</i>	of Bernard 1983
<i>Rochefortia aleutica</i>	of I. Oldroyd 1927
<i>Rochefortia tumida</i>	of SCAMIT Ed 6
<i>Kurtiella sp C</i>	(SCAMIT 1988 § )
<i>Mysella sp C</i>	SCAMIT 1988 §
<i>Kurtiella sp D</i>	(SCAMIT 1988 § )
<i>Mysella sp D</i>	SCAMIT 1988 §
<i>Kurtiella compressa</i>	of Coan, Scott & Bernard 2000, not (Dall 1913)
<i>Kurtiella sp E</i>	SCAMIT 1988 §
<i>Mysella sp E</i>	SCAMIT 1988 §
<i>Kurtiella sp LA1</i>	(Power 2004 §)
<i>Rochefortia sp LA1</i>	Power 2004 §
<i>Neaeromya californica</i>	(Dall 1899)
<i>Sportella californica</i>	Dall 1899
<i>Erycina bakeri</i>	Dall 1916
<i>Erycina coronata</i>	Dall 1916
<i>Orobittella bakeri</i>	of Bernard 1983
<i>Orobittella californica</i>	of SCAMIT Ed 9

<i>Neaeromya compressa</i>	(Dall 1899)
<i>Erycina compressa</i>	Dall 1899
<i>Neaeromya rugifera</i>	(Carpenter 1864)
<i>Pythina rugifera</i>	Carpenter 1864
<i>Erycina (Pseudopythina) rugifera</i>	of Dall 1899
<i>Pseudopythina compressa</i>	of I. Oldroyd 1924 not (Dall 1899)
<i>Pseudopythina myaciformis</i>	Dall 1916
<i>Pseudopythina rugifera</i>	of I. Oldroyd 1924
<i>Rhamphidonta retifera</i>	(Dall 1899)
<i>Bornia retifera</i>	Dall 1899
<b>Family Sportellidae</b>	
<i>Fabella stearnsii</i>	(Dall 1899)
<i>Sportella stearnsii</i>	Dall 1899
<i>Neaeromya stearnsii</i>	of SCAMIT Ed 6
Superfamily Cyamioidea	
<b>Family Neoleptonidae</b>	
<i>Berardina bakeri</i>	Dall 1910
<i>Neolepton salmonaea</i>	(Carpenter 1864)
<i>Psephis salmonaea</i>	Carpenter 1864
<i>Crassatella marginata</i>	Keep 1887
<i>Halodakra brunnea</i>	(Dall 1916)
<i>Halodakra salmonaea</i>	of SCAMIT Ed 3
<i>Neolepton salmonaea</i>	of SCAMIT Ed 5
<i>Psephidia salmonaea</i>	of I. Oldroyd 1924
<i>Neolepton subtrigonum</i>	(Carpenter 1857)
<i>Circe subtrigona</i>	Carpenter 1857
<i>Halodakra subtrigona</i>	of SCAMIT Ed 3
<i>Neolepton subtrigona</i>	of SCAMIT Ed 6
<i>Psephis tellimyalis</i>	Carpenter 1864
Superfamily Glossoidea	
<b>Family Vesicomyidae</b>	
<i>Calyptogena elongata</i>	Dall 1916
<i>Vesicomya elongata</i>	of SCAMIT Ed 6
<i>Calyptogena lepta</i>	(Dall 1896)
<i>Callocardia lepta</i>	Dall 1896
<i>Vesicomya lepta</i>	of SCAMIT Ed 6
<i>Pliocardia stearnsii</i>	(Dall 1895)
<i>Callocardia stearnsii</i>	Dall 1895
<i>Vesicomya stearnsii</i>	of Coan et al 2000
Superfamily Cardioidea	
<b>Family Cardiidae</b>	
<b>Subfamily Clinocardiinae</b>	
<i>Clinocardium nuttallii</i>	(Conrad 1837)
<i>Cardium nuttallii</i>	Conrad 1837
<i>Cardium corbis</i>	Martyn 1784
<b>Subfamily Franginae</b>	
<i>Ctenocardia biangulata</i>	(Broderip & G. B. Sowerby I 1829)
<i>Cardium biangulatum</i>	Broderip & G. B. Sowerby I 1829
<i>Americardia biangulata</i>	of SCAMIT Ed 6
<b>Subfamily Laevicardiinae</b>	
<i>Keenaea centifilosum</i>	(Carpenter 1864)
<i>Cardium ? modestumvar centifilosum</i>	Carpenter 1864
<i>Cardium richardsoni</i>	Whiteaves 1878
<i>Cardium (Nemocardium) centifilosum</i>	of Hertlein & Strong 1947
<i>Cardium (Protocardia) centifilosum</i>	of Packard 1918
<i>Laevicardium (Nemocardium) centifilosum</i>	of Grant & Gale 1931
<i>Nemocardium centifilosum</i>	of SCAMIT Ed 8
<i>Nemocardium (Keenaea) centifilosum</i>	of Keen 1954
<i>Pratulum (?) centifilosum</i>	of Woodring, Bramlette & Kew 1946

<i>Protocardia centifilosa</i>	of I. Oldroyd 1924
<i>Laevicardium substriatum</i>	(Conrad 1837)
<i>Cardium substriatum</i>	Conrad 1837
<i>Cardium apicinum</i>	Carpenter 1864
<i>Cardium cruentatum</i>	Gould 1855
<i>Laevicardium pedernalense</i>	Pilsbry & Olsson 1941
<b>Subfamily Trachycardiinae</b>	
<i>Trachycardium quadragenarium</i>	(Conrad 1837)
<i>Cardium quadragenarium</i>	Conrad 1837
Superfamily Tellinoidea	
<b>Family Tellinidae</b>	
<b>Subfamily Tellininae</b>	
<i>Tellina bodegensis</i>	Hinds 1845
<i>Tellina santarosae</i>	Dall 1900
<i>Tellina (Peronidia) bodegensis</i>	of Coan 1971
<i>Tellina cadieni</i>	Valentich Scott & Coan 2000
<i>Tellina carpenteri</i>	of authors SCB in part not Dall 1900
<i>Tellina carpenteri</i>	Dall 1900
<i>Tellina (Angulus) carpenteri</i>	Dall 1900
<i>Angulus variegatus</i>	Carpenter 1864 not (Gmelin 1791)
<i>Tellina (Moerella) arenica</i>	Hertlein & Strong 1949
<i>Tellina sp A</i>	SCAMIT 1995 §
<i>Tellina idae</i>	Dall 1891
<i>Tellina (Tellinella) idae</i>	of Coan 1971
<i>Tellina meropsis</i>	Dall 1900
<i>Tellina (Moerella) meropsis</i>	Dall 1900
<i>Angulus gouldii</i>	of Carpenter 1864 not Hanley 1846
<i>Tellina (Angulus) meropsis</i>	of Coan 1971
<i>Tellina (Moerella) paziana</i>	Dall 1900
<i>Tellina modesta</i>	(Carpenter 1864)
<i>Angulus modestus</i>	Carpenter 1864
<i>Maera modesta</i>	of Cooper 1867
<i>Tellina buttoni</i>	of Packard 1918
<i>Tellina (Angulus) modesta</i>	of Tryon 1869
<i>Tellina (Angulus) modestus</i>	of Coan 1971
<i>Tellina (Oudardia) buttoni</i>	Dall 1900
<i>Tellina (Oudardia) modesta</i>	of Keen 1937
<i>Tellina nuculoides</i>	(Reeve 1854)
<i>Donax nuculoides</i>	Reeve 1854
<i>Maera salmonaea</i>	Carpenter 1864
<i>Tellina (Cadella) nuculoides</i>	of Coan 1971
<i>Tellina (Cadella) salmonaea</i>	of Hertlein & Grant 1972
<i>Tellina sp B</i>	SCAMIT 1995 §
<i>Tellina carpenteri</i>	of authors SCB in part not Dall 1900
<b>Subfamily Macominiae</b>	
<i>Macoma carlottensis</i>	Whiteaves 1880
<i>Macoma inflatula</i>	Dall 1897
<i>Macoma leptonoidea</i>	Dall 1895
<i>Macoma quadrana</i>	Dall 1916
<i>Macoma (? Psammacoma) carlottensis</i>	of Coan 1971
<i>Macoma indentata</i>	Carpenter 1864
<i>Macoma indentata tenuirostris</i>	Dall 1900
<i>Macoma (Rexithaerus) indentata</i>	of Coan 1971
<i>Macoma (Rexithaerus) rickettsi</i>	Steinbeck & Ricketts 1941
<i>Macoma nasuta</i>	(Conrad 1837)
<i>Tellina nasuta</i>	Conrad 1837
<i>Macoma kelseyi</i>	Dall 1900
<i>Tellina tera</i>	Gould 1853
<i>Macoma secta</i>	(Conrad 1837)

<i>Tellina secta</i>	Conrad 1837
<i>Macoma (Rexithaerus) secta</i>	of Coan 1971
<i>Tellina ligamentina</i>	Deshayes 1843
<i>Macoma yoldiformis</i>	Carpenter 1864
<i>Macoma (Psammacoma) yoldiformis</i>	of Coan 1971 (Deshayes 1855)
<i>Psammotreta obesa</i>	Deshayes 1855
<i>Tellina obesa</i>	of Grant & Gale 1931
<i>Apolymetis biangulata</i>	of Hertlein & Grant 1972
<i>Florimetis biangulata</i>	of McLean 1969
<i>Florimetis obesa</i>	of SCAMIT Ed 6
<i>Leporimetis obesa</i>	of I. Oldroyd 1924
<i>Metis alta</i>	Carpenter 1856
<i>Scrobicularia biangulata</i>	of Conrad 1837 not Conrad 1833
<i>Tellina alta</i>	Deshayes 1855
<i>Tellina turgida</i>	
<b>Family Donacidae</b>	
<i>Donax gouldii</i>	Dall 1921
<b>Family Psammobiidae</b>	
<i>Gari californica</i>	(Conrad 1849)
<i>Psammobia californica</i>	Conrad 1849
<i>Gari (Gobraeus) californica</i>	of Palmer 1958
<i>Psammobia kazusensis</i>	Yokoyama 1922
<i>Sanguinolaria rubroradiata</i>	Carpenter 1857
<i>Gari fucata</i>	(Hinds 1845)
<i>Tellina fucata</i>	Hinds 1845
<i>Gari edentula</i>	of Fitch 1953
<i>Gobraeus endentulus</i>	of Hertlein & Grant 1972
<i>Psammobia edentula</i>	of I. Oldroyd 1924
<i>Psammobia (Gobraeus) edentula</i>	of Dall 1925
<i>Siliquaria edentula</i>	Gabb 1869
<i>Heterodonax pacificus</i>	(Conrad 1837)
<i>Psammobia pacifica</i>	Conrad 1837
<i>Nuttallia nuttallii</i>	(Conrad 1837)
<i>Sanguinolaria nuttallii</i>	Conrad 1837
<i>Psammobia decora</i>	Hinds 1842
<i>Sanguinolaria grandis</i>	Carpenter 1857
<i>Sanguinolaria orcutti</i>	Dall 1921
<b>Family Semelidae</b>	
<i>Cumingia californica</i>	Conrad 1837
<i>Cumingia densilineata</i>	Dall 1921
<i>Cumingia lamellosa</i>	of authors not G. B. Sowerby I 1833
<i>Semele decisa</i>	(Conrad 1837)
<i>Amphidesma decisum</i>	Conrad 1837
<i>Amphidesma rubrolineatum</i>	Conrad 1837
<i>Semele rubrotincta</i>	Carpenter 1857
<i>Semele rubropicta</i>	Dall 1871
<i>Semele ashleyi</i>	Hertlein & Grant 1972
<i>Semele venusta</i>	(Reeve 1853)
<i>Amphidesma venusta</i>	Reeve 1853
<i>Semele incongrua</i>	Carpenter 1864
<i>Semele pulchra var montereyi</i>	Arnold 1903
<i>Theora lubrica</i>	Gould 1861
<b>Family Solecurtidiae</b>	
<i>Solecurtus guaymasensis</i>	(Lowe 1935)
<i>Psammosolen guaymasensis</i>	Lowe 1935
<i>Tagelus affinis</i>	(C. B. Adams 1852)
<i>Solecurtus affinis</i>	C. B. Adams 1852
<i>Tagelus (Tagelus) irregularis</i>	Olsson 1961
<i>Tagelus californianus</i>	(Conrad 1837)

<i>Solecurtus</i> ( <i>Cultellus</i> ) <i>californiensis</i>	Conrad 1837
<i>Tagelus subteres</i>	(Conrad 1837)
<i>Solecurtus</i> ( <i>Cultellus</i> ) <i>subteres</i>	Conrad 1837
Superfamily Solenoidea	
<b>Family Solenidae</b>	
<i>Solen rostriformis</i>	Dunker 1862
<i>Solen rosaceus</i>	of McLean 1969
<i>Solen sicarius rosaceus</i>	Carpenter 1864
<i>Solen sicarius</i>	Gould 1850
<b>Family Pharidae</b>	
<i>Ensis myrae</i>	Berry 1953
<i>Ensis californicus</i>	of authors not Dall 1899 in part
<i>Siliqua lucida</i>	(Conrad 1837)
<i>Solecurtus lucidus</i>	Conrad 1837
Superfamily Hiatelloidea	
<b>Family Hiatellidae</b>	
<i>Hiatella arctica</i>	(Linnaeus 1767)
<i>Mya arctica</i>	Linnaeus 1767
<i>Didonta bicarinata</i>	Schumacher 1817
<i>Hiatella biaperta</i>	Bosc 1801
<i>Hiatella monoptera</i>	Bosc 1801
<i>Petricola awana</i>	Yokoyama 1924
<i>Saxicava arctica</i>	of I. Oldroyd 1924
<i>Saxicava orientalis</i>	Yokoyama 1920
<i>Saxicava sakhalinensis</i>	Takeda 1953
<i>Solen minutus</i>	of Gmelin 1782
<i>Sphenia bilirata</i>	Gabb 1861
<i>Panopea generosa</i>	Gould 1850
<i>Panopaea generosa</i>	Gould 1850
<i>Panopaea fragilis</i>	Gould 1861
<i>Panopaea generosa saginata</i>	Gould 1861
<i>Panope generosa</i>	of Hertlein & Grant 1972
<i>Panope generosa taeniata</i>	Dall 1918
<i>Panope japonica</i>	A. Adams 1850
<i>Panope tenuis</i>	Wiedey 1928
<i>Panope</i> ( <i>Panomya</i> ) <i>vaskuchevskensis</i>	Ilyina 1963
<i>Panopea abrupta</i>	of Bernard 1983 not (Conrad 1849)
<i>Panopea generosa solida</i>	Dall 1898
<i>Saxicavella nybakkeni</i>	Scott 1994
<i>Paramya</i> sp A	LaFollette 1976
<i>Saxicavella pacifica</i>	Dall 1916
Suborder Neoheterodontei	
Superfamily Ungulinoidea	
<b>Family Ungulinidae</b>	
<i>Diplodonta orbella</i>	(Gould 1851)
<i>Lucina orbella</i>	Gould 1851
<i>Diplodonta sericata</i>	(Reeve 1850)
<i>Lucina sericata</i>	Reeve 1850
<i>Diplodonta</i> ( <i>Felaniella</i> ) <i>artemidis</i>	Dall 1909
<i>Diplodonta</i> ( <i>Felaniella</i> ) <i>cornea</i>	of Hertlein & Grant 1972
<i>Felaniella parilis</i>	of Bernard 1983 not (Conrad 1848)
<i>Lucina tellinoides</i>	Reeve 1850
<i>Taras</i> ( <i>Felaniella</i> ) <i>sericatus</i>	of Hertlein & Strong 1947
Superfamily Chamoidea	
<b>Family Chamidae</b>	
<i>Chama arcana</i>	Bernard 1976
<i>Chama pellucida</i>	of authors not Broderip 1835
<i>Chama exogyra</i>	Conrad 1837
<i>Pseudochama exogyra</i>	of SCAMIT Ed 6

<i>Chama granti</i>	(Strong 1934)
Pseudochama granti	Strong 1934
Superfamily Veneroidea	
Family Veneridae	
Subfamily Venerinae	
<i>Amiantis callosa</i>	(Conrad 1837)
Cytherea callosa	Conrad 1837
<i>Callithaca tenerrima</i>	(Carpenter in Gould & Carpenter 1857)
Tapes tenerrima	Carpenter in Gould & Carpenter 1857
Paphia tenerrima	of Packard 1918
Paphia (Protothaca) tenerrima	of Dall 1902
Protothaca restorationensis	Frizzell 1930
Protothaca tenerima	of McLean 1978
Protothaca (Callithaca) tenerima	of Palmer 1958
Venus rigida	of Gould 1861 not Dillwyn 1817
<i>Chione californiensis</i>	(Broderip in Broderip & G. B. Sowerby I 1835)
Venus californiensis	Broderip in Broderip & G. B. Sowerby I 1835
<i>Chione undatella</i>	(G. B. Sowerby I 1835)
Venus undatella	G. B. Sowerby I 1835
<i>Chionista fluctifraga</i>	(G. B. Sowerby II 1853)
Venus fluctifraga	G. B. Sowerby II 1853
Chione fluctifraga	of authors NEP
Chione gibbosula	Deshayes 1854
Venus cortezi	Carpenter 1864
Venus sugillata	Reeve 1863
<i>Globivenus fordii</i>	(Yates 1890)
Venus fordii	Yates 1890
Antigonia fordii	of I. Oldroyd 1924
Ventricolaria fordii	of Bernard 1983
Venus (Antigonia) fordii	of Grant & Gale 1931
<i>Irusella lamellifera</i>	(Conrad 1837)
Venus lamellifera	Conrad 1837
Irus lamellifer	of Grant & Gale 1931
Perticola cordieri	Deshayes 1840
Venerupis lamellifera	of I. Oldroyd 1924
<i>Leukoma laciniata</i>	(Carpenter 1864)
Tapes laciniata	Carpenter 1864
Paphia staminea laciniata	of I. Oldroyd 1924
Paphia (Protothaca) staminea var laciniata	of Dall 1902
Paphia (Protothaca) staminea laciniata	of Dall 1921
Protothaca laciniata	of McLean 1978
Protothaca (Callithaca) laciniata	of Palmer 1958
<i>Leukoma staminea</i>	(Conrad 1837)
Venus staminea	Conrad 1837
Paphia (Protothaca) staminea var orbella	of Dall 1902
Protothaca staminea	of McLean 1978
Protothaca (Callithaca) staminea	of Palmer 1958
Tapes staminea var orbella	Carpenter 1864
Subfamily Clementiinae	
<i>Compsomyax subdiaphana</i>	(Carpenter 1864)
Clementia subdiaphana	Carpenter 1864
Clementia obliqua	Jukes-Brown 1913
Clementia (Compsomyax) subdiaphana	of Grant & Gale 1931
Callista subdiaphana	of Arnold 1903
Katherinella (Compsomyax) subdiaphana	of Woodring, Bramlette & Kew 1946
Marcia subdiaphana	of I. Oldroyd 1924
Marcia (Venerella) subdiaphana	of Dall 1902
Saxidomus gibbosus	Gabb 1869
Venerella (Compsomyax) subdiaphana	of Stewart 1930 in part

<b>Subfamily Meretricinae</b>	
<i>Tivela stultorum</i>	(Mawe 1823)
<i>Donax stultorum</i>	Mawe 1823
<i>Tivela crassatelloides</i>	Stearns 1899
<b>Subfamily Pitarinae</b>	
<i>Nutricola confusa</i>	(S. Gray 1982)
<i>Transennella confusa</i>	S. Gray 1982
<i>Nutricola cymata</i>	(Dall 1913)
<i>Psephidia cymata</i>	Dall 1913
<i>Nutricola lordi</i>	(Baird 1863)
<i>Chione lordi</i>	Baird 1863
<i>Psephidia lordi</i>	of Bernard 1983
<i>Nutricola ovalis</i>	(Dall 1902)
<i>Psephidia ovalis</i>	Dall 1902
<i>Nutricola sp SD1</i>	Barwick 2004 §
<i>Nutricola tantilla</i>	(Gould 1853)
<i>Venus tantillus</i>	Gould 1853
<i>Transenella tantilla</i>	of Bernard 1983
<i>Pitar newcombianus</i>	(Gabb 1865)
<i>Circe (Lioconcha) newcomiana</i>	Gabb 1865
<i>Pitaria newcombianus</i>	of I. Oldroyd 1924
<i>Saxidomus nuttalli</i>	Conrad 1837
<b>Subfamily Tapetinae</b>	
<i>Venerupis philippinarum</i>	(A. Adams & Reeve 1850)
<i>Venus philippinarum</i>	A. Adams & Reeve 1850
<i>Tapes philippinarum</i>	of Bernard 1983
<b>Family Petricolidae</b>	
<i>Cooperella subdiaphana</i>	(Carpenter 1864)
<i>Oedalia subdiaphana</i>	Carpenter 1864
<i>Oedalia (Cooperella) scintillaeformis</i>	Carpenter 1864
<i>Oedalina (Cooperella) scintillaeformis</i>	of Carpenter 1866
<i>Petricola californiensis</i>	Pilsbry & Lowe 1932
<i>Petricola carditoides</i>	(Conrad 1837)
<i>Saxicava carditoides</i>	Conrad 1837
<i>Petricola arcuata</i>	Deshayes 1839
<i>Petricola cylindracea</i>	Deshayes 1839
<i>Petricola gibba</i>	Middendorff 1849
<i>Petricola mirabilis</i>	Deshayes 1853
<i>Petricola pedroana</i>	Conrad 1855
<i>Petricola (Rupellaria) carditoides</i>	of Bernard 1983
<i>Saxicava abrupta</i>	Conrad 1855
<i>Saxicava californica</i>	Conrad 1837
<i>Saxicava legumen</i>	Deshayes 1839
<i>Petricola hertzana</i>	Coan 1997
<i>Petricola tellimyalis</i>	of authors not Carpenter 1864
Superfamily Mactroidea	
<b>Family Mactridae</b>	
<b>Subfamily Mactrinae</b>	
<i>Mactromeris catilliformis</i>	(Conrad 1837)
<i>Spisula catilliformis</i>	Conrad 1837
<i>Mactra (Spisula) catilliformis</i>	of Grant & Gale 1931
<i>Spisula mercedensis</i>	Packard 1916
<i>Spisula (Mactromeris) catilliformis</i>	of Hertlein & Grant 1972
<i>Mactromeris hemphillii</i>	(Dall 1894)
<i>Mactra hemphilli</i>	Dall 1894
<i>Spisula cameronis</i>	Dall 1921
<i>Spisula hemphilli</i>	of Packard 1916
<i>Spisula (Hemimactra) hemphilli</i>	of I. Oldroyd 1924
<i>Mactrotoma californica</i>	(Conrad 1837)

Mactra californica	Conrad 1837
Mactra ovalina	Reeve 1854
<b><i>Mactrotoma nasuta</i></b>	(Gould 1851)
Mactra nasuta	Gould 1851
<b><i>Simomactra falcata</i></b>	(Gould 1850)
Mactra falcata	Gould 1850
Spisula falcata	of Bernard 1983
<b><i>Simomactra planulata</i></b>	(Conrad 1837)
Mactra planulata	Conrad 1837
Spisula planulata	of Bernard 1983
<b>Subfamily Lutrariinae</b>	
<b><i>Tresus nuttallii</i></b>	(Conrad 1837)
Lutraria (Cryptodon) nuttallii	Conrad 1837
Schizothaerus nuttallii	of Fitch 1953
Schizothaerus nuttallii	of Grant & Gale 1931
<b>Subfamily Kymatoxinae</b>	
<b><i>Raeta undulata</i></b>	(Gould 1851)
Lutraria undulata	Gould 1851
Superfamily Myoidea	
<b>Family Myidae</b>	
<b>Subfamily Myinae</b>	
<b><i>Mya arenaria</i></b>	Linnaeus 1758
<i>Mya acuta</i>	Say 1822
<i>Mya alba</i>	L. Agassiz 1839
<i>Mya communis</i>	Megerle 1811
<i>Mya copulenta</i>	Conrad 1845
<i>Mya elongata</i>	Locard 1886
<i>Mya hemphilli</i>	Newcombe 1875
<i>Mya japonica</i>	Jay 1856
<i>Mya mercenaria</i>	Say 1822
<i>Mya paternalis</i>	Matsumoto 1930
<i>Mya oonogai</i>	Makiyama 1935
<i>Mya subovata</i>	Woodward 1833
<i>Mya subtruncata</i>	Woodward 1833
<i>Sphenia ovoidea</i>	Carpenter 1864
<b><i>Platyodon cancellatus</i></b>	(Conrad 1837)
<i>Mya cancellata</i>	Conrad 1837
<i>Cryptodonta myoides</i>	Carpenter 1864
<b>Subfamily Cryptomyinae</b>	
<b><i>Cryptomya californica</i></b>	(Conrad 1837)
<i>Sphaenia californica</i>	Conrad 1837
<i>Cryptomya magna</i>	Dall 1921
<i>Myidae sp SD2</i>	Lilly 1999 §
<b><i>Sphenia fragilis</i></b>	(H. & A. Adams 1854)
<i>Tyleria fragilis</i>	H. & A. Adams 1854
<b><i>Sphenia luticola</i></b>	(Valenciennes 1846)
<i>Corbula luticola</i>	Valenciennes 1846
<i>Cupspidaria (Tropidomya) nana</i>	Oldroyd 1918
<i>Myidae sp SD1</i>	Barwick 1997 §
<i>Sphenia globula</i>	Dall 1919
<i>Sphenia pholadidea</i>	Dall 1916
<b>Family Corbulidae</b>	
<b><i>Caryocorbula luteola</i></b>	(Carpenter 1864)
<i>Corbula luteola</i>	Carpenter 1864
<i>Aloides (Lentidium) luteola</i>	of Keen 1937
<i>Alolidis (Caryocorbula) luteola</i>	of Hertlein & Strong 1950
<i>Corbula luteola var rosea</i>	Williamson 1905
<i>Corbula (Caryocorbula) luteola</i>	of Keen 1958
<i>Corbula (Lentidium) luteola</i>	of Grant & Gale 1931

<i>Juliacorbula luteola</i>	of SCAMIT Ed 4
<i>Caryocorbula porcella</i>	(Dall 1916)
<i>Corbula porcella</i>	Dall 1916
<b>Family Spheniopsidae</b>	
<i>Grippina californica</i>	Dall 1912
<i>Grippina berryana</i>	Keen 1971
Superfamily Pholadoidea	
<b>Family Pholadidae</b>	
<b>Subfamily Pholadinae</b>	
<i>Zirfaea pilsbryi</i>	Lowe 1931
<b>Subfamily Jouannetiinae</b>	
<i>Netastoma rostratum</i>	(Valenciennes 1846)
<i>Pholas rostrata</i>	Valenciennes 1846
<i>Netastoma rostrata</i>	of McLean 1969
<i>Pholadidea rostrata</i>	of I. Oldroyd 1924
<b>Subfamily Martesiinae</b>	
<i>Chaceia ovoidea</i>	(Gould 1851)
<i>Pholas ovoidea</i>	Gould 1851
<i>Parapholas californica</i>	(Conrad 1837)
<i>Pholas californica</i>	Conrad 1837
<b>Subfamily Xylophaginae</b>	
<i>Xylophaga washingtona</i>	Bartsch 1921
<i>Xylophaga californica</i>	Bartsch 1921
<b>Family Teredinidae</b>	
<b>Subfamily Teredininae</b>	
<i>Teredo bartschi</i>	Clapp 1923
Order Pholadomyida	
Superfamily Pandoroidea	
<b>Family Pandoridae</b>	
<i>Heteroclidus punctata</i>	(Conrad 1837)
<i>Pandora punctata</i>	Conrad 1837
<i>Clidiophora punctata</i>	of Arnold 1907
<i>Pandora (Heteroclidus) punctata</i>	of Keen 1958
<i>Pandora (Heteroclidus) punctata gabbi</i>	Dall 1903
<i>Pandora bilirata</i>	Conrad 1855
<i>Pandora delicatula</i>	G. B. Sowerby II 1874
<i>Pandora (Kennerlia) bicarinata</i>	Cooper 1867
<i>Pandora (Kennerlia) pseudobilirata</i>	Nomura & Hatai 1940
<i>Pandora (Pandorella) bilirata</i>	of Hertlein & Grant 1972
<i>Pandora filosa</i>	(Carpenter 1864)
<i>Kennerlia filosa</i>	Carpenter 1864
<i>Pandora (Kennerlia) filosa</i>	of Carpenter 1869
<i>Pandora (Pandorella) filosa</i>	of Palmer 1958
<b>Family Lyonsiidae</b>	
<i>Entodesma brevifrons</i>	(G. B. Sowerby I 1834)
<i>Lyonsia brevifrons</i>	G. B. Sowerby I 1834
<i>Entodesma pictum</i>	of authors NEP not (G. B. Sowerby 1834)
<i>Lyonsia diaphana</i>	Carpenter 1856
<i>Lyonsia inflata</i>	Conrad 1837
<i>Entodesma navicula</i>	(A. Adams & Reeve 1850)
<i>Lyonsia navicula</i>	A. Adams & Reeve 1850
<i>Agriodesma saxicola</i>	of Bernard 1972
<i>Entodesma saxicola</i>	(Baird 1863)
<i>Lyonsia californica</i>	Conrad 1837
<i>Lyonsia californica haroldi</i>	Dall 1915
<i>Lyonsia gouldi</i>	Dall 1915
<i>Lyonsia nesiotes</i>	Dall 1915
<i>Osteodesma nitidum</i>	of Gould 1853
Superfamily Thracioidea	

<b>Family Thraciidae</b>	
<i>Asthenothaerus diegensis</i>	(Dall 1915)
Thracia diegensis	Dall 1915
Astenothaerus villosovirgatus	of authors NEP not Carpenter 1864
<i>Cyathodonta pedroana</i>	Dall 1915
Cyathodonta undulata	of Grant & Gale 1931 not Conrad 1849
<i>Thracia curta</i>	Conrad 1837
? Lepton clementinum	Carpenter 1857
Thracia quentinensis	Dall 1921
Thracia (Ixartia) curta	of Coan 1990
<i>Thracia trapezoides</i>	Conrad 1849
Thracia kanakoffi	Hertlein & Grant 1972
Thracia (Homoeodesma) trapezoides	of Coan 1990
<b>Family Periplomatidae</b>	
<i>Periploma discus</i>	Stearns 1890
<i>Periploma planiusculum</i>	G. B. Sowerby I 1834
<i>Periploma rosewateri</i>	F. R. Bernard 1989
<b>Family Laternulidae</b>	
<i>Laternula marilina</i>	(Reeve 1860)
Anatina marilina	Reeve 1860
Suborder Septibranchia	
Superfamily Cuspidaroidea	
<b>Family Cuspidariidae</b>	
<i>Cardiomya lanieri</i>	(Strong & Hertlein 1937 )
Cuspidaria lanieri	Strong & Hertlein 1937
<i>Cardiomya pectinata</i>	(Carpenter 1864)
Neaera pectinata	Carpenter 1864
Cardiomya isolirata	Bernard 1969
Cuspidaria californica	Dall 1886
Cuspidaria costata	of authors SCB not G. B. Sowerby I 1834
Cuspidaria dulcis	Pilsbry & Lowe 1932
Cuspidaria pectinata	of I. Oldroyd 1924
Cuspidaria (Cardiomya) oldroydi	Dall in I. Oldroyd 1924
Cuspidaria (Cardiomya) pectinata	of Grant & Gale 1931
<i>Cardiomya planetica</i>	(Dall 1908)
Cuspidaria (Cardiomya) planetica	Dall 1908
Cuspidaria (Cardiomya) pseustes	Dall 1908
<i>Cuspidaria parapodema</i>	Bernard 1969
Cuspidaria apodema	of authors not Dall 1916
<i>Luzonia chilensis</i>	(Dall 1890)
Cuspidaria (Luzonia) chilensis	Dall 1890
Cuspidaria (Luzonia) walleri	F. R. Bernard 1989
Luzonia walleri	of SCAMIT Ed 6
<i>Plectodon scaber</i>	Carpenter 1864
Leiomya (Plectodon) scaber	of Dall 1921
Leiomya (Plectodon) scabra	of Bernard 1974
Superfamily Verticordioidea	
<b>Family Verticordiidae</b>	
<b>Subfamily Verticordiinae</b>	
<i>Haliris aequacostata</i>	(Howard 1950)
Verticordia aequacostata	Howard 1950
<i>Trigonulina novemcostatus</i>	(A. Adams & Reeve 1850)
Verticordia novemcostatus	A. Adams & Reeve 1850
Trigonulina pacifica	Jung 1996
Verticordia ornata	of authors NEP not (d'Orbigny 1857)
<b>Subfamily Lyonsiellinae</b>	
<i>Dallicordia alaskana</i>	(Dall 1895)
Lyonsiella alaskana	Dall 1895
<i>Policordia</i> sp A	SCAMIT 2014 §

Policordia sp OC1	Barwick 2014 §
Superfamily Poromyoidea	
<b>Family Poromyidae</b>	
<i>Dermatomya buttoni</i>	Dall 1916
<i>Dermatomya tenuiconcha</i>	(Dall 1913)
Poromya (Dermatomya) tenuiconcha	Dall 1913
<i>Dermatomya tenuiconcha sagamiensis</i>	Okutani 1962
Poromya (Dermatomya) soyoae	Habe 1952
Class Scaphopoda	
Order Dentaliida	
<b>Family Dentaliidae</b>	
<i>Antalis pretiosa</i>	(G. B. Sowerby II 1860)
Dentalium pretiosum	G. B. Sowerby II 1860
<i>Antalis columbiana</i>	Clessin 1896
<i>Antalis densiliratum</i>	Pilsbry & Sharp 1898
<i>Dentalium indianorum</i>	Carpenter 1864
<i>Dentalium neohexagonum</i>	Sharp & Pilsbry in Pilsbry & Sharp 1897
<i>Dentalium vallicolens</i>	Raymond 1904
Dentalium (Graptacme) vallicolens	of Abbott 1974
<i>Graptacme semipolitum</i>	(Broderip & Sowerby 1829)
Dentalium semipolitum	Broderip & Sowerby 1829
<b>Family Rhabdidae</b>	
<i>Rhabdus dalli</i>	(Pilsbry & Sharp 1897)
Dentalium (Rhabdus) dalli	Pilsbry & Sharp 1897
<i>Rhabdus rectius</i>	(Carpenter 1864)
Dentalium rectius	Carpenter 1864
<i>Dentalium watsoni</i>	Pilsbry & Sharp 1897
Dentalium (Rhabdus) rectius	of Pilsbry & Sharp 1897-98
Order Gadiida	
Suborder Gadilimorpha	
<b>Family Gadiliidae</b>	
<b>Subfamily Siphonodentaliinae</b>	
<i>Polyschides quadrifissatus</i>	(Pilsbry & Sharp 1898)
Cadulus (Polyschides) quadrifissatus	Pilsbry & Sharp 1898
Siphonodentalium quadrifissatum	of SCAMIT Ed 4
<b>Subfamily Gadilinae</b>	
<i>Cadulus californicus</i>	Pilsbry & Sharp 1898
Cadulus (Platyschides) californicus	of Abbott 1974
Polyschides californicus	of SCAMIT Ed 4
<i>Gadila aberrans</i>	(Whiteaves 1887)
Cadulus aberrans	Whiteaves 1887
Cadulus fusiformis	Pilsbry & Sharp 1898
Cadulus hepburni	Dall 1897
Cadulus nitentior	Arnold 1903
Pulsellum aberrans	of Turgeon et al 1988
<i>Gadila tolmiei</i>	(Dall 1897)
Cadulus tolmiei	Dall 1897
Polyschides tolmiei	of Turgeon et al 1998
<b>Family uncertain</b>	
<i>Compressidens stearnsii</i>	(Pilsbry & Sharp 1898)
Dentalium stearnsii	Pilsbry & Sharp 1898
Dentalium (Compressidens) simplex	Pilsbry & Sharp 1897 not Michelotti 1861
Class Cephalopoda	
Subclass Coleoidea	
Superorder Decapodiformes	
Order Sepiida	
Suborder Sepiolida	
<b>Family Sepiolidae</b>	
<i>Rossia pacifica</i>	Berry 1911

	Rossia borealis	Sasaki 1913
Order Myopsida		
Family Loliginidae		
<i>Doryteuthis opalescens</i>	(Berry 1911)	
<i>Loligo opalescens</i>	Berry 1911	
<i>Loligo stearnsi</i>	Hemphill 1892	
<i>Ommastrephes tryoni</i>	of Kepp 1904 not (Gabb 1864)	
Order Oegopsida		
Family Gonatidae		
<i>Gonatopsis borealis</i>	Sasaki 1923	
Family Histiotheuthidae		
<i>Histioteuthis heteropsis</i>	(Berry 1913)	
<i>Calliteuthis heteropsis</i>	Berry 1913	
<i>Meleagroteuthis hoylei</i>	of Berry 1912 not (Goodrich 1896)	
Superorder Octopodiformes		
Order Octopoda		
Suborder Cirrata		
Family Opisthoteuthidae		
<i>Opisthoteuthis</i> sp A	Hochberg 1976 §	
Suborder Incirrata		
Superfamily Octopodoidea		
<i>Octopus bimaculatus</i>	Verrill 1883	
<i>Octopus bimaculoides</i>	Pickford & McConaughey 1949	
<i>Octopus californicus</i>	(Berry 1911)	
<i>Polypus californicus</i>	Berry 1911	
<i>Octopus micropyrus</i>	Berry 1953	
<i>Octopus rubescens</i>	Berry 1953	
<i>Polypus apollyon</i>	Berry 1913	
<i>Polypus hongkongensis</i>	of Berry 1911 in part	
<i>Octopus veligero</i>	Berry 1953	
PHYLUM SIPUNCULA		
Class Sipunculidae		
Order Golfingiida		
Family Golfingiidae		
<i>Golfingia margaritacea</i>	(M. Sars 1851)	
<i>Sipunculus margaritaceus</i>	M. Sars 1851	
<i>Golfingia ikedai</i>	Fisher 1952	
<i>Golfingia margaritaceum californiensis</i>	Fisher 1952	
<i>Phascolosoma glossipapillosum</i>	Satô 1934	
<i>Phascolosoma japonicum</i>	Ikeda 1904	
<i>Phascolosoma noto</i>	Satô 1934	
<i>Phascolosoma okinoseanum</i>	Ikeda 1904	
<i>Phascolosoma signum</i>	Satô 1934	
<i>Phascolosoma soyo</i>	Satô 1934	
<i>Golfingia</i> sp 1	Thompson 1985 §	
<i>Nephasoma diaphanes</i>	(Gerould 1913)	
<i>Phascolosoma diaphanes</i>	Gerould 1913	
<i>Golfingia minuta</i>	of Stephen & Edmonds 1972	
<i>Phascolosoma minutum</i>	of Théel 1911 not (Kieferstein 1862)	
<i>Nephasoma eremita</i>	(M. Sars 1851)	
<i>Sipunculus eremita</i>	M. Sars 1851	
<i>Golfingia elachea</i>	Fisher 1952	
<i>Golfingia eremita californica</i>	Fisher 1952	
<i>Phascolosoma digitatum</i>	Théel 1875	
<i>Sipunculus boreale</i>	of Kieferstein 1865	
<i>Sipunculus (Phascolosoma) borealis</i>	Quatrefages 1865	
<i>Nephasoma pellucidum</i>	(Kieferstein 1865)	
<i>Phascolosoma pellucidum</i>	Kieferstein 1865	
<i>Golfingia coriacea</i>	Fisher 1950	

Golfingia eremita var australis	Wesenberg-Lund 1959
Golfingia pellucida	of Murina 1968
Golfingia sluiteri	of Stephen & Edmonds 1972
Phascolosoma cinereum	Gerould 1908
Phascolosoma riisei	Keferstein 1865
Phascolosoma sluiteri	of ten Broeke 1925
Phascolosoma verrillii	Gerould 1908
<i>Thysanocardia nigra</i>	(Ikeda 1904)
<i>Phascolosoma nigrum</i>	Ikeda 1904
<i>Golfingia catharinæ</i>	(Grube 1868)
<i>Golfingia hozawai</i>	Stephen & Edmonds 1972
<i>Golfingia macginitieei</i>	Fisher 1952
<i>Golfingia nigra</i>	of Stephen & Edmonds 1972
<i>Golfingia procera</i>	of authors NEP not (Möbius 1875)
<i>Golfingia pugettensis</i>	Stephen & Edmonds 1972
<i>Phascolosoma hozawai</i>	Satō 1937
<i>Phascolosoma hyugensis</i>	Satō 1934
<i>Phascolosoma onagawa</i>	Satō 1937
<i>Phascolosoma pavlenkoi</i>	Ostroumov 1909
<i>Phascolosoma zenibakense</i>	Ikeda 1924
<b>Family Phascolionidae</b>	
<i>Phascolion</i> sp A	(SCAMIT 1985) §
<i>Onchnesoma</i> sp A	SCAMIT 1985 §
<b>Family Sipunculidae</b>	
<i>Siphonosoma ingens</i>	(Fisher 1947)
<i>Siphonosomecus ingens</i>	Fisher 1947
<i>Sipunculus nudus</i>	Linnaeus 1766
<i>Sipunculus balanophorus</i>	delle Chiaje 1823
<i>Sipunculus delphinus</i>	Murina 1967
<i>Sipunculus eximioclathratus</i>	Baird 1868
<i>Sipunculus gigas</i>	Quatrefages 1865
<i>Sipunculus titubans</i>	Selenka & Bülow in Selenka, de Man & Bülow 1883
<i>Syrinx nudus</i>	of Forbes 1841
<i>Syrinx tesselatus</i>	Rafinesque 1814
<b>Family Themistidae</b>	
<i>Themiste hennahi</i>	Gray 1828
<i>Dendrostomum lissum</i>	Fisher 1952
<i>Dendrostomum perimeces</i>	Fisher 1928
<i>Dendrostomum schmitti</i>	Fisher 1952
<i>Dendrostomum zostericola</i>	Chamberlin 1920
<i>Themiste lissa</i>	(Fisher 1952)
<i>Themiste perimeces</i>	(Fisher 1928)
<i>Themiste zostericola</i>	(Chamberlin 1920)
Class Phascolosomatidea	
Order Phascolosomatida	
<b>Family Phascolosomatidae</b>	
<i>Apionsoma misakianum</i>	(Ikeda 1904)
<i>Phascolosoma misakianum</i>	Ikeda 1904
<i>Apionsoma misakiana</i>	of E. Cutler, N. Cutler & Nishikawa 1984
<i>Golfingia hespera</i>	of Fisher 1952
<i>Golfingia (Mitospiphon) misakiana</i>	of Stephen & Edmonds 1972
<i>Golfingia (Phascolana) longirostris</i>	Wesenberg-Lund 1959
<i>Golfingia (Phascolana) tenuissima</i>	Wesenberg-Lund 1959
<i>Phascolosoma hespera</i>	Chamberlin 1920
<i>Apionsoma trichocephala</i>	Sluiter 1902
<i>Phascolosoma pusillum</i>	Sluiter 1912
<i>Apionsoma</i> sp SD1	Pasko 1997 §
<i>Phascolosoma agassizii</i>	Keferstein 1866
<i>Phascolosoma (Rueppellisoma) golikovi</i>	Murina 1975

Phascolosoma japonicum	Grube 1877
Phymosoma lordi	Baird 1868
Physcosoma formosense	Satô 1939
Physcosoma glaucum	Satô 1930
Physcosoma yezoense	Ikeda 1924

Order **Aspidosiphonida**

**Family Aspidosiphonidae**

*Aspidosiphon (Paraspidosiphon)* sp

PHYLUM ANELIDA

Class Polychaeta

Subclass Echiura

Order Echiuridea

Suborder Bonelloinea

**Family Bonelliidae**

*Nellobia eusoma*

Fisher 1946

Suborder Echiuroinea

**Family Thalassematidae**

*Arhynchite californicus*

Fisher 1947

*Listriolobus hexamyotus*

Fisher 1949

*Listriolobus pelodes*

Fisher 1946

Suborder Xenopneusta

**Family Urechidae**

*Urechis caupo*

Fisher & MacGinitie 1928

Subclass Errantia

Order Amphipnomida

**Family Amphipnomidae**

*Chloeia pinnata*

Moore 1911

*Pareurythoe californica*

(Johnson 1897)

*Eurythoe californica*

Johnson 1897

**Family Euphosinidae**

*Euphosine arctia*

Johnson 1897

*Euphosyne arctia*

Johnson 1897

*Euphosine calypta*

Essenberg 1917

Order Eunicida

**Family Dorvilleidae**

*Dorvillea (Dorvillea)* sp

(Moore 1906)

*Dorvillea (Schistomeringos) annulata*

Moore 1906

*Stauronereis annulatus*

of Fauchald 1970

*Dorvillea annulata*

of Lissner et al 1986 in part not (Ehlers 1901)

*Schistomeringos longicornis*

of Lissner et al 1986

*Schistomeringos nr annulata*

of Pettibone 1963 in part not (delle Chiaje 1828)

*Stauronereis rudolphi*

(Ehlers 1901)

*Dorvillea (Schistomeringos) longicornis*

Ehlers 1901

*Stauronereis longicornis*

of Hartman 1968

*Dorvillea articulata*

of Hartman 1968 not (McIntosh 1885)

*Dorvillea atlantica*

of Fauchald 1970 in part not (delle Chiaje 1828)

*Dorvillea rudolphi*

of Jumars 1974

*Schistomeringos longicornis*

Hartman 1938

*Stauronereis articulatus*

of Pettibone 1963 in part not (delle Chiaje 1828)

*Stauronereis rudolphi*

SCAMIT 1987 §

*Ophryotrocha* sp A

SCAMIT 1987 §

*Ophryotrocha* sp B

SCAMIT 1987 §

*Ophryotrocha* sp C

SCAMIT 1987 §

*Parougia caeca*

(Webster & Benedict 1884)

*Staurocephalus caecus*

Webster & Benedict 1884

*Dorvillea caeca*

of Banse & Hobson 1968

*Pettiboneia sanmatiensis*

Orensanz 1973

*Protodorvillea gracilis*

(Hartman 1938)

*Stauronereis gracilis*

Hartman 1938

<i>Dorvillea gracilis</i>	of Hartman 1959
<i>Protodorvillea kefersteini</i>	of authors NEP not (McIntosh 1869)
<i>Protodorvillea recuperata</i>	Banse & Nicols 1968
<b>Family Eunicidae</b>	
<i>Eunice antennata</i>	(Savigny in Lamarck 1818)
<i>Eunice biannulata</i>	Moore 1904
<i>Eunice multicylindri</i>	Shisko 1981
<i>Eunice multipectinata</i>	Moore 1911
<i>Leodice americana</i>	(Hartman 1944)
<i>Eunice americana</i>	Hartman 1944
<i>Leodice antennata</i>	Savigny in Lamarck 1818
<i>Eunice antennata</i>	of authors NEP
<i>Lysidice</i> sp	Fauchald 1970
<i>Marphysa angelensis</i>	Moore 1911
<i>Marphysa conferta</i>	Hartman 1961
<i>Marphysa disjuncta</i>	of authors SCB not Treadwell 1921
<i>Marphysa belli oculata</i>	Harris & Velarde 1983 §
<i>Marphysa</i> sp A	Monroe 1928
<i>Marphysa mortensenii</i>	(Montagu 1815)
<i>Marphysa sanguinea</i>	Montagu 1815
<i>Nereis sanguinea</i>	Moore 1909
<i>Marphysa stylobranchiata</i>	SCAMIT 1999 §
<i>Marphysa</i> sp B	Phillips 2003 §
<i>Marphysa</i> sp HYP1	(Moore 1909)
<i>Palola palolooides</i>	Moore 1909
<i>Eunice</i> (Eriphyle) <i>palolooides</i>	
<b>Family Lumbrineridae</b>	
<i>Cenogenus fusca</i>	(Moore 1911)
<i>Ninoe fusca</i>	Moore 1911
<i>Paraninoe fusca</i>	(Moore 1911)
<i>Eranno bicirrata</i>	(Treadwell 1922)
<i>Lumbrineris bicirrata</i>	Treadwell 1922
<i>Eranno lagunae</i>	(Fauchald 1970)
<i>Lumbrineris lagunae</i>	Fauchald 1970
<i>Lumbrineris bifilaris</i>	of Hartman 1944 not Ehlers 1901
<i>Lumbricalus harrisiae</i>	Carrera-Parra 2004
<i>Lumbrinerides platypygos</i>	(Fauchald 1970)
<i>Lumbrineris platypygos</i>	Fauchald 1970
<i>Lumbrineris acuta</i>	of Hartman 1968 not (Verrill 1875)
<i>Lumbrineriopsis</i> sp SD1	Rowe 2002 §
<i>Lumbrineris cruzensis</i>	Hartman 1944
<i>Lumbriconereis cruzensis</i>	of Uschakov & Wu 1965
<i>Lumbrineris crucensis</i>	of Rioja 1962
<i>Lumbrineris index</i>	Moore 1911
<i>Lumbrineris japonica</i> index	Moore 1911
<i>Lumbrineris inflata</i>	Moore 1911
<i>Lumbrineris japonica</i>	(Marenzeller 1879)
<i>Lumbriconereis japonica</i>	Marenzeller 1879
<i>Lumbriconereis latreilli</i>	of Uschakov & Wu 1962 not Audouin & H. Milne Edwards 1834
<i>Lumbrineris latreilli japonica</i>	of Hartman 1944
<i>Lumbrineris latreilli</i>	Audouin & H. Milne Edwards 1834
<i>Lumbriconereis latreilli</i>	of Fauvel 1923
<i>Lumbrineris ligulata</i>	Berkeley & Berkeley 1941
<i>Lumbrineris californiensis</i>	Hartman 1944
<i>Lumbrineris limicola</i>	Hartman 1944
<i>Lumbrineris</i> sp E	SCAMIT 2001 §
<i>Ninoe palmata</i>	Moore 1903
<i>Ninoe tridentata</i>	Hilbig 1995
<i>Ninoe</i> sp A	Harris 1985 §

<i>Ninoe gemmea</i>	of authors SCB
<i>Scoletoma bassi</i>	(Hartman 1944)
<i>Lumbrineris bassi</i>	Hartman 1944
<i>Scoletoma erecta</i>	(Moore 1904)
<i>Lumbriconereis erecta</i>	Moore 1904
<i>Lumbrineris erecta</i>	(Moore 1904)
<i>Errano erecta</i>	of Lovell 2001 SCAMIT handout
<i>Scoletoma tetraura</i> Cmplx	
<i>Scoletoma luti</i>	of authors SCB not (Berkeley & Berkeley 1945)
<i>Scoletoma tetraura</i>	of authors SCB not (Schmarda 1861)
<i>Scoletoma zonata</i>	(Johnson 1901)
<i>Lumbriconereis zonata</i>	Johnson 1901
<i>Lumbrineris zonata</i>	of authors NEP
<i>Scoletoma</i> sp A	(Harris 1985) §
<i>Lumbrineris</i> sp A	Harris 1985 §
<i>Scoletoma</i> sp B	(Harris 1985) §
<i>Lumbrineris</i> sp B	Harris 1985 §
<i>Scoletoma</i> sp C	(Harris 1985) §
<i>Lumbrineris</i> sp C	Harris 1985 §
<b>Family Oenonidae</b>	
<i>Arabella endonata</i>	Emerson 1974
<i>Arabella iricolor</i>	(Montagu 1804)
<i>Nereis iricolor</i>	Montagu 1804
<i>Arabella opalina</i>	of Webster 1879
<i>Lumbriconereis opalina</i>	Verrill & Smith 1874
<i>Arabella pectinata</i>	Fauchald 1970
<i>Arabella protomutans</i>	Orensanz 1990
<i>Arabella semimaculata</i>	(Moore 1911)
<i>Aracoda semimaculata</i>	Moore 1911
<i>Drilonereis falcata</i>	Moore 1911
<i>Drilonereis filum</i>	(Claparède 1868)
<i>Lumbriconereis filum</i>	Claparède 1868
<i>Drilonereis longa</i>	Webster 1879
<i>Drilonereis mexicana</i>	Fauchald 1970
<i>Drilonereis nuda</i>	of Hartman 1944 in part not Moore 1909
<i>Drilonereis nuda</i>	Moore 1909
<i>Drilonereis</i> sp A	SCAMIT 1998 §
<i>Driloneris longa</i>	of authors SCB in part not Webster 1879
<i>Drilonereis nr longa</i>	of Montagne 1982
<i>Drilonereis</i> sp B	Harris 1985 §
<i>Drilonereis</i> sp LA1	Lovell 2006 §
<i>Notocirrus californiensis</i>	Hartman 1944
<b>Family Onuphidae</b>	
<i>Diopatra ornata</i>	Moore 1911
<i>Onuphis longibranchiata</i>	E. Berkeley 1972
<i>Diopatra splendidissima</i>	Kinberg 1865
<i>Diopatra tridentata</i>	Hartman 1944
<i>Hyalinoecia juvenalis</i>	Moore 1911
<i>Kinbergonuphis paradiopatra</i>	(Hartman 1944)
<i>Nothria stigmatis paradiopatra</i>	Hartman 1944
<i>Kinbergonuphis vexillaria</i>	(Moore 1911)
<i>Onuphis vexillaria</i>	Moore 1911
<i>Mooreonuphis exigua</i>	(Shisko 1981)
<i>Nothria exigua</i>	Shisko 1981
<i>Mooreonuphis litoralis</i>	(Monro 1933)
<i>Onuphis litoralis</i>	Monro 1933
<i>Mooreonuphis nebulosa</i>	(Moore 1911)
<i>Onuphis nebulosa</i>	Moore 1911
<i>Mooreonuphis nr nebulosa</i>	of Steinhauer & Imamura 1990

<i>Mooreonuphis segmentispadix</i>	(Shisko 1981)
<i>Onuphis segmentispadix</i>	Shisko 1981
<i>Mooreonuphis sp B</i>	Harris 1985 §
<i>Mooreonuphis stigmatis</i>	(Treadwell 1922)
<i>Onuphis stigmatis</i>	Treadwell 1922
<i>Nothria stigmatis</i>	of Hartman 1944
<i>Mooreonuphis veleronis</i>	(Fauchald 1980)
<i>Onuphis (Nothria) veleronis</i>	Fauchald 1980
<i>Nothria stigmatus intermedia</i>	Hartman 1944
<i>Mooreonuphis sp LA1</i>	Brantley 1999 §
<i>Mooreonuphis sp SD1</i>	Rowe 1996 §
<i>Nothria occidentalis</i>	Fauchald 1968
<i>Nothria conchylega occidentalis</i>	Fauchald 1968
<i>Paranothria sp A</i>	Steinhauer & Imamura 1990
<i>Onuphis affinis</i>	Hilbig 1995
<i>Onuphis elegans</i>	(Johnson 1901)
<i>Northia elegans</i>	Johnson 1901
<i>Nothria elegans</i>	of Hartman 1968 in part
<i>Onuphis eremita parva</i>	Berkeley & Berkeley 1941
<i>Onuphis geophiliformis</i>	(Moore 1903)
<i>Northia geophiliformis</i>	Moore 1903
<i>Nothria geophiliformis</i>	of Fauchald 1968
<i>Onuphis iridescentis</i>	(Johnson 1901)
<i>Northia iridescentis</i>	Johnson 1901
<i>Nothria iridescentis</i>	of Hartman 1944 in part
<i>Onuphis multiannulata</i>	Shisko 1981
<i>Onuphis pallida</i>	(Moore 1911)
<i>Nothria pallida</i>	Moore 1911
<i>Onuphis sp A</i>	SCAMIT 1992 §
<i>Nothria iridescentis</i>	of Hartman 1944 in part
<i>Onuphis sp 1</i>	Pt. Loma 1983 §
<i>Onuphis sp "intermediates"</i>	Hobson 1971
<i>Paradiopatra parva</i>	(Moore 1911)
<i>Onuphis parva</i>	Moore 1911
<i>Sarsonuphis parva</i>	of Fauchald 1982
<i>Rhamphobrachium longisetosum</i>	Berkeley & Berkeley 1938

Order Phyllodocida

Suborder Aphroditiformia

Superfamily Aphroditooidea

**Family Acoetidae**

*Acoetes mortensenii*

*Polyodontes mortensenii*

*Panthalis mortensenii*

*Acoetes pacifica*

*Panthalis pacifica*

*Polyodontes panamensis*

*Panthalis panamensis*

**Family Aphroditidae**

*Aphrodita armifera*

*Aphrodita brevitentaculata*

*Aphrodita castanea*

*Aphrodita japonica*

*Aphrodita longipalpa*

*Aphrodita negligens*

*Aphrodita refulgida*

*Aphrodita sp A*

(Monro 1928)

Monro 1928

of Hartman 1969

(Treadwell 1914)

Treadwell 1914

(Chamberlin 1919)

Chamberlin 1919

Moore 1910

Essenberg 1917

Moore 1910

Marenzeller 1879

Essenberg 1917

Moore 1905

Moore 1910

Rossi 1978 §

**Family Eulepethidae**

*Grubeulepis sp*

**Family Polynoidae**

<b>Subfamily Arctonoinae</b>	
<i>Arctonoë pulchra</i>	(Johnson 1897)
<i>Polynoe pulchra</i>	Johnson 1897
<i>Hololepida magna</i>	Moore 1905
<b>Subfamily Lepidastheninae</b>	
<i>Lepidasthenia berkeleyae</i>	Pettibone 1948
<i>Lepidasthenia interrupta</i>	of Hartman 1968 not Marenzeller 1902
<i>Lepidasthenia longicirrata</i>	E. Berkeley 1923
<i>Lepidametria longicirrata</i>	of Berkeley & Berkeley 1948
<b>Subfamily Lepidonotinae</b>	
<i>Halosydna brevisetosa</i>	<b>Kinberg 1856</b>
<i>Halosydna johnsoni</i>	(Darboux 1899)
<i>Lepidonotus johnsoni</i>	Darboux 1899
<i>Halosydna latior</i>	Chamberlin 1919
<i>Lepidonotus spiculus</i>	(Treadwell 1906)
<i>Polynoe spicula</i>	Treadwell 1906
<i>Lepidonotus caeloris</i>	of authors in part not Moore 1903
<i>Lepidonotus caelorus</i>	of authors in part not Moore 1903
<i>Lepidonotus squamatus</i>	of authors in part not Linnaeus 1767
<b>Subfamily Polynoinae</b>	
<i>Antinoë</i> sp	SCAMIT 1990 §
<i>Arcteobia cf anticostiensis</i>	Lovell 2012 §
<i>Arcteobia</i> sp LA1	(Moore 1910)
<i>Eucranta anoculata</i>	Moore 1910
<i>Antinoë anoculata</i>	(Moore 1902)
<i>Eunoë senta</i>	Moore 1902
<i>Gattyana senta</i>	(Grube 1840)
<i>Harmothoe extenuata</i>	Grube 1840
<i>Polynoe extenuata</i>	of SCAMIT Ed 10
<i>Lagisca extenuata</i>	Moore 1910
<i>Harmothoe fragilis</i>	Moore 1910
<i>Harmothoe (Evarne) fragilis</i>	Steinhauer & Imamura 1990 in part
<i>Antinoë</i> sp C	of authors not (Johnston 1839)
<i>Harmothoe impar</i>	Johnson 1897
<i>Harmothoe hirsuta</i>	(Moore 1902)
<i>Harmothoe imbricata</i> Cmplx	Moore 1902
<i>Harmothoe multisetosa</i>	(Johnson 1901)
<i>Lagisca multisetosa</i>	Johnson 1901
<i>Hesperonoe complanata</i>	Hartman 1961
<i>Harmothoe complanata</i>	Pettibone 1993
<i>Hesperonoe laevis</i>	Pettibone 1993
<i>Malmgreniella bansei</i>	Harris 1985 §
<i>Malmgreniella baschi</i>	SCAMIT 1990 §
<i>Eunoë</i> sp C	Steinhauer & Imamura 1990 in part
<i>Eunoë cf depressa</i>	Harris 1985 §
<i>Harmothoe nr lunulata</i>	Pettibone 1993
<i>Harmothoe</i> sp A	Pettibone 1993
<i>Malmgreniella liei</i>	Pettibone 1993
<i>Malmgreniella macginitiei</i>	Pettibone 1993
<i>Malmgreniella nigralba</i>	(E. Berkeley 1923)
<i>Malmgenia nigralba</i>	E. Berkeley 1923
<i>Harmothoe lunulata</i>	of Hartman 1968 in part not (delle Chiaje 1830)
<i>Malmgrenia lunulata</i>	of Pettibone 1953 in part not (delle Chiaje 1830)
<i>Malmgreniella sanpedroensis</i>	Pettibone 1993
<i>Malmgreniella</i> sp SD3	Rowe 1998 §
<i>Malmgreniella scriptoria</i>	(Moore 1910)
<i>Harmothoe scriptoria</i>	Moore 1910
<i>Harmothoe nr lunulata</i>	of authors SCB in part
<i>Malmgrenia lunulata</i>	of Pettibone 1953 in part not (delle Chiaje 1830)

<i>Malmgreniella</i> sp A	SCAMIT 1997 §
<i>Malmgreniella</i> sp SD2	Rowe 1998 §
<i>Subadyte mexicana</i>	Fauchald 1972
Subadyte sp A	SCAMIT 1990 §
Subadyte sp B	Harris 1985 §
<i>Tenonia priops</i>	(Hartman 1961)
Harmothoe priops	Hartman 1961
Tenonia kitsapsensis	Nichols 1969
<i>Thormora johnstoni</i>	(Kinberg 1856)
Lepidonotus johnstoni	Kinberg 1856
Halosydna lagunae	of Hamilton 1915
Thormora (Lepidonotus) johnstoni	(Kinberg 1856)
<i>Thormora setosior</i>	(Chamberlin 1919)
Lepidonotus setosior	Chamberlin 1919
Lepidonotus setosior	of Hartman 1969
<i>Ysideria hastata</i>	Ruff 1995
Harmothoe sp A	SCAMIT 1990 §
<b>Family Pholoidae</b>	
<i>Pholoe glabra</i>	Hartman 1961
<i>Pholoe</i> sp A	Harris 2000 §
<i>Pholoe</i> sp B	Harris 2000 §
<b>Family Sigalionidae</b>	
<i>Leanira alba</i>	Moore 1910
<i>Pelogenia fimbriata</i>	(Hartman 1939)
Psammolyce fimbriata	Hartman 1939
Psammolyce myops	Hartman 1939
Psammolyce spinosa	of Bekeley & Berkeley 1941 not Hartman 1939
<i>Pholoides asperus</i>	(Johnson 1897)
Peisidice aspera	Johnson 1897
Paraeupholoe fimbriata	Hartmann-Schröder 1962
Parapholoe tuberculata	Hartmann-Schröder 1965
Peisidice tuberculata	of Hartman & Fauchald 1971
Pholoe minuta	of Blake 1975 not Fabricius 1780
Pholoides aspera	of Fauchald 1977
Pholoides tuberculata	of Carrasco & Gallardo 1983
<i>Pisione remota</i>	(Southern 1914)
Praegeria remota	Southern 1914
<i>Sigalion spinosus</i>	(Hartman 1939)
Eusigalion spinosum	Hartman 1939
Thalenessa spinosa	of Hartman 1969
<i>Sthenelais berkeleyi</i>	Pettibone 1971
<i>Sthenelais fusca</i>	Johnson 1897
<i>Sthenelais tertiaiglabra</i>	Moore 1910
Sthenelais articulata	of Berkeley & Berkeley 1948 not Kinberg 1855
Sthenelais hancocki	Hartman 1939
Sthenelais verruculosa	of Pettibone 1953 not Johnson 1897
<i>Sthenelais verruculosa</i>	Johnson 1897
<i>Sthenelanella uniformis</i>	Moore 1910
Suborder Glyceriformia	
<b>Family Glyceridae</b>	
<i>Glycera americana</i>	Leidy 1855
Glycera corrugata	Baird 1863
Glycera edentata	Hansen 1882
Glycera jucunda	Kinberg 1866
Glycera laevis	Kinberg 1866
Glycera peruviana	Quatrefages 1866
Glycera rugosa	Johnson 1901
Rhynchobolus americanus	Verrill & Smith 1874
<i>Glycera branchiopoda</i>	Moore 1911

<i>Glycera macrobranchia</i>	Moore 1911
<i>Glycera alba macrobranchium</i>	Moore 1911
<i>Glycera convoluta</i>	of authors SCB not Keferstein 1862
<i>Glycera nana</i>	Johnson 1901
<i>Glycera capitata</i>	of Hartman 1950 in part not Ørsted 1843
<i>Glycera oxycephala</i>	Ehlers 1887
<i>Glycera robusta</i>	Ehlers 1868
<i>Glycera longissima</i>	of Hartman 1940 not Arwidsson 1899
<i>Glycera sp A</i>	Harris 1985 §
<i>Glycera tenuis</i>	Hartman 1944
<i>Glycera tesselata</i>	Grube 1863
<i>Glycera nana</i>	of Treadwell 1914 not Johnson 1901
<i>Glycera sagittariae</i>	of Treadwell 1906 not McIntosh 1885
<i>Glycera spadix</i>	Treadwell 1943
<i>Hemipodia borealis</i>	Johnson 1901
<i>Hemipodus borealis</i>	of authors NEP
<b>Family Goniadidae</b>	
<i>Glycinde armigera</i>	Moore 1911
<i>Glycinde multidens</i>	of Hartman 1940 not F. Müller 1858
<i>Glycinde picta</i>	Berkeley 1927
<i>Goniada acicula</i>	Hartman 1940
<i>Goniada annulata</i>	Moore 1905
<i>Goniada brunnea</i>	Treadwell 1906
<i>Goniada annulata</i>	of Treadwell 1914 in part not Moore 1905
<i>Goniada maculata</i>	of Hartman 1940 not Ørsted 1843
<i>Goniada littorea</i>	Hartman 1950
<i>Goniada brunnea</i>	of Treadwell 1914 in part not Treadwell 1906
<i>Goniada uncinigera</i>	of Hartman 1940 not Ehlers 1901
<i>Goniada maculata</i>	Ørsted 1843
<i>Goniada brunnea</i>	of Hartman 1940 not Treadwell 1906
<i>Ophioglycera</i> sp	
<b>Family Lacydoniidae</b>	
<i>Lacydonia</i> sp	
Suborder Nereidiformia	
<b>Family Chrysopetalidae</b>	
<b>Subfamily Calamyzinae</b>	
<i>Calamyzas amphictenicola</i>	Arwidsson 1932
<b>Subfamily Chrysopetalinae</b>	
<i>Chrysopetalum occidentale</i>	Johnson 1897
<i>Paleanotus bellis</i>	(Johnson 1897)
<i>Heteropalae bellis</i>	Johnson 1897
<i>Paleanotus chrysolepis</i>	of Berkeley & Berkeley 1948 not Schmarda 1861
<b>Subfamily Dysponetinae</b>	
<i>Dysponetus populonectens</i>	Pleijel et al 2012
<b>Family Hesionidae</b>	
<i>Amphiduros pacificus</i>	Hartman 1961
<i>Gyptis brunnea</i>	(Hartman 1961)
<i>Oxydromus brunnea</i>	Hartman 1961
<i>Amphiduros brunnea</i>	of Lissner et al 1986
<i>Hesionella mccullochae</i>	Hartman 1939
<i>Heteropodarke heteromorpha</i>	Hartmann-Schröder 1962
<i>Microphthalmus hystrix</i>	Fournier 1991
<i>Micropodarke dubia</i>	(Hessle 1925)
<i>Kefersteinia dubia</i>	Hessle 1925
<i>Micropodarke amemiyai</i>	Okuda 1938
<i>Oxydromus pugettensis</i>	(Johnson 1901)
<i>Podarke pugettensis</i>	Johnson 1901
<i>Ophiodromus (Podarke) pugettensis</i>	of Blake 1975
<i>Ophiodromus pugettensis</i>	of Hessle 1925

<i>Ophiodromus pugettensis</i>	(Johnson 1901)
<i>Neoglyptis julii</i>	Summers et al 2015
<i>Neoglyptis plurisetis</i>	(Hilbig 1992)
<i>Gyptis plurisetis</i>	Hilbig 1992
<i>Podarkeopsis glabrus</i>	(Hartman 1961)
<i>Oxydromus areniculus glabrus</i>	Hartman 1961
<i>Gyptis arenicola glabra</i>	of Hartman 1968
<i>Podarkeopsis perkinsi</i>	Hilbig 1992
<i>Podarkeopsis sp B</i>	Harris 1985 §
<i>Podarkeopsis sp A</i>	Velarde & Harris 1987 §
<i>Podarkeopsis sp A</i>	Harris 1985 §
<i>Psamathe</i> sp	of SCAMIT Ed 5
<i>Kefersteinia</i> sp	
<b>Family Nereididae</b>	
<b>Subfamily Nereidinae</b>	
<i>Alitta brandti</i>	Malmgren 1865
<i>Neanthes brandti</i>	(Malmgren 1865)
<i>Ceratocephale hartmanae</i>	Banse 1977
<i>Ceratocephale loveni</i>	Malmgren 1867
<i>Ceratonereis mirabilis</i>	Kinberg 1865
<i>Gymnonereis crosslandi</i>	(Monro 1933)
<i>Chaunorhynchus crosslandi</i>	Monro 1933
<i>Ceratocephala crosslandi</i>	of Hartman 1952
<i>Ceratocephale crosslandi americana</i>	of Hartman 1968
<i>Neanthes acuminata</i> Cmplx	
<i>Neanthes acuminata</i>	of authors NEP not Ehlers 1868
<i>Neanthes arenaceodentata</i>	of authors NEP not Moore 1903
<i>Neanthes caudata</i>	of authors NEP not (delle Chiaje 1828)
<i>Neanthes succinea</i>	(Leuckart 1847)
<i>Alitta succinea</i>	Leuckart 1847
<i>Nereis (Neanthes) saltoni</i>	Hartman 1936
<i>Nereis latescens</i>	Chamberlin 1919
<i>Nereis mendocinana</i>	Chamberlin 1919
<i>Nereis neonigripes</i>	Hartman 1936
<i>Nereis vexillosa</i>	Grube 1851
<i>Nereis</i> sp A	SCAMIT 2007 §
<i>Nereis nr procera</i>	of Lissner et al 1986
<i>Nereis procera</i>	of authors SCB not Ehlers 1868
<i>Nereis</i> sp B	Harris 1985 §
<i>Nereis</i> sp SD1	Rowe 2007 §
<i>Nicon moniloceras</i>	(Hartman 1940)
<i>Leptoneris glauca moniloceras</i>	Hartman 1940
<i>Perinereis monterea</i>	(Chamberlin 1918)
<i>Nereis (Neanthes) monterea</i>	Chamberlin 1918
<i>Platynereis bicanaliculata</i>	(Baird 1863)
<i>Nereis bicanaliculata</i>	Baird 1863
<i>Nereis dumerili</i>	of Marenzeller 1879 not Audouin & H. Milne Edwards 1834
<i>Platynereis agassizi</i>	of Okuda & Yamada 1954
<i>Platynereis dumerili var agassizi</i>	of Berkeley & Berkeley 1948 not Ehlers 1868
<i>Platynereis dumerili</i>	(Audouin & H. Milne Edwards 1834)
<i>Nereis dumerili</i>	Audouin & H. Milne Edwards 1834
<b>Family Pilargidae</b>	
<i>Ancistrosyllis breviceps</i>	Hartman 1963
<i>Ancistrosyllis groenlandica</i>	McIntosh 1879
<i>Ancistrosyllis hamata</i>	(Hartman 1960)
<i>Pilargis hamatus</i>	Hartman 1960
<i>Ancistargis hamata</i>	of Salazar-Vallejo 1986
<i>Hermundura fauveli</i>	(Berkeley & Berkeley 1941)
<i>Loandalia fauveli</i>	Berkeley & Berkeley 1941

<i>Parandalia fauveli</i>	Berkeley & Berkeley 1941
<i>Pilargis berkeleyae</i>	Monro 1933
<i>Pilargis berkeleyi</i>	Monro 1933
<i>Pilargis maculata</i>	Hartman 1947
<i>Pilargis</i> sp A	Harris 1995 §
<i>Pilargis</i> sp 1	Harris 1996 §
<i>Pilargis</i> sp B	Harris 1995 §
<i>Pilargis</i> sp 2	Harris 1996 §
<i>Pilargis</i> sp 3	Harris 1996 §
<i>Pilargis</i> sp 4	Harris 1996 §
<i>Pseudexogone williamsae</i>	Salazar-Vallejo et al 2007
<i>Pilargidae</i> genus A sp A	Williams 1977 §
<i>Sigambra bassi</i>	(Hartman 1945)
<i>Ancistrosyllis bassi</i>	Hartman 1945
<i>Sigambra setosa</i>	Fauchald 1972
<i>Sigambra tentaculata</i>	(Treadwell 1941)
<i>Ancistrosyllis tentaculata</i>	Treadwell 1941
<i>Synelmis albini</i>	(Langerhans 1881)
<i>Ancistrosyllis albini</i>	Langerhans 1881
<i>Ancistrosyllis rigida</i>	Fauvel 1919
<i>Ancistrosyllis rigidula</i>	of Hartman 1947
<i>Synelmis harrisae</i>	Salazar-Vallejo 2003
<b>Family Sylliidae</b>	
<b>Subfamily Anoplosyllinae</b>	
<i>Streptosyllis</i> sp	
<i>Syllides japonicus</i>	Imajima 1966
<i>Syllides longocirratus</i>	Ørsted 1845
<i>Syllides mikeli</i>	Kudenov & Harris 1995
<i>Syllides minutus</i>	Blake & Walton 1977
<i>Syllides reishi</i>	Dorsey 1978
<i>Syllides</i> sp A	Dorsey 1976 §
<b>Subfamily Autolytinae</b>	
<i>Epigamia-Myrianida</i> Cmplx	
<i>Autolytus</i> spp	of authors SCB
<i>Epigamia noroi</i>	(Imajima & Hartman 1964)
<i>Autolytus noroi</i>	Imajima & Hartman 1964
<i>Autolytus nipponensis</i>	Imajima & Hartman 1964
<i>Autolytus (Regulatus) noroi</i>	Imajima & Hartman 1964
<i>Autolytus (Regulatus) nipponensis</i>	Imajima & Hartman 1964
<i>Myrianida convoluta</i>	(Cognetti 1953)
<i>Autolytus convolutus</i>	Cognetti 1953
<i>Autolytus (Regulatus) convolutus</i>	Cognetti 1953
<i>Myrianida inermis</i>	(Saint-Joseph 1887)
<i>Autolytus inermis</i>	Saint-Joseph 1887
<i>Autolytides inermis</i>	(Saint-Joseph 1887)
<i>Autolytus (Autolytides) inermis</i>	Saint-Joseph 1887
<i>Myrianida pachycera</i>	(Augener 1913)
<i>Autolytus pachycerus</i>	Augener 1913
<i>Myrianida pachycerus</i>	(Augener 1913)
<i>Autolytus purpureimaculata</i>	Okada 1933
<i>Myrianida crassicirrata</i>	Hartmann-Schroeder 1965
<i>Myrianida pentadentata</i>	(Imajima 1966)
<i>Autolytus (Autolytus) pentadentatus</i>	Imajima 1966
<i>Proceraea gigantea</i>	Nygren & Gilholm 2001
<i>Proceraea nigropunctata</i>	Nygren & Gilholm 2001
<i>Proceraea</i> sp A	Piltz 1984 §
<i>Proceraea okadai</i>	(Imajima 1966)
<i>Autolytus (Regulatus) okadai</i>	Imajima 1966
<i>Autolytus fallax</i>	Pettibone 1954

<i>Autolytus</i> (Regulatus) kiensis	Imajima 1966
<i>Procerastea nematodes</i>	Langerhans 1884
<i>Procerastea perrieri</i>	Gravier 1900
<b>Subfamily Eusyllinae</b>	
<i>Amblyosyllis speciosa</i> Cmplx	
<i>Brachysyllis lagunae</i>	(Hartman 1961)
<i>Orseis lagunae</i>	Hartman 1961
<i>Dioplosyllis broadi</i>	Mueller & Fauchald 1976
<i>Dioplosyllis lagunae</i>	Kudenov & Harris 1995
<i>Eusyllis blomstrandi</i> Cmplx	
<i>Eusyllis</i> sp SD1	Velarde 1995 §
<i>Eusyllis habei</i>	Imajima 1966
<i>Eusyllis longicirrata</i>	Imajima 1966
<i>Eusyllis transecta</i>	Hartman 1966
<i>Odontosyllis fragilis</i>	Kudenov & Harris 1995
<i>Odontosyllis pentalineata</i>	Verdes et al 2011
<i>Odontosyllis trilineata</i>	of SCAMIT Ed 7 not Imajima 2003
<i>Odontosyllis</i> sp	Hartman 1961
<i>Odontosyllis phosphorea</i>	Moore 1909
<i>Hesperalia nana</i>	Chamberlin 1919
<i>Odontosyllis phosphorea nanaimoensis</i>	E. Berkeley 1923
<i>Odontosyllis</i> sp SD1	Rowe 2004 §
<i>Opisthodonta mitchelli</i>	Kudenov & Harris 1995
<i>Opisthodonta tridentata</i>	(Kudenov & Harris 1995)
<i>Dioplosyllis tridentata</i>	Kudenov & Harris 1995
<i>Opisthodonta uraga</i>	(Imajima 1966)
<i>Pionosyllis uraga</i>	Imajima 1966
<i>Paraehlersia articulata</i>	(Kudenov & Harris 1995)
<i>Pionosyllis articulata</i>	Kudenov & Harris 1995
<b>Subfamily Exogoninae</b>	
<i>Brania brevipharyngea</i>	Banse 1972
<i>Exogone dwisula</i>	Kudenov & Harris 1995
<i>Exogone gemmifera</i>	of authors SCB not Pagenstecher 1862
<i>Exogone</i> sp B	SCAMIT 1987 §
<i>Exogone uniformis</i>	of Hartman 1961 in part
<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Exogone longicornis</i>	Westheide 1974
<i>Exogone lourei</i>	Berkeley & Berkeley 1938
<i>Exogone dispar</i>	Pettibone 1954
<i>Exogone</i> (Exogone) lourei	of San Martin 1991
<i>Exogone uniformis</i>	of Hartman 1961 in part
<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Exogone uniformis</i>	Hartman 1961
<i>Exogone cf verugera</i>	SCAMIT 1987 §
<i>Exogone</i> sp A	Williams 1975 §
<i>Parexogone acutipalpa</i>	(Kudenov & Harris 1995)
<i>Exogone acutipalpa</i>	Kudenov & Harris 1995
<i>Parexogone breviseta</i>	(Kudenov & Harris 1995)
<i>Exogone breviseta</i>	Kudenov & Harris 1995
<i>Exogone</i> sp C	SCAMIT 1987 §
<i>Parexogone brunnea</i>	(Hartman 1961)
<i>Exogonella brunnea</i>	Hartman 1961
<i>Parexogone molesta</i>	(Banse 1972)
<i>Exogone molesta</i>	Banse 1972
<i>Exogone</i> (Parexogone) molesta	of San Martin 1991
<i>Salvatoria californiensis</i>	(Kudenov & Harris 1995)
<i>Brania californiensis</i>	Kudenov & Harris 1995
<i>Brania</i> sp SD1	Velarde 1995 §
<i>Salvatoria heterocirra</i>	(Rioja 1941)

<i>Brania heterocirra</i>	Rioja 1941
<i>Salvatoria medioidentata</i>	(Westheide 1974)
<i>Brania medioidentata</i>	Westheide 1974
<i>Sphaerosyllis bilineata</i>	Kudenov & Harris 1995
<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Sphaerosyllis sp A</i>	Harris & Dorsey 1986 §
<i>Sphaerosyllis californiensis</i>	Hartman 1966
<i>Sphaerosyllis ranunculus</i>	Kudenov & Harris 1995
<i>Sphaerosyllis brandhorsti</i>	of authors NEP not Hartmann-Schröder 1965
<b>Subfamily Syllinae</b>	
<i>Branchiosyllis exilis</i> Cmplx	
<i>Haplosyllis ohma</i>	(Imajima & Hartman 1964)
<i>Trypanosyllis (Trypanoseta) ohma</i>	Imajima & Hartman 1964
<i>Geminosyllis ohma</i>	(Imajima & Hartman 1964)
<i>Haplosyllis spongicola</i> Cmplx	
<i>Syllis spongicola</i>	Grube 1855
<i>Haplosyllis spongiphila</i>	(Verrill 1885)
<i>Syllis spongiphila</i>	Verrill 1885
<i>Syllis (Syllis) spongiphila</i>	of SCAMIT Ed 4
<i>Megasyllis nipponica</i>	(Imajima 1966)
<i>Typosyllis nipponica</i>	Imajima 1996
<i>Syllis (Typosyllis) nipponica</i>	of SCAMIT Ed 4 list
<i>Opisthosyllis leslieharrisae</i>	Aguado, San Martin & Nygren 2005
<i>Plakosyllis americana</i>	Hartman 1961
<i>Syllis gracilis</i> Cmplx	
<i>Syllis (Syllis) gracilis</i>	of SCAMIT Ed 4
<i>Trypanosyllis (Trypanedentata) sp A</i>	Kudenov & Harris 1995
<i>Typosyllis adamanteus</i>	(Treadwell 1914)
<i>Trypanosyllis adamanteus</i>	Treadwell 1914
<i>Pionosyllis decorus</i>	Annenkova 1934
<i>Syllis spenceri</i>	Berkeley & Berkeley 1938
<i>Syllis (Typosyllis) decorus</i>	Chlebovitsch 1961
<i>Typosyllis elongata</i>	(Johnson 1901)
<i>Pionosyllis elongata</i>	Johnson 1901
<i>Syllis elongata</i>	(Johnson 1901)
<i>Syllis (Syllis) elongata</i>	of SCAMIT Ed 4 list
<i>Typosyllis farallonensis</i>	Blake & Walton 1977
<i>Syllis (Typosyllis) farallonensis</i>	of SCAMIT Ed 4 list
<i>Typosyllis heterochaeta</i>	(Moore 1909)
<i>Syllis (Ehlersia) heterochaeta</i>	Moore 1909
<i>Ehlersia heterochaeta</i>	of Kudenov & Harris 1995
<i>Langerhansia heterochaeta</i>	of Hartman & Barnard 1960
<i>Syllis (Ehlersia) cornuta</i>	of Pettibone 1963 in part not Rathke 1843
<i>Syllis cornuta</i>	of Pettibone 1963 in part not Rathke 1843
<i>Typosyllis hyperioni</i>	(Dorsey & Phillips 1987)
<i>Syllis (Ehlersia) hyperioni</i>	Dorsey & Phillips 1987
<i>Ehlersia hyperioni</i>	of Kudenov & Harris 1995
<i>cf Xenosyllis sp</i>	
Suborder Phyllocoptida incertae sedis	
<b>Family Nephtyidae</b>	
<i>Aglaophamus erectans</i>	Hartman 1950
<i>Aglaophamus eugeniae</i>	Fauchald 1972
<i>Aglaophamus paucilamellata</i>	Fauchald 1972
<i>Aglaophamus verrilli</i>	(McIntosh 1885)
<i>Nephtys verrilli</i>	McIntosh 1885
<i>Aglaophamus dicirris</i>	Hartman 1950
<i>Aglaophamus erectans</i>	of Harris 1985 § in part not Hartman 1950
<i>Nephtys dibranchis</i>	of Hartman 1938
<i>Bipalponephrys cornuta</i>	(Berkeley & Berkeley 1945)

<i>Nephthys cornuta</i>	Berkeley & Berkeley 1945
<i>Nephthys cornuta franciscana</i>	R. B. Clark & Jones 1955
<i>Nephthys parva</i>	R. B. Clark & Jones 1955
<i>Nephthys signifera</i>	Hilbig 1992 in part
<i>Nephthys assignis</i>	Hartman 1950
<i>Nephthys caecoides</i>	Hartman 1938
<i>Nephthys caecoides</i>	of Hartman 1940
<i>Nephthys californiensis</i>	of Hartman 1950 in part not Hartman 1938
<i>Nephthys sp B</i>	Harris 1985 §
<i>Nephthys californiensis</i>	Hartman 1938
<i>Nephthys californiensis</i>	of Hartman 1940
<i>Nephthys ferruginea</i>	Hartman 1940
<i>Nephthys caecoides ferruginea</i>	Hartman 1940
<i>Nephthys californiensis</i>	of Hartman 1950 in part not Hartman 1938
<i>Nephthys signifera</i>	Hilbig 1992 in part
<i>Nephthys glabra</i>	Hartman 1950
<i>Dentinephthys glabra</i>	of Imajima et al 1987
<i>Nephthys punctata</i>	Hartman 1938
<i>Nephthys simoni</i>	Perkins 1980
<i>Nephthys sp SD1</i>	Rowe 1994 §
<i>Nephthys squamosa</i>	Ehlers 1887
<i>Nephthys sp SD3</i>	Rowe 2004 §
<i>Nephthys sp SD2</i>	Rowe 1997 §
<b>Family Sphaerodoridae</b>	
<i>Ephesiella brevicapitis</i>	(Moore 1909)
<i>Sphaerodorum brevicapitis</i>	Moore 1909
<i>Sphaerephesia longisetis</i>	Fauchald 1972
<i>Sphaerephesia similisetis</i>	Fauchald 1972
<i>Sphaerodordium biserialis</i>	of authors NEP not (Berkeley & Berkeley 1944)
<i>Sphaerodoropsis biserialis</i>	of authors NEP not (Berkeley & Berkeley 1944)
<i>Sphaerodordium sp A</i>	SCAMIT 1996 §
<i>Clavodorum clavatum</i>	of authors NEP not Fauchald 1972
<i>Sphaerodoropsis biserialis</i>	(Berkeley & Berkeley 1942)
<i>Sphaerodorum biserialis</i>	Berkeley & Berkeley 1942
<i>Sphaerodoropsis minuta</i>	(Webster & Benedict 1887)
<i>Ephesia minuta</i>	Webster & Benedict 1887
<i>Sphaerordordium minutum</i>	of Hartman 1968
<i>Sphaerodorum minutum</i>	of Hartman 1959
<i>Sphaerodoropsis sphaerulifer</i>	(Moore 1909)
<i>Sphaerodorum sphaerulifer</i>	Moore 1909
<i>Sphaerodorum papillifer</i>	Moore 1909
Suborder Phyllocoptiformia	
<b>Family Phyllocoptidae</b>	
<b>Subfamily Eteoninae</b>	
<i>Eteone aestuarina</i>	Hartmann-Schröder 1959
<i>Eteone brigitteae</i>	Blake 1992
<i>Eteone fauchaldi</i>	of Hyland & Neff 1988 in part not Kravitz & Jones 1979
<i>Eteone californica</i>	Hartman 1936
<i>Eteone dilatae</i>	Hartman 1936
<i>Eteone fauchaldi</i>	Kravitz & Jones 1979
<i>Eteone leptotes</i>	Blake 1992
<i>Eteone sp E</i>	Hyland & Neff 1988 §
<i>Eteone lighti</i>	Hartman 1936
<i>Eteone pacifica</i>	Hartman 1936
<i>Eteone pigmentata</i>	Blake 1992
<i>Eteone sp A</i>	Harris 1985 §
<i>Eteone sp C</i>	Hyland & Neff 1988 §
<i>Eteone spilotus</i>	Kravitz & Jones 1979
<i>Eulalia californiensis</i>	(Hartman 1936)

<i>Steggoa californiensis</i>	Hartman 1936
<i>Eulalia bilineata</i>	of Blake 1994 not Johnston 1840
<i>Eulalia gracilior</i>	(Chamberlin 1919)
<i>Eulalia gracilior</i>	Chamberlin 1919
<i>Eulalia levicornuta</i> Cmplx	
<i>Eulalia quadrioculata</i>	Moore 1906
<i>Eumida longicornuta</i>	(Moore 1906)
<i>Eulalia longicornuta</i>	Moore 1906
<i>Eumida sp A</i>	SCAMIT 1987 §
<i>Eumida sp B</i>	Harris 1999 §
<i>Eumida sp 2</i>	Hamilton 1976 §
<i>Eumida tubiformis</i>	Moore 1909
<i>Hesionura coineaui difficilis</i>	(Banse 1963)
<i>Eteonides coineaui difficilis</i>	Banse 1963
<i>Mystides caeca</i>	Langerhans 1880
<i>Protomystides</i> sp	
<i>Pterocirrus burtoni</i>	Pleijel et al 2012
<i>Pterocirrus californiensis</i>	(Chamberlin 1919)
<i>Sige californiensis</i>	Chamberlin 1919
<i>Pterocirrus montereiensis</i>	(Hartman 1936)
<i>Sige montereiensis</i>	Hartman 1936
<i>Eumida sp 5</i>	of Hamilton 1976 §
<i>Pterocirrus</i> sp A	SCAMIT 1995 §
<i>Eumida sp 3</i>	of Hamilton 1976 §
<i>Sige bifoliata</i>	(Moore 1909)
<i>Eulalia (Sige) bifoliata</i>	Moore 1909
<i>Sige bifoliata</i>	of Pleijel 1990 not Hartman 1936
<i>Sige</i> sp A	SCAMIT 1995 §
<i>Eumida sp 1</i>	Hamilton 1976 §
<i>Sige</i> sp B	SCAMIT 1995 §
<i>Eulalia sp 4</i>	Hamilton 1976 §
<b>Subfamily Lugiinae</b>	
<i>Lugia uschakovi</i>	Blake 1992
<b>Subfamily Notophyllinae</b>	
<i>Clavadoce</i> sp	
<i>Nereiphylla ferruginea</i> Cmplx	
<i>Phyllodoce (Genetyllyis) castanea</i>	of Berkeley & Berkeley 1948 not (Marenzeller 1879)
<b>Subfamily Phyllodocinae</b>	
<i>Paranaitis polynoides</i>	(Moore 1909)
<i>Anaitis polynoides</i>	Moore 1909
<i>Phyllodoce (Paranaitis) polynoides</i>	of Berkeley & Berkeley 1948
<i>Paranaitis</i> sp SD1	Velarde 1998 §
<i>Phyllodoce cuspidata</i>	McCammon & Montagne 1979
<i>Phyllodoce (Anaitides) cuspidata</i>	McCammon & Montagne 1979
<i>Phyllodoce groenlandica</i>	Örsted 1842
<i>Anaitides groenlandica</i>	of Bergström 1914
<i>Phyllodoce (Anaitides) groenlandica</i>	of Uschakov 1972
<i>Phyllodoce hartmanae</i>	Blake & Walton 1977
<i>Anaitides hartmanae</i>	of Kravits & Jones 1979
<i>Phyllodoce (Aponaitides) hartmanae</i>	of McCammon & Montagne 1979
<i>Phyllodoce longipes</i>	Kinberg 1866
<i>Anaitides longipes</i>	of Hartman 1968
<i>Phyllodoce (Anaitides) papillosa</i>	of McCammon & Montagne 1979 not Uschakov & Wu 1959
<i>Phyllodoce papillosa</i>	of Hyland & Neff 1988 not Uschakov & Wu 1959
<i>Phyllodoce medipapillata</i>	Moore 1909
<i>Anaitides medipapillata</i>	of Hartman 1968
<i>Phyllodoce (Anaitides) medipapillata</i>	of McCammon & Montagne 1979
<i>Phyllodoce pectiboneae</i>	Blake 1988
<i>Phyllodoce</i> sp A	Montagne 1985 §

<i>Phyllodoce williamsi</i>	(Hartman 1936)
<i>Anaitides williamsi</i>	Hartman 1936
Subclass Polychaeta Incertae sedis	
<b>Family Polygordiidae</b>	
<i>Polygordius</i> sp SD1	Rowe 2005 §
<b>Family Protodrilidae</b>	
<i>Protdrilus</i> sp	
<b>Family Saccocirridae</b>	
<i>Saccocirrus eroticus</i>	Gray 1969
Subclass Sedentaria	
Infraclass Canalipalpata	
Order Sabellida	
<b>Family Fabriciidae</b>	
<i>Fabricinuda limnicola</i>	(Hartman 1951)
<i>Fabricia limnicola</i>	Hartman 1951
<i>Fabricinuda pseudopalpa</i>	Fitzhugh 1990
<i>Fabriciola</i> sp	
<i>Novafabricia brunnea</i>	(Hartman 1969)
<i>Fabricia brunnea</i>	Hartman 1969
<i>Novafabricia triangularis</i>	Fitzhugh 1990
<i>Pseudofabriciola californica</i>	Fitzhugh 1991
<b>Family Oweniidae</b>	
<i>Galathowenia oculata</i>	(Zachs 1923)
<i>Myriochele oculata</i>	Zachs 1923
<i>Myriochele heeri</i>	of Berkeley & Berkeley 1942
<i>Galathowenia oculata</i>	of Blake 1980
<i>Galathowenia piltzi</i>	Blake 2000
<i>Galathowenia pygidialis</i>	(Hartman 1960)
<i>Myriochele pygidialis</i>	Hartman 1960
<i>Myriochele gracilis</i>	Hartman 1955
<i>Myriochele olgae</i>	Blake 2000
<i>Myriochele striolata</i>	Blake 2000
<i>Myriochele</i> sp M	SCAMIT 1985 §
<i>Myriownenia californiensis</i>	Hartman 1960
<i>Myriochele gracilis</i>	Hartman 1955 in part
<i>Owenia collaris</i>	Hartman 1955
<i>Owenia fusiformis collaris</i>	Hartman 1955
<i>Owenia collaris</i>	of Hartman 1969
<i>Owenia fusiformis</i>	of authors NEP not delle Chiaje 1841
<i>Owenia johnsoni</i>	Blake 2000
<b>Family Sabellariidae</b>	
<i>Idanthyrsus</i> sp	
<i>Mariansabellaria harrisae</i>	Kirtley 1994
<i>Neosabellaria cementarium</i>	(Moore 1906)
<i>Sabellaria cementarium</i>	Moore 1906
<i>Phragmatopoma californica</i>	(Fewkes 1889)
<i>Sabellaria californica</i>	Fewkes 1889
<i>Sabellaria gracilis</i>	Hartman 1944
<i>Sabellaria spinulosa alcocki</i>	Berkeley & Berkeley 1941
<i>Sabellaria spinulosa</i> var	Hartman 1939
<i>Sabellaria nanella</i>	Chamberlain 1919
<b>Family Sabellidae</b>	
<b>Subfamily Sabellinae</b>	
<i>Bispira</i> sp	
<i>Chone magna</i>	(Moore 1923)
<i>Euchone magna</i>	Moore 1923
<i>Chone mollis</i>	(Bush 1904)
<i>Metachone mollis</i>	Bush 1904
<i>Dialychone albocincta</i>	(Banse 1972)

Chone albocincta	Banse 1972
<i>Dialychone trilineata</i>	(Tovar-Hernandez 2007)
Chone trilineata	Tovar-Hernandez 2007
Chone sp C	Harris 1984 §
<i>Dialychone veleronis</i>	(Banse 1972)
Chone veleronis	Banse 1972
<i>Euchone arenae</i>	Hartman 1966
<i>Euchone hancocki</i>	Banse 1970
<i>Euchone incolor</i>	Hartman 1965
Euchone barnardi	Reish 1968
Euchone rosea	of Berkeley & Berkeley 1954 not Langerhans 1884
Euchone trisegmentata	Reish 1965
<i>Euchone limnicola</i>	Reish 1959
Euchone limicola	of Hartman 1966
<i>Euchone rosea</i>	Langerhans 1884
<i>Euchone velifera</i>	Banse 1972
<i>Euchone sp SD2</i>	Rowe 2005 §
<i>Euchone sp A</i>	SCAMIT 1986 §
<i>Euchone sp SD1</i>	Rowe 2004 §
<i>Eudistylia cf brevicomata</i>	(Ehlers 1905)
<i>Sabellula (Potamilla) brevicomata</i>	Ehlers 1905
<i>Eudistylia polymorpha</i>	(Johnson 1901)
<i>Bispira polymorpha</i>	Johnson 1901
<i>Distylia monterea</i>	Chamberlin 1919
<i>Eudistylia intermedia</i>	Bush 1905
<i>Eudistylia vancouveri</i>	(Kinberg 1866)
<i>Sabellula vancouveri</i>	Kinberg 1867
<i>Eudistylia abbreviata</i>	Bush 1904
<i>Eudistylia plumosa</i>	Bush 1904
<i>Eudistylia tennella</i>	Bush 1904
<i>Fabrisabella sp A</i>	SCAMIT 1986 §
<i>Jasmineira sp A</i>	(SCAMIT 1986 §)
<i>Fabrisabella sp A</i>	Harris 1984 §
<i>Fabrisabella sp B</i>	Williams 1976 §
<i>Jasmineira sp B</i>	SCAMIT 1986 §
<i>Fabrisabella sp A</i>	Williams 1976 §
<i>Jasmineira sp A</i>	Harris 1984 §
<i>Laonome sp</i>	
<i>Manayunkia aestuarina</i>	(Bourne 1883)
<i>Haplobranchus aestuarinus</i>	Bourne 1883
<i>Manayunkia speciosa</i>	Leidy 1859
<i>Megalomma circumspectum</i>	(Moore 1923)
<i>Branchiomma circumspectum</i>	Moore 1923
<i>Megalomma coloratum</i>	(Chamberlin 1919)
<i>Potamilla coloratum</i>	Chamberlin 1919
<i>Megalomma pigmentum</i>	Reish 1963
<i>Megalomma splendida</i>	(Moore 1905)
<i>Pseudopotamilla splendida</i>	Moore 1905
<i>Branchiomma burrardum</i>	E. Berkeley 1930
<i>Myxicola sp</i>	
<i>Myxicola infundibulum</i>	of authors SCB not (Renier 1804)
<i>Paradialychone bimaculata</i>	(Banse & Nichols 1968)
<i>Chone bimaculata</i>	Banse & Nichols 1968
<i>Chone duneri</i>	of authors NEP not Malmgren 1867
<i>Paradialychone ecaudata</i>	(Moore 1923)
<i>Jasmineira ecaudata</i>	Moore 1923
<i>Chone ecaudata</i>	(Moore 1923)
<i>Chone minuta</i>	Hartman 1944
<i>Paradialychone eiffelturris</i>	(Tovar-Hernandez 2007)

Chone eiffelturris	Tovar-Hernandez 2007
Chone sp SD1	Pt. Loma 1997 §
<i>Paradialychone harrisae</i>	Tovar-Hernandez 2009
Chone sp B	Harris 1984 §
<i>Paradialychone paramollis</i>	(Tovar-Hernandez 2007)
Chone paramollis	Tovar-Hernandez 2007
Chone mollis	of authors SCB in part not (Bush 1904)
<i>Parasabella fullo</i>	(Grube 1878)
<i>Sabella fullo</i>	Grube 1878
<i>Demonax fullo</i>	(Grube 1878)
<i>Parasabella pallida</i>	Moore 1923
<i>Demonax medius</i>	of Hartman 1969 in part not Bush 1904
<i>Demonax pallidus</i>	of authors SCB
<i>Parasabella nr rugosa</i>	(Moore 1904)
<i>Parasabella</i> sp 1	Fitzhugh 1993 §
<i>Demonax</i> sp 1	Fitzhugh 1993 §
<i>Perkinsiana</i> sp	
<i>Potamethus</i> sp A	SCAMIT 1986 §
<i>Pseudopotamilla occelata</i>	Moore 1905
<i>Pseudopotamilla socialis</i>	Hartman 1944
<i>Pseudopotamilla</i> sp 1	Fitzhugh 1993 §
<i>Schizobranchia insignis</i>	Bush 1904
<b>Family Serpulidae</b>	
<i>Apomatus timsii</i>	Pixell 1912
<i>Chitinopoma groenlandica</i>	(Mörch 1863)
<i>Hydroides norvegica</i> groenlandica	Mörch 1863
<i>Chitinopoma</i> greenlandica	of Pixell 1912
<i>Crucigera zygophora</i>	(Johnson 1901)
<i>Serpula</i> zygophora	Johnson 1901
<i>Ficopomatus enigmaticus</i>	(Fauvel 1923)
<i>Mercierella</i> enigmatica	Fauvel 1923
<i>Hyalopomatus biformis</i>	(Hartman 1960)
<i>Vermiliopsis</i> biformis	Hartman 1960
<i>Hydroides diramphus</i>	Mörch 1863
<i>Hydroides elegans</i>	(Haswell 1883)
<i>Eupomatus</i> elegans	Haswell 1883
<i>Hydroides gracilis</i>	(Bush 1905)
<i>Eupomatus</i> gracilis	Bush 1905
<i>Hydroides pacificus</i>	Hartman 1969
<i>Placostegus californicus</i>	Hartman 1969
<i>Protis pacifica</i>	Moore 1923
<i>Protula superba</i>	Moore 1909
<i>Protula</i> tubularia	Berkeley & Berkeley 1941
<i>Pseudochitinopoma occidentalis</i>	(Bush 1904)
<i>Hyalopomatopsis</i> occidentalis	Bush 1904
<i>Chitinopoma</i> groenlandica	of authors NEP not Mörch 1863
<i>Salmacina tribanchiata</i>	(Moore 1923)
<i>Filograna</i> tribanchiata	Moore 1923
<i>Serpula columbiana</i>	Johnson 1901
<i>Spirobranchus spinosus</i>	Moore 1923
<i>Vermiliopsis infundibulum</i>	(Philippi 1844)
<i>Vermilia</i> infundibulum	Philippi 1844
<b>Subfamily Spirorbinae</b>	
<i>Circeis armoricana</i>	Saint-Joseph 1894
<i>Neodexiospira brasiliensis</i>	(Grube 1872)
<i>Spirorbis</i> brasiliensis	Grube 1872
<i>Dexiospira</i> brasiliensis	of SCAMIT Ed 8
<i>Janua</i> ( <i>Dexiospira</i> ) brasiliensis	(Grube 1872)
<i>Neodexiospira pseudocorrugata</i>	(Bush 1905)

<i>Spirorbis pseudocorrugatus</i>	Bush 1905
<i>Pileolaria (Pileolaria) marginata</i>	Knight-Jones 1978
<i>Protolaeospira eximia</i>	(Bush 1904)
<i>Spirorbis eximus</i>	Bush 1904
<i>Protolaeospira (Protolaeospira) triflabellis</i>	Knight-Jones 1973
<i>Simplaria pseudomilitaris</i>	(Thiriot-Quievreux 1965)
<i>Spirorbis (Laeospira) pseudomilitaris</i>	Thiriot-Quievreux 1965
<i>Spirorbis bifurcatus</i>	Knight-Jones 1978
<b>Family Siboglinidae</b>	
<i>Siboglinum veleronis</i>	Hartman 1961
Order Spionida	
Suborder Spioniformia	
<b>Family Aberrantidae</b>	
<i>Aberranta</i> sp SD1	Rowe 2002 §
<i>Aberranta</i> sp SD2	Rowe 2004 §
<b>Family Apistobranchidae</b>	
<i>Apistobranchus ornatus</i>	Hartman 1965
<b>Family Longosomatidae</b>	
<i>Heterospio catalinensis</i>	(Hartman 1944)
<i>Longosoma catalinensis</i>	Hartman 1944
<b>Family Magelonidae</b>	
<i>Magelona berkeleyi</i>	Jones 1971
<i>Magelona hartmanae</i>	Jones 1978
<i>Magelona hobsonae</i>	Jones 1978
<i>Magelona longicornis</i>	Johnson 1901
<i>Magelona pacifica</i>	Monro 1933
<i>Magelona pitelkai</i>	Hartman 1944
<i>Magelona riojai</i>	Jones 1963
<i>Magelona sacculata</i>	Hartman 1961
<i>Magelona</i> sp A	SCAMIT 1993 §
<i>Magelona</i> sp B	Harris & Rowe 2003 §
<i>Magelona</i> sp SD10	Rowe 1996 §
<b>Family Poecilochaetidae</b>	
<i>Poecilochaetus johnsoni</i>	Hartman 1939
<i>Poecilochaetus martini</i>	Brantley 2009
<i>Poecilochaetus</i> sp A	SCAMIT 2003 §
<i>Poecilochaetus</i> sp A	Martin 1977 §
<i>Poecilochaetus</i> sp A	of Lissner et al 1986 not Blake 1996
<i>Poecilochaetus johnsoni</i>	of Blake 1996 in part not Hartman 1939
<b>Family Spionidae</b>	
<i>Aonides</i> sp SD1	Langan 2002 §
<i>Aonides glandulosa</i>	of authors SCB not Blake 1996
<i>Boccardia basilaria</i>	Hartman 1961
<i>Boccardia columbiana</i>	Berkeley 1927
<i>Boccardia proboscidea</i>	Hartman 1940
<i>Boccardia puggettensis</i>	Blake 1979
<i>Boccardia natrix</i>	of Berkeley & Berkeley 1936 not Söderström 1920
<i>Boccardiella hamata</i>	(Webster 1879)
<i>Polydora hamata</i>	Webster 1879
<i>Boccardia uncata</i>	E. Berkeley 1927
<i>Carazziella</i> sp A	SCAMIT 1995 §
<i>Carazziella calafia</i>	of authors SCB not Blake 1979
<i>Carazziella citrona</i>	of authors SCB not Hartman 1941
<i>Dipolydora akaina</i>	Blake 1996
<i>Dipolydora armata</i>	(Langerhans 1880)
<i>Polydora armata</i>	Langerhans 1880
<i>Polydora monilaris</i>	Ehlers 1905
<i>Dipolydora cf armata</i>	SCAMIT 1983 §
<i>Dipolydora barbilla</i>	(Blake 1981)

Polydora barbilla	Blake 1980
<i>Dipolydora bidentata</i>	(Zachs 1933)
Polydora flava bidentata	Zachs 1933
Polydora convexa	Blake & Woodwick 1971
<i>Dipolydora bifurcata</i>	(Blake 1981)
Polydora bifurcata	Blake 1981
<i>Dipolydora caulleryi</i>	(Mesnil 1897)
Polydora caulleryi	Mesnil 1897
Polydora brachycephala	Hartman 1936
<i>Dipolydora concharum</i>	(Verrill 1880)
Polydora concharum	Verrill 1880
<i>Dipolydora commensalis</i>	(Andrews 1891)
Polydora commensalis	Andrews 1891
<i>Dipolydora elegantissima</i>	(Blake & Woodwick 1972)
Polydora elegantissima	Blake & Woodwick 1972
<i>Dipolydora giardi</i>	(Mesnil 1896)
Polydora giardi	Mesnil 1896
Polydora anomulata	Moore 1907
<i>Dipolydora socialis</i>	(Schmarda 1861)
Leucodore socialis	Schmarda 1861
Polydora caeca	of Berkeley & Berkeley 1936 not Ørsted 1843
Polydora caeca var magna	E. Berkeley 1927
Polydora carunculata	Radashevsky 1993
Polydora magna	of Berkeley & Berkeley 1936
Polydora neocardalia	Hartman 1961
Polydora plena	of Foster 1971
Polydora socialis	of Hartman 1941
Polydora socialis plena	Berkeley & Berkeley 1936
<i>Dispio uncinata</i>	Hartman 1951
<i>Laonice cirrata</i>	(M. Sars 1851)
Nerine cirrata	M. Sars 1851
Laonice pugettensis	Banse & Hobson 1968
<i>Laonice nuchala</i>	Blake 1996
Laonice appelloefi	of authors NEP not Söderström 1920
<i>Malacoceros indicus</i>	(Fauvel 1928)
Scolelepis indica	Fauvel 1928
Malacoceros punctata	(Hartman 1961)
Spio punctata	Hartman 1961
<i>Microspio microcera</i>	(Dorsey 1977)
Rhynchospiro microcera	Dorsey 1977
<i>Microspio pigmentata</i>	(Reish 1959)
Spiophanes pigmentata	Reish 1959
Nerinides pigmentata	of Hartman 1961
Spio (Microspio) pigmentata	of Foster 1971
<i>Parapriionospio alata</i>	(Moore 1923)
Prionospio alata	Moore 1923
Parapriionospio pinnata	of authors NEP not (Ehlers 1901)
<i>Polydora bioccipitalis</i>	Blake & Woodwick 1972
<i>Polydora cirrosa</i>	Rioja 1943
<i>Polydora cornuta</i>	Bosc 1802
Polydora amarincola	Hartman 1936
Polydora ciliatum	of A. Agassiz 1867 not Johnston 1838
Polydora ligni	Webster 1879
Polydora littorea	Verrill 1881
<i>Polydora heterochaeta</i>	Rioja 1939
<i>Polydora cf hoplura</i>	Claparède 1869
<i>Polydora limicola</i>	Annenkova 1934
Polydora ciliata limicola	Annenkova 1934
<i>Polydora narica</i>	Light 1969

<i>Polydora nuchalis</i>	Woodwick 1953
<i>Polydora pygidialis</i>	Blake & Woodwick 1972
<i>Polydora spongicola</i>	Berkeley & Berkeley 1950
<i>Polydora websteri</i>	Hartman 1943
<i>Prionospio dubia</i>	Day 1961
<i>Prionospio dubia</i>	of Wilson 1990
<i>Prionospio malmgreni</i> var <i>dubia</i>	Day 1961
<i>Prionospio</i> sp B	SCAMIT 1991 §
<i>Prionospio steenstrupi</i>	of Söderström 1920 not Malmgren 1867
<i>Prionospio</i> ( <i>Prionospio</i> ) <i>steenstrupi</i>	of Johnson 1984 not Malmgren 1867
<i>Prionospio ehlersi</i>	Fauvel 1928
<i>Prionospio</i> ( <i>Prionospio</i> ) <i>lobulata</i>	Fauchald 1972
<i>Prionospio heterobranchia</i>	Moore 1907
<i>Prionospio heterobranchia</i> <i>newportensis</i>	Reish 1959
<i>Prionospio jubata</i>	Blake 1996
<i>Prionospio</i> ( <i>Prionospio</i> ) sp A	of Steinhauer & Imamura 1990
<i>Prionospio malmgreni</i>	of Hartman 1969 not Claparède 1870
<i>Prionospio</i> sp A	SCAMIT 1991 §
<i>Prionospio lighti</i>	Maciolek 1985
<i>Prionospio</i> ( <i>Minuspis</i> ) <i>lighti</i>	Maciolek 1985
<i>Minuspis</i> sp A	Harris 1985 § in part
<i>Prionospio</i> ( <i>Minuspis</i> ) <i>cirrifera</i>	of Light 1977 not Wiren 1883
<i>Prionospio</i> <i>cirrifera</i>	of Jones 1961 not Wiren 1883
<i>Prionospio multibranchiata</i>	E. Berkeley 1927
<i>Prionospio</i> <i>cirrifera</i>	of Berkeley & Berkeley 1962 in part not Wiren 1883
<i>Prionospio pygmaeus</i>	Hartman 1961
<i>Prionospio pygmaeus</i>	Hartman 1961
<i>Apoprionospio pygmaea</i>	of authors NEP
<i>Prionospio pygmaea</i>	of Blake & Kudenov 1978
<i>Pseudatherospio fauchaldi</i>	Lovell 1994
<i>Pseudopolydora kempfi</i>	(Southern 1921)
<i>Polydora</i> ( <i>Carazzia</i> ) <i>kempfi</i>	Southern 1921
<i>Pseudopolydora paucibranchiata</i>	(Okuda 1937)
<i>Polydora</i> <i>paucibranchiata</i>	Okuda 1937
<i>Pygospio californica</i>	Hartman 1936
<i>Pygospio elegans</i>	Claparède 1863
<i>Rhynchospius arenincola</i>	Hartman 1936
<i>Rhynchospius</i> <i>glutaea</i>	of authors NEP not (Ehlers 1901)
<i>Scolelepis</i> ( <i>Parascolelepis</i> ) <i>texana</i>	Foster 1971
<i>Scolelepis</i> ( <i>Parascolelepis</i> ) sp SD1	Rowe 1995 §
<i>Scolelepis</i> sp 1	Pt Loma 1995 §
<i>Scolelepis</i> ( <i>Parascolelepis</i> ) <i>tridentata</i>	(Southern 1914)
<i>Nerinides</i> <i>tridentata</i>	Southern 1914
<i>Scolelepis</i> ( <i>Scolelepis</i> ) <i>bullibranchia</i>	Rossi 1982
<i>Scolelepis</i> ( <i>Scolelepis</i> ) <i>occidentalis</i>	(Hartman 1961)
<i>Nerine</i> <i>foliosa</i> <i>occidentalis</i>	Hartman 1961
<i>Scolelepis</i> ( <i>Scolelepis</i> ) <i>squamata</i>	(O. F. Müller 1806)
<i>Lumbricus</i> <i>squamatus</i>	O. F. Müller 1806
<i>Lumbricus</i> <i>cirratulus</i>	delle Chiaje 1828
<i>Nerinides</i> <i>acuta</i>	of Hartman 1969
<i>Spio</i> <i>acuta</i>	Treadwell 1914
<i>Spio butleri</i>	Berkeley & Berkeley 1954
<i>Spio filicornis</i>	(O. F. Müller 1766)
<i>Nereis</i> <i>filicornis</i>	O. F. Müller 1766
<i>Spio maciolekae</i>	Blake 1996
<i>Spio</i> sp A	Lovell 1986 §
<i>Spio maculata</i>	(Hartman 1961)
<i>Nerinides</i> <i>maculata</i>	Hartman 1961
<i>Spiophanes anomocula</i>	Hartman 1960

<i>Spiophanes berkeleyorum</i>	Pettibone 1962
<i>Spiophanes cirrata</i>	of E. Berkeley 1927 not M. Sars 1872
<i>Spiophanes japonicum</i>	Imajima 1991
<i>Spiophanes duplex</i>	(Chamberlin 1919)
<i>Morants duplex</i>	Chamberlin 1919
<i>Spiophanes missionensis</i>	Hartman 1941
<i>Spiophanes fimbriata</i>	Moore 1923
<i>Spiophanes kroeyeri</i>	of authors NEP not Grube 1860
<i>Spiophanes kimballi</i>	Meißner 2005
<i>Spiophanes berkeleyorum</i>	of authors NEP in part not Pettibone 1962
<i>Spiophanes fimbriata</i>	of authors NEP in part not Moore 1923
<i>Spiophanes kroeyeri</i>	of authors NEP in part not Grube 1860
<i>Spiophanes norrisi</i>	Meißner & Blank 2009
<i>Spiophanes bombyx</i>	of authors NEP not (Claparède 1870)
<i>Spiophanes wigleyi</i>	Pettibone 1962
<i>Spiophanes cf wigleyi</i>	SCAMIT 1984
<i>Streblospio benedicti</i>	Webster 1879
<b>Family Trochochaetidae</b>	
<i>Trochochaeta franciscana</i>	(Hartman 1947)
<i>Disoma franciscanum</i>	Hartman 1947
<i>Trochochaeta multisetsosa</i>	of authors NEP not (Ørsted 1844)
Order Terebellida	
Suborder Cirratuliformia	
<b>Family Acrocirridae</b>	
<i>Acrocirrus frontifilis</i>	(Grube 1860)
<i>Heterocirrus frontifilis</i>	Grube 1860
<i>Macrochaeta sp A</i>	Rowe 1999 §
<b>Family Cirratulidae</b>	
<i>Aphelochaeta elongata</i>	Blake 1996
<i>Aphelochaeta glandaria</i> Cmplx	
<i>Aphelochaeta glandaria</i>	Blake 1996
<i>Aphelochaeta marioni</i>	of authors SCB not Saint Joseph 1894
<i>Aphelochaeta sp C</i>	of authors SCB
<i>Tharyx nr sp C</i>	Dorsey 1984 §
<i>Tharyx sp C</i>	Dorsey 1984 §
<i>Aphelochaeta monilaris</i>	(Hartman 1960)
<i>Tharyx monilaris</i>	Hartman 1960
<i>Tharyx sp G</i>	Dorsey 1984 §
<i>Aphelochaeta petersenae</i>	Blake 1996
<i>Aphelochaeta multifilis Type II</i>	Blake 1993 §
<i>Aphelochaeta phillipsi</i>	Blake 1996
<i>Aphelochaeta tigrina</i>	Blake 1996
<i>Aphelochaeta sp 1</i>	SCAMIT 1995 §
<i>Aphelochaeta williamsae</i>	Blake 1996
<i>Aphelochaeta sp A</i>	SCAMIT 1998 §
<i>Aphelochaeta glandaria</i> Cmplx	of SCAMIT Ed 8 in part
<i>Aphelochaeta sp HYP2</i>	Phillips 1994 §
<i>Aphelochaeta sp SD2</i>	Rowe 1997 §
<i>Aphelochaeta sp HYP4</i>	Phillips 2005 §
<i>Aphelochaeta sp LA1</i>	Brantley 1999 §
<i>Aphelochaeta petersenae</i>	of Rowe 1996 § not Blake 1996
<i>Aphelochaeta sp SD5</i>	Rowe 1998 §
<i>Caulleriella alata</i>	(Southern 1914)
<i>Chaetozone alata</i>	Southern 1914
<i>Caulleriella apicula</i>	Blake 1996
<i>Caulleriella hamata</i>	of Hartman 1969 in part not (Hartman 1948)
<i>Caulleriella cristata</i>	Blake 1996
<i>Caulleriella hamata</i>	(Hartman 1948)
<i>Tharyx hamatus</i>	Hartman 1948

<i>Caulieriella hamata</i>	of Hartman 1969 in part
<i>Caulieriella lajolla</i>	Blake 1996
<i>Caulieriella pacifica</i>	E. Berkeley 1929
<i>Caulieriella viridis</i> var <i>pacifica</i>	E. Berkeley 1929
<i>Caulieriella</i> sp SD2	Rowe 1996 §
<i>Chaetozone acuta</i>	<b>Banse &amp; Hobson 1968</b>
<i>Chaetozone armata</i>	Hartman 1963
<i>Chaetozone bansei</i>	Blake 1996
<i>Chaetozone columbiana</i>	Blake 1996
<i>Chaetozone commonalis</i>	Blake 1996
<i>Chaetozone corona</i>	Berkeley & Berkeley 1941
<i>Chaetozone spinosa</i> corona	Berkeley & Berkeley 1941
<i>Chaetozone hartmanae</i>	Blake 1996
<i>Caulieriella gracilis</i>	Hartman 1969 not (Moore 1923)
<i>Chaetozone gracilis</i>	of Hartman 1961 not (Moore 1923)
<i>Chaetozone hedgpethi</i>	Blake 1996
<i>Chaetozone lunula</i>	Blake 1996
<i>Chaetozone senticosa</i>	Blake 1996
<i>Chaetozone setosa</i> Cmplx	
<i>Chaetozone spinosa</i>	Moore 1903
<i>Chaetozone</i> sp SD2	Rowe 1996 §
<i>Chaetozone</i> sp SD3	Rowe 1997 §
<i>Chaetozone</i> sp 2	Lovell & Phillips 1998 §
<i>Cirratulus cirratus</i> Cmplx	
<i>Caulieriella gracilis</i>	of Berkeley & Berkeley 1952 not (Moore 1923)
<i>Chaetozone berkeleyorum</i>	Banse & Hobson 1968
<i>Cirratulus cirratus</i>	of Hartman 1969 not (O. F. Müller 1776)
<i>Cirratulus dillonensis</i>	Blake 1996
<i>Cirriformia dillonensis</i>	of SCAMIT Ed 6 (Hartman 1961)
<i>Cirratulus multioculatus</i>	Hartman 1961
<i>Chaetozone multioculata</i>	(Kinberg 1866)
<i>Cirratulus spectabilis</i>	Kinberg 1866
<i>Promenia spectabilis</i>	of Banse & Hobson 1968
<i>Cirratulus berkeleyorum</i>	of Berkeley & Berkeley 1950
<i>Cirratulus cirratulus</i>	of Hartman 1948
<i>Cirratulus spectabilis</i>	of SCAMIT Ed 6 (Moore 1904)
<i>Cirriformia spirabrancha</i>	Moore 1904
<i>Cirratulus spirabranchus</i>	(Montagu 1808)
<i>Cirriformia tentaculata</i>	Montagu 1808
<i>Terebella tentaculata</i>	Harris 1999 §
<i>Cirriformia</i> sp B	Brantley 1999 §
<i>Cirriformia</i> sp LA1	Rowe 1997 §
<i>Cirriformia</i> sp SD1	Rowe 1998 §
<i>Cirriformia</i> sp SD2	Rowe 2005 §
<i>Cirriformia</i> sp SD3	
<i>Dodecaceria concharum</i>	<b>Ørsted 1843</b>
<i>Dodecaceria fewkesi</i>	Berkeley & Berkeley 1954
<i>Monticellina cryptica</i>	Blake 1996
<i>Monticellina dorsobranchialis</i>	of authors not (Kirkegaard 1959)
<i>Monticellina</i> sp A	of authors SCB
<i>Tharyx</i> sp A	Dorsey 1984 §
<i>Monticellina lüticastella</i>	(Jumars 1975)
<i>Tharyx lüticastella</i>	Jumars 1975
<i>Monticellina serratiseta</i>	(Banse & Hobson 1968)
<i>Tharyx serratiseta</i>	Banse & Hobson 1968
<i>Aphelochaeta serratiseta</i>	of Blake 1991
<i>Monticellina siblina</i>	Blake 1996
<i>Monticellina tesselata</i>	of authors NEP not (Hartman 1960)

<i>Monticellina</i> sp HYP2	Phillips 1995 §
<i>Tharyx tesselata</i>	of authors NEP not Hartman 1960
<i>Monticellina tessellata</i>	(Hartman 1960)
<i>Tharyx tesselata</i>	Hartman 1960
<i>Monticellina</i> sp HYP1	Phillips 1995 §
<i>Monticellina</i> sp 1	Lovell & Phillips 1995 §
<i>Protocirrineris socialis</i>	Blake 1996
<i>Protocirrineris</i> sp A	SCAMIT 1995 §
<i>Protocirrineris</i> sp 1	Phillips 1995 §
<i>Protocirrineris</i> sp B	SCAMIT 1995 §
<i>Protocirrineris</i> sp 2	Phillips 1995 §
<i>Timarete luxuriosa</i>	(Moore 1904)
<i>Cirratulus luxuriosus</i>	Moore 1904
<i>Cirriformia luxuriosa</i>	of Hartman 1969
<b>Family Ctenodrilidae</b>	
<i>Ctenodrilus serratus</i>	(Schmidt 1857)
<i>Parthenope serra</i>	Schmidt 1857
<i>Raricirrus maculatus</i>	Hartman 1961
<b>Family Fauveliopsidae</b>	
<i>Fauveliopsis armata</i>	Fauchald & Hancock 1981
<i>Fauveliopsis glabra</i>	(Hartman 1960)
<i>Brada glabra</i>	Hartman 1960
<i>Fauveliopsis magna</i>	Fauchald & Hancock 1981
<i>Fauveliopsis</i> sp SD1	Langan 2000 §
<b>Family Flabelligeridae</b>	
<i>Brada pilosa</i>	Moore 1906
<i>Brada villosa</i>	of authors SCB not (Rathke 1843)
<i>Brada pluribranchiata</i>	(Moore 1923)
<i>Stylaroides pluribranchiata</i>	Moore 1923
<i>Diplocirrus</i> sp SD1	Rowe 1998 §
<i>Flabelliderma ockeri</i>	Salazar-Vallejo 2007
<i>Flabelliderma papillosa</i>	(Essenberg 1922)
<i>Stylaroides papillosa</i>	Essenberg 1922
<i>Flabelligera essenberga</i>	Hartman 1961
<i>Flabelliderma essenberga</i>	Light 1978
<i>Flabelliderma papillosa</i>	of Salazar-Vallejo 2007
<i>Flabelligera infundibularis</i>	Johnson 1901
<i>Flabesymbios commensalis</i>	(Moore 1909)
<i>Flabelligera commensalis</i>	Moore 1909
<i>Flabelliderma commensalis</i>	of Hartman 1969
<i>Pherusa negligens</i>	(Berkeley & Berkeley 1950)
<i>Stylarioides negligens</i>	Berkeley & Berkeley 1950
<i>Pherusa cf negligens</i>	Rowe 1996 §
<i>Pherusa neopapillata</i>	Hartman 1961
<i>Pherusa papillata</i>	(Johnson 1901)
<i>Trophonia papillata</i>	Johnson 1901
<i>Piromis capulata</i>	(Moore 1909)
<i>Trophonia capulata</i>	Moore 1909
<i>Pherusa capulata</i>	(Moore 1909)
<i>Semiodera inflata</i>	(Treadwell 1914)
<i>Trophonia inflata</i>	Treadwell 1914
<i>Pherusa inflata</i>	of authors NEP
<i>Therochaeta pacifica</i>	<b>Fauchald 1972</b>
<i>Trophoniella harrisae</i>	Salazar-Vallejo 2012
<i>Piromis</i> sp A	Harris 1985 §
<i>Trophoniella hospitis</i>	(Fauchald 1972)
<i>Piromis hospitis</i>	Fauchald 1972
<b>Family Sternaspidae</b>	
<i>Caulleryaspis nuda</i>	Salazar-Vallejo & Buzhinskaya 2013

<i>Sternaspis affinis</i>	Stimpson 1864
<i>Sternaspis fessor</i>	of authors NEP
<i>Sternaspis maior</i>	Salazar-Vallejo & Buzhinskaya 2013
<i>Sternaspis williamsae</i>	Salazar-Vallejo & Buzhinskaya 2013
Suborder Terebellimorpha	
<b>Family Ampharetidae</b>	
<b>Subfamily Ampharetinae</b>	
<i>Amage anops</i>	(Johnson 1901)
<i>Sabellides anops</i>	Johnson 1901
<i>Amage longibranchiata</i>	Hartman 1960
<i>Amage scutata</i>	Moore 1923
<i>Paramage scutata</i>	of Williams 1987
<i>Amphicteis acutifrons</i>	Grube 1860
<i>Ampharete cirrata</i>	Webster & Benedict 1887
<i>Ampharete grubei</i>	Malmgren 1866
<i>Ampharete finmarchica</i>	(M. Sars 1865)
<i>Amphicteis finmarchica</i>	M. Sars 1865
<i>Ampharete goesi</i>	Malmgren 1866
<i>Ampharete labrops</i>	Hartman 1961
<i>Ampharetidae sp SD1</i>	Pt. Loma 1999 §
<i>Ampharetidae sp 1</i>	Pt. Loma 1994 §
<i>Amphicteis glabra</i>	Moore 1905
<i>Amphicteis mucronata</i>	Moore 1923
<i>Amphicteis scaphobranchiata</i>	Moore 1906
<i>Amphisamytha bioculata</i>	(Moore 1906)
<i>Samytha bioculata</i>	Moore 1906
<i>Mooresamytha bioculata</i>	of Williams 1987
<i>Anobothrus gracilis</i>	(Malmgren 1866)
<i>Ampharete gracilis</i>	Malmgren 1866
<i>Ampharete gagareae</i>	of Banse & Hobson 1968 not Ushakov 1955
<i>Sosane sulcata nidrosiensis</i>	Bidenkap 1907
<i>Asabellides cornuta</i>	Hilbig 2000
<i>Asabellides lineata</i>	(Berkeley & Berkeley 1943)
<i>Pseudosabellides lineata</i>	Berkeley & Berkeley 1943
<i>Eclipsippe trilobata</i>	(Hartman 1969)
<i>Anbrothrus trilobatus</i>	Hartman 1969
<i>Glyphanostomum pallescens</i>	(Théel 1879)
<i>Samytha pallescens</i>	Théel 1879
<i>Lysippe annectens</i>	Moore 1923
<i>Paralysippe annectens</i>	of Williams 1987
<i>Lysippe mexicana</i>	Fauchald 1972
<i>Pseudoampharete mexicana</i>	Hilbig 2000
<i>Lysippe sp A</i>	Williams 1984 §
<i>Lysippe labiata</i>	of authors SCB not Malmgren 1866
<i>Lysippe sp B</i>	Williams 1985 §
<i>Lysippe labiata</i>	of Hilbig 2000 in part not Malmgren 1866
<i>Sabellides manriquei</i>	Salazar-Vallejo 1996
<i>Sabellides sp 1</i>	of Pt. Loma 1991 §
<i>Samytha californiensis</i>	Hartman 1969
<i>Schistocomus hiltoni</i>	Chamberlin 1919
<i>Schistocomus sp A</i>	SCAMIT 1987 §
<i>Schistocomus hiltoni</i>	of Hartman 1969 in part not Chamberlin 1919
<i>Sosane occidentalis</i>	(Hartman 1969)
<i>Anobothrus occidentalis</i>	Hartman 1969
<i>Sosanopsis sp A</i>	SCAMIT 1996 §
<i>Sosanopsis sp A</i>	Phillips 1987 §
<b>Subfamily Melinninae</b>	
<i>Melinna heterodonta</i>	Moore 1923
<i>Melinna cristata heterodonta</i>	Moore 1923

<i>Melinna oculata</i>	Hartman 1969
<b>Family Pectinariidae</b>	
<i>Cistenides granulata</i>	(Linnaeus 1767)
<i>Sabella granulata</i>	Linnaeus 1767
<i>Pectinaria granulata</i>	of authors NEP not (Linnaeus 1767)
<i>Pectinaria californiensis</i>	Hartman 1941
<b>Family Terebellidae</b>	
<b>Subfamily Polycirrinae</b>	
<i>Amaeana occidentalis</i>	(Hartman 1944)
<i>Amaea occidentalis</i>	Hartman 1944
<i>Lysilla</i> sp SD1	Barwick 2006 §
<i>Polycirrus californicus</i>	Moore 1909
<i>Polycirrus caliendrum</i>	of Berkeley & Berkeley 1952 in part not Claparède 1868
<i>Polycirrus perplexus</i>	Moore 1923
<i>Polycirrus californicus</i>	of authors SCB in part not Moore 1909
<i>Polycirrus</i> sp I	Banse 1980
<i>Polycirrus</i> sp III	Banse 1980
<i>Polycirrus</i> sp V	Banse 1980
<i>Polycirrus</i> sp A	SCAMIT 1995 §
<i>Polycirrus</i> sp OC1	Phillips & Lovell 1999 §
<i>Polycirrus</i> sp SD3	Barwick 2004 §
<b>Subfamily Terebellinae</b>	
<i>Amphitrite robusta</i>	Johnson 1901
<i>Neamphitrite robusta</i>	(Johnson 1901)
<i>Artacama coniferi</i>	Moore 1905
<i>Eupolymnia heterobranchia</i>	(Johnson 1901)
<i>Lanice heterobranchia</i>	Johnson 1901
<i>Lanassa gracilis</i>	(Moore 1923)
<i>Leaena gracilis</i>	Moore 1923
<i>Lanassa venusta venusta</i>	(Malm 1874)
<i>Laphaniella venusta</i>	Malm 1874
<i>Lanice conchilega</i>	(Pallas 1776)
<i>Nereis conchilega</i>	Pallas 1776
<i>Laphania</i> sp	
<i>Leana caeca</i>	Hartman 1960
<i>Loimia</i> sp A	SCAMIT 2001 §
<i>Loimia medusa</i>	of authors NEP not (Savigny 1818)
<i>Neoleprea californica</i>	(Moore 1904)
<i>Terebella californica</i>	Moore 1904
<i>Neoleprea japonica</i>	Hessle 1917
<i>Neoleprea spiralis</i>	(Johnson 1901)
<i>Amphitrite spiralis</i>	Johnson 1901
<i>Nicolea</i> sp A	Harris 1985 §
<i>Phisidia sanctaemariae</i>	Hilbig 2000
<i>Lanassa</i> sp D	Harris 1992 §
<i>Pista agassizi</i>	Hilbig 2000
<i>Pista brevibranchia</i>	Chamberlin 1919
<i>Pista alata</i>	Moore 1909
<i>Pista brevibranchiata</i>	Moore 1923
<i>Pista agassizi</i>	of authors SCB not Hilbig 2000
<i>Pista alata</i>	of authors SCB in part not Moore 1909
<i>Pista percyi</i>	Hilbig 2000
<i>Pista disjuncta</i>	Moore 1923
<i>Pista elongata</i>	Moore 1909
<i>Pista maculata</i>	Marenzeller 1884
<i>Pista marenzelleri</i>	Hessle 1917
<i>Pista estevanica</i>	Berkeley & Berkeley 1942
<i>Pista bansei</i>	Saphronova 1988
<i>Pista</i> sp B	SCAMIT 1985 §

<i>Pista moorei</i>	Berkeley & Berkeley 1942
<i>Pista cf pacifica</i>	Berkeley & Berkeley 1942
<i>Pista wui</i>	Saphronova 1988
<i>Pista disjuncta</i>	of authors SCB not Moore 1923
<i>Pista fasciata</i>	of authors SCB not (Grube 1870)
<i>Pista sp C</i>	Williams 1985 §
<i>Proclea</i> sp A	Harris 1992 §
<i>Ramex californica</i>	Hartman 1944
<i>Scionella japonica</i>	Moore 1903
<i>Scionides dux</i>	Chamberlin 1919
<i>Spinospaera harrisae</i>	Londono-Mesa 2003
<i>Spinospaera</i> sp SD1	Rowe 1997 §
<i>Spinospaera oculata</i>	Hartman 1944
<b>Subfamily Thelepodinae</b>	
<i>Streblosoma crassibranchia</i>	Treadwell 1914
<i>Streblosoma pacifica</i>	Hilbig 2000
<i>Streblosoma</i> sp A	Williams 1985 §
<i>Streblosoma uncinatus</i>	Kudenov 1975
<i>Streblosoma</i> sp B	SCAMIT 1985 §
<i>Streblosoma</i> sp C	SCAMIT 2012 §
<i>Streblosoma</i> sp LA1	Parker 1999 §
<i>Streblosoma</i> sp SD1	Barwick 2000 §
<i>Streblosoma</i> sp 1	Lovell & Phillips 1998 §
<i>Streblosoma</i> sp SF1	Norris 2002 §
<i>Thelepus crispus</i>	Johnson 1901
<i>Thelepus hamatus</i>	Moore 1905
<i>Thelepus setosus</i>	(Quatrefages 1865)
<i>Phenacia setosus</i>	Quatrefages 1865
<i>Streblosoma verrilli</i>	Treadwell 1911
<b>Family Trichobranchidae</b>	
<i>Artacamella hancocki</i>	Hartman 1955
<i>Trichobranchus</i> sp HYP1	Phillips 1998 §
<i>Octobranchus</i> sp A	Blake 2000
<i>Terebellides californica</i>	Williams 1984
<i>Terebellides reishi</i>	Williams 1984
<i>Terebellides</i> sp Type C	Williams 1984
<i>Terebellides</i> sp Type D	Williams 1984
<i>Trichobranchidae</i> sp LA1	Brantley 2004 §
<i>Trichobranchidae</i> Genus A	(Brantley 2004 §)
<i>Trichobranchus</i> sp	
<b>Family Chaetopteridae</b>	
<i>Chaetopterus variopedatus</i> Cmplx	
<i>Mesochaetopterus</i> sp	
<i>Phyllochaetopterus limiculus</i>	Hartman 1960
<i>Phyllochaetopterus prolifica</i>	Potts 1914
<i>Spiochaetopterus costarum</i> Cmplx	
<i>Spiochaetopterus costarum</i>	of authors NEP not (Claparède 1870)
<i>Leptochaetopterus pottsi</i>	E. Berkeley 1927
<i>Spiochaetopterus costarum pottsi</i>	of Gitay 1969
Infraclass Scolecida	
<b>Family Arenicolidae</b>	
<i>Abarenicola pacifica</i>	Healy & Wells 1959
<i>Abarenicola pusilla</i>	of Berkeley & Berkeley 1952 in part not Quatrefages 1865
<i>Arenicola cristata</i>	Stimpson 1856
<i>Branchiomaldane simplex</i>	(Berkeley & Berkeley 1932)
<i>Protocapitella simplex</i>	Berkeley & Berkeley 1932
<b>Family Capitellidae</b>	
<i>Amastigus acutus</i>	Piltz 1977
<i>Anatomastus gordioides</i>	(Moore 1909)

<i>Eunotomastus gordioides</i>	Moore 1909
<i>Barantolla</i> sp	
<i>Capitella capitata</i> Cmplx	
<i>Capitella capitata</i>	of authors NEP not (Fabricius 1780)
<i>Capitella capitata oculata</i>	of Hartman 1962
<i>Capitella capitata tripartita</i>	of Hartman 1961
<i>Capitella teleta</i>	of Blake et al 2009 in part
<i>Capitella teleta</i>	Blake et al 2009
<i>Dasybranchus glaber</i>	Moore 1909
<i>Decamastus gracilis</i>	Hartman 1963
<i>Dodecamastus mariaensis</i>	Blake 2000
<i>Dodecaseta oraria</i>	McCammon & Stull 1978
<i>Heteromastus filiformis</i> Cmplx	
<i>Heteromastus filiformis</i>	of authors NEP not (Claparède 1864)
<i>Heteromastus filibranchus</i>	Berkeley & Berkeley 1932
<i>Leiochrides hemipodus</i>	Hartman 1960
<i>Mediomastus acutus</i>	Hartman 1969
<i>Mediomastus ambiseta</i>	(Hartman 1947)
<i>Capitita ambiseta</i>	Hartman 1947
<i>Mediomastus californiensis</i>	Hartman 1944
<i>Mediomastus capensis</i>	of Fournier & Levings 1982 not Day 1961
<i>Neomediomastus glaber</i>	(Hartman 1960)
<i>Neomediomastus glaber</i>	Hartman 1960
<i>Notomastus hemipodus</i>	Hartman 1945
<i>Notomastus tenuis</i>	of authors NEP not Moore 1909
<i>Notomastus</i> sp A	SCAMIT 2001 §
<i>Notomastus latericeus</i>	M. Sars 1851
<i>Notomastus lineatus</i>	Claparède 1869
<i>Notomastus magnus</i>	Hartman 1947
<i>Dasybranchus giganteus</i>	of Moore 1909 not Moore 1906
<i>Notomastus giganteus</i>	of E. Berkeley 1941
<i>Notomastus tenuis</i>	Moore 1909
<i>Notomastus hemipodus</i>	of authors NEP not Hartman 1945
<i>Notomastus</i> sp SD2	Rowe 1999 §
<i>Notomastus</i> sp SD3	Rowe 2004 §
<i>Scyphoproctus oculatus</i>	Reish 1959
<b>Family Cossuridae</b>	
<i>Cossura brunnea</i>	Fauchald 1972
<i>Cossura candida</i>	Hartman 1955
<i>Cossura rostrata</i>	of Lissner et al 1986 in part not Fauchald 1972
<i>Cossura modica</i>	Fauchald & Hancock 1981
<i>Cossura pygodactylata</i>	Jones 1956
<i>Cossura lepida</i>	Tamai 1986
<i>Cossura rostrata</i>	Fauchald 1972
<i>Cossura</i> sp A	Phillips 1987 §
<b>Family Maldanidae</b>	
<b>Subfamily Euclymeninae</b>	
<i>Axiothella rubrocincta</i>	(Johnson 1901)
<i>Clymenella rubrocincta</i>	Johnson 1901
<i>Chirimia biceps</i>	M. Sars 1861
<i>Clymenella complanata</i>	Hartman 1969
<i>Clymenella</i> sp A	Harris 1985 §
<i>Clymenella</i> sp SD1	Rowe 2006 §
<i>Clymenura columbiana</i>	(E. Berkeley 1929)
<i>Leiochone columbiana</i>	E. Berkeley 1929
<i>Clymenura gracilis</i>	Hartman 1969
<i>Euclymene campanula</i>	Hartman 1969
<i>Maldanidae</i> sp 2	Lovell & Phillips 1995 §
<i>Euclymeninae</i> sp A	SCAMIT 1987 §

<i>Euclymeninae</i> sp B	SCAMIT 1987 § in part
<i>Maldanidae</i> sp 1	Lovell & Phillips 1995 §
<i>Euclymeninae</i> sp B	SCAMIT 1987 §
<i>Isocirrus longiceps</i>	(Moore 1923)
<i>Pseudoclymene longiceps</i>	Moore 1923
<i>Maldanella catalinia</i>	(Hartman 1969)
<i>Axiothella catalinia</i>	Hartman 1969
<i>Maldanella robusta</i>	Moore 1906
<i>Petaloclymene pacifica</i>	Green 1997
<i>Euclymene ? grossa newporti</i>	of authors SCB not Berkeley & Berkeley 1941
<i>Maldanidae</i> sp A	Hamilton 1984 §
<i>Petaloprocus type anal plaque</i>	Green 1984 §
<i>Praxillella gracilis</i>	(M. Sars 1861)
<i>Clymene gracilis</i>	M. Sars 1861
<i>Praxillella pacifica</i>	E. Berkeley 1929
<b>Subfamily Lumbriclymeninae</b>	
<i>Lumbriclymene lineus</i>	<b>Hartman 1960</b>
<i>Notoproctus pacificus</i>	(Moore 1906)
<i>Lumbriclymene (Notoproctus) pacifica</i>	Moore 1906
<b>Subfamily Maldaninae</b>	
<i>Maldane californiensis</i>	Green 1991
<i>Maldane sarsi</i>	Malmgren 1865
<i>Maldane cristata</i>	of authors SCB not Treadwell 1923
<i>Metasynchis disparidentatus</i>	(Moore 1904)
<i>Asychis disparidentata</i>	Moore 1904
<i>Sonatsa carinata</i>	(Moore 1923)
<i>Maldane carinata</i>	Moore 1923
<b>Subfamily Nicomachinae</b>	
<i>Nicomache lumbicalis</i>	(Fabricius 1780)
<i>Sabella lumbicalis</i>	Fabricius 1780
<i>Nicomache personata</i>	Johnson 1901
<i>Petaloprocus borealis</i>	<b>Arwidsson 1906</b>
<i>Petaloprocus neoborealis</i>	Hartman 1969
<i>Petaloprocus ornatus</i>	Hartman 1969
<i>Petaloprocus tenuis</i>	(Théel 1879)
<i>Maldane tenuis</i>	Théel 1879
<i>Praxillura maculata</i>	Moore 1923
<b>Subfamily Rhodininae</b>	
<i>Rhodine bitorquata</i>	Moore 1923
<b>Family Opheliidae</b>	
<i>Armandia cf agilis</i>	(Andrews 1891)
<i>Ophelina agilis</i>	Andrews 1891
<i>Armandia brevis</i>	(Moore 1906)
<i>Ammotrypane brevis</i>	Moore 1906
<i>Armandia bioculata</i>	Hartman 1938
<i>Armandia</i> sp SD1	Rowe 1999 §
<i>Ophelia assimilis</i>	Tebble 1953
<i>Ophelia limacina</i>	(Rathke 1843)
<i>Ammotrypane limacina</i>	Rathke 1843
<i>Ophelia pulchella</i>	Tebble 1953
<i>Ophelina acuminata</i>	Ørsted 1843
<i>Ammotrypane aulogaster</i>	Rathke 1843
<i>Ophelina farallonensis</i>	Blake 2000
<i>Ophelina pallida</i>	(Hartman 1960)
<i>Ammotrypane pallida</i>	Hartman 1960
<i>Ophelina</i> sp SD2	Rowe 2004 §
<i>Ophelina</i> sp A	SCAMIT 2012 §
<i>Ophelina</i> sp ECO1	EcoAnalysts 2011 §
<i>Ophelina</i> sp SD1	Rowe 1995 §

<i>Ophelina</i> sp SD2	Rowe 2004 §
<i>Polyopthalmus pictus</i>	(Dujardin 1839)
<i>Nais pictus</i>	Dujardin 1839
<i>Thoracophelia dillonensis</i>	(Hartman 1938)
<i>Pectinophelia dillonensis</i>	Hartman 1938
<i>Euzonus dillonensis</i>	(Hartman 1938)
<i>Thoracophelia mucronata</i>	(Treadwell 1914)
<i>Ophelia</i> ( <i>Thoracophelia</i> ) <i>mucronata</i>	Treadwell 1914
<i>Euzonus mucronata</i>	of Hartman 1969
<b>Family Orbiniidae</b>	
<i>Califa calida</i>	Hartman 1957
<i>Leitoscoloplos panamensis</i>	(Monro 1933)
<i>Haploscoloplos panamensis</i>	Monro 1933
<i>Leitoscoloplos pugettensis</i>	(Pettibone 1957)
<i>Scoloplos</i> ( <i>Scoloplos</i> ) <i>pugettensis</i>	Pettibone 1957
<i>Scoloplos elongata</i>	Johnson 1901
<i>Haploscoloplos elongata</i>	of Hartman 1944
<i>Haploscoloplos elongatus</i>	of Hartman 1957
<i>Leitoscoloplos elongata</i>	of Day 1977
<i>Leitoscoloplos</i> sp A	Williams 1976 §
<i>Naineris dendritica</i>	(Kinberg 1867)
<i>Anthostoma dendriticum</i>	Kinberg 1867
<i>Naineris laevigata</i>	of Berkeley & Berkeley 1952 not (Grube 1855)
<i>Naineris longa</i>	Moore 1909
<i>Naineris nannobranchia</i>	Chamberlin 1919
<i>Naineris robusta</i>	Moore 1909
<i>Naineris cf grubei</i>	(Gravier 1908)
<i>Scoloplos grubei</i>	Gravier 1908
<i>Naineris quadricuspida</i>	(Fabricius 1780)
<i>Nais quadricuspida</i>	Fabricius 1780
<i>Naineris uncinata</i>	Hartman 1957
<i>Naineris berkeleyorum</i>	Pettibone 1957
<i>Orbinia johnsoni</i>	(Moore 1909)
<i>Aricia johnsoni</i>	Moore 1909
<i>Phylo felix</i>	Kinberg 1866
<i>Aricia michaelseni</i>	Ehlers 1897
<i>Phylo nudus</i>	(Moore 1911)
<i>Aricia nuda</i>	Moore 1911
<i>Protoariciella</i> sp A	Williams 1976 §
<i>Questa caudicirra</i>	Hartman 1966
<i>Scoloplos acmeceps</i>	Chamberlin 1919
<i>Scoloplos armiger</i> Cmplx	
<i>Scoloplos acmeceps profundus</i>	of Hartman 1960
<b>Family Paraonidae</b>	
<i>Aricidea (Acmira) catherinae</i>	Laubier 1967
<i>Acmira catherinae</i>	of authors SCB
<i>Acmira assimilis</i>	of Lissner et al 1986 in part not (Tebble 1959)
<i>Acmira</i> sp A	of Lissner et al 1986
<i>Aricidea (Acesta) catherinae</i>	of Strelzov 1973
<i>Aricidea jeffreysii</i>	of Pettibone 1963 not McIntosh 1879
<i>Aricidea lopezi</i>	of Hartman 1963 not Berkeley & Berkeley 1956
<i>Aricidea zelenzovi</i>	Strelzov 1968
<i>Aricidea (Acmira) cerrutii</i>	Laubier 1966
<i>Acmira cerrutii</i>	of authors SCB
<i>Aricidea (Acesta) cerrutti</i>	of Strelzov 1973
<i>Aricidea (Acmira) horikoshii</i>	Imajima 1973
<i>Acmira horikoshii</i>	of authors SCB
<i>Aricidea (Acmira) lopezi</i>	Berkely & Berkeley 1956
<i>Acmira lopezi</i>	of authors SCB

Aricidea fauveli	Hartman 1957
Aricidea fragilis	of Fauvel 1936 not Webster 1879
Aricidea (Acesta) lopezi lopezi	of Strelzov 1973
Aricidea suecica	of Buzhinskaya 1967 not Eliason 1920
Aricidea (Acmira) sp SD2	Barwick 2006 §
<i>Aricidea (Acmira) rubra</i>	Hartman 1963
Acmira assimilis	of Lissner et al 1986 in part not (Tebble 1959)
Acmira sp B	of Steinhauer & Imamura 1990
Aedicira sp A	of Lissner et al 1986
Aricidea (Acesta) finitima	Strelzov 1973
Aricidea longobranchiata	of Day 1961 in part
Aricidea lopezi rubra	Hartman 1963
<i>Aricidea (Acmira) simplex</i>	Day 1963
Acmira simplex	of authors SCB
Aricidea (Acesta) simplex	of Strelzov 1973
Aricidea neosuecica	Hartman 1965
Aricidea neosuecica japonica	Imajima 1973
Aricidea suecica simplex	Day 1963
Aricidea uschakovi	of Levenstein 1966 not Zachs 1925
<i>Aricidea (Acmira) taylori</i>	Pettibone 1965
Aricidea (Aricidea) taylori	Pettibone 1965
Aricidea (Acesta) taylori	of Strelzov 1973
<i>Aricidea (Acmira) sp SD1</i>	Barwick 1999 §
<i>Aricidea (Aedicira) pacifica</i>	Hartman 1944
Aedicira pacifica	of Hartman 1969
<i>Aricidea (Aricidea) pseudoarticulata</i>	Hobson 1972
<i>Aricidea (Aricidea) wassi</i>	Pettibone 1965
<i>Aricidea (Aricidea) sp SD1</i>	Barwick 1996 §
<i>Aricidea (Strelzovia) antennata</i>	Annenkova 1934
Aricidea antennata	Annenkova 1934
Allia antennata	of authors SCB
Allia (Allia) antennata	of authors SCB
Aricidea (Allia) quadrilobata	of Strelzov 1973 in part not Webster & Benedict 1887
Aricidea antennata	of Hartman 1969
Aricidea longicornuta	Berkeley & Berkeley 1950
Aricidea uschakovi	of Annenkova 1937 not Zachs 1925
<i>Aricidea (Strelzovia) hartleyi</i>	Blake 1996
Aricidea (Allia) hartleyi	of authors SCB
Aricidea cf. nolani	Lovell 1977 §
<i>Aricidea (Strelzovia) monicae</i>	Laubier 1967
Aricidea monicae	Laubier 1967
Aricidea (Allia) monicae	of authors SCB
Allia monicae	of authors SCB
Aricidea uschakovi	of Hartman 1957 in part (?) not Zachs 1925
<i>Aricidea (Strelzovia) quadrilobata</i>	Webster & Benedict 1887
Aricidea quadrilobata	Webster & Benedict 1887
Aricidea (Allia) quadrilobata	of authors SCB
<i>Aricidea (Strelzovia) sp A</i>	SCAMIT 1996 §
Aricidea (Allia) sp A	SCAMIT 1996 §
Allia ramosa	of authors SCB not (Annenkova 1934)
Aricidea (Aricidea) ramosa	of Banse & Hobson 1968 not Annenkova 1934
<i>Aricidea (Strelzovia) sp SD1</i>	Barwick 1996 §
Aricidea (Allia) sp SD1	Barwick 1996 §
<i>Cirrophorus branchiatus</i>	Ehlers 1908
Aricidea (Cirrophorus) aciculata	Hartman 1957
Aricidea (Cirrophorus) branchiatus	of Hartman 1957
Aricidea branchiatus	of Cerruti 1909
Cirrophorus aciculatus	of Hartman 1969
<i>Cirrophorus furcatus</i>	(Hartman 1957)

	Aricidea (Cirrophorus) furcatus	Hartman 1957
	Cirrophorus cf lyriiformis	of Laubier & Ramos 1974
<i>Levinsenia gracilis</i>		(Tauber 1879)
	Aonides gracilis	Tauber 1879
	Paraonis filiformis	Hartman 1953
	Paraoonis gracilis minutu	Hartmann-Schröder 1965
	Paraoonis (Paraoonides) gracilis	of Monro 1930
	Paraoonis (Paraoonis) gracilis	of Cerruti 1909
	Paraoonis (Paraoonis) ivanovi	of Banse & Hobson 1968
	Tauberia gracilis	of Strelzov 1973
<i>Levinsenia multibranchiata</i>		(Hartman 1957)
	Paraoonis multibranchiata	Hartman 1957
	Tauberia multibranchiata	of Strelzov 1973
<i>Levinsenia oculata</i>		(Hartman 1957)
	Paraoonis oculata	Hartman 1957
<i>Levinsenia kirbyae</i>		Lovell 2002
	Levinsenia sp B	SCAMIT 2007 §
	Levinsenia oculata	of authors NEP in part not (Hartman 1957)
<i>Levinsenia</i> sp SD1		Barwick 2000 §
<i>Paradoneis eliasoni</i>		Mackie 1991
	Cirrophorus lyra	of Strelzov 1973 in part not (Southern 1914)
	Paraoonis (Paraoonides) lyra	of Eliason 1920 not Southern 1914
<i>Paradoneis lyra</i>		(Southern 1914)
	Paraoonis ( Paraoonides) lyra	Southern 1914
	Cirrophorus lyra	of authors in part not of Strelzov 1973
<i>Paradoneis spinifera</i>		(Hobson 1972)
	Paraoonis spinifera	Hobson 1972
	Paronella spinifera	of Hobson & Banse 1981
<i>Paradoneis</i> sp SD1		Barwick 2000 §
<i>Paraonides platybranchia</i>		(Hartman 1961)
	Paraoonis platybranchia	Hartman 1961
	Paronella platybranchia	of Blake 1996
<b>Family Scalibregmatidae</b>		
	<i>Asclerocheilus acirratus</i>	(Hartman 1966)
	Sclerocheilus acirratus	Hartman 1966
	<i>Asclerocheilus californicus</i>	Hartman 1963
	<i>Asclerocheilus kudenovi</i>	Blake 2000
	<i>Hyboscolex pacificus</i>	(Moore 1909)
	Sclerocheilus pacificus	Moore 1909
	Oncoscolex pacificus	of Hartman 1969
	<i>Scalibregma californicum</i>	Blake 2000
	Scalibregma inflatum	of authors SCB not Rathke 1843
	<i>Travisia brevis</i>	Moore 1923
	<i>Travisia gigas</i>	Hartman 1938
	<i>Travisia pupa</i>	Moore 1906
	Travisia carnea	of Berkeley 1966 not Verrill 1873
	Travisia foetida	Hartman 1969
Class Clitellata		
Subclass Hirudinea		
Infraclass Euhirudinea		
Order Arhynchobdellida		
<b>Family Erpobdellidae</b>	unidentified	
Order Rhynchobdellida		
<b>Family Glossiphoniidae</b>	unidentified	
<b>Family Piscicolidae</b>	unidentified	
Subclass Oligochaeta		

Order Enchytrachida

**Family Enchytraeidae**

<i>Enchytraeus kincaidi</i>	Eisen 1904
<i>Enchytraeus multianulatus</i>	Altman 1936
<i>Grania incerta</i>	Coates & Erséus 1980
<i>Lumbricillus lineatus</i>	(O. F. Müller 1774)
<i>Lumbricus lineatus</i>	O. F. Müller 1774

Order Haplotaxida

**Family Tubificidae**

**Subfamily Limnodriloidinae**

<i>Limnodriloides barnardi</i>	Cook 1974
<i>Limnodriloides winckelmanni</i>	of Jamieson 1977 in part not Michaelsen 1914
<i>Limnodriloides monothecus</i>	Cook 1974
<i>Tectidrilus diversus</i>	Cook 1974
<i>Tectidrilus probus</i>	Erséus 1991
<i>Tectidrilus profusus</i>	Erséus 1991

**Subfamily Phalodrilinae**

<i>Bathydrilus litoreus</i>	Baker 1983
<i>Bathydrilus parkeri</i>	Erséus 1991
<i>Olavius tannerensis</i>	Erséus 1991

**Subfamily Tubificinae**

<i>Tubificoides bakeri</i>	Brinkhurst 1985
<i>Tubificoides parapectinatus</i>	Brinkhurst 1985

PHYLUM ARTHROPODA

Subphylum Cheliceraata

Class Pycnogonida

Order Pantopoda

Suborder Eupantopodida

Superfamily Ascorhynchoidea

**Family Ascorhynchidae**

<i>Eurycyde spinosa</i>	Hilton 1916
-------------------------	-------------

**Family Ammotheidae**

<i>Achelia chelata</i>	(Hilton 1939)
<i>Ammothea chelata</i>	Hilton 1939
<i>Achelia echinata</i>	Hodge 1864
<i>Achelia fibulifera</i>	(Dohrn 1881)
<i>Ammothea brevipes</i>	Hodge 1864
<i>Ammothea echinata</i>	of Giltay 1934
<i>Achelia simplissima</i>	(Hilton 1939)
<i>Ammothea simplissima</i>	Hilton 1939
<i>Ammothea hilgendorfi</i>	(Böhm 1879)
<i>Lecythorhynchus hilgendorfi</i>	Böhm 1879
<i>Lecythorhynchus marginatus</i>	Cole 1904
<i>Ammothella menziesi</i>	Hedgpeth 1951
<i>Ammothella setosa</i>	Hilton 1942
<i>Ammothella killix</i>	Dojiri, Cadien & Phillips 1991
<i>Ammothella spinifera</i>	Cole 1904
<i>Ammothella tuberculata</i>	Cole 1904
<i>Nymphopsis spinosissima</i>	(Hall 1912)
<i>Ammothea spinosissima</i>	Hall 1912
<i>Prototrygaeus jordanae</i>	Child 1990
<i>Ammothidae genus A sp A</i>	MBC 1982 §
<i>Tanystylum californicum</i>	Hilton 1939
<i>Tanystylum intermedium</i>	of Hedgpeth 1940 not Cole 1904
<i>Tanystylum duospinum</i>	Hilton 1939
<i>Tanystylum intermedium</i>	Cole 1904
<i>Tanystylum nudum</i>	Hilton 1942
<i>Tanystylum occidentalis</i>	(Cole 1904)
<i>Clotenia occidentalis</i>	Cole 1904

Superfamily Nymphonoidea		
<b>Family Callipallenidae</b>		
<i>Anoropallene palpida</i>	(Hilton 1939)	
<i>Oropallene palpida</i>	Hilton 1939	
<i>Anoropallene crenispina</i>	Stock 1956	
<i>Oropallene heterodonta</i>	Hilton 1942	
<i>Callipallene californiensis</i>	(Hall 1913)	
<i>Pallene californiensis</i>	Hall 1913	
<i>Callipallene pacifica</i>	(Hedgpeth 1939)	
<i>Pallene pacifica</i>	Hedgpeth 1939	
<b>Family Nymphonidae</b>		
<i>Nymphon heterodenticulatum</i>	Hedgpeth 1941	
<i>Nymphon pixellae</i>	Scott 1913	
<i>Nymphon solitarium</i>	Exline 1936	
<i>Nymphon variatum</i>	Hilton 1942	
Superfamily Phoxichilidioidea		
<b>Family Phoxichilidiidae</b>		
<i>Anoplodactylus californicus</i>	Hall 1912	
<i>Anoplodactylus californiensis</i>	of Hedgpeth 1941	
<i>Anoplodactylus carvalhoi</i>	Er. Marcus 1940	
<i>Anoplodactylus portus</i>	Calman 1927	
<i>Anoplodactylus projectus</i>	Hilton 1942	
<i>Anoplodactylus robustus</i>	of Hilton 1939 not Dohrn 1881	
<i>Anoplodactylus compactus</i>	(Hilton 1939)	
<i>Phoxichilidium compactum</i>	Hilton 1939	
<i>Halosoma compactum</i>	of Marcus 1940	
<i>Phoxichilidium hokkaidoense</i>	Utinomi 1954	
<i>Anoplodactylus erectus</i>	Cole 1904	
<i>Anoplodactylus nodosus</i>	Hilton 1939	
<i>Anoplodactylus oculospinus</i>	Hilton 1942	
<i>Anoplodactylus pacificus</i>	Hilton 1942	
<i>Anoplodactylus viridintestinalis</i>	Cole 1904	
<i>Phoxichilidium femoratum</i>	(Rathke 1790)	
<i>Nymphon femoratum</i>	Rathke 1790	
<i>Phoxichilidium parvum</i>	Hilton 1939	
<i>Phoxichilidium quadradentatum</i>	Hilton 1942	
Superfamily Pycnogonoidea		
<b>Family Pycnogonidae</b>		
<i>Pycnogonum rickettsi</i>	Schmitt 1934	
<i>Pycnogonum stearnsi</i>	Ives 1892	
Superfamily Rhynchothoracoidea		
<b>Family Rhynchothoracidae</b>		
<i>Rhynchothorax philopsammum</i>	Hedgpeth 1951	
<i>Rhynchothorax philospammum</i>	Hedgpeth 1951 [lapsus]	
Class Arachnida		
Subclass Acari		
Superorder Acariformes		
Order Trombidiformes		
Suborder Prostigmata		
unidentified		
Subphylum Crustacea		
Class Cephalocarida		
Order Brachypoda		
<b>Family Hutchinsonellidae</b>		
<i>Lightiella serendipita</i>	M. L. Jones 1961	
Class Maxillopoda		
Subclass Thecostraca		
Infraclass Cirripedia		
Superorder Thoracica		

Order Lepidiformes		
Suborder Lepadomorpha		
<b>Family Lepadidae</b>		
<i>Conchoderma virgatum</i>	(Spengler 1790)	
<i>Lepas virgata</i>	Spengler 1790	
Order Scalpelliformes		
Superfamily Scalelloidea		
<b>Family Pollicipedidae</b>		
<i>Pollicipes polymerus</i>	(G. B. Sowerby III 1883)	
<i>Mitella polymerus</i>	G. B. Sowerby III 1883	
<b>Family Scalpellidae</b>		
<b>Subfamily Arcoscalpellinae</b>		
<i>Teloscalpellum sanctipetrense</i>	(Pilsbry 1907)	
<i>Scalpellum sanctipetrense</i>	Pilsbry 1907	
<i>Hamatoscalpellum sanctipetrense</i>	of SCAMIT Ed 10	
<b>Subfamily Meroscalpellidae</b>		
<i>Hamatoscalpellum californicum</i>	(Pilsbry 1907)	
<i>Scalpellum californicum</i>	Pilsbry 1907	
<i>Arcoscalpellum californicum</i>	(Pilsbry 1907)	
<i>Scalpellum californicum osseum</i>	Pilsbry 1907	
<i>Scalpellum osseum</i>	Pilsbry 1907	
Order Sessilia		
Suborder Balanomorpha		
Superfamily Chthamaloidea		
<b>Family Chthamalidae</b>		
<i>Chthamalus dalli</i>	Pilsbry 1916	
<i>Chthamalus fissus</i>	Darwin 1854	
Superfamily Tetracritoidea		
<b>Family Tetraclitidae</b>		
<i>Tetraclita squamosa rubescens</i>	Darwin 1854	
<i>Tetraclita rubescens</i>	of SCAMIT Ed 10	
Superfamily Balanoidea		
<b>Family Archaeobalanidae</b>		
<i>Conopea galeata</i>	(Linnaeus 1771)	
<i>Lepas galeata</i>	Linnaeus 1771	
<i>Balanus galeatus</i>	of Pilsbry 1916	
<i>Balanus (Conopea) galeatus</i>	of Pilsbry 1907	
<i>Conopea elongata</i>	Say 1822 not (Gmelin 1791)	
<b>Family Balanidae</b>		
<b>Subfamily Amphibalaninae</b>		
<i>Amphibalanus amphitrite</i>	(Darwin 1854)	
<i>Balanus amphitrite</i>	Darwin 1854	
<i>Amphibalanus eburneus</i>	(Gould 1841)	
<i>Balanus eburneus</i>	Gould 1841	
<b>Subfamily Balaninae</b>		
<i>Balanus crenatus</i>	Bruguière 1789	
<i>Balanus rugosus</i>	Pulteney 1799	
<i>Lepas elongata</i>	Gmelin 1791	
<i>Lepas fistula</i>	Spengler 1790	
<i>Lepas plicata</i>	Spengler 1790	
<i>Balanus glandula</i>	Darwin 1854	
<i>Balanus nubilus</i>	Darwin 1854	
<i>Balanus altissimus</i>	Cornwall 1936	
<i>Balanus flos</i>	Pilsbry 1907	
<i>Balanus trigonus</i>	Darwin 1854	
<b>Subfamily Concavinae</b>		
<i>Menesiniella aquila</i>	(Pilsbry 1907)	
<i>Balanus aquila</i>	Pilsbry 1907	
<i>Paraconcavus pacificus</i>	(Pilsbry 1916)	

Balanus concavus pacificus	Pilsbry 1916
Balanus pacificus	of authors NEP
<b>Subfamily Megabalaninae</b>	
<i>Megabalanus californicus</i>	(Pilsbry 1916)
Balanus tintinnabulum californicum	Pilsbry 1916
<b>Class Ichthyostraca</b>	
Subclass Branchiura	
Order Arguloidea	
<b>Superfamily Arguloidea</b>	
<b>Family Argulidae</b>	
<i>Argulus</i> sp	
Subclass Copepoda	
Infraclass Neocopepoda	
Superorder Podoplea	
Order Misophrioida	
<b>Family Misophriidae</b>	
unidentified	
Order Harpacticoida	
<b>Family Tisbidae</b>	
<i>Scutellidium</i> sp	
Order Poecilostomatoida	
<b>Family Clausidiidae</b>	
<i>Clausidium vancouverensis</i>	(Haddon 1912)
<i>Hersilia vancouverensis</i>	Haddon 1912
<i>Clausidium californiense</i>	Wilson 1935
<i>Goodingius subadhaerens</i>	(Gooding 1960)
<i>Hemicyclops subadhaerens</i>	Gooding 1960
<i>Hemicyclops thysanotus</i>	Wilson 1935
<b>Family Spiophanicolidae</b>	
<i>Spiophanicola spinulosus</i>	Ho 1984
Order Cyclopoida	
<b>Family Thaumatopsyllidae</b>	
unidentified	
<b>Class Ostracoda</b>	
Subclass Myodocopa	
Order Myodocopida	
Suborder Myodocopina	
<b>Superfamily Cypridinoidea</b>	
<b>Family Cypridinidae</b>	
<i>Vargula tsujii</i>	Kornicker & Baker 1977
<b>Superfamily Cylindroleberidoidea</b>	
<b>Family Cylindroleberididae</b>	
<i>Asteropella slatteryi</i>	Kornicker 1981
<i>Bathyleberis garthi</i>	Baker 1979
<i>Bathyleberis hancocki</i>	Baker 1979
<i>Bathyleberis</i> sp LA1	Haney 2004 §
<i>Diasterope pilosa</i>	Poulsen 1965
<i>Leuroleberis sharpei</i>	Kornicker 1981
<i>Cylindroleberis lobiancoi</i>	of authors NEP not (G. Müller 1893)
<i>Parasterope hulingsi</i>	Baker 1978
<i>Postasterope barnesi</i>	(Baker 1978)
<i>Parasterope barnesi</i>	Baker 1978
<i>Xenoleberis californica</i>	(Baker 1979)
<i>Bathyleberis californica</i>	Baker 1979
<b>Superfamily Sarsielloidea</b>	
<b>Family Philomedidae</b>	
<i>Anarhron</i> sp SD1	Pasko 2001 §
<i>Ostracoda</i> sp SD2	CSD 1996 §

<i>Euphilomedes cchararodonta</i>	(Smith 1952)
<i>Philomedes cchararodonta</i>	Smith 1952
<i>Euphilomedes longiseta</i>	(Judy 1907)
<i>Philomedes longiseta</i>	Judy 1907
<i>Euphilomedes producta</i>	Poulsen 1962
<i>Harbansus bradmyersi</i>	Kornicker 1978
<i>Harbansus mayeri</i>	Kornicker 1978
<i>Harbansus sp SD1</i>	Pasko 2001 §
<i>Ostracoda sp SD1</i>	CSD 1996 §
<i>Philomedes dentatus</i>	Poulsen 1962
<i>Philomedes sp A</i>	SCAMIT 1988 §
<i>Philomedes sp LA1</i>	Haney 2004 §
<i>Scleroconcha trituberculata</i>	(Lucas 1931)
<i>Philomedes trituberculata</i>	Lucas 1931
<i>Zeugophilomedes oblonga</i>	(Judy 1907)
<i>Pleoschisma oblonga</i>	Judy 1907
<i>Philomedes oblonqus</i>	of authors NEP
<b>Family Sarsiellidae</b>	
<i>Eusarsiella thominx</i>	Kornicker 1987
<i>Sarsiella sp A</i>	Myers 1978 §
<i>Eusarsiella sp A</i>	SCAMIT 1988 §
<i>Sarsiella sp B</i>	Pt. Loma 1986 §
<i>Sarsiella sp C</i>	of MEC 1985 §
<i>Sarsiella sp F</i>	MBC 1976 §
<i>Sarsiella sp H</i>	Myers 1978 §
<i>Sarsiella sp D</i>	SCAMIT 2012 §
<i>Sarsiella sp IS1</i>	Cadien 2008 §
<i>Sarsiellidae sp SD1</i>	Pasko 2001 §
<i>Ostracoda sp SD3</i>	CSD 1996 §
<b>Family Rutidermatidae</b>	
<i>Rutiderma apex</i>	Kornicker & Harrison-Nelson 1997
<i>Rutiderma chessi</i>	Kornicker & Myers 1981
<i>Rutiderma hartmanni</i>	Poulsen 1965
<i>Rutiderma judayi</i>	<b>McKenzie</b> 1963
<i>Rutiderma lomae</i>	(Judy 1907)
<i>Philomedes lomae</i>	Judy 1907
<i>Rutiderma rostratum</i>	Judy 1907
<i>Rutiderma rotundum</i>	Poulsen 1965
Subclass Podocopa	
Order Podocopida	
Suborder Cypridocopina	
Superfamily Cypridoidea	
<b>Family Cyprididae</b>	
<i>Cyprideis stewarti</i>	Benson 1959
Superfamily Macrocypridoidea	
<b>Family Macrocyprididae</b>	
<i>Macrocyprina pacifica</i>	LeRoy 1943
Class Malacostraca	
Subclass Phyllocarida	
Order Leptostraca	
<b>Suborder Nebaliacea</b>	
<b>Family Nebaliidae</b>	
<i>Nebalia daytoni</i>	Vetter 1996
<i>Nebalia sp A</i>	SCAMIT 1995 §
<i>Nebalia hessleri</i>	Martin, Vetter & Cash-Clark 1996
<i>Nebalia pugettensis</i> Cmplx	
Subclass Hoplocarida	

Order Stomatopoda		
Suborder Unipeltata		
Superfamily Gonodactyoidea		
<b>Family Hemisquillidae</b>		
<i>Hemisquilla californiensis</i>	Stephenson 1967	
<i>Hemisquilla ensigera californiensis</i>	of authors NEP	
Superfamily Parasquilloidea		
<b>Family Parasquillidae</b>		
<i>Pseudosquillopsis marmorata</i>	(Lockington 1877)	
<i>Squilla marmorata</i>	Lockington 1877	
<i>Pseudosquilla lessonii</i>	of Schmitt 1940 not Guérin 1830	
Superfamily Squilloidea		
<b>Family Squillidae</b>		
<i>Schmittius politus</i>	(Bigelow 1891)	
<i>Squilla polita</i>	Bigelow 1891	
Subclass Eumalacostraca		
Superorder Peracarida		
Order Mysida		
<b>Family Mysidae</b>		
<b>Subfamily Boreomysinae</b>		
<i>Boreomysis californica</i>	Ortmann 1894	
<b>Subfamily Gastroscaccinae</b>		
<i>Archaeomysis grebnitzkii</i>	Czerniavsky 1882	
<b>Subfamily Siriellinae</b>		
<i>Siriella pacifica</i>	Holmes 1900	
<b>Subfamily Erythropiniae</b>		
<i>Amathimysis trigibba</i>	Murano & Chess 1987	
<i>Amblyops abbreviatus</i>	(G. O. Sars 1869)	
<i>Amblyopsis abbreviata</i>	G. O. Sars 1869	
<i>Holmesiella anomala</i>	Ortmann 1908	
<i>Paramblyops</i> sp SMB1	Watling & McCann 1997	
<i>Pseudomma berkeleyi</i>	W. Tattersall 1933	
<i>Pseudomma californica</i>	Bacescu & Gleye 1979	
<b>Subfamily Heteromysinae</b>		
<i>Deltamysis holmquistae</i>	Bowman & Orsi 1992	
<i>Mysidopsis</i> sp 1	Phillips 1987 §	
<i>Heteromysis odontops</i>	Walker 1898	
<b>Subfamily Mysidellinae</b>		
<i>Mysidella americana</i>	Banner 1948	
<b>Subfamily Mysiniae</b>		
<i>Acanthomysis californica</i>	Murano & Chess 1987	
<i>Alienacanthomysis macropsis</i>	(W. Tattersall 1932)	
<i>Neomysis macropsis</i>	W. Tattersall 1932	
<i>Acanthomysis macropsis</i>	of W. Tattersall 1951	
<i>Columbiaemysis ignota</i>	Holmquist 1982	
<i>Acanthomysis brunnea</i>	Murano & Chess 1987	
<i>Exacanthomysis davisi</i>	(Banner 1948)	
<i>Acanthomysis davisi</i>	Banner 1948	
<i>Acanthomysis costata</i>	of W. Tattersall 1951 not (Holmes 1900)	
<i>Neomysis costata</i>	of W. Tattersall 1932 not (Holmes 1900)	
<i>Hippacanthomysis platypoda</i>	Murano & Chess 1987	
<i>Holmesimysis costata</i>	(Holmes 1900)	
<i>Acanthomysis costata</i>	Holmes 1900	
<i>Inusitatomysis insolita</i>	Ii 1940	
<i>Inusitatomysis californica</i>	Bacescu & Gleye 1979	
<i>Inusitatomysis serrata</i>	W. Tattersall 1951	
<i>Neomysis kadiakensis</i>	Ortmann 1908	
<i>Neomysis rayii</i>	(Murdock 1885)	

<i>Mysis rayii</i>	Murdock 1885
<i>Neomysis franciscorum</i>	Holmes 1900
<i>Neomysis toion</i>	Derzhavin 1913
<i>Pacifacanthomysis nephrophthalma</i>	(Banner 1948)
<i>Acanthomysis nephrophthalma</i>	Banner 1948
<i>Proneomysis wailesi</i>	W. Tattersall 1933
<b>Subfamily Leptomysinae</b>	
<i>Cubanomysis mysteriosa</i>	Gleye 1982
<i>Metamysidopsis elongata</i>	(Holmes 1900)
<i>Mysidopsis elongata</i>	Holmes 1900
<i>Mysidopsis brattegarti</i>	Bacescu & Gleye 1979
<i>Mysidopsis californica</i>	W. Tattersall 1932
<i>Mysidopsis cathengelae</i>	Gleye 1982
<i>Mysidopsis intii</i>	Holmquist 1957
<i>Mysidopsis onofrensis</i>	Bacescu & Gleye 1979
Order Amphipoda	
Suborder Ingolfiellidea	
<b>Family Ingolfiellidae</b>	
unidentified	
Suborder Senticaudata	
Infraorder Talitrida	
Superfamily Talitroidea	
<b>Family Dogielinotidae</b>	
<i>Allorchestes angusta</i>	Dana 1856
<i>Allorchestes oculatus</i>	Stout 1913
<i>Allorchestes rickeri</i>	Hendrycks & Bousfield 2001
<i>Parhyalella sp</i>	
<b>Family Hyalellidae</b>	
<i>Hyalella azteca</i>	(Saussure 1858)
<i>Amphitoe aztecus</i>	Saussure 1858
<b>Family Hyalidae</b>	
<b>Subfamily Hyaliniae</b>	
<i>Apohyale californica</i>	(J. L. Barnard 1969)
<i>Huale grandicornis californica</i>	J. L. Barnard 1969
<i>Huale californica</i>	J. L. Barnard 1979
<i>Parallorchestes cowani</i>	Bousfield & Hendrycks 2002
<i>Protohyale canalina</i>	(J. L. Barnard 1979)
<i>Huale canalina</i>	J. L. Barnard 1979
<i>Protohyale frequens</i>	(Stout 1913)
<i>Huale frequens</i>	Stout 1913
<b>Family Najinidae</b>	
<i>Carinonajna kitamati</i>	(J. L. Barnard 1979)
<i>Najna kitamati</i>	J. L. Barnard 1979
<i>Najna ? consiliorum</i>	of J. L. Barnard 1962 not Derzhavin 1937
<b>Family Phlantidae</b>	
<i>Pariphinotus escabrosus</i>	(J. L. Barnard 1962)
<i>Heterophilus seclusus escabrosa</i>	J. L. Barnard 1962
<b>Family Talitridae</b>	
<i>Megalorchestia benedicti</i>	(Shoemaker 1930)
<i>Orchestoidea benedicti</i>	Shoemaker 1930
<i>Megalorchestia corniculata</i>	(Stout 1913)
<i>Orchestoidea corniculata</i>	Stout 1913
Infraorder Corophiida	
Superfamily Aoridae	
<b>Family Aoridae</b>	
<i>Aoroides columbiae</i>	Walker 1898
<i>Aoroides californica</i>	Alderman 1936
<i>Aoroides exilis</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898

<i>Aoroides inermis</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898
<i>Aoroides intermedia</i>	Conlan & Bousfield 1982
<i>Aoroides intermedius</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898
<i>Aoroides secundus</i>	Gurjanova 1938
<i>Aoroides secunda</i>	Gurjanova 1938
<i>Aoroides spinosa</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of J. L. Barnard 1954 in part not Walker 1898
<i>Aoroides sp A</i>	SCAMIT 1996 §
<i>Aoroides sp SD1</i>	Pt. Loma 1995 §
<i>Bemlos audbetti</i>	(J. L. Barnard 1962)
<i>Lembos audbetti</i>	J. L. Barnard 1962
<i>Bemlos concavus</i>	(Stout 1913)
<i>Lembos concavus</i>	Stout 1913
<i>Bemlos macromanus</i>	Shoemaker 1925
<i>Lembos macromanus</i>	of J. L. Barnard 1962
<i>Columbaora cyclocoxa</i>	Conlan & Bousfield 1982
<i>Grandidierella japonica</i>	Stephensen 1938
<i>Paramicrodeutopus schmitti</i>	(Shoemaker 1942)
<i>Microdeutopus schmitti</i>	Shoemaker 1942
<b>Family Unciolidae</b>	
<b>Subfamily Acuminodeutopinae</b>	
<i>Acuminodeutopus heteruropus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Rudilemboides stenopropodus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Rudilemboides sp A</i>	SCAMIT 1998 §
Superfamily Cheluroidea	
<b>Family Cheluridae</b>	
<i>Chelura terebrans</i>	Phillipi 1839
Superfamily Chevalioidea	
<b>Family Chevaliidae</b>	
<i>Chevalia inaequalis</i>	(Stout 1913)
<i>Neophotis inaequalis</i>	Stout 1913
<i>Chevalia aviculae</i>	of J. L. Barnard 1962 not Walker 1904
Superfamily Corophioidea	
<b>Family Ampithoidae</b>	
<b>Subfamily Ampithoinae</b>	
<i>Ampithoe lacertosa</i>	Bate 1858
<i>Ampithoe longimana</i>	Smith 1873
<i>Ampithoe plumulosa</i>	Shoemaker 1938
<i>Ampithoe pollex</i>	Kunkel 1910
<i>Ampithoe ramondi</i>	Audouin 1826
<i>Ampithoe sectimanus</i>	Conlan & Bousfield 1982
<i>Ampithoe simulans</i>	Alderman 1936
<i>Ampithoe valida</i>	Smith 1873
<i>Ampithoe shimizuensis</i>	Stephensen 1944
<i>Cymadusa uncinata</i>	(Stout 1912)
<i>Acanthogrubia uncinata</i>	Stout 1912
<i>Paragrubia uncinata</i>	of SCAMIT Eds 6-9
<i>Peramphithoe humeralis</i>	(Stimpson 1864)
<i>Amphithoe humeralis</i>	Stimpson 1864
<i>Amphithoe humeralis</i>	of Stebbing 1906
<i>Peramphithoe lindbergi</i>	(Gurjanova 1938)
<i>Amphithoe lindbergi</i>	Gurjanova 1938
<i>Amphithoe femorata</i>	of J. L. Barnard 1952 not Krøyer 1845
<i>Amphithoe lindbergi</i>	of J. L. Barnard 1965
<i>Peramphithoe mea</i>	(Gurjanova 1938)
<i>Amphithoe mea</i>	Gurjanova 1938
<i>Peramphithoe plea</i>	(J. L. Barnard 1965)

<i>Amphithoe</i> plea	J. L. Barnard 1965
<i>Peramphithoe</i> tea	(J. L. Barnard 1965)
Amphithoe tea	J. L. Barnard 1965
<b>Family Corophiidae</b>	
<b>Subfamily Corophiinae</b>	
<i>Americorophium salmonis</i>	(Stimpson 1857)
Corophium salmonis	Stimpson 1857
<i>Americorophium stimpsoni</i>	(Shoemaker 1941)
Corophium stimpsoni	Shoemaker 1941
<i>Laticorophium baconi</i>	(Shoemaker 1934)
Corophium baconi	Shoemaker 1934
<i>Monocorophium acherusicum</i>	(Costa 1857)
Corophium acherusicum	Costa 1857
<i>Monocorophium californianum</i>	(Shoemaker 1934)
Corophium californianum	Shoemaker 1934
<i>Monocorophium insidiosum</i>	(Crawford 1937)
Corophium insidiosum	Crawford 1937
Corophium oaklandense	Shoemaker 1949
<i>Monocorophium uenoi</i>	(Stephensen 1932)
Corophium uenoi	Stephensen 1932
<i>Sinocorophium alienense</i>	(Chapman 1988)
Corophium alienense	Chapman 1988
<i>Sinocorophium heteroceratum</i>	(Yu 1932)
Corophium heteroceratum	Yu 1932
<b>Subfamily Protomedeliinae</b>	
<i>Cheiriphotis megacheles</i>	Giles 1883
<i>Protomederia articulata</i> Cmplx	of SCAMIT Ed 3
<i>Protomederia articulata</i>	of SCAMIT Ed 3
<i>Protomederia prudens</i>	
Infraorder Caprellida	
Superfamily Caprelloidea	
<b>Family Caprellidae</b>	
<b>Subfamily Caprellinae</b>	
<i>Abyssicaprella</i> sp LA1	Cadien 2014 §
<i>Aciconula acanthosoma</i>	Chess 1989
Aciconula sp A	Benedict 1978 §
<i>Caprella alaskana</i>	Mayer 1903
<i>Caprella brevirostris</i>	Mayer 1903
<i>Caprella californica</i> Cmplx	
<i>Caprella californica</i>	Stimpson 1857
<i>Caprella scaura</i>	of Mayer 1903 not Templeton 1836
<i>Caprella scaura</i> var <i>californica</i>	Mayer 1903
<i>Caprella scauroides</i>	Mayer 1903
<i>Caprella scaura</i> var <i>scauroides</i>	Mayer 1903
<i>Caprella californica</i>	of authors NEP not Stimpson 1857 [in part]
<i>Caprella (Spinicephala) californica</i>	of Arimoto 1976
<i>Caprella equilibra</i>	Say 1818
<i>Caprella gorgonia</i>	Laubitz & Lewbel 1974
<i>Caprella gracilior</i>	Mayer 1903
<i>Caprella linearis</i> var <i>gracilior</i>	Mayer 1903
<i>Caprella incisa</i>	Mayer 1903
<i>Caprella kennerlyi</i>	Stimpson 1864
<i>Metacaprella kennerlyi</i>	of SCAMIT Ed 3
<i>Caprella laeviuscula</i>	Mayer 1903
<i>Caprella mendax</i>	Mayer 1903
<i>Caprella equilibra</i>	of Dougherty & Steinberg 1953 not Say 1818
<i>Caprella mutica</i>	Schurin 1935
<i>Caprella cf acanthogaster</i>	of Cadien 2003 §
<i>Caprella natalensis</i>	(Mayer 1903)

<i>Caprella acutifrons</i> var <i>natalensis</i>	Mayer 1903
<i>Caprella angusta</i>	Mayer 1903
<i>Caprella penantis</i>	of authors NEP not Leach 1814
<i>Caprella penantis</i> var <i>natalensis</i>	of K. H. Barnard 1916
<i>Caprella penantis</i>	Leach 1814
<i>Caprella pilidigita</i>	Laubitz 1970
<i>Caprella simia</i>	Mayer 1903
<i>Caprella sp WS1</i>	Pasko 2010
<i>Caprella verrucosa</i>	Boeck 1872
<i>Caprella acutifrons</i> var <i>verrucosa</i>	of La Follette 1914
<i>Caprella acutifrons</i>	Mayer 1890
<i>Caprella septentrionalis</i> var <i>verrucosa</i>	Benedict 1978 §
<i>Caprella sp E</i>	Benedict 1978 §
<i>Caprellinae</i> sp B	Mayer 1890
<i>Deutella californica</i>	Mayer 1890
<i>Deutella venenosa</i>	Mayer 1890
<i>Mayerella acanthopoda</i>	Benedict 1977
<i>Mayerella banksia</i>	Laubitz 1970
<i>Paracaprella</i> sp SD1	Pasko 2000 §
<i>Tritella laevis</i>	Mayer 1903
<i>Tritella pilimana</i>	Mayer 1890
<i>Aeginella hirsuta</i>	La Follette 1915
<i>Tritella tenuissima</i>	Dougherty & Steinberg 1953
<i>Aeginellidae</i> n. gen. n. sp.	of Cadien 2003 §
<i>Triantella</i> sp A	Haney 2006 §
<b>Subfamily Phtisicinae</b>	
<i>Hemiproto</i> sp A	SCAMIT 2012 §
<i>Hemiproto</i> sp A	Benedict 1978 §
<i>Hemiproto wigleyi</i>	of Watling 1995 not McCain 1968
<i>Perotripus brevis</i>	(La Follette 1915)
<i>Paedaridium breve</i>	La Follette 1915
<i>Phtisica marina</i>	Slabber 1769
<b>Family Dulichiidae</b>	
<i>Dulichia rhabdoplastis</i>	McClosky 1970
<i>Dulichiopsis remis</i>	(J. L. Barnard 1964)
<i>Dulichia remis</i>	J. L. Barnard 1964
<i>Dyopedos monacanthus</i>	(Metzger 1875)
<i>Dulichia monacantha</i>	Metzger 1875
<b>Family Podoceridae</b>	
<i>Podocerus brasiliensis</i>	(Dana 1853)
<i>Platophium brasiliense</i>	Dana 1853
<i>Podocerus cristatus</i>	(Thomson 1879)
<i>Cyrtophium cristatum</i>	Thomson 1879
<i>Podocerus fulanus</i>	J. L. Barnard 1962
Superfamily Photoidea	
<b>Family Ischyroceridae</b>	
<b>Subfamily Ischyrocerinae</b>	
<i>Ericthonius brasiliensis</i>	(Dana 1853)
<i>Pyctilus brasiliensis</i>	Dana 1853
<i>Ericthonius rubricornis</i>	(Stimpson 1853)
<i>Cerapus rubricornis</i>	Stimpson 1853
<i>Ericthonius difformis</i>	of authors not H. Milne Edwards 1830
<i>Ericthonius hunteri</i>	of authors not (Bate 1862)
<i>Ericthonius</i> sp A	SCAMIT 2012 §
<i>Ericthonius</i> sp IS1	Cadien 2008 §
<i>Ericthonius</i> sp SD1	Pasko 1999 §
<i>Ischyrocerus anguipes</i>	Krøyer 1838
<i>Ischyrocerus minutus</i>	of Walker 1898
<i>Ischyrocerus pelagops</i>	J. L. Barnard 1962

<i>Ischyrocerus</i> sp B	J. L. Barnard 1969
<i>Ischyrocerus</i> sp C	Paquette 1989 §
<i>Jassa carltoni</i>	Conlan 1990
<i>Jassa marmorata</i>	Holmes 1905
<i>Jassa morinoi</i>	Conlan 1990
<i>Jassa slatteryi</i>	Conlan 1990
<i>Jassa falcata</i>	of authors NEP not (Montagu 1808)
<i>Podocerus odontonyx</i>	G.O. Sars 1894
<i>Jassa staudei</i>	Conlan 1990
<i>Microjassa barnardi</i>	Conlan 1995
<i>Microjassa boreopacifica</i>	Conlan 1995
<i>Microjassa bousfieldi</i>	Conlan 1995
<i>Microjassa litotes</i>	J. L. Barnard 1954
<i>Ischyrocerus litotes</i>	of J. L. Barnard 1962
<i>Neoischyrocerus claustris</i>	(J. L. Barnard 1969)
<i>Microjassa claustris</i>	J. L. Barnard 1969
<i>Ischyrocerus claustris</i>	of J. L. Barnard & Karaman 1991
<i>Notopoma</i> sp A	SCAMIT 2012 §
<i>Cerapus tubularis</i>	of authors NEP not Say 1817
<i>Cerapus tubularis</i> Cmplx	of SCAMIT Ed 6
<i>Ruffojassa angularis</i>	(Shoemaker 1942)
<i>Parajassa angularis</i>	Shoemaker 1942
<i>Ventojassa ventosa</i>	(J. L. Barnard 1962)
<i>Eurystheus ventosa</i>	J. L. Barnard 1962
<b>Family Kamakidae</b>	
<b>Subfamily Kamakinae</b>	
<i>Amphideutopus oculatus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<b>Family Photidae</b>	
<i>Ampelisciphotis podophthalma</i>	(J. L. Barnard 1958)
<i>Gaviota podophthalma</i>	J. L. Barnard 1958
<i>Gammaropsis effrena</i>	(J. L. Barnard 1963)
<i>Megamphopus effrenus</i>	J. L. Barnard 1963
<i>Gammaropsis martesia</i>	(J. L. Barnard 1964)
<i>Megamphopus martesia</i>	J. L. Barnard 1964
<i>Gammaropsis shoemakeri</i>	Conlan 1983
<i>Gammaropsis spinosa</i>	(Shoemaker 1942)
<i>Eurystheus spinosus</i>	Shoemaker 1942
<i>Gammaropsis thompsoni</i>	(Walker 1898)
<i>Maeroides thompsoni</i>	Walker 1898
<i>Eurystheus thompsoni</i>	(Walker 1898)
<i>Gammaropsis tenuicornis</i>	Holmes 1904
<i>Fimbriella robusta</i>	Stout 1913
<i>Gammaropsis tonichi</i>	J. L. Barnard 1969
<i>Megamphopus mamola</i>	J. L. Barnard 1962
<i>Megamphopus mamolus</i>	J. L. Barnard 1962
<i>Gammaropsis mamolus</i>	of SCAMIT Ed 9
<i>Photis bifurcata</i>	J. L. Barnard 1962
<i>Photis brevipes</i>	Shoemaker 1942
<i>Photis californica</i>	of J. L. Barnard 1954 not Stout 1913
<i>Photis californica</i>	Stout 1913
<i>Photis reinhardi</i>	of Alderman 1936 not Krøyer 1842
<i>Photis chiconola</i>	J. L. Barnard 1964
<i>Photis conchicola</i>	Alderman 1936
<i>Photis</i> sp F	SCAMIT 1995 §
<i>Photis lacia</i>	J. L. Barnard 1962
<i>Photis linearmanus</i>	Conlan 1994
<i>Photis</i> sp D	Paquette 1987 §
<i>Photis macinerneyi</i>	Conlan 1983
<i>Photis macrotica</i>	J. L. Barnard 1962

<i>Photis parvidons</i>	Conlan 1983
<i>Photis viuda</i>	J. L. Barnard 1962
<i>Photis</i> sp A	MBC 1972 §
<i>Photis</i> sp B	Paquette 1987 §
<i>Photis</i> sp C	MEC 1988 §
<i>Photis</i> sp E	SCAMIT 1995 §
<i>Photis</i> sp OC1	Diener 1992 §
<i>Photis</i> sp OC2	Pasko 2014 §
<i>Photis</i> sp SD9	Pasko 1999 §
<i>Podoceropsis ociosa</i>	(J. L. Barnard 1962)
Kermystheus ociosa	J. L. Barnard 1962
Gammaropsis ociosa	of SCAMIT Ed 9
Infraorder Hadziida	
Superfamily Hadzioidea	
<b>Family Maeridae</b>	
<i>Ceradocus spinicaudus</i>	(Holmes 1908)
<i>Maera spinicauda</i>	Holmes 1908
<i>Elasmopus antennatus</i>	Stout 1913
<i>Elasmopus bampo</i>	J. L. Barnard 1979
<i>Elasmopus rapax</i>	of J. L. Barnard 1962 in part not Costa 1853
<i>Elasmopus holgurus</i>	J. L. Barnard 1962
<i>Elasmopus mutatus</i>	J. L. Barnard 1962
<i>Elasmopus rapax mutatus</i>	J. L. Barnard 1962
<i>Elasmopus serricatus</i>	J. L. Barnard 1962
<i>Maera bousfieldi</i>	Krapp-Schickel & Jarrett 2000
<i>Maera jerrica</i>	Krapp-Schickel & Jarrett 2000
<i>Maera inaequipes</i>	J. L. Barnard 1954 in part not Costa 1851
<i>Maera nelsonae</i>	Krapp-Schickel & Jarrett 2000
<i>Maera similis</i>	Stout 1913
<i>Maera simile</i>	Stout 1913
<i>Maera inaequipes</i>	J. L. Barnard 1954 in part not Costa 1851
<i>Quadrimaera carla</i>	Krapp-Schickel & Jarrett 2000
<i>Maera inaequipes</i>	of J. L. Barnard in J. L. Barnard & Reish 1959 not Costa 1851
<i>Maera reishi</i>	J. L. Barnard 1979 in part
<i>Quadrimaera reishi</i>	(J. L. Barnard 1979)
<i>Maera reishi</i>	J. L. Barnard 1979 in part
<i>Quadrimaera vigota</i>	(J. L. Barnard 1969)
<i>Maera vigota</i>	J. L. Barnard 1969
<b>Family Melitidae</b>	
<i>Desdimelita californica</i>	(Alderman 1936)
<i>Melita californica</i>	Alderman 1936
<i>Desdimelita desdichada</i>	(J. L. Barnard 1962)
<i>Melita desdichada</i>	J. L. Barnard 1962
<i>Abludomelita desdichada</i>	of Karaman 1981
<i>Dulichiella spinosa</i>	Stout 1912
<i>Melita appendiculata</i>	of authors NEP not (Say 1818)
<i>Melita fresnelli</i>	of Wailes 1931 not (Audouin 1826)
<i>Megamoera subtener</i>	(Stimpson 1864)
<i>Gammarus subtener</i>	Stimpson 1864
<i>Abludomelita subtener</i>	of Karaman 1981
<i>Melita dentata</i>	of authors NEP not (Krøyer 1842)
<i>Melita nitida</i>	Smith 1874
<i>Melita rylovae</i>	Bulycheva 1955
<i>Melita sulca</i>	(Stout 1913)
<i>Caliniphargus sulcus</i>	Stout 1913
Superfamily Calliopoidea	
<b>Family Calliopiidae</b>	
<i>Oradarea longimana</i>	(Boeck 1871)
<i>Amphithopsis longimana</i>	Boeck 1871

<i>Leptamphopus longimana</i>	of Gurjanova 1951
<b>Family Hornelliidae</b>	
<i>Hornellia occidentalis</i>	(J. L. Barnard in J. L. Barnard & Reish 1959)
<i>Metaceradocus occidentalis</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<b>Family Pontogeneidae</b>	
<i>Nasageneia quinsana</i>	(J. L. Barnard 1964)
<i>Pontogeneia quinsana</i>	J. L. Barnard 1964
<i>Pontogeneia inermis</i>	(Krøyer 1838)
<i>Amphithoe inermis</i>	Krøyer 1838
<i>Pontogeneia rostrata</i>	Gurjanova 1938
<i>Tethygeneia opata</i>	(J. L. Barnard 1979)
<i>Pontogeneia opata</i>	J. L. Barnard 1979
Suborder unnamed	
Infraorder Leucothoidea	
Superfamily Leucothoidea	
<b>Family Leucothoidae</b>	
<i>Anamixis pacifica</i>	(J. L. Barnard 1955)
<i>Leucothoides pacifica</i>	J. L. Barnard 1955
<i>Anamixis linsleyi</i>	J. L. Barnard 1955
<i>Leucothoe alata</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Leucothoe nagatai</i>	Ishimaru 1985
<i>Leucothoe alata</i>	of Nagata 1965 not J. L. Barnard in Barnard & Reish 1959
<i>Leucothoe spinicarpa</i>	(Abildgaard 1789)
<i>Gammarus spinicarpus</i>	Abildgaard 1789
<b>Family Pleustidae</b>	
<b>Subfamily Atylopsinae</b>	
<i>Myzotarsa anaxiphilia</i>	Cadien & Martin 1999
<b>Subfamily Pleustinae</b>	
<i>Thorlaksonius depressus</i>	(Alderman 1936)
<i>Pleustes depressus</i>	Alderman 1936
<i>Thorlaksonius platypus</i>	(J. L. Barnard & Given 1960)
<i>Pleustes platypa</i>	J. L. Barnard & Given 1960
<i>Thorlaksonius subcarinatus</i>	Bousfield & Hendrycks 1994
<i>Thorlaksonius truncatus</i>	Bousfield & Hendrycks 1994
<b>Subfamily Stenopleustinae</b>	
<i>Gracilipleustes monocuspis</i>	(J. L. Barnard & Given 1960)
<i>Stenopleustes monocuspis</i>	J. L. Barnard & Given 1960
<b>Subfamily Dactylopleustinae</b>	
<i>Dactylopleustes sp A</i>	SCAMIT 1988 §
<b>Subfamily Pleusirinae</b>	
<i>Pleusirus secorrus</i>	J. L. Barnard 1969
<b>Subfamily Pleusympptinae</b>	
<i>Pleusympetes subglaber</i>	(J. L. Barnard & Given 1960)
<i>Sympleustes subglaber</i>	J. L. Barnard & Given 1960
<b>Subfamily Parapleustinae</b>	
<i>Chromopleustes oculatus</i>	(Holmes 1908)
<i>Neopleustes oculatus</i>	Holmes 1908
<i>Parapleustes oculatus</i>	of J. L. Barnard & Given 1960 in part
<i>Gnathopleustes den</i>	(J. L. Barnard 1969)
<i>Parapleustes den</i>	J. L. Barnard 1969
<i>Gnathopleustes pugettensis</i>	(Dana 1852)
<i>Parapleustes pugettensis</i>	Dana 1852
<i>Gnathopleustes serratus</i>	Bousfield & Hendrycks 1995
<i>Incisocalliope bairdi</i>	(Boeck 1871)
<i>Paramphithoe bairdi</i>	Boeck 1871
<i>Neopleustes bairdi</i>	of Stebbing 1906
<i>Incisocalliope newportensis</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Parapleustes pugettensis</i>	of J. L. Barnard & Given 1960 not Gnathopleustes pugettensis (Dana 1853)
<i>Micropleustes nautilus</i>	(J. L. Barnard 1969)

<i>Parapleustes nautilus</i>	J. L. Barnard 1969
<i>Parapleustes behningi</i>	of J. L. Barnard 1969 not Gurjanova 1938
<i>Trachyleutes trevori</i>	Bousfield & Hendrycks 1995
Superfamily Stenotheoidea	
<b>Family Amphilochidae</b>	
<i>Apolochus barnardi</i>	Hoover & Bousfield 2001
<i>Amphilochus neapolitanus Cmplx</i>	of SCAMIT Ed 3 in part
<i>Amphilochus neapolitanus</i>	of J. L. Barnard 1962 not della Valle 1893
<i>Apolochus litoralis</i>	(Stout 1912)
<i>Amphilochus litoralis</i>	Stout 1912
<i>Apolochus picadurus</i>	(J. L. Barnard 1962)
<i>Amphilochus picadurus</i>	J. L. Barnard 1962
<i>Gitana calitemplado</i>	J. L. Barnard 1962
<i>Hourstonius vilordes</i>	(J. L. Barnard 1962)
<i>Gitanopsis vilordes</i>	J. L. Barnard 1962
<b>Family Stenothoidae</b>	
<i>Metopa cistella</i>	J. L. Barnard 1969
<i>Metopa dawsoni</i>	J. L. Barnard 1962
<i>Metopella aporpis</i>	J. L. Barnard 1962
<i>Parametopella ninis</i>	J. L. Barnard 1962
<i>Stenothoe estacula</i>	J. L. Barnard 1962
<i>Stenothoe frecanda</i>	J. L. Barnard 1962
<i>Stenothoe valida</i>	Dana 1853
<i>Stenothoides bicoma</i>	J. L. Barnard 1962
<i>Stenothoides burbanki</i>	J. L. Barnard 1969
<i>Stenula modosa</i>	J. L. Barnard 1962
Superfamily Iphimedioidea	
<b>Family Iphimediidae</b>	
<i>Coboldus hedgpethi</i>	(J. L. Barnard 1969)
<i>Panoploea (?) hedgpethi</i>	J. L. Barnard 1969
<i>Iphimedia hedgpethi</i>	of Thomas & J. L. Barnard 1991
<i>Iphimedia rickettsi</i>	(Shoemaker 1931)
<i>Panoploea rickettsi</i>	Shoemaker 1931
<b>Family Lafystiidae</b>	
<i>Protolafystius</i> sp A	SCAMIT 2012
<i>Lafystius sturionis</i>	of Jensen et al 1982 not Kroyer 1842
Infraorder Liljeborgida	
Superfamily Synopioidae	
<b>Family Synopiidae</b>	
<i>Bruzelia tuberculata</i>	G.O. Sars 1883
<i>Garosyrhoe bigarra</i>	(J. L. Barnard 1962)
<i>Syrrhoites bigarra</i>	J. L. Barnard 1962
<i>Garosyrhoe bigarra Cmplx</i>	of SCAMIT Ed 3
<i>Garosyrhoe disjuncta</i>	J. L. Barnard 1969
<i>Garosyrhoe sp A</i>	Laughlin 1988 §
<i>Metatiron tropakis</i>	(J. L. Barnard 1972)
<i>Tiron tropakis</i>	J. L. Barnard 1972
<i>Syrrhoe crenulata</i>	Göes 1866
<i>Syrrhoe longifrons</i>	Shoemaker 1964
<i>Syrrhoe</i> sp A	SCAMIT 1987 §
<i>Tiron biocellata</i>	J. L. Barnard 1962
<b>Family Argissidae</b>	
<i>Argissa hamatipes</i>	(Norman 1869)
<i>Syrrhoe hamatipes</i>	Norman 1869
<i>Argissa typica</i>	Boeck 1871
<i>Argissa stebbingi</i>	Bonnier 1896
Superfamily Pardaliscoidea	
<b>Family Pardaliscidae</b>	
<i>Halicoides synopiae</i>	(J. L. Barnard 1962)

<i>Pardisynopia synopiae</i>	J. L. Barnard 1962
<i>Halice synopiae</i>	of authors NEP
<i>Nicippe tumida</i>	Bruzelius 1859
<i>Pardalisca tenuipes</i>	G.O. Sars 1895
<i>Pardalisella symmetrica</i>	J. L. Barnard 1959
<i>Rhynohalicella halona</i>	J. L. Barnard 1971
Superfamily Liljeborgioidea	
<b>Family Liljeborgiidae</b>	
<i>Liljeborgia cota</i>	J. L. Barnard 1962
<i>Liljeborgia geminata</i>	J. L. Barnard 1959
<i>Liljeborgia kinahani</i>	of J. L. Barnard 1962 not Bate 1862
<i>Listriella albina</i>	J. L. Barnard 1959
<i>Listriella diffusa</i>	J. L. Barnard 1959
<i>Listriella eriopisa</i>	J. L. Barnard 1959
<i>Listriella goleta</i>	J. L. Barnard 1959
<i>Listriella melanica</i>	J. L. Barnard 1959
<i>Listriella sp A</i>	SCAMIT 1987 §
<i>Listriella sp SD1</i>	Pasko 2006 §
<b>Family Colomastigidae</b>	
<i>Colomastix sp A</i>	SCAMIT 2012 §
<i>Colomastix pusilla</i>	of J. L. Barnard 1954 not Grube 1851
Infraorder Eusirida	
Superfamily Eusiroidea	
<b>Family Bateidae</b>	
<i>Batea lobata</i>	Shoemaker 1926
<i>Batea transversa</i>	Shoemaker 1926
<b>Family Eusiridae</b>	
<i>Eustrodes monoculoides</i>	(Haswell 1879)
<i>Atylus monoculoides</i>	Haswell 1879
<i>Eusirus sp</i>	
<i>Rhachotropis barnardi</i>	Bousfield & Hendrycks 1995
<i>Rhachotropis clemens</i>	J. L. Barnard 1971 in part
<i>Rhachotropis clemens</i>	J. L. Barnard 1967
<i>Rhachotropis distincta</i>	(Holmes 1908)
<i>Gracilipes distincta</i>	Holmes 1908
<i>Rhachotropis luculenta</i>	J. L. Barnard 1969
<i>Rhachotropis sp A</i>	Velarde 1987 §
<i>Rhachotropis oculata</i>	of authors NEP not Hansen 1888 in part
Superfamily Oedicerotoidea	
<b>Family Oedicerotidae</b>	
<i>Americhelidium micropleon</i>	(J. L. Barnard 1977)
<i>Synchelidium micropleon</i>	J. L. Barnard 1977
<i>Synchelidium sp M</i>	J. L. Barnard 1969
<i>Americhelidium rectipalmum</i>	(Mills 1962)
<i>Synchelidium rectipalmum</i>	Mills 1962
<i>Americhelidium shoemakeri</i>	(Mills 1962)
<i>Synchelidium shoemakeri</i>	Mills 1962
<i>Americhelidium sp SD2</i>	Pasko 2001 §
<i>Americhelidium sp SD3</i>	Pasko 2001 §
<i>Americhelidium variabilem</i>	Bousfield & Chevrier 1996
<i>Americhelidium sp SD1</i>	Pasko 2005 §
<i>Americhelidium sp SD4</i>	Pasko 2005 §
<i>Bathymedon caino</i>	J. L. Barnard 1967
<i>Bathymedon covilhani</i>	J. L. Barnard 1961
<i>Bathymedon flebilis</i>	J. L. Barnard 1967
<i>Bathymedon kassites</i>	J. L. Barnard 1966
<i>Bathymedon pumilus</i>	J. L. Barnard 1962
<i>Bathymedon roquedo</i>	J. L. Barnard 1962
<i>Bathymedon vulpeculus</i>	J. L. Barnard 1971

<i>Deflexilodes enigmaticus</i>	Bousfield & Chevrier 1996
<i>Deflexilodes</i> sp SD1	Pasko 1998 §
<i>Deflexilodes norvegicus</i>	(Boeck 1861)
<i>Oedicerus norvegicus</i>	Boeck 1861
<i>Monoculodes norvegicus</i>	of J. L. Barnard 1962
<i>Eochelidium</i> sp A	SCAMIT 1996 §
<i>Hartmanodes hartmanna</i>	(J. L. Barnard 1962)
<i>Monoculodes hartmanna</i>	J. L. Barnard 1962
<i>Hartmanodes murrius</i>	(J. L. Barnard 1962)
<i>Monoculodes murrius</i>	J. L. Barnard 1962
<i>Hartmanodes</i> sp SD1	Pasko 1997 §
<i>Monoculodes</i> sp SD1	Pasko 1997 §
<i>Monoculodes emarginatus</i>	J. L. Barnard 1962
<i>Monoculodes glyconicus</i>	J. L. Barnard 1962
<i>Monoculodes glyconica</i>	J. L. Barnard 1962
<i>Monoculodes latissimanus</i>	Stephensen 1931
<i>Oediceropsis elsula</i>	J. L. Barnard 1966
<i>Pacifoculodes barnardi</i>	Bousfield & Chevrier 1996
<i>Monoculodes spinipes</i>	of J. L. Barnard 1962 not Mills 1962
<i>Westwoodilla tone</i>	Jansen 2002
<i>Westwoodilla caecula</i>	of authors NEP not (Bate 1857)
Infraorder Phoxocephaliida	
Superfamily Pontoporeioidea	
<b>Family Haustoriidae</b>	
<i>Eohaustorius barnardi</i>	Bousfield & Hoover 1995
<i>Eohaustorius washingtonianus</i>	of authors SCB not (Thorsteinson 1941)
<i>Eohaustorius sawyeri</i>	Bosworth 1973
<i>Eohaustorius sencillus</i>	J. L. Barnard 1962
Superfamily Phoxocephaloidea	
<b>Family Platyschnopidae</b>	
<i>Tiburonella viscana</i>	(J. L. Barnard 1964)
<i>Platyschnopus viscana</i>	J. L. Barnard 1964
<b>Family Urothoidae</b>	
<i>Urothoe elegans</i> Cmplx	of authors NEP
<i>Urothoe elegans</i>	of authors NEP
<i>Urothoe varvarini</i>	
<b>Family Phoxocephalidae</b>	
<b>Subfamily Metharpiinae</b>	
<i>Foxiphalus cognatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus cognatus</i>	J. L. Barnard 1960
<i>Foxiphalus golfensis</i>	J. L. Barnard & C. M. Barnard 1982
<i>Foxiphalus obtusidens</i>	(Alderman 1936)
<i>Pontharpinia obtusidens</i>	Alderman 1936
<i>Paraphoxus obtusidens</i>	of J. L. Barnard 1960
<i>Foxiphalus similis</i>	(J. L. Barnard 1960)
<i>Paraphoxus similis</i>	J. L. Barnard 1960
<i>Grandifoxus longirostris</i>	(Gurjanova 1938)
<i>Pontharpinia longirostris</i>	Gurjanova 1938
<i>Majoxiphalus major</i>	(J. L. Barnard 1960)
<i>Paraphoxus obtusidens major</i>	J. L. Barnard 1960
<i>Foxiphalus major</i>	of J. L. Barnard & C. M. Barnard 1982
<i>Metharpinia coronadoi</i>	J. L. Barnard 1980
<i>Metharpinia jonesi</i>	(J. L. Barnard 1963)
<i>Paraphoxus jonesi</i>	J. L. Barnard 1963
<i>Rhepoxyinius abronius</i>	(J. L. Barnard 1960)
<i>Paraphoxus abronius</i>	J. L. Barnard 1960
<i>Rhepoxyinius bicuspidatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus bicuspidatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius daboiius</i>	(J. L. Barnard 1960)

<i>Paraphoxus daboius</i>	J. L. Barnard 1960
<i>Rhepoxyinius fatigans</i>	(J. L. Barnard 1960)
<i>Paraphoxus fatigans</i>	J. L. Barnard 1960
<i>Rhepoxyinius heterocuspisidatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus heterocuspisidatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius homocuspisidatus</i>	J. L. Barnard & C. M. Barnard 1982
<i>Rhepoxyinius lucubrans</i>	(J. L. Barnard 1960)
<i>Paraphoxus lucubrans</i>	J. L. Barnard 1960
<i>Rhepoxyinius menziesi</i>	J. L. Barnard & C. M. Barnard 1982
<i>Paraphoxus epistomus</i>	of J. L. Barnard 1960 not Shoemaker 1938
<i>Trichophoxus epistomus</i>	of authors NEP not (Shoemaker 1938)
<i>Rhepoxyinius stenodes</i>	(J. L. Barnard 1960)
<i>Paraphoxus stenodes</i>	J. L. Barnard 1960
<i>Rhepoxyinius sp B</i>	SCAMIT 2012§
<i>Rhepoxyinius sp OC1</i>	Pasko 2012 §
<i>Rhepoxyinius tridentatus</i>	(J. L. Barnard 1954)
<i>Pontharpinia tridentata</i>	J. L. Barnard 1954
<i>Paraphoxus tridentatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius variatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus variatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius sp A</i>	SCAMIT 1987 §
<i>Paraphoxus bicuspidatus</i>	of J. L. Barnard 1960 in part
<b>Subfamily Brolginae</b>	
<i>Eobrolgus chumashi</i>	J. L. Barnard & C. M. Barnard 1981
<i>Eobrolgus spinosus</i>	(Holmes 1903)
<i>Paraphoxus spinosus</i>	Holmes 1903
<i>Eyakia robusta</i>	(Holmes 1908)
<i>Paraphoxus robustus</i>	Holmes 1908
<i>Mandibulophoxus gilesi</i>	J. L. Barnard 1957
<i>Paraphoxus sp 1</i>	Jarrett & Bousfield 1994
<i>Paraphoxus oculatus</i>	of authors NEP not (G. Sars 1879)
<b>Subfamily Phoxocephalinae</b>	
<i>Cephalophoxoides homilis</i>	(J. L. Barnard 1960)
<i>Phoxocephalus homilis</i>	J. L. Barnard 1960
<i>Paraphoxus homilis</i>	of Austin 1984
<i>Coxophoxus hidalgo</i>	J. L. Barnard 1966
<i>Leptophoxus falcatus icelus</i>	J. L. Barnard 1966
<i>Metaphoxus frequens</i>	J. L. Barnard 1960
<i>Parametaphoxus sp 1</i>	Chapman MS
<i>Parametaphoxus fultoni</i>	of authors NEP not (Scott 1890)
<i>Parametaphoxus quaylei</i>	of authors SCB not Jarrett & Bousfield 1994
<b>Subfamily Harpiniinae</b>	
<i>Harpiniopsis emeryi</i>	J. L. Barnard 1960
<i>Harpiniopsis epistomata</i>	J. L. Barnard 1960
<i>Harpiniopsis epistomatus</i>	J. L. Barnard 1960
<i>Harpiniopsis fulgens</i>	J. L. Barnard 1960
<i>Harpiniopsis galera</i>	J. L. Barnard 1960
<i>Harpiniopsis galerus</i>	J. L. Barnard 1960
<i>Harpiniopsis naiadis</i>	J. L. Barnard 1960
<i>Harpiniopsis profundis</i>	J. L. Barnard 1960
<i>Harpiniopsis similis</i>	Stephensen 1925
<i>Heterophoxus affinis</i>	(Holmes 1908)
<i>Harpinia affinis</i>	Holmes 1908
<i>Heterophoxus oculatus</i>	of authors NEP not (Holmes 1908)
<i>Heterophoxus conlanae</i>	Jarrett & Bousfield 1994
<i>Heterophoxus ellisi</i>	Jarrett & Bousfield 1994
<i>Heterophoxus oculatus</i>	of authors NEP not (Holmes 1908)
<i>Heterophoxus oculatus</i>	(Holmes 1908)
<i>Harpina oculata</i>	Holmes 1908

<i>Pseudoharpinia excavata</i>	(Chevreux 1887)
<i>Harpinia excavata</i>	Chevreux 1887
<i>Harpiniopsis sanpedroensis</i>	J. L. Barnard 1960
Infraorder Dexaminida	
Superfamily Dexaminoidea	
<b>Family Atylidae</b>	
<i>Atylus tridens</i>	(Alderman 1936)
<i>Nototropis tridens</i>	Alderman 1936
<b>Family Dexaminidae</b>	
<b>Subfamily Dexamininae</b>	
<i>Paradexamine</i> sp SD1	Pasko 1999 §
<b>Subfamily Polycherinae</b>	
<i>Polycheria osborni</i>	Calman 1898
<b>Subfamily Prophlantinae</b>	
<i>Guernea redundans</i>	(J. L. Barnard 1958)
<i>Dexamonica redundans</i>	J. L. Barnard 1958
Superfamily Ampeliscoidea	
<b>Family Ampeliscidae</b>	
<i>Ampelisca agassizi</i>	(Judd 1896)
<i>Byblis agassizi</i>	Judd 1896
<i>Ampelisca compressa</i>	Holmes 1905
<i>Ampelisca vera</i>	J. L. Barnard 1954
<i>Ampelisca brachycladus</i>	Roney 1990
<i>Ampelisca</i> sp A	SCAMIT 1986 §
<i>Ampelisca brevisimulata</i>	J. L. Barnard 1954
<i>Ampelisca cf brevisimulata</i>	SCAMIT 1995 §
<i>Ampelisca careyi</i>	Dickinson 1982
<i>Ampelisca macrocephala</i>	of J. L. Barnard 1954 not Liljeborg 1842
<i>Ampelisca unsocalae</i>	of authors SCB in part not J. L. Barnard 1960
<i>Ampelisca coeca</i>	Holmes 1908
<i>Ampelisca cristata cristata</i>	Holmes 1908
<i>Ampelisca cristata microdentata</i>	J. L. Barnard 1954
<i>Ampelisca cristoides</i>	J.L. Barnard 1954
<i>Ampelisca fageri</i>	Dickinson 1982
<i>Ampelisca furcigera</i>	Bulycheva 1936
<i>Ampelisca hancocki</i>	J. L. Barnard 1954
<i>Ampelisca nr hancocki</i>	of authors NEP
<i>Ampelisca hancocki Cmplx</i>	of SCAMIT Ed 4
<i>Ampelisca indentata</i>	J. L. Barnard 1954
<i>Ampelisca lobata</i>	Holmes 1908
<i>Ampelisca articulata</i>	Stout 1913
<i>Ampelisca milleri</i>	J. L. Barnard 1954
<i>Ampelisca pacifica</i>	Holmes 1908
<i>Ampelisca plumosa</i>	Holmes 1908
<i>Ampelisca pugetica</i>	Stimpson 1864
<i>Ampelisca californica</i>	Holmes 1908
<i>Ampelisca gnathia</i>	J. L. Barnard 1954
<i>Ampelisca macrodonta</i>	J. L. Barnard 1954
<i>Ampelisca mora</i>	J. L. Barnard 1954
<i>Ampelisca romigi</i>	J. L. Barnard 1954
<i>Ampelisca isocornea</i>	J. L. Barnard 1954
<i>Ampelisca romigi ciego</i>	J. L. Barnard 1966
<i>Ampelisca unsocalae</i>	J. L. Barnard 1960
<i>Ampelisca macrocephala unsocalae</i>	J. L. Barnard 1960
<i>Byblis barbarensis</i>	J. L. Barnard 1960
<i>Byblis bathyalis</i>	J. L. Barnard 1966
<i>Byblis millsii</i>	Dickinson 1983
<i>Byblis thyabilis</i>	J. L. Barnard 1971
<i>Byblis veleronis</i>	J. L. Barnard 1954

Superfamily Melphidippoidea	
<b>Family Melphidippidae</b>	
<i>Melphisana bola</i> Cmplx	
<i>Melphisana bola</i>	of J. L. Barnard 1962
<i>Melphidippa amorita</i>	of J. L. Barnard 1966
<b>Family Megaluropidae</b>	
<i>Gibberosus devaneyi</i>	Thomas & J. L. Barnard 1986
<i>Megaluropus longimerus</i>	of authors NEP in part not Schellenberg 1925
<i>Gibberosus myersi</i>	(McKinney 1980)
<i>Megaluropus myersi</i>	McKinney 1980
<i>Megaluropus longimerus</i>	of authors NEP in part not Schellenberg 1925
<i>Megaluropidae</i> sp A	SCAMIT 1987 §
Infraorder Lysianassidea	
Superfamily Lysianassoidea	
<b>Family Acidostomatidae</b>	
<i>Acidostoma hancocki</i>	Hurley 1963
<b>Family Lysianassidae</b>	
<b>Subfamily Conicostomatinae</b>	
<i>Ocosingo borlus</i>	J. L. Barnard 1964
<i>Fresnillo fimbriatus</i>	J. L. Barnard 1969
<i>Socarnoides illudens</i>	Hurley 1963
<b>Subfamily Lysianassinae</b>	
<i>Aruga holmesi</i>	J. L. Barnard 1955
<i>Aruga oculata</i>	Holmes 1908
<i>Dissiminassa dissimilis</i>	(Stout 1913)
<i>Nannonyx dissimilis</i>	Stout 1913
<i>Lysianassa dissimilis</i>	of J. L. Barnard 1969
<i>Lysianopsis (?) dissimilis</i>	of Hurley 1963
<i>Macronassa macromera</i>	(Shoemaker 1916)
<i>Aruga macromera</i>	Shoemaker 1916
<i>Macronassa pariter</i>	(J. L. Barnard 1969)
<i>Lysianassa pariter</i>	J. L. Barnard 1969
<i>Socarnes hartmani</i>	Hurley 1963
<b>Subfamily Tryphosinae</b>	
<i>Hippomedon coecus</i>	(Holmes 1908)
<i>Tryphosa coeca</i>	Holmes 1908
<i>Hippomedon columbianus</i>	Jarrett & Bousfield 1982
<i>Hippomedon denticulatus</i>	of J. L. Barnard 1954 in part not (Bate 1857)
<i>Hippomedon subrobustus</i>	Hurley 1963
<i>Hippomedon tenax</i>	J. L. Barnard 1966
<i>Hippomedon zetesimus</i>	Hurley 1963
<i>Hippomedon</i> sp A	Diener 1990 §
<i>Lepidepecreum garthi</i>	Hurley 1963
<i>Lepidepecreum gurjanovae</i>	Hurley 1963
<i>Lepidepecreum magdalenensis</i>	(Shoemaker 1942)
<i>Orchomenella magdalenensis</i>	Shoemaker 1942
<i>Lepidepecreum serraculum</i>	Dalkey 1998
<i>Lepidepecreum</i> sp A	SCAMIT 1985 §
<i>Orchomene anaquelus</i>	J. L. Barnard 1964
<i>Orchomene anaquela</i>	J. L. Barnard 1964
<i>Orchomene limodes</i>	Meador & Present 1985
<i>Orchomene obtusa</i>	(G. O. Sars 1891)
<i>Orchomenopsis obtusa</i>	G. O. Sars 1891
<i>Orchomenella decipiens</i>	Hurley 1963
<i>Orchomene decipiens</i>	of authors NEP
<i>Orchomenella holmesi</i>	(Hurley 1963)
<i>Orchomene holmesi</i>	Hurley 1963
<i>Orchomenella pacifica</i>	Gurjanova 1938
<i>Orchomene pacifica</i>	of J. L. Barnard 1964

<i>Orchomene pacificus</i>	of authors NEP
<i>Orchomenella pinguis</i>	(Boeck 1861)
<i>Anonyx pinguis</i>	Boeck 1861
<i>Orchomene pinguis</i>	of authors NEP
<i>Rimakoroga rima</i>	(J. L. Barnard 1964)
<i>Pseudokoroga rima</i>	J. L. Barnard 1964
<b>Family Aristiidae</b>	
<i>Aristias</i> sp A	SCAMIT 1985 §
<b>Family Opisidae</b>	
<i>Opisa tridentata</i>	Hurley 1963
<b>Family Pachynidae</b>	
<i>Pachyhelium fucagensis</i>	Lowry & Stoddart 2012
<i>Pachyhelium</i> sp SD1	Pasko & Nestler 2003 §
<i>Pachynus barnardi</i>	Hurley 1963
<i>Prachynella epa</i>	Lowry & Stoddart 2012
<i>Prachynella</i> sp A	SCAMIT 2007 §
<i>Prachynella lodo</i>	J. L. Barnard 1964
<i>Prachynella oculata</i>	Lowry & Stoddart 2012
<i>Prachynella lodo</i>	of J. L. Barnard 1964 in part
<b>Family Uristidae</b>	
<i>Anonyx carinatus</i>	(Holmes 1908)
<i>Lakota carinata</i>	Holmes 1908 in part
<i>Anonyx lilljeborgi</i>	Boeck 1871
<i>Anonyx carinatus</i>	of Hurley 1963
<i>Lakota carinata</i>	Holmes 1908 in part
<i>Schisturella cedula</i>	J. L. Barnard 1966
<i>Schisturella dorotheae</i>	(Hurley 1963)
<i>Anonyx dorotheae</i>	Hurley 1963
<i>Thrombasia tracalero</i>	J. L. Barnard 1966
<i>Schisturella tracalero</i>	of SCAMIT Ed 8
<i>Schisturella totorami</i>	J. L. Barnard 1967
<b>Family Incertae Sedis</b>	
Genus uncertain <i>entalladurus</i>	(J. L. Barnard 1963)
<i>Uristes entalladurus</i>	J. L. Barnard 1963
<b>Family Valettiopsidae</b>	
<i>Valettiopsis dentatus</i>	Holmes 1908
Superfamily Stegocephaloidea	
<b>Family Stegocephalidae</b>	
<b>Subfamily Stegocephalinae</b>	
<i>Alania hancocki</i>	(Hurley 1956)
<i>Stegocephalus hancocki</i>	Hurley 1956
Suborder uncertain	
infraorder uncertain	
superfamily uncertain	
<b>family uncertain</b>	
<i>Gammaridea</i> sp SD1	Pasko 2004 §
Order Isopoda	
Suborder Cymothoida	
Superfamily Cymothooidea	
<b>Family Aegidae</b>	
<i>Aega lecontii</i>	(Dana 1853)
<i>Aegacylia lecontii</i>	Dana 1853
<i>Rocinela angustata</i>	Richardson 1904
<i>Ricinella angustata</i>	of Richardson[Searle] 1914
<i>Rocinella laticauda</i>	of Richardson 1898 not Hansen 1897
<i>Rocinela belliceps</i>	(Stimpson 1864)
<i>Aega belliceps</i>	Stimpson 1864
<i>Aega alaskensis</i>	Lockington 1877
<i>Rocinela alaskensis</i>	of Richardson 1898

<b>Family Cirolanidae</b>	
<i>Cirolana diminuta</i>	Menzies 1962
<i>Cirolana harfordi</i>	(Lockington 1877)
<i>Aega harfordi</i>	Lockington 1877
<i>Eurydice caudata</i>	Richardson 1899
<i>Eurydice branchuropus</i>	Menzies & J. L. Barnard 1959
<i>Excirolana chiltoni</i>	(Richardson 1905)
<i>Cirolana chiltoni</i>	Richardson 1905
<i>Excirolana japonica</i>	(Richardson 1912)
<i>Excirolana kincaidi</i>	(Hatch 1947)
<i>Excirolana vancouverensis</i>	(Fee 1926)
<i>Excirolana linguifrons</i>	(Richardson 1899)
<i>Cirolana linguifrons</i>	Richardson 1899
<i>Metacirolana joanneae</i>	(Schultz 1966)
<i>Cirolana joanneae</i>	Schultz 1966
<i>Natatolana californiensis</i>	(Schultz 1966)
<i>Cirolana californiensis</i>	Schultz 1966
<b>Family Corallanidae</b>	
<i>Excorallana truncata</i>	(Richardson 1899)
<i>Corallana truncata</i>	Richardson 1899
<i>Excorallana kathae</i>	of Schultz 1969
<i>Excorallana kathyae</i>	Menzies 1962
<b>Family Cymothoidae</b>	
<i>Elthusa californica</i>	(Schiødte & Meinert 1884)
<i>Livoneca californica</i>	Schiødte & Meinert 1883
<i>Lironeca californica</i>	of Schultz 1969
<i>Elthusa vulgaris</i>	(Stimpson 1857)
<i>Livoneca vulgaris</i>	Stimpson 1857
<i>Lironeca vulgaris</i>	of Schiødte & Meinert 1883-4
<i>Nerocila acuminata</i>	Schiødte & Meinert 1881
<i>Nerocila californica</i>	Schiødte & Meinert 1881
<i>Pterisopodus bartschi</i>	Boone 1918
<i>Smenispa convexa</i>	(Richardson 1905)
<i>Livoneca convexa</i>	Richardson 1905
<i>Enispa convexa</i>	of SCAMIT Ed 10
<i>Lironeca convexa</i>	of Schultz 1969
<b>Family Gnathiidae</b>	
<i>Caecognathia crenulatifrons</i>	(Monod 1926)
<i>Gnathia crenulatifrons</i>	Monod 1926
<i>Caecognathia sanctaecrucis</i>	(Schultz 1972)
<i>Gnathia sanctaecrucis</i>	Schultz 1972
<i>Gnathia hirsuta</i>	of Schultz 1966 not G.O. Sars 1870
<i>Caecognathia sp A</i>	SCAMIT 2005 §
<i>Caecognathia sp SD1</i>	Haney 2005 §
<i>Gnathia trilobata</i>	of authors SCB not Schultz 1966
<i>Gnathia productatridens</i>	Menzies & J. L. Barnard 1959
<i>Gnathia steveni</i>	Menzies 1962
<i>Gnathia tridens</i>	Menzies & J. L. Barnard 1959
<i>Gnathia trilobata</i>	Schultz 1966
<i>Gnathia sp MBC1</i>	Haney 2005 §
<b>Family Tridentellidae</b>	
<i>Tridentella glutacantha</i>	Delaney & Brusca 1985
<i>Tridentella quinicornis</i>	Delaney & Brusca 1985
<b>Infraorder Epicaridea</b>	
Superfamily Bopyroidea	
<b>Family Bopyridae</b>	
<b>Subfamily Athelginae</b>	
<i>Anathelges hyphalus</i>	(Markham 1974)
<i>Stegophryxus hyphalus</i>	Markham 1974

<b>Subfamily Argeinae</b>	
<i>Argeia pugettensis</i>	Dana 1853
<i>Argeia calmani</i>	Bonnier 1900
<i>Argeia depauperata</i>	Richardson 1899
<i>Argeia pauperata</i>	Stimpson 1857
<i>Argeia pingi</i>	Yu 1935
<b>Subfamily Bopyrinae</b>	
<i>Capiterigonia</i> sp A	(SCAMIT 2012) §
<i>Probopyria</i> sp A	SCAMIT 2012 §
<i>Probopyria</i> sp A	Stebbins 2011 §
<b>Subfamily Phyllodurinae</b>	
<i>Phyllodurus abdominalis</i>	Stimpson 1857
<b>Subfamily Pseudioninae</b>	
<i>Munidion pleuroncodis</i>	Markham 1975
<i>Orthione griffenis</i>	Markham 2004
<i>Pseudione giardi</i>	Calman 1898
<b>Superfamily Cryptoniscoidea</b>	
<b>Family Dajidae</b>	
<i>Holophryxus alaskensis</i>	Richardson 1905
<i>Zonophryxus</i> sp	
<b>Family Hemioniscidae</b>	
<i>Hemioniscus balani</i>	Buchholz 1866
<b>Superfamily Anthuroidea</b>	
<b>Family Antheluridae</b>	
<i>Ananthura luna</i>	(Schultz 1966)
<i>Bathura luna</i>	Schultz 1966
<b>Family Anthuridae</b>	
<i>Amakusanthera californiensis</i>	(Schultz 1964)
<i>Apanthura californiensis</i>	Schultz 1964
<i>Cyathura munda</i>	Menzies 1951
<i>Haliophasma geminata</i>	Menzies & J. L. Barnard 1959
<i>Silophasma geminata</i>	of Schultz 1977
<i>Mesanthura occidentalis</i>	Menzies & J. L. Barnard 1959
<b>Family Hyssuridae</b>	
<i>Kupellonura</i> sp A	Wetzer & Brusca 1997
? Anthurid n gen n sp	of Menzies 1962
<i>Hyssuridae</i> gen A sp A	Cadien & Brusca 1993 §
<b>Family Expanathuridae</b>	
<i>Eisothistos</i> sp A	(MBC 1984) §
<i>Heteranthura</i> sp A	MBC 1984 §
<b>Family Paranthuridae</b>	
<i>Califanthura squamosissima</i>	(Menzies 1951)
<i>Colanthura squamosissima</i>	Menzies 1951
<i>Paranthura elegans</i>	Menzies 1951
<i>Paranthura japonica</i>	Richardson 1909
<b>Suborder Limnoriidea</b>	
<b>Superfamily Limnorioidea</b>	
<b>Family Limnoriidae</b>	
<i>Limnoria algarum</i>	Menzies 1957
<i>Limnoria</i> (Phycolimnora) <i>algarum</i>	of Kozloff 1986
<i>Limnoria quadripunctata</i>	Holthuis 1949
<i>Limnoria tripunctata</i>	Menzies 1951
<b>Suborder Valvifera</b>	
<b>Family Arcturidae</b>	
<i>Idarcturus allelomorphus</i>	Menzies & J. L. Barnard 1959
<i>Idarcturus hedgpethi</i>	Menzies 1951
<i>Neastacilla californica</i>	(Boone 1918)
<i>Astacilla californica</i>	Boone 1918
<b>Family Holognathidae</b>	

<i>Cleantioides occidentalis</i>	(Richardson 1899)
<i>Cleantis occidentalis</i>	Richardson 1899
<b>Family Idoteidae</b>	
<i>Colidotea rostrata</i>	(Benedict 1898)
<i>Idotea rostrata</i>	Benedict 1898
<i>Edotia sublittoralis</i>	Menzies & J. L. Barnard 1959
<i>Edotea sublittoralis</i>	Menzies & J. L. Barnard 1959
<i>Edotia</i> sp B	MEC 1984 §
<i>Edotea sublittoralis</i>	of authors not Menzies & J. L. Barnard 1959 in part
<i>Erichsonella crenulata</i>	Menzies 1950
<i>Eusymmerus pseudoculata</i>	(Boone 1923)
<i>Erichsonella pseudoculata</i>	Boone 1923
<i>Pentidotea aculeata</i>	Stafford 1913
<i>Pentidotea fewkesi</i>	(Richardson 1908)
<i>Idotea fewkesi</i>	Richardson 1908
<i>Pentidotea montereyensis</i>	Maloney 1933
<i>Idotea gracillima</i>	of Richardson 1905 not Dana 1854 (species inquirendum)
<i>Pentidotea resecata</i>	(Stimpson 1857)
<i>Idotea resecata</i>	Stimpson 1857
<i>Pentidotea rufescens</i>	(Fee 1927)
<i>Idotea rufescens</i>	Fee 1927
<i>Pentidotea urotoma</i>	(Stimpson 1864)
<i>Idotea urotoma</i>	Stimpson 1864
<i>Synidotea calcarea</i>	Schultz 1966
<i>Synidotea harfordi</i>	Benedict 1897
<i>Synidotea magnifica</i>	Menzies & J. L. Barnard 1959
<i>Synidotea media</i>	Iverson 1972
Suborder Sphaeromatidea	
Superfamily Sphaeromatoidea	
<b>Family Sphaeromatidae</b>	
<i>Discerceis granulosa</i>	(Richardson 1899)
<i>Cilicaea granulosa</i>	Richardson 1899
<i>Dynamenella dilatata</i>	(Richardson 1899)
<i>Dynamene dilatata</i>	Richardson 1899
<i>Dynamenella glabra</i>	(Richardson 1899)
<i>Dynamene glabra</i>	Richardson 1899
<i>Dynamenella sheareri</i>	(Hatch 1947)
<i>Dynamene sheareri</i>	Hatch 1947
<i>Dynoides saldanai</i>	Carvacho & Hasemann 1984
<i>Exosphaeroma amplicauda</i>	(Stimpson 1857)
<i>Sphaeroma amplicauda</i>	Stimpson 1857
<i>Exosphaeroma aphrodita</i>	<b>Boone 1923</b>
<i>Exosphaeroma inornata</i>	Dow 1958
<i>Exosphaeroma media</i>	George & Strömberg 1968
<i>Exosphaeroma pentcheffi</i>	Wall et al 2015
<i>Exosphaeroma sp A</i>	SCAMIT 2012 §
<i>Exosphaeroma sp IS1</i>	Cadien 2011 §
<i>Exosphaeroma rhomburum</i>	(Richardson 1899)
<i>Sphaeroma rhomburum</i>	Richardson 1899
<i>Gnorimosphaeroma oregonense</i>	(Dana 1853)
<i>Sphaeroma oregonensis</i>	Dana 1853
<i>Paracerceis cordata</i>	(Richardson 1899)
<i>Cilicaea cordata</i>	Richardson 1899
<i>Dynamene tuberculosa</i>	Richardson 1899
<i>Paracerceis sculpta</i>	(Holmes 1904)
<i>Cilicaea sculpta</i>	Holmes 1904
<i>Paracerceis</i> sp A	SCAMIT 1996 §
<i>Paradella dianae</i>	Menzies 1962
<i>Dynamene dianae</i>	(Menzies 1962)

<i>Sphaeroma quoyanum</i>	H. Milne Edwards 1840
Sphaeromatidae sp A	SCAMIT 2012 §
Sphaeromatidae sp IS1	Cadien 2008 §
<b>Family Ancinidae</b>	
<i>Ancinus granulatus</i>	Holmes & Gay 1909
<i>Ancinus seticomvus</i>	Trask 1970
<i>Bathycopea daltonae</i>	(Menzies & J. L. Barnard 1959)
<i>Ancinus daltonae</i>	Menzies & J. L. Barnard 1959
Superfamily Seroloidea	
<b>Family Serolidae</b>	
<i>Heteroserolis carinata</i>	(Lockington 1877)
<i>Serolis carinata</i>	Lockington 1877
Suborder Oniscidea	
Superfamily Oniscoidea	
<b>Family Alloniscidae</b>	
<i>Alloniscus perconvexus</i>	Dana 1856
<b>Family Armadillidiidae</b>	
<i>Armadillidium vulgare</i>	(Latreille 1804)
<i>Armadillo vulgare</i>	Latreille 1804
<b>Family Ligidae</b>	
<i>Ligia occidentalis</i>	Dana 1853
<b>Family Tylidae</b>	
<i>Tylös punctatus</i>	Holmes & Gay 1909
Suborder Asellota	
Superfamily Janiroidea	
<b>Family Dendrotrionidae</b>	
<i>Acanthomunna tannerensis</i>	Schultz 1966
<b>Family Desmosomatidae</b>	
<i>Momedossa symmetrica</i>	(Schultz 1966)
<i>Desmosoma symmetrica</i>	Schultz 1966
<i>Prochelator</i> sp A	Wilson 1997
<b>Family Janiridae</b>	
<i>Caecianiropsis</i> sp LA1	Cadien 1999 §
<i>Caecianiropsis</i> sp LA2	Cadien 1999 §
<i>Caecianiropsis psammophila</i>	of SCAMIT Ed 3
<i>Ianiropsis analoga</i>	Menzies 1952
<i>Ianiropsis derjugini</i>	(Gurjanova 1933)
<i>Ianiropsis derjugini</i>	Gurjanova 1933
<i>Ianiropsis minuta</i>	Menzies 1952
<i>Ianiropsis montereyensis</i>	Menzies 1952
<i>Ianiropsis tridens</i>	Menzies 1952
<i>Janiralata occidentalis</i>	(Walker 1898)
<i>Janira occidentalis</i>	Walker 1898
<i>Janiralata solasteri</i>	(Hatch 1947)
<i>Janira solasteri</i>	Hatch 1947
<i>Janiralata</i> sp A	Wilson 1997
<i>Janiralata</i> sp B	Wilson 1997
<i>Janiralata</i> sp D	Wilson 1997
<b>Family Joeropsididae</b>	
<i>Joeropsis concava</i>	Schultz 1966
<i>Joeropsis</i> sp B	Cadien 1982 §
<i>Joeropsis dubia</i>	Menzies 1951
<i>Joeropsis lobata</i>	Richardson 1899
<b>Family Microparasellidae</b>	
<i>Microcharon</i> sp A	SCAMIT 2012 §
<i>Microcharon</i> sp A	Cadien 1999 §
<i>Microcharon</i> sp WS1	Pasko 2009 §
<b>Family Munnidae</b>	
<i>Munna chromatocephala</i>	Menzies 1952

<i>Munna fernaldi</i>	Geoge & Stromberg 1968
<i>Munna halei</i>	Menzies 1952
<i>Munna spinifrons</i>	Menzies & J. L. Barnard 1959
<i>Munna stephensenii</i>	Gurjanova 1933
<i>Munna</i> sp A	Wilson 1997
<i>Uromunna ubiquita</i>	(Menzies 1952)
<i>Munna ubiquita</i>	Menzies 1952
<i>Munna minuta</i>	of Hatch 1947 not Hansen 1916
<b>Family Munnopsidae</b>	
<i>Belonectes</i> sp A	Wilson 1997
<i>Eurycope californiensis</i>	Schultz 1966
<i>Ilyarachna acarina</i>	Menzies & J. L. Barnard 1959
<i>Ilyarachna profunda</i>	Schultz 1966
<i>Munnopsurus</i> sp A	Wilson 1997
<b>Family Paramunnidae</b>	
<i>Boreosignum</i> sp A	SCAMIT 2012 §
<i>Boreosignum</i> sp IS1	Cadien 2008 §
<i>Munnogonium tillerae</i>	(Menzies & J. L. Barnard 1959)
<i>Austrosignum tillerae</i>	Menzies & J. L. Barnard 1959
<i>Austrosignum erratum</i>	Schultz 1964
<i>Munnogonium erratum</i>	of George & Strömberg 1968
<i>Munnogonium waldronense</i>	George & Strömberg 1968
<i>Paramunna quadratifrons</i>	Iverson & Wilson 1981
<i>Paramunna</i> sp A	SCAMIT 1996
<i>Paramunna</i> sp SD1	Pasko 2004 §
<i>Asellota</i> sp SD1	Pasko 2004 §
<i>Pleurogonium californiense</i>	Menzies 1951
<i>Pleurogonium</i> sp A	Wilson 1997
<b>Family Pleurocopidae</b>	
<i>Pleurocope</i> sp A	SCAMIT 2012 §
<i>Pleurocope</i> sp IS1	Cadien 2011 §
Order Tanaidacea	
Suborder Apseudomorpha	
<b>Superfamily Apseudoidea</b>	
<b>Family Apseudidae</b>	
<b>Subfamily Laeviapseudinae</b>	
<i>Carpoapseudes caraspinosus</i>	Dojiri & Sieg 1997
<b>Family Kalliapseudidae</b>	
<b>Subfamily Kalliapseudinae</b>	
<i>Mesokalliapseudes crassus</i>	(Menzies 1953)
<i>Kalliapseudes crassus</i>	Menzies 1953
<b>Family Metapseudidae</b>	
<b>Subfamily Metapseudinae</b>	
<i>Apseudomorpha glebosa</i>	(Menzies 1953)
<i>Imitapseudes glebosus</i>	Menzies 1953
<b>Subfamily Synapseudinae</b>	
<i>Synapseudes intumescens</i>	Menzies 1949
<b>Family Parapseudidae</b>	
<i>Parapseudes latifrons</i>	(Grube 1864))
<i>Rhoea latifrons</i>	Grube 1864
<i>Dalapseudes pedispinis</i>	Boone 1923
Suborder Tanaidomorpha	
<b>Superfamily Paratanaoidea</b>	
<b>Family Akanthophoreidae</b>	
<i>Akanthophoreus cf gracilis</i>	(Krøyer 1842)
<i>Tanais gracilis</i>	Krøyer 1842
<i>Paraleptognathia cf gracilis</i>	of Dojiri & Sieg 1997
<i>Akanthophoreus phillipsi</i>	(Sieg & Dojiri 1991)
<i>Scoloura phillipsi</i>	Sieg & Dojiri 1991

<i>Leptognathia</i> sp C	SCAMIT 1985 §
<i>Chauliopleona dentata</i>	Dojiri & Sieg 1997
<i>Leptognathia</i> sp E	SCAMIT 1985 §
<i>Parakanthophoreus bisetulosus</i>	(Dojiri & Sieg 1997)
<i>Paraleptognathia bisetulosia</i>	Dojiri & Sieg 1997
<b>Family Anarthruridae</b>	
<i>Anarthruridae</i> sp 1	Dojiri & Sieg 1997
<i>Incertae sedis</i> male sp 1	Dojiri & Sieg 1997
<i>Anarthruridae</i> sp 2	Dojiri & Sieg 1997
<i>Incertae sedis</i> male sp 2	Dojiri & Sieg 1997
<i>Anarthruridae</i> sp 3	Dojiri & Sieg 1997
<i>Incertae sedis</i> male sp 3	Dojiri & Sieg 1997
<i>Siphonolabrum californiensis</i>	Dojiri & Sieg 1997
<i>Araphura</i> sp C	SCAMIT 1987 §
<b>Family Leptognathiidae</b>	
<i>Leptognathia breviremis</i>	(Liljeborg 1864)
<i>Tanais breviremis</i>	Liljeborg 1864
<b>Family Leptocheiliidae</b>	
<b>Subfamily Leptocheiliinae</b>	
<i>Leptocheilia dubia</i> Cmplx	
<b>Family Paratanaidae</b>	
<i>Aparatanais intermedius</i>	(Dojiri & Sieg 1997)
<i>Paratanais intermedius</i>	Dojiri & Sieg 1997
<i>Paratanaidae</i> sp A	Paquette 1985 §
<i>Paratanais</i> sp A	SCAMIT 2012 §
<i>Paratanais</i> sp IS1	Cadien 2008 §
<b>Family Tanaellidae</b>	
<i>Araphura breviaria</i>	Dojiri & Sieg 1997
<i>Araphura</i> sp A	SCAMIT 1987 §
<i>Araphura cuspirostris</i>	Dojiri & Sieg 1997
<i>Araphura</i> sp B	SCAMIT 1987 §
<i>Araphura</i> sp SD1	Pasko 2006 §
<i>Tanaella propinquus</i>	Dojiri & Sieg 1997
<i>Leptognathia</i> sp B	SCAMIT 1985 §
<i>Tanaella</i> sp A	SCAMIT 1987 §
<b>Family Typhlotanaidae</b>	
<i>Typhlotanais crassus</i>	Dojiri & Sieg 1997
<i>Typhlotanais</i> sp A	SCAMIT 1987 § in part
<i>Typhlotanais williamsae</i>	Dojiri & Sieg 1997
<i>Typhlotanais</i> sp A	SCAMIT 1987 § in part
<b>Family Pseudotanaidae</b>	
<i>Pseudotanais californiensis</i>	Dojiri & Sieg 1997
<i>Pseudotanais makrothrix</i>	Dojiri & Sieg 1997
<b>Family Tanaopsidae</b>	
<i>Tanaopsis cadieni</i>	Sieg & Dojiri 1991
<i>Tanaopsis</i> sp A	SCAMIT 1987 § in part
Superfamily Tanaidoidea	
<b>Family Tanaididae</b>	
<b>Subfamily Pancolinae</b>	
<i>Anatanais pseudonormani</i>	Sieg & Winn 1981
<i>Zeuxo coralensis</i>	Sieg 1980
<i>Zeuxo kuriensis</i>	(Kussakin & Tsareva 1974)
<i>Anatanais kuriensis</i>	Kussakin & Tsareva 1974
<i>Zeuxo maledivensis</i>	of SCAMIT Ed 10
<i>Zeuxo normani</i>	(Richardson 1905)
<i>Tanais normani</i>	Richardson 1905
<i>Anatanias normani</i>	of Greve 1974
<i>Zeuxo paranormani</i>	Sieg 1980
<b>Subfamily Sinelobinae</b>	

<i>Sinelobus stanfordi</i>	(Richardson 1901)
<i>Tanais stanfordi</i>	Richardson 1901
<i>Tanais vanis</i>	Miller 1940
<b>Subfamily Tanainae</b>	
<i>Synaptotanais notabilis</i>	Sieg & Winn 1981
Order Cumacea	
<b>Family Bodotriidae</b>	
<b>Subfamily Bodotriinae</b>	
<i>Cyclaspis giveni</i>	Donath-Hernandez 2011
<i>Cyclaspis sp B</i>	SCAMIT 1989 §
<i>Cyclaspis nubila</i>	Zimmer 1936
<i>Cyclaspis sp A</i>	SCAMIT 1995 §
<i>Cyclaspis sp C</i>	SCAMIT 1986 §
<i>Cyclaspis sp D</i>	Cadien 1996 §
<i>Glyphocuma sp A</i>	SCAMIT 1989 §
<i>Vaunthompsonia sp A</i>	of Iverson 1978 § in part
<i>Vaunthompsonia sp B</i>	of Iverson 1978 § in part
<i>Glyphocuma sp LA1</i>	Cadien 1998 §
<b>Subfamily Vaunthompsoniinae</b>	
<i>Leptocuma forsmani</i>	Zimmer 1943
<i>Vaunthompsonia pacifica</i>	Zimmer 1943
<i>Vaunthompsonia sp A</i>	of Iverson 1978 § in part
<i>Vaunthompsonia sp B</i>	of Iverson 1978 § in part
<b>Family Leuconidae</b>	
<i>Eudorella pacifica</i>	Hart 1930
<i>Eudorella tridentata</i>	Hart 1930
<i>Eudorellopsis longirostris</i>	Given 1961
<i>Leucon armatus</i>	Given 1961
<i>Leucon bishopi</i>	Bacescu 1988
<i>Epileucon pacifica</i>	of Bishop 1981 not Jones 1968
<i>Epileucon sp A</i>	MBC 1986 §
<i>Leucon sp B</i>	MBC 1982 §
<i>Leucon declivis</i>	Watling & McCann 1997
<i>Leucon sp H</i>	Cadien 1985 §
<i>Leucon falcicosta</i>	Watling & McCann 1997
<i>Leucon sp A</i>	Myers & Benedict 1974 §
<i>Leucon magnadentata</i>	Given 1961
<i>Leucon subnasica</i>	Given 1961
<i>Nippoleucon hinumensis</i>	(Gamô 1967)
<i>Hemileucon hinumensis</i>	Gamô 1967
<i>Nippoleucon sp WS1</i>	Pasko 2009
<b>Family Nannastacidae</b>	
<i>Campylaspis biplicata</i>	Watling & McCann 1997
<i>Campylaspis cf crispa</i>	SCAMIT 1986 §
<i>Campylaspis sp B</i>	of authors NEP in part not SCAMIT 1986 §
<i>Campylaspis blakei</i>	Watling & McCann 1997
<i>Campylaspis sp E</i>	Myers & Benedict 1974 §
<i>Campylaspis canaliculata</i>	Zimmer 1936
<i>Campylaspis hartae</i>	Lie 1969
<i>Campylaspis maculinodulosa</i>	Watling & McCann 1997
<i>Campylaspis sp D</i>	SCAMIT 1988 §
<i>Campylaspis sp P</i>	MBC 1986 §
<i>Campylaspis rubromaculata</i>	Lie 1971
<i>Campylaspis nodulosa</i>	of Lie 1969 not G. Sars 1887
<i>Campylaspis papillata</i>	of Lie 1968 not Lomakina 1952
<i>Campylaspis rufa</i>	Hart 1930
<i>Campylaspis sp A</i>	SCAMIT 1995 §
<i>Campylaspis sp Q</i>	MBC 1984 §
<i>Campylaspis sp B</i>	SCAMIT 1986 §

<i>Campylaspis biplicata</i>	of authors NEP in part not Watling & McCann 1997
<i>Campylaspis</i> sp C	Myers & Benedict 1974 §
<i>Cumella californica</i>	Watling & McCann 1997
<i>Cumella</i> sp A	Myers & Benedict 1974 §
<i>Cumella</i> ( <i>Cumewingia</i> ) 1 n.sp.	Donath-Hernandez 1985
<i>Cumella morion</i>	Watling & McCann 1997
<i>Cumella</i> sp B	Myers & Benedict 1974 §
<i>Cumella vulgaris</i>	Hart 1930
<i>Cumella</i> sp E	Phillips 1995 §
<i>Cumella</i> sp HYP1	Roney 2007 §
<i>Elassocumella</i> sp SD1	Nestler 2005 §
<i>Procampylaspis caenosa</i>	Watling & McCann 1997
<i>Procampylaspis</i> sp A	SCAMIT 1995 §
<i>Styloptocuma</i> sp	
<b>Family Lampropidae</b>	
<i>Hemilamprops californicus</i>	Zimmer 1936
<i>Hemilamprops</i> californica	Zimmer 1936
<i>Hemilamprops</i> sp A	MBC 1985 §
<i>Hemilamprops</i> sp B	Paquette 1985 §
<i>Lamprops carinatus</i>	Hart 1930
<i>Lamprops carinata</i>	Hart 1930
<i>Lamprops quadriplicatus</i>	Smith 1879
<i>Lamprops quadruplicata</i>	Smith 1879
<i>Lamprops tomalesi</i>	Gladfelter 1975
<i>Lamprops</i> sp D	MBC 1985 §
<i>Mesolamprops bispinosus</i>	Given 1964
<i>Mesolamprops bispinosa</i>	Given 1964
<b>Family Diastylidae</b>	
<i>Anchicolorus occidentalis</i>	(Calman 1912)
<i>Colurostylus occidentalis</i>	Calman 1912
<i>Diastylis californica</i>	Zimmer 1936
<i>Diastylis crenellata</i>	Watling & McCann 1997
<i>Diastylis</i> sp A	SCAMIT 1986 §
<i>Diastylis</i> sp D	Phillips 1981 §
<i>Leptostylis</i> sp E	MBC 1983 §
<i>Diastylis newberryi</i>	Gerken 2005
<i>Leptostylis</i> sp B	Given 1970 §
<i>Diastylis pellucida</i>	Hart 1930
<i>Diastylis santamariensis</i>	Watling & McCann 1997
<i>Diastylis</i> sp B	Myers & Benedict 1974 §
<i>Diastylis sentosa</i>	Watling & McCann 1997
<i>Diastylis paraspinulosa</i>	of authors NEP not Zimmer 1926
<i>Diastylis</i> sp C	Myers & Benedict 1974 §
<i>Diastylopsis dawsoni</i>	S.I. Smith 1880
<i>Diastylopsis tenuis</i>	Zimmer 1936
<i>Leptostylis abditus</i>	Watling & McCann 1997
<i>Leptostylis villosa</i>	of authors NEP not G. Sars 1869
<i>Leptostylis</i> sp B	SCAMIT 1983 §
<i>Leptostylis calva</i>	Watling & McCann 1997
<i>Leptostylis</i> sp A	SCAMIT 1983 § in part
<i>Leptostylis</i> sp D	SCAMIT 1983 §
<i>Leptostylis</i> sp C	SCAMIT 1983 §
<i>Leptostylis</i> sp E	SCAMIT 2012 §
<i>Leptostylis</i> sp F	MBC 1985 §
<i>Leptostylis</i> sp CS1	Cadien 2004 §
<i>Makrokylindrus</i> sp A	SCAMIT 2012 §
<i>Makrokylindrus</i> sp TB2	Cadien 2006 §
<i>Oxyurostylis pacifica</i>	Zimmer 1936
<i>Oxyurostylis</i> tertia	of authors SCB not Zimmer 1945

<i>Vemakylindrus hystricosa</i>	Gerken 2002
<b>Family Pseudocumatidae</b>	
<i>Petalosarsia</i> sp A	Diener 1982 §
Superorder Eucarida	
Order Decapoda	
Suborder Dendrobranchiata	
Superfamily Penaeoidea	
<b>Family Benthesicymidae</b>	
<i>Bentheogenennema burkenroadi</i>	Krygier & Wasmer 1975
<b>Family Solenoceridae</b>	
<i>Solenocera mutator</i>	Burkenroad 1938
<b>Family Penaeidae</b>	
<i>Farfantepenaeus californiensis</i>	(Holmes 1900)
<i>Penaeus californiensis</i>	Holmes 1900
<i>Penaeus brasiliensis</i>	Schmitt 1935 in part
<i>Penaeus brevirostris</i>	of authors NEP not Kingsley 1878
<i>Metapenaeopsis mineri</i>	Burkenroad 1938
<b>Family Sicyoniidae</b>	
<i>Sicyonia disedwardsi</i>	(Burkenroad 1934)
<i>Eusicyonia disedwardsi</i>	Burkenroad 1934
<i>Sicyonia ingentis</i>	(Burkenroad 1938)
<i>Eusicyonia ingentis</i>	Burkenroad 1938
<i>Sicyonia penicillata</i>	Lockington 1879
Superfamily Sergestoidea	
<b>Family Sergestidae</b>	
<i>Eusergestes similis</i>	(Hansen 1903)
<i>Sergestes similis</i>	Hansen 1903
<i>Sergestes atlanticus</i>	Bate 1888
<i>Sergestes (Sergestes) similis</i>	Yaldwyn 1957
Suborder Pleocyemata	
Infraorder Caridea	
Superfamily Pasiphaeoidea	
<b>Family Pasiphaeidae</b>	
<i>Pasiphaea pacifica</i>	Rathbun 1902
<i>Pasiphaea tarda</i>	Krøyer 1845
Superfamily Oplophoroidea	
<b>Family Oplophoridae</b>	
unidentified	
Superfamily Palaemonoidea	
<b>Family Palaemonidae</b>	
<b>Subfamily Palaemoninae</b>	
<i>Palaemon macrodactylus</i>	(Rathbun 1902)
<i>Leander macrodactylus</i>	Rathbun 1902
<b>Subfamily Pontoniinae</b>	
<i>Palaemonella holmesi</i>	(Nobili 1907)
<i>Periclimenes holmesi</i>	Nobili 1907
<i>Anchista tenuipes</i>	Holmes 1900
<i>Periclimenes infraspinis</i>	(Rathbun 1902)
<i>Urocaris infraspinis</i>	Rathbun 1902
<i>Pseudocoutierea elegans</i>	Holthuis 1951
Superfamily Alpheoidea	
<b>Family Alpheidae</b>	
<i>Alpheopsis equidactylus</i>	(Lockington 1877)
<i>Alpheus equidactylus</i>	Lockington 1877
<i>Crangon equidactylus</i>	of Schmitt 1921
<i>Alpheus bellimanus</i>	Lockington 1877
<i>Crangon bellimanus</i>	of Schmitt 1921
<i>Alpheus californiensis</i>	Holmes 1900
<i>Crangon californiensis</i>	of Schmitt 1921

<i>Alpheus clamator</i>	Lockington 1877
<i>Alpheus dentipes</i>	Rathbun 1904
<i>Crangon dentipes</i>	of Schmitt 1921
<i>Automate</i> sp A	SCAMIT 1995 §
<i>Betaeus ensenadensis</i>	Glassell 1938
<i>Betaeus harfordi</i>	(Kingsley 1878)
<i>Alpheus harfordi</i>	Kingsley 1878
<i>Alpheus aequalis</i>	of Holmes 1900
<i>Betaeus harrimani</i>	Rathbun 1904
<i>Betaeus longidactylus</i>	Lockington 1877
<i>Alpheus longidactylus</i>	of Holmes 1900
<i>Synalpheus lockingtoni</i>	Coutière 1909
<b>Family Hippolytidae</b>	
<i>Eualus lineatus</i>	Wicksten & Butler 1983
<i>Eualus herdmani</i>	of authors NEP not (Walker 1898)
<i>Eualus subtilis</i>	Carvacho & Olson 1984
<i>Eualus lineatus</i>	of authors NEP in part
<i>Heptacarpus brevirostris</i>	(Dana 1852)
<i>Hippolyte brevirostris</i>	Dana 1852
<i>Spirontocaris brevirostris</i>	of Rathbun 1904
<i>Heptacarpus carinatus</i>	Holmes 1900
<i>Heptacarpus decorus</i>	(Rathbun 1902)
<i>Spirontocaris decorus</i>	Rathbun 1902
<i>Heptacarpus flexus</i>	(Rathbun 1902)
<i>Spirontocaris flexa</i>	Rathbun 1902
<i>Heptacarpus fuscimaculatus</i>	Wicksten 1986
<i>Heptacarpus palpator</i>	(Owen 1839)
<i>Hippolyte palpator</i>	Owen 1839
<i>Spirontocaris palpator</i>	of Rathbun 1904
<i>Heptacarpus paludicola</i>	Holmes 1900
<i>Heptacarpus sitchensis</i>	(Brandt 1851)
<i>Hippolyte sitchensis</i>	Brandt 1851
<i>Heptacarpus pictus</i>	(Stimpson 1871)
<i>Spirontocaris picta</i>	of Rathbun 1904
<i>Heptacarpus stimpsoni</i>	Holthuis 1947
<i>Heptacarpus cristatus</i>	of Holmes 1900
<i>Hippolyte cristata</i>	Stimpson 1880
<i>Spirontocaris cristata</i>	of Walker 1898
<i>Spirontocaris cristatus</i>	of Rathbun 1904
<i>Heptacarpus stylus</i>	(Stimpson 1864)
<i>Hippolyte stylus</i>	Stimpson 1864
<i>Heptacarpus taylori</i>	(Stimpson 1857)
<i>Spirontocaris taylori</i>	Stimpson 1857
<i>Heptacarpus tenuissimus</i>	Holmes 1900
<i>Heptacarpus gracilis</i>	of Carlton & Kuris 1975
<i>Hippolyte amabilis</i>	Lenz 1901
<i>Hippolyte gracilis</i>	Stimpson 1864
<i>Spirontocaris gracilis</i>	of Rathbun 1904
<i>Heptacarpus tridens</i>	(Rathbun 1902)
<i>Spirontocaris tridens</i>	Rathbun 1902
<i>Hippolyte californiensis</i>	Holmes 1895
<i>Hippolyte mexicana</i>	Chace 1937
<i>Hippolyte clarki</i>	Chace 1951
<i>Lebbeus lagunae</i>	(Schmitt 1921)
<i>Spirontocaris lagunae</i>	Schmitt 1921
<i>Lysmata californica</i>	(Stimpson 1866)
<i>Hippolysmata californica</i>	Stimpson 1866
<i>Hippolyte lineata</i>	Lockington 1877
<i>Spirontocaris dalli</i>	Rathbun 1902

<i>Spirontocaris holmesi</i>	Holthuis 1947
<i>Hippolyte bispinosus</i>	of Williamson 1915
<i>Spirontocaris bispinosus</i>	Holmes 1900
<i>Spirontocaris lamellicornis</i>	(Dana 1852)
<i>Hippolyte lamellicornis</i>	Dana 1852
<i>Spirontocaris prionota</i>	(Stimpson 1864)
<i>Hippolyte prionota</i>	Stimpson 1864
<i>Spirontocaris macrodonta</i>	Hart 1930
<i>Spirontocaris sica</i>	Rathbun 1902
<i>Spirontocaris snyderi</i>	Rathbun 1902
<i>Spirontocaris truncata</i>	Rathbun 1902
<b>Family Ogyrididae</b>	
<i>Ogyrides</i> sp A	Roney 1978 §
<i>Ogyrides alphaerostris</i>	of Wicksten 2009 not (Kingsley 1880)
Superfamily Processoidea	
<b>Family Processidae</b>	
<i>Ambidexter panamensis</i>	Abele 1972
<i>Processa peruviana</i>	Wicksten 1983
Superfamily Pandaloidea	
<b>Family Pandalidae</b>	
<i>Pandalopsis ampla</i>	Bate 1888
<i>Pandalus danae</i>	Stimpson 1857
<i>Pandalus franciscorum</i>	Kingsley 1878
<i>Pandalus gurneyi</i>	Stimpson 1871
<i>Pandalus jordani</i>	Rathbun 1902
<i>Pandalus platyceros</i>	Brandt 1851
<i>Pandalus pubescens</i>	Dana 1852
<i>Pandalus tridens</i>	Rathbun 1902
<i>Pandalus montagui</i>	of Rathbun 1899 not Leach 1814
<i>Pandalus montagui tridens</i>	of Rathbun 1902
<i>Pantomus affinis</i>	Chace 1937
<i>Plesionika beebei</i>	Chace 1937
<i>Plesionika carinirostris</i>	Hendrickx 1990
<i>Plesionika trispinus</i>	Squires & Barragán 1976
Superfamily Crangonoidea	
<b>Family Crangonidae</b>	
<i>Crangon alaskensis</i>	Lockington 1877
<i>Crago alaskensis</i>	of Carlisle 1969
<i>Crangon alaskensis elongata</i>	Rathbun 1902
<i>Crangon crangon affinis</i>	of Ortman 1895 in part
<i>Crangon nigricauda</i>	of Holmes 1900 not Stimpson 1856
<i>Crangon vulgaris</i>	of Kingsley 1899 in part
<i>Crangon alba</i>	Holmes 1900
<i>Crago alba</i>	Schmitt 1921
<i>Crangon handi</i>	Kuris & Carlton 1977
<i>Crangon holmesi</i>	Rathbun 1902
<i>Crago holmesi</i>	of Schmitt 1921
<i>Crangon nigricauda</i>	Stimpson 1856
<i>Crago nigricauda</i>	of Schmitt 1921
<i>Crangon nigromaculata</i>	Lockington 1877
<i>Crago nigromaculata</i>	of Schmitt 1921
<i>Mesocrangon munitella</i>	(Walker 1898)
<i>Crangon munitellus</i>	Walker 1898
<i>Crago munitella</i>	of Schmitt 1921
<i>Crangon munitella</i>	Rathbun 1904
<i>Metacrangon spinosissima</i>	(Rathbun 1902)
<i>Crangon spinosissima</i>	Rathbun 1902
<i>Crago spinosissima</i>	of Schmitt 1921
<i>Neocrangon communis</i>	(Rathbun 1899)

<i>Crangon communis</i>	Rathbun 1899
<i>Crago communis</i>	of Schmitt 1921
<i>Neocrangon resima</i>	(Rathbun 1902)
<i>Crangon resima</i>	Rathbun 1902
<i>Crago resima</i>	of Schmitt 1921
<i>Crangon communis</i>	of Rathbun 1904 in part not Rathbun 1899
<i>Neocrangon zacae</i>	(Chace 1937)
<i>Crago zacae</i>	Chace 1937
<i>Crangon zacae</i>	of Word & Charvat 1976
<i>Rhynocrangon alata</i>	(Rathbun 1902)
<i>Sclerocrangon alata</i>	Rathbun 1902
Infraorder Axiidea	
<b>Family Callianassidae</b>	
<i>Neotrypaea bifari</i>	Holthuis 1991
<i>Callianassa affinis</i>	Holmes 1900
<i>Neotrypaea affinis</i>	of SCAMIT Ed 7
<i>Neotrypaea californiensis</i>	(Dana 1854)
<i>Callianassa californiensis</i>	Dana 1854
<i>Neotrypaea gigas</i>	(Dana 1852)
<i>Callianassa gigas</i>	Dana 1852
<i>Callianassa longimana</i>	Stimpson 1857
<b>Family Ctenochelidae</b>	
<i>Callianopsis goniophthalma</i>	(Rathbun 1902)
<i>Callianassa goniophthalma</i>	Rathbun 1902
<b>Family Axiidae</b>	
<i>Calocarides quinqueseriatus</i>	(Rathbun 1902)
<i>Calastacus quinqueseriatus</i>	Rathbun 1902
<i>Calastacus rostriserratus</i>	Andrade & Baez 1977
<i>Calocaris (Calastacus) quinqueseriatus</i>	of Hart 1982
<i>Calocarides spinulicauda</i>	(Rathbun 1902)
<i>Axius spinulicauda</i>	Rathbun 1902
<i>Acanthaxius spinulicaudus</i>	of Sakai & de Saint Laurent 1992
<i>Axiopsis spinulicauda</i>	of Schmitt 1921
<i>Axiopsis (Axiopsis) spinulicauda</i>	of de Man 1925
<i>Axius (Paraxius) spinulicauda</i>	of Borradaile 1903
<i>Calocarides sp</i>	Martin & Zimmerman 1997
Infraorder Gebiidea	
<b>Family Laomediidae</b>	
<i>Naushonia macginitieei</i>	(Glassell 1938)
<i>Hormoriscus macginitieei</i>	Glassell 1938
<i>Naushonia macginitiei</i>	of Wicksten 2012
<b>Family Upogebiidae</b>	
<i>Upogebia leptula</i>	Williams 1986
<i>Upogebia pugettensis</i>	of authors NEP in part not (Dana 1852)
<i>Upogebia macginitieorum</i>	Williams 1986
<i>Upogebia pugettensis</i>	of authors NEP in part not (Dana 1852)
<i>Upogebia pugettensis</i>	(Dana 1852)
<i>Gebia pugettensis</i>	Dana 1852
<i>Gebia californica</i>	Stimpson 1856
Infraorder Achelata	
Superfamily Palinuroidea	
<b>Family Palinuridae</b>	
<i>Panulirus interruptus</i>	Randall 1839
Infraorder Polychelida	
<b>Family Polychelidae</b>	
unidentified	
Infraorder Anomura	
Superfamily Paguroidea	
<b>Family Diogenidae</b>	

<i>Isocheles pilosus</i>	(Holmes 1900)
<i>Holopagurus pilosus</i>	
<i>Paguristes bakeri</i>	Holmes 1900
<i>Paguristes parvus</i>	Holmes 1900
<i>Paguristes turgidus</i>	(Stimpson 1857)
<i>Clibanarius turgidus</i>	Stimpson 1857
<i>Eupagurus turgidus</i>	of Stimpson 1859
<i>Paguristes ulreyi</i>	Schmitt 1921
<i>Paguristes occator</i>	Glassell 1937
<b>Family Paguridae</b>	
<i>Discorsopagurus schmitti</i>	(Stevens 1925)
<i>Pylopagurus schmitti</i>	Stevens 1925
<i>Orthopagurus schmitti</i>	of Stevens 1927
<i>Phylopagurus schmitti</i>	of Hart 1930
<i>Enallopaguropsis guatemocci</i>	(Glassell 1937)
<i>Pylopagurus guatemocci</i>	Glassell 1937
<i>Enallopaguropsis hancocki</i>	of McLaughlin 1982
<i>Pylopagurus hancocki</i>	Walton 1954
<i>Haigiopagurus diegensis</i>	(Scanland & Hopkins 1969)
<i>Pylopagurus diegensis</i>	Scanland & Hopkins 1969
<i>Haigia diegensis</i>	of SCAMIT Ed 10
<i>Orthopagurus minimus</i>	(Holmes 1900)
<i>Pagurus (Trigonocheirus) minimus</i>	Holmes 1900
<i>Parapagurus minimus</i>	of Hilton 1918
<i>Pylopagurus minimus</i>	of Schmitt 1921
<i>Pagurus armatus</i>	(Dana 1851)
<i>Bernhardus armatus</i>	Dana 1851
<i>Eupagurus alaskensis</i>	Harrington & Griffin 1897
<i>Eupagurus armatus</i>	of Stimpson 1857
<i>Pagurus ochotensis</i>	of authors not Brandt 1851
<i>Pagurus beringanus</i>	(Benedict 1892)
<i>Eupagurus (Trigonocheirus) beringanus</i>	Benedict 1892
<i>Eupagurus (Trigonocheirus) newcombei</i>	Benedict 1892
<i>Pagurus granosimanus</i>	(Stimpson 1859)
<i>Eupagurus granosimanus</i>	Stimpson 1859
<i>Pagurus (Trigonocheirus) granosimanus</i>	of Holmes 1900
<i>Pagurus hartae</i>	(McLaughlin & Jensen 1996)
<i>Parapaguroides hartae</i>	McLaughlin & Jensen 1996
<i>Pagurus quaylei</i>	Hart 1971
<i>Pagurus redondoensis</i>	Wicksten 1982
<i>Pagurus sp 3</i>	Haig 1977 §
<i>Pagurus retrorsimanus</i>	Wicksten & McLaughlin 1998
<i>Pagurus sp 2</i>	Haig 1977 §
<i>Pagurus samuelis</i>	(Stimpson 1857)
<i>Eupagurus samuelis</i>	Stimpson 1857
<i>Pagurus (Trigonocheirus) samuelis</i>	of Holmes 1900
<i>Pagurus spilocarpus</i>	Haig 1977
<i>Pagurus sp 1</i>	Haig 1977 §
<i>Pagurus tanneri</i>	(Benedict 1892)
<i>Eupagurus (Trigonocheirus) tanneri</i>	Benedict 1892
<i>Pagurus (Trigonocheirus) tanneri</i>	of Holmes 1900
<i>Pagurus sp 4</i>	Hart 1982
<i>Parapaguroides laurentae</i>	McLaughlin & Haig 1973
<i>Parapaguroides makarovi</i>	McLaughlin & Haig 1973
<i>Eupagurus mertensi</i>	of Benedict 1892
<i>Phimochirus californiensis</i>	(Benedict 1892)
<i>Eupagurus californiensis</i>	Benedict 1892
<i>Pagurus californiensis</i>	of Holmes 1900
<i>Pylopagurus californiensis</i>	of authors NEP

<i>Pylopagurus holmesi</i>	Schmitt 1921
<i>Pylopagurus longicarpus</i>	Walton 1954
<b>Family Parapaguridae</b>	
<i>Oncopagurus haigae</i>	(de Saint Laurent 1972)
<i>Parapagurus haigae</i>	de Saint Laurent 1972
<i>Sympagurus haigae</i>	off SCAMIT Ed 7
<i>Parapagurus benedicti</i>	de Saint Laurent 1972
Superfamily Galatheoidea	
<b>Family Galatheidae</b>	
<i>Janetogalathea californiensis</i>	(Benedict 1902)
<i>Galathea californiensis</i>	Benedict 1902
<b>Family Munididae</b>	
<i>Munida hispida</i>	Benedict 1902
<i>Munida quadrispina</i>	Benedict 1902
<i>Munida tenella</i>	Benedict 1902
<i>Pleuroncodes planipes</i>	Stimpson 1860
<b>Family Munidopsidae</b>	
<i>Munidopsis aspera</i>	(Henderson 1885)
<i>Elasmonotus asper</i>	Henderson 1885
<i>Munidopsis depressa</i>	Faxon 1853
<b>Family Porcellanidae</b>	
<i>Pachycheles holosericus</i>	Schmitt 1921
<i>Pachycheles pubescens</i>	Holmes 1900
<i>Pachycheles rudis</i>	Stimpson 1859
<i>Petrolisthes cinctipes</i>	(Randall 1839)
<i>Porcellana cinctipes</i>	Randall 1839
<i>Petrolisthes rupicolus</i>	of Stimpson 1858
<i>Porcellana rupicola</i>	Stimpson 1857
<i>Petrolisthes manimaculatus</i>	Glassell 1945
<i>Polyonyx quadriungulatus</i>	Glassell 1935
Superfamily Lithodoidea	
<b>Family Hapalogastridae</b>	
<i>Acantholithodes hispidus</i>	(Stimpson 1860)
<i>Dermaturus hispidus</i>	Stimpson 1860
<b>Family Lithodidae</b>	
<i>Glyptolithodes cristatipes</i>	(Faxon 1893)
<i>Rhinolithodes cristatipes</i>	Faxon 1893
<i>Lopholithodes foraminatus</i>	(Stimpson 1859)
<i>Echinocerus foraminatus</i>	Stimpson 1859
<i>Paralithodes californiensis</i>	(Benedict 1894)
<i>Lithodes californiensis</i>	Benedict 1894
<i>Paralithodes Rathbuni</i>	(Benedict 1894)
<i>Lithodes Rathbuni</i>	Benedict 1894
Superfamily Hippoidea	
<b>Family Albuneidae</b>	
<i>Lepidopa californica</i>	Efford 1971
<i>Lepidopa myops</i>	of authors NEP not Stimpson 1860
<b>Family Blepharipodidae</b>	
<i>Blepharipoda occidentalis</i>	Randall 1839
<b>Family Hippidae</b>	
<i>Emerita analoga</i>	(Stimpson 1857)
<i>Hippa analoga</i>	Stimpson 1857
Infraorder Brachyura	
Superfamily Dromioidea	
<b>Family Dromiidae</b>	
<i>Moreiradromia sarraburei</i>	(Rathbun 1910)
<i>Dromidia sarraburei</i>	Rathbun 1910
<i>Cryptodromiopsis larraburei</i>	of SCAMIT Ed 6
<i>Dromidia segnipes</i>	Weymouth 1910

Superfamily Homolodromioidea	
<b>Family Homolidae</b>	
<i>Moloha faxoni</i>	(Schmitt 1921)
<i>Homola faxoni</i>	Schmitt 1921
<i>Paromola faxoni</i>	of Rathbun 1937
Superfamily Cyclodorippoidea	
<b>Family Cyclodorippidae</b>	
<i>Deilocerus decorus</i>	(Rathbun 1933)
<i>Clythrocerus decorus</i>	Rathbun 1933
<i>Deilocerus planus</i>	(Rathbun 1900)
<i>Cyclodorippe plana</i>	Rathbun 1900
<i>Clythrocerus planus</i>	of Rathbun 1937
Superfamily Calappoidea	
<b>Family Calappidae</b>	
<i>Platymera gaudichaudii</i>	H. Milne Edwards 1837
<i>Mursia gaudichaudii</i>	of Rathbun 1917
<i>Platymera californiensis</i>	Rathbun 1893
Superfamily Leucosioidea	
<b>Family Leucosiidae</b>	
<i>Randallia bulligera</i>	Rathbun 1898
<i>Randallia ornata</i>	(Randall 1839)
<i>Ilia ornata</i>	Randall 1839
Superfamily Majoidea	
<b>Family Epialtidae</b>	
Subfamily Epialtinae	
<i>Epialtoides hiltoni</i>	(Rathbun 1923)
<i>Epialtus hiltoni</i>	Rathbun 1923
<i>Epialtus bituberculatus</i>	of Rathbun 1894 not H. Milne Edwards 1834
<i>Epialtus bituberculatus forma minima</i>	of Hilton 1916 not Lockington 1877
<i>Pugettia dalli</i>	Rathbun 1893
<i>Pugettia foliolata</i>	(Stimpson 1860)
<i>Mimulus foliolatus</i>	Stimpson 1860
<i>Pugettia producta</i>	(Randall 1839)
<i>Epialtus productus</i>	Randall 1839
<i>Epialtus (Taliepus) productus</i>	of A. Milne Edwards 1878
<i>Puggettia producta</i>	of Clemens 1933
<i>Pugettia richii</i>	Dana 1851
<i>Pugettia richi</i>	of Garth 1958
<i>Pugettia venetiae</i>	Rathbun 1924
<i>Taliepus nuttallii</i>	(Randall 1839)
<i>Epialtus nuttallii</i>	Randall 1839
<i>Epialtus (Antilibinaria) nuttallii</i>	of Rathbun 1894
Subfamily Pisinae	
<i>Chorilia longipes</i>	Dana 1851
<i>Chorilia longipes turgida</i>	Rathbun 1924
<i>Hyastenus longipes</i>	of Miers 1886
<i>Loxorhynchus crispatus</i>	Stimpson 1857
<i>Loxorhynchus grandis</i>	Stimpson 1857
<i>Loxorhynchus grandis</i>	Stimpson 1857
<i>Loxorhynchus grandus</i>	of Weymouth 1910
<i>Mithrax rostratus</i>	Boone 1930
<i>Pelia tumida</i>	(Lockington 1877)
<i>Pisoides (?) tumidus</i>	Lockington 1877
<i>Pelia clausa</i>	Rathbun 1907
<i>Pelia pacifica</i>	of Rathbun 1893 not A. Milne Edwards 1875
<i>Scyra acutifrons</i>	Dana 1851
<i>Scyra acutifronus</i>	of Taylor 1912
<b>Family Inachidae</b>	
<i>Coryrhynchus lobifrons</i>	Rathbun 1893

<i>Podochela</i> ( <i>Coryrhynchus</i> ) <i>lobifrons</i>	Rathbun 1893
<i>Podochela barbarensis</i>	Rathbun 1924
<b><i>Ericerodes hemphillii</i></b>	(Lockington 1877)
<i>Microrhynchus hemphillii</i>	Lockington 1877
<i>Podochela hemphillii</i>	of SCAMIT Ed 7
<i>Podochela tenuipes</i>	Rathbun 1893
<b><i>Erioleptus spinosus</i></b>	Rathbun 1893
<i>Anasimus rostratus</i>	Rathbun 1893
<i>Anasimus spinosus</i>	of Schmitt 1921
<b><i>Stenorhynchus debilis</i></b>	(Smith 1871)
<i>Leptopodia debilis</i>	Smith 1871
<i>Leptopodia sagittaria</i>	of Bell 1835 not Leach 1815
<b>Family Inachoididae</b>	
<b><i>Pyromiaia tuberculata</i></b>	(Lockington 1877)
<i>Microrhynchus</i> ( <i>Inachus</i> ) <i>tuberculatus</i>	Lockington 1877
<i>Colloides granosus</i>	of Boone 1930 not Stimpson 1860
<i>Dasygyius tuberculatus</i>	of Rathbun 1898
<i>? Inachoides brevirostrum</i>	Lockington 1877
<i>Inachoides magdalensis</i>	Rathbun 1893
<i>Inachoides tuberculatus</i>	of Schmitt 1921
<b>Family Oregoniidae</b>	
<b><i>Chionoecetes tanneri</i></b>	Rathbun 1893
Superfamily Parthenopoidea	
<b>Family Parthenopidae</b>	
<b>Subfamily Parthenopinae</b>	
<b><i>Latulambrus occidentalis</i></b>	(Dana 1854)
<i>Cryptopodia occidentalis</i>	Dana 1854
<i>Heterocrypta occidentalis</i>	of SCAMIT Ed 7
<i>Lambrus frons-acutis</i>	Lockington 1877
Superfamily Cancroidea	
<b>Family Cancridae</b>	
<b><i>Cancer productus</i></b>	Randall 1839
<i>Cancer perlatus</i>	Stimpson 1856
<b><i>Glebocarcinus amphioetus</i></b>	(Rathbun 1898)
<i>Cancer amphioetus</i>	Rathbun 1898
<i>Cancer bullatus</i>	Balss 1922
<i>Cancer pygmaeus</i>	Ortmann 1893 not Fabricius 1787
<i>Trichocarcinus dentatus</i>	Miers 1879 not Herbst 1785
<b><i>Glebocarcinus oregonensis</i></b>	(Dana 1852)
<i>Trichocera oregonensis</i>	Dana 1852
<i>Cancer oregonensis</i>	(Dana 1852)
<i>Lophopanopeus somaterianus</i>	Rathbun 1930
<i>Platycarcinus recurvidens</i>	Bate 1864
<i>Trichocarcinus walkeri</i>	Holmes 1900
<b><i>Metacarcinus anthonyi</i></b>	(Rathbun 1897)
<i>Cancer anthonyi</i>	Rathbun 1897
<b><i>Metacarcinus gracilis</i></b>	(Dana 1852)
<i>Cancer gracilis</i>	Dana 1852
<b><i>Romaleon antennarium</i></b>	(Stimpson 1856)
<i>Cancer antennaria</i>	Stimpson 1856
<i>Cancer antennarius</i>	of Rathbun 1930
<b><i>Romaleon branneri</i></b>	(Rathbun 1926)
<i>Cancer branneri</i>	Rathbun 1926
<i>Cancer gibbosulus</i>	Rathbun 1898
<b><i>Romaleon jordani</i></b>	(Rathbun 1900)
<i>Cancer jordani</i>	Rathbun 1900
Superfamily Portunoidea	
<b>Family Portunidae</b>	
<b><i>Portunus xantusii</i></b>	(Stimpson 1860)

<i>Achelous xantusii</i>	Stimpson 1860
<i>Neptunus xantusii</i>	of A. Milne Edwards 1879
Superfamily Xanthoidea	
<b>Family Panopeidae</b>	
<b>Subfamily Panopeinae</b>	
<i>Eurypanopeus hyperconvexus</i>	Garth 1986
<i>Lophopanopeus bellus</i>	(Stimpson 1860)
<i>Xantho bella</i>	Stimpson 1860
<i>Lophoxanthus bellus</i>	of A. Milne Edwards 1879 in part
<i>Lophoxanthus diegensis</i>	Rathbun 1900
<i>Lophozozymus (Lophoxanthus) bellus</i>	of Miers 1886
<i>Xantho hemphilliana</i>	of Lockington 1877
<i>Xanthodes hemphillii</i>	Lockington 1877
<i>Lophopanopeus frontalis</i>	(Rathbun 1893)
<i>Lophozozymus (Lophoxanthus) frontalis</i>	Rathbun 1893
<i>Lophoxanthus frontalis</i>	of Holmes 1900
<i>Lophopanopeus leucomanus</i>	(Lockington 1877)
<i>Xanthodes leucomanus</i>	Lockington 1877
<i>Lophopanopeus heathi</i>	Rathbun 1900
<i>Lophoxanthus bellus</i>	of A. Milne Edwards 1879 in part
<i>Lophoxanthus leucomanus</i>	of Holmes 1900
<b>Subfamily Eucratopsinae</b>	
<i>Malacoplax californiensis</i>	(Lockington 1877)
<i>Eucrate ? californiensis</i>	Lockington 1877
<i>Speocarcinus californiensis</i>	of Schmitt 1921
<b>Family Xanthidae</b>	
<b>Subfamily Xanthinae</b>	
<i>Gonopanope nitida</i>	(Rathbun 1898)
<i>Micropanope nitida</i>	Rathbun 1898
<i>Paraxanthias taylori</i>	(Stimpson 1861)
<i>Xanthodes taylori</i>	Stimpson 1861
<i>Xanthias taylori</i>	of Holmes 1900
Superfamily Pilumnoidea	
<b>Family Pilumnidae</b>	
<i>Pilumnus spinohirsutus</i>	(Lockington 1876)
<i>Acanthus spino-hirsutus</i>	Lockington 1876
Superfamily Pseudozioidea	
<b>Family Pilumnoididae</b>	
<i>Pilumnoides rotundus</i>	Garth 1940
Superfamily Pinnotheroidea	
<b>Family Pinnotheridae</b>	
<b>Subfamily Pinnotherinae</b>	
<i>Fabia concharum</i>	(Rathbun 1893)
<i>Cryptophrys concharum</i>	Rathbun 1893
<i>Fabia subquadrata</i>	Dana 1851
<i>Raphonotus subquadratus</i>	of Rathbun 1904
<i>Opisthopus transversus</i>	Rathbun 1893
<i>Pinnotheres pugettensis</i>	Holmes 1900
<i>Scleroplax granulata</i>	Rathbun 1893
<i>Scleroplax granulatus</i>	Rathbun 1893
<i>Pinnixa (Scleroplax) granulata</i>	of Holmes 1900
<b>Subfamily Pinnothereliinae</b>	
<i>Pinnixa barnharti</i>	Rathbun 1918
<i>Pinnixa faba</i>	of Rathbun 1904 in part not (Dana 1851)
<i>Pinnixa tumida</i>	of Streets 1877 not Stimpson 1858
<i>Pinnixa forficulimanus</i>	Zmarzly 1992
<i>Pinnixa franciscana</i>	Rathbun 1918
<i>Pinnixa hiatus</i>	Rathbun 1918
<i>Pinnixa littoralis</i>	Holmes 1894

<i>Pinnixa longipes</i>	(Lockington 1876)
<i>Tubicola longipes</i>	Lockington 1876
<i>Pinnixa minuscula</i>	Zmarzly 1992
<i>Pinnixa occidentalis</i> Cmplx	
<i>Pinnixa californiensis</i>	Rathbun 1893
<i>Pinnixa occidentalis</i>	Rathbun 1893 in part
<i>Pinnixa scamit</i>	Martin & Zmarzly 1994
<i>Pinnixa schmitti</i>	Rathbun 1918
<i>Pinnixa occidentalis</i>	of Rathbun 1904 not Rathbun 1893
<i>Pinnixa tomentosa</i>	Lockington 1876
<i>Pinnixa ? nitida</i>	Lockington 1876
<i>Pinnixa tubicola</i>	Holmes 1894
<i>Pinnixa longipes</i>	of Weymouth 1910 not (Lockington 1876)
Superfamily Ocypodoidea	
<b>Family Ocypodidae</b>	
<i>Uca crenulata</i>	(Lockington 1877)
<i>Gelasimus crenulata</i>	Lockington 1877
<i>Gelasimus gracilis</i>	Rathbun 1894
Superfamily Palicoidea	
<b>Family Palicidae</b>	
<i>Palicus cortezi</i>	(Crane 1937)
<i>Cymopodia cortezi</i>	Crane 1937
<i>Palicus lucasii</i>	Rathbun 1898
<i>Cymopolia lucasii</i>	of Rathbun 1930
Superfamily Grapsoidea	
<b>Family Grapsidae</b>	
<i>Pachygrapsus crassipes</i>	Randall 1839
<i>Grapsus eydouxi</i>	H. Milne Edwards 1853
<i>Leptograpsus gonagrus</i>	H. Milne Edwards 1853
<i>Planes minutus</i>	(Linnaeus 1758)
<i>Cancer minutus</i>	Linnaeus 1758
<b>Family Varunidae</b>	
<b>Subfamily Varuninae</b>	
<i>Hemigrapsus nudus</i>	(Dana 1851)
<i>Pseudograpsus nudus</i>	Dana 1851
<i>Brachynotus nudus</i>	of Holmes 1900
<i>Heterograpsus nudus</i>	of Stimpson 1858
<i>Hemigrapsus oregonensis</i>	(Dana 1851)
<i>Pseudograpsus oregonensis</i>	Dana 1851
<i>Brachynotus oregonensis</i>	of Holmes 1900

#### PHYLUM KINORHYNCHA

Order Homalorhagida	
Suborder Homalorhagae	
<b>Family Pycnophyidae</b>	

*Kinorhynchus* sp

#### PHYLUM NEMATODA

unidentified

#### PHYLUM ECHINODERMATA

Subphylum Crinozoa

Class Crinoidea

Subclass Articulata

Order Comatulida

Superfamily Antedonoidea

**Family Antedonidae**

*Florometra serratissima*

<i>Antedon serratissima</i>	(A. H. Clark 1907)
<i>Antedon perplexa</i>	A. H. Clark 1907
<i>Florometra perplexa</i>	A. H. Clark 1907
<i>Promachocrinus (Florometra) serratissima</i>	of A. H. Clark 1921
	of A. H. Clark 1915

Subphylum Asterozoa

Class Asteroidea

Superorder Valvatacea

Order Paxillosida

**Family Luidiidae**

*Luidia armata*

Ludwig 1905

*Luidia ludwigi*

Fisher 1906

*Luidia asthenosoma*

Fisher 1906

*Luidia foliolata*

Grube 1866

*Petalaster foliolata*

of Fell 1963

**Family Astropectinidae**

*Astropecten armatus*

Gray 1840

*Astropecten (Braziliensis) armatus*

Gray 1840

*Astropecten erinaceus*

Gray 1840

*Astropecten oerstedi*

Lütken 1859

*Astropecten peruvianus*

Verrill 1867

*Astropecten siderialis*

Verrill 1914

*Astropecten californicus*

Fisher 1906

*Astropecten verrilli californicus*

of Fisher 1906

*Astropecten verrilli*

of authors NEP not de Lorol 1899

*Astropecten ornatissimus*

Fisher 1906

*Astropecten (Braziliensis) ornatissimus*

Fisher 1906

*Thrissacanthias penicillatus*

(Fisher 1905)

*Persephonaster penicillatus*

Fisher 1905

**Family Pseudarchasteridae**

*Pseudarchaster pusillus*

Fisher 1905

Order Valvatida

Suborder Granulosina

**Family Odontasteridae**

*Odontaster crassus*

Fisher 1905

**Family Goniasteridae**

*Ceramaster leptoceramus*

(Fisher 1905)

*Tosia leptoceramus*

Fisher 1905

*Ceramaster patagonicus*

Sladen 1889

*Hippasteria californica*

Fisher 1905

*Hippasteria phrygiana*

(Parelius 1768)

*Asterias phrygiana*

Parelius 1768

*Asterias equestris*

Lamarck 1816 non Retzius 1805

*Astrogonium aculeatum*

of Barrett 1857

*Astrogonium phrygianum*

of Müller & Troschel 1842

*Goniaster abbensis*

of Forbes 1843

*Goniaster equestris*

of Forbes 1841

*Hippasteria aleutica*

Clark & Jewett 2011

*Hippasteria argentinensis*

Bernasconi 1961

*Hippasteria armata*

Clark & Jewett 2011

*Hippasteria colossa*

Djakonov 1950

*Hippasteria cornuta*

Gray 1840

*Hippasteria derjugini*

Djakonov 1950

*Hippasteria europaea*

Gray 1840

*Hippasteria hyadesi*

of Clark 1962

*Hippasteria imperialis*

of Mah 1998

*Hippasteria johnsoni*

Gray 1840

*Hippasteria kuriensis*

of Djakonov 1950

*Hippasteria leiopelta armata*

Fisher 1911

*Hippasteria mammifera*

Djakonov 1950

*Hippasteria pedicularis*

Djakonov 1950

*Hippasteria plana*

Gray 1840

*Hippasteria spinosa*

of SCAMIT Ed 9

*Hippasteria spinosa kuriensis*

Fisher 1911

<i>Hippasteria trojana</i>	Fell 1958
<i>Mediaster aequalis</i>	Stimpson 1857
<b>Family Asterinidae</b>	
<i>Patiria miniata</i>	(Brandt 1835)
<i>Asterias miniata</i>	Brandt 1835
<i>Asterina miniata</i>	of SCAMIT Ed 4
<b>Family Solasteridae</b>	
<i>Crossaster borealis</i>	Fisher 1905
<i>Solaster borealis</i>	of SCAMIT Ed 10
<b>Family Poraniidae</b>	
<i>Poraniopsis inflata</i>	(Fisher 1906)
<i>Alexandraster inflatus</i>	Fisher 1906
<i>Alexandraster mirus</i>	Ludwig 1905
<i>Poraniopsis inflata flexilis</i>	Fisher 1910
<b>Family Asterodiscididae</b>	
<i>Dermasterias imbricata</i>	(Grube 1857)
<i>Asteropsis imbricata</i>	Grube 1857
<b>Family Ophidiasteridae</b>	
<i>Linckia columbiae</i>	Gray 1840
<b>Superorder Spinulosacea</b>	
Order Spinulosida	
<b>Family Echinasteridae</b>	
<i>Henricia aspera</i>	Fisher 1906
<i>Henricia</i> sp	Eernisse et al 2010
<i>Henricia leviuscula</i>	of authors NEP not (Stimpson 1857)
Order Forcipulatida	
Suborder Brisingida	
<b>Family Brisingidae</b>	
<i>Brisingella pusilla</i>	Fisher 1917
Suborder Asteriadina	
<b>Family Asteriidae</b>	
<i>Astrometis sertulifera</i>	(Xantus 1860)
<i>Asterias sertulifera</i>	Xantus 1860
<i>Aphanasterias pycnopodia</i>	Caso 1943
<i>Asterias forneri</i>	of Jennings 1907 not de Loriol 1887
<i>Coscinasterias sertulifera</i>	of Baker 1912
<i>Marthasterias sertulifera</i>	of Verrill 1914
<i>Orthasterias dawsoni</i>	Verrill 1914
<i>Orthasterias (Stylasterias) gonolena</i>	Verrill 1914
<i>Leptasterias hexactis</i>	(Stimpson 1853)
<i>Asterias hexactis</i>	Stimpson 1853
<i>Orthasterias koehleri</i>	(de Loriol 1897)
<i>Asterias koehleri</i>	de Loriol 1887
<i>Pisaster brevispinus</i>	(Stimpson 1857)
<i>Asterias brevispina</i>	Stimpson 1857
<i>Asterias paucispina</i>	Stimpson 1862
<i>Asterias (Pisaster) papulosa</i>	Verrill 1909
<i>Pisaster papulosus</i>	of Verrill 1914
<i>Pisaster paucispina</i>	of Verrill 1914
<i>Pisaster giganteus capitatus</i>	(Stimpson 1862)
<i>Asterias capitata</i>	Stimpson 1862
<i>Pisaster capitatus</i>	of Verrill 1909
<i>Pisaster ochraceus</i>	(Brandt 1835)
<i>Asterias ochracea</i>	Brandt 1835
<i>Asteracanthion margaritifer</i>	J. Müller & Troschel 1842
<i>Asterias conferta</i>	Stimpson 1862
<i>Asterias fissispina</i>	Stimpson 1862
<i>Pisaster ochraceus f. nodiferus</i>	Verrill 1914
<i>Pisaster ochraceus segnis</i>	Fisher 1926

<i>Rathbunaster californicus</i>	Fisher 1906
<i>Sclerasterias heteropaeas</i>	Fisher 1924
<i>Stylasterias forreri</i>	(de Loriol 1887)
<i>Asterias forreri</i>	de Loriol 1887
<i>Asterias (Urasterias) forcipulata</i>	Verrill 1909
<i>Orthasterias forreri</i>	of Verrill 1914
<i>Orthasterias forreri forcipulata</i>	of Verrill 1914
<i>Orthasterias leptolena</i>	Verrill 1914
<b>Family Pycnopodiidae</b>	
<i>Pycnopodia helianthoides</i>	(Brandt 1835)
<i>Asterias helianthoides</i>	Brandt 1835
<b>Family Zoroasteridae</b>	
<i>Myxoderma platyacanthum</i>	(H. L. Clark 1913)
<i>Zoroaster platyacanthus</i>	H. L. Clark 1913
Class Ophiuroidea	
Subclass Ophiuridea	
Order Euryalida	
<b>Family Asteronychidae</b>	
<i>Asteronyx longifissus</i>	Döderlein 1927
<b>Family Gorgonocephalidae</b>	
<i>Gorgonocephalus eucnemis</i>	(J. Müller & Troschel 1842)
<i>Astrophyton eucnemis</i>	J. Müller & Troschel 1842
<i>Astrophyton caryi</i>	Lyman 1860
<i>Astrophyton stimpsoni</i>	Verrill 1869
<i>Gorgonocephalus caryi</i>	of Verrill 1867
<i>Gorgonocephalus japonicus</i>	Döderlein 1902
<i>Gorgonocephalus sagaminus</i>	Doflein 1906
<i>Gorgonocephalus stimpsoni</i>	of Döderlein 1911
Order Ophiurida	
Suborder Ophiomyxina	
<b>Family Ophiomyxidae</b>	
<i>Ophioscolex corynetes</i>	(H. L. Clark 1911)
<i>Ophiocynodus corynetes</i>	H. L. Clark 1911
Suborder Ophiurina	
<b>Family Ophiacanthidae</b>	
<i>Ophiacantha diplasia</i>	H. L. Clark 1911
<i>Ophiophthalmus diplasia</i>	Kyte 1982
<i>Ophiacantha phragma</i>	Ziesenhenne 1940
<i>Ophiacantha quadrispina</i>	H. L. Clark 1917
Infraorder Chilophiurina	
<b>Family Ophiidermatidae</b>	
<i>Ophiiderma panamensis</i>	Lütken 1859
<i>Ophiocryptus granulosus</i>	Nielsen 1932
<i>Ophiuroconis bispinosa</i>	Ziesenhenne 1937
<b>Family Ophiuridae</b>	
Subfamily Ophiurinae	
<i>Ophiocten</i> sp	H. L. Clark 1901
<i>Ophiura leptocentria</i>	(Lyman 1860)
<i>Ophiura luetkenii</i>	Lyman 1860
<i>Ophioglypha luetkenii</i>	of Lyman 1875
<i>Ophioglypha luetkeni</i>	of McClendon 1909
<i>Ophiura luetkeni</i>	Lütken 1855
<i>Ophiura sarsi</i>	
Infraorder Gnathophiurina	
Superfamily Gnathophiuridea	
<b>Family Amphiuridae</b>	
<i>Amphichondrius granulatus</i>	(Lütken & Mortensen 1899)
<i>Amphiura granulata</i>	Lütken & Mortensen 1899
<i>Amenichondrius granulosus</i>	of Parker 1964

<i>Amphichondrius granulosus</i>	Nielsen 1932
<i>Amphichondrius unamexici</i>	Caso 1983
<i>Amphipholis granulata</i>	of H. L. Clark 1917
<i>Amphipholis punctarenae</i>	McClendon 1909
<i>Amphiodia digitata</i>	Nielsen 1932
<i>Amphiodia (Amphisina) digitata</i>	Nielsen 1932
<i>Amphiodia barbarea</i>	of McClendon 1909
<i>Ophiophragmus digitata</i>	of Fell 1962
<i>Amphiodia psara</i>	H. L. Clark 1935
<i>Amphiodia occidentalis</i>	of authors SCB not (Lyman 1860)
<i>Diamphiodia psara</i>	of Fell 1962
<i>Amphiodia urtica</i>	(Lyman 1860)
<i>Amphiura urtica</i>	Lyman 1860
<i>Amphiodia barbarea</i>	of Lyman 1880
<i>Amphipholis urtica</i>	of Ljungman 1867
<i>Amphiura barbarea</i>	Lyman 1875
<i>Diamphiodia barbarea</i>	of Fell 1962
<i>Ophiophragmus urtica</i>	of Fell 1962
<i>Amphiodia sp A</i>	Haney 2008 §
<i>Amphiodia sp A</i>	Cadien 2001 §
<i>Amphioplus macraspis</i>	(H. L. Clark 1911)
<i>Amphiodia macraspis</i>	H. L. Clark 1911
<i>Amphioplus strongylopax</i>	(H. L. Clark 1911)
<i>Amphiodia strongylopax</i>	H. L. Clark 1911
<i>Unioplus strongylopax</i>	of Fell 1962
<i>Amphioplus sp A</i>	SCAMIT 2004 §
<i>Amphioplus sp LA1</i>	Cadien 1998 §
<i>Amphioplus hexacanthus</i>	of authors SCB not Clark 1911
<i>Amphipholis pugetana</i>	(Lyman 1860)
<i>Amphiura pugetana</i>	Lyman 1860
<i>Axiognathus pugetana</i>	of Thomas 1960
<i>Amphipholis squamata</i>	(delle Chiaje 1828)
<i>Asterias squamata</i>	delle Chiaje 1828
<i>Amphiura squamata</i>	of Koehler 1907
<i>Axiognathus squamata</i>	of Thomas 1966
<i>Ophiolepis squamata</i>	of J. Müller & Troschel 1842
<i>Amphiura arcystata</i>	H. L. Clark 1911
<i>Amphiura acrystata</i>	H. L. Clark 1911
<i>Hemilepis arcystata</i>	of Fell 1962
<i>Amphiura diomedae</i>	Lütken & Mortensen 1899
<i>Amphiura diastata</i>	of McClendon 1909
<i>Amphiura koreae</i>	of Matsumoto 1917 in part ? not Duncan 1879
<i>Amphiura verrilli</i>	of McClendon 1909
<i>Dougaloplus amphacanthus</i>	(McClendon 1909)
<i>Ophiocnida amphacantha</i>	McClendon 1909
<i>Amphiacantha amphacantha</i>	of Matsumoto 1917
<i>Amphiacantha pentacantha</i>	of Matsumoto 1917
<i>Amphilimna pentacantha</i>	H. L. Clark 1911
<i>Amphioplus hexacanthus</i>	H. L. Clark 1911
<i>Dougaloplus amphacantha</i>	of A. M. Clark 1970
<i>Dougaloplus sp A</i>	SCAMIT 2004 §
<i>Dougaloplus sp SD1</i>	CSD 1988 §
<i>Ophiocnida hispida</i>	(Le Conte 1851)
<i>Ophiolepis hispida</i>	Le Conte 1851
<b>Family Ophiotrichidae</b>	
<i>Ophiothrix spiculata</i>	Le Conte 1851
<i>Ophiothrix dumosa</i>	Lyman 1860
<b>Family Ophiactidae</b>	
<i>Ophiactis simplex</i>	(Le Conte 1851)

<i>Ophiolepis simplex</i>	Le Conte 1851
<i>Ophiopholis bakeri</i>	McClendon 1909
<i>Ophiopholis longispina</i>	H. L. Clark 1911
Superfamily Ophicomidea	
<b>Family Ophionereidae</b>	
<i>Ophionereis annulata</i>	(Le Conte 1851)
<i>Ophiolepis annulata</i>	Le Conte 1851
<i>Ophiolepis triloba</i>	Lütken 1856
<i>Ophionereis dictyota</i>	Ziesenhenne 1940
<i>Ophionereis xantusii</i>	Lyman 1860
<i>Ophionereis diabloensis</i>	Hendler 2002
<i>Ophionereis eurybrachiplax</i>	H. L. Clark 1911
<i>Ophionereis eurybrachyplax</i>	of Nielsen 1932
<b>Family Ophicomidae</b>	
<b>Subfamily Ophiopsilinae</b>	
<i>Ophiopsila californica</i>	A. H. Clark 1921
<b>Subfamily Ophicominae</b>	
<i>Ophiopterus papillosa</i>	(Lyman 1875)
<i>Ophiocoma papillosa</i>	Lyman 1875
Infraorder Opholepidina	
<b>Family Opholepididae</b>	
<i>Ophioplocus esmarki</i>	Lyman 1874
<i>Ophiosphalma jolliense</i>	(McClendon 1909)
<i>Ophiomusium jolliensi</i>	McClendon 1909
<i>Ophiomusium jolliense</i>	H. L. Clark 1915
Subphylum Echinozoa	
Class Echinoidea	
Subclass Euechinoidea	
Infraclass Acroechinoidea	
Order Diadematoida	
<b>Family Diadematidae</b>	
<i>Centrostephanus coronatus</i>	(Verrill 1867)
<i>Echinodiadema coronata</i>	Verrill 1867
Infraclass Carinacea	
Superoder Echinacea	
Order Arbacioida	
<b>Family Arbaciidae</b>	
<i>Arbacia incisa</i>	(A. Agassiz 1863)
<i>Echinocidaris incisa</i>	A. Agassiz 1863
<i>Arbacia stellata</i>	(Blainville 1825; ?Gmelin 1791) of Kroh 2015
<i>Echinus stellatus</i>	de Blainville 1825
<i>Echinocidaris longispina</i>	Lütken 1864
Order Camarodontia	
Infraorder Echinidea	
Superfamily Odontophora	
<b>Family Toxopneustidae</b>	
<i>Lytechinus pictus</i>	(Verrill 1867)
<i>Psammechinus pictus</i>	Verrill 1867
<i>Lytechinus anamesus</i>	H. L. Clark 1912
<b>Family Strongylocentrotidae</b>	
<i>Mesocentrotus franciscanus</i>	(A. Agassiz 1863)
<i>Toxicidaris franciscanus</i>	A. Agassiz 1863
<i>Strongylocentrotus franciscanus</i>	of SCAMIT Ed 10
<i>Strongylocentrotus fragilis</i>	Jackson 1912
<i>Allocentrotus fragilis</i>	of authors NEP
<i>Strongylocentrotus purpuratus</i>	(Stimpson 1857)
<i>Echinus purpuratus</i>	Stimpson 1857
<i>Toxicidaris purpuratus</i>	of A. Agassiz 1863
Order Clypeasteroida	

Suborder Scutellina	
<b>Family Dendrasteridae</b>	
<i>Dendraster excentricus</i>	(Eschscholtz 1831)
<i>Scutella excentrica</i>	Eschscholtz 1831
<i>Dendraster excentricus</i> var <i>elongatus</i>	H. L. Clark 1935
<i>Echinarachinus excentricus</i>	of A. Agassiz 1873
<i>Dendraster terminalis</i>	(Grant & Hertlein 1938)
<i>Echinocyamus terminalis</i>	Grant & Hertlein 1938
<i>Dendraster laevis</i>	Clark 1948
Superorder Atelostomata	
Order Spatangoida	
Suborder Paleopneustina	
<b>Family Schizasteridae</b>	
<i>Brisaster latifrons</i>	(A. Agassiz 1898)
<i>Schizaster latifrons</i>	A. Agassiz 1898
<i>Oppiaster latifrons</i>	Lambert & Thiery 1924
<i>Brisaster townsendi</i>	(A. Agassiz 1898)
<i>Schizaster townsendi</i>	A. Agassiz 1898
<i>Brisaster latifrons</i>	of authors SCB not A. Agassiz 1898 in part
<i>Schizaster ventricosus</i>	A. Agassiz 1881
Suborder Brissidina	
<b>Superfamily Spatangoidea</b>	
<b>Family Brissidae</b>	
<i>Brissopsis pacifica</i>	(A. Agassiz 1898)
<i>Toxobrissus pacificus</i>	A. Agassiz 1898
<i>Kenia pacifica</i>	Lambert & Thiery 1924
<i>Brissopsis</i> sp LA1	Haney 2004 §
<b>Family Maretidae</b>	
<i>Nacospatangus laevis</i>	(H. L. Clark 1917)
<i>Gonimaretia laevis</i>	H. L. Clark 1917
<i>Nacospatangus depressus</i>	(H. L. Clark 1917)
<b>Family Spatangiidae</b>	
<i>Spatangus californicus</i>	H. L. Clark 1917
<b>Family Loveniidae</b>	
<i>Lovenia cordiformis</i>	A. Agassiz 1872
Class Holothuroidea	
Order Dendrochirotida	
<b>Family Psolidae</b>	
<i>Lissothuria</i> sp	
<i>Psolidium bidiscum</i>	Lambert 1996
<i>Psolidium</i> sp SD 1	Lilly 2004 §
<i>Psolus chitonoides</i>	H. L. Clark 1901
<i>Psolus squamatus</i>	(Koren 1844)
<i>Cuvieria squamata</i>	Koren 1844
<b>Family Sclerodactylidae</b>	
<i>Eupentacta quinquesemita</i>	(Selenka 1867)
<i>Cucumaria quinquesemita</i>	Selenka 1867
<i>Pachythylene rubra</i>	(H. L. Clark 1901)
<i>Thyone rubra</i>	H. L. Clark 1901
<b>Family Phyllophoridae</b>	
<i>Pentamera charlottae</i>	Deichmann 1938
<i>Havelockia charlottae</i>	of SCAMIT Ed 10
<i>Pentamera lissoplaca</i>	(H. L. Clark 1924)
<i>Cucumaria lissoplaca</i>	H. L. Clark 1924
<i>Pentamera pediparva</i>	Lambert 1998
<i>Pentamera</i> sp B	Lambert 1997
<i>Pentamera populifera</i>	(Stimpson 1857)
<i>Pentacta populifera</i>	Stimpson 1857
<i>Allothyone tenuicoriata</i>	of Panning 1949

<i>Cladodactyla albida</i>	Brandt 1835
<i>Cucumaria populifera</i>	of Théel 1886
<i>Cucumaria tenuicoriat</i>	Wells 1924
<i>Pentamera pseudocalcigera</i>	Deichmann 1938
<i>Cucumaria calcigera</i>	of H. L. Clark 1901 not (Stimpson 1857)
<i>Pentamera pseudopopulifera</i>	Deichmann 1938
<i>Pentamera rigida</i>	Lambert 1998
<i>Pentamera sp A</i>	Lambert 1997
<i>Pentamera trachyplaca</i>	(Clark 1924)
<i>Cucumaria trachyplaca</i>	Clark 1924
<i>Pentamera sp C</i>	SCAMIT 2004 §
<i>Phyllophoridae sp A</i>	SCAMIT 2004 §
<i>Phyllophoridae sp SD1</i>	Lilly 1998 §
<i>Phyllophoridae sp B</i>	SCAMIT 2004 §
<i>Thyone bentii</i>	Deichmann 1937
<i>Havelockia bentii</i>	of SCAMIT Ed 10
<i>Havelockia bentii var zacae</i>	of Panning 1949
<i>Thyone bentii var zacae</i>	Deichmann 1938
<b>Family Cucumiidae</b>	
<i>Cucumaria miniata</i>	(Brandt 1835)
<i>Cladodactyla miniata</i>	Brandt 1835
<i>Cucumaria piperata</i>	(Stimpson 1864)
<i>Pentacta piperata</i>	Stimpson 1864
<i>Cucumaria fisheri</i>	Wells 1924
<i>Cucumaria pseudocurata</i>	Deichmann 1938
<i>Cucumaria salma</i>	Yingst 1972
<i>Cucumaria sp A</i>	SCAMIT 2004 §
<i>Pseudocnus lubricus</i>	(H. L. Clark 1901)
<i>Cucumaria lubrica</i>	H. L. Clark 1901
<i>Cucumaria fisheri astigmata</i>	Wells 1924
<i>Pseudocnus astigmatus</i>	of P. Lambert 1990
<b>Family Ypsilothuriidae</b>	
<i>Ypsilothuria bitentaculata</i>	(Ludwig 1893)
<i>Sphaerothuria bitentaculata</i>	Ludwig 1893
Order Aspidochirotiida	
<b>Family Stichopodidae</b>	
<i>Apostichopus californicus</i>	(Stimpson 1857)
<i>Holothuria californica</i>	Stimpson 1857
<i>Parastichopus californicus</i>	of SCAMIT Ed 9
<i>Stichopus californicus</i>	of H. L. Clark 1901
<i>Stichopus fuscus</i>	Théel 1886
<i>Apostichopus leukothele</i>	(Lambert 1986)
<i>Parastichopus leukothele</i>	Lambert 1986
<i>Apostichopus parvimensis</i>	(H. L. Clark 1913)
<i>Stichopus parvimensis</i>	H. L. Clark 1913
<i>Parastichopus parvimensis</i>	of SCAMIT Ed 9
<i>Apostichopus sp A</i>	(SCAMIT 2004 §)
<i>Parastichopus sp A</i>	SCAMIT 1998 §
<i>Parastichopus sp SD1</i>	Lilly & Haney 2009 §
<b>Family Synallactidae</b>	
<i>Synallactes virgulisolida</i>	Massin & Hendrickx 2010
<i>Synallactes alexandri</i>	of SCAMIT Ed 5 not Ludwig 1894
Order Elasipodida	
<b>Family Laetmogonidae</b>	
<i>Pannychia moseleyi</i>	Théel 1882
<i>Laetmopasma fecundum</i>	Ludwig 1894
<i>Pannychia moseleyi var henrici</i>	Ludwig 1894
<i>Pannychia pallida</i>	Fisher 1907
Order Apodida	

**Family Synaptidae***Leptosynapta* sp**Family Chiridotidae***Chiridota* sp**Family Myriotrochidae***Myriotrochus* sp

Order Molpadida

**Family Molpadiidae***Molpadia arenicola**Liosoma arenicola**Caudina arenicola**Trochostoma arenicola**Molpadia intermedia**Trochostoma intermedium*

(Stimpson 1857)

Stimpson 1857

of SCAMIT Ed 10

of Théel 1886

(Ludwig 1894)

Ludwig 1894

**Family Caudinidae***Paracaudina chilensis*

(J. Müller 1850)

*Molpadia chilensis*

J. Müller 1850

*Caudina chilensis*

of H. L. Clark 1907

*Caudina pulchella*

R. Perrier 1905

*Caudina rugosa*

R. Perrier 1904

**Family Eupyrigidae**

unidentified

PHYLUM PHORONIDA

**Family Phoronidae***Phoronis* sp SD1

Lilly 2006 §

*Phoronopsis* sp

PHYLUM BRACHIOPODA

Subphylum Linguliformea

Class Lingulata

Order Lingulida

Superfamily Linguloidea

**Family Lingulidae***Glottidia albida*

(Hinds 1844)

*Lingula albida*

Hinds 1844

*Glottidea albida*

of Keep 1904

*Glottidia palmeri*

Dall 1920

Subphylum Rhynchonelliformea

Class Rhynchonellata

Order Terebratulida

Suborder Terebratulidina

Superfamily Cancellothyridoidea

**Family Cancellothyrididae***Terebratulina kiiensis*

Dall &amp; Pilsbry 1891

*Terebratulina crossii*

of Davidson 1886

*Terebratulina crossei*

of SCAMIT Ed 10

*Terebratulina unguicula*

(Carpenter 1864)

*Terebratulus unguicula*

Carpenter 1864

Suborder Terebratellidina

Superfamily Laqueoidea

**Family Laqueidae***Laqueus californicus*

(Koch 1848)

*Terebratula californica*

Koch 1848

*Laqueus erythraeus*

Dall 1920

*Laqueus vancouverensis diegensis*

Hertlein &amp; Grant 1960

*Megerlia Jeffreysi*

Dall 1877

*Terebratula californianus forma vancouverensis*

Davidson 1877

*Terebratula californica*

of G. B. Sowerby II 1847

*Terebratula kochii*

Küster in Martini-Chemnitz 1848

*Waldheimia californica*

of Gray 1853

**Family Terebrataliidae****Subfamily Terebrataliinae***Dallinella occidentalis*

Terebratella occidentalis	(Dall 1871)
Dallinella obsoleta	Dall 1871
Dallinella occidentalis	of Thompson 1915
Miogryphus willetti	of Thompson 1927
Terebratalia arnoldi	Hertlein & Grant 1944
<b>Terebratalia occidentalis</b>	Hertlein & Grant 1944
Terebratella occidentalis var obsoleta	(Dall 1871)
Waldheimia Kennedyi	Dall 1891
<b>Terebratalia transversa</b>	Dall 1874
Terebratula transversa	(G. B. Sowerby I 1846)
Terebratalia caurina rubescens	G. B. Sowerby I 1846
Terebratalia hemphilli	of Dall 1920
Terebratalia hemphillii	Dall 1902
Terebratalia obsoleta	of Carson 1925
Terebratalia rubescens	of DuBois 1916 not (G. B. Sowerby II 1846)
Terebratella coreanica	Hatai 1936
Terebratula caurina	of Carpenter 1864 not (Adams & Reeve 1850)
Terebratula caurina transversa	Gould 1852
Terebratulina transversa	Gould 1850
Waldheimia grayi	of Dall 1907
	of Carpenter 1864 not (Davidson 1852)

**Superfamily Platidioidea****Family Platidiidae***Annuloplatidia hornii*

Morrisia hornii	(Gabb 1861)
Platidia hornii	Gabb 1861

**PHYLUM BRYOZOA**

## Class Stenolaemata

## Order Cyclostomata

## Suborder Tubuliporina

**Family Annectocymidae**

<i>Diaperoforma californica</i>	(d'Orbigny 1852)
<i>Idmonea californica</i>	d'Orbigny 1852
<i>Diaperoecia californica</i>	of Osburn 1953

**Family Tubuliporidae**

<i>Platonea</i> sp	
<i>Tubulipora tuba</i>	(Gabb & Horn 1862)
<i>Semitubigera tuba</i>	Gabb & Horn 1862
<i>Tubulipora occidentalis</i>	Robertson 1910

## Suborder Articulina

**Family Crisiidae**

<i>Crisia occidentalis</i>	Trask 1857
<i>Crisia eburnea</i>	Robertson 1903
<i>Filicrisia</i> sp	

**Family Crisuliporidae**

<i>Crisulipora occidentalis</i>	Robertson 1910
---------------------------------	----------------

## Suborder Rectangulata

**Family Lichenoporidae**

<i>Disporella</i> sp
----------------------

## Class Gymnolaemata

## Order Ctenostomatida

## Suborder Alcyodiniina

## Infraorder Alcyoniadioidea

**Family Alcyoniidiidae**

<i>Alcyonidium mammillatum</i>	Alder 1857
<i>Alcyonidium</i> sp A	MEC 1991 §

**Family Clavoporidae**

<i>Ascorhiza occidentalis</i>	Fewkes 1889
Clavopora occidentalis	of SCAMIT Ed 8
Clavopora sp A	MBC 1984 §
<b>Suborder Stoloniferina</b>	
Superfamily <b>Triticelloidea</b>	
<b>Family Triticellidae</b>	
<i>Triticella elongata</i>	(Osburn 1912)
<i>Hippuraria elongata</i>	Osburn 1912
<b>Suborder Victorellina</b>	
Superfamily <b>Victorelloidea</b>	
<b>Family Noellidae</b>	
<i>Anguinella palmata</i>	van Beneden 1845
<i>Nolella</i> sp	
<b>Soborder Vesicularina</b>	
Superfamily Vesicularoidea	
<b>Family Vesiculariidae</b>	
<i>Amathia distans</i>	Busk 1886
<i>Amathia gracilis</i>	(Leidy 1855)
<i>Bowerbankia gracilis</i>	Leidy 1855
<i>Bowerbankia caudata</i>	Hincks 1880
<i>Amathia verticillata</i>	(delle Chiaje 1822)
<i>Hydra verticillata</i>	delle Chiaje 1822
<i>Zoobotryon pellucidus</i>	Ehrenberg 1831
<i>Zoobotryon vertillatum</i>	of SCAMIT Ed 10
Order <b>Chaeiostomatida</b>	
Suborder <b>Malacostegina</b>	
Superfamily <b>Membraniporioidea</b>	
<b>Family Electridae</b>	
<i>Conopeum commensale</i>	Kirkpatrick & Metzelaar 1922
<b>Family Membraniporidae</b>	
<i>Biflustra savartii</i>	(Audouin 1826)
<i>Flustra savartii</i>	Audouin 1826
<i>Acanthodesia savarti</i>	of Osburn 1947
<i>Acanthodesia savartii</i>	of Canu & Bassler 1920
<i>Jellyella tuberculata</i>	(Bosc 1802)
<i>Flustra tuberculata</i>	Bosc 1802 in part
<i>Membranipora tehuelcha</i>	of Robertson 1908
<i>Membranipora tuberculata</i>	of Osburn 1947
<i>Nichtina tuberculata</i>	of Harmer 1926
<i>Membranipora tenuis</i>	Desor 1848
<i>Membranipora denticulata</i>	Busk 1856
<i>Acanthodesia denticulata</i>	of Hastings 1930
<i>Biflustra denticulata</i>	of Smitt 1873
<i>Hemiseptella denticulata</i>	of Canu & Bassler 1928
Suborder <b>Flustrina</b>	
Superfamily <b>Calloporoidea</b>	
<b>Family Antroporidae</b>	
<i>Antropora tincta</i>	(Hastings 1930)
<i>Crassimarginatella tincta</i>	Hastings 1930
<i>Membranipora lacroixii</i>	of Robertson 1908 in part
<b>Family Calloporidae</b>	
<i>Cauloramphus echinus</i>	(Hinks 1882)
<i>Membranipora echinus</i>	Hincks 1882
<i>Tegella aquilirostris</i>	(O'Donoghue & O'Donoghue 1923)
<i>Membranipora aquilirostris</i>	O'Donoghue & O'Donoghue 1923
<i>Tegella circumclathrata</i>	(Hincks 1881)
<i>Membranipora circumclathrata</i>	Hincks 1881
<i>Calloporella circumclathrata</i>	of Osburn 1950
<i>Retevirgula circumclathrata</i>	of Brown 1948

<b>Family Chaperiidae</b>		
<i>Chaperiopsis californica</i>	(Osburn 1950)	
<i>Chapperia californica</i>	Osburn 1950	
<i>Chaperiopsis patula</i>	(Hincks 1881)	
<i>Membranipora patula</i>	Hincks 1881	
<i>Amphiblestrum patulum</i>	of O'Donoghue 1926	
<i>Chapperia patula</i>	of Osburn 1950	
Superfamily <b>Microporoidea</b>		
<b>Family Microporidae</b>		
<i>Micropora</i> sp		
<b>Family Thalamoporellidae</b>		
<i>Thalamoporella californica</i>	Levinsen 1909	
<i>Thalamoporella rozieri</i> var <i>californica</i>	Levinsen 1909	
<i>Steganoporella rozieri</i> form <i>gothica</i>	Hincks 1880	
<b>Family Lunulariidae</b>		
<i>Discoporella umbellata</i>	(Defrance 1823)	
<i>Lunulites umbellata</i>	Defrance 1823	
Superfamily <b>Cellarioidea</b>		
<b>Family Cellariidae</b>		
<i>Cellaria diffusa</i>	Robertson 1905	
<i>Cellaria fissurifera</i>	Canu & Bassler 1923	
<i>Cellaria mandibulata</i>	Hincks 1882	
Superfamily Cellularoidea		
<b>Family Candidae</b>		
<i>Licornia diegensis</i>	(Robertson 1905)	
<i>Scrupocellaria diegensis</i>	Robertson 1905	
<i>Licornia ferox</i>	(Busk 1852)	
<i>Scrupocellaria ferox</i>	Busk 1852	
<i>Scrupocellaria cyclostomata</i>	Kirkpatrick 1890	
<i>Pomocellaria californica</i>	(Trask 1857)	
<i>Scrupocellaria californica</i>	Trask 1857	
<i>Pomocellaria varians</i>	(Hincks 1882)	
<i>Scrupocellaria varians</i>	Hincks 1882	
<i>Tricellaria occidentalis</i>	(Trask 1857)	
<i>Menipea occidentalis</i>	Trask 1857	
<i>Tricellaria praescuta</i>	Osburn 1950	
<b>Family Epistomiidae</b>		
<i>Synnotum aegytiacum</i>	(Audouin 1826)	
<i>Loricaria aegyptiaca</i>	Audouin 1826	
<i>Synnotum aviculare</i>	Robertson 1906	
<b>Family Bugulidae</b>		
<i>Bugula longirostrata</i>	Robertson 1905	
<i>Bugula neritina</i> Type D	Fehlauer-Ale et al 2014§	
<i>Bugula neritina</i>	of authors NEP not (Linnaeus 1758)	
<i>Bugula pacifica</i>	Robertson 1905	
<i>Bugula purpurotincta</i>	of Robertson 1900 not Norman 1868	
<i>Bugulina californica</i>	(Robertson 1905)	
<i>Stirparia californica</i>	Robertson 1905	
<i>Caulibugula californica</i>	of SCAMIT Ed 10	
<i>Stirpariella californica</i>	of O'Donoghue 1926	
<i>Caulibugula ciliata</i>	(Robertson 1905)	
<i>Stirparia ciliata</i>	Robertson 1905	
<i>Dendrobeania curvirostrata</i>	(Robertson 1905)	
<i>Bugula curvirostrata</i>	Robertson 1905	
Superfamily Schizoporelloidea		
<b>Family Hippopodinidae</b>		
<i>Hippopodina californica</i>	Osburn 1952	
<b>Family Pacificincolidae</b>		
<i>Primavelans insculpta</i>	(Hincks 1882)	

<i>Schizoporella insculpta</i>	Hincks 1882
<i>Hippodiplosia insculpta</i>	of SCAMIT Ed 8
<b>Family Schizophelliidae</b>	
<i>Cryptosula pallasiana</i>	(Moll 1803)
<i>Eschara pallasiana</i>	Moll 1803
<i>Lepralia pallasiana</i>	of O'Donoghue 1925
<i>Schizophella inarmata</i>	Hincks 1884
<i>Schizophella linearia</i> var <i>inarmata</i>	Hincks 1884
<b>Family Microporellidae</b>	
<i>Microporella</i> sp	
<b>Superfamily Smittinoidea</b>	
<b>Family Smittinidae</b>	
<i>Parasmittina californica</i>	(Robertson 1908)
<i>Mucronella californica</i>	Robertson 1908
<i>Parasmittina trispinosa</i>	of SCAMIT Ed 4 not (Johnson 1838)
<i>Parasmittina tubulata</i>	Osborn 1952
<i>Smittina maccullochae</i>	Osborn 1952
<b>Suborder Scrupariina</b>	
<b>Superfamily Scruparioidea</b>	
<b>Family Scrupariidae</b>	
<i>Scruparia ambigua</i>	(d'Orbigny 1841)
<i>Eucratea ambigua</i>	d'Orbigny 1841
<b>Superfamily Hippothooidea</b>	
<b>Family Hippothoidae</b>	
<i>Celleporella hyalina</i>	(Linnaeus 1767)
<i>Cellepora hyalina</i>	Linnaeus 1767
<i>Hippothoa hyalina</i>	of Osburn 1952
<i>Schizophella hyalina</i>	of Robertson 1900
<b>Family Celleporidae</b>	
<i>Celleporina robertsoniae</i>	(Canu & Bassler 1923)
<i>Costazzia robertsoniae</i>	Canu & Bassler 1923
<i>Cellepora costazi</i>	of Robertson 1908 in part
<i>Costazia robersoniae</i>	of Osborn 1952
<i>Celleporina souleae</i>	Morris 1979
<i>Costazia costazi</i>	of Osburn 1952 in part not (Audouin 1826)
<b>Family Celloporariidae</b>	
<i>Celleporaria brunnea</i>	(Hincks 1884)
<i>Cellepora brunnea</i>	Hincks 1884
<i>Holoporella brunnea</i>	of Osburn 1952
<b>Family Phidoloporidae</b>	
<i>Phidolopora labiata</i>	Gabb & Horn 1863
<i>Phidolopora pacifica</i>	(Robertson 1908)
<i>Rhynchozoon</i> sp	
<b>Family Rhamphostomellidae</b>	
<i>Rhamphostomella</i> sp	
<b>Family Phylactellidae</b>	
<i>Lagenicella</i> sp	
<b>Family Myriaporidae</b>	
<i>Myriozoum</i> sp	
<b>Family Watersiporidae</b>	
<i>Watersipora arcuata</i>	Banta 1969
<i>Watersipora subatra</i>	(Ortmann 1890)
<i>Schizophella aterrima</i> var. <i>subatra</i>	Ortmann 1890
<i>Watersipora subtorquata</i>	of SCAMIT Ed 9

## PHYLUM CHORDATA

Subphylum Hemichordata

Class Enteropneusta

### Family Ptychoderidae

*Balanoglossus* sp

<b>Family Spengeliidae</b>	<i>Schizocardium</i> sp	
<b>Family Harrimaniidae</b>	<i>Saccoglossus</i> sp	
	<i>Stereobalanus</i> sp	
Subphylum Urochordata		
Class Ascidiacea		
Order Aplousobranchiata		
<b>Family Polycitoridae</b>		
	<i>Cystodytes lobatus</i>	(Ritter 1900)
	<i>Distoma lobata</i>	Ritter 1900
	<i>Cystodites cretaceous</i>	of Ritter 1907 not von Drasche 1883
	<i>Eudistoma lobatum</i>	of Hartmeyer 1909-1911
<b>Family Clavelinidae</b>		
	<i>Clavelina huntsmani</i>	Van Name 1945
<b>Family Holozoidae</b>		
	<i>Distaplia occidentalis</i>	Bancroft 1899
	<i>Distaplia californica</i>	Michaelsen 1923
	<i>Holozoa occidentalis</i>	of Hartmeyer 1909-1911
<b>Family Polyclinidae</b>		
	<i>Aplidium californicum</i>	Ritter & Forsyth 1917
	<i>Aplidium solidum</i>	(Ritter & Forsyth 1917)
	<i>Amaroucium solidum</i>	Ritter & Forsyth 1917
	<i>Eudistoma psammion</i>	Ritter & Forsyth 1917
	<i>Euherdmania claviformis</i>	(Ritter 1903)
	<i>Herdmania claviformis</i>	Ritter 1903
	<i>Polyclinum planum</i>	(Ritter & Forsyth 1917)
	<i>Glossophorum planum</i>	Ritter & Forsyth 1917
	<i>Ritterella pulchra</i>	(Ritter 1901)
	<i>Distoma pulchra</i>	Ritter 1901
	<i>Euherdmania pulchra</i>	Ritter 1901
<b>Family Didemnidae</b>		
	<i>Didemnum carnulentum</i>	Ritter & Forsyth 1917
	<i>Diplosoma listerianum</i>	(Milne-Edwards 1841)
	<i>Leptoclinum listerianum</i>	Milne-Edwards 1841
	<i>Diplosoma macdonaldi</i>	Herdman 1886
	<i>Didemnum vexillum</i>	Kott 2002
	<i>Didemnum vestum</i>	Kott 2004
	<i>Didemnum</i> sp A	of authors
	<i>Trididemnum opacum</i>	(Ritter 1907)
	<i>Didemnum opacum</i>	Ritter 1907
	<i>Trididemnum dellavallei</i>	Ritter & Forsyth 1917
Order Phlebobranchiata		
<b>Family Cionidae</b>		
	<i>Ciona robusta</i>	Hoshino & Tokioka 1967
	<i>Ciona intestinalis</i> form A	of authors
	<i>Ciona intestinalis</i>	of SCAMIT Ed 10 not Linnaeus 1766
	<i>Ciona savignyi</i>	Herdman 1882
<b>Family Perophoridae</b>		
	<i>Perophora annectens</i>	Ritter 1893
<b>Family Corellidae</b>		
	<i>Chelyosoma columbianum</i>	Huntsman 1912
	<i>Chelyosoma productum</i>	Stimpson 1864
	<i>Chelyosoma producta</i>	Stimpson 1864
	<i>Corella willmeriana</i>	Herdman 1898
	<i>Corella rugosa</i>	Huntsman 1912
<b>Family Asciidiidae</b>		
	<i>Ascidia ceratodes</i>	(Huntsman 1912)
	<i>Phallusia ceratodes</i>	Huntsman 1912

<i>Ascidia californica</i>	Ritter & Forsyth 1917
<i>Ascidia zara</i>	Oka 1935
<b>Family Agneziidae</b>	
<i>Agnezia septentrionalis</i>	(Huntsman 1912)
<i>Agnesia septentrionalis</i>	Huntsman 1912
<i>Agnesia beringia</i>	Ritter 1913
Order Stolidobranchiata	
<b>Family Styelidae</b>	
<i>Botrylloides diegensis</i>	Ritter & Forsyth 1917
<i>Botrylloides giganteum</i>	(Perez 1949)
<i>Metrocarpa giganteum</i>	Perez 1949
<i>Botrylloides perspicuum</i>	of authors NEP not (Herdman 1886)
<i>Botrylloides violaceus</i>	Oka 1927
<i>Botryllus schlosseri</i>	(Pallas 1766)
<i>Alcyonium schlosseri</i>	Pallas 1766
<i>Cnemidocarpa finmarkiensis</i>	(Kiaer 1893)
<i>Polycarpa finmarkiensis</i>	Kiaer 1893
<i>Cnemidocarpa rhizopus</i>	(Redikorzev 1907)
<i>Stylella rhizopus</i>	Redikorzev 1907
<i>Cnemidocarpa cirrata</i>	Ärnäs 1922
<i>Cnemidocarpa sabulifera</i>	Hartmeyer 1923
<i>Stylella sabulifera</i>	of Ritter 1913
<i>Metandrocarpa taylori</i>	Huntsman 1912
<i>Polyandrocarpa zorritensis</i>	(Van Name 1931)
<i>Stolonica zorritensis</i>	Van Name 1931
<i>Stylella canopus</i>	Savigny 1816
<i>Stylella barbaris</i>	Kott 1952
<i>Stylella partita</i>	(Stimpson 1852)
<i>Stylella rectangularis</i>	Kott 1952
<i>Stylella clava</i>	Herdman 1881
<i>Stylella barnhardti</i>	of Van Name 1945 not Ritter & Forsyth 1917
<i>Stylella coriacea</i>	(Alder & Hancock 1848)
<i>Cynthia coriacea</i>	Alder & Hancock 1848
<i>Ascidia lovenii</i>	M. Sars 1851
<i>Cynthia placenta</i>	Packard 1867
<i>Goniocarpa coccoidea</i>	Huntsman 1912
<i>Goniocarpa coriacea</i>	of Huntsman 1912
<i>Goniocarpa lovenii</i>	of Huntsman 1912
<i>Goniocarpa placentula</i>	of Huntsman 1912
<i>Stylella loveni</i>	of Ritter 1913
<i>Stylella lovenii</i>	of Hartmeyer 1914
<i>Tethym coriaceum</i>	of Hartmeyer 1912
<i>Tethym loveni</i>	of Hartmeyer 1912
<i>Stylella gibbsii</i>	(Stimpson 1864)
<i>Cynthia gibbsii</i>	Stimpson 1864
<i>Tethym gibbsii</i>	of Hartmeyer 1909-1911
<i>Stylella montereyensis</i>	(Dall 1872)
<i>Cynthia montereyensis</i>	Dall 1872
<i>Clavellinopsis rubra</i>	Fewkes 1889
<i>Stylella rubra</i>	of Ritter 1896
<i>Tethym montereyense</i>	of Hartmeyer 1909-1911
<i>Stylella plicata</i>	(Lesueur 1823)
<i>Ascidia plicata</i>	Lesueur 1823
<i>Stylella gyrosa</i>	Heller 1877
<i>Stylella barnharti</i>	Ritter & Forsyth 1917
<i>Tethym plicatum</i>	of Hartmeyer 1909-1911
<i>Stylella truncata</i>	Ritter 1901
<i>Katatropa uclueletensis</i>	Huntsman 1912
<i>Katatropa vancouverensis</i>	Huntsman 1912

<i>Tethyum truncatum</i>	of Hartmeyer 1909-1911
<i>Symplegma reptans</i>	(Oka 1927)
<i>Synstyela reptans</i>	Oka 1927
<i>Symplegma brakenhielmi</i>	of SCAMIT Ed 9
<b>Family Pyuridae</b>	
<i>Bathypera feminalba</i>	Young & Vazquez 1995
<i>Bathypera ovoida</i>	(Ritter 1907)
<i>Halomolgula ovoida</i>	Ritter 1907
<i>Bathypera splendens</i>	Herdman 1923 in part
<i>Boltenia echinata</i>	(Linnaeus 1767)
<i>Ascidia echinata</i>	Linnaeus 1767
<i>Ascidia hirsuta</i>	Agassiz 1850
<i>Boltenia hirsuta</i>	of Huntsman 1912
<i>Cynthia arctica</i>	Hartmeyer 1899
<i>Cynthia echinata</i>	of Stimpson 1854
<i>Halocynthia echinata</i>	of Ritter 1913
<i>Boltenia villosa</i>	(Stimpson 1864)
<i>Cynthia villosa</i>	Stimpson 1864
<i>Halocynthia castaneiformis</i>	of Ritter 1913
<i>Halocynthia villosa</i>	of Ritter 1907
<i>Halocynthia igaboja</i>	Oka 1906
<i>Halocynthia okai</i>	Ritter 1907
<i>Pyura okai</i>	of Hartmeier 1909-1911
<i>Tethyum igaboja</i>	of Huntsman 1912
<i>Microcosmus squamiger</i>	Hartmeyer & Michaelsen 1926
<i>Microcosmos exasperatus</i>	of authors NEP not Heller 1878
<i>Pyura haustor</i>	(Stimpson 1864)
<i>Cynthia haustor</i>	Stimpson 1864
<i>Cynthia erecta</i>	Ritter 1900
<i>Cynthia macrosiphonus</i>	Ritter 1900
<i>Halocynthia haustor</i>	of Ritter 1909
<i>Halocynthia haustor foliacea</i>	Ritter 1913
<i>Halocynthia johnsoni</i>	Ritter 1909
<i>Halocynthia washingtona</i>	Ritter 1913
<i>Pyura lignosa</i>	Michaelsen 1908
<i>Pyura mirabilis</i>	(von Drasche 1884)
<i>Cynthia mirabilis</i>	von Drasche 1884
<i>Halocynthia mirabilis</i>	of Oka 1906
<i>Microcosmus transversus</i>	Ritter 1907
<b>Family Molgulidae</b>	
<i>Bostrichobranchus pilularis</i>	(Verrill 1871)
<i>Molgula pilularis</i>	Verrill 1871
<i>Eugyra arenosa californica</i>	Van Name 1945
<i>Molgula ficus</i>	(Macdonald 1859)
<i>Caesira ficus</i>	Macdonald 1859
<i>Molgula manhattensis</i>	(DeKay 1843)
<i>Ascidia manhattensis</i>	DeKay 1843
<i>Molgula napiformis</i>	G. Lambert 1993
<i>Molgula pugetiensis</i>	Herdman 1898
<i>Caesira apoploa</i>	Huntsman 1912
<i>Caesira pugetiensis</i>	of Huntsman 1912
<i>Molgula regularis</i>	Ritter 1907
<i>Caesira regularis</i>	of Hartmeyer 1901-1911
<i>Euritteria regularis</i>	of Huntsman 1922
<i>Molgula sp SD1</i>	Lilly 1999 §

Subphylum Cephalochordata

Class Leptocardii

#### Family Branchiostomatidae

*Branchiostoma californiense* (Andrews 1893)

