

A TAXONOMIC LISTING OF BENTHIC MACRO- and MEGAINVERTEBRATES

from
Infaunal & Epifaunal Monitoring and Research Programs in the Southern
California Bight

EDITION 8

1 July 2013



Prepared by

The Southern California Association of Marine Invertebrate Taxonomists
Natural History Museum of Los Angeles County Research & Collections
900 Exposition Boulevard Los Angeles, CA 90007

The editors of this list intend that it undergo regular updates. SCAMIT hopes to maintain the list as a document useful to those involved with monitoring programs within the Southern California Bight. To this end we solicit the users' assistance. Please forward any comments, corrections, or suggested additions you may have to:

Donald B. Cadien or
dcadien@lacsdo.org

Marine Biology Laboratory
County Sanitation Districts
of Los Angeles County
24501 S. Figueroa St.
Carson, CA 90745

Lawrence L. Lovell
llovell@lacsdo.org

Marine Biology Laboratory
County Sanitation Districts
of Los Angeles County
24501 S. Figueroa St.
Carson, CA 90745

This document is available to members for downloading in Portable Document Format (pdf) at the SCAMIT web site (www.scamit.org). To view or download the document you must have the Adobe Acrobat Reader which allows you to view or print pdf files. The reader is distributed by Adobe free of charge and may be downloaded from their web site (www.adobe.com).

Copyright © 2013 by the Southern California Association of Marine Invertebrate Taxonomists
This material may not be duplicated and resold.
Permission to copy or use is hereby granted subject to inclusion of this copyright notice.



Southern California Association of Marine Invertebrate Taxonomists

A TAXONOMIC LISTING OF BENTHIC MACRO- and MEGAINVERTEBRATES

from

Infaunal and Epifaunal Monitoring and Research Programs in the Southern California Bight

Prepared by

The Southern California Association of Marine Invertebrate Taxonomists

Donald B. Cadien and Lawrence L. Lovell, editors

EDITION 8

Taxonomic standardization, assuring that the same name is applied to an organism by different taxonomists each time that organism is encountered, is an important quality control concern in any biological monitoring program. Compatibility of taxonomic data generated by agencies and organizations contributing to regional monitoring programs is essential if the full value of these surveys is to be realized. There are two obstacles to achieving the goal of standardization: the complexity and fluidity of invertebrate taxonomy; and the differences in expertise, experience, and opinion of taxonomists involved in monitoring within the region. While these obstacles hinder us from achieving uniformity, a great deal can be accomplished in its pursuit. Central to that effort is regional cooperation and communication among the taxonomists responsible for the surveys.

The Southern California Association of Marine Invertebrate Taxonomists (SCAMIT) was formed in 1982 to promote the study of invertebrate taxonomy and develop a standardized taxonomy of marine invertebrates within the region. Its membership includes most of the taxonomists responsible for conducting infaunal and epifaunal monitoring programs in Southern California coastal waters. SCAMIT's activities include monthly meetings, workshops, and communication of taxonomic information to its membership through a newsletter and website (www.scamit.org/).

This list of invertebrates from benthic habitats of the Southern California Bight (SCB) is a contribution of SCAMIT toward the development of regionally coordinated monitoring within the Bight. This edition updates Edition 7 of July 2012, and continues SCAMIT's efforts to compile and maintain a list of species for which taxonomy is believed standard within the region. That is, a list of species names that are uniformly and consistently applied to organisms in research and monitoring programs within the region. Like earlier editions, this is a conservative document constrained by both the information base from which it is derived and by the criteria for inclusion of taxa on the list.

Caution is required in the use of this or any other "master species" list. Taxonomic listings do not in themselves constitute standardization of taxonomic usage. They are only tools that contribute to standardization, both as a product and in the process of their development and maintenance. Those

responsible for developing regional monitoring should not attempt to impose on contributing surveys an artificially rigid taxonomy based upon a static list of standard names. Such an approach would inevitably lead to poorer quality survey data. Some differences in taxonomy and nomenclatural usage will continue to appear in data sets originating from contributing surveys. Most of these will reflect either change in the species encountered or new revisionary work. Some will represent non-standard usage despite efforts such as this listing and other activities of SCAMIT. Regional data-management systems must allow both growth and emendation to their species lists to conform to current usage. Ranasinghe *et al* (2003b) evaluated the success of quality assurance taxonomic standardization in the second regional monitoring survey Bight '98 (B'98) and provided some idea of both the value of the contributions to standardization made to date and the magnitude of the unresolved issues.

Edition 7 was the first edition available only on-line. It was available as a document in Portable Document Format (pdf), which is fully searchable. This renders the Index provided in previous editions obsolete, and none is provided. The present Edition 8 is another step in the evolution to a fully interactive on-line list, where comments and questions regarding the list contents can be made by users in real-time. Future lists will be linked to other resources on the internet, providing additional information on the species covered. We have not yet accomplished this, but look forward to doing so in the near future.

COVERAGE OF EDITION 8

This document provides a list of macroinvertebrates and megainvertebrates from both soft and hard bottom habitats of the SCB. Holoplanktonic species are not included in the list. For the purposes of the list, macroinvertebrates are defined as those organisms retained upon a 0.3 mm or larger mesh screen. Epibenthic megainvertebrates are defined as benthic organisms captured in otter trawls and having a body dimension greater than 1 cm. The list draws from sampling programs that have been in existence since as early as 1970 (see table of contributors). Over that period, sampling frequencies and station locations have varied but gear types and methods have been stable. The list reflects organisms collected from thousands of samples within the habitats covered. Most records are from soft substrate on the inner to mid shelf within the SCB, but increasingly information on other habitats from the intertidal to the near-shore basins is also represented. Records in the published literature are not sufficient for inclusion, only actual examined specimens form the basis for this listing. There are 3140 species-level taxa on the list representing 18 phyla, 40 classes, 127 orders, and 698 families; less than a 2% increase in included species over the previous edition.

Geographic coverage is from Point Conception, California to Bahía Todos Santos, Baja California Sur, Mexico in intertidal to 1000m depths. As in previous editions, the information on which the list is based

Contributing Programs

LARGE DISCHARGE MONITORING PROGRAMS

City of Los Angeles, Bureau of Sanitation,
Environmental Monitoring Division
County Sanitation Districts of Los Angeles
County
Orange County Sanitation District
City of San Diego, Public Utilities Department

SMALL DISCHARGE MONITORING PROGRAMS

Goleta Sanitary District City
of Santa Barbara
Carpenteria Sanitary District
City of Oxnard
South East Regional Reclamation Authority
City of Oceanside
Encina Water Pollution Control Facility
San Elijo Joint Powers Authority
City of Avalon
International Treatment Plant

MISCELLANEOUS STUDIES

Terminal Island Treatment Plant Outfall Study
Tijuana Ocean Engineering Study
LACSD Reference Survey
San Diego Sediment Mapping Study
San Diego Deep Benthic Pilot Study

REGIONAL SURVEYS

- Southern California Coastal Water
Research Project Reference Surveys
1994 Southern California Bight Pilot Project
(SCBPP)
- Southern California Bight 1998, 2003, and 2008
Regional Monitoring Projects (B'98, B'03, B '08)

comes from survey data collected in monitoring programs of publicly owned wastewater treatment works (POTWs). Coverage within the Bight is biased by the distribution of sampling efforts associated with these programs. The largest of these are centered on the metropolitan areas of Los Angeles/Orange County and San Diego. The fauna from shelf and upper slope depths in these areas is well represented. North of the Los Angeles region, monitoring programs are fewer in number and smaller in scale. Consequently, the fauna of the northern Bight is under-represented. Records from Regional Monitoring Surveys in 1994, 1998, 2003, and 2008 (Allen *et al.* 1998, 2002, 2007, 2012; Bergen *et al.* 1998; Ranasinghe *et al.* 2003a, 2007, 2012) improve coverage in this northern region as well as between POTW monitoring areas. Coverage is poorer south of the US/Mexico border where the only records come from monitoring of the South Bay Ocean Outfall (south to Punta Banderas) and the Mexican component of the Bight '98 Regional Survey (south to Bahía Todos Santos). Records from estuaries, bays, and harbors taken in regional monitoring programs are included here. Salinities may be reduced in such enclosed habitats, but records from waters of less than 12ppt salinity are excluded. This represents the midpoint of mesohaline water salinities, where euryhaline marine species reach their distributional endpoint, and estuarine endemics occur (Boesch 1978). Organisms from fresher oligohaline waters, those characterized as fresh-water species, are not covered in this listing

Most sampling effort has been expended at mid shelf depths of 40 to 80 meters and the fauna from this range is better represented than that of shallower or deeper waters. More information on slope and basin habitats is becoming available, but depths between 300 and 1000m are still poorly represented in Edition 8. Most source programs are restricted to subtidal soft-bottom monitoring, but records from both rocky and soft intertidal habitats and fouling are also included, beginning with Edition 6. Coverage will be far less comprehensive for these habitats initially, but in future editions will approach that of the central shelf. Records are derived from a broad spectrum of sources. Many cooperative programs are underway by state, federal, and other agencies which sample embayments or open coastal intertidal and shallow subtidal habitats. In this edition numerous records from Introduced Species Studies conducted within the SCB were included. Other efforts designed to quantify effects of anthropogenic contaminants and other human usages in bays, harbors and estuaries are also continuing. These include the long series of EMAP programs along the entire west coast of North America, sampling to develop sediment quality objectives, and other efforts. Only records from within the covered geographic portion of these broad scale programs will be included in this listing. Only those records either generated by or subsequently reviewed by SCAMIT member taxonomists or SCAMIT associated taxonomists are admissible. The requirement that use of the included taxon name be standardized within the region is in force here as well.

PROCESS OF COMPILED

Because all subsequent editions build on the original, the description of the information sources and compilation process which produced Edition 1 (March, 1994) is restated below.

The base list was compiled from encountered-species lists from the infaunal monitoring programs of the Bureau of Sanitation, Environmental Monitoring Division, City of Los Angeles (CLA,EMD); the County Sanitation Districts of Los Angeles County (CSDLAC); the County Sanitation Districts of Orange County (CSDOC); and the Metropolitan Wastewater Department, City of San Diego (CSD,MWD). The encountered-species lists provided by these agencies covered a range of time spans, from eight to more than 20 years. The base list was broken into phylogenetic groupings (phylum or class level) for review by SCAMIT members with expertise in each group and knowledge of the history of the programs from which the data were derived. This latter factor is important given the long term nature of the programs from which the list was derived. These programs have been in

place since as early as 1972. There is substantial potential for confusion of species identities because of the many taxonomists involved over the period. Every species name on the base list was subject to review and discussion prior to acceptance on the final list. Names retained were those 1) found to have been applied to taxa recognized as unique and 2) for which consensus among SCAMIT reviewers existed as to the name used to represent these taxa. Consensus here does not imply unanimity of opinion, but an agreement to accept a standard use of a name in the interest of regional conformity. Conflicts of opinion were resolved by review of appropriate literature and, in many cases, re-examination of voucher specimens by the reviewers.

Following compilation of the list from the four largest programs, encountered-species lists from monitoring programs conducted by the smaller POTWs in the Bight and studies by the Southern California Coastal Water Research Project (SCCWRP) were reviewed. This latter stage was hindered by the general absence in the smaller monitoring programs of easily accessible databases from which to draw encountered-species lists, frequent changes in contractors performing the sample analysis, and the unavailability of the taxonomists responsible for the data. The encountered-species lists received were typically from the most recent surveys, although the actual time spans were not given. Approximately 10% of the species on the final list were added as a result of review of the small POTW encountered-species lists.

The process of compilation resulted in a list, which is generally exclusive in nature. Many taxa names reported in the contributed species lists were eliminated by the reviewers, frequently because of the absence of voucher specimens or documentation allowing their confirmation. Inevitably, some taxa names eliminated will later be found acceptable. In addition, voucher specimens were not examined in all cases and some taxa deemed uncontroversial may later be discovered to be inconsistent in application or otherwise unacceptable. It is anticipated that this list will grow and change during future updates.

The first edition (1994) drew upon the encountered-species lists of 16 infaunal monitoring programs in the region. Subsequent editions built upon the first through a similar process of addition and emendation. In each edition newly detected taxa were added, nomenclatural revisions were incorporated, and errors in the previous edition corrected. Previously listed names found to be based upon doubtful or unverifiable records were dropped from the list. Provisional species names lacking adequate characterization or uniformity of application within the region were also dropped.

The second edition (1996) included, for the first time, epibenthic invertebrates taken in trawl surveys within the Bight as well as new records from the surveys conducted as part of the 1994 Southern California Bight Pilot Project. This regional project included surveys of mainland coastal soft-bottom infaunal and epibenthic communities from Pt. Conception to the US/Mexico border, employing the same techniques used in POTW monitoring programs.

The third edition (1998) was enlarged by the inclusion of abbreviated synonymies. These presented both valid synonyms and synonyms based upon nomenclatural usage. They were not exhaustive, but rather sought to provide examples of the various combinations under which a name has occurred with an emphasis on usage in the Southern California Bight and the Northeast Pacific. An explanation of the notation employed in synonymies is provided below.

The fourth edition (2001) continued to grow in coverage by accretion. Abbreviated synonymies were enlarged as more information became available. The range of habitats examined expanded by inclusion of results of the second regional survey (B'98), which sampled bays, estuaries, offshore island shelves, and northwestern Baja California.

The fifth edition (2008) incorporated additional records from habitats little covered in previous editions, particularly the upper continental slope, bays and harbors. It reflected many changes,

particularly in the higher structure of the nomenclatural hierarchy, published in the last decade, even revising the number of phyla included in coverage. It reported additional taxa taken in the B'03 Regional Monitoring Study, expanded coverage into the intertidal zone, and incorporated non-POTW or regional monitoring efforts within the acceptable coverage limits.

The sixth edition (2011), seventh edition (2012) and eighth edition (2013) continue the coverage expansions begun earlier, filling in increasing numbers of species from embayment and rocky and sandy intertidal sampling. Described species and most provisional species added during the B'08 regional monitoring were included. Continued changes to higher classification from on-going molecular and combined molecular/morphological based phyletic reexaminations were incorporated. Edition six was the first to benefit from the Species List Review Committee. Their efforts increased the effectiveness of the review, and have been continued in preparation of the seventh and eight editions.

CONVENTIONS

Arrangement of the list is hierarchical. The categories used are phylum, subphylum, class, subclass, infraclass, superorder, order, suborder, infraorder, tribe, superfamily, family, subfamily, genus (subgenus) and species. For ease of use each taxonomic category is offset from the next higher category. Each category above genus is, moreover, indicated directly by inclusion with the taxon name itself to avoid ambiguity (e.g., Subphylum Echinzoa). Arrangement of families is phylogenetic when information is available, and alphabetic otherwise. Genera, and species within them, are arranged alphabetically within each family or subfamily, as appropriate. Authorship is attributed in conformance with ICZN rules. The listing of genus-level identifications (e.g., *Bimeria* sp) represents the degree to which the identities of these taxa are known in the region. This form is also used in cases where the only specimens representing the genus were indeterminable due to absence of diagnostic characters. It is regional practice in monitoring programs to identify some groups of organisms at family or higher level. An example is harpacticoid copepods, which are reported at the ordinal level. For these taxa the term **unidentified** appears in the binomen position. The level at which they are typically reported is indicated by the lowest level taxon provided in the hierarchy.

The degree of detail in the use of higher taxonomic categories varies between groups. In groups where there are both large numbers of species and wide variations in form, numerous categories are listed between the phylum and genus level (arthropods, for example). In poorly represented groups with few species (e.g., cephalochordates) there may be few categories listed between phylum and family.

Within the list the following typographic conventions have been employed:

PHYLUM LEVEL IS ALL CAPS

Family and Subfamily levels are bolded

Genus and species are in italics

Synonyms are indented below currently accepted binomens and not italicized

Included in the list are a number of unpublished provisional species names erected by workers in the area. These names are applied to organisms suspected of being new species or whose identities cannot be determined from available literature. Provisional names are typically in the form of a genus name followed by the word **species** (abbreviated as **sp**) and an alphabetic, alphanumeric, or

numeric designator. In provisional binomials, the generic level name is italicized, while the specific name is not. Synonyms are left un-italicized to help clarify their status. In cases where the allocation of a taxon is uncertain, the levels at which uncertainty exists are indicated (*e.g.*, family uncertain, suborder uncertain, etc.). Ideally, a provisional name is provided as a temporary designation pending resolution of the organism's identity through further research or publication. In practice, many have become long standing, stable, and widely recognized taxa names within the region. Some are actually published, and this is reflected in their authorship. Of the 307 provisional taxa included in Edition 8, some date back to the 1970's. Many of the provisional taxa recognized by SCAMIT member taxonomists have now been described either by the members themselves or by other taxonomists. You will find them on this list as synonyms of formally described taxa. All listed provisionals have been subject to examination and their descriptions distributed through the activities of SCAMIT (1982 to present) or its antecedent, the SCCWRP Taxonomic Standardization Program (1973-1980). For these reasons, as well as the significant proportion (10 %) of the listed taxa they represent, these provisional species names are included in the list. The unpublished provisional names are distinguished from formally erected species and provisional names published in the literature by the symbol § following the author. Authorship is attributed for provisional names to tie them to specific diagnoses. Attribution of authorship of these unpublished names **does not** follow a rule of priority, but attempts to indicate the most recent and/or complete source of information regarding the species. The date provided represents the date of distribution of diagnoses or descriptions. Provisional species names for which there is no regional recognition or available diagnoses are not included. These are numerous, and usually become provisional names whose usage is regionally standardized as voucher sheets on them are distributed.

Three conditional designations are used in the list. The terms **conferre** and **near** (abbreviated as **cf** and **nr**) inserted in the binomen indicates that the organism closely resembles the nominal species but its actual identity is in question. The term **complex** (**Cmplx**) appended to a name indicates that the listed taxon is recognized as having a high degree of poorly defined variability and may belong to an incompletely discriminated group of species.

The first entry in the synonymy is the name as originally described if it differs from that listed as currently used. Otherwise entries are in alphabetical order. The form in which authorship is provided is used to distinguish the nature of the entries. Examples of the forms used and their meaning are provided below.

Schmitt 1921	Synonym
Schmitt 1921 in part	Partial synonymy
of Holmes 1900	Variant generic placement or variant orthography
of Schmitt 1921 not Blazor 1899	Specific instance of incorrect usage
of authors not Bates 1885	Incorrect usage by several authors
of authors SCB not Baird 1863	Incorrect usage regionally by several authors

Usage cited as "of authors" is not restricted to usage in the literature, but also includes usage in survey results and reports. The acronyms NEP and SCB stand for Northeast Pacific and Southern California Bight respectively.

Each new edition in the past has had name changes and new entries from the previous edition. These modifications were not listed or noted prior to Ed 5, making them hard to find for taxonomists and database managers who were concerned with updating species lists. In Edition 8 all changes from Ed 7 are noted **in red colored font**. This will make finding and noting changes much easier. Rules were established for red color fonting. The rules highlight the changes to Ed 7

that taxonomists and database managers should be aware of when reporting binomials, authors, or hierarchical position of taxa.

- 1) New name not in Ed 7 (upper hierarchical addition, new species addition either as valid name or synonym).
- 2) Change in status of synonym, elevation to valid name.
- 3) Change in status of valid name, placed in synonymy.
- 4) Spelling correction, red fonting the changed name either genus or species (not the entire binomen) or author.
- 5) Correction to authorship attribution.
- 6) Change in assigned genus.
- 7) **Change in placement within the hierarchy.**

AUTHORITY LIST FOR TAXONOMIC INFORMATION

A broad range of sources was used in construction of this hierarchical listing of organisms. The overall basis is that embodied in “An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific” (Austin 1985). This classification has been superceded in a number of areas by investigations over the past quarter century which aimed to put animal classification on a more phylogenetic basis. These investigations initially used cladistic methods to reassess relationships based on morphological characters. More recent contributions typically utilize molecular data based on sequencing of DNA or protein coding genes. Use of the weight of evidence approach, which combines molecular, morphological, paleontological, and developmental lines of evidence has become increasingly common. These investigations are ongoing, and much uncertainty remains for many groups. A recent synthesis (Cracraft & Donoghue 2004), while still imperfect, can serve as a consensus base for updating the hierarchical relationships used by Austin. Where groups have been revised at higher level based on phylogenetic information in Cracraft & Donoghue, it is so indicated under each group below.

The formation of superfamily names follows recommendation 29A of the “International Code of Zoological Nomenclature” (Ride 1999). With this exception and those listed below, all of the classification above genus-level is derived from Austin (op. cit.). Genus-level taxa names and the distribution of species among genera are derived from multiple sources in the recent literature. Congruence of this list with the World Register of Marine Species (<http://www.marinespecies.org>) is checked and differences are resolved on a case by case basis by the SCAMIT Species List Review Committee. Differences in this list from the treatment in WoRMS are intentional, and reflect the position of SCAMIT on issues in dispute within the taxonomic community.

Phylum Porifera

This taxon was found to be paraphyletic, and has been separated into two phyla Silicea and Calcarea (see Eernisse & Peterson 2004). In their taxonomic reassessment of the sponges Hooper & van Soest (2002) discussed, but did not adopt this conclusion. It is followed here. Silicea consists of Demospongia and Hexactinellida, while Calcarea consists of the calcareous sponges only. Organization within the sponges below phylum level follows Hooper & van Soest, although level of nominal categories may be changed in conformance with the adoption of the two phylum system. Exceptions to this are based on Lee et al 2007.

Use of subfamilial names in Geodiidae follows Cardenas et al 2010.

Phylum Cnidaria

Modifications follow Cairns et al 2002 unless otherwise indicated.

Placement of Oplorhiza in Campanulinidae follows Hochberg & Ljubekov 1998.

Placement of species not recorded by Austin follows Ljubekov 1980.

Most cases which vary from Cairns *et al* are based on information in either the World

Hexacorallian Database (<http://hercules.kgs.ku.edu/hexacoral/anemone2/index.cfm>)

or the World Hydrozoan Database (<http://www.marinespecies.org/hydrozoa/>).

Phylum Platyhelminthes

Developments in the understanding of this group have been numerous and far-reaching. The traditional phylum Platyhelminthes as used by Austin has been modified to exclude the Acoela, which with the Nemertodermatida form the Acelomorpha, now considered the sister taxon to all other bilaterians (see Eernisse & Peterson 2004, Littlewood et al 2004). No acoels have yet been taken by surveys within the SCB, and so this change is not reflected in the listing. Other high-level changes within this phylum do require some modifications of the hierarchy as used in Austin, but are also only needed for forms not yet reported on the list. The classification of the Polycladida generally follows Faubel (1983, 1984), with some input from Prudhoe 1985.

Phylum Nemertea

Treatment of Cerebratulidae as Cerebratulinae within Lineidae follows MacEwen 1980.

Phylum Mollusca

The Class Aplacophora as used by Austin has been suggested to be paraphyletic (see Salvini-Plawen & Steiner 1996, Haszprunar 2000), although there is still not complete agreement on the issue (see Scheltema 1996 for a dissenting opinion). The paraphyly seems clear, although just how the Solenogastres and Caudofoveata are related to the Polyplacophora is not (see discussions in Lindberg *et al.* 2004, Salvini-Plawen 2003). The use of the subphyla Adenopoda and Scutopoda follows the recommendations of Barwick & Cadien 2005.

Nomenclature within the chitons follows Stebbins & Eernisse 2009 where it differs from Austin.

Placement of Class Monoplacophora in the Subphylum Conchifera follows Hazprunar *et al.* 2008.

Year of publication for taxa erected by Reeve, the Sowerbys, and Gray follows Petit 2007, 2009, and 2012.

Year of publication for taxa erected by P. P. Carpenter between 1864 and 1866 follows Palmer 1958.

General classification of the Gastropoda, and most specifics as well, follows Bouchet & Rocroi 2005 (with Linnaean categories assigned to their clades).

Classification of the vetigastropod families Scissurellidae and Anatomidae follows Geiger 2012

Classification of the vetigastropod superfamilies Trochoidea and Turbinoidea follows Williams 2012 and Williams et al 2008

Nomenclature embodied in McLean 2007 was incorporated.

Elevation of Cysticinæ to family rank follows Covert & Covert 1995.

Allocation of genera to families within the Superfamily Conoidea follows Bouchet et al 2011. Phylogenetic arrangement of the families follows Puillandre et al 2011 and is based on their 3 gene derived phylogeny..

Allocation of heterobranch taxa at suprageneric levels follows Mikkelsen 1996.

Placement of *Iselica* in Amathinidae follows Turgeon et al 1998.

Use of Stiligeridae instead of Hermaeidae follows Turgeon et al. 1998.

Placement of *Olea* in Stiligeridae follows Turgeon et al 1998.
Use of Cyllichnidae instead of Scaphandridae follows Turgeon et al 1998.
Placement of *Pleurobranchaea* in Pleurobranchaeidae follows Behrens 2004.
Within the Order Nudibranchia superfamily-level taxa are from Abbott 1974; allocation of genera among families follows Behrens 2004.
Classification of the Bivalvia follows Coan, et al 2000, with modifications based on Taylor et al 2007, and Valentich Scott & Skoglund 2010 (Pandoridae only), with additional modifications based on Bieler et al 2010, and Oliver & Taylor 2012.
Innovations to both individual species, generic, familial, and higher classifications by Coan & Valentich Scott 2012 are included throughout the Bivalvia.
Genus and family allocations in Scaphopoda follow Shimek 1995; groups not covered in Shimek follow Turgeon et al 1998.
Formulation of higher taxon names within cephalopods follows Sweeney & Roper 2000, as modified by Nishiguchi & Mapes 2008.

Phylum Sipuncula

Classification follows Cutler 1994, except that Golfiniiformes rather than Golfiniiformes is used following Edmonds 2000b. The validity of this morphologically derived system was reinforced by recent combined evidence (morphological/molecular) analysis (Schulze et al 2007).

Phylum Echiura

Class Echiuridea is used rather than Class Echiurida following Edmonds 2000a.
(While recent evidence suggests this group nests within the Polychaeta, it has been retained separate here pending resolution of affinities within that group. The polychaete subclade that best accommodates the echiurans remains at issue.)

Phylum Annelida

Classification of the Class Polychaeta follows Rouse & Fauchald 1997 and Rouse & Pleijel 2001.
Placement of *Travisia* within the Scalibregmatidae follows Bleidorn et al 2003.
Use of Acoetidae instead of Polyodontidae follows Pettibone 1989.
Use of Pholoidae instead of Pholididae follows Pettibone 1984.
Placement of *Pholoe* in Pholoidae follows Pettibone 1992.
Use of Pilargidae instead of Pilargidae follows Licher 1994.
Revisions within the Syllidae follow Aguado & San Martin 2009, Aguado et al 2011, Lattig & Martin 2009, and San Martin et al 2009.
Nomenclature within the Glyceridae follows the revision of Böggemann 2002, with exceptions.
Nomenclature within the Goniadidae follows the revision of Böggemann 2005, with exceptions.
Use of Nereididae instead of Nereidae follows Pettibone 1971.
Use of Oenonidae instead of Arabellidae follows Orensan 1990.
Inclusion of the Siboglinidae in the Sabellida follows Rouse & Pleijel 2001.
Elevation of Fabriciinae to Fabriciidae follows Huang, Fitzhugh, & Rouse 2013.
Placement of *Raricirrus* in Ctenodrilidae, follows Petersen & George 1991.
Generic changes within the Flabelligeridae follows Salazar-Vallejo 2007, 2012.
Placement of *Artacamella* in Trichobranchidae follows Holthe 1977.
Use of Longosomatidae instead of Heterospionidae follows Borowski 1995.
Use of Tubificidae to instead of Naididae follows Erseus & Gustavsson 2002.

Arrangements of subfamily assignments within the Polychaeta follow:

- Ampharetidae - Fauchald 1977.
- Maldanidae – Fauchald 1977.
- Nereididae – Fitzhugh 1987.
- Phyllodocidae – Pleijel 1991.
- Polynoidae – Salazar-Silva 2006.
- Sabellariidae – Kirtley 1994.
- Sabellidae – Fitzhugh 1989.
- Serpulidae – Fitzhugh 1989.
- Syllidae – Fauchald 1977.
- Terebellidae – Fauchald 1977.

Phylum Arthropoda

- Subphylum taxa are from Brusca & Brusca 2003.
- Arrangement and nomenclature within the Pycnogonida follows Bamber 2007.
- Within Subphylum Crustacea the revised classification of Martin & Davis 2001 (with some emendation from McLaughlin et al 2005) is adopted.
- Mysid subfamily arrangement follows the cladistic analysis of Meland & Willassen 2007.
- Ordering of the family taxa within Amphipoda follows Bousfield & Shih 1994 and Bousfield 2001, and adopts his infraordinal and superfamily concepts in most cases.
- Allocations of taxa and systematic arrangement within superfamilies of amphipods follow:
 - Corophioidea – Myers & Lowry 2003.
 - Lysianassoidea – Cadien 2007, as modified by Lowry & Stoddart 2012a, b.
 - Stegocephaloidea – Berge & Vader 2001.
 - Talitroidea – Serejo 2004.
- Removal of the *Maera*-clade of amphipods from the Melitidae to their own family follows Krapp-Schickel 2008.
- Subordinal and superfamilial taxa in Isopoda follow Brandt & Poore 2003.
- Family allocations in Anthuridea follow Poore 2001.
- Family allocations in the Tanaidacea follow Larson & Wilson 2002.
- Nomenclature within the Order Decapoda follows De Grave et al 2009, with galatheoids after Ahyong et al 2010.

Phylum Echinodermata

- Differences in classification above family are from Maluf 1988, or Kroh & Smith 2010.
- Arrangement of Ophiuroidea follows suggestions of Smith et al 1995

Phylum Phorona

- No exceptions.

Phylum Brachiopoda

- Placement of *Terebratalia* in Dallinidae follows Hochberg 1996.

Phylum Ectoprocta

- Use of Annectocymidae instead of Diaperoeciidae follows Soule et al 1995.
- Use of Candidae instead of Scrupocellariidae follows Soule et al 1995.
- Placement of *Cauloramphus* in Calloporidae follows Soule et al 1995.
- Placement of *Celleporaria* in Celloporariidae follows Soule et al 1995.

Phylum Chordata

- No exceptions.

ACKNOWLEDGEMENTS

The editors would like to thank the members of the Species List Review Committee and the large number of SCAMIT members who have devoted their time to the origination and maintenance of this taxonomic listing. Comments from non-SCAMIT members have also been received, and are always welcome. The application of many sets of eyes to this list has helped eliminate many errors during its development. While Edition 8, like previous ones, will undoubtedly have errors, these are the responsibility of the editors alone.

LITERATURE CITED

- Abbott RT. 1974. *American Seashells*, second edition. New York (NY). Van Nostrand Reinhold Co. 663pp.
- Ahyong ST, Baba K, MacPherson E, Poore GCB. 2010. A new classification of the Galatheoidea (Crustacea: Decapoda: Anomura). *Zootaxa* 2676:57-68.
- Aguado, MT & San Martin G. 2009. Phylogeny of Syllidae (Polychaeta) based on molecular data. *Zoologica Scripta*, 38:379-402.
- , ----- & Siddall ME. 2011. Systematics and evolution of syllids (Annelida, Syllidae). *Cladistics*, 27:1-17.
- Allen MJ, Cadien DB, Miller E, Diehl DW, Ritter K, Moore SL, Cash C, Pondella DJ, Racor-Rands C, Thomas C, et al. 2011. Southern California Bight 2008 Regional Monitoring Program: Volume IV. Demersal Fishes and Megabenthic Invertebrates. Southern California Coastal Water Research Project, Costa Mesa, Ca. Technical Report 655.
-, Groce AK, Diener D, Brown J, Steinert SA, Deets G, Noblet JA, Moore SL, Diehl D, Jarvis ET, et al. 2002. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 1998 Regional Monitoring Program V: 1-572. Westminster (Ca). Southern California Coastal Water Research Project.
-, Mikel TK, Cadien DB, Kalman JE, Jarvis ET, Schiff KC, Diehl DW, Moore SL, Walther S, Deets G, et al. 2007. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight 2003 Regional Monitoring Program IV: 1-339. Newport Beach (Ca). Southern California Coastal Water Research Project.
-, Moore SL, Schiff KC, Weisberg SB, Diener D, Stull JK, Groce A, Mubarak J, Tang CL, Gartman R. 1998. Demersal Fishes and Megabenthic Invertebrates. Southern California Bight Pilot Project V: 1-365. Westminster (Ca). Southern California Coastal Water Research Project.
- Austin WC. 1985. *An Annotated Checklist of Marine Invertebrates in the Cold Temperate Northeast Pacific*, vols. 1, 2 & 3. Cowichan Bay (British Columbia). Khoyatan Marine Laboratory.
- Bamber RN. 2007. A holistic re-interpretation of the phylogeny of the Pycnogonida Latreille, 1810 (Arthropoda). *Zootaxa* 1668:295-312.
- Barwick K, Cadien DB. 2005. Aplacophore mollusks of the 2003 Regional Monitoring Survey of the Southern California Bight. *SCAMIT Newsletter* 23 (Supplement):1-73.
- Behrens DW. 2004. Pacific Coast Nudibranchs, Supplement II. New species to the Pacific Coast and new information on the oldies. *Proceedings of the California Academy of Sciences* 55(2):11-54.
- Berge J, Vader W. 2001. Revision of the amphipod (Crustacea) family Stegocephalidae. *Zoological Journal of the Linnean Society* 133:531-592.
- Bergen M, Weisberg SB, Cadien DB, Dalkey A, Montagne D, Smith RW, Stull JK, Velarde RG. 1998. Benthic Infauna. Southern California Bight Pilot Project: IV:1-53. Westminster (Ca). Southern California Coastal Water Research Project.

- Bieler R, Carter JC, Coan EV. 2010. Classification of Bivalve Families. *Malacologia* 52(2):113-184.
- Bleidorn C, Vogt L, Bartolomaeus T. 2003. New insights into polychaete phylogeny (Annelida) inferred from 18S rDNA sequences. *Molecular Phylogenetics and Evolution* 29: 279-288.
- Boesch DF. 1978. A new look at the zonation of benthos along the estuarine gradient. Pp. 245-266 IN: Coull BC, ed. *Ecology of Marine Benthos*. University of South Carolina Press. 467pp.
- Böggemann M. 2002. Revision of the Glyceridae Grube 1850 (Annelida: Polychaeta). *Abhandlungen der Senckenbergischen naturforschenden Gesellschaft Frankfurt am Main* 555:1-249.
- , 2005. Revision of the Goniadidae (Annelida, Polychaeta). *Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg* (NF) 39:1-354.
- Borowoski C. 1995. New records of Longosomatidae (Heterospionidae) (Annelida, Polychaeta) from the abyssal southeast pacific, with description of *Heterospio peruviana* sp. n. and general remarks on the Family. *Mittheilungen aus den Hamburgischen Zoologischen Museum und Institut* 92 (Ergänzungsband 1):129-144.
- Bouchet P, Kantor YI, Sysoev A, Puillandre N. 2011. A new operational classification of the Conoidea (Gastropoda). *Journal of Molluscan Studies* 77:273-308
- , Rocroi JP. 2005. Classification and Nomenclator of Gastropod Families. *Malacologia* 47 (1-2):1-397.
- Bousfield EL. 2001. An updated commentary on phyletic classification of the amphipod Crustacea and its application to the north American fauna. *Amphipacifica* 3(1):49-119.
- , Shih, CT. 1994. The phyletic classification of amphipod crustaceans: problems in resolution. *Amphipacifica* 1(3):76-134.
- Brandt A, Poore GCB. 2003. Higher classification of the flabelliferan and related Isopoda based on a reappraisal of relationships. *Invertebrate Systematics* 17:893-923.
- Brusca RC, Brusca GJ. 2003. *Invertebrates*. 2nd Ed. Sunderland, Massachusetts: Sinauer Associates, Inc. 936pp.
- Cadien DB. 2007. Review of the Lysianassoidea of the Northeast Pacific (Equator to Aleutians, intertidal to abyss). 63pp. http://scamit.org/taxonomic_tools/Arthropoda/htm.
- Cairns SD, Calder DR, Brinckmann-Voss A, Castro CB, Fautin DG, Pugh PR, Mills CE, Japp WC, Arai MN, Haddock SHD, Opresko DM. 2002. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Cnidaria and Ctenophora, second edition. *American Fisheries Society Special Publication* 28. 115pp.
- Cardenas P, Rapp HT, Schander C, Tendal OS. 2010. Molecular taxonomy and phylogeny of the Geodiidae (Porifera, Demospongiae, Astrophorida) – combining phylogenetic and Linnaean classification. *Zoologica Scripta* 39(1):89-106.
- Coan EV, Valentich Scott PH. 2012. *Bivalve seashells of tropical West America: marine bivalve mollusks from Baja California to Northern Peru*. Santa Barbara Museum of Natural History Monographs 6. 1258pp.
- , -----, Bernard FR. 2000. *Bivalve Seashells of Western North America: Marine Bivalve Mollusks from Arctic Alaska to Baja California*. Santa Barbara Museum of Natural History Monographs 2. 764pp.
- Coovert GA, Coovert HK. 1995. Revision of the supraspecific classification of marginelliform gastropods. *The Nautilus* 109(2-3):43-110.
- Cracraft J, Donoghue MJ, eds. 2004. *Assembling the Tree of Life*. New York (NY). Oxford University Press. 576pp.
- Cutler EB. 1994. *The Sipuncula: Their Systematics, Biology, and Evolution*. Ithaca (NY). Cornell University Press. 453pp.

- De Grave S, Pentcheff D, Ayhong ST, Chan T-Y, Crandall, KA, Dworschak, PC, Felder, DL, Feldman RM, Fransen GHJM, Goulding LYD, et al 2009. A classification of living and fossil genera of Decapod Crustaceans. *Raffles Bulletin of Zoology Supplement* 21:1-109.
- Edmonds SJ. 2000a. Phylum Echiura. In: Beesley PL, Ross GJB, Glasby CJ, eds. Polychaetes & Allies: The Southern Synthesis. *Fauna of Australia*, Vol. 44 (Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula). Melbourne (Aus). CSIRO Publishing. p.353-374.
- 2000b. Phylum Sipuncula. In: Beesley PL, Ross GJB, Glasby CJ, eds. Polychaetes & Allies: The Southern Synthesis. *Fauna of Australia*, Vol. 44 (Polychaeta, Myzostomida, Pogonophora, Echiura, Sipuncula). Melbourne (Aus). CSIRO Publishing. p.375-400
- Eernisse DJ, Peterson KJ. 2004. The history of animals. Chapter 13 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p.197-208
- Erseus C, & Gustavsson L. 2002. A proposal to regard the former family Naididae as a subfamily within Tubificidae (Annelida, Clitellata). *Hydrobiologia*. 485, 253-256.
- Faubel A. 1983. The Polycladida, Turbellaria proposal and establishment of a new system Part I. The Acotylea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 80:17-121.
- 1984. The Polycladida, Turbellaria proposal and establishment of a new system Part II. The Cotylea. *Mitteilungen aus dem Hamburgischen Zoologischen Museum und Institut* 81:189-259.
- Fauchald K. 1977. *The Polychaete Worms: Definitions and Keys to the Orders, Families, and Genera*. Natural History Museum of Los Angeles County, Science Series (28):1-190.
- Fitzhugh K. 1987. Phylogenetic relationships within the Nereididae (Polychaeta): implications at the subfamily level. *Bulletin of the Biological Society of Washington* (7):174-183.
- 1989. A systematic revision of the Sabellidae-Caobangiidae-Sabellongidae complex (Annelida: Polychaeta). *Bulletin of the American Museum of Natural History* (102):1-104.
- Geiger DL. 2012. Monograph of the Little Slit Shells. Santa Barbara Museum of Natural History Studies in Biodiversity No. 5, Santa Barbara, CA, USA. 1291pp.
- Haszprunar G. 2000. Is the Aplacophora monophyletic? A cladistic point of view. *American Malacological Bulletin* 15(2):115-130.
- Schander C & Halanych KM. 2008. Relationships of higher molluscan taxa. PP. 19-32 IN: Ponder WF & Lindberg DR. 2008. *Phylogeny and Evolution of the Mollusca*. University of California Press, Berkeley CA., USA. 469pp.
- Hochberg FG. 1996. Chapter 1 – The Brachiopoda. In: Blake JA, Scott PH, Lissner A, eds. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 14 – Miscellaneous Taxa*. Santa Barbara (Ca). Santa Barbara Museum of Natural History. p.1-47.
- , Ljubenkov JC. 1998. Chapter 1 – Class Hydrozoa. In: Valentich Scott PH, Blake JA, eds. *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and the Western Santa Barbara Channel. Vol. 3 – The Cnidaria*. Santa Barbara (Ca). Santa Barbara Museum of Natural History. p.1-54.
- Holthe T. 1977. The systematic position of *Artacamella* Hartman, 1955 (Polychaeta, Terebellomorpha). *Sarsia* 63(1):35-37.
- Hooper JNA, Soest RWM van, (eds). 2002. *Systema Porifera: A guide to the Classification of Sponges*. New York (NY). Kluwer Academic/Plenum Publishers. 1708pp.
- Huang D, Fitzhugh K, Rouse G. 2011. Inference of phylogenetic relationships within Fabriciidae (Asbellida, Annelida) using molecular and morphological data. *Cladistics* 27: 356-379.

- Kirtley DW. 1994. *A Review and Taxonomic Revision of the Family Sabellariidae Johnson, 1985 (Annelida; Polychaeta)*. Vero Beach (Fla). Sabecon Press. 223pp.
- Krapp-Schickel T. 2008. What has happened with the *Maera*-clade (Crustacea, Amphipoda) during the last decades? *Bulletino del Museo di Storia Naturale di Verona* 32:3-32.
- Kroh A, Smith AB. 2010. The phylogeny and classification of post-Paleozoic echinoids. *Journal of Systematic Palaeontology* 8(2):147-212.
- Larson K, Wilson GDF. 2002. Tanaidacean phylogeny, the first step: the superfamily Paratanaidoidea. *Journal of Zoological Systematics and Evolutionary Research* 40(4):205-222.
- Lattig P, Martin D. 2009. A taxonomic revision of the genus *Haplosyllis* Langerhans, 1887 (Polychaeta: Syllidae: Syllinae). *Zootaxa*, 2220:1-40.
- Lee WL, Elvin W & Reiswig HM. 2007. *The sponges of California.. A guide and key to the marine sponges of California*. Monterey, California, USA: Monterey Bay Sanctuary Foundation.
- Licher F. 1994. Resurrection of *Glyphohesione* Friedrich, 1950, with redescription of *G. klatti* Friedrich, 1950 and description of *G. longocirrata* (Polychaeta: Hesionidae). *Proceedings of the Biological Society of Washington* 107(4): 600-608.
- Lindberg DR, Ponder WF, Haszprunar G. 2004. The Mollusca: relationships and patterns from their first half-billion years. Chapter 16 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p. 252-278.
- Littlewood DTJ, Telford MJ, Bray R. 2004. Protostomes and Platyhelminthes: the worm's turn. Chapter 14 In: Cracraft J, Donoghue MJ, eds. *Assembling the Tree of Life*. New York (NY). Oxford University Press. p. 209-234.
- Ljubenkov JC. 1980. Cnidaria. In: Straughan D, Klink RW, eds. A Taxonomic Listing of Common Marine Invertebrate Species from Southern California. *Technical Reports of the Allan Hancock Foundation* 3:44-68.
- Lowry JL, Stoddart HE. 2012a. The Pachynidae fam. nov. (Crustacea: Amphipoda: Lysianassoidea). *Zootaxa* 3246:1-69.
- , -----, 2012b. Australian and South African conicostomatine amphipods (Amphipoda: Lysianassoidea: Lysianassidae: Conicostomatinae subfam. Nov.). *Zootaxa* 3248:43-65.
- MacEwen P. 1980. Nemertea. In: Straughan D, Klink RW, eds. A Taxonomic Listing of Common Marine Invertebrate Species from Southern California. *Technical Reports of the Allan Hancock Foundation* 3: 69-76.
- Maluf LY. 1988. Composition and Distribution of the Central Eastern Pacific Echinoderms. *Natural History Museum of Los Angeles County, Technical Report Number 2*. 242pp.
- Martin JW, Davis GE. 2001. An updated classification of the recent Crustacea. *Natural History Museum of Los Angeles County, Science Series*, 39:1-124.
- McLean JH. 2007. Shelled Gastropoda. In: Carlton JT, ed. *The Light and Smith Manual: Intertidal Invertebrates from Central California to Oregon*, 4th edition. University of California Press. p. 713-753.
- McLaughlin PA, Camp DK, Angel MV, Bousfield EL, Brunel P, Brusca RC, Cadien DB, Cohen AC, Conlan K, Eldredge LG, et al. 2005. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Crustaceans. *American Fisheries Society Special Publication* 31. 545pp.
- Meland K, Willassen E. 2007. The disunity of "Mysidacea" (Crustacea). *Molecular Phylogenetics and Evolution* 44(3): 1083-1104.
- Mikkelsen PM. 1996. The evolutionary relationships of Cephalaspidea s. l. (Gastropoda: Opisthobranchia): a phylogenetic analysis. *Malacologia* 37(2): 375-442.
- Myers AA, Lowry JK. 2003. A phylogeny and a new classification of the Corophiidea Leach, 1814 (Amphipoda). *Journal of Crustacean Biology* 23(2): 443-485.

- Nishiguchi MK, Mapes RH. 2008. Cephalopoda. Chapter 8 In: Ponder WF, Lindberg DR, eds *Phylogeny and Evolution of the Mollusca*. 163-199. Berkeley California USA, University of California Press.
- Oliver PG, Taylor JD. 2012. Bacterial symbiosis in the Nucinellidae (Bivalvia: Solemyida), with descriptions of two new species. *Journal of Molluscan Studies* 78:81-91.
- Orensanz JM. 1990. The Eunicemorph Polychaete Annelids from Antarctic and Subantarctic Seas. *Biology of the Antarctic Seas XXI. Antarctic Research Series* 52:1-183.
- Palmer KV. 1958. Type specimens of marine Mollusca described by P. P. Carpenter from the west coast [San Diego to British Columbia]. *Geological Society of America Memoir* 76. 376pp
- Peterson ME, George JD. 1991. A New Species of *Raricirrus* from northern Europe, with notes on its biology and a discussion of the affinities of the genus (Polychaeta: Ctenodrilidae) In: Peterson ME, Kirkegaard JB, eds. Systematics, Biology and Morphology of World Polychaeta Proceedings of the 2nd International Polychaete Conference, Copenhagen 1986. *Ophelia Supplement* 5:185-208.
- Petit RE. 2007. Lovell Augustus Reeve (1814-1865): malacological author and publisher. *Zootaxa* 1648:1-120.
- 2009. George Brettingham Sowerby, I, II & III: their conchological publications and Molluscan taxa. *Zootaxa* 2189:1-218.
- 2012. John Edward Gray (1800-1875): his malacological publications and molluscan taxa. *Zootaxa* 3214:1-125.
- Pettibone MH. 1971. Revision of some species referred to *Leptonereis*, *Nicon*, and *Laeonereis* (Polychaeta, Nereididae). *Smithsonian Contributions to Zoology* 104:1-53.
- _____ 1984. Annelida. In: Parker SB, ed. *Synopsis and Classification of Living Organisms* 2 New York (NY). McGraw-Hill. pp 1-43.
- _____ 1989. Revision of the Aphroditoid Polychaetes of the family Acoetidae Kinberg (=Polyodontidae Augener) and reestablishment of *Acoetes* Audouin and Milne-Edwards, 1832, and *Euarche* Ehlers, 1887. *Smithsonian Contributions to Zoology* 464:1-138.
- _____ 1992. Contribution to the Polychaete family Pholoidae Kinberg. *Smithsonian Contributions to Zoology* 532:1-24.
- Pleijel F. 1991. Phylogeny and classification of the Phylloclidae (Polychaeta). *Zoologica Scripta* 20: 225-261.
- Poore, GCB. 2001. Families and genera of Isopoda Anthuridea. Crustacean Issues 13: 63-173.
- Prudhoe S. 1985. *A Monograph on Polyclad Turbellaria*. New York (NY). British Museum (Natural History)/Oxford University Press. 259pp.
- Puillandre N, Kanto YI, Syssoev A, Couloux A, Meyer C, Rawlings T, Todd JA, Bouchet P. 2011. The Dragon Tamed? A molecular phylogeny of the Conoidea (Gastropoda). *Journal of Molluscan Studies* 77:259-272.
- Ranasinghe JA, Barnett AM, Schiff KC, Montagne DE, Brantley C, Beegan C, Cadien DB, Cash C, Deets GB, Diener DR, Mikel TK, et al 2007. Southern California Bight 2003 Regional Monitoring Program III: Benthic Macrofauna. Costa Mesa (Ca). Southern California Coastal Water Research Project. 66pp.
- , Montagne DE, Smith RW, Mikel TK, Weisberg SB, Cadien DB, Velarde RG, Dalkey A. 2003a. Southern California Bight 1998 Regional Monitoring Program VII: Benthic Macrofauna. Westminster (Ca). Southern California Coastal Water Research Project. 91pp.
- , -----, Weisberg SB, Bergen M, Velarde RG. 2003b. Variability in the identification and enumeration of marine benthic invertebrate samples and its effect on benthic assessment measures. *Environmental Monitoring and Assessment* 81:199-206.
- , Schiff KC, Brantley CA, Lovell LL, Cadien DB, Mikel, TK, Velarde, RG, Holt S., Johnson SC. 2012. Southern California Bight 2008 Regional Monitoring Program: VI. Benthic Macrofauna. Southern California Coastal Water Research Project. Costa Mesa, CA. Technical Report 665.

- Ride WDL (chair). 1999. *International Code of Zoological Nomenclature*, Fourth Edition. International Trust for Zoological Nomenclature. 306pp.
- Rouse GW, Fauchald K. 1997. Cladistics and polychaetes. *Zoological Scripta* 26:139-204.
- , Pleijel F. 2001. *Polychaetes*. New York (NY). Oxford University Press. 354 pp.
- Salazar-Silva P. 2006. Scaleworms (Polychaeta: Polynoidae) from the Mexican Pacific and Eastern Pacific sites. *Investigaciones Marinas* 34(2): 143-161.
- Salazar-Vallejo SI 2007. Revision of *Flabelliderma* Hartman, 1969. *Journal of Natural History* 41:2061-.
- Salazar-Vallejo SI 2012. Revision of *Ilyphagus* Chamberlin, 1919 (Polychaeta, Flabelligeridae). *ZooKeys* 190: 1-19
- Salvini-Plawen Lv. 2003. On the phylogenetic significance of the aplacophoran Mollusca. *Iberus* 21(1): 67-97.
- , Steiner G. 1996. Synapomorphies and plesiomorphies in higher classification of Mollusca. Chapter 2 In: Taylor, JD, ed. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press, p. 39-51.
- San Martin, G., E. Lopez & M.T. Aguado. 2009. Revision of the genus *Pionosyllis* (Polychaeta: Syllidae: Eusyllinae), with a cladistic analysis, and the description of five new genera and two new species. *Journal Marine Biological Association United Kingdom*, 89: 1455-1498.
- Scheltema AH. 1996. Phylogenetic position of Sipuncula, Mollusca and the progenetic Aplacophora. Chapter 3 In. Taylor, JD ed. *Origin and Evolutionary Radiation of the Mollusca*. Oxford (UK). Oxford University Press. p. 53-58.
- Schulze A, Cutler EB, Giribet G. 2007. Phylogeny of sipunculan worms: a combined analysis of four gene regions and morphology. *Molecular Phylogenetics and Evolution* 42(1): 171-192.
- Serejo CS. 2004. Cladistic revision of talitroidean amphipods (Crustacea, Gammaridea), with a proposal of a new classification. *Zoologica Scripta* 33(6): 551-586.
- Shimek RL. 1995. Class Scaphopoda. Presentation at the Northern Association of Marine Invertebrate Taxonomists Molluscan Workshop, 18-19 November, 1995. Seattle Aquarium, Seattle Washington.
- Smith AB, Patterson GLJ and Lafay B. 1995. Ophiuroid phylogeny and higher taxonomy: morphological, molecular, and palaeontological perspectives. *Zoological Journal of the Linnean Society* 114: 213-243
- Soule DF, Soule JD, Chaney HW. 1995. Volume 13 - The Bryozoa. In: *Taxonomic Atlas of the Benthic Fauna of the Santa Maria Basin and Western Santa Barbara Channel*. Blake JA, Chaney HW, Scott PH, Lissner AL, eds. Santa Barbara (Ca). Santa Barbara Museum of Natural History. 344pp.
- Stebbins TD, Eernisse DJ. 2009. Chitons (Mollusca: Polyplacophora) known from benthic monitoring programs in the Southern California Bight. *The Festivus* 41 [Special Issue]: 53-100.
- Sweeney MJ, Roper CFE. 2000. Classification, type localities and type repositories of recent Cephalopoda. In: Voss NA, Vecchione M, Toll RB, Sweeney MJ eds. Systematics and Biogeography of Cephalopods. *Smithsonian Contributions To Zoology* 586:561-582.
- Taylor JD, Williams ST, Glover EA, Dyal P. 2007. A molecular phylogeny of heterodont bivalves (Mollusca: Bivalvia: Heterodonta): new analyses of 18S and 28S rRNA genes. *Zoologica Scripta* 36(6): 587-606.
- Turgeon DD, Quinn Jr JF, Bogan AE, Coan EV, Hochberg FG, Lyons WG, Mikkelsen PM, Neves RJ, Roper CF, Rosenberg G. 1998. Common and Scientific Names of Aquatic Invertebrates from the United States and Canada: Mollusks, Second Edition. *American Fisheries Society Special Publication* 26. 526pp.
- Valentich Scott P, Skoglund C. 2010. A review of the recent Pandoridae (Bivalvia) in the Panamic Province with descriptions of three new species. *The Nautilus* 124(3): 55-76.

- Williams ST. 2012. Advances in molecular systematics of the vetigastropod superfamily Trochoidea. *Zoologica Scripta* 41(6): 571-595.
-, Karube S and Ozawa T. 2008. Molecular systematics of Vetigastropoda: Trochidae, Turbinidae and Trochoidea redefined. *Zoologica Scripta* 37(5): 483-506.



PHYLUM SILICEA

Class Hexactinellida

Subclass Hexasterophora

Order Hexactinosa

Suborder Scopularia

Family Aphrocallistidae

Aphrocallistes vastus

Aphrocallistes intermedia

Aphrocallistes whiteavesianus

Aphrocallistes yatsui

Schulze 1886

Okada 1932

Lambe 1892

Okada 1932

Order Lyssacinosa

Family Rossellidae

Subfamily Rossellinae

Aphorme horrida

Subfamily Acanthascininae

Rhabdocalyptus dawsoni

Bathydorus dawsoni

Staurocalyptus dowlingi

Rhabdocalyptus dowlingi

Staurocalyptus solidus

Schultze 1899

(Lambe 1892)

Lambe 1892

(Lambe 1894)

Lambe 1894

of SCAMIT Ed 5 not Schulze 1899

Class Demospongiae

Subclass Tetractinomorpha

Order Spirophorida

Family Tetillidae

Craniella arb

Tetilla arb

(de Laubenfels 1930)

de Laubenfels 1930

Order Astrophorida

Family Anchorinidae

Penares cortius

Penares saccharis

Papyrula saccharis

Stellella clarella

Stellella estrella

de Laubenfels 1930

(de Laubenfels 1930)

de Laubenfels 1930

de Laubenfels 1930

de Laubenfels 1930

Family Geodiidae

Subfamily Geodinae

Geodia gibberosa

Geodia mesotriena

Lamarck 1815

von Ledenfeld 1910

Family Pachastrellidae

Poecillastra tenuilaminaris

Normania tenuilaminaris

Sphincturella sp A

(Sollas 1886)

Sollas 1886

Green & Bakus 1994

Order Hadromerida

Family Clionaidae

Cliona californiana

Cliona celata californiana

(de Laubenfels 1932)

de Laubenfels 1932

Family Spirastrellidae

Spherospongia confoederata

de Laubenfels 1930

Family Suberitidae

Suberites latus

Suberites ficus

Suberites suberia

Lambe 1892

of authors NEP in part not (Johnston 1842)

of SCAMIT Ed 5 not (Montagu 1818)

Family Tethyidae

Tethya californiana

Tethya aurantia var californiana

Tethya aurantium

de Laubenfels 1932

de Laubenfels 1932

of authors NEP not (Pallis 1766)

Family Timeidae

Timea authia

de Laubenfels 1930

Subclass Ceractinomorpha

Order Poecilosclerida

Suborder Microcionina

Family Acarnidae

Acarnus erithracus

Iophon rayae

Hymedesanisocheila rayae

de Laubenfels 1927

(Bakus 1966)

Bakus 1966

Family Microcionidae

Subfamily Microcioninae

Clathria (Clathria) asodes

Eurypon asodes

Clathria (Microciona) microjoanna

Microciona microjoanna

(de Laubenfels 1930)

de Laubenfels 1930

(de Laubenfels 1930)

de Laubenfels 1930

<i>Clathria (Microciona) parthena</i>	(de Laubenfels 1930)
<i>Microciona parthena</i>	de Laubenfels 1930
<i>Clathria (Microciona) pennata</i>	(Lambe 1895)
<i>Desmacella pennata</i>	Lambe 1895
<i>Clathria (Microciona) spongigartina</i>	(de Laubenfels 1930)
<i>Anaata spongigartina</i>	de Laubenfels 1930
<i>Clathria (Thalysias) originalis</i>	(de Laubenfels 1930)
<i>Esperiopsis originalis</i>	de Laubenfels 1930
<i>Axiocielita originalis</i>	of authors NEP
Subfamily Ophlitaspangiinae	
<i>Antho (Acarnia) illgi</i>	(Bakus 1966)
<i>Plocamilla illgi</i>	Bakus 1966
<i>Antho (Acarnia) karykina</i>	(de Laubenfels 1927)
<i>Plocamia karykina</i>	de Laubenfels 1927
Family Raspailiidae	
Subfamily Raspailiinae	
<i>Endectyon (Hemectyon) hyle</i>	(de Laubenfels 1932)
<i>Hemectyon hyle</i>	de Laubenfels 1932
Subfamily Cyamoninae	
<i>Cyamon neon</i>	de Laubenfels 1930
<i>Trikentriion catalina</i>	(Sim & Bakus 1986)
<i>Cyamon catalina</i>	Sim & Bakus 1986
<i>Triketriion flabelliformis</i>	of SCAMIT Ed 5
Suborder Myxillina	
Family Hymedesmiidae	
<i>Acanthancora cyanocrypta</i>	(de Laubenfels 1930)
<i>Hymenamphiaster cyanocrypta</i>	de Laubenfels 1930
Family Coelosphaeridae	
<i>Forcepia sp</i>	
<i>Lissodendoryx firma</i>	(Lambe 1895)
<i>Myxilla firma</i>	Lambe 1895
<i>Lissodendoryx kyma</i>	of Green & Bakus 1994
<i>Lissodendoryx noxiosa</i>	de Laubenfels 1930
Family Myxillidae	
<i>Myxilla incrustans</i>	(Johnston 1842)
<i>Halichondria incrustans</i>	Johnston 1842
<i>Myxilla barentsi</i>	Lambe 1895
<i>Myxilla behringensis</i>	Lambe 1895
<i>Myxilla rosacea</i>	Lambe 1893
<i>Plocamiancora igzo</i>	(de Laubenfels 1930)
<i>Plocamia igzo</i>	de Laubenfels 1930
Family Tedaniidae	
<i>Tedania (Trachytedania) gurjanovae</i>	Koltun 1958
Suborder Mycalina	
Family Mycalidae	
<i>Mycale psila</i>	(de Laubenfels 1930)
<i>Paresperella psila</i>	de Laubenfels 1930
Order Halichondrida	
Family Axinellidae	
<i>Axinella sp</i>	
Family Desmoxiyidae	
<i>Higginsia sp</i>	
Family Halichondriidae	
<i>Halichondria bowerbanki</i>	Burton 1930
<i>Halichondria panicea</i>	(Pallas 1766)
<i>Spongia panicea</i>	Pallas 1766
<i>Hymeniacidon sinapium</i>	de Laubenfels 1930
<i>Hymeniacidon ungodon</i>	de Laubenfels 1932
Order Haplosclerida	
Suborder Haplosclerina	
Family Chalinidae	
<i>Chalinula ecbasis</i>	(de Laubenfels 1930)
<i>Haliclona ecbasis</i>	de Laubenfels 1930
<i>Haliclona (Halicoclona) gellindra</i>	(de Laubenfels 1932)
<i>Halicoclona gellindra</i>	de Laubenfels 1932
<i>Haliclona (Rhizoniera) enamela</i>	de Laubenfels 1930
Family Niphatidae	
<i>Niphates lunisimilis</i>	(de Laubenfels 1930)
<i>Haliclona lunisimilis</i>	de Laubenfels 1930
Suborder Petrosina	

Family Petrosiidae	
<i>Neopetrosia zumi</i>	(Ristau 1978)
Toxadocia zumi	Ristau 1978
<i>Xestospongia dubia</i>	(Ristau 1978)
Adocia dubia	Ristau 1978
<i>Xestospongia edapha</i>	(de Laubenfels 1930)
Sigmadocia edaphus	de Laubenfels 1930
Order Dictyoceratida	
Family Spongiidae	
<i>Spongia idia</i>	de Laubenfels 1932
Family Dysideidae	
<i>Aplysinopsis sp</i>	(de Laubenfels 1930)
<i>Dysidea amblia</i>	de Laubenfels 1930
Duseideia amblia	(Montagu 1818)
<i>?Dysidea fragilis</i>	Montagu 1818'
Spongia fragilis	
Order Verongida	
Family Aplysinidae	
<i>Ailochroia thiona</i>	(de Laubenfels 1930)
Verongia thiona	de Laubenfels 1930
<i>Aplysina fistularis</i>	of Sim & Bakus 1986
PHYLUM CALCAREA	
Class Calcarea	
Subclass Calcinea	
Order Clathrinida	
Family Clathrinidae	
<i>Clathrina clathrus</i>	(Schmidt 1864)
Grantia clathrus	Schmidt 1864
Subclass Calcaronea	
Order Leucosoleniida	
Family Leucosoleniidae	
<i>Leucosolenia eleanor</i>	Urban 1905
<i>Leucosolenia nautilia</i>	de Laubenfels 1930
Order Scyctettida	
Family Grantiidae	
<i>Leucandra heathi</i>	Urban 1905
Leuconia heathi	of de Laubenfels 1930
<i>Leucandra losangelensis</i>	(de Laubenfels 1930)
Leucetta losangelensis	de Laubenfels 1930
Family Amphoriscidae	
<i>Leucilla nuttingi</i>	(Urban 1902)
Rhabdodermella nuttingi	Urban 1902
Family Sygettidae	
<i>Sycon ciliatum</i>	(Fabricius 1780)
Spongia ciliata	Fabricius 1780
Sycon coronatum	of de Laubenfels 1932
PHYLUM CNIDARIA	
Class Staurozoa	
Order Stauromedusae	
Suborder Cleistocarpida	
Family Depastridae	
<i>Manania gwilliami</i>	Larsen & Fautin 1989
<i>Manania handi</i>	Larsen & Fautin 1989
Class Hydrozoa	
Subclass Anthoathecatae	
Order Capitata	
Family Candelabridae	
<i>Candelabrum sp</i>	
Family Corymorphidae	
<i>Corymorphia bigelowi</i>	(Maas 1905)
Euphsora bigelowi	Maas 1905
Euphsya bigelowi	of Uchida 1927
Steenstrupia bigelowi	of Mayer 1910
<i>Corymorphia palma</i>	Torrey 1902
<i>Corymorphia sp A</i>	Ljubenkov 1997 §
<i>Corymorphidae sp SD1</i>	Pasko 1999 §
<i>Euphsya sp A</i>	Hochberg & Ljubenkov 1998
Corymorphia aurata	of Fauchald & Jones 1976 not (Forbes 1848)
Family Tubulariidae	
<i>Ectopleura crocea</i>	(L. Agassiz 1862)

	Parypha crocea	L. Agassiz 1862
	Pinauay crocea	of SCAMIT ED 6
	Tubularia crocea	of authors NEP
	<i>Ectopleura marina</i>	(Torrey 1902)
	Tubularia marina	Torrey 1902
	Pinauay marina	of SCAMIT Ed 6
	<i>Tubularia</i> sp A	Ljubenkov 1993 §
Family Corynidae		
	<i>Coryne eximia</i>	Allman 1859
	Syncoryne eximia	of authors NEP
	<i>Sarsia tubulosa</i> Cmplx	
Family Pennariidae		
	unidentified	
Order Filifera		
Family Bougainvilliidae		
	<i>Bimeria</i> sp	(Ljubenkov 1976 §)
	<i>Bougainvilleidae</i> sp A	Ljubenkov 1976 §
	<i>Perigonimus</i> sp A	(Torrey 1902)
	<i>Garveia franciscana</i>	Torry 1902
	<i>Bimeria franciscana</i>	(Fewkes 1889)
	<i>Rhizorhagium formosum</i>	Fewkes 1889
	<i>Perigonimus formosus</i>	of Torrey 1902
	<i>Bimeria formosa</i>	of Fraser 1948
	<i>Garveia formosa</i>	of SCAMIT Ed 4 in part
	<i>Perigonimus serpens</i> Cmplx	
Family Pandaeidae		
	<i>Halitholus cirratus</i>	Hartlaub 1913
	<i>Perigonimus yoldiarcticae</i>	of authors NEP not Birula 1897
	<i>Leuckartiara octona</i>	(Fleming 1823)
	<i>Geryonia octona</i>	Fleming 1823
	<i>Perigonimus jonesi</i>	Osborn & Hargitt 1894
	<i>Perigonimus serpens</i> Cmplx	of SCAMIT Ed 4 in part
Family Eudendriidae		
	<i>Eudendrium capillare</i>	Alder 1856
	<i>Eudendrium rameum</i>	(Pallas 1766)
	<i>Tubularia ramea</i>	Pallas 1766
	<i>Eudendrium ramosum</i>	(Linnaeus 1758)
	<i>Tubularia ramosa</i>	Linnaeus 1758
Family Hydractiniidae		
	<i>Hydractinia</i> sp	
	<i>Styelacis</i> sp	
Family Oceaniidae		
	<i>Meronia laxa</i>	(Fraser 1938)
	<i>Tubiclavula laxa</i>	Fraser 1938
Family Olindiidae		
	<i>Monobrachium parasitum</i>	Mereschkovsky 1877
	<i>Monobrachium parasiticum</i>	Bonnevie 1899
Family Zancleidae		
	<i>Zanclea bomala</i>	Boero, Bouillon & Gravili 2000
Subclass Leptothecatae		
Order Proboscidea		
Family Campanulariidae		
	<i>Campanularia volubilis</i>	(Linnaeus 1758)
	<i>Sertularia volubilis</i>	Linnaeus 1758
	<i>Campanularia groenlandica</i>	Levensen 1893
	<i>Campanularia hincksi</i>	Alder 1857
	<i>Campanularia urceolata</i>	S. F. Clark 1876
	<i>Clytia universitatis</i>	Torrey 1904
	<i>Laomedea calceolifera</i>	(Hincks 1871)
	<i>Campanularia calceolifera</i>	Hincks 1871
	<i>Obelia</i> sp A	MEC 1990 §
	<i>Obelia dichotoma</i> Cmplx	(Linnaeus 1758)
	<i>Obelia geniculata</i>	Linnaeus 1758
	<i>Sertularia geniculata</i>	(S. F. Clark 1876)
	<i>Orthopyxis everta</i>	S. F. Clark 1876
	<i>Campanularia everta</i>	of Fraser 1937
	<i>Eucopella everta</i>	(Linnaeus 1758)
	<i>Rhizocaulus verticillatus</i>	Linnaeus 1758
	<i>Sertularia verticillata</i>	of Fraser 1937
	<i>Campanularia verticillata</i>	

	Verticillina verticillata	of Naumov 1960
Order Conica		
Family Lovenellidae	<i>Lovenella nodosa</i>	Fraser 1938
Family Kirchenpaueriidae	<i>Kirchenpaueria plumularioides</i> Halecum plumularioides Plumularia plumularioides	(S. F. Clark 1876) S. F. Clark 1876 of authors NEP (Torrey 1902)
	<i>Pycnotheca allmani</i> Diplocheilus allmani	Torrey 1902
Family Campanulinidae	<i>Campanulina</i> sp	
Family Calycellidae	<i>Calycella syringa</i> Sertularia syringa Calicella syringa	(Linnaeus 1767) Linnaeus 1767 of Naumov 1969
Family Aglaopheniidae	<i>Aglaophenia diegensis</i> <i>Aglaophenia fluxa</i> <i>Aglaophenia inconspicua</i> <i>Aglaophenia struthionides</i> Plumularia struthionides <i>Aglaophenia</i> sp A Cladocarpus sp A	Torrey 1904 Fraser 1948 Torrey 1902 (Murray 1860) Murray 1860 MEC 1990 § MEC 1990 §
Family Plumulariidae	<i>Antenella avalonia</i> <i>Plumularia alicia</i> Cmplx <i>Plumularia goodei</i> <i>Plumularia integra</i> <i>Plumularia lagenifera</i> <i>Plumularia setacea</i> Sertularia setacea Plumularia corrugata	Torrey 1902 Nutting 1900 Fraser 1948 Allman 1885 (Linnaeus 1758) Linnaeus 1758 Nutting 1900
Family Haleciidae	<i>Halecium beani</i> Thoa beani <i>Halecium delicatulum</i> Halecium flexile <i>Halecium densum</i>	(Johnston 1838) Johnston 1838 Coughtrey 1876 Allman 1888 Calkins 1899
Family Syntheciidae	<i>Synthecium cylindricum</i> Sertularella cylindrica	(Bale 1888) Bale 1888
Family Sertulariidae	<i>Abietenaria expansa</i> Hebellopsis expansa <i>Abietenaria inconstans</i> Sertularia inconstans <i>Abietinaria traski</i> Sertularia traski <i>Amphisbeta furcata</i> Sertularia furcata <i>Dynamena pumila</i> Sertularia pumila <i>Salacia cornicina</i> Sertularia cornicina <i>Selaginopsis cylindrica</i> Thuiaria cylindrica <i>Sertularella rugosa</i> Sertularia rugosa <i>Sertularella tenella</i> Sertularia tenella <i>Symplectoscyphus pedrensis</i> Sertularella pedrensis Sertularia conica <i>Symplectoscyphus turgidus</i> Sertularia turgida	Fraser 1938 of authors NEP (Clark 1876) Clark 1876 (Torrey 1902) Torrey 1902 (Trask 1857) Trask 1857 (Linnaeus 1768) Linnaeus 1768 (McCrady 1858) McCrady 1858 (S. F. Clark 1876) S. F. Clark 1876 (Linnaeus 1758) Linnaeus 1758 (Alder 1857) Alder 1857 (Torrey 1904) Torrey 1904 of Torrey 1902 not Allman 1877 (Trask 1857) Trask 1857
Family uncertain	<i>Egmundella gracilis</i> Oplorhiza gracilis <i>Oplorhiza polynema</i>	Stechow 1921 of authors NEP (Fraser 1948)

	Egmundella polynema	Fraser 1948
Order Siphonophora		
Suborder Physonectae		
Family Rhodaliidae	<i>Dromalia alexandri</i>	Bigelow 1911
Class Anthozoa		
Subclass Octocorallia		
Order Stolonifera		
Family Clavulariidae		
<i>Clavularia</i> sp H		Hochberg 1978 §
<i>Cryptophyton jedsmithi</i>		Williams 2013
Family Telestidae		
<i>Telesto californica</i>		Kükenthal 1913
<i>Telesto nuttingi</i>		Kükenthal 1913
family uncertain		
<i>Stolonifera</i> gen 1 sp B		Hochberg 1978 §
Order Alcyonacea		
Suborder Holaxonia		
Family Gorgoniidae		
<i>Adelogorgia phyllosclera</i>		Bayer 1958
<i>Adelogorgia</i> sp A		Ljubenkov 1994 §
<i>Eugorgia rubens</i>		Verrill 1868
<i>Heterogorgia tortuosa</i>		Verrill 1868
<i>Leptogorgia caryi</i>		Verrill 1868
<i>Eplexaura marki</i>		Kükenthal 1913
<i>Psammogorgia arbuscula</i>		Nutting 1909
<i>Leptogorgia chilensis</i>		Verrill 1868
<i>Lophogorgia chilensis</i>		of authors NEP
Family Plexauridae		
<i>Muricea californica</i>		Aurivillius 1931
<i>Muricea fruticosa</i>		Verrill 1869
<i>Swiftia</i> sp		
<i>Thesea</i> sp A		Ljubenkov 1986 §
<i>Thesea</i> sp B		Ljubenkov 1986 §
Family Primnoidae		
<i>Parastenella ramosa</i>		(Wright & Studer 1889)
<i>Stenella ramosa</i>		Wright & Studer 1889
<i>Parastenella doederleini</i>		of SCAMIT Ed 5 not (Wright & Studer 1889)
Order Pennatulaceae		
Suborder Sessiliflorae		
Family Renillidae		
<i>Renilla koellikeri</i>		Pfeffer 1886
<i>Renilla amethystina</i>		Verrill 1864
Family Stachyptilidae		
<i>Stachyptilum superbum</i>		Studer 1894
Suborder Subsessiliflorae		
Family Ombellulidae		
<i>Umbellula magniflora</i>		Kölliker 1880
<i>Umbellula loma</i>		Nutting 1909
Family Anthoptilidae		
<i>Anthoptilum grandiflorum</i>		(Verrill 1879)
<i>Virgularia grandiflora</i>		Verrill 1879
<i>Anthoptilum murrayi</i>		of Nutting 1912 not Kölliker 1889
<i>Anthoptilum thomsoni</i>		Kölliker 1881
Family Halipteridae		
<i>Halipteris californica</i>		(Moroff 1902)
<i>Pavonaria californica</i>		Moroff 1902
<i>Balticina pacifica</i>		Nutting 1909
<i>Halipteris contorta</i>		Nutting 1909
<i>Stachyptilum quadridentatum</i>		Nutting 1909
Family Virgulariidae		
<i>Acanthoptilum</i> sp		(Gabb 1863)
<i>Stylatula elongata</i>		Gabb 1863
<i>Virgularia elongata</i>		Verrill 1922
<i>Stylatula columbiana</i>		Verrill 1864
<i>Stylatula elongata</i>		Pfeffer 1886
<i>Stylatula ringei</i>		Ljubenkov 1991 §
<i>Stylatula</i> sp A		Studer 1894
<i>Virgularia agassizii</i>		Nutting 1909
<i>Halisceptraum cystiferum</i>		

	Virgularia bromleyi	of authors NEP not Kölliker 1880
	Virgularia sp A	Ljubenkov 1991 §
	Virgularia tuberculata	of authors NEP not Marshall 1877
	<i>Virgularia californica</i>	Pfeffer 1886
	<i>Virgularia galapagensis</i>	of Ricketts <i>et al</i> 1968 not Hickson 1930
	<i>Virgularia reinwardti</i>	of Kukenthal 1915 not Herklots 1858
	<i>Virgularia</i> sp B	Ljubenkov 2011 §
Family Pennatulidae		
	<i>Pennatula californica</i>	Kükenthal 1913
	<i>Pennatula aculeata</i>	of Nutting 1909 not Danielssen 1858
	<i>Pennatula phosphorea</i> var <i>californica</i>	Kükenthal 1913
	<i>Ptilosarcus gurneyi</i>	(J. E. Gray 1860)
	<i>Sarcoptilus gurneyi</i>	J. E. Gray 1860
	<i>Leioptilum quadrangulare</i>	of Kükenthal 1913
	<i>Liopatilum verrilli</i>	Pfeffer 1886
	<i>Leiopatilus gurneyi</i>	of Ricketts <i>et al</i> 1968
	<i>Patulula tenua</i>	Gould 1853
	<i>Ptilosarcus quadrangularis</i>	Moroff 1902
	<i>Sarcoptilus sinuosus</i>	J. E. Gray 1860
Subclass Cerantipatharia		
Order Ceriantharia		
Suborder Spirularia		
Family Cerianthidae		
	<i>Arachnanthus</i> sp A	Ljubenkov & Pasko 1998 §
	<i>Pachycerianthus fimbriatus</i>	McMurrich 1910
	<i>Pachycerianthus torreyi</i>	Arai 1965
family uncertain		
	<i>Ceriantharia</i> sp C	MEC 1986 §
	<i>Ceriantharia</i> sp D	MEC 1986 §
Subclass Zoantharia		
Order Scleractinia		
Suborder Faviina		
Superfamily Favioidea		
Family Rhisangiidae		
	<i>Astrangia haimei</i>	Verrill 1866
	<i>Astrangia lajollaensis</i>	Durham 1947
Suborder Caryophylliina		
Superfamily Caryophylloidea		
Family Caryophyllidae		
	<i>Caryophyllia alaskensis</i>	Vaughan 1941
	<i>Coenocyathus bowersi</i>	Vaughan 1906
	<i>Desmophyllum dianthus</i>	(Esper 1794)
	<i>Madrepora dianthus</i>	Esper 1794
	<i>Desmophyllum cristagalli</i>	H. Milne Edwards & Haime 1848
	<i>Lophelia pertusa</i>	(Linnaeus 1758)
	<i>Madrepora pertusa</i>	Linnaeus 1758
	<i>Dendrosmilia nomlandi</i>	Durham & Barnard 1952
	<i>Lophelia californica</i>	Durham 1947
	<i>Lophelia prolifera</i>	of Cairns 1979
	<i>Madrepora prolifera</i>	Pallas 1766
	<i>Paracyathus stearnsii</i>	Verrill 1869
	<i>Paracyathus caltha</i>	Verrill 1869
	<i>Paracyathus tiburonensis</i>	Durham 1947
Suborder Dendrophylliina		
Family Dendrophylliidae		
	<i>Balanophyllum elegans</i>	Verrill 1864
Order Actiniaria		
Suborder Nynantheae		
Family Edwardsiidae		
	<i>Drillactis</i> sp	
	<i>Edwardsia californica</i>	McMurrich 1903
	<i>Edwardsia</i> (<i>Edwardsiella</i>) <i>californica</i>	McMurrich 1903
	<i>Edwardsia handi</i>	Daly & Ljubenkov 2008
	<i>Edwardsia juliae</i>	Daly & Ljubenkov 2008
	<i>Edwardsia siphunculooides</i>	of authors NEP not (Stimpson 1853)
	<i>Edwardsia</i> sp G	MEC 1992 §
	<i>Edwardsia olguini</i>	Daly & Ljubenkov 2008
	<i>Isoedwardsia</i> sp A	Ljubenkov 1980 § in part
	<i>Isoedwardsia</i> sp B	Ljubenkov 1980 § in part
	<i>Scolanthus</i> sp A	SCAMIT 1983 § in part

<i>Edwardsia profunda</i>	Daly & Ljubenkov 2008
<i>Edwardsia</i> sp A	SCAMIT 1983 §
<i>Metedwardsia</i> sp A	Ljubenkov 1980 §
<i>Scolanthus scamiti</i>	Daly & Ljubenkov 2008
<i>Scolanthus</i> sp B	MEC 1992 §
<i>Scolanthus triangulus</i>	Daly & Ljubenkov 2008
<i>Isoedwardsia</i> sp A	Ljubenkov 1980 § in part
<i>Isoedwardsia</i> sp B	Ljubenkov 1980 § in part
<i>Scolanthus</i> sp A	SCAMIT 1983 § in part
Family Halcampoididae	
<i>Halcampoides purpurea</i>	(Studer 1879)
<i>Halampa purpurea</i>	Studer 1879
<i>Pentactinia californica</i>	Carlgren 1900
Family Limnactiniidae	
<i>Limnactiniidae</i> sp A	SCAMIT 1989 §
<i>Anthozoa</i> #84	Ljubenkov 1984 §
Family Haloclavidae	
<i>Anemonactis</i> sp A	Ljubenkov 1986 §
<i>Harenactis attenuata</i>	Torrey 1902
<i>Peachia quinquecapitata</i>	McMurrich 1913
Family Halcampidae	
<i>Cactosoma arenaria</i>	Carlgren 1931
<i>Halocampa decenttentaculata</i>	Hand 1954
<i>Anthozoa</i> #87	Ljubenkov 1984 §
<i>Anthozoa</i> #92	Ljubenkov 1984 §
<i>Athenaria</i> sp A	SCAMIT 1989 §
<i>Halcampidae</i> sp A	SCAMIT 1989 §
<i>Halianthella</i> sp A	SCAMIT 1989 §
<i>Anthozoa</i> #12	Ljubenkov 1984 §
<i>Anthozoa</i> #21	Ljubenkov 1984 §
<i>Anthozoa</i> #85	Ljubenkov 1984 §
<i>Anthozoa</i> #88	Ljubenkov 1984 §
<i>Halianthella</i> sp B	Ljubenkov 1989 §
<i>Anemone</i> #109	Ljubenkov 1984 §
Family Actiniidae	
<i>Anthopleura artemisia</i>	(Pickering in Dana 1846)
<i>Actinia artemisia</i>	Pickering in Dana 1846
<i>Anthopleura elegantissima</i>	(Brandt 1835)
<i>Actinia elegantissima</i>	Brandt 1835
<i>Anthopleura sola</i>	Pearse & Francis 2000
<i>Anthopleura xanthogrammica</i>	(Brandt 1835)
<i>Actinia xanthogrammica</i>	Brandt 1835
<i>Epiactis prolifera</i>	Verrill 1869
<i>Epiactis fertilis</i>	Carlgren 1945
<i>Urticina columbiana</i>	Verrill 1922
<i>Tealia columbiana</i>	of Gotshall & Laurent 1979
<i>Urticina</i> sp A	McPeak 1978 §
Family Isanthidae	
<i>Isanthidae</i> sp A	SCAMIT 1989 §
<i>Anthozoa</i> #96	Ljubenkov 1984 §
<i>Zaolotus actius</i>	Hand 1955
<i>Gonactinia</i> prolifera	of authors SCB not M. Sars 1835
Family Isopheliidae	
<i>Flosmaris grandis</i>	Hand & Bushnell 1967
Family Liponematidae	
<i>Liponema brevicorne</i>	(McMurrich 1893)
<i>Bolocera brevicornis</i>	McMurrich 1893
Family Actinostolidae	
<i>Actinostola</i> sp A	Ljubenkov 1998 §
<i>Stomphia vinosa</i>	(McMurrich 1893)
<i>Paractis vinosa</i>	McMurrich 1893
Family Hormathiidae	
<i>Amphianthus californicus</i>	Carlgren 1936
<i>Hormathia digitata</i>	(Müller 1776)
<i>Actinia digitata</i>	Müller 1776
<i>Stephanauge annularis</i>	Carlgren 1936
<i>Stephanauge</i> sp A	Ljubenkov 1991 §
Family Sagartiidae	
<i>Sagartia catalinensis</i>	McPeak 1968
Family Boloceroididae	

<i>Bunodeopsis</i> sp A	Ljubenkov 1998 §
Family Metridiidae	
<i>Metridium exile</i>	Hand 1956
<i>Metridium farcimen</i>	(Brandt 1835)
Actinia farcimen	Brandt 1835
Actinia priapus	Tilesius 1809 not Forskal 1775
Isometridium rickettsii	Carlgren 1949
Metridium giganteum	Fautin, Buckland & Hand 1990
Medridium senile Cmplx	of SCAMIT Ed 3 in part
Family Diadumenidae	
<i>Diadumene franciscana</i>	Hand 1956
<i>Diadumene lineata</i>	(Verrill 1869)
Sagartia lineata	Verrill 1869
Haliplanella luciae	of Hand 1956
Sagartia luciae	Verrill 1898
family uncertain	
Anthozoa #49	Ljubenkov 1984 §
Anthozoa #76	Ljubenkov 1984 §
Order Corallimorpharia	
Family Corallimorphidae	
<i>Corynactis californica</i>	Carlgren 1936
Order Zoanthidea	
Family Zoanthidae	
Family Epizoanthidae	
<i>Epizoanthus induratum</i>	Cutress & Pequegnat 1960
Epizoanthus induratus	of SCAMIT Ed 4
<i>Epizoanthus leptoderma</i>	Cutress & Pequegnat 1960
PHYLUM PLATYHELMINTHES	
Class Turbellaria	
Order Polycladida	
Suborder Acotylea	
Superfamily Ilyplanoidea	
Family Enantiidae	
<i>Enantiidae</i> sp A	SCAMIT 2013 §
Superfamily Stylochoidea	
Family Callioplanidae	
<i>Koinostylochus burchami</i>	(Heath & McGregor 1912)
<i>Planocera burchami</i>	Heath & McGregor 1912
<i>Discosolenia (Planocera) burchami</i>	of Prudhoe 1985
<i>Discosolenia burchami</i>	of SCAMIT Ed. 7
<i>Discosolenia washingtoniensis</i>	Freeman 1933
<i>Polycladida</i> sp B	Phillips 1987 §
<i>Pseudostylochus burchami</i>	of Hyman 1952
Family Planoceridae	
<i>Paraplanocera oligoglena</i>	(Schmarda 1859)
<i>Stylochus oligoglena</i>	Schmarda 1859
<i>Polycladida</i> sp K	Phillips 1987 §
Family Plehnidiidae	
<i>Diplehnia caeca</i>	(Hyman 1953)
<i>Plehnia caeca</i>	Hyman 1953
<i>Plehnia caeca</i> var <i>oculifera</i>	Hyman 1953
<i>Polycladida</i> sp D	Phillips 1987 §
Family Latocestidae	
<i>Latocestidae</i> sp A	SCAMIT 2013 §
<i>Latocestidae</i> sp 1	Phillips 2005 §
<i>Polycladida</i> sp S	Phillips 2004 §
<i>Latoplana levius</i>	(Hyman 1953)
<i>Mexityllochus levius</i>	Hyman 1953
<i>Latocestidae</i> sp 2	Phillips 2006 §
Family Stylochidae	
<i>Stylochus atentaculatus</i>	Hyman 1953
<i>Stylochus exiguus</i>	Hyman 1953
<i>Imogene exiguus</i>	of SCAMIT Ed 4
<i>Platyhelminthes</i> sp E	MBC 1978 §
<i>Platyhelminthes</i> sp I	MBC 1980 §
<i>Polycladida</i> sp C	Phillips 1987 §
<i>Polycladida</i> sp F	Phillips 1987 §
<i>Polycladida</i> sp P	Paquette 1980 §
<i>Stylochus franciscanus</i>	Hyman 1953
<i>Stylochus insolitus</i>	Hyman 1953

<i>Stylochus tripartitus</i>	Hyman 1953
Superfamily Leptoplanoidea	
Family Cryptocelididae	
<i>Cryptocelis occidentalis</i>	Hyman 1953
<i>Polycladida sp C</i>	Paquette 1980 §
<i>Polycladida sp G</i>	Phillips 1987 §
<i>Polycladida sp H</i>	Phillips 1987 §
<i>Polycladida sp J</i>	Ljubenkov 1978 §
<i>Hylocelis californica</i>	(Heath & McGregor 1912)
<i>Planocera californica</i>	Heath & McGregor 1912
<i>Pseudalliplana californica</i>	of SCAMIT Ed. 7
Family Leptoplanidae	
<i>Hoploplana californica</i>	Hyman 1953
<i>Hoploplana sp A</i>	SCAMIT 2007 §
<i>Hoploplana sp A</i>	MEC 1989 §
<i>Leptoplanidae sp A</i>	SCAMIT 2013 §
<i>Leptoplanidae sp A</i>	MEC 1988 §
<i>Polycladida sp SD1</i>	Pasko 1996 §
<i>Polycladida sp 41</i>	Ljubenkov 1989 §
<i>Parviplana hymani</i>	Faubel 1983
<i>Parviplana californica</i>	of Hyman 1953 not <i>Stylochoplana californica</i> Woodworth 1894
<i>Polycladida sp I</i>	Phillips 1987 §
Family Notociridae	
<i>Diplandros singularis</i>	Hyman 1953
Family Notoplanidae	
<i>Notocomplana acticola</i>	(Boone 1929)
<i>Notoplana acticola</i>	Boone 1929
<i>Notocomplana rupicola</i>	(Heath & McGregor 1912)
<i>Notoplana rupicola</i>	Heath & McGregor 1912
Family Pleioplanidae	
<i>Pleiopla inquieta</i>	(Heath & McGregor 1912)
<i>Leptoplana inquieta</i>	Heath & McGregor 1912
<i>Polycladida sp N</i>	Phillips 1987 §
<i>Stylochoplana heathi</i>	Boone 1929
Family Stylochoplaniidae	
<i>Armatoplana reishi</i>	(Hyman 1959)
<i>Stylochoplana reishi</i>	Hyman 1959
<i>Stylochoplana sp HYP2</i>	Phillips 2006 §
<i>Emprostropharynx gracilis</i>	(Heath & McGregor 1912)
<i>Stylochoplana gracilis</i>	Heath & McGregor 1912
<i>Interplana sandiegensis</i>	(Boone 1929)
<i>Planocera sandiegensis</i>	Boone 1929
<i>Pseudalliplana sandiegensis</i>	of SCAMIT Ed. 7
<i>Phaenoplana longipenis</i>	(Hyman 1953)
<i>Stylochoplana longipenis</i>	Hyman 1953
<i>Leptoplanae sp BL1</i>	Phillips 2005 §
<i>Platyhelminthes sp A</i>	MBC 1984 §
<i>Platyhelminthes sp G</i>	Paquette 1979 §
<i>Polycladida sp T</i>	Phillips 2004 §
<i>Stylochoplana chloranota</i>	(Boone 1929)
<i>Phylloplana chloranota</i>	Boone 1929
<i>Notoplana inquieta</i>	of Freeman 1933 not (Heath & McGregor 1912)
<i>Stylochoplana sp A</i>	SCAMIT 2013 §
<i>Stylochoplana sp HYP1</i>	Phillips 1988 §
<i>Polycladida sp E</i>	Phillips 1988 §
<i>Stylochoplana sp B</i>	SCAMIT 2013 §
<i>Polycladida sp A</i>	Phillips 1987 §
<i>Stylochoplana sp HYP3</i>	Phillips 2006 §
Suborder Cotylea	
Superfamily Pseudocerotoidea	
Family Pseudocerotidae	
<i>Pseudoceros mexicanus</i>	Hyman 1953
<i>Pseudoceros montereyensis</i>	Hyman 1953
Superfamily Euryleptoidea	
Family Euryleptidae	
<i>Acerotisa californica</i>	Hyman 1953
<i>Polycladida sp O</i>	Phillips 1987 §
<i>Acerotisa langi</i>	(Heath & McGregor 1912)
<i>Aceros langi</i>	Heath & MacGregor 1912
<i>Polycladida sp 43</i>	Ljubenkov 1989 §

<i>Polycladida</i> sp M	Phillips 1987 §
<i>Polycladida</i> sp R	Phillips 1991 §
<i>Eurylepta aurantiaca</i>	Heath & McGregor 1912
<i>Eurylepta</i> sp LA1	Cadien 2001 §
<i>Eurylepta leoparda</i>	Freeman 1933
<i>Euryleptodes insularis</i>	Hyman 1953
<i>Praestheceraeus bellostriatus</i>	Hyman 1953
<i>Prostherceraeus</i> bellostriatus	of SCAMIT Ed. 7
<i>Stylostomum lendum</i>	Heath & McGregor 1912
Family Prostostomidae	
<i>Enchiridium punctatum</i>	Hyman 1953
<i>Prostostomum latocelis</i>	Hyman 1953
<i>Prostostomum multicelis</i>	Hyman 1953
Order Rhabdocoela	
<i>Neorhabdocoela</i> sp HYP1	Phillips 2006 §
<i>Rhabdocoela</i> sp A	SCAMIT 1998 §
<i>Rhabdocoela</i> sp A	Lilly & Pasko 1997 §
<i>Rhabdocoela</i> sp HYP1	Phillips 2006 §
<i>Rhabdocoela</i> sp HYP2	Phillips 2006 §
Order Seriata	
Suborder Tricladida	
Superfamily Procerodoidea	
Family Procerodidae	
<i>Pacificides psammophilus</i>	Holmquist & Karling 1972
Order uncertain	
suborder uncertain	
superfamily uncertain	
family uncertain	
<i>Turbellaria</i> sp A	SCAMIT 2013§
<i>Platyhelminthes</i> sp SD1	Pasko 2000 §
<i>Polycladida</i> sp 27	Ljubenkov 1986 §
<i>Polycladida</i> sp SD2	Pasko 2000 §
<i>Turbellaria</i> sp B	SCAMIT 2013§
<i>Polycladida</i> sp HYP 2	Phillips 2001 §
<i>Turbellaria</i> sp C	SCAMIT 2013§
<i>Leptoplaniidae</i> sp SD2	Lilly & Pasko 1997 §

PHYLUM NEMERTEA

Class Anopla

Order Archinemertea	
Family Cephalothricidae	
<i>Procephalothrix</i> sp	
Order Palaeonemertea	
Family Carinomidae	
<i>Carinoma mutabilis</i>	Griffin 1898
<i>Carinoma griffini</i>	Coe 1901
<i>Palaeonemertea</i> sp B	Paquette 1989 §
Family Tubulanidae	
<i>Carinomella lactea</i>	Coe 1905
<i>Tubulanus albocinctus</i>	(Coe 1904)
<i>Carinella albocincta</i>	Coe 1904
<i>Tubulanus capistratus</i>	(Coe 1901)
<i>Carinella capistrata</i>	Coe 1901
<i>Tubulanus cingulatus</i>	(Coe 1904)
<i>Carinella cingulata</i>	Coe 1904
<i>Tubulanus frenatus</i>	(Coe 1904)
<i>Carinella frenata</i>	Coe 1904
<i>Tubulanus polymorphus</i>	Renier 1804
<i>Carinella pellucida</i>	Coe 1895
<i>Carinella rubra</i>	Griffin 1898
<i>Carinella speciosa</i>	Coe 1901
<i>Tubulanus</i> sp A	SCAMIT 2005 §
<i>Tubulanus nothus</i>	of authors NEP not (Bürger 1892)
<i>Tubulanus</i> sp SD1	Pasko 2000 §
<i>Tubulanidae</i> sp A	SCAMIT 1995 §
<i>Anopla</i> sp A	Phillips 1987 §
<i>Tubulanidae</i> sp SD1	Pasko 1998 §
<i>Tubulanidae</i> sp B	SCAMIT 2005 §
<i>Tubulanidae</i> sp C	SCAMIT 2005 §
<i>Palaeonemertea</i> sp C	SCAMIT 1995 §
<i>Tubulanidae</i> sp D	SCAMIT 2005 §
<i>Palaeonemertea</i> sp A	Phillips 1988 §

Tubulanidae sp E	SCAMIT 2005 §
Order Heteronemertea	
Family Lineidae	
<i>Cerebratulus albifrons</i>	Coe 1901
<i>Cerebratulus californiensis</i>	Coe 1905
<i>Cerebratulus lineolatus</i>	Coe 1905
<i>Cerebratulus marginatus</i>	Renier 1804
<i>Cerebratulus montgomeryi</i>	Coe 1901
<i>Euborlasia nigrocincta</i>	Coe 1940
<i>Lineidae sp A</i>	Paquette 1989 §
<i>Lineidae sp HYP 1</i>	SCAMIT 2007 §
<i>Lineus bilineatus</i>	(Renier 1804)
<i>Cerebratulus bilineatus</i>	Renier 1804
<i>Lineus albolineatus</i>	Coe 1904
<i>Lineus flavescens</i>	Coe 1904
<i>Lineus pictifrons</i>	Coe 1904
<i>Lineus ruber</i>	(O. F. Müller 1771)
<i>Planaria ruber</i>	O. F. Müller 1771
<i>Lineus viridis</i>	Coe 1901
<i>Lineus rubescens</i>	Coe 1904
<i>Micrura alasensis</i>	Coe 1901
<i>Micrura olivaris</i>	Coe 1905
<i>Micrura pardalis</i>	Coe 1905
<i>Micrura wilsoni</i>	(Coe 1904)
<i>Lineus wilsoni</i>	Coe 1904
Family Valenciniidae	
<i>Baseodiscus delineata</i>	(Delle Chiaje 1825)
<i>Polia delineata</i>	Delle Chiaje 1825
<i>Baseodiscus princeps</i>	(Coe 1901)
<i>Taeniosoma princeps</i>	Coe 1901
<i>Zygeupolia rubens</i>	(Coe 1895)
<i>Valencinia rubens</i>	Coe 1895
<i>Anopla sp D</i>	SCAMIT 1995 §
<i>Monostylifera sp A</i>	Ljubenkov 1989 §
<i>Zygeupolia littoralis</i>	Thompson 1900
family uncertain	
<i>Heteronemertea sp SD2</i>	Lilly
<i>Anopla sp OC1</i>	Pasko 2011
order uncertain	
family uncertain	
<i>Anopla sp C</i>	SCAMIT 1995 §
Class Enopla	
Order Hoplonemertea	
Suborder Monostyliferoidea	
Family Carcinonemertidae	
<i>Carcinonemertes sp</i>	
Family Emplectonematidae	
<i>Cryptonemertes actinophila</i>	(Bürger 1904)
<i>Nemertopsis actinophila</i>	Bürger 1904
<i>Nemertopsisella actinophila</i>	of Friedrich 1958
<i>Dichonemertes hartmanae</i>	Coe 1938
<i>Emplectonema gracile</i>	(Johnston 1837)
<i>Nemertes gracilis</i>	Johnston 1837
<i>Nemertopsis gracilis</i>	Coe 1904
<i>Paranemertes californica</i>	Coe 1904
<i>Monostylifera sp SD1</i>	CSD 1994 §
<i>Paranemertes sp A</i>	SCAMIT 1984 §
<i>Paranemertes peregrina</i>	Coe 1901
<i>Paranemertes sp B</i>	SCAMIT 2007 §
<i>Paranemertes californica</i>	of Coe 1940 not Coe 1904
Family Ototyphlonemertidae	
<i>Ototyphlonemertes spiralis</i>	Coe 1940
<i>Ototyphlonemertes (Otohelicophora) spiralis</i>	of Envall 1996
Family Prosorhochmidiae	
<i>Oerstedia dorsalis Cmplx</i>	
<i>Planaria dorsalis</i>	Abildgaard 1806
<i>Tetrastemma dorsalis</i>	McIntosh 1873
<i>Tetrastemma (Oerstedia) dorsale</i>	Coe 1904
Family Amphiporidae	
<i>Amphiporidae sp B</i>	MEC 1989 §

<i>Amphiporus bimaculatus</i>	Coe 1901
<i>Collarenemertes bimaculatus</i>	Chernyshev 1993
<i>Nipponemertes bimaculata</i>	(Coe 1901)
<i>Amphiporus californicus</i>	Coe 1905
<i>Amphiporus cruentatus</i>	Verrill 1879
<i>Amphiporus leptacanthus</i>	Coe 1905
<i>Amphiporus flavescens</i>	Coe 1905
<i>Amphiporus formidabilis</i>	Griffin 1898
<i>Amphiporus imparispinosus</i>	Griffin 1898
<i>Amphiporus rubellus</i>	Coe 1905
<i>Amphiporus sp A</i>	Phillips 1988 §
<i>Amphiporus sp B</i>	Phillips 1989 §
<i>Zygonemertes virescens</i>	(Verrill 1879)
<i>Amphiporus virescens</i>	Verrill 1879
Family Crateronemertidae	
<i>Nipponemertes pacificus</i>	(Coe 1905)
<i>Amphiporus pacificus</i>	Coe 1905
<i>Nipponemertes punctatulus</i>	(Coe 1905)
<i>Amphiporus punctatulus</i>	Coe 1905
Family Tetrastemmatidae	
<i>Amphinemertes caeca</i>	(Coe 1901)
<i>Tetraستemma caecum</i>	Coe 1901
<i>Tetraستemma albidum</i>	Coe 1905
<i>Monostylifera sp B</i>	SCAMIT 1995 §
<i>Monostylifera sp C</i>	SCAMIT 1995 §
<i>Prosorhochmus albidus</i>	of authors NEP
<i>Tetraستemma bilineatum</i>	Coe 1904
<i>Tetraستemma candidum</i>	(O. F. Müller 1774)
<i>Planaria candida</i>	O. F. Müller 1774
<i>Tetraستemma nigrifrons</i>	Coe 1904
<i>Nemertea sp A</i>	Paquette 1989 §
<i>Tetraستemma quadrilineatum</i>	Coe 1904
<i>Tetraستemma reticulatum</i>	Coe 1904
<i>Tetraستemma sexlineatum</i>	Coe 1940
<i>Tetraستemma signifer</i>	Coe 1904
<i>Tetraستemma sp HYP 1</i>	SCAMIT 2007 §
suborder uncertain	
family uncertain	
<i>Hoplonemertea sp A</i>	Paquette 1988 §
<i>Hoplonemertea sp A</i>	SCAMIT 2007 §
<i>Tetraستemma sp A</i>	SCAMIT 1995 §
<i>Tetraستemma sp D</i>	MEC/Ljubenkov 1988 §
<i>Hoplonemertea sp B</i>	SCAMIT 2011 §
<i>Hoplonemertea sp HYP 1</i>	SCAMIT 2007 §
<i>Hoplonemertea sp C</i>	SCAMIT 2011 §
<i>Hoplonemertea sp HYP 2</i>	SCAMIT 2007 §
order uncertain	
suborder uncertain	
family uncertain	
<i>Enopla sp A</i>	SCAMIT 1995 §
<i>Enopla sp B</i>	SCAMIT 1995 §
<i>Anopla sp B</i>	SCAMIT 1995 §
PHYLUM ENTOPROCTA	
Order Solitaria	
Family Loxosomatidae	
<i>Loxomespilon sp</i>	
<i>Loxosomella sp</i>	
Order Coloniales	
Suborder Stolonata	
Family Barentsiidae	
<i>Barentsia benedeni</i>	(Foettinger 1887)
<i>Pedicellina benedeni</i>	Foettinger 1887
<i>Ascopodaria gracilis</i>	of Craig 1929 not (M. Sars 1835)
<i>Barentsia gracilis</i>	of Hedgpeth 1964 not (M. Sars 1835)
<i>Barentsia discreta</i>	(Busk 1886)
<i>Ascopodaria discreta</i>	Busk 1886
<i>Ascopodaria macropus</i>	Ehlers 1890
<i>Ascopodaria misakiensis</i>	Oka 1890
<i>Barentsia misakiensis</i>	of Oka 1895
<i>Barentsia robusta</i>	O'Donoghue 1924

Barentsia subrigida	Osburn 1953
Barentsia timida	Verrill 1900
Pedicellina australis	Jullien 1888
<i>Barentsia parva</i>	(O'Donoghue & O'Donoghue 1923)
Gonypodaria parva	O'Donoghue & O'Donoghue 1923
Ascopodaria gracilis	of Robertson 1900 not (M. Sars 1835)
Barentsia gracilis	of Osburn 1953 not (M. Sars 1835)
PHYLUM MOLLUSCA	
Subphylum Adenopoda	
Class Solenogastres	
Superorder Aploegementaria	
Order Pholidoskepia	
Family Gymnomeniidae	
<i>Neomeniomorpha</i> sp A	SCAMIT 2005 §
<i>Neomeniomorpha</i> sp C	SCAMIT 2005 §
Family Dondersiidae	
<i>Heathia porosa</i>	(Heath 1911)
<i>Ichthyomenia porosa</i>	Heath 1911
Superorder Pachyegmentaria	
Order Cavibelonia	
family uncertain	
<i>Neomeniomorpha</i> sp B	SCAMIT 2005 §
Subphylum Scutopoda	
Class Caudofoveata	
Superorder Chaetodermatimorpha	
Order Chaetodermatida	
Family Chaetodermidae	
<i>Chaetoderma elegans</i>	Scheltema 1998
<i>Chaetoderma hancocki</i>	(Schwabl 1963)
<i>Crystallophrisson hancocki</i>	Schwabl 1963
<i>Crystallophrisson inflatum</i>	Schwabl 1963
<i>Crystallophrisson rectum</i>	Schwabl 1963 in part
<i>Crystallophrisson riedli</i>	Schwabl 1963 in part
<i>Chaetoderma marinelli</i>	(Schwabl 1963)
<i>Crystallophrisson marinelli</i>	Schwabl 1963
<i>Chaetoderma nanulum</i>	Heath 1911
<i>Falcidens macracanthos</i>	of SCAMIT Ed 4 in part not Scheltema 1998
<i>Falcidens</i> sp A	SCAMIT 1985 § in part
<i>Chaetoderma pacificum</i>	(Schwabl 1963)
<i>Crystallophrisson nitidulum</i> var <i>pacificum</i>	Schwabl 1963
<i>Chaetoderma scabrum</i>	Heath 1911
<i>Chaetoderma</i> sp A	SCAMIT 2005 §
Family Falcidentidae	
<i>Falcidens hartmanae</i>	(Schwabl 1961)
<i>Crystallophrisson hartmanae</i>	Schwabl 1961
<i>Chaetoderma hartmanae</i>	of authors NEP
<i>Falcidens longus</i>	Scheltema 1998
<i>Falcidens</i> sp B	SCAMIT 1985 §
<i>Falcidens macracanthos</i>	Scheltema 1998
<i>Falcidens</i> sp A	SCAMIT 1985 § in part
<i>Furcillidens incrassatus</i>	(Schwabl 1963)
<i>Crystallophrisson incrassatum</i>	Schwabl 1963
<i>? Chaetoderma</i> sp B	of Shrake 1985 §
Family Limifossoridae	
<i>Limifossor fratula</i>	Heath 1911
Family Prochaetodermatidae	
<i>Spathoderma californicum</i>	(Schwabl 1963)
<i>Prochaetoderma californicum</i>	Schwabl 1963
<i>Spathoderma</i> sp A	SCAMIT 2005 §
<i>Chevroderma</i> sp LA1	Cadien 2003 §
Family Scutopidae	
<i>Psilodens</i> sp	
Class Polyplacophora	
Order Lepidopleurida	
Suborder Lepidopleurina	
Family Leptochitonidae	
<i>Hanleyella oldroydi</i>	(Dall 1919 ex Bartsch MS)
<i>Lepidopleurus</i> (<i>Leptochiton</i>) <i>oldroydi</i>	Dall 1919 ex Bartsch MS
<i>Leptochiton</i> <i>oldroydi</i>	of Burghardt & Burghardt 1969
<i>Leptochiton nexus</i>	Carpenter 1864

Chiton (Leptochiton) nexus	of Orcutt 1885
Lepidopleurus (Leptochiton) ambustus	Dall 1919
Lepidopleurus (Pilsbryella) ambustus	of LeLoup 1940
Lepidopleurus heathi	of Burghardt & Burghardt 1969
Lepidopleurus (Xiphiozona) heathi	Berry 1919
Lepidopleurus (Leptochiton) lycurgus	Dall 1919
Lepidopleurus nexus	of Pilsbry 1892
Leptochiton ambustus	of Smith & Gordon 1948
Leptochiton lycurgus	of Burghardt & Burghardt 1969
<i>Leptochiton rugatus</i>	(Carpenter in Pilsbry 1892)
Lepidopleurus rugatus	Carpenter in Pilsbry 1892
Lepidopleurus alasensis	Thiele 1909
Lepidopleurus assimilis	Thiele 1909
Leptopleurus alasensis	of Smith 1947
Leptopleurus cancellatus	of Dall 1879 not (G. B. Sowerby II 1839)
Leptopleurus internexus	Carpenter in Pilsbry 1892
<i>Oldroydia percrassa</i>	(Dall 1894)
Lepidopleurus (<i>Oldroydia</i>) percrassus	Dall 1894
Order Chitonida	
Suborder Chitonina	
Family Chaetopleuridae	
<i>Chaetopleura gemma</i>	Dall 1879 ex Carpenter MS
Family Ischnochitonidae	
<i>Callistochiton crassicostatus</i>	Pilsbry 1893
<i>Callistochiton decoratus</i>	Keep 1887
<i>Callistochiton cthonius</i>	Dall 1919
<i>Callistochiton cyanocephalus</i>	Dall 1919
<i>Callistochiton decoratus ferminicus</i>	Berry 1922
<i>Callistochiton decoratus punctocostatus</i>	Pilsbry 1896
<i>Callistochiton diegoensis</i>	Thiele 1910
<i>Callistochiton palmulatus</i>	Dall 1879 ex Carpenter MS
<i>Callistochiton acinatus</i>	Dall 1919
<i>Callistochiton celestus</i>	Dall 1919
<i>Callistochiton connellyi</i>	Willett 1937
<i>Callistochiton palmulatus mirabilis</i>	Pilsbry 1893
<i>Lepidozona golischii</i>	(Berry 1919)
<i>Ischnochiton golischii</i>	Berry 1919
<i>Lepidozona mertensii</i>	(Middendorff 1847)
<i>Chiton mertensii</i>	Middendorff 1847
<i>Ischnochiton mertensii</i>	of Dall 1921
<i>Ischnochiton (Lepidozona) mertensii</i>	of Abbott 1954
<i>Lepidozona pectinata</i>	(Carpenter in Pilsbry 1893)
<i>Lepidopleurus pectinulatus</i>	Carpenter in Pilsbry 1893
<i>Ischnochiton brunneus</i>	Dall 1919
<i>Ischnochiton bryanti</i>	Dall 1919
<i>Lepidozona californiensis</i>	Berry 1931
<i>Lepidozona radians</i>	(Carpenter in Pilsbry 1892)
<i>Ischnochiton radians</i>	Carpenter in Pilsbry 1892
<i>Ischnochiton interstinctus</i>	of Abbott 1974
<i>Lepidozona interstincta</i>	of SCAMIT Ed 5 not (Gould 1852)
<i>Lepidozona retiporosa</i>	(Carpenter 1864)
<i>Ischnochiton (Trachydermon) retiporus</i>	Carpenter 1864
<i>Ischnochiton aureotinctus</i>	Carpenter in Pilsbry 1892
<i>Ischnochiton venezius</i>	Dall 1919
<i>Leptochiton punctatus</i>	Whiteaves 1886
<i>Lepidozona scabricostata</i>	(Carpenter 1864)
<i>Ischnochiton (Lepidopleurus) scabricostatus</i>	Carpenter 1864
<i>Ischnochiton (Ischnochiton) scabricostatus</i>	of Pilsbry 1892
<i>Ischnochiton (Lepidozona) golischii</i>	of authors NEP not Berry 1919
<i>Lepidopleurus scabricostatus</i>	of Carpenter 1864
<i>Lepidozona golischii</i>	of Burghardt & Burghardt 1969 not Berry 1919
<i>Lepidozona inefficax</i>	Berry 1963
<i>Lepidozona scrobiculata</i>	(Middendorff 1847)
<i>Chiton scrobiculatus</i>	Middendorff 1847
<i>Ischnochiton sinudentatus</i>	Carpenter in Pilsbry 1892
<i>Ischnochiton berryi</i>	Dall 1919
<i>Ischnochiton gallina</i>	Berry 1925
<i>Ischnochiton listrum</i>	Dall 1919
<i>Lepidozona serrata</i>	(Carpenter 1864)
<i>Ischnochiton serratus</i>	Carpenter 1864

<i>Lepidozona willetti</i>	(Berry 1917)
<i>Ischnochiton willetti</i>	Berry 1917
<i>Ischnochiton catalinae</i>	Willett 1931
<i>Lepidozona</i> sp A	Stebbins & Eernisse 2009 §
<i>Lepidozona</i> sp B	Stebbins & Eernisse 2009 §
<i>Lepidozona</i> sp C	Stebbins & Eernisse 2009 §
<i>Stenoplax conspicua</i>	(Pilsbry 1892 ex Carpenter MS)
<i>Ischnochiton (Stenoradisia) conspicua</i>	Pilsbry 1892 ex Carpenter MS
<i>Ischnochiton conspicuus</i>	of Oldroyd 1927
<i>Stenoplax corrugata</i>	(Carpenter in Pilsbry 1892)
<i>Ischnochiton corrugatus</i>	Carpenter in Pilsbry 1892
<i>Ischnochiton biarcuatus</i>	Dall 1903
Suborder Acanthochitonina	
Family Acanthochitonidae	
<i>Acanthochitona avicula</i>	(Carpenter 1864)
<i>Acanthochites avicula</i>	Carpenter 1864
<i>Acanthochites avicula</i> var <i>diegensis</i>	Pilsbry 1893
Family Lepidochitonidae	
<i>Cyanoplax dentiens</i>	(Gould 1846)
<i>Chiton (Onythochiton) dentiens</i>	Gould 1846
<i>Lepidochitona dentiens</i>	of authors NEP
<i>Cyanoplax hartwegii</i>	(Carpenter 1855)
<i>Chiton hartwegii</i>	Carpenter 1855
<i>Lepidochitona hartwegii</i>	of authors NEP
<i>Lepidochitona beanii</i>	(Carpenter 1857)
<i>Lepidopleurus (?) beanii</i>	Carpenter 1857
<i>Basiliochiton lobium</i>	Berry 1925
<i>Chiton bipunctatus</i>	G. B. Sowerby I 1832
<i>Chiton flavesrens</i>	Carpenter 1857
? <i>Chiton virescens</i>	Reeve 1847
<i>Tonicella (Mopaliella) stigmata</i>	Dall 1909
<i>Nuttallina californica</i>	(Reeve 1847)
<i>Chiton californicus</i>	Reeve 1847
<i>Nuttallina fluxa</i>	(Carpenter 1864)
<i>Acanthopleura fluxa</i>	Carpenter 1864
<i>Chiton scaber</i>	Reeve 1847
Family Mopaliidae	
<i>Dendrochiton gothicus</i>	(Carpenter 1864)
<i>Ischnochiton (Trachydermon) gothicus</i>	Carpenter 1864
<i>Dendrochiton thamnoporus</i>	(Berry 1911)
<i>Mopalia (Dendrochiton) thamnopora</i>	Berry 1911
<i>Dentrochiton psaltes</i>	Berry 1963
<i>Lepidochitona thamnopora</i>	of SCAMIT Ed 4
<i>Mopalia imporata</i>	(Carpenter 1865)
<i>Mopalia lignosa</i>	(Gould 1846)
<i>Chiton lignosus</i>	Gould 1846
<i>Chiton eschscholtzii</i>	von Middendorff 1847
<i>Chiton merckii</i>	von Middendorff 1847
<i>Chiton montereyensis</i>	Carpenter 1855
<i>Mopalia insignis</i>	Pilsbry 1893 ex Newcomb MS
<i>Mopalia lionota</i>	Pilsbry 1918
<i>Mopalia lowei</i>	Pilsbry 1918
<i>Mopalia muscosa</i>	(Gould 1846)
<i>Chiton muscosus</i>	Gould 1846
<i>Mopalia phorminx</i>	Berry 1919
<i>Mopalia sinuata</i>	Carpenter 1864
<i>Callistochiton aepynotus</i>	Dall 1919
<i>Mopalia goniura</i>	Dall 1919
<i>Placiphorella mirabilis</i>	Clark 1994
<i>Placiphorella velata</i>	Dall 1879
<i>Tonicella venusta</i>	Clark 1999
Subphylum Conchifera	
Class Monoplacophora	
Order Tryblidiida	
Family Neopilinidae	
<i>Laevipilina hyalina</i>	(McLean 1979)
<i>Vema (Laevipilina) hyalina</i>	McLean 1979
Class Gastropoda	
Subclass Eogastropoda	
Superorder Patellogastropoda	

Superfamily Lottioidea	
Family Lottiidae	
<i>Lottia asmi</i>	(Middendorff 1847)
<i>Patella asmi</i>	Middendorff 1847
<i>Collisella asmi</i>	of Lindberg 1981
<i>Lottia austrodigitalis</i>	(Murphy 1978)
<i>Collisella austrodigitalis</i>	Murphy 1978
<i>Lottia cona</i>	(Test 1945)
<i>Acmaea conus</i>	Test 1945
<i>Collisella conus</i>	of McLean 1969
<i>Lottia depicta</i>	(Hinds 1842)
<i>Patelloida depicta</i>	Hinds 1842
<i>Notoacmaea depicta</i>	of Lindberg 1981
<i>Lottia digitalis</i>	(Rathke 1833)
<i>Acmaea digitalis</i>	Rathke 1833
<i>Lottia fenestrata</i>	(Reeve 1855)
<i>Patella fenestrata</i>	Reeve 1855
<i>Notoacmea fenestrata</i>	of Lindberg 1981
<i>Lottia gigantea</i>	G. B. Sowerby I 1834
<i>Lottia insessa</i>	(Hinds 1842)
<i>Patella insessa</i>	Hinds 1842
<i>Notoacmea insessa</i>	of Lindberg 1981
<i>Lottia instabilis</i>	(Gould 1846)
<i>Patella (Nacella) instabilis</i>	Gould 1846
<i>Collisella ochracea</i>	of Lindberg 1981
<i>Lottia ochracea</i>	of authors NEP
<i>Lottia limatula</i>	(Carpenter 1864)
<i>Acmaea limatula</i>	Carpenter 1864
<i>Lottia ochracea</i>	(Dall 1871)
<i>Acmaea (Collisella) patina var ochracea</i>	Dall 1871
<i>Collisella ochracea</i>	of Lindberg 1981
<i>Lottia pelta</i>	(Rathke 1833)
<i>Acmaea pelta</i>	Rathke 1833
<i>Collisella pelta</i>	of Lindberg 1981
<i>Lottia rosacea</i>	(Carpenter 1864)
<i>Acmaea (? pileolus Midd. var.) rosacea</i>	Carpenter 1864
<i>Tectura rosacea</i>	of SCAMIT Ed 4
<i>Lottia scabra</i>	(Gould 1846)
<i>Patella scabra</i>	Gould 1846
<i>Collisella scabra</i>	of Lindberg 1981
<i>Lottia strigatella</i>	(Carpenter 1864)
<i>Acmaea strigatella</i>	Carpenter 1864
Family Acmaeidae	
<i>Acmaea funiculata</i>	Carpenter 1864
<i>Niveotectura funiculata</i>	(Carpenter 1864)
<i>Acmaea mitra</i>	Rathke 1833
Family Lepetidae	
<i>Iothia lindbergi</i>	McLean 1985
Subclass Orthogastropoda	
Superorder Vetigastropoda	
Superfamily Fissurelloidea	
Family Fissurellidae	
Subfamily Fissurellinae	Reeve 1849
<i>Fissurella volcano</i>	
Subfamily Emarginulinae	(Dall 1914)
<i>Cranopsis multistriata</i>	Dall 1914
<i>Puncturella multistriata</i>	(Rathke 1833)
<i>Diodora aspera</i>	Rathke 1833
<i>Fissurella aspera</i>	of Williamson 1892
<i>Fissuridea aspera</i>	of Carpenter 1856
<i>Glyphis aspera</i>	Dall 1871
<i>Fissurellidea bimaculata</i>	of McLean 1969
<i>Megatebennus bimaculatus</i>	(Dall 1871)
<i>Lucapinella callomarginata</i>	Dall 1871
<i>Clypedella callomarginata</i>	(G. B. Sowerby I 1825)
<i>Megathura crenulata</i>	G. B. Sowerby I 1825
<i>Fissurella crenulata</i>	Carpenter 1864
<i>Puncturella cooperi</i>	Dall 1924
<i>Puncturella eyerdami</i>	(Gould 1846)
<i>Puncturella galeata</i>	

Rimula galeata	Gould 1846
Superfamily Lepetelloidea	
Family Addisoniidae	
<i>Addisonia brophyi</i>	McLean 1985
Superfamily Scissurelloidea	
Family Anatomidae	
<i>Anatoma kelseyi</i>	(Dall 1905) Dall 1905 of McLean 1996 (not Fleming 1828) of Mclean 1967 not Fleming 1828 of SCAMIT Ed. 7
<i>Scissurella (Schizotrochus) kelseyi</i>	
<i>Anatoma crispata</i>	
<i>Scissurella (Anatoma) crispata</i>	
<i>Thieleella kelseyi</i>	
Family Scissurellidae	
<i>Sinezona rimuloides</i>	(Carpenter 1865)
<i>Scissurella rimuloides</i>	Carpenter 1865
Superfamily Seguenzioidea	
Family Chilodontidae	
Subfamily Chilodontinae	
<i>Turcica cafea</i>	Gabb 1865 Gabb 1865 of Pilsbry 1889 of Arnold 1903
<i>Turcica (Ptychostylis) cafea</i>	
<i>Calliostoma (Turcica) cafea</i>	
<i>Thalotia cafea</i>	
Subfamily Calliotropinae	
<i>Cidarina cidaris</i>	(Carpenter 1864) Carpenter 1864 of Abbott 1954 of Williamson 1892 Dall 1889 of Pilsbry 1889
<i>Margarita cidaris</i>	
<i>Lischkeia cidaris</i>	
<i>Solariella cidaris</i>	
<i>Solariella oxybasis</i>	
<i>Turcicula (?) cidaris</i>	
Superfamily Trochoidea	
Family Trochidae	
Subfamily Halistylinae	
<i>Halistylus pupoideus</i>	(Carpenter 1864) Carpenter 1864 of Williamson 1892 Tryon 1887 of J. Burch 1946 of Dall 1921
<i>Fenella pupoidea</i>	
<i>Cantharidus (Halistylus) pupoideus</i>	
<i>Fenella subpupoidea</i>	
<i>Halistylus subpeideus</i>	
<i>Halistylus subpupoideus</i>	
Subfamily Umboiniiae	
<i>Lirularia acuticostata</i>	(Carpenter 1864) Carpenter 1864 of Keen 1937 of Dall 1921 of Palmer 1958
<i>Margarita acuticostata</i>	
<i>Margarites acuticostatus</i>	
<i>Margarites (Lirularia) acuticostata</i>	
<i>Margarites (Pupillaria) acuticostatus</i>	
<i>Lirularia parcipicta</i>	(Carpenter 1864) Carpenter 1864 of Dall 1921 of Keen 1937 of Woodring, Bramlette & Kew 1946
<i>Gibbula parcipicta</i>	
<i>Margarites (Lirularia) parcipicta</i>	
<i>Margarites parcipictus</i>	
<i>Margarites (Pupillaria) parcipictus</i>	
<i>Lirularia succincta</i>	(Carpenter 1864) Carpenter 1864
<i>Gibbula succincta</i>	
Family Calliostomatidae	
Subfamily Calliostomatinae	
<i>Calliostoma annulatum</i>	(Lightfoot 1786) Lightfoot 1786
<i>Trochus annulatum</i>	
<i>Calliostoma canaliculatum</i>	(Lightfoot 1786) Lightfoot 1786
<i>Trochus canaliculus</i>	
<i>Trochus dolarium</i>	Holten 1802
<i>Calliostoma gemmulatum</i>	Carpenter 1864
<i>Calliostoma gloriosum</i>	Dall 1871
<i>Calliostoma keenae</i>	McLean 1970
<i>Calliostoma platinum</i>	Dall 1890
<i>Calliostoma supragranosum</i>	Carpenter 1864
<i>Calliostoma splendens</i>	Carpenter 1864
<i>Calliostoma tricolor</i>	Gabb 1865
<i>Calliostoma turbinum</i>	Dall 1896
<i>Calliostoma variegatum</i>	Carpenter 1864
Family Solariellidae	
<i>Solariella nuda</i>	Dall 1896
<i>Solariella peramabilis</i>	Carpenter 1864
<i>Solariella rhyssa</i>	Dall 1919

Family Skeneidae

- Skenea coronadoensis*
Delphinoidea coronadoensis
Cyclostremella californica
Cyclostremella coronadoensis
Skenea californica

(Arnold 1903)
Arnold 1903
Bartsch 1907
of SCAMIT Ed 3
of Abbott 1974

Superfamily Turbinoidea

Family Turbinidae**Subfamily Turbininae**

- Megastraea turbanica*
Pomaulax turbanicus
Astraea (Megastraea) turbanica
Astraea petrothama
Astraea (Uvanilla) rupicola
Megastraea undosa
Trochus undosus
Lithopoma undosum
Astraea undosa

(Dall 1910)
Dall 1910
of Abbott 1974
Berry 1940
Stohler 1959
(Wood 1828)
Wood 1828
of SCAMIT Ed 3
of McLean 1969

Subfamily Teguliniae

- Chlorostoma aureotincta*
Trochus aureotinctus
Tegula aureotincta
Chlorostoma brunnea
Tegula brunnea
Chlorostoma eiseni
Tegula eiseni
Chlorostoma funebialis
Tegula funebialis
Norrisia norrisi
Trochiscus norrisi
Promartynia pulligo
Phorcus pulligo
Tegula regina

(Forbes 1850)
Forbes 1850
of SCAMIT Ed 5
(Philippi 1848)
Philippi 1848
(Jordan 1936)
Jordan 1936
(A. Adams 1855)
A. Adams 1855
(G. B. Sowerby I 1838)
G. B. Sowerby I 1838
(Gmelin 1791)
Gmelin 1791
Stearns 1892

Superfamily Phasianelloidea

Family Phasianellidae**Subfamily Tricoliinae**

- Eulithidium comptum*
Phasianella compta
Tricolia compta
Eulithidium pulloides
Phasianella compta var pulloides
Eulithidium substriatum
Phasianella (Tricolia) pulloides
Tricolia pulloides
Eulithidium rubrilineatum
Phasianella (Eulithidium) rubrilineata
Phasianella typica
Tricolia rubrilineata
Eulithidium substriatum
Eucosmia (? variegata, var) substriata
Phasianella (Eulithidium) substriata
Tricolia substriata

(Gould 1855)
Gould 1855
of McLean 1969
(Carpenter 1865)
Carpenter 1865
of Berry 1907 not (Carpenter 1864)
of Strong 1928
of McLean 1969
Strong 1928
Strong 1928
of I. Oldroyd 1927 not Dall 1908
of McLean 1969
(Carpenter 1864)
Carpenter 1864
of Dall 1921
of McLean 1969

Family Coloniidae**Subfamily Colloniinae**

- Homalopoma baculum*
Leptonyx bacula
Homalopoma berryi
Homalopoma grippi
Leptothyra grippi
Homalopoma luridum
Leptothyra sanguinea lurida

(Carpenter 1864)
Carpenter 1864
McLean 1964
(Dall 1911)
Dall 1911
(Dall 1885)
Dall 1885

Superorder Caenogastropoda

Order Sorbeoconcha

Superfamily Cerithioidea

Family Cerithiidae**Subfamily Alabininae**

- Alabina phalacra*

Bartsch 1911

Subfamily Bittiinae

- Lirobittium attenuatum*
Bittium attenuatum

(Carpenter 1864)
Carpenter 1864

<i>Lirobittium calenum</i>	(Dall 1919)
?Alabina calena	Dall 1919
<i>Lirobittium fetellum</i>	(Bartsch 1911)
Bittium fetellum	Bartsch 1911
<i>Lirobittium larum</i>	(Bartsch 1911)
Bittium (Lirobittium) larum	Bartsch 1911
<i>Lirobittium paganicum</i>	(Dall 1919)
Stylium paganicum	Dall 1919
Bittium (Stylium) paganicum	of Oldroyd 1927
<i>Lirobittium quadrifilatum</i>	(Carpenter 1864)
Bittium quadrifilatum	Carpenter 1864
Bittium (Semibittium) quadrifilatum	of Bartsch 1911
Bittium (Stylium) quadrifilatum	of Abbott 1954
<i>Lirobittium rugatum</i>	(Carpenter 1864)
Bittium rugatum	Carpenter 1864
Bittium asperum	of Carpenter 1864 not Gabb 1861
Bittium subplanatum	Bartsch 1911
Bittium (Semibittium) rugatum	of Bartsch 1911
Lirobittium subplanatum	of Houbrick 1993
Family Litiopidae	
<i>Alaba</i> sp	
Family Potamididae	
<i>Cerithidea californica</i>	(Haldeman 1840)
Cerithium californicum	Haldeman 1840
Family Scalioleidae	
<i>Finella</i> sp	
Family Thiaridae	
<i>Melanoides tuberculata</i>	(O. F. Müller 1774)
Nerita tuberculata	O. F. Müller 1774
Family Turritellidae	
<i>Turritella cooperi</i>	Carpenter 1864
Turritella jewetti	Carpenter 1864
Turritella orthosymmetrica	Berry 1953
Order Hypsogastropoda	
Suborder Littorinimorpha	
Superfamily Calyptraeoidea	
Family Calyptraeidae	
<i>Calyptrea fastigiata</i>	Gould 1846
Calyptrea contorta	Carpenter 1864
Galerus contortus	Carpenter 1865
<i>Crepidula aculeata</i>	(Gmelin 1791)
Patella aculeata	Gmelin 1791
Calyptrea echinus	Broderip 1834
Calyptrea hystrix	Broderip 1834
Crepidula californica	Tryon 1886 ex. Nuttall MS
Crepidula costata	of Menke 1847 not G. B. Sowerby I 1824
Crepidula foliacea	Broderip 1834
Crepidula gravispinosa	Kuroda & Habe 1950
Crepidula maculata	Quoy & Gaimard 1832-33
Crepidula tomentosa	Quoy & Gaimard 1832-33
<i>Crepidula fornicata</i>	(Linnaeus 1758)
Patella fornicate	Linnaeus 1758
<i>Crepidula glottidiarum</i>	Dall 1905
Crepidula nivea var glottidiarum	Dall 1905
Crepidula minuta	Middendorff 1849
Crepidula nivea	of authors NEP not C. B. Adams 1852
Crepidula nummaria	of Hoagland 1977 in part not Gould 1846
Crypta unguiculus	H. & A. Adams 1858
<i>Crepidula onyx</i>	G. B. Sowerby I 1824
Calyptrea amygdalus	Valenciennes 1846
Crepidula cerithicola	C. B. Adams 1852
Crepidula lirata	Reeve 1859
Crepidula rugosa	of Carpenter 1856 not Anton 1839
<i>Crepidula perforans</i>	Valenciennes 1846
Crepidula explanta	Gould 1853
Crepidula exuviatas	of Reeve 1859
Crepidula fimbriata	Reeve 1859
Crepidula naviculoides	of authors NEP not G. B. Sowerby I 1824
<i>Crepipatella lingulata</i>	(Gould 1846)
Crepidula lingulata	Gould 1846

<i>Crepidula dorsata</i>	of Hoagland 1977
<i>Crepidatella dorsata</i>	of SCAMIT Ed 4
<i>Crepidatella orbiculata</i>	(Dall 1919)
<i>Crepidula orbiculata</i>	Dall 1919
<i>Crepidatella (Verticumbo) charybdis</i>	of Abbott 1974
<i>Verticumbo charybdis</i>	Berry 1940
<i>Crucibulum spinosum</i>	(G. B. Sowerby I 1824)
<i>Calyptraea spinosa</i>	G. B. Sowerby I 1824
<i>Calyptraea hispida</i>	Broderip 1834
<i>Calyptraea tubifera</i>	Lesson 1830
<i>Patella peziza</i>	Wood 1828
<i>Garnotia adunca</i>	(G. B. Sowerby I 1825)
<i>Crepidula adunca</i>	G. B. Sowerby I 1825
<i>Crepidula aeola</i>	Dall 1927
<i>Crepidula rostriformis</i>	Gould 1846
<i>Crepidula solida</i>	Hinds 1844
<i>Crepidula uncata</i>	Menke 1847
<i>Garnotia naticarum</i>	(Williamson 1905)
<i>Crepidula rugosa naticarum</i>	Williamson 1905
<i>Crepidula coei</i>	Berry 1950
<i>Garnotia norissiarum</i>	(Williamson 1905)
<i>Crepidula rugosa norissiarum</i>	Williamson 1905
<i>Crepidula excavata</i>	of authors NEP not Broderip 1834
Superfamily Cypraeoidea	
Family Cypraeidae	
<i>Neobernaya spadicea</i>	(Swainson 1823)
<i>Cypraea spadicea</i>	Swainson 1823
<i>Zonaria spadicea</i>	of SCAMIT Ed 7
Family Ovulidae	
Subfamily Ovuliniae	
<i>Phenacovolva bellamaris</i>	(Berry 1946)
<i>Neosimnia bellamaris</i>	Berry 1946
<i>Simnia barbarensis</i>	(Dall in Williamson 1892)
<i>Ovula (Simnia) deflexa</i> var <i>barbarensis</i>	Dall in Williamson 1892
<i>Neosimnia barbarensis</i>	of SCAMIT Ed. 7
<i>Neosimnia catalinensis</i>	Berry 1916
<i>Simnia (Neosimnia) catalinensis</i>	of I. Oldroyd 1927
<i>Spiculata barbarensis</i>	of Cate 1973
<i>Simnia loebbeckeana</i>	(Weinkauff 1881)
<i>Ovula loebbeckeana</i>	Weinkauff 1881
<i>Neosimnia loebbeckeana</i>	of SCAMIT Ed 7
<i>Simnia loebbeckeana</i>	of Abbott 1974
<i>Spiculata loebbeckeana</i>	of Cate 1973
<i>Simnia vidleri</i>	(G. B. Sowerby III 1881)
<i>Ovulum vidleri</i>	G. B. Sowerby III 1881
<i>Delonovolva aequalis vidleri</i>	of Cate 1973
<i>Neosimnia aequalis</i>	of SCAMIT Ed 7
Superfamily Littorinoidea	
Family Littorinidae	
Subfamily Lacuninae	
<i>Lacuna marmorata</i>	Dall 1919
<i>Lacuna unifasciata</i>	Carpenter in Gould & Carpenter 1856
Subfamily Littorininae	
<i>Littorina keenae</i>	Rosewater 1978
<i>Littorina planaxis</i>	of authors NEP not Philippi 1847
<i>Littorina plena</i>	Gould 1849
<i>Littorina scutulata</i>	of authors NEP in part not Gould 1849
<i>Littorina scutulata</i>	Gould 1849
Family Pelicidiidae	
<i>Pelycidion kelseyi</i>	(Bartsch 1911)
<i>Nodulus kelseyi</i>	Bartsch 1911
<i>Nannoteretispira kelseyi</i>	of authors NEP
Superfamily Naticoidea	
Family Naticidae	
<i>Calinaticina oldroydi</i>	(Dall 1897)
<i>Sigaretus oldroydi</i>	Dall 1897
<i>Eunaticina oldroydi</i>	of I. Oldroyd 1927
<i>Cryptonatica affinis</i>	(Gmelin 1791)
<i>Nerita affinis</i>	Gmelin 1791
<i>Euspira draconis</i>	(Dall 1903)

<i>Lunatia draconis</i>	Dall 1903
<i>Polinices draconis</i>	(Dall 1903) of authors NEP
<i>Euspira lewisii</i>	(Gould 1847)
<i>Natica lewisi</i>	Gould 1847
<i>Lunatia lewisi</i>	of Woodring, Bramlette & Kew 1946
<i>Natica algida</i>	Gould 1848
<i>Polinices lewisi</i>	of SCAMIT Ed 3
<i>Polinices (Euspira) algidus</i>	of I. Oldroyd 1927
<i>Glossaulax reclusianus</i>	(Deshayes 1839)
<i>Natica reclusiana</i>	Deshayes 1839
<i>Neverita alta</i>	of Pilsbry 1929
<i>Neverita callosa</i>	Gabb 1866
<i>Neverita reclusiana</i>	of SCAMIT Ed 4
<i>Neverita (Glossaulax) thomsonae</i>	Hickman 1969
<i>Polinices altus</i>	Arnold 1903
<i>Polinices (Neverita) recluzianus</i>	of Grant & Gale 1931
<i>Sinum scopulosum</i>	(Conrad 1849)
<i>Sigaretus scopulosus</i>	Conrad 1849
<i>Sinum californicum</i>	I. Oldroyd 1917
<i>Sinum keratum</i>	Dall 1919
Superfamily Rissooidea	
Family Rissoidae	
Subfamily Rissoinae	
<i>Alvania compacta</i>	(Carpenter 1864)
<i>Rissoa compacta</i>	Carpenter 1864
<i>Rissoa acutelirata</i>	Carpenter 1864
<i>Alvania acutelirata</i>	of Bartsch 1911
<i>Alvania purpurea</i>	Dall 1871
<i>Alvania rosana</i>	Bartsch 1911
<i>Alvania burrardensis</i>	Bartsch 1921
<i>Alvania tumida</i>	Carpenter 1857
Family Anabathridae	
<i>Amphithalamus inclusus</i>	Carpenter 1864
<i>Amphithalamus tenuis</i>	Bartsch 1911
Family Assimineidae	
<i>Assiminea californica</i>	(Tryon 1865)
<i>Hydrobia californica</i>	Tryon 1865
<i>Jeffreysia translucens</i>	Carpenter 1964
<i>Syndera translucens</i>	of Bartsch 1920
Family Barleeiidae	
<i>Barleeia halotiphila</i>	Carpenter 1864
<i>Barleeia californica</i>	Bartsch 1920
<i>Barleeia coronadoensis</i>	Bartsch 1920
<i>Barleeia sanjuanensis</i>	Bartsch 1920
<i>Barleeia subtenuis</i>	Carpenter 1864
<i>Hydrobia ulvae</i>	of Carpenter 1857
<i>Rissoa cooperi</i>	Tryon 1887
<i>Lirobarleeia kelseyi</i>	(Dall & Bartsch 1902)
<i>Rissoa kelseyi</i>	Dall & Bartsch 1902
Family Caecidae	
<i>Caecum californicum</i>	Dall in Orcutt 1885
<i>Caecum cooperi</i>	of Carpenter 1864 not Smith 1860
<i>Caecum dalli</i>	Bartsch 1920
<i>Caecum diegense</i>	Bartsch 1920
<i>Caecum grippi</i>	Bartsch 1920
<i>Caecum licalium</i>	Bartsch 1920
<i>Caecum orcutti</i>	Dall 1885
<i>Fartulum orcutti</i>	of McLean 2007
<i>Fartulum occidentale</i>	Bartsch 1920
<i>Caecum occidentale</i>	of SCAMIT Ed 4
<i>Fartulum bakeri</i>	Bartsch 1920
<i>Fartulum hemphilli</i>	Bartsch 1920
<i>Micranellum crebricinctum</i>	(Carpenter 1864)
<i>Caecum crebricinctum</i>	Carpenter 1864
<i>Caecum barkleyense</i>	Bartsch 1920
<i>Caecum catalinense</i>	Bartsch 1920
<i>Caecum oregonense</i>	Bartsch 1920
<i>Caecum pedroense</i>	Bartsch 1920
<i>Caecum rosanum</i>	Bartsch 1920
<i>Micranellum barkleyense</i>	Bartsch 1920

Micranellum catalinense	Bartsch 1920
Micranellum pertoense	Bartsch 1920
Micranellum profundicolum	Bartsch 1920
Micranellum oregonense	Bartsch 1920
Micranellum rosanum	Bartsch 1920
Family Hydrobiidae	
Subfamily Cochliopinae	
<i>Tryonia imitator</i>	(Pilsbry 1899)
<i>Paludestrina imitator</i>	Pilsbry 1899
<i>Rissella</i> sp SD1	Barwick 1998 §
Family Pomatiopsidae	
<i>Cecina</i> sp	
Family Tornidae	
Subfamily Circuliniae	
<i>Circulus</i> sp	
Subfamily Teinostomatinae	
<i>Teinostoma supravallatum</i>	(Carpenter 1864)
<i>Ethalia supravallata</i>	Carpenter 1864
<i>Ethalia invallata</i>	Carpenter 1864
<i>Pseudorotella invallata</i>	of Woodring, Bramlette & Kew 1946
<i>Pseudorotella supravallata</i>	of Woodring, Bramlette & Kew 1946
<i>Teinostoma invallata</i>	of Dall 1921
<i>Teinostoma supravallata</i>	of Dall 1921
Subfamily Vitrinellinae	
<i>Vitrinella berryi</i>	Bartsch 1907
<i>Vitrinella oldroydi</i>	Bartsch 1907
Superfamily Tonoidea	
Family Bursidae	
<i>Crossata ventricosa</i>	(Broderip 1833)
<i>Ranella ventricosa</i>	Broderip 1833
<i>Bursa californica</i>	of Grant & Gale 1931
<i>Bursa (Bufonaria) californica</i>	of I. Oldroyd 1927
<i>Crossata californica</i>	of SCAMIT Ed 7
<i>Ranella californica</i>	Hinds 1843
Superfamily Vanikoroidea	
Family Vanikoridae	
<i>Megalomphalus californicus</i>	(Dall 1903)
<i>Macromphalina californica</i>	Dall 1903
Family Hipponicidae	
<i>Antisabia panamensis</i>	(C. B. Adams 1852)
<i>Hipponix panamensis</i>	C. B. Adams 1852
<i>Hipponix antiquatus</i>	of authors NEP not (Linnaeus 1767)
Superfamily Velutinoidea	
Family Velutinidae	
Subfamily Lamellariinae	
<i>Lamellaria diegoensis</i>	Dall in Orcutt 1885
<i>Lamellaria orbiculata</i>	of Keen 1971 not Dall 1871
<i>Marsenia diegoensis</i>	of Bergh 1886
<i>Marsenina stearnsii</i>	(Dall 1871)
<i>Lamellaria stearnsi</i>	Dall 1871
<i>Marseniopsis sharonae</i>	(Willett 1939)
<i>Lamellaria sharonae</i>	Willett 1939
Family Triviidae	
<i>Erato columbella</i>	Menke 1847
<i>Hesperato columbella</i>	of Cadieri 1980
<i>Erato vitellina</i>	Hinds 1844
<i>Trivia californiana</i>	(J. E. Gray 1827)
<i>Cypraea californiana</i>	J. E. Gray 1827
<i>Trivia (Pusula) californiana</i>	of Abbott 1974
<i>Trivia ritteri</i>	Raymond 1903
<i>Decoratirvia ritteri</i>	of Cate 1979
<i>Trivia (Dolichopus) ritteri</i>	of Abbott 1974
Superfamily Vermetoidea	
Family Vermetidae	
Subfamily Dendropomatinae	
<i>Petaloconchus montereyensis</i>	Dall 1919
Subfamily Vermetinae	
<i>Aletes squamigerus</i>	Carpenter 1857
<i>Serpulorbis squamigerus</i>	of SCAMIT Ed. 6
Suborder Ptenoglossa	

Superfamily Epitonioidae

Family Epitoniidae

<i>Epitonium bellastriatum</i>	(Carpenter 1864)
<i>Scalaria bellastriata</i>	Carpenter 1864
<i>Asperiscala bellastriata</i>	of DuShane 1979
<i>Epitonium (Asperiscala) bellistriatum</i>	of Palmer 1958
<i>Scala bellastriata</i>	of Arnold 1903
<i>Epitonium berryi</i>	(Dall 1907)
<i>Scala berryi</i>	Dall 1907
<i>Epitonium inconspicua</i>	of Dall 1921 not G. B. Sowerby II 1847
<i>Nitidiscala catalinense</i>	DuShane 1979
<i>Scala rectilaminata</i>	Dall 1907
<i>Epitonium hindsii</i>	(Carpenter 1856)
<i>Scalaria hindsii</i>	Carpenter 1856
<i>Epitonium persuturum</i>	Dall 1917
<i>Epitonium (Nitidiscala) contrerasi</i>	Jordan & Hertlein 1926
<i>Epitonium (Nitidiscala) cooperi</i>	Strong 1930
<i>Epitonium (Nitidoscala) fallaciosum</i>	Dall 1917
<i>Nitidiscala hindsii</i>	of DuShane 1979
<i>Scala hindsii</i>	of Arnold 1903
<i>Epitonium indianorum</i>	(Carpenter 1864)
<i>Scalaria indianorum</i>	Carpenter 1864
<i>Epitonium columbianum</i>	Dall 1917
<i>Epitonium montereyense</i>	Dall 1917
<i>Epitonium (Nitidoscala) indianorum</i>	of Dall 1917
<i>Nitidiscala indianorum</i>	of DuShane 1979
<i>Scala indianorum</i>	of Arnold 1903
<i>Scalaria regiomontana</i>	Dall in DeBoury 1919
<i>Epitonium lowei</i>	(Dall 1906)
<i>Scala lowei</i>	Dall 1906
<i>Asperiscala lowei</i>	of DuShane 1979
<i>Epitonium (Asperiscala) lowei</i>	of Keen 1971
<i>Epitonium (Asperoscala) lowei</i>	of Dall 1921
<i>Epitonium minuticosta</i>	(De Boury 1912)
<i>Scala (Viciniscala) minuticosta</i>	De Boury 1912
<i>Epitonium politum</i>	(G. B. Sowerby II 1844)
<i>Scalaria polita</i>	G. B. Sowerby II 1844
<i>Depressiscala polita</i>	of DuShane 1979
<i>Epitonium implicatum</i>	Dall & Ochsner 1928
<i>Epitonium (Nitidiscala) pedroanum</i>	Willett 1932
<i>Epitonium (Nitidoscala) appressicostatum</i>	Dall 1917
<i>Epitonium sawinae</i>	(Dall 1903)
<i>Scala sawinae</i>	Dall 1903
<i>Epitonium berryi</i>	of Dall 1917 not (Dall 1907)
<i>Epitonium regium</i>	Dall 1917
<i>Epitonium tabulatum</i>	Dall 1917
<i>Epitonium (Crisposcala) acrostephanus</i>	Dall 1908
<i>Epitonium (Crisposcala) catalinae</i>	Dall 1908
<i>Nitidiscala sawinae</i>	of Dushane 1979
<i>Epitonium tinctum</i>	(Carpenter 1865)
<i>Scalaria (? Indianorum var.) tincta</i>	Carpenter 1865
<i>Epitonium continuatum</i>	T. Oldroyd 1925
<i>Epitonium (Nitidiscala) eelense</i>	Durham 1937
<i>Epitonium (Nitidoscala) tinctum var bormanni</i>	Strong 1941
<i>Nitidiscala tincta</i>	of DuShane 1979
<i>Scala tincta</i>	of Arnold 1903
<i>Scalaria subcoronata</i>	Carpenter 1864
<i>Nodiscala spongiosa</i>	(Carpenter 1864)
<i>Opalia spongiosa</i>	Carpenter 1864
<i>Epitonium (Nodiscala) spongiosum</i>	of I. Oldroyd 1927
<i>Opalia retiporosa</i>	Carpenter 1864
<i>Opalia (Dentiscala) spongiosa</i>	of Abbott 1974
<i>Opalia (Nodiscala) spongiosa</i>	of Palmer 1958
<i>Opalia borealis</i>	Keep 1881
<i>Epitonium (Opalia) wroblewskii</i>	of Dall 1917
<i>Opalia chacei</i>	Strong 1937
<i>Opalia wroblewskyi chacei</i>	of Emerson 1956
<i>Scala Wroblewskyi</i>	Mörch 1875
<i>Scalaria (Psychrosoma) gouldi</i>	of Tapparone-Canefri 1876 not Deshayes 1861
<i>Opalia funiculata</i>	(Carpenter 1857)

Scalaria (Cirostrema) funiculata	Carpenter 1857
Dentiscala crenimarginata	Dall 1917
Dentiscala nesiota	Dall 1917
Epitonium (Dentiscala) nesioticum	of I. Oldroyd 1927
Epitonium (Dentiscala) crenimarginatum	of I. Oldroyd 1927
Opalia crenimarginata	of Abbott 1974
Opalia insculpta	Carpenter 1864
Opalia (Dentiscala) insculpta	of Dall 1917
Scala crenimarginata	of DeBoury 1919
<i>Opalia montereyensis</i>	(Dall 1907)
Scala (Cirostrema) montereyensis	Dall 1907
Epitonium (Opalia) evictum	of I. Oldroyd 1927
Opalia evicta	of Abbott 1974
Opalia pluricostata	of Dall 1917
Scala evicta	DeBoury 1919
Superfamily Eulimoidea	
Family Eulimidae	
<i>Balcis berryi</i>	(Bartsch 1917)
Melanella berryi	Bartsch 1917
<i>Balcis compacta</i>	(Carpenter 1864)
Eulima compacta	Carpenter 1864
Melanella compacta	of Dall 1921
<i>Balcis micans</i>	(Carpenter 1864)
Eulima micans	Carpenter 1864
Melanella comoxensis	Bartsch 1917
Melanella micans	of I. Oldroyd 1927
Melanella (<i>Balcis</i>) micans	of Abbott 1974
Melanella (Eulima) micans	of Bailey 1935
<i>Balcis oldroydae</i>	(Bartsch 1917)
Melanella (Melanella) oldroydi	Bartsch 1917
Melanella (Melanella) micans borealis	Bartsch 1917
<i>Balcis</i> sp A	SCAMIT 2003 §
<i>Balcis</i> sp SD1	Barwick & Douglass 2003 §
<i>Balcis</i> sp SD2	Barwick & Douglass 2003 §
<i>Eulima almo</i>	(Bartsch 1917)
Strombiformis almo	Bartsch 1917
<i>Eulima raymondi</i>	Rivers 1904
Eulima californica	of Cadien 1980
Strombiformis californica	Bartsch 1917
Stromiformis californicus	of Abbott 1974
Strombiformis lapazana	Bartsch 1917
Strombiformis riversi	Bartsch 1917
Strombiformis townsendi	Bartsch 1917
<i>Melanella rosa</i>	Willett 1944
<i>Melanella thersites</i>	(Carpenter 1864)
Eulima thersites	Carpenter 1864
<i>Niso attilioi</i>	(Hertz & Hertz 1982)
Eulimostraca attilioi	Hertz & Hertz 1982
<i>Polygireulima rutila</i>	(Carpenter 1866)
Eulima rutila	Carpenter 1866
Balcis rutila	of J. Burch 1945
Melanella rutila	of I. Oldroyd 1927
Melanella (<i>Balcis</i>) rutila	of Abbott 1974
Melanella (Melanella) rutila	of Bartsch 1917
<i>Pseudosabinella bakeri</i>	(Bartsch 1917)
Sabinella bakeri	Bartsch 1917
Alaba catalinensis	Bartsch 1920
Alaba serrana	Smith & Gordon 1948
Melanella (Sabinella) bakeri	of I. Oldroyd 1927
<i>Vitreolina columbiana</i>	(Bartsch 1917)
Melanella (<i>Balcis</i>) columbiana	Bartsch 1917
Balcis (Vitreolina) titubans	Berry 1956
Melanella columbiana	of I. Oldroyd 1927
Melanella (<i>Balcis</i>) grippi	Bartsch 1917
<i>Vitreolina yod</i>	(Carpenter 1857)?
<i>Vitreolina macra</i>	(Bartsch 1917)
Melanella (<i>Balcis</i>) macra	Bartsch 1917
Balcis (Vitreolina) obstipa	Berry 1954
Melanella macra	of I. Oldroyd 1917
Melanella (<i>Balcis</i>) catalinensis	Bartsch 1917

	Melanella (Balcis) prefalcata	Bartsch 1917
	Vitreolina yod	(Carpenter 1857)?
Family Aclididae		
	<i>Aclis occidentalis</i>	Hemphill 1894
Superfamily Triphoroidea		
Family Cerithiopsidae		
Subfamily Cerithiopsinae		
	<i>Cerithiopsis carpenteri</i>	Bartsch 1911
	<i>Seila montereyensis</i>	Bartsch 1907
Family Triphoridae		
	<i>Triphora catalinensis</i>	(Bartsch 1907)
	<i>Triphoris catalinensis</i>	Bartsch 1907
Suborder Neogastropoda		
Superfamily Buccinoidea		
Family Buccinidae		
Subfamily Buccininae		
	<i>Kelletia kelletii</i>	(Forbes 1850)
	<i>Fusus kelletii</i>	Forbes 1850
	<i>Kelletia kelletti</i>	of I. Oldroyd 1927
	<i>Siphonalia kelletii</i>	of Arnold 1903
	<i>Neptunea tabulata</i>	(Baird 1863)
	<i>Chrysodoma tabulata</i>	Baird 1863
	<i>Chrysodoma bairdi</i>	Dall 1909
Family Columbellidae		
Subfamily Columbellinae		
	<i>Aesopus eurytoideus</i>	(Carpenter 1864)
	<i>Truncaria euryoides</i>	Carpenter 1864
	<i>Aesopus subturritus</i>	(Carpenter 1866)
	<i>Anachis subturrita</i>	Carpenter 1866
	<i>Anachis petravis</i>	Dall 1908
	<i>Alia carinata</i>	(Hinds 1844)
	<i>Columbella carinata</i>	Hinds 1844
	<i>Mitrella californica</i>	(Gaskoin 1852)
	<i>Mitrella carinata</i>	of McLean 1969
	<i>Nitidella carinata</i>	of I. Oldroyd 1927
	<i>Alia tuberosa</i>	(Carpenter 1864)
	<i>Amycla tuberosa</i>	Carpenter 1864
	<i>Astyris tuberosa</i>	of Keep 1888
	<i>Columbella tuberosa</i>	of I. Oldroyd 1927
	<i>Columbella (Alia) tuberosa</i>	of Dall 1921
	<i>Columbella (Astyris) tuberosa</i>	of Williamson 1892
	<i>Columbella (Mitrella) tuberosa</i>	of Tryon 1883
	<i>Mitrella tuberosa</i>	of McLean 1969
	<i>Amphissa bicolor</i>	Dall 1892
	<i>Amphissa reticulata</i>	Dall 1916
	<i>Amphissa versicolor</i> var <i>reticulata</i>	Dall 1916
	<i>Amphissa undata</i>	(Carpenter 1864)
	<i>Amycla undata</i>	Carpenter 1864
	<i>Amphissa ventricosa</i>	Arnold 1903
	<i>Columbella undata</i>	of Tryon 1883
	<i>Amphissa versicolor</i>	Dall 1871
	<i>Amphissa incisa</i>	Dall 1916
	<i>Amphissa lineata</i>	Stearns 1872
	<i>Astyris aurantiaca</i>	Dall 1871
	<i>Astyris clementensis</i>	Bartsch 1927
	<i>Mitrella aurantiaca</i>	of McLean 1969
	<i>Astyris gausapata</i>	(Gould 1850)
	<i>Columbella gausapata</i>	Gould 1850
	<i>Alia casciana</i>	Dall 1919
	<i>Columbella dalli</i>	E. A. Smith 1880
	<i>Mitrella gouldi</i>	of Grant & Gale 1931
	<i>Nitidella gouldii</i>	Carpenter in Gould & Carpenter 1857
	<i>Nitidella lutulenta</i>	Dall 1919
	<i>Astyris permodesa</i>	(Dall 1890)
	<i>Columbella permodesa</i>	Dall 1890
	<i>Columbella (Astyris) permodesa</i>	of Oldroyd 1927
	<i>Mitrella permodesa</i>	of Abbott 1974
	<i>Decipifus penicillata</i>	(Carpenter 1864)
	? <i>Anachis penicillata</i>	Carpenter 1864
	<i>Anachis (Chauvetia) penicillata</i>	of Grant & Gale 1931

Columbella (Anachis) penicillata	of Dall 1921
Columbella (Seminella) penicillata	of Tryon 1883
Nassaria penicillata	of McLean 1969
Family Fasciolariidae	
Subfamily Fusininae	
<i>Aptyxis luteopictus</i>	(Dall 1877)
<i>Fusus luteopictus</i>	Dall 1877
<i>Fusinus (Aptyxis) luteopictus</i>	of Abbott 1974
<i>Barbarofusus barbarensis</i>	(Trask 1855)
<i>Fusus barbarensis</i>	Trask 1855
<i>Fusinus barbarensis</i>	of McLean 1996
<i>Harfordia</i> sp	
Family Nassariidae	
Subfamily Nassariinae	
<i>Arcularia tiarula</i>	(Kiener 1841)
<i>Nassa tiarula</i>	Kiener 1841
<i>Alectrión tegula</i>	of Jordan 1924
<i>Alectrión (Schizopyga) tegulus</i>	of Oldroyd 1927
<i>Alectrión (Zeuxis) tegula</i>	of Dall 1921
<i>Nassa tegula</i>	Reeve 1853
<i>Nassarius tegula</i>	of McLean 1969
<i>Nassarius tiarula</i>	of SCAMIT Ed 4
<i>Caesia delosi</i>	(Woodring in Woodring, Bramlette & Kew 1946)
<i>Nassarius delosi</i>	Woodring in Woodring, Bramlette & Kew 1946
<i>Schizopyga californica</i>	of authors not Conrad 1856
<i>Caesia fossatus</i>	(Gould 1850)
<i>Buccinum fossatum</i>	Gould 1850
<i>Alectrión (Schizopyga) fossatus</i>	of I. Oldroyd 1927
<i>Nassa fossata</i>	of Keep 1888
<i>Nassarius fossatus</i>	of McLean 1978
<i>Schizopyga fossata</i>	of Dall 1921
<i>Caesia perpinguis</i>	(Hinds 1844)
<i>Nassa perpinguis</i>	Hinds 1844
<i>Alectrión perpinguis</i>	of Dall 1917
<i>Nassarius perpinguis</i>	of McLean 1996
<i>Hima mendica</i>	(Gould 1850)
<i>Nassa mendica</i>	Gould 1850
<i>Alectrión (Schizopyga) mendicus</i>	of I. Oldroyd 1927
<i>Nassarius cooperi</i>	(Forbes 1852)
<i>Nassarius indisputabilis</i>	(I. Oldroyd 1927)
<i>Nassarius mendicus</i>	of McLean 1978
<i>Hinea insculpta</i>	(Carpenter 1864)
<i>Nassa insculpta</i>	Carpenter 1864
<i>Alectrión insculptus</i>	of Dall 1917
<i>Alectrión insculptusvar eupleura</i>	Dall 1917
<i>Alectrión (Schizopyga) insculptus</i>	of I. Oldroyd 1927
<i>Nassarius insculptus</i>	of McLean 1996
<i>Nassarius insculptus gordanus</i>	Hertlein & Strong 1951
<i>Zeuxis insculptus</i>	of Dall 1921
Superfamily Muricoidea	
Family Muricidae	
Subfamily Coralliophilliniae	
<i>Babelomurex oldroydi</i>	(I. Oldroyd 1929)
<i>Latiaxis oldroydi</i>	I. Oldroyd 1929
Subfamily Muricopsinae	
<i>Maxwellia gemma</i>	(G. B. Sowerby II 1879)
<i>Murex gemma</i>	G. B. Sowerby II 1879
<i>Maxwellia santarosana</i>	(Dall 1905)
<i>Murex (Phyllonotus) santarosana</i>	Dall 1905
<i>Murex (Murexiella) santarosanus</i>	of Abbott 1974
<i>Murexiella santarosana</i>	of Keen 1971
Subfamily Ocenebrinae	
<i>Acanthinucella punctulata</i>	(G. B. Sowerby I 1835)
<i>Monoceros punctulata</i>	G. B. Sowerby I 1835
<i>Acanthinucella spirata</i>	(de Blainville 1832)
<i>Purpura spirata</i>	de Blainville 1832
<i>Acanthina spirata</i>	of McLean 1978
<i>Monoceros engonatum</i>	of Keep 1888
<i>Austrotrophon catalinensis</i>	(I. Oldroyd 1927)
<i>Trophon (Austrotrophon) catalinensis</i>	I. Oldroyd 1927

	Forreria (Austrotrophon) catalinensis	of Grant & Gale 1931
	Trophon (Austrotrophon) cerrosensis catalinensis	of Abbott 1974
<i>Ceratostoma nuttalli</i>		(Conrad 1837)
	Murex (Cerostoma) nuttalli	Conrad 1837
	Ceratostoma (Ceratostoma) nuttalli	of Abbott 1974
	Purpura nuttallii albescens	Dall 1919
	Purpura nuttallii albofasciata	Dall 1919
	Purpura (Purpura) nuttalli	of Grant & Gale 1931
	Pterynotus aciculiger	Valenciennes 1846
<i>Forreria belcheri</i>		(Hinds 1843)
	Murex belcheri	Hinds 1843
	Chorus belcheri	of Arnold 1903
<i>Mexacanthina lugubris</i>		(G. B. Sowerby I 1822)
	Monoceros lugubris	G. B. Sowerby I 1822
	Acanthina lugubris	of authors NEP
	Acanthina tyrianthina	Berry 1957
<i>Nucella emarginata</i>		(Deshayes 1839)
	Purpura emarginata	Deshayes 1839
<i>Nucella lamellosa</i>		(Gmelin 1791)
	Buccinum lamellosa	Gmelin 1791
	Thais franciscana	Dall 1915
	Thais neptunae	Dall 1915
	Thais sitkana	Dall 1915
<i>Nucella ostrina</i>		(Gould 1852)
	Purpura ostrina	Gould 1852
	Thais emarginata var projecta	Dall 1915
<i>Ocenebrina barbarensis</i>		(Gabb 1865)
	Murex (Muricidea) barbarensis	Gabb 1865
	Ocenebra barbarensis	of McLean 1978
	Ocenebra crispatissima	Berry 1953
	Tritonalia barbarensis	of Dall 1921
<i>Ocenebrina beta</i>		(Dall 1919)
	Tritonalia interfossa beta	Dall 1919
	Ocenebra beta	of Abbott 1974
	Ocenebra keenae	Bormann 1946
<i>Ocenebrina circumtexta</i>		Stearns 1871
<i>Ocenebrina foveolata</i>		(Hinds 1844)
	Murex foveolatus	Hinds 1844
	Ocenebra foveolata	of Radwin & D'Attilio 1976
	Tritonalia epiphanea	Dall 1919
	Tritonalia fusconotata	Dall 1919
	Trophon squamulifer	Carpenter in Gabb 1869
<i>Ocenebrina interfossa</i>		Carpenter 1864
<i>Pteropurpura festiva</i>		(Hinds 1844)
	Murex festivus	Hinds 1844
	Pteropurpura (Shaskyus) festiva	of Abbott 1974
	Purpura (Jaton) festiva	of Grant & Gale 1931
	Shaskyus festivus	of J. Burch & Campbell 1963
<i>Pteropurpura macroptera</i>		(Deshayes 1839)
	Murex macropterus	Deshayes 1839
	Murex alba	Berry 1908
	Murex petri	Dall 1900
	Murex tremperi	Dall 1910
	Pteronotus carpenteri	Dall 1899
<i>Pteropurpura trialata</i>		(G. B. Sowerby II 1834)
	Murex trialatus	G. B. Sowerby II 1834
	Alipurpura trialata	of Dall 1921
<i>Pteropurpura vokesae</i>		Emerson 1964
	Murex rhysssus	Dall 1919 not Tate 1888
<i>Roperia poulsoni</i>		(Carpenter 1864)
	Ocenebra poulsoni	Carpenter 1864
	Fusus roperi	Dall 1898
Subfamily Rapaninae		
	<i>Stramonita biserialis</i>	(de Blainville 1832)
	Purpura beserialis	Blainville 1832
	Purpura haematura	Valenciennes 1846
	Thais (Stramonita) biserialis	Keen 1971
Subfamily Trophoninae		
	<i>Boreotrophon avalonensis</i>	Dall 1902
	<i>Boreotrophon bentleyi</i>	Dall 1908

<i>Trophon</i> (Neptunea) bentleyi	
<i>Boreotrophon eucymatus</i>	Dall 1902
<i>Trophon</i> (Neptunea) eucymatus	of I. Oldroyd 1927
<i>Boreotrophon multicostatus</i>	of I. Oldroyd 1927
<i>Murex</i> multicostatus	(Eschscholtz 1829)
<i>Scabrotrophon grovesi</i>	Eschscholtz 1829
<i>Nipponotrophon scitulus</i>	McLean 1996
<i>Trophon lasius</i>	of Myers & D'Attilio 1980 in part not (Dall 1891)
<i>Scabrotrophon maltzani</i>	of Willett 1938 in part not (Dall 1919)
<i>Trophon maltzani</i>	(Kobelt & Küster 1878)
<i>Nipponotrophon lasius</i>	Kobert & Küster 1878
<i>Nipponotrophon maltzani</i>	of Radwin & D'Attilio 1976 not (Dall 1919)
<i>Nipponotrophon subserratus</i>	of Houart 1985
<i>Trophon subserratus</i>	of Roth 1981
<i>Trophon</i> (<i>Trophonopsis</i>) <i>lasius</i>	G. B. Sowerby II 1880
<i>Trophonopsis lasius</i>	of Willett 1938 in part not (Dall 1919)
	of Abbott 1974 in part not (Dall 1919)
Family Marginellidae	
Subfamily Marginellinae	
<i>Volvarina taeniolata</i>	Mörch 1860
<i>Volvarina californica</i>	Tomlin 1816
<i>Volvarina parallela</i>	Dall 1918
Family Cysticidae	
Subfamily Granuliniae	
<i>Gibberula subtrigona</i>	(Carpenter 1864)
<i>Marginella subtrigona</i>	Carpenter 1864
<i>Granula subtrigona</i>	of authors NEP
<i>Hyalina</i> (<i>Cystiscus</i>) <i>subtrigona</i>	of Grant & Gale 1931
<i>Persicula</i> (<i>Gibberula</i>) <i>subtrigona</i>	of Abbott 1954
<i>Granulina margaritula</i>	(Carpenter 1857)
<i>Marginella margaritula</i>	Carpenter 1857
<i>Cypraeolina margaritula</i>	of I. Oldroyd 1927
<i>Volutella pyriformis</i>	Carpenter 1864
Subfamily Plesiocysticinae	
<i>Plesiocystiscus myrmecoon</i>	(Dall 1919)
<i>Hyalina myrmecoon</i>	Dall 1919
<i>Marginella</i> (<i>Hyalina</i>) <i>myrmecoon</i>	of Odryoyd 1927
<i>Cystiscus myrmecoon</i>	of Coan & Roth 1966
<i>Plesiocystiscus politulus</i>	(Dall 1919)
<i>Hyalina politulus</i>	Dall 1919
<i>Cystiscus politulus</i>	of McLean 1969
Family Mitridae	
<i>Mitra idae</i>	Melvill 1893
<i>Mitra catalinae</i>	Dall 1919
<i>Mitra diegensis</i>	Dall 1919
<i>Mitra lowiana</i>	Dall 1903
<i>Mitra montereyi</i>	Berry 1920
<i>Mitra semiusta</i>	Berry 1957
Family Turbinellidae	
<i>Metzgeria</i> sp	
Superfamily Olivoidea	
Family Olivellidae	
<i>Callianax baetica</i>	(Carpenter 1857)
<i>Olivella baetica</i>	Carpenter 1857
<i>Olivella diegensis</i>	T. Oldroyd 1921
<i>Olivella mexicana</i>	T. Oldroyd 1921
<i>Olivella porteri</i>	Dall 1910
<i>Callianax biplicata</i>	(G. B. Sowerby I 1825)
<i>Oliva biplicata</i>	G. B. Sowerby I 1825
<i>Olivella angelana</i>	T. Oldroyd 1918
<i>Olivella biplicata</i>	of authors NEP
<i>Olivella biplicata lapisillus</i>	Vanatta 1915
<i>Olivella fucana</i>	T. Oldroyd 1921
<i>Olivella parva</i>	T. Oldroyd 1921
<i>Callianax pycna</i>	(Berry 1935)
<i>Olivella pycna</i>	Berry 1935
<i>Olivella intorta</i>	Carpenter 1857
<i>Olivella pedroana</i>	of authors NEP not Conrad 1856
Superfamily Pseudolivoidea	
Family Pseudolividae	
<i>Macron lividus</i>	(A. Adams 1855)

Pseudolivia livida	A. Adams 1855
Superfamily Conoidea	
Family Conidae	
<i>Conus californicus</i>	Hinds 1844
Family Borsoniidae	
<i>Ophiodermella cancellata</i>	(Carpenter 1864)
Drillia cancellata	Carpenter 1864
Clathrodrillia (Moniliopsis) rhines	of Dall 1921
Moniliopsis cancellata	of Dall 1918
Moniliopsis chacei	Berry 1941
Moniliopsis rhines	of Dall 1919
Surcula rhines	Dall 1908
<i>Ophiodermella fancherae</i>	(Dall 1903)
Mangilia fancherae	Dall 1903
Moniliopsis incisa var fancherae	of Grant & Gale 1931
<i>Ophiodermella inermis</i>	(Reeve 1843)
Pleurotoma inermis	Reeve 1843
Drillia incisa	Carpenter 1864
Ophiodermella montereyensis	Bartsch 1944
Ophiodermella ophiderma	of McLean 1978
Turris (Surcula) halcyonis	Dall 1908
<i>Suavodrillia kennicottii</i>	(Dall 1871)
Drillia kennicotti	Dall 1871
Family Clathurellidae	
<i>Crockerella eriphyle</i>	(Dall 1919)
Mangilia eriphyle	Dall 1919
Mangelia eriphyle	of Abbott 1974
<i>Crockerella evadne</i>	(Dall 1919)
Mangilia evadne	Dall 1919
Spirotropis ? evadne	Grant & Gale 1931
<i>Crockerella lowei</i>	(Dall 1903)
Clathurella lowei	Dall 1903
Clathurella crystallina	of Abbott 1974 not Gabb 1865
Philbertia hesione	Dall 1919
Family Mitromorphidae	
<i>Mitromorpha gracilior</i>	Tryon 1884
Family Mangeliidae	
<i>Kurtzia arteaga</i>	(Dall & Bartsch 1910)
Mangelia arteaga	Dall & Bartsch 1910
Mangelia arteaga var roperi	Dall 1919
Kurtzia gordoni	Bartsch 1944
<i>Kurtziella plumbea</i>	(Hinds 1843)
Mangelia plumbea	Hinds 1843
Mangelia alesidota	Dall 1919
Mangelia angulata	Carpenter 1864
Mangelia angulata var subangulata	Carpenter 1857
Mangelia barbarensis	I. Oldroyd 1924
Mangelia hebe	Dall 1919
Mangelia hecetae	Dall & Bartsch 1910
Mangelia oenoa	Dall 1919
Mangelia sulcata	Carpenter 1865
Mangelia terfa	Dall 1919
Mangelia wrighti	Jordan 1936
<i>Kurtzina beta</i>	(Dall 1919)
Mangelia (Kurtziella) beta	Dall 1919
Kurtziella (Kurtzina) beta	of McLean in Keen 1971
<i>Mangelia hexagona</i>	Gabb 1865
Agathotoma quintinensis	of Dall 1925
Cytharella hexagona	of I. Oldroyd 1927
Cytharella (Agathotoma) quintinensis	Dall 1921
Mangilia (Cythara) branneri	Arnold 1903
<i>Oenopota regulus</i>	(Dall 1919)
Lora regulus	Dall 1919
<i>Propebela turricula</i>	(Montagu 1803)
Murex turricula	Montagu 1803
Turridae sp SD1	Lilly 2004 §
Family Raphitomidae	
<i>Daphnella clathrata</i>	Gabb 1865
<i>Daphnella</i> sp SD1	Barwick 1998 §
Family Drillidae	

<i>Elaeocyma empyrosia</i>	(Dall 1899)
<i>Drillia empyrosia</i>	Dall 1899
<i>Kylix halocydne</i>	(Dall 1919)
<i>Elaecyma halocydne</i>	Dall 1919
Family Pseudomelatomidae	
<i>Antiplanes catalinae</i>	(Raymond 1904)
<i>Pleurotoma (Antiplanes) catalinae</i>	Raymond 1904
<i>Antiplanes gabbi</i>	Kantor & Sysoev 1991
<i>Antiplanes major</i>	Bartsch 1944
<i>Antiplanes perversa</i>	of I. Oldroyd 1927
<i>Antiplanes voyi</i>	of Abbott 1974 not Gabb 1866
<i>Pleurotoma (Surcula) perversa</i>	of Gabb 1855 not Philippi 1847
<i>Antiplanes thalea</i>	(Dall 1902)
<i>Pleurotoma (Antiplanes) thalea</i>	Dall 1902
<i>Antiplanes rotula</i>	Dall 1921
<i>Antiplanes santarosana</i>	Dall 1902
<i>Antiplanes (Rectiplanes) santarosana</i>	of McLean 1971
<i>Antiplanes (Rectiplanes) willetti</i>	Berry 1953
<i>Pleurotoma (Spirotropis) smithi</i>	of Arnold 1903 not Forbes 1840
<i>Crassispira semiinflata</i>	(Grant & Gale 1931)
<i>Pseudomelatoma penicillata</i> var <i>semiinflata</i>	Grant & Gale 1931
<i>Burchia redondoensis</i>	of Bartsch 1944
<i>Crassispira redondoensis</i>	T. Burch 1938
<i>Megasurcula carpenteriana</i>	(Gabb 1865)
<i>Pleurotoma (Surcula) carpenteriana</i>	Gabb 1865
<i>Cryptoconus carpenteriana</i>	of Dall 1921
<i>Megasurcula granti</i>	Bartsch 1944
<i>Megasurcula tremperiana</i>	Dall 1911
<i>Pleurotoma (Surcula) tryoniana</i>	Gabb 1866
<i>Megasurcula stearnsiana</i>	(Raymond 1904)
<i>Pleurotoma (Genota) stearnsiana</i>	Raymond 1904
<i>Cryptoconus stearnsiana</i>	of Dall 1921
<i>Megasurcula remondii</i>	of authors NEP not Gabb 1866
<i>Pseudomelatoma penicillata</i>	(Carpenter 1865)
<i>Drillia penicillata</i>	Carpenter 1865
<i>Drillia moesta</i>	Carpenter 1865
<i>Pseudotaranis strongi</i>	(Arnold 1903)
<i>Mangelia (Taranis) strongi</i>	Arnold 1903
<i>Rhodopetoma renaudi</i>	(Arnold 1903)
<i>Drillia renaudi</i>	Arnold 1903
Family Terebridae	
Subfamily Terebrinae	
<i>Terebra hemphilli</i>	Vanatta 1924
<i>Terebra danai</i>	Berry 1958
<i>Terebra pedroana</i>	Dall 1908
<i>Terebra albocincta</i> var <i>pedroana</i>	of Grant & Gale 1931
<i>Terebra pedroana philippianum</i>	of Dall 1925 not Deshayes 1859
<i>Terebra simplex</i>	of Arnold 1903
<i>Terebra (Strioterebrum) pedroana</i>	of I. Oldroyd 1927
Superfamily Cancellaroidea	
Family Cancellariidae	
Subfamily Cancellariinae	
<i>Cancellaria cooperii</i>	Gabb 1865
<i>Cancellaria (Narona) cooperii</i>	Gabb 1865
<i>Cancellaria (Progabbia) cooperi</i>	of Dall 1921
<i>Cancellaria crawfordiana</i>	Dall 1891
<i>Cancellaria ghororum</i>	Costa 1993
<i>Cancellaria (Crawfordina) crawfordiana</i>	of Abbott 1974
<i>Cancellaria (Progabbia) crawfordiana</i>	of I. Oldroyd 1927
<i>Cancellaria decussata</i>	G. B. Sowerby I 1832
Subfamily Admetinae	
<i>Admete gracilior</i>	(Carpenter 1869)
<i>Cancellaria gracilior</i>	Carpenter 1869
<i>Admete couthouyi</i>	of authors not Jay 1839
<i>Admete rhyssa</i>	Dall 1919
<i>Admete seftoni</i>	Berry 1956
<i>Admete woodworthi</i>	Dall 1905
Superorder Heterobranchia	
Order "Lower Heterobranchia"	
Superfamily Acteonoidea	

Family Acteonidae	
Subfamily Acteoninae	
<i>Acteon traskii</i>	Stearns 1898
<i>Rictaxis painei</i>	(Dall 1903)
<i>Actaeon</i> (<i>Rictaxis</i>) <i>painei</i>	Dall 1903
<i>Rictaxis punctocaelatus</i>	(Carpenter 1864)
<i>Tornatella punctocaelata</i>	Carpenter 1864
<i>Acteon punctocaelatus vancouverensis</i>	I. Oldroyd 1927
<i>Acteon</i> (<i>Rictaxis</i>) <i>punctocaelata</i>	of Dall 1921
<i>Acteon</i> (<i>Rictaxis</i>) <i>punctocaelatus</i>	of Grant & Gale 1931
<i>Rhextaxis punctocaelata</i>	of Keep 1887
Family Aplustridae	
<i>Parvaplustrum</i> sp A	SCAMIT 1995 §
<i>Cephalaspidea</i> sp A	SCAMIT 1993 §
<i>Parvamoplustrum</i> sp	of Gosliner 1996
<i>Parvaplustrum</i> sp B	SCAMIT 1996 §
<i>Meloscapander</i> sp A	SCAMIT 1995 §
Superfamily Pyramidelloidea	
Family Pyramidellidae	
Subfamily Odostomiinae	
<i>Aartsenia pupiformis</i>	(Carpenter 1865)
<i>Odostomia pupiformis</i>	Carpenter 1865
<i>Boonea oregonensis</i>	(Dall & Bartsch 1907)
<i>Odostomia</i> (<i>Chrysallida</i>) <i>oregonensis</i>	Dall & Bartsch 1907
<i>Chrysallida eucosmia</i>	(Dall & Bartsch 1909)
<i>Odostomia eucosmia</i>	Dall & Bartsch 1909
<i>Chrysallida helga</i>	(Dall & Bartsch 1909)
<i>Odostomia</i> (<i>Chrysallida</i>) <i>helga</i>	Dall & Bartsch 1909
<i>Ivara turricula</i>	(Dall & Bartsch 1903)
<i>Odostomia</i> (<i>Ivara</i>) <i>turricula</i>	Dall & Bartsch 1903
<i>Ividella navisa</i>	(Dall & Bartsch 1907)
<i>Odostomia</i> (<i>Ividella</i>) <i>navisa</i>	Dall & Bartsch 1907
<i>Odostomia aequisculpta</i>	Carpenter 1864
<i>Odostomia astricta</i>	Dall & Bartsch 1907
<i>Odostomia cooperi</i>	Dall & Bartsch 1907
<i>Odostomia lucca</i>	Dall & Bartsch 1909
<i>Odostomia montereyensis</i>	Dall & Bartsch 1909
<i>Odostomia oldroydi</i>	Dall & Bartsch 1909
<i>Odostomia canfieldi</i>	Dall 1908
<i>Odostomia clementina</i>	Dall & Bartsch 1909
<i>Odostomia columbiana</i>	Dall & Bartsch 1907
<i>Odostomia eugena</i>	Dall & Bartsch 1909
<i>Odostomia gravida</i>	Gould 1853
<i>Odostomia ritteri</i>	Dall & Bartsch 1909
<i>Odostomia tenuisculpta</i>	Carpenter 1864
<i>Odostomia amchitkana</i>	Dall & Bartsch 1907
<i>Odostomia baranoffensis</i>	Dall & Bartsch 1907
<i>Odostomia clesseni</i>	Dall & Bartsch 1907
<i>Odostomia deliciosa</i>	Dall & Bartsch 1907
<i>Odostomia hagemeisteri</i>	Dall & Bartsch 1907
<i>Odostomia jewetti</i>	Dall & Bartsch 1907
<i>Odostomia kadiakensis</i>	Dall & Bartsch 1907
<i>Odostomia obesa</i>	Dall & Bartsch 1907
<i>Odostomia phanea</i>	Dall & Bartsch 1907
<i>Odostomia santarosana</i>	Dall & Bartsch 1907
<i>Odostomia sitkaensis</i>	Clessin 1900
<i>Odostomia socorroensis</i>	Dall & Bartsch 1907
<i>Odostomia stephensae</i>	Dall & Bartsch 1907
<i>Odostomia straminea</i>	Carpenter 1865
<i>Odostomia tillamookensis</i>	Dall & Bartsch 1907
<i>Odostomia valdeni</i>	Dall & Bartsch 1907
<i>Odostomia virginalis</i>	Dall & Bartsch 1909
<i>Odostomia</i> sp D	MBC 1980 §
<i>Trabecula laxa</i>	(Dall & Bartsch 1909)
<i>Odostomia laxa</i>	Dall & Bartsch 1909
Subfamily Turbonillinae	
<i>Turbonilla almo</i>	Dall & Bartsch 1909
<i>Turbonilla castanea</i>	Keep 1887
<i>Turbonilla chocolata</i>	(Carpenter 1864)
<i>Chemnitzia chocolata</i>	Carpenter 1864

<i>Turbonilla halia</i>	Dall & Bartsch 1909
<i>Turbonilla keepi</i>	Dall & Bartsch 1909
<i>Turbonilla lowei</i>	Dall & Bartsch 1908
<i>Turbonilla diegensis</i>	Dall & Bartsch 1909
<i>Turbonilla kelseyi</i>	Dall & Bartsch 1909
<i>Turbonilla nuttingi</i>	Dall & Bartsch 1909
<i>Turbonilla raymondi</i>	Dall & Bartsch 1909
<i>Turbonilla regina</i>	Dall & Bartsch 1909
<i>Turbonilla santarosana</i>	Dall & Bartsch 1909
<i>Turbonilla tenuicula</i>	(Gould 1853)
<i>Chemnitzia tenuicula</i>	Gould 1853
<i>Turbonilla</i> sp A	SCAMIT 1988 §
Family Amathinidae	
<i>Iselica obtusa</i>	(Carpenter 1864)
<i>Isapis obtusa</i>	Carpenter 1864
<i>Iselica ovoidea</i>	(Gould 1853)
<i>Narica ovoidea</i>	Gould 1853
<i>Isapis fenestrata</i>	Carpenter 1864
<i>Iselica fenestrata</i>	of McLean 1969
Superfamily Ringiculoidea	
Family Ringiculidae	
<i>Microglyphis brevicula</i>	(Dall 1902)
<i>Actaeon (Microglyphis) brevulus</i>	Dall 1902
Order Opisthobranchia	
Suborder Cephalaspidea	
Superfamily Bulloidea	
Family Bullidae	
<i>Bulla gouldiana</i>	Pilsbry 1895
<i>Bulla nebulosa</i>	of A. Adams 1850 ex. Gould MS not Schröter 1804
Superfamily Diaphanoidea	
Family Diaphanidae	
Subfamily Diaphaninae	
<i>Diaphana californica</i>	Dall 1919
Superfamily Haminoeoidea	
Family Haminoeidae	
Subfamily Haminoeinae	
<i>Haminoea vesicula</i>	(Gould 1855)
<i>Bulla (Haminea) vesicula</i>	Gould 1855
<i>Haminaea vesicula</i>	of SCAMIT Ed 3
<i>Haminoea virescens</i>	(G. B. Sowerby I 1833)
<i>Bulla virescens</i>	G. B. Sowerby I 1833
<i>Haminaea virescens</i>	of SCAMIT Ed 3
<i>Haminoea cymbiformis</i>	Carpenter 1857
<i>Haminoea olgae</i>	Dall 1919
<i>Haminoea rosacea</i>	Spicer 1933
<i>Haminoea strongi</i>	Baker & Hanna 1927
Superfamily Philinoidea	
Family Philinidae	
<i>Philine alba</i>	Mattox 1958
<i>Philine bakeri</i>	of Behrens 1991 not Dall 1919
<i>Philine bakeri</i>	of MacFarland 1966 in part not Dall 1919
<i>Philine auriformis</i>	Suter 1909
<i>Philine bakeri</i>	Dall 1919
<i>Philine alba</i>	of Abbott 1974 not Mattox 1958
<i>Philine californica</i>	Willett 1944
<i>Philine polystrigma</i>	(Dall 1908)
<i>Clistaxis ? polystrigma</i>	Dall 1908
<i>Philine</i> sp A	SCAMIT 1988 §
<i>Philine</i> sp 1	Gosliner 1996
<i>Woodbridgea williamsi</i>	S. S. Berry 1953
Family Aglajidae	
<i>Aglaja ocelligera</i>	(Bergh 1893)
<i>Doridium ocelligerum</i>	Bergh 1893
<i>Aglaja diomedea</i>	of MacFarland 1966 in part
<i>Aglaja phocae</i>	of Rudman 1974
<i>Chelidonura phocae</i>	Er. Marcus 1961
<i>Doridium adellae</i>	Dall 1894
<i>Melanochlamys diomedea</i>	(Bergh 1893)
<i>Doridium diomedeum</i>	Bergh 1893
<i>Aglaja diomedea</i>	of MacFarland 1966 in part

Aglaja nana	Steinberg & Jones 1960
Aglaja sp A	Cadien 1989 §
Melanochlamys nana	of Rudman 1972
<i>Navanax inermis</i>	(Cooper 1863)
Strategus inermis	Cooper 1863
Aglaja bakeri	MacFarland 1924
Aglaja inermis	of Austin 1985
Chelidonura inermis	of Er. Marcus 1961
Doridium purpureum	Bergh 1893
Navarchus inermis	of Cooper 1863
Family Cyllichnidae	
<i>Acteocina carinata</i>	(Carpenter 1856)
Tornatina carinata	Carpenter 1856
Retusa (Acteocina) carinata	of Grant & Gale 1931
<i>Acteocina cerealis</i>	(Gould 1853)
Bulla (Tornatina) cerealis	Gould 1853
Acteocina eximia	of SCAMIT Ed 4
Bullina eximia	Baird 1863
Acteocina culcitella eximia	of Willett 1928
Acteocina culcitella intermedia	Willett 1928
Cylchnella culcitella	of Gosliner 1979 not (Gould 1853)
Tornatina eximia	of Pilsbry 1895
Utriculastra culcitella	of Er. Marcus 1977
<i>Acteocina culcitella</i>	(Gould 1853)
Bulla (Akera) culcitella	Gould 1853
Tornastra rolleri	Er. Marcus 1977
<i>Acteocina harpa</i>	(Dall 1871)
Tornatina harpa	Dall 1871
Acteocina oldroydi	Dall 1925
Acteocina (Coleophysis) harpa	of Abbott 1974
Cylchnella harpa	of SCAMIT 1994
Retusa (Coleophysis) harpa	of I. Oldroyd 1927
Utriculastra harpa	of Thiele 1925
<i>Acteocina inculta</i>	(Gould 1855)
Bulla (Tornatina) inculta	Gould 1855
Cylchnella inculta	of Gosliner 1979
<i>Cylichna attponsa</i>	Carpenter 1865
Cylichna ? Cylindracea var attponsa	Carpenter 1865
Cylichna propinqua	E. A. Smith 1872
Cylchnella (Bullinella) attponsa	of Dall 1921
<i>Cylichna diegensis</i>	(Dall 1919)
Cylchnella diegensis	Dall 1919
Family Gastropteridae	
<i>Gastropteron pacificum</i>	Bergh 1893
Gastropteron cinereum	Dall 1925
Family Philinoglossidae	
<i>Philinoglossa</i> sp A	SCAMIT 1998 §
Family Retusidae	
<i>Sulcoretusa xystrum</i>	(Dall 1919)
Retusa xystrum	Dall 1919
Sulcularia xystrum	(Dall 1919)
<i>Volvulella californica</i>	(Dall 1919)
Rhizorus californicus	Dall 1919
<i>Volvulella catharia</i>	Dall 1919
<i>Volvulella cylindrica</i>	(Carpenter 1864)
Volvula cylindrica	Carpenter 1864
Volvulella callicera	Dall 1919
Volvulella cooperi	Dall 1919
Volvulella lowei	(Strong & Hertlein 1937)
<i>Volvulella panamica</i>	Dall 1919
Rhizorus panamicus	(Dall 1919)
Volvulella tenuissima	Willett 1944
Superfamily Runcinoidea	
Family Runcinidae	
<i>Runcina macfarlandi</i>	Gosliner 1991
superfamily uncertain	
family uncertain	
Bullomorpha sp A	Ljubenkov 1994 §
Suborder Aplysiomorpha	
Superfamily Aplycioidea	

Family Aplysiidae	
Subfamily Aplysiinae	
<i>Aplysia californica</i>	Cooper 1863
<i>Aplysia (Neaplysia) californica</i>	Cooper 1863
<i>Aplysia nettiae</i>	Winkler 1959
<i>Aplysia vaccaria</i>	Winkler 1955
Subfamily Dolabriferinae	
<i>Phyllaplysia taylori</i>	Dall 1900
<i>Phyllaplysia zostericola</i>	McCauley 1960
Superfamily Akeroidea	
Family Akeridae	
<i>Akera julieae</i>	Valdés & Barwick 2005
Suborder Sacoglossa	
Superfamily Limapontoidea	
Family Hermaeidae	
<i>Alderia willowi</i>	Krug, Ellingson, Burton & Valdés 2007
<i>Alderia modesta</i>	of authors SCB not (Löven 1844)
<i>Aplysiopsis enteromorphae</i>	(Cockerell & Eliot 1905)
<i>Phyllobranchopsis enteromorphae</i>	Cockerell & Eliot 1905
<i>Hermaeina smithi</i>	Marcus 1961
<i>Aplysiopsis olivae</i>	(MacFarland 1966)
<i>Hermaeina olivae</i>	MacFarland 1966
<i>Olea hansineensis</i>	Agersborg 1923
Family Limapontiidae	
<i>Placida dendritica</i>	(Alder & Hancock 1843)
<i>Calliopaea dendritica</i>	Alder & Hancock 1843
Superfamily Plakobranchoidea	
Family Plakobranchidae	
<i>Elysia hedgpethi</i>	Marcus 1961
Suborder Umbraculida	
Superfamily Umbraculoidea	
Family Tylodinidae	
<i>Tylodina fungina</i>	Gabb 1865
Suborder Nudipleura	
Infraorder Pleurobranchomorpha	
Superfamily Pleurobranchoidea	
Family Pleurobranchidae	
Subfamily Pleurobranchinae	
<i>Berthella californica</i>	(Dall 1900)
<i>Pleurobranchus californicus</i>	Dall 1900
<i>Berthella denticulatus</i>	of Lee & Foster 1985
<i>Pleurobranchus californicus denticulatus</i>	MacFarland 1966
<i>Pleurobranchus chacei</i>	J. Burch 1944
<i>Berthella strongi</i>	(MacFarland 1966)
<i>Pleurobranchus strongi</i>	MacFarland 1966
<i>Berthellina ilisima</i>	Marcus & Marcus 1967
<i>Berthellina citrina</i>	(Ruppell & Leuckart 1828)
<i>Berthellina engeli</i>	Gardner 1936
Subfamily Pleurobranchaeinae	
<i>Pleurobranchaea californica</i>	MacFarland 1966
Infraorder Nudibranchia	
Superfamily Doridoidea	
Family Dorididae	
<i>Aldisa sanguinea</i>	(Cooper 1863)
<i>Doris sanguinea</i>	Cooper 1863
<i>Conualevia alba</i>	Collier & Farmer 1964
<i>Doris montereyensis</i>	Cooper 1863
<i>Archidoris montereyensis</i>	of SCAMIT Ed 4
<i>Archidoris nyctea</i>	Bergh 1900
<i>Doris odhneri</i>	(MacFarland 1966)
<i>Archidoris odhneri</i>	MacFarland 1966
<i>Doris pickensi</i>	Marcus and Marcus 1967
<i>Doris tanya</i>	(Marcus 1971)
<i>Sclerodoris tanya</i>	Ev. Marcus 1971
Family Actinocyclidae	
<i>Hallaxa chani</i>	Gosliner and Williams 1975
Family Chromodorididae	
<i>Cadlina flavomaculata</i>	MacFarland 1905
<i>Cadlina limbaughorum</i>	Lance 1962
<i>Cadlina limbaughi</i>	Lance 1962

<i>Cadlina luteomarginata</i>	MacFarland 1966
<i>Cadlina marginata</i>	MacFarland 1905
<i>Cadlina modesta</i>	MacFarland 1966
<i>Cadlina sparsa</i>	(Odhner 1921)
<i>Juanella sparsa</i>	Odhner 1921
<i>Felimare californiensis</i>	(Bergh 1879)
<i>Chromodoris californiensis</i>	Bergh 1879
<i>Hypselodoris californiensis</i>	of SCAMIT Ed 7
<i>Felimare porterae</i>	(Cockerell 1901)
<i>Chromodoris porterae</i>	Cockerell 1901
<i>Mexichromis porterae</i>	of SCAMIT Ed 7
<i>Felima macfarlandi</i>	(Cockerell 1901)
<i>Chromodoris macfarlandi</i>	Cockerell 1901
Family Discodorididae	
<i>Atagema alba</i>	(O'Donoghue 1927)
<i>Doridigitata alba</i>	O'Donoghue 1927
<i>Atagema quadrimaculata</i>	Collier 1963
<i>Petelodoris spongicola</i>	MacFarland 1966
<i>Baptodoris mimetica</i>	Gosliner 1991
<i>Diaulula sandiegensis</i>	(Cooper 1863)
<i>Doris (Actinocyclus ?) sandiegensis</i>	Cooper 1863
<i>Discodoris sandiegensis</i>	of McDonald & Nybakken 1980
<i>Geitodoris heathi</i>	(MacFarland 1905)
<i>Discodoris heathi</i>	MacFarland 1905
<i>Jorunna pardus</i>	Behrens & Henderson 1981
<i>Peltodoris mullineri</i>	Millen and Bertsch 2000
<i>Peltodoris nobilis</i>	(MacFarland 1905)
<i>Montereina nobilis</i>	MacFarland 1905
<i>Anisodoris nobilis</i>	of SCAMIT Ed 4
<i>Platydoris macfarlandi</i>	Hanna 1951
<i>Rostanga pulchra</i>	MacFarland 1905
<i>Thordisa bimaculata</i>	Lance 1966
Superfamily Phyllidoidea	
Family Dendrodorididae	
<i>Dendrodoris behrensi</i>	Millen & Bertsch 2005
<i>Dendrodoris sp 3</i>	of Behrens 1991
<i>Doriopsilla albopunctata</i>	(Cooper 1863)
<i>Doris albopunctata</i>	Cooper 1863
<i>Dendrodoris fulva</i>	(MacFarland 1905)
<i>Doriopsis fulva</i>	MacFarland 1905
<i>Doriopsis reticulata</i>	Cockerell & Eliot 1905
<i>Doriopsilla gemela</i>	Gosliner, Schaefer & Millen 1999
<i>Dendrodoris sp 1</i>	of Behrens 1991
<i>Doriopsilla nigromaculata</i>	(Cockerell in Cockerell & Eliot 1905)
<i>Doridopsis nigromaculata</i>	Cockerell in Cockerell & Eliot 1905
<i>Doriopsilla rowena</i>	Marcus & Marcus 1967
<i>Doriopsilla spaldingi</i>	Valdés & Behrens 1998
Superfamily Onchidoridoidea	
Family Onchidorididae	
<i>Acanthodoris brunnea</i>	MacFarland 1905
<i>Acanthodoris hudsoni</i>	MacFarland 1905
<i>Acanthodoris lutea</i>	MacFarland 1925
<i>Acanthodoris rhodoceras</i>	Cockerell in Cockerell & Eliot 1905
<i>Corambe pacifica</i>	MacFarland & O'Donoghue 1929
<i>Corambe steinbergae</i>	(Lance 1962)
<i>Doridella steinbergae</i>	Lance 1962
<i>Diaphorodoris lirulatocauda</i>	Millen 1985
<i>Onchidoris hystricina</i>	of authors NEP not (Bergh 1878)
<i>Loy thompsoni</i>	(Millen & Nybakken 1991)
<i>Corambe thompsoni</i>	Millen & Nybakken 1991
<i>Corambe sp 1</i>	Behrens 1991
<i>Psammodoris thompsoni</i>	of SCAMIT Ed 4
<i>Onchidoris bilamellata</i>	(Linnaeus 1767)
<i>Doris bilamellata</i>	Linnaeus 1767
Family Goniodorididae	
<i>Ancula lentiginosa</i>	Farmer in Farmer & Sloan 1964
<i>Ancula pacifica</i>	MacFarland 1905
<i>Okenia angelensis</i>	Lance 1966
<i>Okenia rosacea</i>	(MacFarland 1905)
<i>Hopkinsia rosacea</i>	MacFarland 1905

<i>Okenia vancouverensis</i>	(O'Donoghue 1921)
<i>Idalia vancouverensis</i>	O'Donoghue 1921
<i>Okenia sp A</i>	Cadien 1982 §
Superfamily Polyceroidea	
Family Polyceridae	
Subfamily Polycerinae	
<i>Crimora coneja</i>	Marcus 1961
<i>Limacia cockerelli</i>	(MacFarland 1905)
<i>Laila cockerelli</i>	MacFarland 1905
<i>Polydora atra</i>	MacFarland 1905
<i>Polydora hedgpethi</i>	Marcus 1964
<i>Polydora tricolor</i>	Robilliard 1971
<i>Polydora glandulosa</i>	Behrens and Gosliner 1988
<i>Polydora zoobotryon</i>	of authors NEP, not Smallwood 1910
<i>Trapania velox</i>	(Cockerell 1901)
<i>Thecacera velox</i>	Cockerell 1901
<i>Drepania velox</i>	of MacFarland 1929
Subfamily Triophinae	
<i>Holoplocamus sp</i>	Gosliner 1996
<i>Triopha catalinae</i>	(Cooper 1863)
<i>Triopa catalinae</i>	Cooper 1863
<i>Triopha carpenteri</i>	Stearns 1873
<i>Triopha elioti</i>	O'Donoghue 1921
<i>Triopha modesta</i>	Bergh 1880
<i>Triopha scrippsiana</i>	Cockerell 1915
<i>Triopha maculata</i>	MacFarland 1905
<i>Triopha aurantiaca</i>	Cockerell 1908
<i>Triopha grandis</i>	MacFarland 1905
Family Aegiretidae	
<i>Aegires albopunctatus</i>	MacFarland 1905
Superfamily Arminoidea	
Family Arminidae	
<i>Armina californica</i>	(Cooper 1863)
<i>Pleurophylidia californica</i>	Cooper 1863
<i>Armina columbiana</i>	O'Donoghue 1924
<i>Armina digueti</i>	Pruvot-Fol 1955
<i>Armina sp A</i>	SCAMIT 2000 §
<i>Pleurophylidia vancouverensis</i>	Bergh 1876
Superfamily Tritonoidea	
Family Tritoniidae	
<i>Tochuina gigantea</i>	(Bergh 1904)
<i>Tritonia gigantea</i>	Bergh 1904
<i>Sphaerostoma gigantea</i>	of O'Donoghue 1926
<i>Sphaerostoma tetraqueta</i>	of O'Donoghue 1924
<i>Tochuina tetraqueta</i>	of authors NEP not (Pallas 1788)
<i>Tritonia tetraqueta</i>	of Bergh 1879
<i>Tritoniopsis terqaetra</i>	of Odhner 1936
<i>Tritoniopsis aurantia</i>	Mattox 1955
<i>Tritonia festiva</i>	(Stearns 1873)
<i>Lateribranchaea festiva</i>	Stearns 1873
<i>Duvaucelia festiva</i>	of MacFarland 1966
<i>Sphaerostoma undulata</i>	O'Donoghue 1924
<i>Tritonia reticulata</i>	Bergh 1881
<i>Tritoniopsis palmeri</i>	of Cockerell and Eliot 1903
<i>Tritonia myrakeena</i>	Bertsch & Mozqueira 1986
<i>Tritonia tetraqueta</i>	(Pallas 1788)
<i>Limax tetraqueta</i>	Pallas 1788
<i>Duvaucelia giberti</i>	MacFarland 1966
<i>Duvaucelia (Duvaucelia) septemtrionalis</i>	Baba 1917
<i>Duvaucelia tetraqueta</i>	of MacFarland 1966
<i>Sphaerostoma diomedea</i>	of O'Donoghue 1924
<i>Tritonia diomedea</i>	Bergh 1894
<i>Tritonia exsulans</i>	Bergh 1894
<i>Tritonia palmeri</i>	Cooper 1863
<i>Tritonia primorjensis</i>	Minichev 1971
<i>Tritonia spolooides</i>	Aurivillius 1887
Family Dendronotidae	
<i>Dendronotus albus</i>	MacFarland 1966
<i>Dendronotus diversicolor</i>	Robilliard 1970
<i>Dendronotus iris</i>	Cooper 1863
<i>Dendronotus giganteus</i>	O'Donoghue 1921

<i>Dendronotus nanus</i>	Marcus & Marcus 1967
<i>Dendronotus subramosus</i>	MacFarland 1966
<i>Dendronotus venustus</i>	MacFarland 1966
<i>Dendronotus frondosus</i>	of SCAMIT Ed 5 not (Ascanius 1774)
Family Hancockiidae	
<i>Hancockia californica</i>	MacFarland 1923
Family Lomanotidae	
<i>Lomanotus</i> sp	
Family Tethyidae	
<i>Melibe leonina</i>	(Gould 1852)
<i>Chioraera leonina</i>	Gould 1852
Superfamily Flabellinoidea	
Family Flabellinidae	
<i>Cumanotus fernaldi</i>	Thompson & Brown 1984
<i>Cumanotus beaumonti</i>	of Turgeon <i>et al</i> 1988
<i>Cumanotus</i> sp I	of Behrens and Hermosillo 2005
<i>Flabellina cooperi</i>	(Cockerell 1901)
<i>Coryphella cooperi</i>	Cockerell 1901
<i>Flabellina goddardi</i>	Gosliner 2010
<i>Flabellina iodinea</i>	(Cooper 1863)
<i>Aeolis</i> (? <i>Phidiana</i>) <i>iodinea</i>	Cooper 1863
<i>Coryphella iodinea</i>	of Williams & Gosliner 1978
<i>Coryphella sabulicola</i>	Cowen & Laur 1978
<i>Flabellinopsis iodinea</i>	of MacFarland 1966
<i>Flabellina pricei</i>	(MacFarland 1966)
<i>Coryphella pricei</i>	MacFarland 1966
<i>Flabellina trilineata</i>	(O'Donoghue 1921)
<i>Coryphella trilineata</i>	O'Donoghue 1921
<i>Coryphella fisheri</i>	MacFarland 1966
<i>Coryphella piunca</i>	Er. Marcus 1961
Superfamily Fionoidea	
Family Eubranchidae	
<i>Eubranchus rupium</i>	(Möller 1842)
<i>Tergipes rupium</i>	Möller 1842
<i>Eubranchus olivaceus</i>	of Behrens 1980
<i>Galvina olivacea</i>	O'Donoghue 1922
<i>Eubranchus rustyus</i>	(Marcus 1961)
<i>Capellinia rustyus</i>	Marcus 1961
Family Tergipedidae	
Subfamily Cuthoninae	
<i>Catriona columbiana</i>	(O'Donoghue 1922)
<i>Amphorina columbiana</i>	O'Donoghue 1922
<i>Catriona alpha</i>	of Behrens 1980
<i>Cratena spadix</i>	MacFarland 1966
<i>Cuthona alpha</i>	Baba & Hamatani 1963
<i>Catriona rickettsi</i>	Behrens 1984
<i>Cuthona abronia</i>	(MacFarland 1966)
<i>Cratena abronia</i>	MacFarland 1966
<i>Trinchesia abronia</i>	of Behrens 1980
<i>Cuthona albocrusta</i>	(MacFarland 1966)
<i>Cratena albocrusta</i>	MacFarland 1966
<i>Trinchesia albocrusta</i>	of Behrens 1980
<i>Cuthona divae</i>	(Er. Marcus 1961)
<i>Precuthona divae</i>	Er. Marcus 1961
<i>Cuthona flavovulta</i>	(MacFarland 1966)
<i>Cratena flavovulta</i>	MacFarland 1966
<i>Cuthona fulgens</i>	(MacFarland 1966)
<i>Cratena fulgens</i>	MacFarland 1966
<i>Cuthona hamanni</i>	Behrens 1987
<i>Cuthona lagunae</i>	(O'Donoghue 1926)
<i>Hervia lagunae</i>	O'Donoghue 1926
<i>Trinchesia lagunae</i>	of Behrens 1980
<i>Tenellida adspersa</i>	(Nordmann 1845)
<i>Tergipes adspersus</i>	Nordmann 1845
<i>Tenellida pallida</i>	of Cadieri 1980
Superfamily Aeolidioidea	
Family Aeolidiidae	
<i>Aeolidia papillosa</i>	(Linnaeus 1761)
<i>Limax papillosus</i>	Linnaeus 1761
<i>Aeolidia farinacea</i>	(Stimpson 1854)

<i>Aeolidiella chromosoma</i>	(Cockerell & Eliot 1905)
<i>Spurilla chromosoma</i>	Cockerell & Eliot 1905
<i>Aeolidiella oliviae</i>	MacFarland 1966
<i>Spurilla oliviae</i>	of Behrens 1980
<i>Antaeolidiella indica</i>	(Bergh 1888)
<i>Aeolidiella indica</i>	Bergh 1888
<i>Cerberilla mosslandica</i>	McDonald & Nybakken 1975
<i>Cerberilla pungoarena</i>	Collier & Farmer 1964
<i>Cerberilla sp 1</i>	Behrens 1991
Family Facelinidae	
Subfamily Facelininae	
<i>Austraeolis stearnsi</i>	(Cockerell 1901)
<i>Facelina stearnsi</i>	Cockerell 1901
<i>Emarcusia morroensis</i>	Roller 1972
<i>Hermissenda crassicornis</i>	(Eschscholtz 1831)
<i>Cavolina crassicornis</i>	Eschscholtz 1831
<i>Flabellina opalescens</i>	Cooper 1863
<i>Phidiana hiltoni</i>	(O'Donoghue 1927)
<i>Facelina hiltoni</i>	O'Donoghue 1927
<i>Phidiana pugnax</i>	Lance 1962
Subfamily Babakininae	
<i>Babakina festiva</i>	(Roller 1972)
<i>Babaina festiva</i>	Roller 1972
Superfamily unknown	
Family Dironidae	
<i>Dirona albolineata</i>	MacFarland in Cockerell and Eliot 1905
<i>Dirona picta</i>	MacFarland in Cockerell & Eliot 1905
Family Dotoidae	
<i>Doto amyra</i>	Er. Marcus 1961
<i>Doto ganda</i>	Er. Marcus 1961
<i>Doto varians</i>	MacFarland 1966 in part
<i>Doto wara</i>	Er. Marcus 1961
<i>Doto columbiana</i>	O'Donoghue 1921
<i>Doto kya</i>	Er. Marcus 1961
<i>Doto varians</i>	MacFarland 1966 in part
<i>Doto lancei</i>	Marcus & Marcus 1967
Family Zephyrinidae	
<i>Janolus annulatus</i>	Camacho-Garcia & Gosliner 2007
<i>Janolus sp 1</i>	of Behrens 1991
<i>Janolus barbarensis</i>	(Cooper 1863)
<i>Aolis barbarensis</i>	Cooper 1863
<i>Antiopella barbarensis</i>	of MacFarland 1966
Order Pulmonata	
Suborder Eupulmonata	
Superfamily Ellobioidea	
Family Ellobiidae	
Subfamily Melampiniae	
<i>Melampus olivaceus</i>	Carpenter 1857
Superfamily Trimusculoidea	
Family Trimusculidae	
<i>Trimusculus reticulatus</i>	(G. B. Sowerby I 1835)
<i>Mouretia reticulata</i>	G. B. Sowerby I 1835
Superfamily Siphonarioidea	
Family Siphonariidae	
<i>Siphonaria brannani</i>	Stearns 1873
<i>Williamia peltoides</i>	(Carpenter 1864)
<i>Nacella peltoides</i>	Carpenter 1864
<i>Liriola peltoides var vernalis</i>	Dall 1878
<i>Williamia galapagana</i>	Dall 1909
Class Bivalvia	
Subclass Protobranchia	
Order Nuculida	
Superfamily Nuculoidea	
Family Nuculidae	
Subfamily Nuculiniae	
<i>Acila castrensis</i>	(Hinds 1843)
<i>Nucula castrensis</i>	Hinds 1843
<i>Acila (Truncacilia) beringiana</i>	Slodkevisch 1967
<i>Nucula divaricata</i>	of Conrad 1848 not Hinds 1843
<i>Nucula empirensis</i>	Howe 1922

<i>Nucula lyalli</i>	W. Baird 1863
<i>Ennucula tenuis</i>	(Montagu 1808)
<i>Arca tenuis</i>	Montagu 1808
<i>Nucula bellotii</i>	A. Adams 1856
<i>Nucula expansa</i>	of Reeve 1855 not Brown 1848
<i>Nucula inflata</i>	of Hancock 1846 not G. B. Sowerby I 1827
<i>Nucula quirica</i>	Dall 1916
<i>Nucula tenuis</i>	of Bernard 1983
<i>Nucula tenuis lucida</i>	Whiteaves 1887
<i>Nucula (Ennucula) balboana</i>	Herlein & Grant 1972
<i>Nucula (Leionucula) leptodonta</i>	Bernard 1983
<i>Nucula carlottensis</i>	Dall 1897
<i>Nucula keenae</i>	Bernard 1983
<i>Nucula takashii</i>	Bernard 1983
<i>Nucula exigua</i>	G. B. Sowerby I 1833
<i>Nucula paytensis</i>	A. Adams 1856
<i>Nucula suprastrigata</i>	Arnold 1903
Order Solemyida	
Superfamily Solemyoidea	
Family Solemyidae	
Subfamily Acharacinae	
<i>Acharax johnsoni</i>	(Dall 1891)
<i>Solemya johnsoni</i>	Dall 1891
Subfamily Solemyinae	
<i>Solemya perverncosa</i>	Kuroda 1948
<i>Solemya reidi</i>	Bernard 1980
<i>Solemya panamensis</i>	of authors NEP not Dall 1908
Superfamily Manzanelloidea	
Family Nucinellidae	
<i>Huxleyia munita</i>	(Dall 1898)
<i>Cyrilla munita</i>	Dall 1898
<i>Nucinella munita</i>	(Dall 1898)
<i>Nucula petriola</i>	Dall 1916
Order Nuculanida	
Family Nuculanidae	
Subfamily Nuculaninae	
<i>Nuculana conceptionis</i>	(Dall 1896)
<i>Leda conceptionis</i>	Dall 1896
<i>Leda gomphoidea</i>	Dall 1916
<i>Nuculana extenuata</i>	(Dall 1897)
<i>Leda extenuata</i>	Dall 1897
<i>Nuculana hamata</i>	(Carpenter 1864)
<i>Leda hamata</i>	Carpenter 1864
<i>Nuculana limata</i>	(Dall 1916)
<i>Nuculana (Thestyleda) hamata</i>	of Hertlein & Strong 1940
<i>Nuculana taphria</i>	(Dall 1896)
<i>Leda taphria</i>	Dall 1896
<i>Nuculana caelata</i>	of (Hinds 1843) not (Conrad 1833)
<i>Nuculana</i> sp A	SCAMIT 2006 §
<i>Nuculana elenensis</i>	of authors NEP not G. B. Sowerby I in Broderip & Sowerby 1833
<i>Nuculana</i> sp B	SCAMIT 2013 §
<i>Nuculana</i> sp B	SCAMIT 2010 §
<i>Nuculana leonina</i>	of authors NEP not (Dall 1896)
<i>Nuculana navisa</i>	of OCSD not (Dall 1916)
<i>Saccella penderi</i>	(Dall & Bartsch 1910)
<i>Leda penderi</i>	Dall & Bartsch 1910
<i>Nuculana acuta</i>	of authors not (Conrad 1832)
<i>Nuculana burchi</i>	Willett 1944
<i>Nuculana oxia</i>	Dall 1916
<i>Nuculana penderi</i>	of SCAMIT Ed 6
<i>Nuculana redondoensis</i>	J. Burch 1944
Subfamily Ledellinae	
<i>Ledella</i> sp	
Family Malletiidae	
<i>Malletia faba</i>	Dall 1897
<i>Malletia pacifica</i>	Dall 1897
Family Neilonellidae	
<i>Neilonella mexicana</i>	(Dall 1908)
<i>Tindaria mexicana</i>	Dall 1908
<i>Neilonella ritteri</i>	(Dall 1916)

<i>Tindaria ritteri</i>	Dall 1916
<i>Tindaria californica</i>	Dall 1916
Family Yoldiidae	
Subfamily Yoldiinae	
<i>Yoldia cooperii</i>	Gabb 1865
<i>Yoldia seminuda</i>	Dall 1871
<i>Nucula arctica</i>	of Broderip & G. B. Sowerby I 1829 not J. E. Gray 1824
<i>Yoldia ensifera</i>	Dall 1897
<i>Yoldia ensifera plena</i>	Dall 1908
<i>Yoldia scissurata</i>	Dall 1897
<i>Yoldia (Cnesterium) excavata</i>	Dall 1925
<i>Yoldia (Cnesterium) strigata</i>	Dall 1909
Subfamily Yoldiellinae	
<i>Yoldiella nana</i>	(M. Sars 1865)
<i>Yoldia nana</i>	M. Sars 1865
<i>Yoldiella sp A</i>	Coan, Valentich Scott & Bernard 2000
Family Tindariidae	
<i>Tindaria sp</i>	
Subclass Autobranchia	
Superorder Pteriomorphia	
Order Arcida	
Superfamily Arcoidea	
Family Arcidae	
Subfamily Arciniae	
<i>Acar bailyi</i>	Bartsch 1931
Subfamily Anadarinae	
<i>Anadara multicostata</i>	(G. B. Sowerby I 1833)
<i>Arca multicostata</i>	G. B. Sowerby I 1833
<i>Anadara tuberculosa</i>	(G. B. Sowerby I 1833)
<i>Arca tuberculosa</i>	G. B. Sowerby I 1833
<i>Arca septicostata</i>	Reeve 1844
Family Glycymerididae	
<i>Glycymeris septentrionalis</i>	(Middendorff 1849)
<i>Pectunculus septentrionalis</i>	Middendorff 1849
<i>Axinaea (? Septentrionalis) subobsoleta</i>	Carpenter 1864
<i>Glycymeris guadalupensis</i>	A. M. Strong 1938
<i>Glycymeris (Axinola) septentrionalis</i>	of Coan & Scott 1997
Family Noetiidae	
Subfamily Striarciniae	
<i>Arcopsis solida</i>	(G. B. Sowerby I 1833)
<i>Arca solida</i>	G. B. Sowerby I 1833
<i>Barbatia digueti</i>	Mabille 1895
Superfamily Limopoidea	
Family Limopsidae	
<i>Limopsis panamensis</i>	Dall 1902
Family Philobryidae	
<i>Philobrya setosa</i>	(Carpenter 1864)
<i>Bryophila setosa</i>	Carpenter 1864
Order Mytilida	
Superfamily Mytiloidea	
Family Mytilidae	
Subfamily Mytiliniae	
<i>Brachidontes adamsianus</i>	(Dunker 1857)
<i>Mytilus adamsianus</i>	Dunker 1857
<i>Mytilus californianus</i>	Conrad 1837
<i>Mytilus galloprovincialis</i>	Lamarck 1819
Subfamily Crenellinae	
<i>Crenella decussata</i>	(Montagu 1808)
<i>Mytilus decussatus</i>	Montagu 1808
<i>Crenella decussata laticostata</i>	Scarlato 1960
<i>Crenella divaricata</i>	of authors NEP not Orbigny 1847
<i>Crenella ecuadoriana</i>	Pilsbry & Olsson 1941
<i>Crenella ? inflata</i>	of Carpenter 1864
<i>Crenella yokoyamai</i>	Nomura 1932
<i>Gregariella coarctata</i>	(Carpenter 1857)
<i>Crenella coarctata</i>	Carpenter 1857
<i>Gregariella chenui</i>	of authors not (Récluz 1842)
<i>Gregariella coralliophaga</i>	of authors not (Gmelin 1791)
<i>Modiolaria denticulata</i>	Dall 1871
<i>Musculista senhousia</i>	(Benson in Cantor 1842)

<i>Modiola senhousia</i>	Benson in Cantor 1842
<i>Modiola bellardina</i>	Tapparone-Caneffri 1874
<i>Musculus senhousei</i>	of Cadieri 1980
<i>Musculus pygmaeus</i>	Glynn 1964
<i>Solamen columbianum</i>	(Dall 1897)
<i>Crenella columbiana</i>	Dall 1897
<i>Crenella rotundata</i>	Dall 1916
<i>Crenella tamurai</i>	Habe 1955
<i>Megacrerella columbiana</i>	of Bernard 1983
<i>Rhomboiodella columbiana</i>	of Abbott 1974
<i>Solamen megas</i>	(Dall 1902)
<i>Crenella megas</i>	Dall 1902
Subfamily Dacrydiinae	Dall 1916
<i>Dacrydium pacificum</i>	
Subfamily Lithophaginae	
<i>Adula diegensis</i>	(Dall 1911)
<i>Modiolus diegensis</i>	Dall 1911
<i>Adula gruneri</i>	(R. A. Philippi 1851)
<i>Modiola (Lithophagus) gruneri</i>	R.A. Philippi 1851
<i>Lithophaga aristata</i>	(Dillwyn 1817)
<i>Mytilus aristatus</i>	Dillwyn 1817
<i>Lithophaga plumula</i>	(Hanley 1844)
<i>Lithodomus plumula</i>	Hanley 1844
<i>Lithophaga plumula kelseyi</i>	Hertlein & Strong 1946
<i>Lithophaga subula</i>	of Soot-Ryen 1955 not (Reeve 1857)
Subfamily Modiolinae	
<i>Amygdalum pallidulum</i>	(Dall 1916)
<i>Modiolus pallidulus</i>	Dall 1916
<i>Amygdalum politum</i>	of SCAMIT Ed. 6
<i>Geukensia demissa</i>	(Dilwyn 1817)
<i>Mytilus demissus</i>	Dilwyn 1817
<i>Modiola plicatula</i>	Lamarck 1819
<i>Modiola semicostata</i>	Conrad 1837
<i>Modiolatus neglectus</i>	(Soot-Ryen 1955)
<i>Modiolus neglectus</i>	Soot-Ryen 1955
<i>Volsella rectus</i>	of authors not Conrad 1837
<i>Modiolus capax</i>	(Conrad 1837)
<i>Modiola capax</i>	Conrad 1837
<i>Volsella capax</i>	of Grant & Gale 1931
<i>Modiolus modiolus</i>	(Linnaeus 1758)
<i>Mytilus modiolus</i>	Linnaeus 1758
<i>Modiolus rectus</i>	(Conrad 1837)
<i>Modiola recta</i>	Conrad 1837
<i>Modiolus flabellatus</i>	Gould 1850
<i>Volsella recta</i>	of Grant & Gale 1931
<i>Modiolus sacculifer</i>	(Berry 1953)
<i>Volsella sacculifer</i>	Berry 1953
Subfamily Septiferinae	
<i>Septifer bifurcatus</i>	(Conrad 1837)
<i>Mytilus bifurcatus</i>	Conrad 1837
Order Pteriida	
Superfamily Pterioidea	
Family Pteriidae	
<i>Pteria sterna</i>	(Gould 1851)
<i>Avicula sterna</i>	Gould 1851
Superfamily Pinoidea	
Family Pinnidae	
<i>Atrina oldroydi</i>	Dall 1901
Order Limida	
Superfamily Limoidea	
Family Limidae	
Subfamily Liminiae	
<i>Limaria hemphilli</i>	(Hertlein & Strong 1946)
<i>Lima (Limaria) hemphilli</i>	Hertlein & Strong 1946
<i>Lima dehisces</i>	Conrad 1837
Subfamily Limatuliniae	
<i>Limatula saturna</i>	Bernard 1978
<i>Limatula californica</i>	Bernard 1988
<i>Limatula macleani</i>	Bernard 1988
<i>Limatula subauriculata</i>	of authors NEP not (Montagu 1808)

Order Ostreida	
Superfamily Ostreoidea	
Family Ostreidae	
Subfamily Ostreinae	
Tribe Ostreini	
<i>Crassostrea gigas</i>	(I. Thunberg 1793)
<i>Ostrea gigas</i>	Thunberg 1793
<i>Ostrea lurida</i>	Carpenter 1864
Superfamily Pectinoidea	
Family Pectinidae	
Subfamily Pectininae	
Tribe Pectinini	
<i>Lepecten diegensis</i>	(Dall 1898)
Pecten (Pecten) diegensis	Dall 1898
Euvola diegensis	of SCAMIT Ed. 6
Janira florida	of Cooper 1888
Pecten diegoensis	of Keep 1904
Pecten floridus	of Hinds 1845 not (Gmelin 1791)
Pecten (Janira) floridus	of Williamson 1892
Pecten (Janira) stearnsii var diegensis	of Grant & Gale 1931
Pecten (Vola) floridus	of Kobelt 1887
Subfamily Camptonotinae	
<i>Delectopecten vancouverensis</i>	(Whiteaves 1893)
Pecten (Pseudamussium) vancouverensis	Whiteaves 1893
<i>Cyclopecten argenteus</i>	Bernard 1978
<i>Cyclopecten (Delectopecten) vancouverensis</i>	of Grau 1959
<i>Pecten randolphi</i>	Dall 1897
<i>Pecten (Delectopecten) vancouverensis</i>	of J. Burch 1944
<i>Pecten (Pseudamussium) alaskense</i>	of Dall 1921
<i>Pecten (Pseudamussium) arces</i>	Dall 1913
<i>Pecten (Pseudamussium) pedroanus var vancouverensis</i>	of Grant & Gale 1931 in part
Subfamily Chlamydinae	
<i>Argopecten ventricosus</i>	(G. B. Sowerby II 1842)
<i>Pecten ventricosus</i>	G. B. Sowerby II 1842
<i>Aequipecten (Plagioctenium) circularis</i>	of Keen 1958
<i>Argopecten circularis</i>	of Bernard 1983 not (Sowerby 1835)
<i>Chlamys ventricosus</i>	of Tomlin 1928
<i>Chlamys (Aequipecten) ventricosa</i>	of Lamy 1909
<i>Chlamys (Plagioctenium) ventricosum</i>	of Bayav 1936
<i>Pecten inca</i>	d'Orbigny 1846
<i>Pecten fililectus</i>	Li 1930
<i>Pecten filitextus</i>	of Pilsbry 1932
<i>Pecten tumidus</i>	of G. B. Sowerby I 1835 not (Turton 1819)
<i>Pecten (Aequipecten) gibbus var circularis</i>	of Grant & Gale 1931 in part
<i>Pecten (Argus) circularis</i>	of Mörch 1861
<i>Pecten (Argus) ventricosus</i>	of Mörch 1861
<i>Pecten (Chlamys) circularis</i>	of Dall 1921
<i>Pecten (Dentipecten) circularis</i>	of Kobelt 1887
<i>Pecten (Plagioctenium) ventricosus</i>	of Dall 1898
<i>Chlamys hastata</i>	(G. B. Sowerby II 1842)
<i>Pecten hastatus</i>	G. B. Sowerby II 1842
<i>Chlamys hericeus</i>	of authors not (Gould 1850)
<i>Chlamys hericius</i>	(Gould 1850)
<i>Pecten altiplectus</i>	Conrad 1857
<i>Pecten altiplicatus</i>	Conrad 1857
<i>Pecten islandicus pugetensis</i>	I. Oldroyd 1920
<i>Pecten denticulatus</i>	A. Adams & Reeve 1848
<i>Pecten rastellinum</i>	Valenciennes 1846
<i>Pecten (Chlamys) hastatus</i>	of Arnold 1903
<i>Crassadoma gigantea</i>	(J. E. Gray 1825)
<i>Lima gigantea</i>	J. E. Gray 1825
<i>Chlamys (Hinnites) gigantea</i>	of Bernard 1983
<i>Hinnita giganteus</i>	of Gray 1826
<i>Hinnita pouloni</i>	Conrad 1834
<i>Hinnites giganteus</i>	of Cadieri 1980
<i>Hinnites multirugosus</i>	of Fitch 1953
<i>Pecten (Chlamys) multirugosus</i>	Gale 1928
<i>Pecten (Pecten) multirugosus</i>	of Grant & Gale 1931
<i>Leptopecten latiauratus</i>	(Conrad 1837)
<i>Pecten latiauratus</i>	Conrad 1837

Pecten latiauritus	of authors not Conrad 1837
Pecten monotimeris	Conrad 1837
Pecten (Aequipecten) latiauratus	of Grant & Gale 1931
Pecten (Chlamys) latiauritus var delosii	Arnold 1906
Pecten (Leptopecten) latiauratus	of Hertlein 1935
Pecten (Plagiocentium) latiauritum	of Bavay 1936
Family Propeamussiidae	
<i>Cyclopecten benthalis</i>	Grau 1959
<i>Cyclopecten catalinensis</i>	(Willett 1931)
Pecten (Cyclopecten) catalinensis	Willett 1931
<i>Cyclopecten zephyrus</i>	Grau 1959
Superfamily Anomioidea	
Family Anomiidae	
<i>Anomia peruviana</i>	d'Orbigny 1846
Anomia alectus	Gray 1850
Anomia hamillus	Gray 1850
Anomia lampe	Gray 1850
Anomia larbas	Gray 1850
Anomia limatula	Dall 1878
Anomia pacilis	Gray 1850
Calyptraea aberrans	C. B. Adams 1852
<i>Pododesmus macrochisma</i>	(Deshayes 1839)
Anomia macrochisma	Deshayes 1839
Pododesmus cepio	(J. E. Gray 1850)
Pododesmus (Monia) macrochisma	of Hertlein & Grant 1972
Subclass Heterodonta	
Superorder Heteroconchia	
Order Carditida	
Superfamily Crassatelloidea	
Family Crassatellidae	
Subfamily Crassitellinae	
<i>Eucrassatella fluctuata</i>	(Carpenter 1864)
Astarte fluctuata	Carpenter 1864
Crassatellites lomitensis	I. Oldroyd 1924
Superfamily Carditoidea	
Family Carditidae	
Subfamily Venericardiinae	
<i>Cyclocardia barbarensis</i>	(Stearns 1890)
Venericardia barbarensis	Stearns 1890
<i>Cyclocardia crassidens</i>	(Broderip & G. B. Sowerby I 1829)
Astarte crassidens	Broderip & G. B. Sowerby I 1829
Venericardia crassidens	of Dall 1903
<i>Cyclocardia crebricostata</i>	(Krause 1885)
Cardita borealis crebricostata	Krause 1885
Venericardia alaskana	Dall 1903
<i>Cyclocardia gouldii</i>	(Dall 1903)
Venericardia (Cyclocardia) (ventricosa var ?) gouldii	Dall 1903
<i>Cyclocardia ventricosa</i>	(Gould 1850)
Cardita ventricosa	Gould 1850
Cardita ventricosa redondoensis	T. Burch in J. Burch 1944
Cardita ventricosa montereiensis	Smith & Gordon 1948
Venericardia ventricosa	of I. Oldroyd 1924
Venericardia (Cyclocardia) stearnsii	Dall 1903
<i>Glans carpenteri</i>	(Lamy 1922)
Cardita (Carditamera) carpenteri	Lamy 1922
<i>Lazaria subquadrata</i>	Carpenter 1864 non Cardita subquadrata Conrad 1848
Subfamily Thecaliinae	
<i>Milneria kelseyi</i>	Dall 1916
Superorder Euheterodonta	
Order Lucinida	
Superfamily Lucinoidea	
Family Lucinidae	
Subfamily Lucininae	
<i>Epilucina californica</i>	(Conrad 1837)
Lucina californica	Conrad 1837
Codakia californica	of Abbott 1954
Lucina artemidis	Carpenter in Gould & Carpenter 1857
Lucina japonica	Osaki 1958
Lucina (Myrtea) nipponica	Nomura & Hatai 1936
Phacoides californica	of Keep 1911

<i>Lucinisca nuttalli</i>	(Conrad 1837)
<i>Lucina nuttalli</i>	Conrad 1837
<i>Phacoides nuttallii</i>	of Oldroyd 1924
<i>Lucina (Myreta) nuttallii</i>	of Grant & Gale 1931
<i>Parvilucina tenuisculpta</i>	(Carpenter 1864)
<i>Lucina tenuisculpta</i>	Carpenter 1864
<i>Lucina (Myreta) tenuisculpta</i>	of Grant & Gale 1931
<i>Lucina (Parvilucina) tenuisculpta</i>	of Palmer 1958
<i>Phacoides tenuisculptus</i>	of Packard 1918
<i>Phacoides (Parvilucina) approximata</i>	of authors NEP not Dall 1901
<i>Phacoides (Parvilucina) tenuisculpta</i>	of Dall 1901
Subfamily Myrteinae	
<i>Lucinoma aequizonatum</i>	(Stearns 1890)
<i>Lucina aequizonata</i>	Stearns 1890
<i>Lucinoma annulatum</i>	(Reeve 1850)
<i>Lucina annulata</i>	Reeve 1850
<i>Erycina balliana</i>	Dall 1916
<i>Lucina borealis</i>	of Dall 1874 not Linnaeus 1767
<i>Lucina (Myreta) acutilineata</i>	of Grant & Gale 1931 not Conrad 1849
<i>Phacoides annulata</i>	(Reeve 1850)
<i>Woodia concentrica</i>	Yokoyama 1920
Superfamily Thyasiroidea	
Family Thyasiridae	
<i>Adontorhina cyclia</i>	Berry 1947
<i>Genaxinus filatovae</i>	M. B. Ivanova & Moskalets 1984
<i>Adontorhina lynnae</i>	Valentich Scott 2000
<i>Adontorhina sphaericosa</i>	Scott 1986
<i>Axinodon redondoensis</i>	(T. Burch 1941)
<i>Aligena redondoensis</i>	T. Burch 1941
<i>Axinulus redondoensis</i>	of Bernard 1983
<i>Tomburchus redondoensis</i>	of Harry 1969
<i>Axinopsis serricata</i>	(Carpenter 1864)
<i>Cryptodon serricatus</i>	Carpenter 1864
<i>Axinopsis serricatus</i>	of I. Oldroyd 1924
<i>Axinopsis viridis</i>	Dall 1901
<i>Thyasira flexuosa</i>	(Montagu 1803)
<i>Tellina flexuosa</i>	Montagu 1803
<i>Cryptodon barbarensis</i>	Dall 1890
<i>Lucina gouldii</i>	Philippi 1845
<i>Thyasira barbarensis</i>	of Bernard 1983
<i>Thyasira cygnus</i>	Dall 1916
<i>Thyasira gouldii</i>	of Bernard 1983
<i>Thyasira trisinuata</i>	of authors not d'Orbigny in Sagra 1853
<i>Thyasiridae sp LA1</i>	Cadien 1999 §
Order Venerida	
Superfamily Galeommatoidea	
Family Galeommatidae	
<i>Cymatioa electilis</i>	(Berry 1963)
<i>Crenimargo electilis</i>	Berry 1963
<i>Scintillona bellerophon</i>	O'Foighil & Gibson 1984
<i>Waldo sp A</i>	(Scott 1998)
<i>Divariscintilla sp A</i>	Scott 1998
<i>Galeommatidae sp A</i>	Cadien 1982 §
<i>"Galeomma" new species</i>	of Coan & Scott 1997
Family Lasaeidae	
<i>Aligena trigonalis</i>	(Carpenter 1857)
<i>Lasea trigonalis</i>	Carpenter 1857
<i>Aligena cerritensis</i>	Arnold 1903
<i>Isorobitella trigonalis</i>	of SCAMIT Ed 6
<i>Kellia suborbicularis</i>	(Montagu 1803)
<i>Mya suborbicularis</i>	Montagu 1803
<i>Erycina santarosae</i>	Dall 1916
<i>Kellia laperousii</i>	(Deshayes 1839)
<i>Kellia rotundata</i>	Carpenter 1864
<i>Lepton meroeum</i>	Carpenter 1864
<i>Platomysia meroeum</i>	of Bernard 1983
<i>Rhamphidonta sp A</i>	Cadien 1993 §
<i>Lasaea adansoni</i>	(Gmelin 1791)
<i>Tellina adansoni</i>	Gmelin 1791
<i>Lasaea cistula</i>	Keen 1938

	Lasaea rubra	(Montagu 1803)
	Lasaea subviridis	Dall 1899
<i>Kurtiella coani</i>	<i>Mysella coani</i>	(Scott 1998)
	<i>Mysella sp A</i>	Scott 1998
	<i>Rochefortia sp A</i>	SCAMIT 1988 § of SCAMIT Ed 3
<i>Kurtiella compressa</i>	<i>Rochefortia compressa</i>	(Dall 1913)
	<i>Mysella sp D</i>	Dall 1913 SCAMIT 1988 §
<i>Kurtiella grippi</i>	<i>Rochefortia grippi</i>	(Dall 1912)
	<i>Mysella grippi</i>	Dall 1912 of Cadieri 1980
<i>Kurtiella mortoni</i>	<i>Rochefortia mortoni</i>	(Scott 1998)
	<i>Mysella sp B</i>	Scott 1998 SCAMIT 1988 §
	<i>Rochefortia sp B</i>	of SCAMIT Ed 3
<i>Kurtiella pedroana</i>	<i>Mysella pedroana</i>	(Dall 1899)
	<i>Rochefortia pedroana</i>	Dall 1899 of authos NEP
	<i>Mysella ferruginosa</i>	Dall 1916
	<i>Mysella golischii</i>	Dall 1916
	<i>Mysella sp H</i>	SCAMIT 2001 §
	<i>Rochefortia ferruginosa</i>	of I. Oldroyd 1927
	<i>Rochefortia golischii</i>	of I. Oldroyd 1927
<i>Kurtiella tumida</i>	<i>Tellimya tumida</i>	(Carpenter 1864)
	<i>Mysella aleutica</i>	Carpenter 1864
	<i>Mysella tumida</i>	Dall 1899
	<i>Rochefortia aleutica</i>	of Bernard 1983
	<i>Rochefortia tumida</i>	of I. Oldroyd 1927
<i>Kurtiella sp C</i>	<i>Mysella sp C</i>	of SCAMIT Ed 6 (SCAMIT 1988 §)
<i>Kurtiella sp E</i>	<i>Mysella sp E</i>	SCAMIT 1988 §
<i>Kurtiella sp E</i>	<i>Mysella sp E</i>	SCAMIT 1988 §
<i>Kurtiella sp LA1</i>	<i>Rochefortia sp LA1</i>	SCAMIT 1988 § (Power 2004 §)
<i>Neaeromya compressa</i>	<i>Erycina compressa</i>	Power 2004 § (Dall 1899)
<i>Neaeromya rugifera</i>	<i>Pythina rugifera</i>	Dall 1899 (Carpenter 1864)
	<i>Erycina (Pseudopythina) rugifera</i>	Carpenter 1864
	<i>Pseudopythina compressa</i>	of Dall 1899
	<i>Pseudopythina myaciformis</i>	of I. Oldroyd 1924 not (Dall 1899)
	<i>Pseudopythina rugifera</i>	Dall 1916
<i>Orobitella californica</i>	<i>Sportella californica</i>	of I. Oldroyd 1924 (Dall 1899)
	<i>Erycina bakeri</i>	Dall 1899
	<i>Erycina coronata</i>	Dall 1916
	<i>Orobitella bakeri</i>	Dall 1916 of Bernard 1983
<i>Rhamphidonta retifera</i>	<i>Bornia retifera</i>	(Dall 1899) Dall 1899
Family Sportellidae		
	<i>Fabella stearnsii</i>	(Dall 1899)
	<i>Sportella stearnsii</i>	Dall 1899
	<i>Neaeromya stearnsii</i>	of SCAMIT Ed 6
Superfamily Cyamioidea		
Family Neoleptonidae		
	<i>Neolepton salmoneum</i>	(Carpenter 1864)
	<i>Psephis salmonea</i>	Carpenter 1864
	<i>Crassatella marginata</i>	Keep 1887
	<i>Halodakra brunnea</i>	(Dall 1916)
	<i>Halodakra salmonea</i>	of SCAMIT Ed 3
	<i>Neolepton salmonea</i>	of SCAMIT Ed 5
	<i>Psephidia salmonea</i>	of I. Oldroyd 1924
	<i>Neolepton subtrigonum</i>	(Carpenter 1857)
	<i>Circe subtrigona</i>	Carpenter 1857
	<i>Halodakra subtrigona</i>	of SCAMIT Ed 3
	<i>Neolepton subtriona</i>	of SCAMIT Ed 6
	<i>Psephis tellimyalis</i>	Carpenter 1864
Superfamily Glossoidea		

Family Vesicomyidae	
<i>Calyptogena elongata</i>	Dall 1916
<i>Vesicomya elongata</i>	of SCAMIT Ed. 6
<i>Calyptogena lepta</i>	(Dall 1896)
<i>Callocardia lepta</i>	Dall 1896
<i>Vesicomya lepta</i>	of SCAMIT Ed 6
Superfamily Cardioidea	
Family Cardiidae	
Subfamily Clinocardiinae	
<i>Clinocardium nuttallii</i>	(Conrad 1837)
<i>Cardium nuttallii</i>	Conrad 1837
<i>Cardium corbis</i>	Martyn 1784
Subfamily Franginae	
<i>Ctenocardia biangulata</i>	(Broderip & G. B. Sowerby I 1829)
<i>Cardium biangulatum</i>	Broderip & G. B. Sowerby I 1829
<i>Americardia biangulata</i>	of SCAMIT Ed 6
Subfamily Laevicardiinae	
<i>Laevicardium substriatum</i>	(Conrad 1837)
<i>Cardium substriatum</i>	Conrad 1837
<i>Cardium apicinum</i>	Carpenter 1864
<i>Cardium cruentatum</i>	Gould 1855
<i>Laevicardium pedernalense</i>	Pilsbry & Olsson 1941
<i>Nemocardium centifilosum</i>	(Carpenter 1864)
<i>Cardium ? modestumvar centifilosum</i>	Carpenter 1864
<i>Cardium richardsoni</i>	Whiteaves 1878
<i>Cardium (Nemocardium) centifilosum</i>	of Hertlein & Strong 1947
<i>Cardium (Protocardia) centifilosum</i>	of Packard 1918
<i>Laevicardium (Nemocardium) centifilosum</i>	of Grant & Gale 1931
<i>Nemocardium (Keenaea) centifilosum</i>	of Keen 1954
<i>Pratulum (?) centifilosum</i>	of Woodring, Bramlette & Kew 1946
<i>Protocardia centiflosa</i>	of I. Oldroyd 1924
Subfamily Trachycardiinae	
<i>Trachycardium quadragenarium</i>	(Conrad 1837)
<i>Cardium quadragenarium</i>	Conrad 1837
Superfamily Tellinoidea	
Family Tellinidae	
Subfamily Tellininae	
<i>Tellina bodegensis</i>	Hinds 1845
<i>Tellina santarosae</i>	Dall 1900
<i>Tellina (Peronidia) bodegensis</i>	of Coan 1971
<i>Tellina cadieni</i>	Valentich Scott & Coan 2000
<i>Tellina carpenteri</i>	of authors SCB in part not Dall 1900
<i>Tellina carpenteri</i>	Dall 1900
<i>Tellina (Angulus) carpenteri</i>	Dall 1900
<i>Angulus variegatus</i>	Carpenter 1864 not (Gmelin 1791)
<i>Tellina (Moerella) arenica</i>	Hertlein & Strong 1949
<i>Tellina sp A</i>	SCAMIT 1995 §
<i>Tellina idae</i>	Dall 1891
<i>Tellina (Tellinella) idae</i>	of Coan 1971
<i>Tellina meropsis</i>	Dall 1900
<i>Tellina (Moerella) meropsis</i>	Dall 1900
<i>Angulus gouldii</i>	of Carpenter 1864 not Hanley 1846
<i>Tellina (Angulus) meropsis</i>	of Coan 1971
<i>Tellina (Moerella) paziana</i>	Dall 1900
<i>Tellina modesta</i>	(Carpenter 1864)
<i>Angulus modestus</i>	Carpenter 1864
<i>Maera modesta</i>	of Cooper 1867
<i>Tellina buttoni</i>	of Packard 1918
<i>Tellina (Angulus) modesta</i>	of Tryon 1869
<i>Tellina (Angulus) modestus</i>	of Coan 1971
<i>Tellina (Oudardia) buttoni</i>	Dall 1900
<i>Tellina (Oudardia) modesta</i>	of Keen 1937
<i>Tellina nuculoides</i>	(Reeve 1854)
<i>Donax nuculoides</i>	Reeve 1854
<i>Maera salmonaea</i>	Carpenter 1864
<i>Tellina (Cadella) nuculoides</i>	of Coan 1971
<i>Tellina (Cadella) salmonaea</i>	of Hertlein & Grant 1972
<i>Tellina sp B</i>	SCAMIT 1995 §
<i>Tellina carpenteri</i>	of authors SCB in part not Dall 1900
Subfamily Macominiae	

<i>Macoma carlottensis</i>	Whiteaves 1880
<i>Macoma inflatula</i>	Dall 1897
<i>Macoma leptonoidea</i>	Dall 1895
<i>Macoma quadrana</i>	Dall 1916
<i>Macoma (? Psammacoma) carlottensis</i>	of Coan 1971
<i>Macoma indentata</i>	Carpenter 1864
<i>Macoma indentata tenuirostris</i>	Dall 1900
<i>Macoma (Rexithaerus) indentata</i>	of Coan 1971
<i>Macoma (Rexithaerus) rickettsi</i>	Steinbeck & Ricketts 1941
<i>Macoma nasuta</i>	(Conrad 1837)
<i>Tellina nasuta</i>	Conrad 1837
<i>Macoma kelseyi</i>	Dall 1900
<i>Tellina terfa</i>	Gould 1853
<i>Macoma secta</i>	(Conrad 1837)
<i>Tellina secta</i>	Conrad 1837
<i>Macoma (Rexithaerus) secta</i>	of Coan 1971
<i>Tellina ligamentina</i>	Deshayes 1843
<i>Macoma yoldiformis</i>	Carpenter 1864
<i>Macoma (Psammacoma) yoldiformis</i>	of Coan 1971
<i>Psammotreta obesa</i>	(Deshayes 1855)
<i>Tellina obesa</i>	Deshayes 1855
<i>Apolytmis biangulata</i>	of Grant & Gale 1931
<i>Florimetus biangulata</i>	of Hertlein & Grant 1972
<i>Florimetus obesa</i>	of McLean 1969
<i>Leporimetis obesa</i>	of SCAMIT Ed 6
<i>Metis alta</i>	of I. Oldroyd 1924
<i>Scrobicularia biangulata</i>	Carpenter 1856
<i>Tellina alta</i>	of Conrad 1837 not Conrad 1833
<i>Tellina turgida</i>	Deshayes 1855
Family Donacidae	
<i>Donax gouldii</i>	Dall 1921
Family Psammobiidae	
<i>Gari californica</i>	(Conrad 1849)
<i>Psammobia californica</i>	Conrad 1849
<i>Gari (Gobraeus) californica</i>	of Palmer 1958
<i>Psammobia kazusensis</i>	Yokoyama 1922
<i>Sanguinolaria rubroradiata</i>	Carpenter 1857
<i>Gari fucata</i>	(Hinds 1845)
<i>Tellina fucata</i>	Hinds 1845
<i>Gari edentula</i>	of Fitch 1953
<i>Gobraeus edentulus</i>	of Hertlein & Grant 1972
<i>Psammobia edentula</i>	of I. Oldroyd 1924
<i>Psammobia (Gobraeus) edentula</i>	of Dall 1925
<i>Siliquaria edentula</i>	Gabb 1869
<i>Heterodonax pacificus</i>	(Conrad 1837)
<i>Psammobia pacifica</i>	Conrad 1837
<i>Nuttallia nuttallii</i>	(Conrad 1837)
<i>Sanguinolaria nuttallii</i>	Conrad 1837
<i>Psammobia decora</i>	Hinds 1842
<i>Sanguinolaria grandis</i>	Carpenter 1857
<i>Sanguinolaria orcutti</i>	Dall 1921
Family Semelidae	
<i>Cumingia californica</i>	Conrad 1837
<i>Cumingia densilineata</i>	Dall 1921
<i>Cumingia lamellosa</i>	of authors not G. B. Sowerby I 1833
<i>Semele decisa</i>	(Conrad 1837)
<i>Amphidesma decisum</i>	Conrad 1837
<i>Amphidesma rubrolineatum</i>	Conrad 1837
<i>Semele rubrotincta</i>	Carpenter 1857
<i>Semele rubropicta</i>	Dall 1871
<i>Semele ashleyi</i>	Hertlein & Grant 1972
<i>Semele venusta</i>	(Reeve 1853)
<i>Amphidesma venusta</i>	Reeve 1853
<i>Semele incongrua</i>	Carpenter 1864
<i>Semele pulchra</i> var. <i>montereysi</i>	Arnold 1903
<i>Theora lubrica</i>	Gould 1861
Family Solecurtidae	
<i>Solecurtus guaymasensis</i>	(Lowe 1935)
<i>Psammosolen guaymasensis</i>	Lowe 1935
<i>Tagelus affinis</i>	(C. B. Adams 1852)

<i>Solecurtus affinis</i>	C. B. Adams 1852
<i>Tagelus (Tagelus) irregularis</i>	Olsson 1961
<i>Tagelus californianus</i>	(Conrad 1837)
<i>Solecurtus (Cultellus) californiensis</i>	Conrad 1837
<i>Tagelus subteres</i>	(Conrad 1837)
<i>Solecurtus (Cultellus) subteres</i>	Conrad 1837
Superfamily Solenoidea	
Family Solenidae	
<i>Solen rostriformis</i>	Dunker 1862
<i>Solen rosaceus</i>	of McLean 1969
<i>Solen sicarius rosaceus</i>	Carpenter 1864
<i>Solen sicarius</i>	Gould 1850
Family Pharidae	
<i>Ensis myrae</i>	Berry 1953
<i>Ensis californicus</i>	of authors not Dall 1899 in part
<i>Siliqua lucida</i>	(Conrad 1837)
<i>Solecurtus lucidus</i>	Conrad 1837
Superfamily Hiatelloidea	
Family Hiatellidae	
<i>Hiatella arctica</i>	(Linnaeus 1767)
<i>Mya arctica</i>	Linnaeus 1767
<i>Didonta bicarinata</i>	Schumacher 1817
<i>Hiatella biaperta</i>	Bosc 1801
<i>Hiatella monoptera</i>	Bosc 1801
<i>Petricola awana</i>	Yokoyama 1924
<i>Saxicava arctica</i>	of I. Oldroyd 1924
<i>Saxicava orientalis</i>	Yokoyama 1920
<i>Saxicava sakhalinensis</i>	Takeda 1953
<i>Solen minutus</i>	of Gmelin 1782
<i>Sphenia bilirata</i>	Gabb 1861
<i>Panopea generosa</i>	Gould 1850
<i>Panopaea generosa</i>	Gould 1850
<i>Panopaea fragilis</i>	Gould 1861
<i>Panopaea generosa saginata</i>	Gould 1861
<i>Panope generosa</i>	of Hertlein & Grant 1972
<i>Panope generosa taeniata</i>	Dall 1918
<i>Panope japonica</i>	A. Adams 1850
<i>Panope tenuis</i>	Wiedey 1928
<i>Panope (Panomya) vaskuchevskensis</i>	Ilyina 1963
<i>Panopea abrupta</i>	of Bernard 1983 not (Conrad 1849)
<i>Panopea generosa solida</i>	Dall 1898
<i>Saxicavella nybakkeni</i>	Scott 1994
<i>Paramya sp A</i>	LaFollette 1976
<i>Saxicavella pacifica</i>	Dall 1916
Suborder Neoheterodontei	
Superfamily Ungulinoidea	
Family Ungulinidae	
<i>Diplodonta orbella</i>	(Gould 1851)
<i>Lucina orbella</i>	Gould 1851
<i>Diplodonta sericata</i>	(Reeve 1850)
<i>Lucina sericata</i>	Reeve 1850
<i>Diplodonta (Felaniella) artemidis</i>	Dall 1909
<i>Diplodonta (Felaniella) cornea</i>	of Hertlein & Grant 1972
<i>Felaniella parilis</i>	of Bernard 1983 not (Conrad 1848)
<i>Lucina tellinoides</i>	Reeve 1850
<i>Taras (Felaniella) sericatus</i>	of Hertlein & Strong 1947
Superfamily Chamoidea	
Family Chamidae	
<i>Chama arcana</i>	Bernard 1976
<i>Chama pellucida</i>	of authors not Broderip 1835
<i>Chama exogyra</i>	Conrad 1837
<i>Pseudochama exogyra</i>	of SCAMIT Ed. 6
<i>Chama granti</i>	(Strong 1934)
<i>Pseudochama granti</i>	Strong 1934
Superfamily Veneroidea	
Family Veneridae	
Subfamily Veneriniae	
<i>Amiantis callosa</i>	(Conrad 1837)
<i>Cytherea callosa</i>	Conrad 1837
<i>Callithaca tenerrima</i>	(Carpenter in Gould & Carpenter 1857)

Tapes tenerrima	Carpenter in Gould & Carpenter 1857
Paphia tenerrima	of Packard 1918
Paphia (Protothaca) tenerrima	of Dall 1902
Protothaca restorationensis	Frizzell 1930
Protothaca tenerrima	of McLean 1978
Protothaca (Callithaca) tenerrima	of Palmer 1958
Venus rigida	of Gould 1861 not Dillwyn 1817
<i>Chione californiensis</i>	(Broderip in Broderip & G. B. Sowerby I 1835)
Venus californiensis	Broderip in Broderip & G. B. Sowerby I 1835
<i>Chione undatella</i>	(G. B. Sowerby I 1835)
Venus undatella	G. B. Sowerby I 1835
<i>Chionista fluctifraga</i>	(G. B. Sowerby II 1853)
Venus fluctifraga	G. B. Sowerby II 1853
Chione fluctifraga	of authors NEP
Chione gibbosula	Deshayes 1854
Venus cortezii	Carpenter 1864
Venus sugillata	Reeve 1863
<i>Globivenus fordii</i>	(Yates 1890)
Venus fordii	Yates 1890
Antigonia fordii	of I. Oldroyd 1924
Ventricolaria fordii	of Bernard 1983
Venus (Antigonia) fordii	of Grant & Gale 1931
<i>Irusella lamellifera</i>	(Conrad 1837)
Venus lamellifera	Conrad 1837
Irus lamellifer	of Grant & Gale 1931
Perticola cordieri	Deshayes 1840
Venerupis lamellifera	of I. Oldroyd 1924
<i>Leukoma laciniata</i>	(Carpenter 1864)
Tapes laciniata	Carpenter 1864
Paphia staminea laciniata	of I. Oldroyd 1924
Paphia (Protothaca) staminea var laciniata	of Dall 1902
Paphia (Protothaca) staminea laciniata	of Dall 1921
Protothaca laciniata	of McLean 1978
Protothaca (Callithaca) laciniata	of Palmer 1958
<i>Leukoma staminea</i>	(Conrad 1837)
Venus staminea	Conrad 1837
Paphia (Protothaca) staminea var orbella	of Dall 1902
Protothaca staminea	of McLean 1978
Protothaca (Callithaca) staminea	of Palmer 1958
Tapes staminea var orbella	Carpenter 1864
Subfamily Clementiinae	
<i>Compsomyax subdiaphana</i>	(Carpenter 1864)
Clementia subdiaphana	Carpenter 1864
Clementia obliqua	Jukes-Brown 1913
Clementia (Compsomyax) subdiaphana	of Grant & Gale 1931
Callista subdiaphana	of Arnold 1903
Katherinella (Compsomyax) subdiaphana	of Woodring, Bramlette & Kew 1946
Marcia subdiaphana	of I. Oldroyd 1924
Marcia (Venerella) subdiaphana	of Dall 1902
Saxidomus gibbosus	Gabb 1869
Venerella (Compsomyax) subdiaphana	of Stewart 1930 in part
Subfamily Meretricinae	
<i>Tivela stultorum</i>	(Mawe 1823)
Donax stultorum	Mawe 1823
Tivela crassatelloides	Stearns 1899
Subfamily Pitarinae	
<i>Nutricola confusa</i>	(S. Gray 1982)
Transennella confusa	S. Gray 1982
<i>Nutricola cymata</i>	(Dall 1913)
Psephidia cymata	Dall 1913
<i>Nutricola lordi</i>	(Baird 1863)
Chione lordi	Baird 1863
Psephidia lordi	of Bernard 1983
<i>Nutricola ovalis</i>	(Dall 1902)
Psephidia ovalis	Dall 1902
Nutricola sp SD1	Barwick 2004 §
<i>Nutricola tantilla</i>	(Gould 1853)
Venus tantillus	Gould 1853
Transenella tantilla	of Bernard 1983
<i>Pitar newcombianus</i>	(Gabb 1865)

<i>Circe</i> (<i>Lioconcha</i>) <i>newcombiana</i>	Gabb 1865
<i>Pitaria</i> <i>newcombianus</i>	of I. Oldroyd 1924
<i>Saxidomus nuttalli</i>	Conrad 1837
Subfamily Tapetinae	
<i>Venerupis philippinarum</i>	(A. Adams & Reeve 1850)
<i>Venus</i> <i>philippinarum</i>	A. Adams & Reeve 1850
<i>Tapes</i> <i>philippinarum</i>	of Bernard 1983
Family Petricolidae	
<i>Cooperella subdiaphana</i>	(Carpenter 1864)
<i>Oedalia</i> <i>subdiaphana</i>	Carpenter 1864
<i>Oedalia</i> (<i>Cooperella</i>) <i>scintillaeformis</i>	Carpenter 1864
<i>Oedalina</i> (<i>Cooperella</i>) <i>scintillaeformis</i>	of Carpenter 1866
<i>Petricola californiensis</i>	Pilsbry & Lowe 1932
<i>Petricola carditoides</i>	(Conrad 1837)
<i>Saxicava</i> <i>carditoides</i>	Conrad 1837
<i>Petricola</i> <i>arcuata</i>	Deshayes 1839
<i>Petricola</i> <i>cylindracea</i>	Deshayes 1839
<i>Petricola</i> <i>gibba</i>	Middendorff 1849
<i>Petricola</i> <i>mirabilis</i>	Deshayes 1853
<i>Petricola</i> <i>pedroana</i>	Conrad 1855
<i>Petricola</i> (<i>Rupellaria</i>) <i>carditoides</i>	of Bernard 1983
<i>Saxicava</i> <i>abrupta</i>	Conrad 1855
<i>Saxicava</i> <i>californica</i>	Conrad 1837
<i>Saxicava</i> <i>legumen</i>	Deshayes 1839
<i>Petricola hertzana</i>	Coan 1997
<i>Petricola</i> <i>tellimyalis</i>	of authors not Carpenter 1864
Superfamily Mactroidea	
Family Mactridae	
Subfamily Mactrinae	
<i>Mactromeris catilliformis</i>	(Conrad 1837)
<i>Spisula</i> <i>catilliformis</i>	Conrad 1837
<i>Mactra</i> (<i>Spisula</i>) <i>catilliformis</i>	of Grant & Gale 1931
<i>Spisula</i> <i>mercedensis</i>	Packard 1916
<i>Spisula</i> (<i>Mactromeris</i>) <i>catilliformis</i>	of Hertlein & Grant 1972
<i>Mactromeris hemphilli</i>	(Dall 1894)
<i>Mactra</i> <i>hemphilli</i>	Dall 1894
<i>Spisula</i> <i>cameronis</i>	Dall 1921
<i>Spisula</i> <i>hemphilli</i>	of Packard 1916
<i>Spisula</i> (<i>Hemimactra</i>) <i>hemphilli</i>	of I. Oldroyd 1924
<i>Mactrotoma californica</i>	(Conrad 1837)
<i>Mactra</i> <i>californica</i>	Conrad 1837
<i>Mactra</i> <i>ovalina</i>	Reeve 1854
<i>Mactrotoma nasuta</i>	(Gould 1851)
<i>Mactra</i> <i>nasuta</i>	Gould 1851
<i>Simomactra falcata</i>	(Gould 1850)
<i>Mactra</i> <i>falcata</i>	Gould 1850
<i>Spisula</i> <i>falcata</i>	of Bernard 1983
<i>Simomactra planulata</i>	(Conrad 1837)
<i>Mactra</i> <i>planulata</i>	Conrad 1837
<i>Spisula</i> <i>planulata</i>	of Bernard 1983
Subfamily Lutrariinae	
<i>Tresus nuttallii</i>	(Conrad 1837)
<i>Lutraria</i> (<i>Cryptodon</i>) <i>nuttallii</i>	Conrad 1837
<i>Schizothaerus</i> <i>nuttallii</i>	of Fitch 1953
<i>Schizothaerus</i> <i>nuttallii</i>	of Grant & Gale 1931
Subfamily Kymatoxinae	
<i>Raeta undulata</i>	(Gould 1851)
<i>Lutraria</i> <i>undulata</i>	Gould 1851
Superfamily Myoidea	
Family Myidae	
Subfamily Myinae	
<i>Mya arenaria</i>	Linnaeus 1758
<i>Mya</i> <i>acuta</i>	Say 1822
<i>Mya</i> <i>alba</i>	L. Agassiz 1839
<i>Mya</i> <i>communis</i>	Megerle 1811
<i>Mya</i> <i>corpulenta</i>	Conrad 1845
<i>Mya</i> <i>elongata</i>	Locard 1886
<i>Mya</i> <i>hemphilli</i>	Newcombe 1875
<i>Mya</i> <i>japonica</i>	Jay 1856
<i>Mya</i> <i>mercenaria</i>	Say 1822

<i>Mya</i>	paternalis	Matsumoto 1930
	oonogai	Makiyama 1935
	subovata	Woodward 1833
	subtruncata	Woodward 1833
	<i>Sphenia</i> ovoidea	Carpenter 1864
<i>Platyodon</i>	<i>cancellatus</i>	(Conrad 1837)
	<i>cancellata</i>	Conrad 1837
	<i>Cryptodonta</i> myoides	Carpenter 1864
Subfamily Cryptomyinae		
<i>Cryptomya</i>	<i>californica</i>	(Conrad 1837)
	<i>Sphaenia</i> californica	Conrad 1837
	<i>Cryptomya</i> magna	Dall 1921
	<i>Myidae</i> sp SD2	Lilly 1999 §
<i>Sphenia</i>	<i>fragilis</i>	(H. & A. Adams 1854)
	<i>Tyleria</i> fragilis	H. & A. Adams 1854
<i>Sphenia</i>	<i>luticola</i>	(Valenciennes 1846)
	<i>Corbula</i> luticola	Valenciennes 1846
	<i>Cupspidaria</i> (<i>Tropidomya</i>) nana	Oldroyd 1918
	<i>Myidae</i> sp SD1	Barwick 1997 §
	<i>Sphenia</i> globula	Dall 1919
	<i>Sphenia</i> pholadidea	Dall 1916
Family Corbulidae		
<i>Caryocorbula</i>	<i>luteola</i>	(Carpenter 1864)
	<i>Corbula</i> luteola	Carpenter 1864
	<i>Aloides</i> (<i>Lentidium</i>) luteola	of Keen 1937
	<i>Aloidis</i> (<i>Caryocorbula</i>) luteola	of Hertlein & Strong 1950
	<i>Corbula</i> luteola var <i>rosea</i>	Williamson 1905
	<i>Corbula</i> (<i>Caryocorbula</i>) luteola	of Keen 1958
	<i>Corbula</i> (<i>Lentidium</i>) luteola	of Grant & Gale 1931
	<i>Juliacorbula</i> luteola	of SCAMIT Ed 4
<i>Caryocorbula</i>	<i>porcella</i>	(Dall 1916)
	<i>Corbula</i> porcella	Dall 1916
Family Spheniopsidae		
<i>Grippina</i>	<i>californica</i>	Dall 1912
	<i>Grippina</i> berryana	Keen 1971
Superfamily Pholadoidea		
Family Pholadidae		
Subfamily Pholadinae		
<i>Zirphaea</i>	<i>pilsbryi</i>	Lowe 1931
Subfamily Jouannetiinae		
<i>Netastoma</i>	<i>rostratum</i>	(Valenciennes 1846)
	<i>Pholas</i> rostrata	Valenciennes 1846
	<i>Netastoma</i> rostrata	of McLean 1969
	<i>Pholadidea</i> rostrata	of I. Oldroyd 1924
Subfamily Martesiinae		
<i>Chaceia</i>	<i>ovoidea</i>	(Gould 1851)
	<i>Pholas</i> ovoidea	Gould 1851
<i>Parapholas</i>	<i>californica</i>	(Conrad 1837)
	<i>Pholas</i> californica	Conrad 1837
Subfamily Xylophaginiæ		
<i>Xylophaga</i>	<i>washingtonia</i>	Bartsch 1921
	<i>Xylophaga</i> californica	Bartsch 1921
Family Teredinidae		
Subfamily Teredininæ		
<i>Teredo</i>	<i>bartschi</i>	Clapp 1923
Order Pholadomyida		
Superfamily Pandoroidea		
Family Pandoridae		
<i>Heteroclidus</i>	<i>punctata</i>	(Conrad 1837)
	<i>Pandora</i> punctata	Conrad 1837
	<i>Clidiophora</i> punctata	of Arnold 1907
	<i>Pandora</i> (<i>Heteroclidus</i>) punctata	of Keen 1958
	<i>Pandora</i> (<i>heteroclidus</i>) punctata gabbi	Dall 1903
<i>Pandora</i>	<i>bilirata</i>	Conrad 1855
	<i>Pandora</i> delicatula	G. B. Sowerby II 1874
	<i>Pandora</i> (<i>Kennerlia</i>) bicarinata	Cooper 1867
	<i>Pandora</i> (<i>Kennerlia</i>) pseudobilirata	Nomura & Hatai 1940
	<i>Pandora</i> (<i>Pandorella</i>) bilirata	of Hertlein & Grant 1972
<i>Pandora</i>	<i>filosa</i>	(Carpenter 1864)
	<i>Kennerlia</i> filosa	Carpenter 1864

Pandora (Kennerlia) filosa	of Carpenter 1869
Pandora (Pandorella) filosa	of Palmer 1958
Family Lyonsiidae	
<i>Entodesma brevifrons</i>	(G. B. Sowerby I 1834)
Lyonsia brevifrons	G. B. Sowerby I 1834
Entodesma pictum	of authors NEP not (G. B. Sowerby 1834)
Lyonsia diaphana	Carpenter 1856
Lyonsia inflata	Conrad 1837
<i>Entodesma navicula</i>	(A. Adams & Reeve 1850)
Lyonsia navicula	A. Adams & Reeve 1850
Agriodesma saxicola	of Bernard 1972
Entodesma saxicola	(Baird 1863)
<i>Lyonsia californica</i>	Conrad 1837
Lyonsia californica haroldi	Dall 1915
Lyonsia gouldi	Dall 1915
Lyonsia nesiotes	Dall 1915
Osteodesma nitidum	of Gould 1853
Superfamily Thracioidea	
Family Thraciidae	
<i>Asthenothaerus diegensis</i>	(Dall 1915)
Thracia diegensis	Dall 1915
Asthenothaerus villosior	of authors NEP not Carpenter 1864
<i>Cyathodonta pedroana</i>	Dall 1915
Cyathodonta undulata	of Grant & Gale 1931 not Conrad 1849
<i>Thracia curta</i>	Conrad 1837
? Lepton clementinum	Carpenter 1857
Thracia quentinenensis	Dall 1921
Thracia (Ixartia) curta	of Coan 1990
<i>Thracia trapezoides</i>	Conrad 1849
Thracia kanakoffi	Hertlein & Grant 1972
Thracia (Homoeodesma) trapezoides	of Coan 1990
Family Periplomatidae	
<i>Periploma discus</i>	Stearns 1890
<i>Periploma planiusculum</i>	G. B. Sowerby I 1834
<i>Periploma rosewateri</i>	Bernard 1989
Suborder Septibranchia	
Superfamily Cuspidaroidea	
Family Cuspidariidae	
<i>Cardiomya lanieri</i>	(Strong & Hertlein 1937)
Cuspidaria lanieri	Strong & Hertlein 1937
<i>Cardiomya pectinata</i>	(Carpenter 1864)
Neaera pectinata	Carpenter 1864
Cardiomya isolirata	Bernard 1969
Cuspidaria californica	Dall 1886
Cuspidaria costata	of authors SCB not G. B. Sowerby I 1834
Cuspidaria dulcis	Pilsbry & Lowe 1932
Cuspidaria pectinata	of I. Oldroyd 1924
Cuspidaria (Cardiomya) oldroydi	Dall in I. Oldroyd 1924
Cuspidaria (Cardiomya) pectinata	of Grant & Gale 1931
<i>Cardiomya planctica</i>	(Dall 1908)
Cuspidaria (Cardiomya) planctica	Dall 1908
Cuspidaria (Cardiomya) pseustes	Dall 1908
<i>Cuspidaria parapodema</i>	Bernard 1969
Cuspidaria apodema	of authors not Dall 1916
<i>Luzonia chilensis</i>	(Dall 1890)
Cuspidaria (Luzonia) chilensis	Dall 1890
Cuspidaria (Luzonia) walleri	F. R. Bernard 1989
Luzonia walleri	of SCAMIT Ed 6
<i>Plectodon scaber</i>	Carpenter 1864
Leiomya (Plectodon) scaber	of Dall 1921
Leiomya (Plectodon) scabra	of Bernard 1974
Superfamily Verticordioidea	
Family Verticordiidae	
Subfamily Verticordiinae	
<i>Haliris aequacostata</i>	(Howard 1950)
Verticordia aequacostata	Howard 1950
<i>Trigonulina novemcostatus</i>	(A. Adams & Reeve 1850)
Verticordia novemcostatus	A. Adams & Reeve 1850
Trigonulina pacifica	Jung 1996
Verticordia ornata	of authors NEP not (d'Orbigny 1857)

Subfamily Lyonsiellinae		
<i>Dallicordia alaskana</i>	(Dall 1895)	
<i>Lyonsiella alaskana</i>	Dall 1895	
Superfamily Poromyoidea		
Family Poromyidae		
<i>Dermatomya buttoni</i>	Dall 1916	
<i>Dermatomya tenuiconcha</i>	(Dall 1913)	
<i>Poromya (Dermatomya) tenuiconcha</i>	Dall 1913	
<i>Dermatomya tenuiconcha sagamiensis</i>	Okutani 1962	
<i>Poromya (Dermatomya) soyaoe</i>	Habe 1952	
Class Scaphopoda		
Order Dentaliida		
Family Dentaliidae		
<i>Antalis pretiosa</i>	(G. B. Sowerby II 1860)	
<i>Dentalium pretiosum</i>	G. B. Sowerby II 1860	
<i>Antalis columbiana</i>	Clessin 1896	
<i>Antalis densiliratum</i>	Pilsbry & Sharp 1898	
<i>Dentalium indianorum</i>	Carpenter 1864	
<i>Dentalium neohexagonum</i>	Sharp & Pilsbry in Pilsbry & Sharp 1897	
<i>Dentalium vallicolens</i>	Raymond 1904	
<i>Dentalium (Graptacme) vallicolens</i>	of Abbott 1974	
Family Rhabdidae		
<i>Rhabdus rectius</i>	(Carpenter 1864)	
<i>Dentalium rectius</i>	Carpenter 1864	
<i>Dentalium watsoni</i>	Pilsbry & Sharp 1897	
<i>Dentalium (Rhabdus) rectius</i>	of Pilsbry & Sharp 1897-98	
Order Gadiliida		
Suborder Gadilimorpha		
Family Gadilidae		
Subfamily Siphonodentaliinae		
<i>Polyschides quadrifissatus</i>	(Pilsbry & Sharp 1898)	
<i>Cadulus (Polyschides) quadrifissatus</i>	Pilsbry & Sharp 1898	
<i>Siphonodentalium quadrifissatum</i>	of SCAMIT Ed 4	
Subfamily Gadilinae		
<i>Cadulus californicus</i>	Pilsbry & Sharp 1898	
<i>Cadulus (Platyschides) californicus</i>	of Abbott 1974	
<i>Polyschides californicus</i>	of SCAMIT Ed 4	
<i>Gadila aberrans</i>	(Whiteaves 1887)	
<i>Cadulus aberrans</i>	Whiteaves 1887	
<i>Cadulus fusiformis</i>	Pilsbry & Sharp 1898	
<i>Cadulus hepburni</i>	Dall 1897	
<i>Cadulus nitentior</i>	Arnold 1903	
<i>Pulsellum aberrans</i>	of Turgeon <i>et al</i> 1988	
<i>Gadila tolmieri</i>	(Dall 1897)	
<i>Cadulus tolmieri</i>	Dall 1897	
<i>Polyschides tolmieri</i>	of Turgeon <i>et al</i> 1998	
family uncertain		
<i>Compressidens stearnsii</i>	(Pilsbry & Sharp 1898)	
<i>Dentalium stearnsii</i>	Pilsbry & Sharp 1898	
<i>Dentalium (Compressidens) simplex</i>	Pilsbry & Sharp 1897 not Michelotti 1861	
Class Cephalopoda		
Subclass Coleoidea		
Superorder Decabrachia		
Order Sepioidea		
Suborder Sepiolida		
Family Sepiolidae		
<i>Rossia pacifica</i>	Berry 1911	
<i>Rossia borealis</i>	Sasaki 1913	
Order Teuthida		
Suborder Myopsina		
Family Loliginidae		
<i>Doryteuthis opalescens</i>	(Berry 1911)	
<i>Loligo opalescens</i>	Berry 1911	
<i>Loligo stearnsi</i>	Hemphill 1892	
<i>Ommastrephes tryoni</i>	of Kepp 1904 not (Gabb 1864)	
Suborder Oegopsina		
Family Gonatidae		
<i>Gonatopsis borealis</i>	Sasaki 1923	
Family Histiotuteuthidae		
<i>Histioteuthis heteropsis</i>	(Berry 1913)	

	Calliteuthis heteropsis	Berry 1913
	Meleagroteuthis hoylei	of Berry 1912 not (Goodrich 1896)
Superorder Octobrachia		
Order Octopoda		
Suborder Cirrata		
Family Opisthoteuthidae		
<i>Opisthoteuthis</i> sp A		Hochberg 1976 §
Suborder Incirrata		
Family Octopodidae		
<i>Octopus bimaculatus</i>		Verrill 1883
<i>Octopus bimaculoides</i>		Pickford & McConaughay 1949
<i>Octopus californicus</i>		(Berry 1911)
<i>Polypus californicus</i>		Berry 1911
<i>Octopus micropyrus</i>		Berry 1953
<i>Octopus rubescens</i>		Berry 1953
<i>Polypus apollyon</i>		Berry 1913
<i>Polypus hongkongensis</i>		of Berry 1911 in part
<i>Octopus veliger</i>		Berry 1953
PHYLUM SIPUNCULA		
Class Sipunculidea		
Order Sipunculiformes		
Family Sipunculidae		
<i>Siphonosoma ingens</i>		(Fisher 1947)
<i>Siphonosomecus ingens</i>		Fisher 1947
<i>Sipunculus nudus</i>		Linnaeus 1766
<i>Sipunculus balanophorus</i>		delle Chiaje 1823
<i>Sipunculus delphinus</i>		Murina 1967
<i>Sipunculus eximioclathratus</i>		Baird 1868
<i>Sipunculus gigas</i>		Quatrefages 1865
<i>Sipunculus titubans</i>		Selenka & Bülow in Selenka, de Man & Bülow 1883
<i>Syrinx nudus</i>		of Forbes 1841
<i>Syrinx tesselatus</i>		Rafinesque 1814
Order Golfingiformes		
Family Golfingiidae		
<i>Golfingia margaritacea</i>		(M. Sars 1851)
<i>Sipunculus margaritaceus</i>		M. Sars 1851
<i>Golfingia ikedai</i>		Fisher 1952
<i>Golfingia margaritaceum californiensis</i>		Fisher 1952
<i>Phascolosoma glossipapillosum</i>		Satō 1934
<i>Phascolosoma japonicum</i>		Ikeda 1904
<i>Phascolosoma noto</i>		Satō 1934
<i>Phascolosoma okinoseanum</i>		Ikeda 1904
<i>Phascolosoma signum</i>		Satō 1934
<i>Phascolosoma soyo</i>		Satō 1934
<i>Golfingia</i> sp 1		Thompson 1985 §
<i>Nephasoma diaphanes</i>		(Gerould 1913)
<i>Phascolosoma diaphanes</i>		Gerould 1913
<i>Golfingia minuta</i>		of Stephen & Edmonds 1972
<i>Phascolosoma minutum</i>		of Théel 1911 not (Kieferstein 1862)
<i>Nephasoma eremita</i>		(M. Sars 1851)
<i>Sipunculus eremita</i>		M. Sars 1851
<i>Golfingia elachea</i>		Fisher 1952
<i>Golfingia eremita californica</i>		Fisher 1952
<i>Phascolosoma digitatum</i>		Théel 1875
<i>Sipunculus boreale</i>		of Keferstein 1865
<i>Sipunculus (Phascolosoma) borealis</i>		Quatrefages 1865
<i>Nephasoma pellucidum</i>		(Keferstein 1865)
<i>Phascolosoma pellucidum</i>		Keferstein 1865
<i>Golfingia coriacea</i>		Fisher 1950
<i>Golfingia eremita var australis</i>		Wesenberg-Lund 1959
<i>Golfingia pellucida</i>		of Murina 1968
<i>Golfingia sluiteri</i>		of Stephen & Edmonds 1972
<i>Phascolosoma cinereum</i>		Gerould 1908
<i>Phascolosoma riisei</i>		Keferstein 1865
<i>Phascolosoma sluiteri</i>		of ten Broeke 1925
<i>Phascolosoma verrillii</i>		Gerould 1908
<i>Thysanocardia nigra</i>		(Ikeda 1904)
<i>Phascolosoma nigrum</i>		Ikeda 1904
<i>Golfingia catharinae</i>		(Grube 1868)
<i>Golfingia hozawai</i>		Stephen & Edmonds 1972

Golfingia macginitiei	Fisher 1952
Golfingia nigra	of Stephen & Edmonds 1972
Golfingia procera	of authors NEP not (Möbius 1875)
Golfingia pugettensis	Stephen & Edmonds 1972
Phascolosoma hozawai	Satô 1937
Phascolosoma hyugensis	Satô 1934
Phascolosoma onagawa	Satô 1937
Phascolosoma pavlenkoi	Ostroumov 1909
Phascolosoma zenibakense	Ikeda 1924
Family Phascolionidae	
<i>Phascolion</i> sp A	(SCAMIT 1985) §
<i>Onchnesoma</i> sp A	SCAMIT 1985 §
Family Themistidae	
<i>Themiste hennahi</i>	Gray 1828
Dendrostomum lissum	Fisher 1952
Dendrostomum perimeces	Fisher 1928
Dendrostomum schmitti	Fisher 1952
Dendrostomum zostericola	Chamberlin 1920
<i>Themiste lissa</i>	(Fisher 1952)
<i>Themiste perimeces</i>	(Fisher 1928)
<i>Themiste zostericola</i>	(Chamberlin 1920)
Class Phascolosomatidea	
Order Phascolosomatiformes	
Family Phascolosomatidae	
<i>Apionsoma misakianum</i>	(Ikeda 1904)
<i>Phascolosoma misakianum</i>	Ikeda 1904
<i>Apionsoma misakiana</i>	of E. Cutler, N. Cutler & Nishikawa 1984
<i>Golfingia hespera</i>	of Fisher 1952
<i>Golfingia (Mitospiphon) misakiana</i>	of Stephen & Edmonds 1972
<i>Golfingia (Phascolana) longirostris</i>	Wesenber-Lund 1959
<i>Golfingia (Phascolana) tenuissima</i>	Wesenber-Lund 1959
<i>Phascolosoma hespera</i>	Chamberlin 1920
<i>Apionsoma trichocephala</i>	Sluiter 1902
<i>Phascolosoma pusillum</i>	Sluiter 1912
<i>Apionsoma</i> sp SD1	Pasko 1997 §
<i>Phascolosoma agassizii</i>	Keferstein 1866
<i>Phascolosoma (Rueppellisoma) golikovi</i>	Murina 1975
<i>Phascolosoma japonicum</i>	Grube 1877
<i>Phymosoma lordi</i>	Baird 1868
<i>Physcosoma formosense</i>	Satô 1939
<i>Physcosoma glaucum</i>	Satô 1930
<i>Physcosoma yezoense</i>	Ikeda 1924
Order Aspidosiphoniformes	
Family Aspidosiphonidae	
<i>Aspidosiphon (Paraspidosiphon)</i> sp	
PHYLUM ECHIURA	
Class Echiuridea	
Order Bonelloinea	
Family Bonelliidae	
<i>Nellobia eusoma</i>	Fisher 1946
Order Echiuroinea	
Family Thalassematidae	
<i>Arhynchite californicus</i>	Fisher 1947
<i>Listriolobus hexamyotus</i>	Fisher 1949
<i>Listriolobus pelodes</i>	Fisher 1946
Order Xenopneusta	
Family Urechidae	
<i>Urechis caupo</i>	Fisher & MacGinitie 1928
PHYLUM ANELIDA	
Class Polychaeta	
Subclass Scolecida	
Family Arenicolidae	
<i>Abarenicola pacifica</i>	Healy & Wells 1959
<i>Abarenicola pusilla</i>	of Berkeley & Berkeley 1952 in part not Quatrefages 1865
<i>Arenicola cristata</i>	Stimpson 1856
<i>Branchiomaldane simplex</i>	Berkeley & Berkeley 1932
Family Capitellidae	
<i>Amastigos acutus</i>	Piltz 1977
<i>Anatomastus gordioides</i>	(Moore 1909)
<i>Eunotomastus gordioides</i>	Moore 1909

<i>Barantolla</i> sp	
<i>Capitella capitata</i> Cmplx	
<i>Capitella capitata</i>	of authors NEP not (Fabricius 1780)
<i>Capitella capitata oculata</i>	of Hartman 1962
<i>Capitella capitata tripartita</i>	of Hartman 1961
<i>Capitella teleta</i>	of Blake <i>et al</i> 2009 in part
<i>Dasybranchus glabrus</i>	Blake <i>et al</i> 2009
<i>Decamastus gracilis</i>	Moore 1909
<i>Dodecamastus mariaensis</i>	Hartman 1963
<i>Dodecaseta oraria</i>	Blake 2000
<i>Heteromastus filiformis</i> Cmplx	McCammon & Stull 1978
<i>Heteromastus filiformis</i>	of authors NEP not (Claparède 1864)
<i>Heteromastus filobranchus</i>	Berkeley & Berkeley 1932
<i>Leiochrides hemipodus</i>	Hartman 1960
<i>Mediomastus acutus</i>	Hartman 1969
<i>Mediomastus ambiseta</i>	(Hartman 1947)
<i>Capitita ambiseta</i>	Hartman 1947
<i>Mediomastus californiensis</i>	Hartman 1944
<i>Mediomastus capensis</i>	of Fournier & Levings 1982 not Day 1961
<i>Notomastus hemipodus</i>	Hartman 1945
<i>Notomastus tenuis</i>	of authors NEP not Moore 1909
<i>Notomastus sp A</i>	SCAMIT 2001 §
<i>Notomastus latericeus</i>	M. Sars 1851
<i>Notomastus lineatus</i>	Claparède 1870
<i>Notomastus magnus</i>	Hartman 1947
<i>Dasybranchus giganteus</i>	of Moore 1909 not Moore 1906
<i>Notomastus giganteus</i>	of E. Berkeley 1941
<i>Notomastus tenuis</i>	Moore 1909
<i>Notomastus hemipodus</i>	of authors NEP not Hartman 1945
<i>Notomastus sp SD2</i>	Rowe 1999 §
<i>Notomastus sp SD3</i>	Rowe 2004 §
<i>Scyphoproctus oculatus</i>	Reish 1959
Family Cossuridae	
<i>Cossura brunnea</i>	Fauchald 1972
<i>Cossura candida</i>	Hartman 1955
<i>Cossura rostrata</i>	of Lissner <i>et al</i> 1986 in part not Fauchald 1972
<i>Cossura modica</i>	Fauchald & Hancock 1981
<i>Cossura pygodactyla</i>	Jones 1956
<i>Cossura lepida</i>	Tamai 1986
<i>Cossura sp A</i>	Phillips 1987 §
Family Maldanidae	
Subfamily Euclymeninae	
<i>Axiothella rubrocincta</i>	(Johnson 1901)
<i>Clymenella rubrocincta</i>	Johnson 1901
<i>Clymenella complanata</i>	Hartman 1969
<i>Clymenella sp A</i>	Harris 1985 §
<i>Clymenella sp SD1</i>	Rowe 2006 §
<i>Clymenura columbiana</i>	(E. Berkeley 1929)
<i>Leiochone columbiana</i>	E. Berkeley 1929
<i>Clymenura gracilis</i>	Hartman 1969
<i>Euclymene campanula</i>	Hartman 1969
<i>Euclymeninae sp A</i>	SCAMIT 1987 §
<i>Euclymeninae sp B</i>	SCAMIT 1987 § in part
<i>Maldanidae sp 1</i>	Lovell & Phillips 1995 §
<i>Euclymeninae sp B</i>	SCAMIT 1987 §
<i>Isocirrus longiceps</i>	(Moore 1923)
<i>Pseudoclymene longiceps</i>	Moore 1923
<i>Maldanella catalinia</i>	(Hartman 1969)
<i>Axiothella catalinia</i>	Hartman 1969
<i>Maldanella robusta</i>	Moore 1906
<i>Petaloclymene pacifica</i>	Green 1997
<i>Praxillella gracilis</i>	(M. Sars 1861)
<i>Clymene gracilis</i>	M. Sars 1861
<i>Praxillella pacifica</i>	E. Berkeley 1929
Subfamily Lumbriclymeninae	
<i>Lumbriclymene sp</i>	(Moore 1906)
<i>Notoproctus pacificus</i>	Moore 1906
<i>Lumbriclymene (Notoproctus) pacifica</i>	
Subfamily Maldaniniae	

<i>Maldane californiensis</i>	Green 1991
<i>Maldane sarsi</i>	Malmgren 1865
<i>Metasychis disparidentatus</i>	(Moore 1904)
<i>Asychis disparidentata</i>	Moore 1904
<i>Sonatsa carinata</i>	(Moore 1923)
<i>Maldane carinata</i>	Moore 1923
Subfamily Nicomachinae	
<i>Nicomache lumbicalis</i>	(Fabricius 1780)
<i>Sabella lumbicalis</i>	Fabricius 1780
<i>Nicomache personata</i>	Johnson 1901
<i>Petaloprocus borealis</i>	Arwidsson 1907
<i>Petaloprocus neoborealis</i>	Hartman 1969
<i>Petaloprocus ornatus</i>	Hartman 1969
<i>Petaloprocus tenuis</i>	(Théel 1879)
<i>Maldane tenuis</i>	Théel 1879
<i>Praxillura maculata</i>	Moore 1923
Subfamily Rhodininae	
<i>Rhodine bitorquata</i>	Moore 1923
Family Opheliidae	
<i>Armandia cf agilis</i>	(Andrews 1891)
<i>Ophelina agilis</i>	Andrews 1891
<i>Armandia brevis</i>	(Moore 1906)
<i>Ammotrypane brevis</i>	Moore 1906
<i>Armandia bioculata</i>	Hartman 1938
<i>Armandia</i> sp SD1	Rowe 1999 §
<i>Ophelia assimilis</i>	Tebble 1953
<i>Ophelia limacina</i>	(Rathke 1843)
<i>Ammotrypane limacina</i>	Rathke 1843
<i>Ophelia pulchella</i>	Tebble 1953
<i>Ophelina acuminata</i>	Ørsted 1843
<i>Ammotrypane aulogaster</i>	Rathke 1843
<i>Ophelina farallonensis</i>	Blake 2000
<i>Ophelina pallida</i>	(Hartman 1960)
<i>Ammotrypane pallida</i>	Hartman 1960
<i>Ophelina</i> sp SD2	Rowe 2004 §
<i>Ophelina</i> sp A	SCAMIT 2012 §
<i>Ophelina</i> sp ECO1	EcoAnalysts 2011 §
<i>Ophelina</i> sp SD1	Rowe 1995 §
<i>Polyopthalmus pictus</i>	(Dujardin 1839)
<i>Nais pictus</i>	Dujardin 1839
<i>Thoracophelia dillonensis</i>	(Hartman 1938)
<i>Pectinophelia dillonensis</i>	Hartman 1938
<i>Euzonus dillonensis</i>	(Hartman 1938)
<i>Thoracophelia mucronata</i>	(Treadwell 1914)
<i>Ophelia</i> (<i>Thoracophelia</i>) <i>mucronata</i>	Treadwell 1914
<i>Euzonus mucronata</i>	of Hartman 1969
Family Orbiniidae	
<i>Califia calida</i>	Hartman 1957
<i>Leitoscoloplos panamensis</i>	(Monro 1933)
<i>Haploscoloplos panamensis</i>	Monro 1933
<i>Leitoscoloplos pugettensis</i>	(Pettibone 1957)
<i>Scoloplos</i> (<i>Scoloplos</i>) <i>pugettensis</i>	Pettibone 1957
<i>Scoloplos elongata</i>	Johnson 1901
<i>Haploscoloplos elongata</i>	of Hartman 1944
<i>Haploscoloplos elongatus</i>	of Hartman 1957
<i>Leitoscoloplos elongata</i>	of Day 1977
<i>Leitoscoloplos</i> sp A	Williams 1976 §
<i>Naineris dendritica</i>	(Kinberg 1867)
<i>Anthostoma dendriticum</i>	Kinberg 1867
<i>Naineris laevigata</i>	of Berkeley & Berkeley 1952 not (Grube 1855)
<i>Naineris longa</i>	Moore 1909
<i>Naineris nannobranchia</i>	Chamberlin 1919
<i>Naineris robusta</i>	Moore 1909
<i>Naineris cf grubei</i>	(Gravier 1908)
<i>Scoloplos grubei</i>	Gravier 1908
<i>Naineris quadricuspida</i>	(Fabricius 1780)
<i>Nais quadricuspida</i>	Fabricius 1780
<i>Naineris uncinata</i>	Hartman 1957
<i>Naineris berkeleyorum</i>	Pettibone 1957
<i>Orbinia johnsoni</i>	(Moore 1909)

<i>Aricia johnsoni</i>	
<i>Phylo felix</i>	Moore 1909
<i>Aricia michaelseni</i>	Kinberg 1866
<i>Phylo nudus</i>	Ehlers 1897
<i>Aricia nuda</i>	(Moore 1911)
<i>Protoarciella</i> sp A	Moore 1911
<i>Questa caudicirra</i>	Williams 1976 §
<i>Scoloplos acmeceps</i>	Hartman 1966
<i>Scoloplos armiger</i> Cmplx	Chamberlin 1919
<i>Scoloplos acmeceps profundus</i>	of Hartman 1960
Family Paronidae	
<i>Aricidea (Acmira) catherinae</i>	Laubier 1967
<i>Acmira catherinae</i>	of authors SCB
<i>Acmira assimilis</i>	of Lissner <i>et al</i> 1986 in part not (Tebble 1959)
<i>Acmira</i> sp A	of Lissner <i>et al</i> 1986
<i>Aricidea (Acesta) catherinae</i>	of Strelzov 1973
<i>Aricidea jeffreysii</i>	of Pettibone 1963 not McIntosh 1879
<i>Aricidea lopezi</i>	of Hartman 1963 not Berkeley & Berkeley 1956
<i>Aricidea zelenzovi</i>	Strelzov 1968
<i>Aricidea (Acmira) cerrutii</i>	Laubier 1966
<i>Acmira cerrutii</i>	of authors SCB
<i>Aricidea (Acesta) cerrutii</i>	of Strelzov 1973
<i>Aricidea (Acmira) horikoshii</i>	Imajima 1973
<i>Acmira horikoshii</i>	of authors SCB
<i>Aricidea (Acmira) lopezi</i>	Berkeley & Berkeley 1956
<i>Acmira lopezi</i>	of authors SCB
<i>Aricidea fauveli</i>	Hartman 1957
<i>Aricidea fragilis</i>	of Fauvel 1936 not Webster 1879
<i>Aricidea (Acesta) lopezi lopezi</i>	of Strelzov 1973
<i>Aricidea suecica</i>	of Buzhinskaya 1967 not Eliason 1920
<i>Aricidea (Acmira) rubra</i>	Hartman 1963
<i>Acmira assimilis</i>	of Lissner <i>et al</i> 1986 in part not (Tebble 1959)
<i>Acmira</i> sp B	of Steinhauer & Imamura 1990
<i>Aedicira</i> sp A	of Lissner <i>et al</i> 1986
<i>Aricidea (Acesta) finitima</i>	Strelzov 1973
<i>Aricidea longobranchiata</i>	of Day 1961 in part
<i>Aricidea lopezi rubra</i>	Hartman 1963
<i>Aricidea (Acmira) simplex</i>	Day 1963
<i>Acmira simplex</i>	of authors SCB
<i>Aricidea (Acesta) simplex</i>	of Strelzov 1973
<i>Aricidea neosuecica</i>	Hartman 1965
<i>Aricidea neosuecica japonica</i>	Imajima 1973
<i>Aricidea suecica simplex</i>	Day 1963
<i>Aricidea uschakovi</i>	of Levenstein 1966 not Zachs 1925
<i>Aricidea (Acmira) taylori</i>	Pettibone 1965
<i>Aricidea (Aricidea) taylori</i>	Pettibone 1965
<i>Aricidea (Acesta) taylori</i>	of Strelzov 1973
<i>Aricidea (Acmira) sp SD1</i>	Barwick 1999 §
<i>Aricidea (Aedicira) pacifica</i>	Hartman 1944
<i>Aedicira pacifica</i>	of Hartman 1969
<i>Aricidea (Allia) antennata</i>	Annenkova 1934
<i>Allia antennata</i>	of authors SCB
<i>Aricidea (Allia) quadrilobata</i>	of Strelzov 1973 in part not Webster & Benedict 1887
<i>Aricidea antennata</i>	of Hartman 1969
<i>Aricidea longicornuta</i>	Berkeley & Berkeley 1950
<i>Aricidea uschakovi</i>	of Annenkova 1937 not Zachs 1925
<i>Aricidea (Allia) hartleyi</i>	Blake 1996
<i>Aricidea cf. nolani</i>	Lovell 1977 §
<i>Aricidea (Allia) monicae</i>	Laubier 1967
<i>Allia monicae</i>	of authors SCB
<i>Aricidea uschakovi</i>	of Hartman 1957 in part (?) not Zachs 1925
<i>Aricidea (Allia) quadrilobata</i>	Webster & Benedict 1887
<i>Aricidea (Allia) sp A</i>	SCAMIT 1996 §
<i>Allia ramosa</i>	of authors SCB not (Annenkova 1934)
<i>Aricidea (Aricidea) ramosa</i>	of Banse & Hobson 1968 not Annenkova 1934
<i>Aricidea (Allia) sp SD1</i>	Barwick 1996 §
<i>Aricidea (Aricidea) pseudoarticulata</i>	Hobson 1972
<i>Aricidea (Aricidea) wassi</i>	Pettibone 1965
<i>Aricidea (Aricidea) sp SD1</i>	Barwick 1996 §
<i>Cirrophorus branchiatus</i>	Ehlers 1908

Aricidea (Cirrophorus) aciculata	Hartman 1957
Aricidea (Cirrophorus) branchiatus	of Hartman 1957
Aricidea branchiatus	of Cerruti 1909
Cirrophorus aciculatus	of Hartman 1969
<i>Cirrophorus furcatus</i>	(Hartman 1957)
Aricidea (Cirrophorus) furcatus	Hartman 1957
Cirrophorus cf lyriformis	of Laubier & Ramos 1974
<i>Levinsenia gracilis</i>	(Tauber 1879)
Aonides gracilis	Tauber 1879
Paraonis filiformis	Hartman 1953
Paraonis gracilis minuta	Hartmann-Schröder 1965
Paraonis (Paraonides) gracilis	of Monro 1930
Paraonis (Paraonis) gracilis	of Cerruti 1909
Paraonis (Paraonis) ivanovi	of Banse & Hobson 1968
Tauberia gracilis	of Strelzov 1973
<i>Levinsenia multibranchiata</i>	(Hartman 1957)
Paraonis multibranchiata	Hartman 1957
Tauberia multibranchiata	of Strelzov 1973
<i>Levinsenia oculata</i>	(Hartman 1957)
Paraonis oculata	Hartman 1957
<i>Levinsenia</i> sp B	SCAMIT 2007 §
Levinsenia oculata	of authors NEP in part not (Hartman 1957)
<i>Levinsenia</i> sp SD1	Barwick 2000 §
<i>Paradoneis eliasoni</i>	Mackie 1991
Cirrophorus lyra	of Stelzov 1973 in part not (Southern 1914)
Paraonis (Paraonides) lyra	of Eliason 1920 not Southern 1914
<i>Paradoneis lyra</i>	(Southern 1914)
Paraonis (Paraonides) lyra	Southern 1914
Cirrophorus lyra	of authors in part not of Strelzov 1973
<i>Paradoneis spinifera</i>	(Hobson 1972)
Paraonis spinifera	Hobson 1972
Paronella spinifera	of Hobson & Banse 1981
<i>Paradoneis</i> sp SD1	Barwick 2000 §
<i>Paraonides platybranchia</i>	(Hartman 1961)
Paraonis platybranchia	Hartman 1961
Paronella platybranchia	of Blake 1996
Family Scalibregmatidae	
<i>Asclerocheilus acirratus</i>	(Hartman 1966)
Sclerocheilus acirratus	Hartman 1966
<i>Asclerocheilus californicus</i>	Hartman 1963
<i>Asclerocheilus kudenovi</i>	Blake 2000
<i>Hyboscolex pacificus</i>	(Moore 1909)
Sclerocheilus pacificus	Moore 1909
Oncoscolex pacificus	of Hartman 1969
<i>Scalibregma californicum</i>	Blake 2000
Scalibregma inflatum	of authors SCB not Rathke 1843
<i>Travisia brevis</i>	Moore 1923
<i>Travisia gigas</i>	Hartman 1938
<i>Travisia pupa</i>	Moore 1906
Travisia carnea	of Berkeley 1966 not Verrill 1873
Travisia foetida	Hartman 1969
Subclass Palpata	
Order Aciculata	
Suborder Phyllodocida	
Infraorder Aphroditiformia	
Superfamily Aphroditooidea	
Family Acoetidae	
<i>Acoetes mortensenii</i>	(Monro 1928)
Polyodontes mortensenii	Monro 1928
Panthalis mortensenii	of Hartman 1969
<i>Acoetes pacifica</i>	(Treadwell 1914)
Panthalis pacifica	Treadwell 1914
<i>Polyodontes panamensis</i>	(Chamberlin 1919)
Panthalis panamensis	Chamberlin 1919
Family Aphroditidae	
<i>Aphrodita armifera</i>	Moore 1910
<i>Aphrodita brevitentaculata</i>	Essenberg 1917
<i>Aphrodita castanea</i>	Moore 1910
<i>Aphrodita japonica</i>	Marenzeller 1879
<i>Aphrodita longipalpa</i>	Essenberg 1917

<i>Aphrodita negligens</i>	Moore 1905
<i>Aphrodita refulgida</i>	Moore 1910
<i>Aphrodita</i> sp A	Rossi 1978 §
Family Eulepethidae	
<i>Grubeulepis</i> sp	
Family Polynoidae	
Subfamily Arctonoinae	
<i>Arctonoe pulchra</i>	(Johnson 1897)
<i>Polynoe pulchra</i>	Johnson 1897
<i>Hololepida magna</i>	Moore 1905
Subfamily Lepidastheninae	
<i>Lepidasthenia berkeleyae</i>	Pettibone 1948
<i>Lepidasthenia interrupta</i>	of Hartman 1968 not Marenzeller 1902
<i>Lepidasthenia longicirrata</i>	E. Berkeley 1923
<i>Lepidametria longicirrata</i>	of Berkeley & Berkeley 1948
Subfamily Lepidonotinae	
<i>Halosydna brevisetosa</i>	Kinberg 1855
<i>Halosydna johnsoni</i>	(Darboux 1899)
<i>Lepidonotus johnsoni</i>	Darboux 1899
<i>Halosydna latior</i>	Chamberlin 1919
<i>Lepidonotus spiculus</i>	(Treadwell 1906)
<i>Polynoe spicula</i>	Treadwell 1906
<i>Lepidonotus caeloris</i>	of authors in part not Moore 1903
<i>Lepidonotus caelorus</i>	of authors in part not Moore 1903
<i>Lepidonotus squamatus</i>	of authors in part not Linnaeus 1767
Subfamily Polynoinae	
<i>Arcteobia cf anticostiensis</i>	SCAMIT 1990 §
<i>Eunoe senta</i>	(Moore 1902)
<i>Gattyana senta</i>	Moore 1902
<i>Harmothoe fragilis</i>	Moore 1910
<i>Harmothoe (Evarne) fragilis</i>	Moore 1910
<i>Antinoe</i> sp C	Steinhauer & Imamura 1990 in part
<i>Harmothoe impar</i>	of authors not (Johnston 1839)
<i>Harmothoe hirsuta</i>	Johnson 1897
<i>Harmothoe imbricata</i> Cmplx	(Moore 1902)
<i>Harmothoe multisetosa</i>	Moore 1902
<i>Lagisca multisetosa</i>	(Johnson 1901)
<i>Hesperonoe complanata</i>	Johnson 1901
<i>Harmothoe complanata</i>	Hartman 1961
<i>Hesperonoe laevis</i>	(Grube 1840)
<i>Lagisca extenuata</i>	Grube 1840
<i>Polynoe extenuata</i>	Pettibone 1993
<i>Malmgreniella bansei</i>	Pettibone 1993
<i>Malmgreniella baschi</i>	Harris 1985 §
<i>Eunoe</i> sp C	SCAMIT 1990 §
<i>Eunoe cf depressa</i>	Steinhauer & Imamura 1990 in part
<i>Harmothoe nr lunulata</i>	Harris 1985 §
<i>Harmothoe</i> sp A	Pettibone 1993
<i>Malmgreniella liei</i>	Pettibone 1993
<i>Malmgreniella macginitieei</i>	Pettibone 1993
<i>Malmgreniella nigralba</i>	(E. Berkeley 1923)
<i>Malmgrenia nigralba</i>	E. Berkeley 1923
<i>Harmothoe lunulata</i>	of Hartman 1968 in part not (delle Chiaje 1830)
<i>Malmgrenia lunulata</i>	of Pettibone 1953 in part not (delle Chiaje 1830)
<i>Malmgreniella sanpedroensis</i>	Pettibone 1993
<i>Malmgreniella</i> sp SD3	Rowe 1998 §
<i>Malmgreniella scriptoria</i>	(Moore 1910)
<i>Harmothoe scriptoria</i>	Moore 1910
<i>Harmothoe nr lunulata</i>	of authors SCB in part
<i>Malmgrenia lunulata</i>	of Pettibone 1953 in part not (delle Chiaje 1830)
<i>Malmgreniella</i> sp A	SCAMIT 1997 §
<i>Malmgreniella</i> sp SD2	Rowe 1998 §
<i>Subadyte mexicana</i>	Fauchald 1972
<i>Subadyte</i> sp A	SCAMIT 1990 §
<i>Subadyte</i> sp B	Harris 1985 §
<i>Tenonia priops</i>	(Hartman 1961)
<i>Harmothoe priops</i>	Hartman 1961
<i>Tenonia kitsapsensis</i>	Nichols 1969
<i>Thormora johnstoni</i>	(Kinberg 1856)
<i>Lepidonotus johnstoni</i>	Kinberg 1856

<i>Halosydna lagunae</i>	of Hamilton 1915
<i>Thormora (Lepidonus) johnstoni</i>	(Kinberg 1856)
<i>Ysideria hastata</i>	Ruff 1995
<i>Harmothoe sp A</i>	SCAMIT 1990 §
Family Pholoidae	
<i>Pholoe glabra</i>	Hartman 1961
<i>Pholoe sp A</i>	Harris 2000 §
<i>Pholoe sp B</i>	Harris 2000 §
<i>Pholoides asperus</i>	(Johnson 1897)
<i>Peisidice aspera</i>	Johnson 1897
<i>Paraephiloe fimbriata</i>	Hartmann-Schröder 1962
<i>Paraphiloe tuberculata</i>	Hartmann-Schröder 1965
<i>Peisidice tuberculata</i>	of Hartman & Fauchald 1971
<i>Pholoe minuta</i>	of Blake 1975 not Fabricius 1780
<i>Pholoides aspera</i>	of Fauchald 1977
<i>Pholoides tuberculata</i>	of Carrasco & Gallardo 1983
Family Sigalionidae	
<i>Leanira alba</i>	Moore 1910
<i>Pelogenia fimbriata</i>	(Hartman 1939)
<i>Psammolyce fimbriata</i>	Hartman 1939
<i>Psammolyce myops</i>	Hartman 1939
<i>Psammolyce spinosa</i>	of Bekeley & Berkeley 1941 not Hartman 1939
<i>Sigalion spinosus</i>	(Hartman 1939)
<i>Eusigalion spinosum</i>	Hartman 1939
<i>Thalenessa spinosa</i>	of Hartman 1969
<i>Sthenelais berkeleyi</i>	Pettibone 1971
<i>Sthenelais fusca</i>	Johnson 1897
<i>Sthenelais tertia</i>	Moore 1910
<i>Sthenelais articulata</i>	of Berkeley & Berkeley 1948 not Kinberg 1855
<i>Sthenelais hancocki</i>	Hartman 1939
<i>Sthenelais verruculosa</i>	of Pettibone 1953 not Johnson 1897
<i>Sthenelais verruculosa</i>	Johnson 1897
<i>Sthenelanella uniformis</i>	Moore 1910
Family Pisionidae	
<i>Pistone remota</i>	(Southern 1914)
<i>Praegeria remota</i>	Southern 1914
Infraorder Nereidiformia	
Family Chrysopetalidae	
Subfamily Calamyzinae	
<i>Calamyzas amphictenicola</i>	Arwidsson 1932
Subfamily Chrysopetalinae	
<i>Chrysopetalum occidentale</i>	Johnson 1897
<i>Paleanotus bellis</i>	(Johnson 1897)
<i>Heteropale bellis</i>	Johnson 1897
<i>Paleanotus chrysolepis</i>	of Berkeley & Berkeley 1948 not Schmarda 1861
Subfamily Dysponetinae	
<i>Dysponetus populonectens</i>	Aguado <i>et al</i> 2013
Family Hesionidae	
<i>Amphiduros pacificus</i>	Hartman 1961
<i>Gyptis brunnea</i>	(Hartman 1961)
<i>Oxydromus brunnea</i>	Hartman 1961
<i>Amphiduros brunnea</i>	of Lissner <i>et al</i> 1986
<i>Hesionella mccullochae</i>	Hartman 1939
<i>Heteropodarke heteromorpha</i>	Hartmann-Schröder 1962
<i>Microphthalmus hystrix</i>	Fournier 1991
<i>Micropodarke dubia</i>	(Hessle 1925)
<i>Kefersteinia dubia</i>	Hessle 1925
<i>Micropodarke amemiyai</i>	Okuda 1938
<i>Oxydromus pugettensis</i>	(Johnson 1901)
<i>Podarke pugettensis</i>	Johnson 1901
<i>Ophiodromus (Podarke) pugettensis</i>	of Blake 1975
<i>Ophiodromus pugettensis</i>	of Hessle 1925
<i>Ophiodromus pugettensis</i>	(Johnson 1901)
<i>Neogyptis plurisetis</i>	(Hilbig 1992)
<i>Gyptis plurisetis</i>	Hilbig 1992
<i>Podarkeopsis glabrus</i>	(Hartman 1961)
<i>Oxydromus arenicolus glabrus</i>	Hartman 1961
<i>Gyptis arenicola glabra</i>	of Hartman 1968
<i>Podarkeopsis perkinsi</i>	Hilbig 1992
<i>Podarkeopsis sp B</i>	Harris 1985 §

<i>Podarkeopsis</i> sp A	Velarde & Harris 1987 §
<i>Podarkeopsis</i> sp A	Harris 1985 §
<i>Psamathe</i> sp	
<i>Kefersteinia</i> sp	of SCAMIT Ed 5
Family Nereididae	
Subfamily Nereidinae	
<i>Alitta brandti</i>	Malmgren 1865
<i>Neanthes brandti</i>	(Malmgren 1865)
<i>Ceratocephale loveni</i>	Malmgren 1867
<i>Ceratonereis mirabilis</i>	Kinberg 1866
<i>Gymnonereis crosslandi</i>	(Monro 1933)
<i>Chaunorhynchus crosslandi</i>	Monro 1933
<i>Ceratocephala crosslandi</i>	of Hartman 1952
<i>Ceratocephala crosslandi americana</i>	of Hartman 1968
<i>Neanthes acuminata</i> Cmplx	of authors NEP not Ehlers 1868
<i>Neanthes acuminata</i>	of authors NEP not (delle Chiaje 1828)
<i>Neanthes caudata</i>	(Leuckart 1847)
<i>Neanthes succinea</i>	Leuckart 1847
<i>Alitta succinea</i>	Hartman 1936
<i>Nereis (Neanthes) saltoni</i>	Chamberlin 1919
<i>Nereis latescens</i>	Chamberlin 1919
<i>Nereis mendociana</i>	Hartman 1936
<i>Nereis neonigripes</i>	Grube 1851
<i>Nereis vexillosa</i>	SCAMIT 2007 §
<i>Nereis</i> sp A	of Lissner et al 1986
<i>Nereis nr procera</i>	of authors SCB not Ehlers 1868
<i>Nereis procura</i>	Harris 1985 §
<i>Nereis</i> sp B	Rowe 2007 §
<i>Nereis</i> sp SD1	(Hartman 1940)
<i>Nicon moniloceras</i>	Hartman 1940
<i>Leptoneris glauca moniloceras</i>	(Chamberlin 1918)
<i>Perinereis monterea</i>	Chamberlin 1918
<i>Nereis (Neanthes) monterea</i>	(Baird 1863)
<i>Platynereis bicanaliculata</i>	Baird 1863
<i>Nereis bicanaliculata</i>	of Marenzeller 1879 not Audouin & H. Milne Edwards 1833
<i>Nereis dumerilii</i>	of Okuda & Yamada 1954
<i>Platynereis agassizi</i>	of Berkeley & Berkeley 1948 not Ehlers 1868
<i>Platynereis dumerilii var agassizi</i>	(Audouin & H. Milne Edwards 1833)
<i>Platynereis dumerilii</i>	Audouin & H. Milne Edwards 1833
<i>Nereis dumerilii</i>	
Family Pilargidae	
<i>Ancistrosyllis breviceps</i>	Hartman 1963
<i>Ancistrosyllis groenlandica</i>	McIntosh 1879
<i>Ancistrosyllis hamata</i>	(Hartman 1960)
<i>Pilargis hamatus</i>	Hartman 1960
<i>Ancistargis hamata</i>	of Salazar-Vallejo 1986
<i>Parandalia fauveti</i>	(Berkeley & Berkeley 1941)
<i>Loandalia fauveti</i>	Berkeley & Berkeley 1941
<i>Parandalia oocularis</i>	Emerson & Fauchald 1971
<i>Pilargis berkeleyae</i>	Monro 1933
<i>Pilargis berkeleyi</i>	Monro 1933
<i>Pilargis maculata</i>	Hartman 1947
<i>Pilargis</i> sp A	Harris 1995 §
<i>Pilargis</i> sp 1	Harris 1996 §
<i>Pilargis</i> sp B	Harris 1995 §
<i>Pilargis</i> sp 2	Harris 1996 §
<i>Pilargis</i> sp 3	Harris 1996 §
<i>Pilargis</i> sp 4	Harris 1996 §
<i>Pseudexogone williamsae</i>	Salazar-Vallejo et al 2007
<i>Pilargidae genus A</i> sp A	Williams 1977 §
<i>Sigambra bassi</i>	(Hartman 1945)
<i>Ancistrosyllis bassi</i>	Hartman 1945
<i>Sigambra setosa</i>	Fauchald 1972
<i>Ancistrosyllis tentaculata</i>	(Treadwell 1941)
<i>Sigambra tentaculata</i>	Treadwell 1941
<i>Synelmis albini</i>	(Langerhans 1881)
<i>Ancistrosyllis albini</i>	Langerhans 1881
<i>Ancistrosyllis rigida</i>	Fauvel 1919
<i>Ancistrosyllis rigida</i>	of Hartman 1947
<i>Synelmis harrisae</i>	Salazar-Vallejo 2003

Family Syllidae	
Subfamily Anoplosyllinae	
<i>Streptosyllis</i> sp	Imajima 1966
<i>Syllides japonicus</i>	Ørsted 1845
<i>Syllides longocirratus</i>	Kudenov & Harris 1995
<i>Syllides mikeli</i>	Blake & Walton 1977
<i>Syllides minutus</i>	Dorsey 1978
<i>Syllides reishi</i>	Dorsey 1976 §
<i>Syllides</i> sp A	
Subfamily Autolytinae	
<i>Epigamia-Myrianida</i> Cmplx	of authors SCB
<i>Autolytus</i> spp	(Imajima & Hartman 1964)
<i>Epigamia noroi</i>	Imajima & Hartman 1964
<i>Autolytus noroi</i>	Imajima & Hartman 1964
<i>Autolytus nipponensis</i>	Imajima & Hartman 1964
<i>Autolytus (Regulatus) noroi</i>	Imajima & Hartman 1964
<i>Autolytus (Regulatus) nipponensis</i>	Imajima & Hartman 1964
<i>Myrianida convoluta</i>	(Cognetti 1953)
<i>Autolytus convolutus</i>	Cognetti 1953
<i>Autolytus (Regulatus) convolutus</i>	Cognetti 1953
<i>Myrianida inermis</i>	(Saint-Joseph 1887)
<i>Autolytus inermis</i>	Saint-Joseph 1887
<i>Autolytides inermis</i>	(Saint-Joseph 1887)
<i>Autolytus (Autolytides) inermis</i>	Saint-Joseph 1887
<i>Myrianida pachycera</i>	(Augener 1913)
<i>Autolytus pachycerus</i>	Augener 1913
<i>Myrianida pachycerus</i>	(Augener 1913)
<i>Autolytus purpureimaculata</i>	Okada 1933
<i>Myrianida crassicirrata</i>	Hartmann-Schroeder 1965
<i>Myrianida pentadentata</i>	(Imajima 1966)
<i>Autolytus (Autolytus) pentadentatus</i>	Imajima 1966
<i>Proceraea gigantea</i>	Nygren & Gilholm 2001
<i>Proceraea nigropunctata</i>	Nygren & Gilholm 2001
<i>Proceraea</i> sp A	Piltz 1984 §
<i>Proceraea okadai</i>	(Imajima 1966)
<i>Autolytus (Regulatus) okadai</i>	Imajima 1966
<i>Autolytus fallax</i>	Pettibone 1954
<i>Autolytus (Regulatus) kiiensis</i>	Imajima 1966
<i>Procerastea nematodes</i>	Langerhans 1884
<i>Procerastea perrieri</i>	Gravier 1900
Subfamily Eusyllinae	
<i>Brachysyllis lagunae</i>	(Hartman 1961)
<i>Orseis lagunae</i>	Hartman 1961
<i>Dioplosyllis broadi</i>	Mueller & Fauchald 1976
<i>Dioplosyllis lagunae</i>	Kudenov & Harris 1995
<i>Eusyllis blomstrandii</i> Cmplx	
<i>Eusyllis habei</i>	Imajima 1966
<i>Eusyllis transecta</i>	Hartman 1966
<i>Odontosyllis fragilis</i>	Kudenov & Harris 1995
<i>Odontosyllis pentalineata</i>	Verdes <i>et al</i> 2011
<i>Odontosyllis trilineata</i>	of SCAMIT Ed 7, not Imajima 2003
<i>Odontosyllis</i> sp	Hartman 1961
<i>Odontosyllis phosphorea</i>	Moore 1909
<i>Hesperalia nans</i>	Chamberlin 1919
<i>Odontosyllis phosphorea nanaimoensis</i>	E. Berkeley 1923
<i>Odontosyllis</i> sp SD1	Rowe 2004 §
<i>Opisthodonta mitchelli</i>	Kudenov & Harris 1995
<i>Opisthodonta tridentata</i>	(Kudenov & Harris 1995)
<i>Dioplosyllis tridentata</i>	Kudenov & Harris 1995
<i>Opisthodonta uraga</i>	(Imajima 1966)
<i>Pionosyllis uraga</i>	Imajima 1966
Subfamily Exogoninae	
<i>Brania brevipharyngea</i>	Banse 1972
<i>Brania californiensis</i>	Kudenov & Harris 1995
<i>Brania heterocirra</i>	Rioja 1941
<i>Brania medioidentata</i>	Westheide 1974
<i>Exogone dwisula</i>	Kudenov & Harris 1995
<i>Exogone gemmifera</i>	of authors SCB not Pagenstecher 1862
<i>Exogone</i> sp B	SCAMIT 1987 §
<i>Exogone uniformis</i>	of Hartman 1961 in part

<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Exogone longicornis</i>	Westheide 1974
<i>Exogone lourei</i>	Berkeley & Berkeley 1938
<i>Exogone dispar</i>	Pettibone 1954
<i>Exogone (Exogone) lourei</i>	of San Martin 1991
<i>Exogone uniformis</i>	of Hartman 1961 in part
<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Exogone uniformis</i>	Hartman 1961
<i>Exogone cf verugera</i>	SCAMIT 1987 §
<i>Exogone sp A</i>	Williams 1975 §
<i>Parexogone acutipalpa</i>	(Kudenov & Harris 1995)
<i>Exogone acutipalpa</i>	Kudenov & Harris 1995
<i>Parexogone breviseta</i>	(Kudenov & Harris 1995)
<i>Exogone breviseta</i>	Kudenov & Harris 1995
<i>Exogone sp C</i>	SCAMIT 1987 §
<i>Parexogone brunnea</i>	(Hartman 1961)
<i>Exogonella brunnea</i>	Hartman 1961
<i>Parexogone molesta</i>	(Banse 1972)
<i>Exogone molesta</i>	Banse 1972
<i>Exogone (Parexogone) molesta</i>	of San Martin 1991
<i>Sphaerosyllis bilineata</i>	Kudenov & Harris 1995
<i>Sphaerosyllis californiensis</i>	of Hartman 1966 in part
<i>Sphaerosyllis sp A</i>	Harris & Dorsey 1986 §
<i>Sphaerosyllis californiensis</i>	Hartman 1966
<i>Sphaerosyllis ranunculus</i>	Kudenov & Harris 1995
<i>Sphaerosyllis brandhorsti</i>	of authors NEP not Hartmann-Schröder 1965
Subfamily Syllinae	
<i>Branchiosyllis exilis</i> Cmplx	
<i>Haplosyllis ohma</i>	(Imajima & Hartman 1964)
<i>Trypanosyllis (Trypanoseta) ohma</i>	Imajima & Hartman 1964
<i>Geminosyllis ohma</i>	(Imajima & Hartman 1964)
<i>Haplosyllis spongicola</i> Cmplx	(Grube 1855)
<i>Syllis spongicola</i>	Grube 1855
<i>Haplosyllis spongiphila</i>	(Verrill 1885)
<i>Syllis spongiphila</i>	Verrill 1885
<i>Syllis (Syllis) spongiphila</i>	of SCAMIT Ed 4 list
<i>Opisthosyllis leslieharrisiae</i>	Aguado, San Martin & Nygren 2005
<i>Plakosyllis</i> sp	
<i>Syllis elongata</i>	(Johnson 1901)
<i>Pionosyllis elongata</i>	Johnson 1901
<i>Syllis (Syllis) elongata</i>	of SCAMIT Ed 4 list
<i>Syllis gracilis</i> Cmplx	
<i>Syllis (Syllis) gracilis</i>	of SCAMIT Ed 4 list
<i>Trypanosyllis (Trypanedenta) sp A</i>	Kudenov & Harris 1995
<i>Typosyllis adamanteus</i>	(Treadwell 1914)
<i>Trypanosyllis adamanteus</i>	Treadwell 1914
<i>Pionosyllis decorus</i>	Annenkova 1934
<i>Syllis spenceri</i>	Berkeley & Berkeley 1938
<i>Syllis (Typosyllis) decorus</i>	Chlebovitsch 1961
<i>Typosyllis farallonensis</i>	Blake & Walton 1977
<i>Syllis (Typosyllis) farallonensis</i>	of SCAMIT Ed 4 list
<i>Typosyllis heterochaeta</i>	(Moore 1909)
<i>Syllis (Ehlersia) heterochaeta</i>	Moore 1909
<i>Ehlersia heterochaeta</i>	of Kudenov & Harris 1995
<i>Langerhansia heterochaeta</i>	of Hartman & Barnard 1960
<i>Syllis (Ehlersia) cornuta</i>	of Pettibone 1963 in part not Rathke 1843
<i>Syllis cornuta</i>	of Pettibone 1963 in part not Rathke 1843
<i>Typosyllis hyperioni</i>	(Dorsey & Phillips 1987)
<i>Syllis (Ehlersia) hyperioni</i>	Dorsey & Phillips 1987
<i>Typosyllis nipponica</i>	Imajima 1966
<i>Syllis (Typosyllis) nipponica</i>	of SCAMIT Ed 4 list
<i>cf Xenosyllis</i> sp	
subfamily uncertain	
<i>Amblyosyllis speciosa</i> Cmplx	
<i>Paraehlersia articulata</i>	(Kudenov & Harris 1995)
<i>Pionosyllis articulata</i>	Kudenov & Harris 1995
Infraorder Glyceriformia	
Family Glyceridae	
<i>Glycera americana</i>	Leidy 1855
<i>Glycera corrugata</i>	Baird 1863

Glycera edentata	Hansen 1882
Glycera jucunda	Kinberg 1866
Glycera laevis	Kinberg 1866
Glycera peruviana	Quatrefages 1866
Glycera rugosa	Johnson 1901
Rhynchobolus americanus	Verrill & Smith 1874
<i>Glycera branchiopoda</i>	Moore 1911
<i>Glycera macrobranchia</i>	Moore 1911
Glycera alba macrobranchium	Moore 1911
Glycera convoluta	of authors SCB not Keferstein 1862
<i>Glycera nana</i>	Johnson 1901
Glycera capitata	of Hartman 1950 in part not Ørsted 1843
<i>Glycera oxycephala</i>	Ehlers 1887
<i>Glycera robusta</i>	Ehlers 1868
Glycera longissima	of Hartman 1940 not Arwidsson 1899
Glycera sp A	Harris 1985 §
<i>Glycera tenuis</i>	Hartman 1944
<i>Glycera tesselata</i>	Grube 1863
Glycera nana	of Treadwell 1914 not Johnson 1901
Glycera sagittariae	of Treadwell 1906 not McIntosh 1885
Glycera spadix	Treadwell 1943
<i>Hemipodia borealis</i>	Johnson 1901
Hemipodus borealis	of authors NEP
Family Goniadidae	
<i>Glycinde armigera</i>	Moore 1911
Glycinde multidens	of Hartman 1940 not F. Müller 1858
<i>Glycinde picta</i>	Berkeley 1927
<i>Goniada acicula</i>	Hartman 1940
<i>Goniada annulata</i>	Moore 1905
<i>Goniada brunnea</i>	Treadwell 1906
Goniada annulata	of Treadwell 1914 in part not Moore 1905
Goniada maculata	of Hartman 1940 not Ørsted 1843
<i>Goniada littorea</i>	Hartman 1950
Goniada brunnea	of Treadwell 1914 in part not Treadwell 1906
Goniada uncinigera	of Hartman 1940 not Ehlers 1901
<i>Goniada maculata</i>	Ørsted 1843
Goniada brunnea	of Hartman 1940 not Treadwell 1906
<i>Ophioglycera</i> sp	
Family Lacydoniidae	
<i>Lacydonia</i> sp	
Family Nephtyidae	
<i>Aglaophamus erectans</i>	Hartman 1950
<i>Aglaophamus eugeniae</i>	Fauchald 1972
<i>Aglaophamus paucilamellata</i>	Fauchald 1972
<i>Aglaophamus verrilli</i>	(McIntosh 1885)
Nephthys verrilli	McIntosh 1885
Aglaophamus dicirris	Hartman 1950
Aglaophamus erectans	of Harris 1985 § in part not Hartman 1950
Nephthys dibranchis	of Hartman 1938
<i>Bipalponephthys cornuta</i>	(Berkeley & Berkeley 1945)
Nephthys cornuta	Berkeley & Berkeley 1945
Nephthys cornuta franciscana	R. B. Clark & Jones 1955
Nephthys parva	R. B. Clark & Jones 1955
Nephthys signifera	Hilbig 1992 in part
<i>Nephthys assignis</i>	Hartman 1950
<i>Nephthys caecoides</i>	Hartman 1938
Nephthys caecoides	of Hartman 1940
Nephthys californiensis	of Hartman 1950 in part not Hartman 1938
Nephthys sp B	Harris 1985 §
<i>Nephthys californiensis</i>	Hartman 1938
Nephthys californiensis	of Hartman 1940
<i>Nephthys ferruginea</i>	Hartman 1940
Nephthys caecoides ferruginea	Hartman 1940
Nephthys californiensis	of Hartman 1950 in part not Hartman 1938
Nephthys signifera	Hilbig 1992 in part
<i>Nephthys glabra</i>	Hartman 1950
Dentinephthys glabra	of Imagina et al 1987
<i>Nephthys punctata</i>	Hartman 1938
<i>Nephthys simoni</i>	Perkins 1980
Nephthys sp SD1	Rowe 1994 §

<i>Nephrys squamosa</i>	Ehlers 1887
<i>Nephys</i> sp SD3	Rowe 2004 §
<i>Nephys</i> sp SD2	Rowe 1997 §
Family Phyllodocidae	
Subfamily Eteoninae	
<i>Eteone aestuarina</i>	Hartmann-Schröder 1959
<i>Eteone brigitteae</i>	Blake 1992
<i>Eteone fauchaldi</i>	of Hyland & Neff 1988 in part not Kravitz & Jones 1979
<i>Eteone californica</i>	Hartman 1936
<i>Eteone dilatae</i>	Hartman 1936
<i>Eteone fauchaldi</i>	Kravitz & Jones 1979
<i>Eteone leptotes</i>	Blake 1992
<i>Eteone</i> sp E	Hyland & Neff 1988 §
<i>Eteone lighti</i>	Hartman 1936
<i>Eteone pacifica</i>	Hartman 1936
<i>Eteone pigmentata</i>	Blake 1992
<i>Eteone</i> sp A	Harris 1985 §
<i>Eteone</i> sp C	Hyland & Neff 1988 §
<i>Eteone spilotus</i>	Kravitz & Jones 1979
<i>Eulalia californiensis</i>	(Hartman 1936)
<i>Steggoa californiensis</i>	Hartman 1936
<i>Eulalia bilineata</i>	of Blake 1994 not Johnston 1840
<i>Eulalia gracilior</i>	(Chamberlin 1919)
<i>Steggoa gracilior</i>	Chamberlin 1919
<i>Eulalia levicornuta</i> Cmplx	
<i>Eulalia quadrioculata</i>	Moore 1906
<i>Eumida longicornuta</i>	(Moore 1906)
<i>Eulalia longicornuta</i>	Moore 1906
<i>Eumida</i> sp 2	Hamilton 1976 §
<i>Eumida tubiformis</i>	Moore 1909
<i>Hesionura coineaui difficilis</i>	(Banse 1963)
<i>Eteonides coineaui difficilis</i>	Banse 1963
<i>Mystides caeca</i>	Langerhans 1880
<i>Protomystides</i> sp	
<i>Pterocirrus burtoni</i>	Pleijel et al 2012
<i>Pterocirrus californiensis</i>	(Chamberlin 1919)
 <i>Pterocirrus montereyensis</i>	(Hartman 1936)
<i>Sige montereyensis</i>	Hartman 1936
<i>Eumida</i> sp 5	of Hamilton 1976 §
<i>Pterocirrus</i> sp A	SCAMIT 1995 §
<i>Eumida</i> sp 3	of Hamilton 1976 §
<i>Sige bifoliata</i>	(Moore 1909)
<i>Eulalia</i> (<i>Sige</i>) <i>bifoliata</i>	Moore 1909
<i>Sige bifoliata</i>	of Pleijel 1990, not Hartman 1936
<i>Sige</i> sp A	SCAMIT 1995 §
<i>Eumida</i> sp 1	Hamilton 1976 §
<i>Sige</i> sp B	SCAMIT 1995 §
<i>Eulalia</i> sp 4	Hamilton 1976 §
Subfamily Lugiinae	
<i>Lugia uschakovi</i>	Blake 1992
Subfamily Notophyllinae	
<i>Clavadoce</i> sp	
<i>Nereiphylla ferruginea</i> Cmplx	
<i>Phyllodoce</i> (<i>Genetylialis</i>) <i>castanea</i>	of Berkeley & Berkeley 1948 not (Marenzeller 1879)
Subfamily Phyllodociniae	
<i>Paranaitis polynoides</i>	(Moore 1909)
<i>Anaitis polynoides</i>	Moore 1909
<i>Phyllodoce</i> (<i>Paranaitis</i>) <i>polynoides</i>	of Berkeley & Berkeley 1948
<i>Paranaitis</i> sp SD1	Velarde 1998 §
<i>Phyllodoce cuspidata</i>	McCammon & Montagne 1979
<i>Phyllodoce</i> (<i>Anaitides</i>) <i>cuspidata</i>	McCammon & Montagne 1979
<i>Phyllodoce groenlandica</i>	Ørsted 1843
<i>Anaitides groenlandica</i>	of Bergström 1914
<i>Phyllodoce</i> (<i>Anaitides</i>) <i>groenlandica</i>	of Uschakov 1972
<i>Phyllodoce hartmanae</i>	Blake & Walton 1977
<i>Anaitides hartmanae</i>	of Kravits & Jones 1979
<i>Phyllodoce</i> (<i>Aponaitides</i>) <i>hartmanae</i>	of McCammon & Montagne 1979
<i>Phyllodoce longipes</i>	Kinberg 1866
<i>Anaitides longipes</i>	of Hartman 1968

<i>Phyllodoce</i> (<i>Anaitides</i>) <i>papillosa</i>	of McCammon & Montagne 1979 not Uschakov & Wu 1959
<i>Phyllodoce</i> <i>papillosa</i>	of Hyland & Neff 1988 not Uschakov & Wu 1959
<i>Phyllodoce medipapillata</i>	Moore 1909
<i>Anaitides medipapillata</i>	of Hartman 1968
<i>Phyllodoce</i> (<i>Anaitides</i>) <i>medipapillata</i>	of McCammon & Montagne 1979
<i>Phyllodoce pettiboneae</i>	Blake 1988
<i>Phyllodoce</i> sp A	Montagne 1985 §
<i>Phyllodoce williamsi</i>	(Hartman 1936)
<i>Anaitides williamsi</i>	Hartman 1936
Family Sphaerodoridae	
<i>Ephesiella brevicapitis</i>	(Moore 1909)
<i>Sphaerodorum brevicapitis</i>	Moore 1909
<i>Sphaerephesia longisetis</i>	Fauchald 1972
<i>Sphaerephesia similisetis</i>	Fauchald 1972
<i>Sphaerodorum biserialis</i>	of authors NEP not (Berkeley & Berkeley 1944)
<i>Sphaerodoropsis biserialis</i>	of authors NEP not (Berkeley & Berkeley 1944)
<i>Sphaerodorum</i> sp A	SCAMIT 1996 §
<i>Clavodorum clavatum</i>	of authors NEP not Fauchald 1972
<i>Sphaerodoropsis biserialis</i>	(Berkeley & Berkeley 1942)
<i>Sphaerodorum biserialis</i>	Berkeley & Berkeley 1942
<i>Sphaerodoropsis minuta</i>	(Webster & Benedict 1887)
<i>Ephesia minuta</i>	Webster & Benedict 1887
<i>Sphaerodorum minutum</i>	of Hartrman 1968
<i>Sphaerodorum minutum</i>	of Hartman 1959
<i>Sphaerodoropsis sphaerulifer</i>	(Moore 1909)
<i>Sphaerodorum sphaerulifer</i>	Moore 1909
<i>Sphaerodorum papillifer</i>	Moore 1909
Suborder Amphynomida	
Family Amphinomidae	
<i>Chloelia pinnata</i>	Moore 1911
<i>Pareurythoe californica</i>	(Johnson 1897)
<i>Eurythoe californica</i>	Johnson 1897
Family Euphrasinidae	
<i>Euphrasine arctia</i>	Johnson 1897
<i>Euphrasyne arctia</i>	Johnson 1897
<i>Euphrasine calypta</i>	Essenberg 1917
Suborder Eunicida	
Family Dorvilleidae	
<i>Dorvillea</i> (<i>Dorvillea</i>) sp	
<i>Dorvillea</i> (<i>Schistomerings</i>) <i>annulata</i>	(Moore 1906)
<i>Stauronereis annulatus</i>	Moore 1906
<i>Dorvillea annulata</i>	of Fauchald 1970
<i>Schistomerings longicornis</i>	of Lissner et al 1986 in part not (Ehlers 1901)
<i>Schistomerings nr annulata</i>	of Lissner et al 1986
<i>Stauronereis rudolphi</i>	of Pettibone 1963 in part not (delle Chiaje 1828)
<i>Dorvillea</i> (<i>Schistomerings</i>) <i>longicornis</i>	(Ehlers 1901)
<i>Stauronereis longicornis</i>	Ehlers 1901
<i>Dorvillea articulata</i>	of Hartman 1968
<i>Dorvillea atlantica</i>	of Hartman 1968 not (McIntosh 1885)
<i>Dorvillea rudolphi</i>	of Fauchald 1970 in part not (delle Chiaje 1828)
<i>Schistomerings longicornis</i>	of Jumars 1974
<i>Stauronereis articulatus</i>	Hartman 1938
<i>Stauronereis rudolphi</i>	of Pettibone 1963 in part not (delle Chiaje 1828)
<i>Ophryotrocha</i> sp A	SCAMIT 1987 §
<i>Ophryotrocha</i> sp B	SCAMIT 1987 §
<i>Ophryotrocha</i> sp C	SCAMIT 1987 §
<i>Parougia caeca</i>	(Webster & Benedict 1884)
<i>Staurocephalus caecus</i>	Webster & Benedict 1884
<i>Dorvillea caeca</i>	of Banse & Hobson 1968
<i>Pettiboneia sanmatiensis</i>	Orensanz 1968
<i>Protodorvillea gracilis</i>	(Hartman 1938)
<i>Stauronereis gracilis</i>	Hartman 1938
<i>Dorvillea gracilis</i>	of Hartman 1959
<i>Protodorvillea kefersteini</i>	of authors NEP not (McIntosh 1869)
<i>Protodorvillea recuperata</i>	Banse & Nicols 1968
Family Eunicidae	
<i>Eunice americana</i>	Hartman 1944
<i>Eunice antennata</i>	(Savigny in Lamarck 1818)
<i>Leodice antennata</i>	Savigny in Lamarck 1818
<i>Eunice biannulata</i>	Moore 1904

<i>Eunice multicylindri</i>	Shisko 1981
<i>Eunice multipectinata</i>	Moore 1911
<i>Lysidice</i> sp	
<i>Marphysa angelensis</i>	Fauchald 1970
<i>Marphysa conferta</i>	Moore 1911
<i>Marphysa disjuncta</i>	Hartman 1961
<i>Marphysa belli oculata</i>	of authors SCB, not Treadwell 1921
<i>Marphysa</i> sp A	Harris & Velarde 1983 §
<i>Marphysa mortensenii</i>	Monroe 1928
<i>Marphysa sanguinea</i>	(Montagu 1815)
<i>Nereis sanguinea</i>	Montagu 1815
<i>Marphysa stylobranchiata</i>	Moore 1909
<i>Marphysa</i> sp B	SCAMIT 1999 §
<i>Palola palolooides</i>	(Moore 1909)
<i>Eunice (Eriphyle) palolooides</i>	Moore 1909
Family Lumbrineridae	
<i>Cenogenus fusca</i>	(Moore 1911)
<i>Ninoe fusca</i>	Moore 1911
<i>Paraninoe fusca</i>	(Moore 1911)
<i>Eranno bicirrata</i>	(Treadwell 1922)
<i>Lumbrineris bicirrata</i>	Treadwell 1922
<i>Eranno lagunae</i>	(Fauchald 1970)
<i>Lumbrineris lagunae</i>	Fauchald 1970
<i>Lumbrineris bifilaris</i>	of Hartman 1944 not Ehlers 1901
<i>Lumbricaulus harrisiae</i>	Carrera-Parra 2004
<i>Lumbrinerides platypygos</i>	(Fauchald 1970)
<i>Lumbrineris platypygos</i>	Fauchald 1970
<i>Lumbrineris acuta</i>	of Hartman 1968 not (Verrill 1875)
<i>Lumbrineriopsis</i> sp SD1	Rowe 2002 §
<i>Lumbrineris cruzensis</i>	Hartman 1944
<i>Lumbriconereis cruzensis</i>	of Uschakov & Wu 1965
<i>Lumbrineris crucensis</i>	of Rioja 1962
<i>Lumbrineris index</i>	Moore 1911
<i>Lumbrineris japonica</i> index	Moore 1911
<i>Lumbrineris inflata</i>	Moore 1911
<i>Lumbrineris japonica</i>	(Marenzeller 1879)
<i>Lumbriconereis japonica</i>	Marenzeller 1879
<i>Lumbiconereis latreilli</i>	of Uschakov & Wu 1962 not Audouin & H. Milne Edwards 1834
<i>Lumbrineris latreilli japonica</i>	of Hartman 1944
<i>Lumbrineris latreilli</i>	Audouin & H. Milne Edwards 1834
<i>Lumbriconereis latreilli</i>	of Fauvel 1923
<i>Lumbrineris ligulata</i>	Berkeley & Berkeley 1941
<i>Lumbrineris californiensis</i>	Hartman 1944
<i>Lumbrineris limicola</i>	Hartman 1944
<i>Lumbrineris</i> sp E	SCAMIT 2001 §
<i>Ninoe palmata</i>	Moore 1923
<i>Ninoe tridentata</i>	Hilbig 1995
<i>Ninoe</i> sp A	Harris 1985 §
<i>Ninoe gemma</i>	of authors SCB
<i>Scoletoma bassi</i>	(Hartman 1944)
<i>Lumbrineris bassi</i>	Hartman 1944
<i>Scoletoma erecta</i>	(Moore 1904)
<i>Lumbriconereis erecta</i>	Moore 1904
<i>Lumbrineris erecta</i>	(Moore 1904)
<i>Scoletoma tetraura</i> Cmplx	of authors SCB not (Berkeley & Berkeley 1945)
<i>Scoletoma luti</i>	of authors SCB not (Schmarda 1861)
<i>Scoletoma tetraura</i>	(Johnson 1901)
<i>Scoletoma zonata</i>	Johnson 1901
<i>Lumbriconereis zonata</i>	of authors NEP
<i>Lumbrineris zonata</i>	Harris 1985 §
<i>Scoletoma</i> sp A	Harris 1985 §
<i>Lumbrineris</i> sp A	Harris 1985 §
<i>Scoletoma</i> sp B	Harris 1985 §
<i>Lumbrineris</i> sp B	Harris 1985 §
<i>Scoletoma</i> sp C	Harris 1985 §
<i>Lumbrineris</i> sp C	Harris 1985 §
Family Oenonidae	
<i>Arabella endonata</i>	Emerson 1974
<i>Arabella iricolor</i>	(Montagu 1804)
<i>Nereis iricolor</i>	Montagu 1804

<i>Arabella opalina</i>	of Webster 1879
<i>Lumbriconereis opalina</i>	Verrill & Smith 1874
<i>Arabella pectinata</i>	Fauchald 1970
<i>Arabella protomutans</i>	Orensanz 1990
<i>Arabella semimaculata</i>	(Moore 1911)
<i>Aracoda semimaculata</i>	Moore 1911
<i>Drilonereis falcata</i>	Moore 1911
<i>Drilonereis filum</i>	(Claparède 1868)
<i>Lumbriconereis filum</i>	Claparède 1868
<i>Drilonereis longa</i>	Webster 1879
<i>Drilonereis mexicana</i>	Fauchald 1970
<i>Drilonereis nuda</i>	of Hartman 1944 in part not Moore 1909
<i>Drilonereis nuda</i>	Moore 1909
<i>Drilonereis sp A</i>	SCAMIT 1998 §
<i>Driloneris longa</i>	of authors SCB in part not Webster 1879
<i>Drilonereis nr longa</i>	of Montagne 1982
<i>Drilonereis sp B</i>	Harris 1985 §
<i>Drilonereis sp LA1</i>	Lovell 2006 §
<i>Notocirrus californiensis</i>	Hartman 1944
Family Onuphidae	
<i>Diopatra ornata</i>	Moore 1911
<i>Onuphis longibranchiata</i>	E. Berkeley 1972
<i>Diopatra splendidissima</i>	Kinberg 1865
<i>Diopatra tridentata</i>	Hartman 1944
<i>Hyalinoecia juvenalis</i>	Moore 1911
<i>Kinbergonuphis paradiopatra</i>	(Hartman 1944)
<i>Nothria stigmatis paradiopatra</i>	Hartman 1944
<i>Kinbergonuphis vexillaria</i>	(Moore 1911)
<i>Onuphis vexillaria</i>	Moore 1911
<i>Mooreonuphis exigua</i>	(Shisko 1981)
<i>Nothria exigua</i>	Shisko 1981
<i>Mooreonuphis litoralis</i>	(Monro 1933)
<i>Onuphis litoralis</i>	Monro 1933
<i>Mooreonuphis nebulosa</i>	(Moore 1911)
<i>Onuphis nebulosa</i>	Moore 1911
<i>Mooreonuphis nr nebulosa</i>	of Steinhauer & Imamura 1990
<i>Mooreonuphis segmentispadix</i>	(Shisko 1981)
<i>Onuphis segmentispadix</i>	Shisko 1981
<i>Mooreonuphis sp B</i>	Harris 1985 §
<i>Mooreonuphis stigmatis</i>	(Treadwell 1922)
<i>Onuphis stigmatis</i>	Treadwell 1922
<i>Nothria stigmatis</i>	of Hartman 1944
<i>Mooreonuphis veleronis</i>	(Fauchald 1980)
<i>Onuphis (Nothria) veleronis</i>	Fauchald 1980
<i>Nothria stigmatus intermedia</i>	Hartman 1944
<i>Mooreonuphis sp LA1</i>	Brantley 1999 §
<i>Mooreonuphis sp SD1</i>	Rowe 1996 §
<i>Nothria occidentalis</i>	Fauchald 1968
<i>Nothria conchylega occidentalis</i>	Fauchald 1968
<i>Paranothria sp A</i>	Steinhauer & Imamura 1990
<i>Onuphis affinis</i>	Hilbig 1995
<i>Onuphis elegans</i>	(Johnson 1901)
<i>Northia elegans</i>	Johnson 1901
<i>Nothria elegans</i>	of Hartman 1968 in part
<i>Onuphis eremita parva</i>	Berkeley & Berkeley 1941
<i>Onuphis geophiliformis</i>	(Moore 1903)
<i>Northia geophiliformis</i>	Moore 1903
<i>Nothria geophiliformis</i>	of Fauchald 1968
<i>Onuphis iridescent</i>	(Johnson 1901)
<i>Northia iridescent</i>	Johnson 1901
<i>Nothria iridescent</i>	of Hartman 1944 in part
<i>Onuphis multiannulata</i>	Shisko 1981
<i>Onuphis pallida</i>	(Moore 1911)
<i>Nothria pallida</i>	Moore 1911
<i>Onuphis sp A</i>	SCAMIT 1992 §
<i>Nothria iridescent</i>	of Hartman 1944 in part
<i>Onuphis sp 1</i>	Pt. Loma 1983 §
<i>Onuphis sp "intermediates"</i>	Hobson 1971
<i>Paradiopatra parva</i>	(Moore 1911)
<i>Onuphis parva</i>	Moore 1911

<i>Sarsonuphis parva</i>	of Fauchald 1982
<i>Rhamphobrachium longisetosum</i>	Berkeley & Berkeley 1938
Family Aberrantidae	
<i>Aberranta</i> sp SD1	Rowe 2002 §
<i>Aberranta</i> sp SD2	Rowe 2004 §
Order Canalipalpata	
Suborder Sabellida	
Family Oweniidae	
<i>Galathowenia oculata</i>	(Zachs 1923)
<i>Myriochele oculata</i>	Zachs 1923
<i>Myriochele heeri</i>	of Berkeley & Berkeley 1942
<i>Galathowenia oculata</i>	of Blake 1980
<i>Galathowenia piltzi</i>	Blake 2000
<i>Galathowenia pygidialis</i>	(Hartman 1960)
<i>Myriochele pygidialis</i>	Hartman 1960
<i>Myriochele gracilis</i>	Hartman 1955
<i>Myriochele olgae</i>	Blake 2000
<i>Myriochele striolata</i>	Blake 2000
<i>Myriochele sp M</i>	SCAMIT 1985 §
<i>Myriowenia californiensis</i>	Hartman 1960
<i>Myriochele gracilis</i>	Hartman 1955 in part
<i>Owenia collaris</i>	Hartman 1955
<i>Owenia fusiformis collaris</i>	Hartman 1955
<i>Owenia collaris</i>	of Hartman 1969
<i>Owenia fusiformis</i>	of authors NEP not delle Chiaje 1841
<i>Owenia johnsoni</i>	Blake 2000
Family Sabellariidae	
Subfamily Sabellariinae	
<i>Idanthyrsus</i> sp	(Moore 1906)
<i>Neosabellaria cementarium</i>	Moore 1906
<i>Sabellaria cementarium</i>	(Fewkes 1889)
<i>Phragmatopoma californica</i>	Fewkes 1889
<i>Sabellaria californica</i>	Hartman 1944
<i>Sabellaria gracilis</i>	Berkeley & Berkeley 1941
<i>Sabellaria spinulosa alcocki</i>	Hartman 1939
<i>Sabellaria spinulosa var</i>	Chamberlain 1919
<i>Sabellaria nanella</i>	
Subfamily Lygdaminae	
<i>Mariansabellaria harrisiae</i>	Kirtley 1994
Family Sabellidae	
Subfamily Sabellinae	
<i>Bispira</i> sp	(Moore 1923)
<i>Chone magna</i>	Moore 1923
<i>Euchone magna</i>	(Bush 1904)
<i>Chone mollis</i>	Bush 1904
<i>Metachone mollis</i>	(Banse 1972)
<i>Dialychone albocincta</i>	Banse 1972
<i>Chone albocincta</i>	(Tovar-Hernandez 2007)
<i>Dialychone trilineata</i>	Tovar-Hernandez 2007
<i>Chone trilineata</i>	Harris 1984 §
<i>Chone sp C</i>	(Banse 1972)
<i>Dialychone veleronis</i>	Banse 1972
<i>Chone veleronis</i>	Hartman 1966
<i>Euchone arenae</i>	Banse 1970
<i>Euchone hancocki</i>	Hartman 1965
<i>Euchone incolor</i>	Reish 1968
<i>Euchone barnardi</i>	of Berkeley & Berkeley 1954 not Langerhans 1884
<i>Euchone rosea</i>	Reish 1965
<i>Euchone trisegmentata</i>	Reish 1959
<i>Euchone limnicola</i>	of Hartman 1966
<i>Euchone limnicola</i>	Langerhans 1884
<i>Euchone rosea</i>	Banse 1972
<i>Euchone velifera</i>	SCAMIT 1986 §
<i>Euchone sp A</i>	Rowe 2004 §
<i>Euchone sp SD1</i>	Rowe 2005 §
<i>Euchone sp SD2</i>	(Ehlers 1905)
<i>Eudistylia cf brevicomata</i>	Ehlers 1905
<i>Sabella (Potamilla) brevicomata</i>	(Johnson 1901)
<i>Eudistylia polymorpha</i>	Johnson 1901
<i>Bispira polymorpha</i>	

<i>Diatydia monterea</i>	Chamberlin 1919
<i>Eudistylia intermedia</i>	Bush 1905
<i>Eudistylia vancouveri</i>	(Kinberg 1867)
<i>Sabellia vancouveri</i>	Kinberg 1867
<i>Eudistyla abbreviata</i>	Bush 1904
<i>Eudistyla plumosa</i>	Bush 1904
<i>Eudistyla tennella</i>	Bush 1904
<i>Fabrisabella</i> sp A	SCAMIT 1986 §
<i>Jasmineira</i> sp B	SCAMIT 1986 §
<i>Laonome</i> sp	
<i>Manayunkia aestuarina</i>	(Bourne 1883)
<i>Haplobranchus aestuarinus</i>	Bourne 1883
<i>Manayunkia speciosa</i>	Leidy 1859
<i>Megalomma circumspectum</i>	(Moore 1923)
<i>Branchiomma circumspectum</i>	Moore 1923
<i>Megalomma coloratum</i>	(Chamberlin 1919)
<i>Potamilla coloratum</i>	Chamberlin 1919
<i>Megalomma pigmentum</i>	Reish 1963
<i>Megalomma splendida</i>	(Moore 1905)
<i>Pseudopotamilla splendida</i>	Moore 1905
<i>Branchiomma burrardum</i>	E. Berkeley 1930
<i>Myxicola</i> sp	
<i>Myxicola infundibulum</i>	of authors SCB not (Renier 1804)
<i>Paradialychone bimaculata</i>	(Banse & Nichols 1968)
<i>Chone bimaculata</i>	Banse & Nichols 1968
<i>Chone duneri</i>	of authors NEP not Malmgren 1867
<i>Paradialychone ecaudata</i>	(Moore 1923)
<i>Jasmineira ecaudata</i>	Moore 1923
<i>Chone ecaudata</i>	(Moore 1923)
<i>Chone minuta</i>	Hartman 1944
<i>Paradialychone eiffelturris</i>	(Tovar-Hernandez 2007)
<i>Chone eiffelturris</i>	Tovar-Hernandez 2007
<i>Chone</i> sp SD1	Pt. Loma 1997 §
<i>Paradialychone harrisiae</i>	Tovar-Hernandez 2009
<i>Chone</i> sp B	Harris 1984 §
<i>Paradialychone paramollis</i>	(Tovar-Hernandez 2007)
<i>Chone paramollis</i>	Tovar-Hernandez 2007
<i>Chone mollis</i>	of authors SCB in part not (Bush 1904)
<i>Parasabella pallida</i>	Moore 1923
<i>Demonax medius</i>	of Hartman 1969 in part not Bush 1904
<i>Demonax pallidus</i>	of authors SCB
<i>Parasabella</i> nr <i>rugosa</i>	(Moore 1904)
<i>Parasabella</i> sp 1	Fitzhugh 1993 §
<i>Demonax</i> sp 1	Fitzhugh 1993 §
<i>Perkinsiana</i> sp	
<i>Potamethus</i> sp A	SCAMIT 1986 §
<i>Pseudopotamilla occelata</i>	Moore 1905
<i>Pseudopotamilla socialis</i>	Hartman 1944
<i>Pseudopotamilla</i> sp 1	Fitzhugh 1993 §
<i>Schizobranchia insignis</i>	Bush 1904
Family Fabriciidae	
<i>Fabricinuda limnicola</i>	(Hartman 1951)
<i>Fabricia limnicola</i>	Hartman 1951
<i>Fabricinuda pseudopalpa</i>	Fitzhugh 1990
<i>Fabriciola</i> sp	
<i>Novafabricia brunnea</i>	(Hartman 1969)
<i>Fabricia brunnea</i>	Hartman 1969
<i>Novafabricia triangularis</i>	Fitzhugh 1990
<i>Pseudofabriciola californica</i>	Fitzhugh 1991
Family Serpulidae	
Subfamily Serpulinae	
<i>Apomatus timsii</i>	Pixell 1912
<i>Chitinopoma groenlandica</i>	(Mörch 1863)
<i>Hydroides norvegica groenlandica</i>	Mörch 1863
<i>Chitinopoma greenlandica</i>	of Pixell 1912
<i>Crucigera zygophora</i>	(Johnson 1901)
<i>Serpula zygophora</i>	Johnson 1901
<i>Ficopomatus enigmaticus</i>	(Fauvel 1923)
<i>Mercierella enigmatica</i>	Fauvel 1923
<i>Hyalopomatus biformis</i>	(Hartman 1960)

<i>Vermiliopsis biformis</i>	Hartman 1960
<i>Hydroides diramphus</i>	Mörch 1863
<i>Hydroides elegans</i>	(Haswell 1883)
<i>Eupomatus elegans</i>	Haswell 1883
<i>Hydroides gracilis</i>	(Bush 1905)
<i>Eupomatus gracilis</i>	Bush 1905
<i>Hydroides pacificus</i>	Hartman 1969
<i>Placostegus californicus</i>	Hartman 1969
<i>Protula superba</i>	Moore 1909
<i>Protula tubularia</i>	Berkeley & Berkeley 1941
<i>Pseudochitinopoma occidentalis</i>	(Bush 1904)
<i>Hyalopomatopsis occidentalis</i>	Bush 1904
<i>Chitinopoma groenlandica</i>	of authors NEP, not Mörch 1863
<i>Salmacina tribranchiata</i>	(Moore 1923)
<i>Filograna tribranchiata</i>	Moore 1923
<i>Serpula columbiana</i>	Johnson 1901
<i>Spirobranchus spinosus</i>	Moore 1923
<i>Vermiliopsis infundibulum</i>	(Philippi 1844)
<i>Vermilia infundibulum</i>	Philippi 1844
Subfamily Spirorbinae	
<i>Circeis armoricana</i>	Saint-Joseph 1894
<i>Dexiospira brasiliensis</i>	(Grube 1872)
<i>Spirorbis brasiliensis</i>	Grube 1872
<i>Janua (Dexiospira) brasiliensis</i>	(Grube 1872)
<i>Neodexiospira pseudocorrugata</i>	(Bush 1905)
<i>Spirorbis pseudocorrugatus</i>	Bush 1905
<i>Pileolaria (Pileolaria) marginata</i>	Knight-Jones 1978
<i>Protolaeospira eximia</i>	(Bush 1904)
<i>Spirorbis eximus</i>	Bush 1904
<i>Protolaeospira (Protolaeospira) triflabilis</i>	Knight-Jones 1973
<i>Simplaria pseudomilitaris</i>	(Thiriot-Quiévreux 1965)
<i>Spirorbis (Laeospira) pseudomilitaris</i>	Thiriot-Quiévreux 1965
<i>Spirorbis bifurcatus</i>	Knight-Jones 1978
Family Siboglinidae	
<i>Siboglinum veleronis</i>	Hartman 1961
Suborder Terebellida	
Infraorder Cirratuliformia	
Family Acrocirridae	
<i>Acrocirrus frontifilis</i>	(Grube 1860)
<i>Heterocirrus frontifilis</i>	Grube 1860
<i>Macrochaeta sp A</i>	Rowe 1999 §
Family Cirratulidae	
<i>Aphelochaeta elongata</i>	Blake 1996
<i>Aphelochaeta glandaria</i> Cmplx	
<i>Aphelochaeta glandaria</i>	Blake 1996
<i>Aphelochaeta marioni</i>	of authors SCB not Saint Joseph 1894
<i>Aphelochaeta sp A</i>	SCAMIT 1998 §
<i>Aphelochaeta sp C</i>	of authors SCB
<i>Tharyx nr sp C</i>	Dorsey 1984 §
<i>Tharyx sp C</i>	Dorsey 1984 §
<i>Aphelochaeta monilaris</i>	(Hartman 1960)
<i>Tharyx monilaris</i>	Hartman 1960
<i>Tharyx sp G</i>	Dorsey 1984 §
<i>Aphelochaeta petersenae</i>	Blake 1996
<i>Aphelochaeta multifilis Type II</i>	Blake 1993 §
<i>Aphelochaeta phillipsi</i>	Blake 1996
<i>Aphelochaeta tigrina</i>	Blake 1996
<i>Aphelochaeta sp 1</i>	SCAMIT 1995 §
<i>Aphelochaeta williamsae</i>	Blake 1996
<i>Aphelochaeta sp HYP2</i>	Phillips 1994 §
<i>Aphelochaeta sp SD2</i>	Rowe 1997 §
<i>Aphelochaeta sp HYP4</i>	Phillips 2005 §
<i>Aphelochaeta sp LA1</i>	Brantley 1999 §
<i>Aphelochaeta petersenae</i>	of Rowe 1996 § not Blake 1996
<i>Aphelochaeta sp SD5</i>	Rowe 1998 §
<i>Cauilleriella alata</i>	(Southern 1914)
<i>Chaetozone alata</i>	Southern 1914
<i>Cauilleriella apicula</i>	Blake 1996
<i>Cauilleriella hamata</i>	of Hartman 1969 in part not (Hartman 1948)
<i>Cauilleriella cristata</i>	Blake 1996

<i>Caulieriella hamata</i>	(Hartman 1948)
Tharyx hamatus	Hartman 1948
<i>Caulieriella hamata</i>	of Hartman 1969 in part
<i>Caulieriella lajolla</i>	Blake 1996
<i>Caulieriella pacifica</i>	E. Berkeley 1929
<i>Caulieriella viridis</i> var <i>pacifica</i>	E. Berkeley 1929
<i>Caulieriella</i> sp SD2	Rowe 1996 §
<i>Chaetozone acuta</i>	Banse & Hobson 1969
<i>Chaetozone armata</i>	Hartman 1963
<i>Chaetozone bansei</i>	Blake 1996
<i>Chaetozone columbiana</i>	Blake 1996
<i>Chaetozone commonalis</i>	Blake 1996
<i>Chaetozone corona</i>	Berkeley & Berkeley 1941
<i>Chaetozone spinosa</i> <i>corona</i>	Berkeley & Berkeley 1941
<i>Chaetozone hartmanae</i>	Blake 1996
<i>Caulieriella gracilis</i>	Hartman 1969 not (Moore 1923)
<i>Chaetozone gracilis</i>	of Hartman 1961 not (Moore 1923)
<i>Chaetozone hedgpethi</i>	Blake 1996
<i>Chaetozone lunula</i>	Blake 1996
<i>Chaetozone senticosa</i>	Blake 1996
<i>Chaetozone setosa</i> Cmplx	
<i>Chaetozone spinosa</i>	Moore 1903
<i>Chaetozone</i> sp SD2	Rowe 1996 §
<i>Chaetozone</i> sp SD3	Rowe 1997 §
<i>Chaetozone</i> sp 2	Lovell & Phillips 1998 §
<i>Cirratulus cirratus</i> Cmplx	
<i>Caulieriella gracilis</i>	of Berkeley & Berkeley 1952 not (Moore 1923)
<i>Chaetozone berkeleyorum</i>	Banse & Hobson 1968
<i>Cirratulus cirratus</i>	of Hartman 1969 not (O. F. Müller 1776)
<i>Cirratulus dillonensis</i>	Blake 1996
<i>Cirriformia dillonensis</i>	SCAMIT Ed 6
<i>Cirratulus multioculatus</i>	(Hartman 1961)
<i>Chaetozone multioculata</i>	Hartman 1961
<i>Cirratulus spectabilis</i>	(Kinberg 1866)
<i>Promenia spectabilis</i>	Kinberg 1866
<i>Cirratulus berkeleyorum</i>	of Banse & Hobson 1968
<i>Cirratulus cirratulus</i>	of Berkeley & Berkeley 1950
<i>Cirratulus spectabilis</i>	of Hartman 1948
<i>Cirriformia spectabilis</i>	SCAMIT Ed 6
<i>Cirriformia spirabrancha</i>	(Moore 1904)
<i>Cirratulus spirabranchus</i>	Moore 1904
<i>Cirriformia tentaculata</i>	(Montagu 1808)
<i>Terebella tentaculata</i>	Montagu 1808
<i>Cirriformia</i> sp B	Harris 1999 §
<i>Cirriformia</i> sp LA1	Brantley 1999 §
<i>Cirriformia</i> sp SD1	Rowe 1997 §
<i>Cirriformia</i> sp SD2	Rowe 1998 §
<i>Cirriformia</i> sp SD3	Rowe 2005 §
<i>Dodecaceria concharum</i>	Ørsted 1843
<i>Dodecaceria fewkesi</i>	Berkeley & Berkeley 1954
<i>Monticellina cryptica</i>	Blake 1996
<i>Monticellina dorsobranchialis</i>	of authors not (Kirkegaard 1959)
<i>Monticellina</i> sp A	of authors SCB
Tharyx sp A	Dorsey 1984 §
<i>Monticellina lüticastella</i>	(Jumars 1975)
Tharyx lüticastella	Jumars 1975
<i>Monticellina serratiseta</i>	(Banse & Hobson 1968)
Tharyx serratiseta	Banse & Hobson 1968
Aphelochaeta serratiseta	of Blake 1991
<i>Monticellina siblina</i>	Blake 1996
<i>Monticellina tesselata</i>	of authors NEP not (Hartman 1960)
<i>Monticellina</i> sp HYP2	Phillips 1995 §
Tharyx tesselata	of authors NEP not Hartman 1960
<i>Monticellina tessellata</i>	(Hartman 1960)
Tharyx tessellata	Hartman 1960
<i>Monticellina</i> sp HYP1	Phillips 1995 §
<i>Monticellina</i> sp 1	Lovell & Phillips 1995 §
<i>Protocirrineris socialis</i>	Blake 1996
<i>Protocirrineris</i> sp A	SCAMIT 1995 §
<i>Protocirrineris</i> sp 1	Phillips 1995 §

<i>Protocirrineris</i> sp B	SCAMIT 1995 §
<i>Protocirrineris</i> sp 2	Phillips 1995 §
<i>Timarete luxuriosa</i>	(Moore 1904)
<i>Cirratulus luxuriosus</i>	Moore 1904
<i>Cirriformia luxuriosa</i>	of Hartman 1969
Family Ctenodrilidae	
<i>Ctenodrilus serratus</i>	(Schmidt 1857)
<i>Parthenope serrata</i>	Schmidt 1857
<i>Raricirrus maculatus</i>	Hartman 1961
Family Fauveliopsidae	
<i>Fauveliopsis armata</i>	Fauchald & Hancock 1981
<i>Fauveliopsis glabra</i>	(Hartman 1960)
<i>Brada glabra</i>	Hartman 1960
<i>Fauveliopsis magna</i>	Fauchald & Hancock 1981
<i>Fauveliopsis</i> sp SD1	Langan 2000 §
Family Flabelligeridae	
<i>Brada pilosa</i>	Moore 1906
<i>Brada villosa</i>	of authors SBC, not (Rathke 1843)
<i>Brada pluribranchiata</i>	(Moore 1923)
<i>Stylaroides pluribranchiata</i>	Moore 1923
<i>Diplocirrus</i> sp SD1	Rowe 1998 §
<i>Flabelliderma ockeri</i>	Salazar-Vallejo 2007
<i>Flabelliderma papillosa</i>	(Essenberg 1922)
<i>Stylaroides papillosa</i>	Essenberg 1922
<i>Flabelligera essenbergae</i> Hartman 1961	Hartman 1961
<i>Flabelligera essenbergae</i>	Light 1978
<i>Flabelligera papillosa</i>	of Salazar-Vallejo 2007
<i>Flabelligera infundibularis</i>	Johnson 1901
<i>Flabesymbios commensalis</i>	(Moore 1909)
<i>Flabelligera commensalis</i>	Moore 1909
<i>Flabelliderma commensalis</i>	of Hartman 1969
<i>Pherusa negligens</i>	(Berkeley & Berkeley 1950)
<i>Stylarioides negligens</i>	Berkeley & Berkeley 1950
<i>Pherusa</i> of <i>negligens</i>	Rowe 1996 §
<i>Pherusa neopapillata</i>	Hartman 1961
<i>Pherusa papillata</i>	(Johnson 1901)
<i>Trophonia papillata</i>	Johnson 1901
<i>Piromis capulata</i>	(Moore 1909)
<i>Trophonia capulata</i>	Moore 1909
<i>Pherusa capulata</i>	(Moore 1909)
<i>Semiodera inflata</i>	(Treadwell 1914)
<i>Trophonia inflata</i>	Treadwell 1914
<i>Pherusa inflata</i>	of authors NEP
<i>Trophoniella harrisae</i>	Salazar-Vallejo 2012
<i>Piromis</i> sp A	Harris 1985 §
<i>Trophoniella hospitis</i>	(Fauchald 1972)
<i>Piromis hospitis</i>	Fauchald 1972
Family Sternaspidae	
<i>Sternaspis affinis</i>	Stimpson 1864
<i>Sternaspis fessor</i>	of authors NEP
Infraorder Terebelliformia	
Family Ampharetidae	
Subfamily Ampharetinae	
<i>Amage anops</i>	(Johnson 1901)
<i>Sabellides anops</i>	Johnson 1901
<i>Ampharete acutifrons</i>	(Grube 1860)
<i>Amphicteis acutifrons</i>	Grube 1860
<i>Ampharete cirrata</i>	Webster & Benedict 1887
<i>Ampharete grubei</i>	Malmgren 1866
<i>Ampharete finmarchica</i>	(M. Sars 1864)
<i>Amphicteis finmarchica</i>	M. Sars 1864
<i>Ampharete arctica</i>	Malmgren 1866
<i>Ampharete goesi</i>	Malmgren 1866
<i>Ampharete labrops</i>	Hartman 1961
<i>Ampharetidae</i> sp SD1	Pt. Loma 1999 §
<i>Ampharetidae</i> sp 1	Pt. Loma 1994 §
<i>Amphicteis glabra</i>	Moore 1905
<i>Amphicteis mucronata</i>	Moore 1923
<i>Amphicteis scaphobranchiata</i>	Moore 1906
<i>Anobothrus gracilis</i>	(Malmgren 1866)

<i>Ampharete gracilis</i>	Malmgren 1866
<i>Ampharete gagarae</i>	of Banse & Hobson 1968 not Ushakov 1955
<i>Sosane sulcata nidrosiensis</i>	Bidenkap 1907
<i>Asabellides lineata</i>	(Berkeley & Berkeley 1943)
<i>Pseudosabellides lineata</i>	Berkeley & Berkeley 1943
<i>Ectyssipe trilobata</i>	(Hartman 1969)
<i>Anbrothrus trilobatus</i>	Hartman 1969
<i>Glyphanostomum pallescens</i>	(Théel 1879)
<i>Samytha pallescens</i>	Théel 1879
<i>Lysippe mexicana</i>	Fauchald 1972
<i>Lysippe</i> sp A	Williams 1984 §
<i>Lysippe labiata</i>	of authors SCB not Malmgren 1866
<i>Lysippe</i> sp B	Williams 1985 §
<i>Lysippe labiata</i>	of Hilbig 2000 in part not Malmgren 1866
<i>Mexamage longibranchiata</i>	(Hartman 1960)
<i>Amage longibranchiata</i>	Hartman 1960
<i>Mexamage corrugata</i>	Hilbig 2000
<i>Mooresamytha bioculata</i>	(Moore 1906)
<i>Samytha bioculata</i>	Moore 1906
<i>Amphisamytha bioculata</i>	of Hartman 1969
<i>Paralysippe annectens</i>	(Moore 1923)
<i>Lysippe annectens</i>	Moore 1923
<i>Paramage scutata</i>	(Moore 1923)
<i>Amage scutata</i>	Moore 1923
<i>Sabellides manriquei</i>	Salazar-Vallejo 1996
<i>Sabellides</i> sp 1	of Pt. Loma 1991 §
<i>Samytha californiensis</i>	Hartman 1969
<i>Schistocomus hiltoni</i>	Chamberlin 1919
<i>Schistocomus</i> sp A	SCAMIT 1987 §
<i>Schistocomus hiltoni</i>	of Hartman 1969 in part not Chamberlin 1919
<i>Sosane occidentalis</i>	(Hartman 1969)
<i>Anobothrus occidentalis</i>	Hartman 1969
<i>Sosanopsis</i> sp A	SCAMIT 1996 §
<i>Sosanopsis</i> sp A	Phillips 1987 §
Subfamily Melininae	
<i>Melinna heterodonta</i>	Moore 1923
<i>Melinna cristata heterodonta</i>	Moore 1923
<i>Melinna oculata</i>	Hartman 1969
Family Pectinariidae	
<i>Pectinaria californiensis</i>	Hartman 1941
<i>Pectinaria granulata</i>	(Linnaeus 1767)
<i>Sabella granulata</i>	Linnaeus 1767
Family Terebellidae	
Subfamily Polycirrinae	
<i>Amaea occidentalis</i>	(Hartman 1944)
<i>Amaea occidentalis</i>	Hartman 1944
<i>Lysilla</i> sp SD1	Barwick 2006 §
<i>Polycirrus californicus</i>	Moore 1909
<i>Polycirrus caliendrum</i>	of Berkeley & Berkeley 1952 in part not Claparède 1868
<i>Polycirrus perplexus</i>	Moore 1923
<i>Polycirrus californicus</i>	of authors SCB in part not Moore 1909
<i>Polycirrus</i> sp I	Banse 1980
<i>Polycirrus</i> sp III	Banse 1980
<i>Polycirrus</i> sp V	Banse 1980
<i>Polycirrus</i> sp A	SCAMIT 1995 §
<i>Polycirrus</i> sp OC1	Phillips & Lovell 1999 §
<i>Polycirrus</i> sp SD3	Barwick 2004 §
Subfamily Terebellinae	
<i>Amphitrite robusta</i>	Johnson 1901
<i>Neoamphitrite robusta</i>	(Johnson 1901)
<i>Artacama conifera</i>	Moore 1905
<i>Eupolymnia heterobranchia</i>	(Johnson 1901)
<i>Lanice heterobranchia</i>	Johnson 1901
<i>Lanassa gracilis</i>	(Moore 1923)
<i>Leaena gracilis</i>	Moore 1923
<i>Lanassa venusta venusta</i>	(Malm 1874)
<i>Laphaniella venusta</i>	Malm 1874
<i>Lanice conchilega</i>	(Pallas 1776)
<i>Nereis conchilega</i>	Pallas 1776
<i>Laphania</i> sp	

<i>Loimia</i> sp A	SCAMIT 2001 §
<i>Loimia medusa</i>	of authors NEP not (Savigny 1818)
<i>Neoleprea californica</i>	(Moore 1904)
<i>Terebella californica</i>	Moore 1904
<i>Neoleprea japonica</i>	Hessle 1917
<i>Neoleprea spiralis</i>	(Johnson 1901)
<i>Amphitrite spiralis</i>	Johnson 1901
<i>Nicolea</i> sp A	Harris 1985 §
<i>Phisidia sanctaemariae</i>	Hilbig 2000
<i>Lanassa</i> sp D	Harris 1992 §
<i>Pista agassizi</i>	Hilbig 2000
<i>Pista brevibranchia</i>	Chamberlin 1919
<i>Pista alata</i>	Moore 1909
<i>Pista brevibranchiata</i>	Moore 1923
<i>Pista agassizi</i>	of authors SCB not Hilbig 2000
<i>Pista alata</i>	of authors SCB in part not Moore 1909
<i>Pista percyi</i>	Hilbig 2000
<i>Pista elongata</i>	Moore 1909
<i>Pista maculata</i>	Marenzeller 1884
<i>Pista marenzelleri</i>	Hessle 1917
<i>Pista estevanica</i>	Berkeley & Berkeley 1942
<i>Pista bansei</i>	Saphronova 1988
<i>Pista</i> sp B	SCAMIT 1985 §
<i>Pista moorei</i>	Berkeley & Berkeley 1942
<i>Pista cf pacifica</i>	Berkeley & Berkeley 1942
<i>Pista wui</i>	Saphronova 1988
<i>Pista disjuncta</i>	of authors SCB not Moore 1923
<i>Pista fasciata</i>	of authors SCB not (Grube 1870)
<i>Pista</i> sp C	Williams 1985 §
<i>Proclea</i> sp A	Harris 1992 §
<i>Ramex californica</i>	Hartman 1944
<i>Scionella japonica</i>	Moore 1903
<i>Scionides dux</i>	Chamberlin 1919
<i>Spinosphaera harrisae</i>	Londono-Mesa 2003
<i>Spinosphaera</i> sp SD1	Rowe 1997 §
<i>Spinosphaera oculata</i>	Hartman 1944
Subfamily Thelepodinae	
<i>Streblosoma crassibranchia</i>	Treadwell 1914
<i>Streblosoma pacifica</i>	Hilbig 2000
<i>Streblosoma</i> sp A	Williams 1985 §
<i>Streblosoma uncinatus</i>	Kudenov 1975
<i>Streblosoma</i> sp B	SCAMIT 1985 §
<i>Streblosoma</i> sp C	SCAMIT 2012 §
<i>Streblosoma</i> sp LA1	Parker 1999 §
<i>Streblosoma</i> sp SD1	Barwick 2000 §
<i>Streblosoma</i> sp 1	Lovell & Phillips 1998 §
<i>Streblosoma</i> sp SF1	Norris 2002 §
<i>Thelepus crispus</i>	Johnson 1901
<i>Thelepus hamatus</i>	Moore 1905
<i>Thelepus setosus</i>	(Quatrefages 1865)
<i>Phenacia setosus</i>	Quatrefages 1865
<i>Streblosoma verrilli</i>	Treadwell 1911
Family Trichobranchidae	
<i>Artacamella hancocki</i>	Hartman 1955
<i>Octobranchus</i> sp A	Blake 2000
<i>Terebellides californica</i>	Williams 1984
<i>Terebellides reishi</i>	Williams 1984
<i>Terebellides</i> sp Type C	Williams 1984
<i>Terebellides</i> sp Type D	Williams 1984
<i>Trichobranchidae</i> sp LA1	Brantley 2004 §
<i>Trichobranchus</i> sp	
Suborder Spionida	
Family Apistobranchidae	
<i>Apistobranchus ornatus</i>	Hartman 1965
Family Chaetopteridae	
<i>Chaetopterus variopedatus</i> Cmplx	
<i>Mesochaetopterus</i> sp	
<i>Phyllochaetopterus limiculus</i>	Hartman 1960
<i>Phyllochaetopterus prolifica</i>	Potts 1914
<i>Spiochaetopterus costarum</i> Cmplx	

<i>Spiochaetopterus costarum</i>	of authors NEP not (Claparède 1870)
<i>Leptochaetopterus pottsi</i>	E. Berkeley 1927
<i>Spiochaetopterus costarum pottsi</i>	of Gitay 1969
Family Longosomatidae	
<i>Heterospio catalinensis</i>	(Hartman 1944)
<i>Longosoma catalinensis</i>	Hartman 1944
Family Magelonidae	
<i>Magelona berkeleyi</i>	Jones 1971
<i>Magelona hartmanae</i>	Jones 1978
<i>Magelona hobsonae</i>	Jones 1978
<i>Magelona longicornis</i>	Johnson 1901
<i>Magelona pacifica</i>	Monro 1933
<i>Magelona pitelkai</i>	Hartman 1944
<i>Magelona riojai</i>	Jones 1963
<i>Magelona sacculata</i>	Hartman 1961
<i>Magelona sp A</i>	SCAMIT 1993 §
<i>Magelona sp B</i>	Harris & Rowe 2003 §
<i>Magelona sp SD10</i>	Rowe 1996 §
Family Poecilochaetidae	
<i>Poecilochaetus johnsoni</i>	Hartman 1939
<i>Poecilochaetus martini</i>	Brantley 2009
<i>Poecilochaetus sp A</i>	SCAMIT 2003 §
<i>Poecilochaetus sp A</i>	Martin 1977 §
<i>Poecilochaetus sp A</i>	of Lissner <i>et al</i> 1986 not Blake 1996
<i>Poecilochaetus johnsoni</i>	of Blake 1996 in part not Hartman 1939
Family Spionidae	
<i>Aonides sp SD1</i>	Langan 2002 §
<i>Aonides glandulosa</i>	of authors SCB not Blake 1996
<i>Apoprionospio pygmaea</i>	(Hartman 1961)
<i>Prionospio pygmæus</i>	Hartman 1961
<i>Prionospio pygmaea</i>	of Blake & Kudenov 1978
<i>Boccardia basilaria</i>	Hartman 1961
<i>Boccardia columbiana</i>	Berkeley 1927
<i>Boccardia proboscidea</i>	Hartman 1940
<i>Boccardia pugettensis</i>	Blake 1979
<i>Boccardia natrix</i>	of Berkeley & Berkeley 1936 not Söderström 1920
<i>Boccardiella hamata</i>	(Webster 1879)
<i>Polydora hamata</i>	Webster 1879
<i>Boccardia uncata</i>	E. Berkeley 1927
<i>Carazziella sp A</i>	SCAMIT 1995 §
<i>Carazziella calafia</i>	of authors SCB not Blake 1979
<i>Carazziella citrona</i>	of authors SCB not Hartman 1941
<i>Dipolydora akaina</i>	Blake 1996
<i>Dipolydora armata</i>	(Langerhans 1880)
<i>Polydora armata</i>	Langerhans 1880
<i>Polydora monilaris</i>	Ehlers 1905
<i>Dipolydora cf armata</i>	SCAMIT 1983 §
<i>Dipolydora barbilla</i>	(Blake 1980)
<i>Polydora barbilla</i>	Blake 1980
<i>Dipolydora bidentata</i>	(Zachs 1933)
<i>Polydora flava bidentata</i>	Zachs 1933
<i>Polydora convexa</i>	Blake & Woodwick 1971
<i>Dipolydora bifurcata</i>	(Blake 1981)
<i>Polydora bifurcata</i>	Blake 1981
<i>Dipolydora caulleryi</i>	(Mesnil 1897)
<i>Polydora caulleryi</i>	Mesnil 1897
<i>Polydora brachycephala</i>	Hartman 1936
<i>Dipolydora commensalis</i>	(Andrews 1891)
<i>Polydora commensalis</i>	Andrews 1891
<i>Dipolydora elegantissima</i>	(Blake & Woodwick 1972)
<i>Polydora elegantissima</i>	Blake & Woodwick 1972
<i>Dipolydora giardi</i>	(Mesnil 1896)
<i>Polydora giardi</i>	Mesnil 1896
<i>Polydora anoculata</i>	Moore 1907
<i>Dipolydora socialis</i>	(Schmarda 1861)
<i>Leucodore socialis</i>	Schmarda 1861
<i>Polydora caeca</i>	of Berkeley & Berkeley 1936 not Ørsted 1843
<i>Polydora caeca var magna</i>	E. Berkeley 1927
<i>Polydora carunculata</i>	Radashevsky 1993
<i>Polydora magna</i>	of Berkeley & Berkeley 1936

<i>Polydora neocardalia</i>	Hartman 1961
<i>Polydora plena</i>	of Foster 1971
<i>Polydora socialis</i>	of Hartman 1941
<i>Polydora socialis plena</i>	Berkeley & Berkeley 1936
<i>Dispio uncinata</i>	Hartman 1951
<i>Laonice cirrata</i>	(M. Sars 1851)
<i>Nerine cirrata</i>	M. Sars 1851
<i>Laonice nuchala</i>	Blake 1996
<i>Laonice appelloefi</i>	of authors NEP not Söderström 1920
<i>Malacoceros indicus</i>	(Fauvel 1928)
<i>Scolelepis indica</i>	Fauvel 1928
<i>Malacoceros punctata</i>	(Hartman 1961)
<i>Spio punctata</i>	Hartman 1961
<i>Microspio microcera</i>	(Dorsey 1977)
<i>Rhynchospio microcera</i>	Dorsey 1977
<i>Microspio pigmentata</i>	(Reish 1959)
<i>Spiophanes pigmentata</i>	Reish 1959
<i>Nerinides pigmentata</i>	of Hartman 1961
<i>Spio (Microspio) pigmentata</i>	of Foster 1971
<i>Paraprionospio alata</i>	(Moore 1923)
<i>Prionospio alata</i>	Moore 1923
<i>Paraprionospio pinnata</i>	of authors NEP not (Ehlers 1901)
<i>Polydora bioccipitalis</i>	Blake & Woodwick 1972
<i>Polydora cirrosa</i>	Rioja 1943
<i>Polydora concharum</i>	Verrill 1880
<i>Polydora cornuta</i>	Bosc 1802
<i>Polydora amarincola</i>	Hartman 1936
<i>Polydora ciliatum</i>	of A. Agassiz 1867 not Johnston 1838
<i>Polydora ligni</i>	Webster 1879
<i>Polydora littorea</i>	Verrill 1881
<i>Polydora heterochaeta</i>	Rioja 1939
<i>Polydora cf hoplura</i>	Claparède 1869
<i>Polydora limicola</i>	Annenkova 1934
<i>Polydora ciliata limicola</i>	Annenkova 1934
<i>Polydora narica</i>	Light 1969
<i>Polydora nuchalis</i>	Woodwick 1953
<i>Polydora pygidialis</i>	Blake & Woodwick 1972
<i>Polydora spongicola</i>	Berkeley & Berkeley 1950
<i>Polydora websteri</i>	Hartman 1943
<i>Prionospio (Minusprio) lighti</i>	Maciolek 1985
<i>Minusprio sp A</i>	Harris 1985 § in part
<i>Prionospio (Minusprio) cirrifera</i>	of Light 1977 not Wiren 1883
<i>Prionospio cirrifera</i>	of Jones 1961 not Wiren 1883
<i>Prionospio (Minusprio) multibranchiata</i>	E. Berkeley 1927
<i>Prionospio cirrifera</i>	of Berkeley & Berkeley 1962 in part not Wiren 1883
<i>Prionospio (Prionospio) dubia</i>	Day 1961
<i>Prionospio dubia</i>	of Wilson 1990
<i>Prionospio malmgreni var dubia</i>	Day 1961
<i>Prionospio sp B</i>	SCAMIT 1991 §
<i>Prionospio steenstrupi</i>	of Söderström 1920 not Malmgren 1867
<i>Prionospio (Prionospio) steenstrupi</i>	of Johnson 1984 not Malmgren 1867
<i>Prionospio (Prionospio) ehlersi</i>	Fauvel 1928
<i>Prionospio (Prionospio) lobulata</i>	Fauchald 1972
<i>Prionospio (Prionospio) heterobranchia</i>	Moore 1907
<i>Prionospio heterobranchia newportensis</i>	Reish 1959
<i>Prionospio (Prionospio) jubata</i>	Blake 1996
<i>Prionospio (Prionospio) sp A</i>	of Steinhauer & Imamura 1990
<i>Prionospio malmgreni</i>	of Hartman 1969 not Claparède 1870
<i>Prionospio sp A</i>	SCAMIT 1991 §
<i>Pseudatherospio fauchaldi</i>	Lovell 1994
<i>Pseudopolydora kempfi</i>	(Southern 1921)
<i>Polydora (Carazzzia) kempfi</i>	Southern 1921
<i>Pseudopolydora paucibranchiata</i>	(Okuda 1937)
<i>Polydora paucibranchiata</i>	Okuda 1937
<i>Pygospio californica</i>	Hartman 1936
<i>Pygospio elegans</i>	Claparède 1863
<i>Rhynchospio arenincola</i>	Hartman 1936
<i>Rhynchospio glutaea</i>	of authors NEP not (Ehlers 1901)
<i>Scolelepis (Parascolelepis) texana</i>	Foster 1971
<i>Scolelepis (Parascolelepis) sp SD1</i>	Rowe 1995 §

<i>Scolelepis</i> sp 1	
<i>Scolelepis (Parascolelepis) tridentata</i>	(Southern 1914)
<i>Nerinides tridentata</i>	Southern 1914
<i>Scolelepis (Scolelepis) bullibranchia</i>	Rossi 1982
<i>Scolelepis (Scolelepis) occidentalis</i>	(Hartman 1961)
<i>Nerine foliosa occidentalis</i>	Hartman 1961
<i>Scolelepis (Scolelepis) squamata</i>	(O. F. Müller 1806)
<i>Lumbricus squamatus</i>	O. F. Müller 1806
<i>Lumbricus cirratulus</i>	delle Chiaje 1828
<i>Nerinides acuta</i>	of Hartman 1969
<i>Spiro acuta</i>	Treadwell 1914
<i>Spiro butleri</i>	Berkeley & Berkeley 1954
<i>Spiro filicornis</i>	(O. F. Müller 1766)
<i>Nereis filicornis</i>	O. F. Müller 1766
<i>Spiro macrolekiae</i>	Blake 1996
<i>Spiro sp A</i>	Lovell 1986 §
<i>Spiro maculata</i>	(Hartman 1961)
<i>Nerinides maculata</i>	Hartman 1961
<i>Spiophanes berkeleyorum</i>	Pettibone 1962
<i>Spiophanes cirrata</i>	of E. Berkeley 1927 not M. Sars 1872
<i>Spiophanes japonicum</i>	Imajima 1991
<i>Spiophanes duplex</i>	(Chamberlin 1919)
<i>Morants duplex</i>	Chamberlin 1919
<i>Spiophanes missionensis</i>	Hartman 1941
<i>Spiophanes fimbriata</i>	Moore 1923
<i>Spiophanes kroeyeri</i>	of authors NEP not Grube 1860
<i>Spiophanes kimballi</i>	Meißner 2005
<i>Spiophanes berkeleyorum</i>	of authors NEP in part not Pettibone 1962
<i>Spiophanes fimbriata</i>	of authors NEP in part not Moore 1923
<i>Spiophanes kroeyeri</i>	of authors NEP in part not Grube 1860
<i>Spiophanes norrisi</i>	Meißner & Blank 2009
<i>Spiophanes bombyx</i>	of authors NEP not (Claparède 1870)
<i>Spiophanes wigleyi</i>	Pettibone 1962
<i>Spiophanes cf. wigleyi</i>	SCAMIT 1984
<i>Streblospio benedicti</i>	Webster 1879
Family Trochochaetidae	
<i>Trochochaeta franciscanum</i>	(Hartman 1947)
<i>Disoma franciscanum</i>	Hartman 1947
<i>Trochochaeta multisetosa</i>	of authors NEP not (Ørsted 1844)
Family Polycordiidae	
<i>Polygordius</i> sp SD1	Rowe 2005 §
Suborder Protodrilida	
Family Protodrilidae	
<i>Protodrilus</i> sp	
Family Saccocirridae	
<i>Saccocirrus eroticus</i>	Gray 1969
Class Hirudinea	
Order Pharyngobdellida	
Family Erpobdellidae	
unidentified	
Order Rhynchobdellida	
Family Glossiphoniidae	
unidentified	
Class Oligochaeta	
Order Enchytrachida	
Family Enchytraeidae	
<i>Enchytraeus kincaidi</i>	Eisen 1904
<i>Enchytraeus multiannulatus</i>	Altman 1936
<i>Grania incerta</i>	Coates & Erséus 1980
<i>Lumbricillus lineatus</i>	(O. F. Müller 1774)
<i>Lumbricus lineatus</i>	O. F. Müller 1774
Order Haplotaxida	
Family Tubificidae	
<i>Bathydrilus litoreus</i>	Baker 1983
<i>Bathydrilus parkeri</i>	Erséus 1991
<i>Limnodriloides barnardi</i>	Cook 1974
<i>Limnodriloides winckelmanni</i>	of Jamieson 1977 in part not Michaelsen 1914
<i>Limnodriloides monotheucus</i>	Cook 1974
<i>Olavius tannerensis</i>	Erséus 1991
<i>Tectidrilus diversus</i>	Cook 1974

<i>Tectridrilus probus</i>	Erséus 1991
<i>Tectidrilus profusus</i>	Erséus 1991
<i>Tubificoides bakeri</i>	Brinkhurst 1985
<i>Tubificoides parapectinatus</i>	Brinkhurst 1985
PHYLUM ARTHROPODA	
Subphylum Cheliceriformia	
Class Pycnogonida	
Order Pegmata	
Suborder Eupantopodida	
Superfamily Ascorhynchoidea	
Family Eurycydidae	
<i>Eurycyde spinosa</i>	Hilton 1916
Family Ammotheidae	
<i>Achelia chelata</i>	(Hilton 1939)
Ammothaea chelata	Hilton 1939
<i>Achelia simplissima</i>	(Hilton 1939)
Ammothaea simplicissima	Hilton 1939
<i>Ammothaea hilgendorfi</i>	(Böhm 1879)
Lecythorhynchus hilgendorfi	Böhm 1879
Lecythorhynchus marginatus	Cole 1904
<i>Ammothella menziesi</i>	Hedgpeth 1951
<i>Ammothella setosa</i>	Hilton 1942
Ammothella killix	Dojiri, Cadien, & Phillips 1991
<i>Ammothella spinifera</i>	Cole 1904
<i>Ammothella tuberculata</i>	Cole 1904
<i>Nymphopsis spinosissima</i>	(Hall 1912)
Ammothaea spinosissima	Hall 1912
<i>Prototrygaeus jordanae</i>	Child 1990
Ammothidae genus A sp A	MBC 1982 §
<i>Tanystylum californicum</i>	Hilton 1939
Tanystylum intermedium	of Hedgpeth 1940 not Cole 1904
<i>Tanystylum duospinum</i>	Hilton 1939
<i>Tanystylum intermedium</i>	Cole 1904
<i>Tanystylum nudum</i>	Hilton 1942
<i>Tanystylum occidentalis</i>	(Cole 1904)
Clotenia occidentalis	Cole 1904
Superfamily Nymphonoidea	
Family Callipallenidae	
<i>Anoropallene palpida</i>	(Hilton 1939)
Oropallene palpida	Hilton 1939
Anoropallene crenispina	Stock 1956
Oropallene heterodonta	Hilton 1942
<i>Callipallene californiensis</i>	(Hall 1913)
Pallene californiensis	Hall 1913
<i>Callipallene pacifica</i>	(Hedgpeth 1939)
Pallene pacifica	Hedgpeth 1939
Family Nymphonidae	
<i>Nymphon heterodenticulatum</i>	Hedgpeth 1941
<i>Nymphon pixellae</i>	Scott 1913
Nymphon solitarium	Exline 1936
Nymphon variatum	Hilton 1942
Superfamily Phoxichilidioidea	
Family Phoxichilidiidae	
<i>Anoplodactylus californicus</i>	Hall 1912
Anoplodactylus californiensis	of Hedgpeth 1941
Anoplodactylus carvalhoi	Er. Marcus 1940
Anoplodactylus portus	Calman 1927
Anoplodactylus projectus	Hilton 1942
Anoplodactylus robustus	of Hilton 1939 not Dohrn 1881
<i>Anoplodactylus compactus</i>	(Hilton 1939)
Phoxichilidium compactum	Hilton 1939
Halosoma compactum	of Marcus 1940
Phoxichilidium hokkaidoense	Utinomi 1954
<i>Anoplodactylus erectus</i>	Cole 1904
<i>Anoplodactylus nodosus</i>	Hilton 1939
<i>Anoplodactylus oculospinus</i>	Hilton 1942
<i>Anoplodactylus pacificus</i>	Hilton 1942
<i>Anoplodactylus viridintestinalis</i>	Cole 1904
<i>Phoxichilidium femoratum</i>	(Rathke 1790)
Nymphon femoratum	Rathke 1790

<i>Phoxichilidium parvum</i>	Hilton 1939
<i>Phoxichilidium quadradentatum</i>	Hilton 1942
Superfamily Pycnogonoidea	
Family Pycnogonidae	
<i>Pycnogonum rickettsi</i>	Schmitt 1934
<i>Pycnogonum stearnsi</i>	Ives 1892
Superfamily Rhynchothoracoidea	
Family Rhynchothoracidae	
<i>Rhynchothorax philopsammum</i>	Hedgpeth 1951
<i>Rhynchothorax philospammum</i>	Hedgpeth 1951 [lapsus]
Class Arachnida	
Subclass Acarina	
Order Acariformes	
Suborder Prostigmata	
unidentified	
Subphylum Crustacea	
Class Cephalocarida	
Order Brachypoda	
Family Hutchinsonellidae	
<i>Lightiella serendipita</i>	M. L. Jones 1961
Class Maxillopoda	
Subclass Thecostraca	
Infraclass Cirripedia	
Superorder Thoracica	
Order Pedunculata	
Suborder Lepadomorpha	
Family Lepadidae	
<i>Conchoderma virgatum</i>	(Spengler 1790)
<i>Lepas virgata</i>	Spengler 1790
Suborder Scalpellomorpha	
Superfamily Scalpelloidea	
Family Pollicipedidae	
<i>Pollicipes polymerus</i>	(G. B. Sowerby III 1883)
<i>Mitella polymerus</i>	G. B. Sowerby III 1883
Family Scalpellidae	
<i>Hamatoscalpellum californicum</i>	(Pilsbry 1907)
<i>Scalpellum californicum</i>	Pilsbry 1907
<i>Arcoscalpellum californicum</i>	(Pilsbry 1907)
<i>Scalpellum californicum osseum</i>	Pilsbry 1907
<i>Scalpellum osseum</i>	Pilsbry 1907
<i>Hamatoscalpellum sanctipetrense</i>	(Pilsbry 1907)
<i>Scalpellum sanctipetrense</i>	Pilsbry 1907
Order Sessilia	
Suborder Balanomorpha	
Superfamily Chthamaloidea	
Family Chthamalidae	
<i>Chthamalus dalli</i>	Pilsbry 1916
<i>Chthamalus fissus</i>	Darwin 1854
Superfamily Tetracritoidea	
Family Tetraclitidae	
<i>Tetraclita rubescens</i>	Darwin 1854
Superfamily Balanoidea	
Family Archaeobalanidae	
<i>Conopea galeata</i>	(Linnaeus 1771)
<i>Lepas galeata</i>	Linnaeus 1771
<i>Balanus galeatus</i>	of Pilsbry 1916
<i>Balanus (Conopea) galeatus</i>	of Pilsbry 1907
<i>Conopea elongata</i>	Say 1822 not (Gmelin 1791)
Family Balanidae	
<i>Amphibalanus amphitrite</i>	(Darwin 1854)
<i>Balanus amphitrite</i>	Darwin 1854
<i>Amphibalanus eburneus</i>	(Gould 1841)
<i>Balanus eburneus</i>	Gould 1841
<i>Balanus crenatus</i>	Bruguière 1789
<i>Balanus rugosus</i>	Pulteney 1799
<i>Lepas plicata</i>	Spengler 1790
<i>Lepas fistula</i>	Spengler 1790
<i>Lepas elongata</i>	Gmelin 1791
<i>Balanus glandula</i>	Darwin 1854
<i>Balanus nubilus</i>	Darwin 1854

	Balanus altissimus	Cornwall 1936
	Balanus flos	Pilsby 1907
	<i>Balanus trigonus</i>	Darwin 1854
	<i>Megabalanus californicus</i>	(Pilsby 1916)
	Balanus tintinnabulum californicum	Pilsby 1916
	<i>Menesiniella aquila</i>	(Pilsby 1907)
	Balanus aquila	Pilsby 1907
	<i>Paraconcavus pacificus</i>	(Pilsby 1916)
	Balanus concavus pacificus	Pilsby 1916
	Balanus pacificus	of authors NEP
Subclass Branchiura		
Order Arguloida		
	Family Argulidae	
	<i>Argula</i> sp	
Subclass Copepoda		
Infraclass Neocopepoda		
Superorder Podoplea		
Order Misophrioida		
	Family Misophriidae	
	unidentified	
Order Harpacticoida		
	Family Tisbidae	
	<i>Scutellidium</i> sp	
Order Poecilostomatoida		
	Family Clausidiidae	
	<i>Clausidium vancouverense</i>	(Haddon 1912)
	<i>Hersilia vancouverense</i>	Haddon 1912
	<i>Clausidium californiense</i>	Wilson 1935
	<i>Goodingius subadhaerens</i>	(Gooding 1960)
	<i>Hemicyclops subadhaerens</i>	Gooding 1960
	<i>Hemicyclops thysanotus</i>	Wilson 1935
	Family Spiophanicolidae	
	<i>Spiophanicola spinulosus</i>	Ho 1984
Order Monstrilloidea		
	Family Thespesiopsyllidae	
	unidentified	
Class Ostracoda		
Subclass Myodocopa		
Order Myodocopida		
Suborder Myodocopina		
Superfamily Cypridinoidea		
	Family Cyprinidae	
	<i>Vargula tsuji</i>	Kornicker & Baker 1977
Superfamily Cylindroleberidoidea		
	Family Cylindroleberididae	
	<i>Asteropella slatteryi</i>	Kornicker 1981
	<i>Bathyleberis garthi</i>	Baker 1979
	<i>Bathyleberis hancocki</i>	Baker 1979
	<i>Bathyleberis</i> sp LA1	Haney 2004 §
	<i>Diasterope pilosa</i>	Poulsen 1965
	<i>Leuroleberis sharpei</i>	Kornicker 1981
	<i>Cylindroleberis lobiancoi</i>	of authors NEP not (G. Müller 1893)
	<i>Parasterope hulingsi</i>	Baker 1978
	<i>Postasterope barnesi</i>	(Baker 1978)
	Parasterope barnesi	Baker 1978
	<i>Xenoleberis californica</i>	(Baker 1979)
	<i>Bathyleberis californica</i>	Baker 1979
Superfamily Sarsielloidea		
	Family Philomedidae	
	<i>Anarthron</i> sp SD1	Pasko 2001 §
	Ostracoda sp SD2	CSD 1996 §
	<i>Euphilomedes carcharodontata</i>	(Smith 1952)
	Philomedes carcharodontata	Smith 1952
	<i>Euphilomedes longiseta</i>	(Juday 1907)
	Philomedes longiseta	Juday 1907
	<i>Euphilomedes producta</i>	Poulsen 1962
	<i>Harbansus bradmyersi</i>	Kornicker 1978
	<i>Harbansus mayeri</i>	Kornicker 1978
	<i>Harbansus</i> sp SD1	Pasko 2001 §
	Ostracoda sp SD1	CSD 1996 §

<i>Philomedes dentata</i>	Poulsen 1962
<i>Philomedes</i> sp A	SCAMIT 1988 §
<i>Philomedes</i> sp LA1	Haney 2004 §
<i>Scleroconcha trituberculata</i>	(Lucas 1931)
<i>Philomedes trituberculata</i>	Lucas 1931
<i>Zeugophilomedes oblongus</i>	(Juday 1907)
<i>Pleoschisma oblonga</i>	Juday 1907
<i>Philomedes oblongus</i>	of authors NEP
Family Sarsiellidae	
<i>Eusarsiella thominx</i>	Kornicker 1987
<i>Sarsiella</i> sp A	Myers 1978 §
<i>Eusarsiella</i> sp A	SCAMIT 1988 §
<i>Sarsiella</i> sp B	Pt. Loma 1986 §
<i>Sarsiella</i> sp C	of MEC 1985 §
<i>Sarsiella</i> sp F	MBC 1976 §
<i>Sarsiella</i> sp H	Myers 1978 §
<i>Sarsiella</i> sp D	SCAMIT 2012 §
<i>Sarsiella</i> sp IS1	Cadien 2008 §
<i>Sarsiellidae</i> sp SD1	Pasko 2001 §
<i>Ostracoda</i> sp SD3	CSD 1996 §
Family Rutidermatidae	
<i>Rutiderma apex</i>	Kornicker & Harrison-Nelson 1997
<i>Rutiderma chessi</i>	Kornicker & Myers 1981
<i>Rutiderma hartmanni</i>	Poulsen 1965
<i>Rutiderma judayi</i>	MacKenzie 1963
<i>Rutiderma lomae</i>	(Juday 1907)
<i>Philomedes lomae</i>	Juday 1907
<i>Rutiderma rostratum</i>	Juday 1907
<i>Rutiderma rotundum</i>	Poulsen 1965
Subclass Podocopa	
Order Podocopida	
Suborder Cypridocopina	
Superfamily Cypridoidea	
Family Cyprididae	
<i>Cyprideis stewarti</i>	Benson 1959
Superfamily Macrocypridoidea	
Family Macrocyprididae	
<i>Macrocyprina pacifica</i>	LeRoy 1943
Class Malacostraca	
Subclass Phyllocarida	
Order Leptostraca	
Family Nebaliidae	
<i>Nebalia daytoni</i>	Vetter 1996
<i>Nebalia</i> sp A	SCAMIT 1995 §
<i>Nebalia hessleri</i>	Martin, Vetter & Cash-Clark 1996
<i>Nebalia pugettensis</i> Cmplx	
Subclass Hoplocarida	
Order Stomatopoda	
Suborder Unipeltata	
Superfamily Gonodactyoidea	
Family Hemisquillidae	
<i>Hemisquilla californiensis</i>	Stephenson 1967
<i>Hemisquilla ensigera californiensis</i>	of authors NEP
Superfamily Parasquilloidea	
Family Parasquillidae	
<i>Pseudosquillopsis marmorata</i>	(Lockington 1877)
<i>Squilla marmorata</i>	Lockington 1877
<i>Pseudosquilla lessonii</i>	of Schmitt 1940 not Guérin 1830
Superfamily Squilloidea	
Family Squillidae	
<i>Schmittius politus</i>	(Bigelow 1891)
<i>Squilla polita</i>	Bigelow 1891
Subclass Eumalacostraca	
Superorder Peracarida	
Order Mysida	
Family Mysidae	
Subfamily Boreomysinae	
<i>Boreomysis californica</i>	Ortmann 1894
Subfamily Gastroscaccinae	
<i>Archaeomysis grebnitzkii</i>	Czerniavsky 1882

Subfamily Siriellinae	Holmes 1900
<i>Siriella pacifica</i>	
Subfamily Erythropiniae	Murano & Chess 1987
<i>Amathimysis trigibba</i>	(G. O. Sars 1869)
<i>Amblyops abbreviatus</i>	G. O. Sars 1869
Amblyopsis abbreviata	Murano & Chess 1987
<i>Hippacanthomysis platypoda</i>	Ortmann 1908
<i>Holmesiella anomala</i>	Watling & McCann 1997
<i>Paramblyops</i> sp SMB1	W. Tattersall 1933
<i>Pseudomma berkeleyi</i>	Bacescu & Gleye 1979
<i>Pseudomma californica</i>	
Subfamily Heteromysinae	Bowman & Orsi 1992
<i>Deltamysis holmquistae</i>	Phillips 1987 §
<i>Mysidopsis</i> sp 1	Walker 1898
<i>Heteromysis odontops</i>	
Subfamily Mysidellinae	Banner 1948
<i>Mysidella americana</i>	Murano & Chess 1987
Subfamily Mysinae	(W. Tattersall 1932)
<i>Acanthomysis californica</i>	W. Tattersall 1932
<i>Alienacanthomysis macropsis</i>	of W. Tattersall 1951
<i>Neomysis macropsis</i>	Holmquist 1982
<i>Acanthomysis macropsis</i>	Murano & Chess 1987
<i>Columbiaemysis ignota</i>	(Banner 1948)
<i>Acanthomysis brunnea</i>	Banner 1948
<i>Exacanthomysis davisi</i>	of W. Tattersall 1951 not (Holmes 1900)
<i>Acanthomysis davisi</i>	of W. Tattersall 1932 not (Holmes 1900)
<i>Acanthomysis costata</i>	(Holmes 1900)
<i>Neomysis costata</i>	Holmes 1900
<i>Holmesimysis costata</i>	Ii 1940
<i>Acanthomysis costata</i>	Bacescu & Gleye 1979
<i>Inusitatomysis insolita</i>	W. Tattersall 1951
<i>Inusitatomysis californica</i>	Ortmann 1908
<i>Inusitatomysis serrata</i>	(Murdock 1885)
<i>Neomysis kadiakensis</i>	Murdock 1885
<i>Neomysis rayii</i>	Holmes 1900
<i>Mysis rayii</i>	Derzhavin 1913
<i>Neomysis franciscorum</i>	(Banner 1948)
<i>Neomysis toion</i>	Banner 1948
<i>Pacificanthonomysis nephrophthalma</i>	W. Tattersall 1933
<i>Acanthomysis nephrophthalma</i>	
<i>Proneomysis wailesi</i>	
Subfamily Leptomysinae	Gleye 1982
<i>Cubanomysis mysteriosa</i>	(Holmes 1900)
<i>Metamysidopsis elongata</i>	Holmes 1900
<i>Mysidopsis elongata</i>	
<i>Mysidopsis brattegarti</i>	Bacescu & Gleye 1979
<i>Mysidopsis californica</i>	W. Tattersall 1932
<i>Mysidopsis cathengelae</i>	Gleye 1982
<i>Mysidopsis intii</i>	Holmquist 1957
<i>Mysidopsis onofrensis</i>	Bacescu & Gleye 1979
Order Amphipoda	
Suborder Ingolfiellidea	
Family Ingolfiellidae	
unidentified	
Suborder Gammaridea	
Infraorder Talitrida	
Superfamily Phliantoidea	
Family Phlantidae	
<i>Pariphinotus escabrosus</i>	(J. L. Barnard 1962)
<i>Heterophilus seclusus escabrosa</i>	J. L. Barnard 1962
Superfamily Talitroidea	
Family Dogielinotidae	
Subfamily Najninae	
<i>Carinonajna kitamati</i>	(J. L. Barnard 1979)
<i>Najna kitamati</i>	J. L. Barnard 1979
<i>Najna ? consiliorum</i>	of J. L. Barnard 1962 not Derzhavin 1937
<i>Parhyalella</i> sp	
Family Hyalellidae	
<i>Allorchestes angusta</i>	Dana 1856
<i>Allorchestes oculatus</i>	Stout 1913

<i>Allorchestes rickeri</i>	Hendrycks & Bousfield 2001
<i>Hyalella azteca</i>	(Saussure 1858)
<i>Amphitoe aztecus</i>	Saussure 1858
Family Hyalidae	
<i>Apohyale californica</i>	(J. L. Barnard 1969)
<i>Hyale californica</i>	J. L. Barnard 1969
<i>Parallorchestes cowani</i>	Bousfield & Hendrycks 2002
<i>Protohyale canalina</i>	(J. L. Barnard 1979)
<i>Hyale canalina</i>	J. L. Barnard 1979
<i>Protohyale frequens</i>	(Stout 1913)
<i>Hyale frequens</i>	Stout 1913
Family Talitridae	
<i>Megalorchestia benedicti</i>	(Shoemaker 1930)
<i>Orchoestoidea benedicti</i>	Shoemaker 1930
<i>Megalorchestia corniculata</i>	(Stout 1913)
<i>Orchoestoidea corniculata</i>	Stout 1913
Infraorder Corophiida	
Superfamily Aoridae	
Family Aoridae	
<i>Aoroides columbiae</i>	Walker 1898
<i>Aoroides californica</i>	Alderman 1936
<i>Aoroides exilis</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898
<i>Aoroides inermis</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898
<i>Aoroides intermedia</i>	Conlan & Bousfield 1982
<i>Aoroides intermedius</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of authors in part not Walker 1898
<i>Aoroides secundus</i>	Gurjanova 1938
<i>Aoroides secunda</i>	Gurjanova 1938
<i>Aoroides spinosa</i>	Conlan & Bousfield 1982
<i>Aoroides columbiae</i>	of J. L. Barnard 1954 in part not Walker 1898
<i>Aoroides sp A</i>	SCAMIT 1996 §
<i>Aoroides sp SD1</i>	Pt. Loma 1995 §
<i>Bemlos audbetti</i>	(J. L. Barnard 1962)
<i>Lembos audbetti</i>	J. L. Barnard 1962
<i>Bemlos concavus</i>	(Stout 1913)
<i>Lembos concavus</i>	Stout 1913
<i>Bemlos macromanus</i>	Shoemaker 1925
<i>Lembos macromanus</i>	of J. L. Barnard 1962
<i>Columbaora cyclocoxa</i>	Conlan & Bousfield 1982
<i>Grandidierella japonica</i>	Stephensen 1938
<i>Paramicrodeutopus schmitti</i>	(Shoemaker 1942)
<i>Microdeutopus schmitti</i>	Shoemaker 1942
Family Unciolidae	
Subfamily Acuminodeutopinae	
<i>Acuminodeutopus heterurus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Rudilemboides stenopropodus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Rudilemboides sp A</i>	SCAMIT 1998 §
Superfamily Cheluroidea	
Family Cheluridae	
<i>Chelura terebrans</i>	Phillipi 1839
Superfamily Chevalioidea	
Family Chevaliidæ	
<i>Chevalia inaequalis</i>	(Stout 1913)
<i>Neophotis inaequalis</i>	Stout 1913
<i>Chevalia aviculae</i>	of J. L. Barnard 1962 not Walker 1904
Superfamily Corophioidea	
Family Ampithoidæ	
Subfamily Ampithoinae	
<i>Ampithoe lacertosa</i>	Bate 1858
<i>Ampithoe longimana</i>	Smith 1873
<i>Ampithoe plumulosa</i>	Shoemaker 1938
<i>Ampithoe pollex</i>	Kunkel 1910
<i>Ampithoe ramondi</i>	Audouin 1826
<i>Ampithoe sectimana</i>	Conlan & Bousfield 1982
<i>Ampithoe simulans</i>	Alderman 1936
<i>Ampithoe valida</i>	Smith 1873
<i>Ampithoe shimizuensis</i>	Stephensen 1944
<i>Paragrubia uncinata</i>	(Stout 1912)

Acanthogribia uncinata	
Cymadusa uncinata	
<i>Peramphithoe humeralis</i>	
Amphithoe humeralis	Stout 1912 of SCAMIT Ed 5 (Stimpson 1864)
Amphithoe humeralis	Stimpson 1864 of Stebbing 1906 (Gurjanova 1938)
<i>Peramphithoe lindbergi</i>	Gurjanova 1938 of J. L. Barnard 1952 not Krøyer 1845
Amphithoe lindbergi	of J. L. Barnard 1965 (Gurjanova 1938)
Amphithoe femorata	Gurjanova 1938 (J. L. Barnard 1965)
Amphithoe lindbergi	J. L. Barnard 1965 (J. L. Barnard 1965)
<i>Peramphithoe mea</i>	J. L. Barnard 1965 (J. L. Barnard 1965)
Amphithoe mea	Gurjanova 1938 (J. L. Barnard 1965)
<i>Peramphithoe plea</i>	J. L. Barnard 1965 (J. L. Barnard 1965)
Amphithoe plea	Gurjanova 1938 (J. L. Barnard 1965)
<i>Peramphithoe tea</i>	J. L. Barnard 1965 (J. L. Barnard 1965)
Amphithoe tea	J. L. Barnard 1965
Family Corophiidae	
Subfamily Corophiinae	
<i>Americorophium salmonis</i>	(Stimpson 1857)
Corophium salmonis	Stimpson 1857
<i>Americorophium stimpsoni</i>	(Shoemaker 1941)
Corophium stimpsoni	Shoemaker 1941
<i>Laticorophium baconi</i>	(Shoemaker 1934)
Corophium baconi	Shoemaker 1934
<i>Monocorophium acherusicum</i>	(Costa 1857)
Corophium acherusicum	Costa 1857
<i>Monocorophium californianum</i>	(Shoemaker 1934)
Corophium californianum	Shoemaker 1934
<i>Monocorophium insidiosum</i>	(Crawford 1937)
Corophium insidiosum	Crawford 1937
Corophium oaklandense	Shoemaker 1949
<i>Monocorophium uenoi</i>	(Stephensen 1932)
Corophium uenoi	Stephensen 1932
<i>Sinocorophium alienense</i>	(Chapman 1988)
Corophium alienense	Chapman 1988
<i>Sinocorophium heteroceratum</i>	(Yu 1932)
Corophium heteroceratum	Yu 1932
Subfamily Protomedaeiinae	
<i>Cheiriphotis megacheles</i>	Giles 1883
<i>Protomedea articulata</i> Cmplx	of SCAMIT Ed 3
Protomedea articulata	of SCAMIT Ed 3
Protomedea prudens	
Infraorder Caprellida	
Superfamily Caprelloidea	
Family Caprellidae	
Subfamily Caprellinae	
<i>Aciconula acanthosoma</i>	Chess 1989
Aciconula sp A	Benedict 1978 §
<i>Caprella alaskana</i>	Mayer 1903
<i>Caprella brevirostris</i>	Mayer 1903
<i>Caprella californica</i>	Stimpson 1857 of Stebbing 1888
Caprella scaura	Mayer 1903
Caprella scaura var scauroides	Mayer 1903
Caprella scaura var californica	Mayer 1903
<i>Caprella equilibra</i>	Say 1818
<i>Caprella gorgonia</i>	Laubitz & Lewbel 1974
<i>Caprella gracilior</i>	Mayer 1903
Caprella linearis var gracilior	Mayer 1903
<i>Caprella incisa</i>	Mayer 1903
<i>Caprella kennerlyi</i>	Stimpson 1864 of SCAMIT Ed 3
Metacaprella kennerlyi	Mayer 1903
<i>Caprella laeviuscula</i>	Mayer 1903
<i>Caprella mendax</i>	Mayer 1903 of Dougherty & Steinberg 1953 not Say 1818
Caprella equilibra	Schurin 1935
<i>Caprella mutica</i>	of Cadieri 2003 §
Caprella cf acanthogaster	(Mayer 1903)
<i>Caprella natalensis</i>	Mayer 1903 Mayer 1903 of authors NEP not Leach 1814
Caprella acutifrons var natalensis	of K. H. Barnard 1916
Caprella angusta	
Caprella penantis	
Caprella penantis var natalensis	

<i>Caprella penantis</i>	Leach 1814
<i>Caprella pilidigita</i>	Laubitz 1970
<i>Caprella simia</i>	Mayer 1903
<i>Caprella verrucosa</i>	Boeck 1872
<i>Caprella acutifrons</i> var <i>verrucosa</i>	Mayer 1903
<i>Caprella acutifrons</i>	of La Follette 1914
<i>Caprella septentrionalis</i> var <i>verrucosa</i>	Mayer 1890
<i>Caprella</i> sp E	Benedict 1978 §
<i>Deutella californica</i>	Mayer 1890
<i>Deutella venenosa</i>	Mayer 1890
<i>Mayerella acanthopoda</i>	Benedict 1977
<i>Mayerella banksia</i>	Laubitz 1970
<i>Paracaprella</i> sp SD1	Pasko 2000 §
<i>Tritella laevis</i>	Mayer 1903
<i>Tritella pilimana</i>	Mayer 1890
<i>Aeginella hirsuta</i>	La Follette 1915
<i>Tritella tenuissima</i>	Dougherty & Steinberg 1953
<i>Aeginellidae</i> n. gen. n. sp.	of Cadien 2003 §
<i>Triantella</i> sp A	Haney 2006 §
Subfamily Phtisicinae	
<i>Hemiproto</i> sp A	SCAMIT 2012 §
<i>Hemiproto</i> sp A	Benedict 1978 §
<i>Hemiproto wigleyi</i>	of Watling 1995 not? McCain 1968
<i>Perotripus brevis</i>	(La Follette 1915)
<i>Paedaridium breve</i>	La Follette 1915
<i>Phtisica</i> sp	
Family Dulichiidae	
<i>Dulichia rhabdoplastis</i>	McClosky 1970
<i>Dulichiopsis remis</i>	(J. L. Barnard 1964)
<i>Dulichia remis</i>	J. L. Barnard 1964
<i>Dyopedos monacanthus</i>	(Metzger 1875)
<i>Dulichia monacantha</i>	Metzger 1875
Family Podoceridae	
<i>Podocerus brasiliensis</i>	(Dana 1853)
<i>Platophium brasiliense</i>	Dana 1853
<i>Podocerus cristatus</i>	(Thomson 1879)
<i>Cyrtophium cristatum</i>	Thomson 1879
<i>Podocerus fulanus</i>	J. L. Barnard 1962
Superfamily Photoidea	
Family Ischyroceridae	
Subfamily Ischyrocerinae	
<i>Ericthonius brasiliensis</i>	(Dana 1853)
<i>Pyctilus brasiliensis</i>	Dana 1853
<i>Ericthonius rubricornis</i>	(Stimpson 1853)
<i>Cerapus rubricornis</i>	Stimpson 1853
<i>Ericthonius difformis</i>	of authors not H. Milne Edwards 1830
<i>Ericthonius hunteri</i>	of authors not (Bate 1862)
<i>Ericthonius</i> sp A	SCAMIT 2012 §
<i>Ericthonius</i> sp IS1	Cadien 2008 §
<i>Ericthonius</i> sp SD1	Pasko 1999 §
<i>Ischyrocerus anguipes</i>	Krøyer 1838
<i>Ischyrocerus minutus</i>	of Walker 1898
<i>Ischyrocerus pelagops</i>	J. L. Barnard 1962
<i>Ischyrocerus</i> sp B	J. L. Barnard 1969
<i>Ischyrocerus</i> sp C	Paquette 1989 §
<i>Jassa carltoni</i>	Conlan 1990
<i>Jassa marmorata</i>	Holmes 1905
<i>Jassa morinoi</i>	Conlan 1990
<i>Jassa slatteryi</i>	Conlan 1990
<i>Jassa falcata</i>	of authors NEP not (Montagu 1808)
<i>Podocerus odontonyx</i>	G.O. Sars 1894
<i>Jassa staudei</i>	Conlan 1990
<i>Microjassa barnardi</i>	Conlan 1995
<i>Microjassa boreopacifica</i>	Conlan 1995
<i>Microjassa bousfieldi</i>	Conlan 1995
<i>Microjassa litotes</i>	J. L. Barnard 1954
<i>Ischyrocerus litotes</i>	of J. L. Barnard 1962
<i>Neoischyrocerus claustris</i>	(J. L. Barnard 1969)
<i>Microjassa claustris</i>	J. L. Barnard 1969
<i>Ischyrocerus claustris</i>	of J. L. Barnard & Karaman 1991

<i>Notopomasp</i> A	SCAMIT 2012 §
<i>Cerapus tubularis</i>	of authors NEP not Say 1817
<i>Cerapus tubularis Cmplx</i>	of SCAMIT Ed. 6
<i>Ruffojassa angularis</i>	(Shoemaker 1942)
<i>Parajassa angularis</i>	Shoemaker 1942
<i>Ventojassa ventosa</i>	(J. L. Barnad 1962)
<i>Eurystheus ventosa</i>	J. L. Barnard 1962
Family Kamakidae	
Subfamily Kamakinæ	
<i>Amphideutopus oculatus</i>	J. L. Barnard in J. L. Barnard & Reish 1959
Family Photidae	
<i>Ampelisciphotis podophthalma</i>	(J. L. Barnard 1958)
<i>Gaviota podophthalma</i>	J. L. Barnard 1958
<i>Gammaropsis barnardi</i>	Kudryashov & Tzvetkova 1975
<i>Gammaropsis effrena</i>	(J. L. Barnard 1964)
<i>Megamphopus effrenus</i>	J. L. Barnard 1964
<i>Gammaropsis mamola</i>	(J. L. Barnard 1962)
<i>Megamphopus mamolus</i>	J. L. Barnard 1962
<i>Gammaropsis martesia</i>	(J. L. Barnard 1964)
<i>Megamphopus martesia</i>	J. L. Barnard 1964
<i>Gammaropsis ociosa</i>	(J. L. Barnard 1962)
<i>Kermystheus ociosa</i>	J. L. Barnard 1962
<i>Podoceropsis ociosa</i>	of J. L. Barnard & Karaman 1991
<i>Gammaropsis shoemakeri</i>	Conlan 1983
<i>Gammaropsis spinosa</i>	(Shoemaker 1942)
<i>Eurystheus spinosus</i>	Shoemaker 1942
<i>Gammaropsis thompsoni</i>	(Walker 1898)
<i>Maerooides thompsoni</i>	Walker 1898
<i>Eurystheus thompsoni</i>	(Walker 1898)
<i>Gammaropsis tenuicornis</i>	Holmes 1904
<i>Fimbriella robusta</i>	Stout 1913
<i>Gammaropsis tonichi</i>	J. L. Barnard 1969
<i>Photis bifurcata</i>	J. L. Barnard 1962
<i>Photis brevipes</i>	Shoemaker 1942
<i>Photis californica</i>	of J. L. Barnard 1954 not Stout 1913
<i>Photis californica</i>	Stout 1913
<i>Photis reinhardi</i>	of Alderman 1936 not Krøyer 1842
<i>Photis chiconola</i>	J. L. Barnard 1964
<i>Photis conchicola</i>	Alderman 1936
<i>Photis sp F</i>	SCAMIT 1995 §
<i>Photis lacia</i>	J. L. Barnard 1962
<i>Photis linear manus</i>	Conlan 1994
<i>Photis sp D</i>	Paquette 1987 §
<i>Photis macinerneyi</i>	Conlan 1983
<i>Photis macrotica</i>	J. L. Barnard 1962
<i>Photis parvidons</i>	Conlan 1983
<i>Photis viuda</i>	J. L. Barnard 1962
<i>Photis sp A</i>	MBC 1972 §
<i>Photis sp B</i>	Paquette 1987 §
<i>Photis sp C</i>	MEC 1988 §
<i>Photis sp E</i>	SCAMIT 1995 §
<i>Photis sp OC1</i>	Diener 1992 §
Infraorder Leucothoidea	
Superfamily Leucothoidea	
Family Pleustidae	
Subfamily Atylopsinae	
<i>Myzotarsa anaxiphilus</i>	Cadien & Martin 1999
Subfamily Pleustinae	
<i>Thorlaksonius depressus</i>	(Alderman 1936)
<i>Pleutes depressus</i>	Alderman 1936
<i>Thorlaksonius platypus</i>	(J. L. Barnard & Given 1960)
<i>Pleutes platypa</i>	J. L. Barnard & Given 1960
<i>Thorlaksonius subcarinatus</i>	Bousfield & Hendrycks 1994
<i>Thorlaksonius truncatus</i>	Bousfield & Hendrycks 1994
Subfamily Stenopleustinae	
<i>Gracilipleutes monocuspis</i>	(J. L. Barnard & Given 1960)
<i>Stenopleutes monocuspis</i>	J. L. Barnard & Given 1960
Subfamily Dactylopleustinae	
<i>Dactylopleutes sp A</i>	SCAMIT 1988 §
Subfamily Pleusirinae	

<i>Pleusirus secorrus</i>	J. L. Barnard 1969
Subfamily Pleusympinae	
<i>Pleusymtes subglaber</i>	(J. L. Barnard & Given 1960)
<i>Sympleustes subglaber</i>	J. L. Barnard & Given 1960
Subfamily Parapleustinae	
<i>Chromopleustes oculatus</i>	(Holmes 1908)
<i>Neopleustes oculatus</i>	Holmes 1908
<i>Parapleustes oculatus</i>	of J. L. Barnard & Given 1960 in part
<i>Gnathopleustes den</i>	(J. L. Barnard 1969)
<i>Parapleustes den</i>	J. L. Barnard 1969
<i>Gnathopleustes pugettensis</i>	(Dana 1852)
<i>Parapleustes pugettensis</i>	Dana 1852
<i>Gnathopleustes serratus</i>	Bousfield & Hendrycks 1995
<i>Incisocalliope bairdi</i>	(Boeck 1871)
<i>Paramphithoe bairdi</i>	Boeck 1871
<i>Neopleustes bairdi</i>	of Stebbing 1906
<i>Incisocalliope newportensis</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Parapleustes pugettensis</i>	1853)
<i>Micropleustes nautilus</i>	(J. L. Barnard 1969)
<i>Parapleustes nautilus</i>	J. L. Barnard 1969
<i>Parapleustes behningi</i>	of J. L. Barnard 1969 not Gurjanova 1938
<i>Trachyleutes trevori</i>	Bousfield & Hendrycks 1995
Family Leucothoidae	
<i>Anamixis pacifica</i>	(J. L. Barnard 1955)
<i>Leucothoides pacifica</i>	J. L. Barnard 1955
<i>Anamixis linsleyi</i>	J. L. Barnard 1955
<i>Leucothoe alata</i>	J. L. Barnard in J. L. Barnard & Reish 1959
<i>Leucothoe nagatai</i>	Ishimaru 1985
<i>Leucothoe alata</i>	of Nagata 1965 not J. L. Barnard in Barnard & Reish 1959
<i>Leucothoe spinicarpa</i>	(Abildgaard 1789)
<i>Gammarus spinicarpus</i>	Abildgaard 1789
Superfamily Stenothonoidea	
Family Amphilochidae	
<i>Apolochus barnardi</i>	Hoover & Bousfield 2001
<i>Amphilochus neapolitanus Cmplx</i>	of SCAMIT Ed 3 in part
<i>Amphilochus neapolitanus</i>	of J. L. Barnard 1962 not della Valle 1893
<i>Apolochus litoralis</i>	(Stout 1912)
<i>Amphilochus litoralis</i>	Stout 1912
<i>Apolochus picadurus</i>	(J. L. Barnard 1962)
<i>Amphilochus picadurus</i>	J. L. Barnard 1962
<i>Gitana calitemplado</i>	J. L. Barnard 1962
<i>Hourstonius vilordes</i>	(J. L. Barnard 1962)
<i>Gitanopsis vilordes</i>	J. L. Barnard 1962
Family Stenothonidae	
<i>Metopa cistella</i>	J. L. Barnard 1969
<i>Metopa dawsoni</i>	J. L. Barnard 1962
<i>Metopella aporpis</i>	J. L. Barnard 1962
<i>Parametopella ninis</i>	J. L. Barnard 1962
<i>Stenothoe estacula</i>	J. L. Barnard 1962
<i>Stenothoe frecanda</i>	J. L. Barnard 1962
<i>Stenothoe valida</i>	J. L. Barnard 1962
<i>Stenothoides bicoma</i>	Dana 1853
<i>Stenothoides burbanki</i>	J. L. Barnard 1962
<i>Stenula modosa</i>	J. L. Barnard 1962
Superfamily Iphimedioidea	
Family Iphimediidae	
<i>Coboldus hedgpethi</i>	(J. L. Barnard 1969)
<i>Panoploea (?) hedgpethi</i>	J. L. Barnard 1969
<i>Iphimedia hedgpethi</i>	of Thomas & J. L. Barnard 1991
<i>Iphimedia rickettsi</i>	(Shoemaker 1931)
<i>Panoploea rickettsi</i>	Shoemaker 1931
Family Lafystiidae	
<i>Protolafystius sp A</i>	SCAMIT 2012
<i>Lafystius sturionis</i>	of Jensen et al 1982 not Kroyer 1842
Infraorder Eusirida	
Superfamily Eusiroidea	
Family Eusiridae	
<i>Eusiroides monoculoides</i>	(Haswell 1879)
<i>Atylus monoculoides</i>	Haswell 1879
<i>Eusirus sp</i>	

<i>Nasageneia quinsana</i>	(J. L. Barnard 1964)
<i>Pontogeneia quinsana</i>	J. L. Barnard 1964
<i>Oradarea longimana</i>	(Boeck 1871)
<i>Amphithopsis longimana</i>	Boeck 1871
<i>Leptamphopus longimana</i>	of Gurjanova 1951
<i>Pontogeneia inermis</i>	(Krøyer 1838)
<i>Amphithoe inermis</i>	Krøyer 1838
<i>Pontogeneia rostrata</i>	Gurjanova 1938
<i>Rhachotropis barnardi</i>	Bousfield & Hendrycks 1995
<i>Rhachotropis clemens</i>	J. L. Barnard 1971 in part
<i>Rhachotropis clemens</i>	J. L. Barnard 1967
<i>Rhachotropis distincta</i>	(Holmes 1908)
<i>Gracilipes distincta</i>	Holmes 1908
<i>Rhachotropis luculenta</i>	J. L. Barnard 1969
<i>Rhachotropis</i> sp A	Velarde 1987 §
<i>Rhachotropis oculata</i>	of authors NEP not Hansen 1888 in part
<i>Rhachotropis</i> sp HYP1	Roney 2007 §
<i>Tethygenieia opata</i>	(J. L. Barnard 1979)
<i>Pontogeneia opata</i>	J. L. Barnard 1979
Family Bateidae	
<i>Batea lobata</i>	Shoemaker 1926
<i>Batea transversa</i>	Shoemaker 1926
Superfamily Oedicerotoidea	
Family Oedicerotidae	
<i>Americhelidium micropleon</i>	(J. L. Barnard 1977)
<i>Synchelidium micropleon</i>	J. L. Barnard 1977
<i>Synchelidium</i> sp M	J. L. Barnard 1969
<i>Americhelidium rectipalatum</i>	(Mills 1962)
<i>Synchelidium rectipalatum</i>	Mills 1962
<i>Americhelidium shoemakeri</i>	(Mills 1962)
<i>Synchelidium shoemakeri</i>	Mills 1962
<i>Americhelidium</i> sp SD2	Pasko 2001 §
<i>Americhelidium</i> sp SD3	Pasko 2001 §
<i>Americhelidium variabile</i>	Bousfield & Chevrier 1996
<i>Americhelidium</i> sp SD1	Pasko 2005 §
<i>Americhelidium</i> sp SD4	Pasko 2005 §
<i>Bathymedon covilhani</i>	J. L. Barnard 1961
<i>Bathymedon flebilis</i>	J. L. Barnard 1967
<i>Bathymedon kassites</i>	J. L. Barnard 1966
<i>Bathymedon pumilus</i>	J. L. Barnard 1962
<i>Bathymedon roquedo</i>	J. L. Barnard 1962
<i>Bathymedon vulpeculus</i>	J. L. Barnard 1971
<i>Deflexilodes enigmaticus</i>	Bousfield & Chevrier 1996
<i>Deflexilodes</i> sp SD1	Pasko 1998 §
<i>Deflexilodes norvegicus</i>	(Boeck 1861)
<i>Oedicerus norvegicus</i>	Boeck 1861
<i>Monoculodes norvegicus</i>	of J. L. Barnard 1962
<i>Eochelidium</i> sp A	SCAMIT 1996 §
<i>Hartmanodes hartmanae</i>	(J. L. Barnard 1962)
<i>Monoculodes hartmanae</i>	J. L. Barnard 1962
<i>Hartmanodes murrius</i>	(J. L. Barnard 1962)
<i>Monoculodes murrius</i>	J. L. Barnard 1962
<i>Hartmanodes</i> sp SD1	Pasko 1997 §
<i>Monoculodes</i> sp SD1	Pasko 1997 §
<i>Monoculodes emarginatus</i>	J. L. Barnard 1962
<i>Monoculodes glyconicus</i>	J. L. Barnard 1962
<i>Monoculodes glyconica</i>	J. L. Barnard 1962
<i>Monoculodes latissimanus</i>	Stephensen 1931
<i>Oediceropsis elsula</i>	J. L. Barnard 1966
<i>Pacifoculodes barnardi</i>	Bousfield & Chevrier 1996
<i>Monoculodes spinipes</i>	of J. L. Barnard 1962 not Mills 1962
<i>Westwoodilla tone</i>	Jansen 2002
<i>Westwoodilla caecula</i>	of authors NEP not (Bate 1857)
Infraorder Liljeborgida	
Superfamily Synopioidea	
Family Synopiidae	
<i>Bruzelia tuberculata</i>	G.O. Sars 1883
<i>Garosyrhoe bigarra</i>	(J. L. Barnard 1962)
<i>Syrrhoites bigarra</i>	J. L. Barnard 1962
<i>Garosyrhoe bigarra Cmplx</i>	of SCAMIT Ed 3

<i>Garosyrrhoe disjuncta</i>	J. L. Barnard 1969
<i>Garosyrrhoe sp A</i>	Laughlin 1988 §
<i>Metatiron tropakis</i>	(J. L. Barnard 1972)
<i>Tiron tropakis</i>	J. L. Barnard 1972
<i>Syrrhoe crenulata</i>	Göes 1866
<i>Syrrhoe longifrons</i>	Shoemaker 1964
<i>Syrrhoe sp A</i>	SCAMIT 1987 §
<i>Tiron biocellata</i>	J. L. Barnard 1962
Family Argissidae	
<i>Argissa hamatipes</i>	(Norman 1869)
<i>Syrrhoe hamatipes</i>	Norman 1869
<i>Argissa typica</i>	Boeck 1871
<i>Argissa stebbingi</i>	Bonnier 1896
Superfamily Pardaliscoidea	
Family Pardaliscidae	
<i>Halicoides synopiae</i>	(J. L. Barnard 1962)
<i>Pardisynopia synopiae</i>	J. L. Barnard 1962
<i>Nicippe tumida</i>	Bruzelius 1859
<i>Pardalisca tenuipes</i>	G.O. Sars 1895
<i>Pardaliscella symmetrica</i>	J. L. Barnard 1959
Superfamily Liljeborgioidea	
Family Liljeborgiidae	
<i>Liljeborgia cota</i>	J. L. Barnard 1962
<i>Liljeborgia geminata</i>	J. L. Barnard 1959
<i>Liljeborgia kinahani</i>	of J. L. Barnard 1962 not Bate 1862
<i>Listriella albina</i>	J. L. Barnard 1959
<i>Listriella diffusa</i>	J. L. Barnard 1959
<i>Listriella eriopisa</i>	J. L. Barnard 1959
<i>Listriella goleta</i>	J. L. Barnard 1959
<i>Listriella melanica</i>	J. L. Barnard 1959
<i>Listriella sp A</i>	SCAMIT 1987 §
<i>Listriella sp SD1</i>	Pasko 2006 §
Family Colomastigidae	
<i>Colomastix sp A</i>	SCAMIT 2012 §
<i>Colomastix pusilla</i>	of J. L. Barnard 1954 not Grube 1851
Infraordera Gammarida	
Superfamily Pontoporeioidea	
Family Haustoriidae	
<i>Eohaustorius barnardi</i>	Bousfield & Hoover 1995
<i>Eohaustorius washingtonianus</i>	of authors SCB not (Thorsteinson 1941)
<i>Eohaustorius sawyeri</i>	Bosworth 1973
<i>Eohaustorius sencillus</i>	J. L. Barnard 1962
Superfamily Phoxocephaloidea	
Family Urothoidae	
<i>Urothoe elegans Cmplx</i>	of authors NEP
<i>Urothoe elegans</i>	of authors NEP
<i>Urothoe varvarini</i>	
Family Phoxocephalidae	
Subfamily Metharpiinae	
<i>Foxiphalus cognatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus cognatus</i>	J. L. Barnard 1960
<i>Foxiphalus golfensis</i>	J. L. Barnard & C. M. Barnard 1982
<i>Foxiphalus obtusidens</i>	(Alderman 1936)
<i>Pontharpinia obtusidens</i>	Alderman 1936
<i>Paraphoxus obtusidens</i>	of J. L. Barnard 1960
<i>Foxiphalus similis</i>	(J. L. Barnard 1960)
<i>Paraphoxus similis</i>	J. L. Barnard 1960
<i>Grandifoxus longirostris</i>	(Gurjanova 1938)
<i>Pontharpinia longirostris</i>	Gurjanova 1938
<i>Majoxiphalus major</i>	(J. L. Barnard 1960)
<i>Paraphoxus obtusidens major</i>	J. L. Barnard 1960
<i>Foxiphalus major</i>	of J. L. Barnard & C. M. Barnard 1982
<i>Metharpinia coronadoi</i>	J. L. Barnard 1980
<i>Metharpinia jonesi</i>	(J. L. Barnard 1963)
<i>Paraphoxus jonesi</i>	J. L. Barnard 1963
<i>Rhepoxyinius abronius</i>	(J. L. Barnard 1960)
<i>Paraphoxus abronius</i>	J. L. Barnard 1960
<i>Rhepoxyinius bicuspidatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus bicuspidatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius daboius</i>	(J. L. Barnard 1960)

<i>Paraphoxus daboicus</i>	J. L. Barnard 1960
<i>Rhepoxyinius fatigans</i>	(J. L. Barnard 1960)
<i>Paraphoxus fatigans</i>	J. L. Barnard 1960
<i>Rhepoxyinius heterocuspidatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus heterocuspidatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius homocuspidatus</i>	J. L. Barnard & C. M. Barnard 1982
<i>Rhepoxyinius lucubrans</i>	(J. L. Barnard 1960)
<i>Paraphoxus lucubrans</i>	J. L. Barnard 1960
<i>Rhepoxyinius menziesi</i>	J. L. Barnard & C. M. Barnard 1982
<i>Paraphoxus epistomus</i>	of J. L. Barnard 1960 not Shoemaker 1938
<i>Trichophoxus epistomus</i>	of authors NEP not (Shoemaker 1938)
<i>Rhepoxyinius stenodes</i>	(J. L. Barnard 1960)
<i>Paraphoxus stenodes</i>	J. L. Barnard 1960
<i>Rhepoxyinius tridentatus</i>	(J. L. Barnard 1954)
<i>Pontharpinia tridentata</i>	J. L. Barnard 1954
<i>Paraphoxus tridentatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius variatus</i>	(J. L. Barnard 1960)
<i>Paraphoxus variatus</i>	J. L. Barnard 1960
<i>Rhepoxyinius sp A</i>	SCAMIT 1987 §
<i>Rhepoxyinius sp B</i>	SCAMIT 2012 §
<i>Rhepoxyinius sp OC1</i>	Pasko 2012 §
Subfamily Brolginae	
<i>Eobrolgus chumashi</i>	J. L. Barnard & C. M. Barnard 1982
<i>Eobrolgus spinosus</i>	(Holmes 1903)
<i>Paraphoxus spinosus</i>	Holmes 1903
<i>Eyakia robusta</i>	(Holmes 1908)
<i>Paraphoxus robustus</i>	Holmes 1908
<i>Mandibulophoxus gilesi</i>	J. L. Barnard 1957
<i>Paraphoxus sp 1</i>	Jarrett & Bousfield 1994
<i>Paraphoxus oculatus</i>	of authors NEP not (G. Sars 1879)
Subfamily Phoxocephalinae	
<i>Cephalophoxoides homilis</i>	(J. L. Barnard 1960)
<i>Phoxocephalus homilis</i>	J. L. Barnard 1960
<i>Paraphoxus homilis</i>	of Austin 1984
<i>Coxophoxus hidalgo</i>	J. L. Barnard 1966
<i>Leptophoxus falcatus icelus</i>	J. L. Barnard 1966
<i>Metaphoxus frequens</i>	J. L. Barnard 1960
<i>Parametaphoxus sp 1</i>	Chapman MS
<i>Parametaphoxus fultoni</i>	of authors NEP not (Scott 1890)
<i>Parametaphoxus quaylei</i>	of authors SCB not Jarrett & Bousfield 1994
Subfamily Harpiniinae	
<i>Harpiniopsis emeryi</i>	J. L. Barnard 1960
<i>Harpiniopsis epistomata</i>	J. L. Barnard 1960
<i>Harpiniopsis epistomatus</i>	J. L. Barnard 1960
<i>Harpiniopsis fulgens</i>	J. L. Barnard 1960
<i>Harpiniopsis galera</i>	J. L. Barnard 1960
<i>Harpiniopsis galerus</i>	J. L. Barnard 1960
<i>Harpiniopsis naiadis</i>	J. L. Barnard 1960
<i>Harpiniopsis profunda</i>	J. L. Barnard 1960
<i>Harpiniopsis similis</i>	Stephensen 1925
<i>Heterophoxus affinis</i>	(Holmes 1908)
<i>Harpinia affinis</i>	Holmes 1908
<i>Heterophoxus oculatus</i>	of authors NEP not (Holmes 1908)
<i>Heterophoxus conlanae</i>	Jarrett & Bousfield 1994
<i>Heterophoxus ellisi</i>	Jarrett & Bousfield 1994
<i>Heterophoxus oculatus</i>	of authors NEP not (Holmes 1908)
<i>Heterophoxus oculatus</i>	(Holmes 1908)
<i>Harpinia oculata</i>	Holmes 1908
<i>Pseudharpinia excavata</i>	(Chevreux 1887)
<i>Harpinia excavata</i>	Chevreux 1887
<i>Harpiniopsis sanpedroensis</i>	J. L. Barnard 1960
Family Platyschnopidae	
<i>Tiburonella viscana</i>	(J. L. Barnard 1964)
<i>Platyschnopus viscana</i>	J. L. Barnard 1964
Infraorder Dexaminida	
Superfamily Dexaminoidea	
Family Dexaminidae	
<i>Atylus tridens</i>	(Alderman 1936)
<i>Nototropis tridens</i>	Alderman 1936
<i>Guernea redundans</i>	(J. L. Barnard 1958)

<i>Dexamonica redundans</i>	J. L. Barnard 1958
<i>Paradexamine</i> sp SD1	Pasko 1999 §
<i>Polycheria osborni</i>	Calman 1898
Superfamily Ampeliscoidea	
Family Ampeliscidae	
<i>Ampelisca agassizi</i>	(Judd 1896)
<i>Byblis agassizi</i>	Judd 1896
<i>Ampelisca compressa</i>	Holmes 1905
<i>Ampelisca vera</i>	J. L. Barnard 1954
<i>Ampelisca brachycladus</i>	Roney 1990
<i>Ampelisca</i> sp A	SCAMIT 1986 §
<i>Ampelisca brevisimulata</i>	J. L. Barnard 1954
<i>Ampelisca cf brevisimulata</i>	SCAMIT 1995 §
<i>Ampelisca careyi</i>	Dickinson 1982
<i>Ampelisca macrocephala</i>	of J. L. Barnard 1954 not Liljeborg 1842
<i>Ampelisca unsocalae</i>	of authors SCB in part not J. L. Barnard 1960
<i>Ampelisca coeca</i>	Holmes 1908
<i>Ampelisca cristata cristata</i>	Holmes 1908
<i>Ampelisca cristata microdentata</i>	J. L. Barnard 1954
<i>Ampelisca fageri</i>	Dickinson 1982
<i>Ampelisca furcigera</i>	Bulycheva 1936
<i>Ampelisca hancocki</i>	J. L. Barnard 1954
<i>Ampelisca nr hancocki</i>	of authors NEP
<i>Ampelisca hancocki</i> Cmplx	of SCAMIT Ed 4
<i>Ampelisca indentata</i>	J. L. Barnard 1954
<i>Ampelisca lobata</i>	Holmes 1908
<i>Ampelisca articulata</i>	Stout 1913
<i>Ampelisca milleri</i>	J. L. Barnard 1954
<i>Ampelisca pacifica</i>	Holmes 1908
<i>Ampelisca plumosa</i>	Holmes 1908
<i>Ampelisca pugetica</i>	Stimpson 1864
<i>Ampelisca californica</i>	Holmes 1908
<i>Ampelisca gnathia</i>	J. L. Barnard 1954
<i>Ampelisca macrodonta</i>	J. L. Barnard 1954
<i>Ampelisca mora</i>	J. L. Barnard 1954
<i>Ampelisca romigi</i>	J. L. Barnard 1954
<i>Ampelisca isocornea</i>	J. L. Barnard 1954
<i>Ampelisca romigi ciego</i>	J. L. Barnard 1966
<i>Ampelisca unsocalae</i>	J. L. Barnard 1960
<i>Ampelisca macrocephala unsocalae</i>	J. L. Barnard 1960
<i>Byblis barbarensis</i>	J. L. Barnard 1960
<i>Byblis bathyalis</i>	J. L. Barnard 1966
<i>Byblis millsii</i>	Dickinson 1983
<i>Byblis thyabilis</i>	J. L. Barnard 1971
<i>Byblis veleronis</i>	J. L. Barnard 1954
Superfamily Hadzioidea	
Family Maeridae	
<i>Ceradocus spinicaudus</i>	(Holmes 1908)
<i>Maera spinicauda</i>	Holmes 1908
<i>Elasmopus antennatus</i>	Stout 1913
<i>Elasmopus bampo</i>	J. L. Barnard 1979
<i>Elasmopus rapax</i>	of J. L. Barnard 1962 in part not Costa 1853
<i>Elasmopus holgurus</i>	J. L. Barnard 1962
<i>Elasmopus mutatus</i>	J. L. Barnard 1962
<i>Elasmopus rapax mutatus</i>	J. L. Barnard 1962
<i>Elasmopus serricatus</i>	J. L. Barnard 1962
<i>Maera bousfieldi</i>	Krapp-Schickel & Jarrett 2000
<i>Maera jerrica</i>	Krapp-Schickel & Jarrett 2000
<i>Maera inaequipes</i>	J. L. Barnard 1954 in part not Costa 1851
<i>Maera nelsonae</i>	Krapp-Schickel & Jarrett 2000
<i>Maera similis</i>	Stout 1913
<i>Maera simile</i>	Stout 1913
<i>Maera inaequipes</i>	J. L. Barnard 1954 in part not Costa 1851
<i>Quadrimaera carla</i>	Krapp-Schickel & Jarrett 2000
<i>Maera reishi</i>	J. L. Barnard 1979 in part
<i>Maera inaequipes</i>	of J. L. Barnard in J. L. Barnard & Reish 1959 not Costa 1851
<i>Quadrimaera reishi</i>	(J. L. Barnard 1979)
<i>Maera reishi</i>	J. L. Barnard 1979 in part
<i>Quadrimaera vigota</i>	(J. L. Barnard 1969)
<i>Maera vigota</i>	J. L. Barnard 1969

Family Melitidae	
<i>Desdimelita californica</i>	(Alderman 1936)
<i>Melita californica</i>	Alderman 1936
<i>Desdimelita desdichada</i>	(J. L. Barnard 1962)
<i>Melita desdichada</i>	J. L. Barnard 1962
<i>Abludomelita desdichada</i>	of Karaman 1981
<i>Dulichiella spinosa</i>	Stout 1912
<i>Melita appendiculata</i>	of authors NEP not (Say 1818)
<i>Melita fresneli</i>	of Wailes 1931 not (Audouin 1826)
<i>Megamoera subtener</i>	(Stimpson 1864)
<i>Gammarus subtener</i>	Stimpson 1864
<i>Abludomelita subtener</i>	of Karaman 1981
<i>Melita dentata</i>	of authors NEP not (Krøyer 1842)
<i>Melita nitida</i>	Smith 1874
<i>Melita rylovae</i>	Bulycheva 1955
<i>Melita sulca</i>	(Stout 1913)
<i>Caliniphagus sulcus</i>	Stout 1913
Superfamily Melphidippoidea	
Family Cheirocratidae	
<i>Hornellia occidentalis</i>	(J. L. Barnard in J. L. Barnard & Reish 1959)
<i>Metaceradocus occidentalis</i>	J. L. Barnard in J. L. Barnard & Reish 1959
Family Melphidippidae	
<i>Melphisana bola</i> Cmplx	
<i>Melphisana bola</i>	of J. L. Barnard 1962
<i>Melphidippa amorita</i>	of J. L. Barnard 1966
Family Megaluropidae	
<i>Gibberosus devaneyi</i>	Thomas & J. L. Barnard 1986
<i>Megaluropus longimerus</i>	of authors NEP in part not Schellenberg 1925
<i>Gibberosus myersi</i>	(McKinney 1980)
<i>Megaluropus myersi</i>	McKinney 1980
<i>Megaluropus longimerus</i>	of authors NEP in part not Schellenberg 1925
<i>Megaluropidae sp A</i>	SCAMIT 1987 §
Infraorder Lysianassidea	
Superfamily Lysianassoidea	
Family Acidostomatidae	
<i>Acidostoma hancocki</i>	Hurley 1963
Family Lysianassidae	
Subfamily Conicostomatinae	
<i>Ocosingo borlus</i>	J. L. Barnard 1964
<i>Fresnillo fimbriatus</i>	J. L. Barnard 1969
<i>Socarnoides illudens</i>	Hurley 1963
Subfamily Lysianassinae	
<i>Aruga holmesi</i>	J. L. Barnard 1955
<i>Aruga oculata</i>	Holmes 1908
<i>Dissiminassa dissimilis</i>	(Stout 1913)
<i>Nannonyx dissimilis</i>	Stout 1913
<i>Lysianassa dissimilis</i>	of J. L. Barnard 1969
<i>Lysianopsis (?) dissimilis</i>	of Hurley 1963
<i>Macronassa macromera</i>	(Shoemaker 1916)
<i>Aruga macromera</i>	Shoemaker 1916
<i>Macronassa pariter</i>	(J. L. Barnard 1969)
<i>Lysianassa pariter</i>	J. L. Barnard 1969
<i>Socernes hartmani</i>	Hurley 1963
Subfamily Tryphosinae	
<i>Hippomedon coecus</i>	(Holmes 1908)
<i>Tryphosa coeca</i>	Holmes 1908
<i>Hippomedon columbianus</i>	Jarrett & Bousfield 1982
<i>Hippomedon denticulatus</i>	of J. L. Barnard 1954 in part not (Bate 1857)
<i>Hippomedon subrobustus</i>	Hurley 1963
<i>Hippomedon tenax</i>	J. L. Barnard 1966
<i>Hippomedon zetesimus</i>	Hurley 1963
<i>Hippomedon sp A</i>	Diener 1990 §
<i>Lepidepecreum garthi</i>	Hurley 1963
<i>Lepidepecreum gurjanovae</i>	Hurley 1963
<i>Lepidepecreum magdalensis</i>	(Shoemaker 1942)
<i>Orchomenella magdalensis</i>	Shoemaker 1942
<i>Lepidepecreum serraculum</i>	Dalkey 1998
<i>Lepidepecreum sp A</i>	SCAMIT 1985 §
<i>Orchomene anaquelus</i>	J. L. Barnard 1964
<i>Orchomene anaquela</i>	J. L. Barnard 1964

<i>Orchomene limodes</i>	Meador & Present 1985
<i>Orchomene obtusa</i>	(G. O. Sars 1891)
<i>Orchomenopsis obtusa</i>	G. O. Sars 1891
<i>Orchomenella decipiens</i>	Hurley 1963
<i>Orchomene decipiens</i>	of authors NEP
<i>Orchomenella holmesi</i>	(Hurley 1963)
<i>Orchomene holmesi</i>	Hurley 1963
<i>Orchomenella pacifica</i>	Gurjanova 1938
<i>Orchomene pacifica</i>	of J. L. Barnard 1964
<i>Orchomene pacificus</i>	of authors NEP
<i>Orchomenella pinguis</i>	(Boeck 1861)
<i>Anonyx pinguis</i>	Boeck 1861
<i>Orchomene pinguis</i>	of authors NEP
<i>Rimakoroga rima</i>	(J. L. Barnard 1964)
<i>Pseudokoroga rima</i>	J. L. Barnard 1964
Family Aristiidae	SCAMIT 1985 §
<i>Aristias</i> sp A	
Family Opisidae	Hurley 1963
<i>Opisa tridentata</i>	
Family Pachynidae	Lowry and Stoddart 2012
<i>Pachychelium fucaensis</i>	Pasko & Nestler 2003 §
<i>Pachychelium</i> sp SD1	Hurley 1963
<i>Pachynus barnardi</i>	Lowry and Stoddart 2012
<i>Prachynella epa</i>	SCAMIT 2007 §
<i>Prachynella</i> sp A	J. L. Barnard 1964
<i>Prachynella lodo</i>	Lowry and Stoddart 2012
<i>Prachynella oculata</i>	of J. L. Barnard 1964 in part
<i>Prachynella lodo</i>	
Family Uristidae	(Holmes 1908)
<i>Anonyx carinatus</i>	Holmes 1908 in part
<i>Lakota carinata</i>	
<i>Anonyx lilljeborgi</i>	Boeck 1871
<i>Anonyx carinatus</i>	of Hurley 1963
<i>Lakota carinata</i>	Holmes 1908 in part
<i>Schisturella cocula</i>	J. L. Barnard 1966
<i>Schisturella dorotheae</i>	(Hurley 1963)
<i>Anonyx dorotheae</i>	Hurley 1963
<i>Schisturella tracalero</i>	(J. L. Barnard 1966)
<i>Thrombasia tracalero</i>	J. L. Barnard 1966
<i>Uristes entalladurus</i>	J. L. Barnard 1963
Family Valettiopsidae	Holmes 1908
<i>Valettiopsis dentatus</i>	
Superfamily Stegocephaloidea	
Family Stegocephalidae	
Subfamily Stegocephalinae	
<i>Alania hancocki</i>	(Hurley 1956)
<i>Stegocephalus hancocki</i>	Hurley 1956
infraorder uncertain	
superfamily uncertain	
family uncertain	
<i>Gammaridea</i> sp SD1	Pasko 2004 §
Order Isopoda	
Suborder Cymothoida	
Superfamily Cymothooidea	
Family Aegidae	
<i>Aega lecontii</i>	(Dana 1853)
<i>Aegacylia lecontii</i>	Dana 1853
<i>Rocinela angustata</i>	Richardson 1904
<i>Ricinella angustata</i>	of Richardson[Searle] 1914
<i>Rocinella laticauda</i>	of Richardson 1898 not Hansen 1897
<i>Rocinela belliceps</i>	(Stimpson 1864)
<i>Aega belliceps</i>	Stimpson 1864
<i>Aega alaskensis</i>	Lockington 1877
<i>Rocinela alaskensis</i>	of Richardson 1898
Family Corallanidae	(Richardson 1899)
<i>Excorallana truncata</i>	Richardson 1899
<i>Corallana truncata</i>	of Schultz 1969
<i>Excorallana kathae</i>	Menzies 1962
Family Cymothoidae	

<i>Elthusa californica</i>	(Schiødte & Meinert 1884)
<i>Livoneca californica</i>	Schiødte & Meinert 1883
<i>Lironeca californica</i>	of Schultz 1969
<i>Elthusa vulgaris</i>	(Stimpson 1857)
<i>Livoneca vulgaris</i>	Stimpson 1857
<i>Lironeca vulgaris</i>	of Schiødte & Meinert 1883-4
<i>Enispa convexa</i>	(Richardson 1905)
<i>Livoneca convexa</i>	Richardson 1905
<i>Lironeca convexa</i>	of Schultz 1969
<i>Nerocila acuminata</i>	Schiødte & Meinert 1881
<i>Nerocila californica</i>	Schiødte & Meinert 1881
<i>Pterisopodus bartschi</i>	Boone 1918
Family Gnathiidae	
<i>Caecognathia crenulatifrons</i>	(Monod 1926)
<i>Gnathia crenulatifrons</i>	Monod 1926
<i>Caecognathia sanctaerucis</i>	(Schultz 1972)
<i>Gnathia sanctaerucis</i>	Schultz 1972
<i>Gnathia hirsuta</i>	of Schultz 1966 not G.O. Sars 1870
<i>Caecognathia</i> sp A	SCAMIT 2005 §
<i>Caecognathia</i> sp SD1	Haney 2005 §
<i>Gnathia trilobata</i>	of authors SCB, not Schultz 1966
<i>Gnathia productatridens</i>	Menzies & J. L. Barnard 1959
<i>Gnathia steveni</i>	Menzies 1962
<i>Gnathia tridens</i>	Menzies & J. L. Barnard 1959
<i>Gnathia trilobata</i>	Schultz 1966
<i>Gnathia</i> sp MBC1	Haney 2005 §
Family Tridentellidae	
<i>Tridentella glutacantha</i>	Delaney & Brusca 1985
<i>Tridentella quinicornis</i>	Delaney & Brusca 1985
Superfamily Bopyroidea	
Family Bopyridae	
Subfamily Anathelginae	
<i>Anathelges hyphalus</i>	(Markham 1974)
<i>Stegophryxus hyphalus</i>	Markham 1974
Subfamily Argeinae	
<i>Argeia pugettensis</i>	Dana 1853
<i>Argeia calmani</i>	Bonnier 1900
<i>Argeia depauperata</i>	Richardson 1899
<i>Argeia pauperata</i>	Stimpson 1857
<i>Argeia pingi</i>	Yu 1935
Subfamily Bopyrinae	
<i>Orthione griffenis</i>	Markham 2004
<i>Probopyria</i> sp A	SCAMIT 2012 §
<i>Probopyria</i> sp A	Stebbins 2011 §
Subfamily Phyllodurinae	
<i>Phyllodurus abdominalis</i>	Stimpson 1857
Subfamily Pseudioninae	
<i>Munidion pleuroncodis</i>	Markham 1975
<i>Pseudione giardi</i>	Calman 1898
Family Dajidae	
<i>Holophryxus alaskensis</i>	Richardson 1905
<i>Zonophryxus</i> sp	
Superfamily Cryptoniscoidea	
Family Hemoniscidae	
<i>Hemoniscus balani</i>	Buchholz 1866
Superfamily Anthuroidea	
Family Antheluridae	
<i>Ananthura luna</i>	(Schultz 1966)
<i>Bathura luna</i>	Schultz 1966
Family Anthuridae	
<i>Amakusanthura californiensis</i>	(Schultz 1964)
<i>Apanthura californiensis</i>	Schultz 1964
<i>Cyathura munda</i>	Menzies 1951
<i>Haliophasma geminatum</i>	Menzies & J. L. Barnard 1959
<i>Silophasma geminata</i>	of Schultz 1977
<i>Mesanthura occidentalis</i>	Menzies & J. L. Barnard 1959
Family Hyssuridae	
<i>Kupellenura</i> sp A	Wetzer & Brusca 1997
? Anthurid n gen n sp	of Menzies 1962
<i>Hyssuridae</i> gen A sp A	Cadien & Brusca 1993 §

Family Expanathuridae	
<i>Eisothistos</i> sp A	(MBC 1984) §
<i>Heteranthura</i> sp A	MBC 1984 §
Family Paranthuridae	
<i>Calianthura squamosissima</i>	(Menzies 1951)
<i>Colanthura squamosissima</i>	Menzies 1951
<i>Paranthura elegans</i>	Menzies 1951
<i>Paranthura japonica</i>	Richardson 1909
Superfamily Cirolanoidea	
Family Cirolanidae	
<i>Cirolana diminuta</i>	Menzies 1962
<i>Cirolana harfordi</i>	(Lockington 1877)
<i>Aega harfordi</i>	Lockington 1877
<i>Eurydice caudata</i>	Richardson 1899
<i>Eurydice branchuropus</i>	Menzies & J. L. Barnard 1959
<i>Excirolana chiltoni</i>	(Richardson 1905)
<i>Cirolana chiltoni</i>	Richardson 1905
<i>Excirolana japonica</i>	(Richardson 1912)
<i>Excirolana kincaidi</i>	(Hatch 1947)
<i>Excirolana vancouverensis</i>	(Fee 1926)
<i>Excirolana linguifrons</i>	(Richardson 1899)
<i>Cirolana linguifrons</i>	Richardson 1899
<i>Natatolana californiensis</i>	(Schultz 1966)
<i>Cirolana californiensis</i>	Schultz 1966
<i>Metacirolana joanneae</i>	(Schultz 1966)
<i>Cirolana joanneae</i>	Schultz 1966
Suborder Limnoriidea	
Superfamily Limnorioidea	
Family Limnoriidae	
<i>Limnoria algarum</i>	Menzies 1957
<i>Limnoria (Phycolimnora) algarum</i>	of Kozloff 1986
<i>Limnoria quadripunctata</i>	Holthuis 1949
<i>Limnoria tripunctata</i>	Menzies 1951
Suborder Valvifera	
Family Arcturidae	
<i>Idarcturus allelomorphus</i>	Menzies & J. L. Barnard 1959
<i>Idarcturus hedgpethi</i>	Menzies 1951
<i>Neastacilla californica</i>	(Boone 1918)
<i>Astacilla californica</i>	Boone 1918
Family Holognathidae	
<i>Cleantiooides occidentalis</i>	(Richardson 1899)
<i>Cleantis occidentalis</i>	Richardson 1899
Family Idoteidae	
<i>Colidotea rostrata</i>	(Benedict 1898)
<i>Idotea rostrata</i>	Benedict 1898
<i>Edotia sublittoralis</i>	Menzies & J. L. Barnard 1959
<i>Edotea sublittoralis</i>	Menzies & J. L. Barnard 1959
<i>Edotia</i> sp B	MEC 1984 §
<i>Edotea sublittoralis</i>	of authors not Menzies & J. L. Barnard 1959 in part
<i>Erichsonella crenulata</i>	Menzies 1950
<i>Eusymmerus pseudoculata</i>	(Boone 1923)
<i>Erichsonella pseudoculata</i>	Boone 1923
<i>Pentidotea aculeata</i>	Stafford 1913
<i>Pentidotea fewkesi</i>	(Richardson 1908)
<i>Idotea fewkesi</i>	Richardson 1908
<i>Pentidotea montereyensis</i>	Maloney 1933
<i>Idotea gracillima</i>	of Richardson 1905 not Dana 1854 (species inquirendum)
<i>Pentidotea resectata</i>	(Stimpson 1857)
<i>Idotea resectata</i>	Stimpson 1857
<i>Pentidotea rufescens</i>	(Fee 1927)
<i>Idotea rufescens</i>	Fee 1927
<i>Pentidotea urotoma</i>	(Stimpson 1864)
<i>Idotea urotoma</i>	Stimpson 1864
<i>Synidotea calcarea</i>	Schultz 1966
<i>Synidotea harfordi</i>	Benedict 1897
<i>Synidotea magnifica</i>	Menzies & J. L. Barnard 1959
<i>Synidotea media</i>	Iverson 1972
Suborder Sphaeromatidea	
Superfamily Sphaeromatoidea	
Family Sphaeromatidae	

<i>Discerceis granulosa</i>	(Richardson 1899)
<i>Cilicaea granulosa</i>	Richardson 1899
<i>Dynamenella dilatata</i>	(Richardson 1899)
<i>Dynamene dilatata</i>	Richardson 1899
<i>Dynamenella glabra</i>	(Richardson 1899)
<i>Dynamene glabra</i>	(Richardson 1899)
<i>Dynamenella sheareri</i>	(Richardson 1899)
<i>Dynamene sheareri</i>	(Hatch 1947)
<i>Dynoides saldani</i>	Hatch 1947
<i>Exosphaeroma amplicauda</i>	Carvacho and Hasemann 1984
<i>Sphaeroma amplicauda</i>	(Stimpson 1857)
<i>Exosphaeroma inornata</i>	Stimpson 1857
<i>Exosphaeroma media</i>	Dow 1958
<i>Exosphaeroma rhomburum</i>	George & Strömberg 1968
<i>Sphaeroma rhomburum</i>	(Richardson 1899)
<i>Exosphaeroma</i> sp A	Richardson 1899
<i>Exosphaeroma</i> sp IS1	SCAMIT 2012 §
<i>Gnorimosphaeroma oregonense</i>	Cadien 2011 §
<i>Sphaeroma oregonensis</i>	(Dana 1853)
<i>Paracerceis cordata</i>	Dana 1853
<i>Cilicaea cordata</i>	(Richardson 1899)
<i>Dynamene tuberculosa</i>	Richardson 1899
<i>Paracerceis sculpta</i>	(Holmes 1904)
<i>Cilicaea sculpta</i>	Holmes 1904
<i>Paracerceis</i> sp A	SCAMIT 1996 §
<i>Paradella dianae</i>	Menzies 1962
<i>Dynamene dianae</i>	(Menzies 1962)
<i>Sphaeroma quoyanum</i>	H. Milne Edwards 1840
<i>Sphaeromatidae</i> sp A	SCAMIT 2012 §
<i>Sphaeromatidae</i> sp IS1	Cadien 2008 §
Family Ancinidae	
<i>Ancinus granulatus</i>	Holmes & Gay 1909
<i>Ancinus seticomvus</i>	Trask 1970
<i>Bathycopea daltonae</i>	(Menzies & J. L. Barnard 1959)
<i>Ancinus daltonae</i>	Menzies & J. L. Barnard 1959
Superfamily Seroloidea	
Family Serolidae	
<i>Heteroserolis carinata</i>	(Lockington 1877)
<i>Serolis carinata</i>	Lockington 1877
Suborder Oniscidea	
Superfamily Oniscoidea	
Family Alloniscidae	
<i>Alloniscus perconvexus</i>	Dana 1856
Family Armadillidiidae	
<i>Armadillidium vulgare</i>	(Latrelle 1804)
<i>Armadillo vulgare</i>	Latrelle 1804
Family Ligidae	
<i>Ligia occidentalis</i>	Dana 1853
Family Tylidae	
<i>Tylos punctatus</i>	Holmes & Gay 1909
Suborder Assellota	
Superfamily Janiroidea	
Family Dendrotrionidae	
<i>Acanthomunna tannerensis</i>	Schultz 1966
Family Desmosomatidae	
<i>Momedosa symmetrica</i>	(Schultz 1966)
<i>Desmosoma symmetrica</i>	Schultz 1966
<i>Prochelator</i> sp A	Wilson 1997
Family Janiridae	
<i>Caecianiropsis</i> sp LA1	Cadien 1999 §
<i>Caecianiropsis</i> sp LA2	Cadien 1999 §
<i>Caecianiropsis psammophila</i>	of SCAMIT Ed 3
<i>Ianiropsis analoga</i>	Menzies 1952
<i>Ianiropsis derjugini</i>	(Gurjanova 1933)
<i>Janiropsis derjugini</i>	Gurjanova 1933
<i>Ianiropsis minuta</i>	Menzies 1952
<i>Ianiropsis montereyensis</i>	Menzies 1952
<i>Ianiropsis tridens</i>	Menzies 1952
<i>Janiralata occidentalis</i>	(Walker 1898)
<i>Janira occidentalis</i>	Walker 1898

<i>Janiralata solasteri</i>	(Hatch 1947)
<i>Janira solasteri</i>	Hatch 1947
<i>Janiralata</i> sp A	Wilson 1997
<i>Janiralata</i> sp B	Wilson 1997
<i>Janiralata</i> sp D	Wilson 1997
Family Joeropsididae	
<i>Joeropsis concava</i>	Schultz 1966
<i>Joeropsis</i> sp B	Cadien 1982 §
<i>Joeropsis dubia</i>	Menzies 1951
<i>Joeropsis lobata</i>	Richardson 1899
Family Microparasellidae	
<i>Microcharon</i> sp A	SCAMIT 2012 §
<i>Microcharon</i> sp A	Cadien 1999 §
Family Munnidae	
<i>Munna chromatocephala</i>	Menzies 1952
<i>Munna fernaldi</i>	Geoge & Stromberg 1968
<i>Munna halei</i>	Menzies 1952
<i>Munna spinifrons</i>	Menzies & J. L. Barnard 1959
<i>Munna stephensi</i>	Gurjanova 1933
<i>Munna</i> sp A	Wilson 1997
<i>Uromunna ubiquita</i>	(Menzies 1952)
<i>Munna ubiquita</i>	Menzies 1952
<i>Munna minuta</i>	of Hatch 1947 not Hansen 1916
Family Munnopsidae	
<i>Belonectes</i> sp A	Wilson 1997
<i>Eurycope californiensis</i>	Schultz 1966
<i>Ilyarachna acarina</i>	Menzies & J. L. Barnard 1959
<i>Ilyarachna profunda</i>	Schultz 1966
<i>Munnopsurus</i> sp A	Wilson 1997
Family Paramunnidae	
<i>Boreosignum</i> sp A	SCAMIT 2012 §
<i>Boreosignum</i> sp IS1	Cadien 2008 §
<i>Munnogonium tillerae</i>	(Menzies & J. L. Barnard 1959)
<i>Austrosignum tillerae</i>	Menzies & J. L. Barnard 1959
<i>Austrosignum erratum</i>	Schultz 1964
<i>Munnogonium erratum</i>	of George & Strömberg 1968
<i>Munnogonium waldronense</i>	George & Strömberg 1968
<i>Paramunna quadratifrons</i>	Iverson & Wilson 1981
<i>Paramunna</i> sp A	SCAMIT 1996
<i>Paramunna</i> sp SD1	Pasko 2004 §
<i>Asellota</i> sp SD1	Pasko 2004 §
<i>Pleurogonium californiense</i>	Menzies 1951
<i>Pleurogonium</i> sp A	Wilson 1997
Family Pleurocopidae	
<i>Pleurocope</i> sp A	SCAMIT 2012 §
<i>Pleurocope</i> sp IS1	Cadien 2011 §
Order Tanaidacea	
Suborder Apseudomorpha	
Family Apseudidae	
Subfamily Apseudinae	
<i>Carpoapseudes caraspinosus</i>	Dojiri & Sieg 1997
Family Kallipseudidae	
Subfamily Kallipseudinae	
<i>Mesokallipseudes crassus</i>	(Menzies 1953)
<i>Kallipseudes crassus</i>	Menzies 1953
Family Metapseudidae	
Subfamily Metapseudinae	
<i>Apseudomorpha glebosa</i>	(Menzies 1953)
<i>Imitapseudes glebosus</i>	Menzies 1953
Subfamily Synapseudinae	
<i>Synapseudes intumescens</i>	Menzies 1949
Family Parapseudidae	
<i>Parapseudes pedispinis</i>	(Boone 1923)
<i>Dalapseudes pedispinis</i>	Boone 1923
Suborder Tanaidomorpha	
Superfamily Paratanaoidea	
Family Akanthophoreidae	
<i>Akanthophoreus cf gracilis</i>	(Krøyer 1842)
<i>Paraleptognathia cf gracilis</i>	of Dojiri & Sieg 1997
<i>Akanthophoreus phillippi</i>	(Sieg & Dojiri 1991)

<i>Scoloura phillipsi</i>	Sieg & Dojiri 1991
<i>Leptognathia sp C</i>	SCAMIT 1985 §
<i>Chauliopleona dentata</i>	Dojiri & Sieg 1997
<i>Leptognathia sp E</i>	SCAMIT 1985 §
<i>Paraleptognathia bisetulosa</i>	Dojiri & Sieg 1997
Family Anarthruridae	
<i>Anarthruridae sp 1</i>	Dojiri & Sieg 1997
<i>Incertae sedis male sp 1</i>	Dojiri & Sieg 1997
<i>Anarthruridae sp 2</i>	Dojiri & Sieg 1997
<i>Incertae sedis male sp 2</i>	Dojiri & Sieg 1997
<i>Anarthruridae sp 3</i>	Dojiri & Sieg 1997
<i>Incertae sedis male sp 3</i>	Dojiri & Sieg 1997
<i>Siphonolabrum californiensis</i>	Dojiri & Sieg 1997
<i>Araphura sp C</i>	SCAMIT 1987 §
Family Leptognathiidae	
<i>Leptognathia breviremis</i>	(Liljeborg 1864)
<i>Tanais breviremis</i>	Liljeborg 1864
Family Leptocheliidae	
Subfamily Leptocheliinae	
<i>Leptochelia dubia</i> Cmplx	
Family Paratanaidae	
<i>Aparatanaid intermedius</i>	(Dojiri & Sieg 1997)
<i>Paratanaid intermedius</i>	Dojiri & Sieg 1997
<i>Paratanaidae sp A</i>	Paquette 1985 §
<i>Paratanaid sp A</i>	SCAMIT 2012 §
<i>Paratanaid sp IS1</i>	Cadien 2008 §
Family Tanaellidae	
<i>Araphura brevioria</i>	Dojiri & Sieg 1997
<i>Araphura sp A</i>	SCAMIT 1987 §
<i>Araphura cuspirostris</i>	Dojiri & Sieg 1997
<i>Araphura sp B</i>	SCAMIT 1987 §
<i>Araphura sp SD1</i>	Pasko 2006 §
<i>Tanaella propinquus</i>	Dojiri & Sieg 1997
<i>Leptognathia sp B</i>	SCAMIT 1985 §
<i>Tanaella sp A</i>	SCAMIT 1987 §
Family Nototanaidae	
<i>Typhlotanaid crassus</i>	Dojiri & Sieg 1997
<i>Typhlotanaid sp A</i>	SCAMIT 1987 § in part
<i>Typhlotanaid williamsi</i>	Dojiri & Sieg 1997
<i>Typhlotanaid sp A</i>	SCAMIT 1987 § in part
Family Pseudotanaidae	
<i>Pseudotanaid californiensis</i>	Dojiri & Sieg 1997
<i>Pseudotanaid makrothrix</i>	Dojiri & Sieg 1997
family uncertain	
<i>Tanaopsis cadieri</i>	Sieg & Dojiri 1991
<i>Tanaopsis sp A</i>	SCAMIT 1987 § in part
Superfamily Tanaidoidea	
Family Tanaidae	
<i>Anatanais pseudonormani</i>	Sieg & Winn 1981
<i>Sinelobus stanfordi</i>	(Richardson 1901)
<i>Tanais stanfordi</i>	Richardson 1901
<i>Tanais vanis</i>	Miller 1940
<i>Synaptotanaid notabilis</i>	Sieg & Winn 1981
<i>Zeuxo maledivensis</i>	Sieg 1980
<i>Zeuxo normani</i>	(Richardson 1905)
<i>Tanaid normani</i>	Richardson 1905
<i>Anatanias normani</i>	of Greve 1974
<i>Zeuxo paranormani</i>	Sieg 1980
Order Cumacea	
Family Bodotriidae	
<i>Cyclaspis giveni</i>	Donath-Hernandez 2011
<i>Cyclaspis sp B</i>	SCAMIT 1989 §
<i>Cyclaspis nubila</i>	Zimmer 1936
<i>Cyclaspis sp A</i>	SCAMIT 1995 §
<i>Cyclaspis sp C</i>	SCAMIT 1986 §
<i>Cyclaspis sp D</i>	Cadien 1996 §
<i>Glyphocuma sp A</i>	SCAMIT 1989 §
<i>Vaunthompsonia sp A</i>	of Iverson 1978 § in part
<i>Vaunthompsonia sp B</i>	of Iverson 1978 § in part
<i>Glyphocuma sp LA1</i>	Cadien 1998 §

<i>Leptocuma forsmani</i>	Zimmer 1943
<i>Vaunthompsonia pacifica</i>	Zimmer 1943
<i>Vaunthompsonia sp A</i>	of Iverson 1978 § in part
<i>Vaunthompsonia sp B</i>	of Iverson 1978 § in part
Family Leconidae	
<i>Eudorella pacifica</i>	Hart 1930
<i>Eudorella tridentata</i>	Hart 1930
<i>Eudorellopsis longirostris</i>	Given 1961
<i>Leucon armatus</i>	Given 1961
<i>Leucon bishopi</i>	Bacescu 1988
<i>Epileucon pacifica</i>	of Bishop 1981 not Jones 1968
<i>Epileucon sp A</i>	MBC 1986 §
<i>Leucon sp B</i>	MBC 1982 §
<i>Leucon declivis</i>	Watling & McCann 1997
<i>Leucon sp H</i>	Cadien 1985 §
<i>Leucon falcicosta</i>	Watling & McCann 1997
<i>Leucon sp A</i>	Myers & Benedict 1974 §
<i>Leucon magnadentata</i>	Given 1961
<i>Leucon subnasica</i>	Given 1961
<i>Nippoleucon hinumensis</i>	(Gamô 1967)
<i>Hemileucon hinumensis</i>	Gamô 1967
<i>Nippoleucon sp WS1</i>	Pasko 2009
Family Nannastacidae	
<i>Campylaspis bispilata</i>	Watling & McCann 1997
<i>Campylaspis cf crispa</i>	SCAMIT 1986 §
<i>Campylaspis sp B</i>	of authors NEP in part not SCAMIT 1986 §
<i>Campylaspis blakei</i>	Watling & McCann 1997
<i>Campylaspis sp E</i>	Myers & Benedict 1974 §
<i>Campylaspis canaliculata</i>	Zimmer 1936
<i>Campylaspis hartae</i>	Lie 1969
<i>Campylaspis maculinodulosa</i>	Watling & McCann 1997
<i>Campylaspis sp D</i>	SCAMIT 1988 §
<i>Campylaspis sp P</i>	MBC 1986 §
<i>Campylaspis rubromaculata</i>	Lie 1971
<i>Campylaspis nodulosa</i>	of Lie 1969 not G. Sars 1887
<i>Campylaspis papillata</i>	of Lie 1968 not Lomakina 1952
<i>Campylaspis rufa</i>	Hart 1930
<i>Campylaspis sp A</i>	SCAMIT 1995 §
<i>Campylaspis sp Q</i>	MBC 1984 §
<i>Campylaspis sp B</i>	SCAMIT 1986 §
<i>Campylaspis biplicata</i>	of authors NEP in part not Watling & McCann 1997
<i>Campylaspis sp C</i>	Myers & Benedict 1974 §
<i>Cumella californica</i>	Watling & McCann 1997
<i>Cumella sp A</i>	Myers & Benedict 1974 §
<i>Cumella (Cumewingia) 1 n.sp.</i>	Donath-Hernandez 1985
<i>Cumella morion</i>	Watling & McCann 1997
<i>Cumella sp B</i>	Myers & Benedict 1974 §
<i>Cumella vulgaris</i>	Hart 1930
<i>Cumella sp E</i>	Phillips 1995 §
<i>Cumella sp HYP1</i>	Roney 2007 §
<i>Elasocumella sp SD1</i>	Nestler 2005 §
<i>Procampylaspis caenosia</i>	Watling & McCann 1997
<i>Procampylaspis sp A</i>	SCAMIT 1995 §
<i>Styloptocuma sp</i>	
Family Lampropidae	
<i>Hemilamprops californicus</i>	Zimmer 1936
<i>Hemilamprops californica</i>	Zimmer 1936
<i>Hemilamprops sp A</i>	MBC 1985 §
<i>Hemilamprops sp B</i>	Paquette 1985 §
<i>Lamprops carinatus</i>	Hart 1930
<i>Lamprops carinata</i>	Hart 1930
<i>Lamprops quadriplicatus</i>	Smith 1879
<i>Lamprops quadriplicata</i>	Smith 1879
<i>Lamprops tomalesi</i>	Gladfelter 1975
<i>Lamprops sp D</i>	MBC 1985 §
<i>Mesolamprops bispinosus</i>	Given 1964
<i>Mesolamprops bispinosa</i>	Given 1964
Family Diastyliidae	
<i>Anchicolurus occidentalis</i>	(Calman 1912)
<i>Colurostylus occidentalis</i>	Calman 1912

<i>Diastylis californica</i>	Zimmer 1936
<i>Diastylis crenellata</i>	Watling & McCann 1997
<i>Diastylis</i> sp A	SCAMIT 1986 §
<i>Diastylis</i> sp D	Phillips 1981 §
<i>Leptostylis</i> sp E	MBC 1983 §
<i>Diastylis newberryi</i>	Gerken 2005
<i>Leptostylis</i> sp B	Given 1970 §
<i>Diastylis pellucida</i>	Hart 1930
<i>Diastylis santamariensis</i>	Watling & McCann 1997
<i>Diastylis</i> sp B	Myers & Benedict 1974 §
<i>Diastylis sentosa</i>	Watling & McCann 1997
<i>Diastylis</i> paraspinulosa	of authors NEP not Zimmer 1926
<i>Diastylis</i> sp C	Myers & Benedict 1974 §
<i>Diastylopsis dawsoni</i>	S.I. Smith 1880
<i>Diastylopsis tenuis</i>	Zimmer 1936
<i>Leptostylis abditus</i>	Watling & McCann 1997
<i>Leptostylis</i> villosa	of authors NEP not G. Sars 1869
<i>Leptostylis</i> sp B	SCAMIT 1983 §
<i>Leptostylis calva</i>	Watling & McCann 1997
<i>Leptostylis</i> sp A	SCAMIT 1983 § in part
<i>Leptostylis</i> sp D	SCAMIT 1983 §
<i>Leptostylis</i> sp C	SCAMIT 1983 §
<i>Leptostylis</i> sp E	SCAMIT 2012 §
<i>Leptostylis</i> sp F	MBC 1985 §
<i>Leptostylis</i> sp CS1	Cadien 2004 §
<i>Makrokylindrus</i> sp A	SCAMIT 2012 §
<i>Makrokylindrus</i> sp TB2	Cadien 2006 §
<i>Oxyurostylis pacifica</i>	Zimmer 1936
<i>Oxyurostylis tertia</i>	Zimmer 1945
Family Pseudocumatidae	
<i>Petalosarsia</i> sp A	Diener 1982 §
Superorder Eucarida	
Order Decapoda	
Suborder Dendrobranchiata	
Superfamily Penaeoidea	
Family Aristeidae	
<i>Bentheogenennema burkenroadi</i>	Krygier & Wasmer 1975
Family Solenoceridae	
<i>Solenocera mutator</i>	Burkenroad 1938
Family Penaeidae	
<i>Farfantepenaeus californiensis</i>	(Holmes 1900)
<i>Penaeus californiensis</i>	Holmes 1900
<i>Penaeus brasiliensis</i>	Schmitt 1935 in part
<i>Penaeus brevirostris</i>	of authors NEP not Kingsley 1878
<i>Metapenaeopsis mineri</i>	Burkenroad 1938
Family Sicyoniidae	
<i>Sicyonia disedwardsi</i>	(Burkenroad 1934)
<i>Eusicyonia disedwardsi</i>	Burkenroad 1934
<i>Sicyonia ingentis</i>	(Burkenroad 1938)
<i>Eusicyonia ingentis</i>	Burkenroad 1938
<i>Sicyonia penicillata</i>	Lockington 1879
Superfamily Sergestoidea	
Family Sergestidae	
<i>Eusergestes similis</i>	(Hansen 1903)
<i>Sergestes similis</i>	Hansen 1903
<i>Sergestes atlanticus</i>	Bate 1888
<i>Sergestes (Sergestes) similis</i>	Yaldwyn 1957
Suborder Pleocyemata	
Infraorder Caridea	
Superfamily Pasiphaoeoidea	
Family Pasiphaeidae	
<i>Pasiphaea pacifica</i>	Rathbun 1902
<i>Pasiphaea tarda</i>	Krøyer 1845
Superfamily Oplophoroidea	
Family Oplophoridae	
unidentified	
Superfamily Palaemonoidea	
Family Palaemonidae	
<i>Palaemon macrodactylus</i>	(Rathbun 1902)
<i>Leander macrodactylus</i>	Rathbun 1902

<i>Palaeomonella holmesi</i>	(Nobili 1907)
<i>Periclimenes holmesi</i>	Nobili 1907
<i>Anchista tenuipes</i>	Holmes 1900
<i>Periclimenes infraspinis</i>	(Rathbun 1902)
<i>Urocaris infraspinis</i>	Rathbun 1902
<i>Pseudocoutierea elegans</i>	Holthuis 1951
Superfamily Alpheoidea	
Family Alpheidae	
<i>Alpheopsis equidactylus</i>	(Lockington 1877)
<i>Alpheus equidactylus</i>	Lockington 1877
<i>Crangon equidactylus</i>	of Schmitt 1921
<i>Alpheus bellimanus</i>	Lockington 1877
<i>Crangon bellimanus</i>	of Schmitt 1921
<i>Alpheus californiensis</i>	Holmes 1900
<i>Crangon californiensis</i>	of Schmitt 1921
<i>Alpheus clamator</i>	Lockington 1877
<i>Alpheus dentipes</i>	Rathbun 1904
<i>Crangon dentipes</i>	of Schmitt 1921
<i>Automate</i> sp A	SCAMIT 1995 §
<i>Betaeus ensenadensis</i>	Glassell 1938
<i>Betaeus harfordi</i>	(Kingsley 1878)
<i>Alpheus harfordi</i>	Kingsley 1878
<i>Alpheus aequalis</i>	of Holmes 1900
<i>Betaeus harrimani</i>	Rathbun 1904
<i>Betaeus longidactylus</i>	Lockington 1877
<i>Alpheus longidactylus</i>	of Holmes 1900
<i>Synalpheus lockingtoni</i>	Coutière 1909
Family Hippolytidae	
<i>Eualus lineatus</i>	Wicksten & Butler 1983
<i>Eualus herdmani</i>	of authors NEP not (Walker 1898)
<i>Eualus subtilis</i>	Carvacho & Olson 1984
<i>Eualus lineatus</i>	of authors NEP in part
<i>Heptacarpus brevirostris</i>	(Dana 1852)
<i>Hippolyte brevirostris</i>	Dana 1852
<i>Spironotcaris brevirostris</i>	of Rathbun 1904
<i>Heptacarpus carinatus</i>	Holmes 1900
<i>Heptacarpus decorus</i>	(Rathbun 1902)
<i>Spirontocaris decorus</i>	Rathbun 1902
<i>Heptacarpus flexus</i>	(Rathbun 1902)
<i>Spirontocaris flexa</i>	Rathbun 1902
<i>Heptacarpus fuscimaculatus</i>	Wicksten 1986
<i>Heptacarpus palpator</i>	(Owen 1839)
<i>Hippolyte palpator</i>	Owen 1839
<i>Spirontocaris palpator</i>	of Rathbun 1904
<i>Heptacarpus paludicola</i>	Holmes 1900
<i>Heptacarpus sitchensis</i>	(Brandt 1851)
<i>Hippolyte sitchensis</i>	Brandt 1851
<i>Heptacarpus pictus</i>	(Stimpson 1871)
<i>Spirontocaris picta</i>	of Rathbun 1904
<i>Heptacarpus stimpsoni</i>	Holthuis 1947
<i>Heptacarpus cristatus</i>	of Holmes 1900
<i>Hippolyte cristata</i>	Stimpson 1880
<i>Spirontocaris cristata</i>	of Walker 1898
<i>Spirontocaris cristatus</i>	of Rathbun 1904
<i>Heptacarpus stylus</i>	(Stimpson 1864)
<i>Hippolyte stylus</i>	Stimpson 1864
<i>Heptacarpus taylori</i>	(Stimpson 1857)
<i>Spirontocaris taylori</i>	Stimpson 1857
<i>Heptacarpus tenuissimus</i>	Holmes 1900
<i>Hippolyte amabilis</i>	Lenz 1901
<i>Hippolyte gracilis</i>	Stimpson 1864
<i>Heptacarpus gracilis</i>	of Carlton & Kuris 1975
<i>Spirontocaris gracilis</i>	of Rathbun 1904
<i>Heptacarpus tridens</i>	(Rathbun 1902)
<i>Spirontocaris tridens</i>	Rathbun 1902
<i>Hippolyte californiensis</i>	Holmes 1895
<i>Hippolyte mexicana</i>	Chace 1937
<i>Hippolyte clarki</i>	Chace 1951
<i>Lebbeus lagunae</i>	(Schmitt 1921)
<i>Spirontocaris lagunae</i>	Schmitt 1921

<i>Lysmata californica</i>	(Stimpson 1866)
<i>Hippolysmata californica</i>	Stimpson 1866
<i>Hippolyte lineata</i>	Lockington 1877
<i>Spirontocaris dalli</i>	Rathbun 1902
<i>Spirontocaris holmesi</i>	Holthuis 1947
<i>Hippolyte bispinosus</i>	of Williamson 1915
<i>Spirontocaris bispinosa</i>	Holmes 1900
<i>Spirontocaris lamellicornis</i>	(Dana 1852)
<i>Hippolyte lamellicornis</i>	Dana 1852
<i>Spirontocaris prionota</i>	(Stimpson 1864)
<i>Hippolyte prionota</i>	Stimpson 1864
<i>Spirontocaris macrodonta</i>	Hart 1930
<i>Spirontocaris sica</i>	Rathbun 1902
<i>Spirontocaris snyderi</i>	Rathbun 1902
<i>Spirontocaris truncata</i>	Rathbun 1902
Family Ogyrididae	
<i>Ogyrides</i> sp A	Roney 1978 §
<i>Ogyrides alphaerostris</i>	of Wicksten 2009 not (Kingsley 1880)
Superfamily Processoidea	
Family Processidae	
<i>Ambidexter panamensis</i>	Abele 1972
<i>Processa peruviana</i>	Wicksten 1983
Superfamily Pandaloidea	
Family Pandalidae	
<i>Pandalopsis ampla</i>	Bate 1888
<i>Pandalus danae</i>	Stimpson 1857
<i>Pandalus franciscorum</i>	Kingsley 1878
<i>Pandalus gurneyi</i>	Stimpson 1871
<i>Pandalus jordani</i>	Rathbun 1902
<i>Pandalus platyceros</i>	Brandt 1851
<i>Pandalus pubescensulus</i>	Dana 1852
<i>Pandalus tridens</i>	Rathbun 1902
<i>Pandalus montagui</i>	of Rathbun 1899 not Leach 1814
<i>Pandalus montagui tridens</i>	of Rathbun 1902
<i>Pantomus affinis</i>	Chace 1937
<i>Plesionika beebei</i>	Chace 1937
<i>Plesionika carinirostris</i>	Hendrickx 1990
<i>Plesionika trispinus</i>	Squires & Barragán 1976
Superfamily Crangonoidea	
Family Crangonidae	
<i>Crangon alaskensis</i>	Lockington 1877
<i>Crago alaskensis</i>	of Carlisle 1969
<i>Crangon alaskensis elongata</i>	Rathbun 1902
<i>Crangon crangon affinis</i>	of Ortman 1895 in part
<i>Crangon nigricauda</i>	of Holmes 1900 not Stimpson 1856
<i>Crangon vulgaris</i>	of Kingsley 1899 in part
<i>Crangon alba</i>	Holmes 1900
<i>Crago alba</i>	Schmitt 1921
<i>Crangon handi</i>	Kuris & Carlton 1977
<i>Crangon holmesi</i>	Rathbun 1902
<i>Crago holmesi</i>	of Schmitt 1921
<i>Crangon nigricauda</i>	Stimpson 1856
<i>Crago nigricauda</i>	of Schmitt 1921
<i>Crangon nigromaculata</i>	Lockington 1877
<i>Crago nigromaculata</i>	of Schmitt 1921
<i>Mesocrangon munitella</i>	(Walker 1898)
<i>Crangon munitellus</i>	Walker 1898
<i>Crago munitella</i>	of Schmitt 1921
<i>Crangon munitella</i>	Rathbun 1904
<i>Metacrangon spinosissima</i>	(Rathbun 1902)
<i>Crangon spinosissima</i>	Rathbun 1902
<i>Crago spinosissima</i>	of Schmitt 1921
<i>Neocrangon communis</i>	(Rathbun 1899)
<i>Crangon communis</i>	Rathbun 1899
<i>Crago communis</i>	of Schmitt 1921
<i>Neocrangon resima</i>	(Rathbun 1902)
<i>Crangon resima</i>	Rathbun 1902
<i>Crago resima</i>	of Schmitt 1921
<i>Crangon communis</i>	of Rathbun 1904 in part not Rathbun 1899
<i>Neocrangon zacae</i>	(Chace 1937)

<i>Crago zacae</i>	Chace 1937
<i>Crangon zacae</i>	of Word & Charvat 1976
<i>Rhynocrangon alata</i>	(Rathbun 1902)
<i>Sclerocrangon alata</i>	Rathbun 1902
Infraorder Axiidea	
Family Callianassidae	
<i>Neotrypaea bifari</i>	Holthuis 1991
<i>Callianassa affinis</i>	Holmes 1900
<i>Neotrypaea affinis</i>	of SCAMIT Ed 7
<i>Neotrypaea californiensis</i>	(Dana 1854)
<i>Callianassa californiensis</i>	Dana 1854
<i>Neotrypaea gigas</i>	(Dana 1852)
<i>Callianassa gigas</i>	Dana 1852
<i>Callianassa longimana</i>	Stimpson 1857
Family Ctenochelidae	
<i>Callianopsis goniophthalma</i>	(Rathbun 1902)
<i>Callianassa goniophthalma</i>	Rathbun 1902
Family Axiidae	
<i>Calocarides quinqueseriatus</i>	(Rathbun 1902)
<i>Calastacus quinqueseriatus</i>	Rathbun 1902
<i>Calastacus rostriserratus</i>	Andrade & Baez 1977
<i>Calocaris (Calastacus) quinqueseriatus</i>	of Hart 1982
<i>Calocarides spinulicauda</i>	(Rathbun 1902)
<i>Axius spinulicauda</i>	Rathbun 1902
<i>Acanthaxius spinulicaudus</i>	of Sakai & de Saint Laurent 1992
<i>Axiopsis spinulicauda</i>	of Schmitt 1921
<i>Axiopsis (Axiopsis) spinulicauda</i>	of de Man 1925
<i>Axius (Paraxius) spinulicauda</i>	of Borradaile 1903
<i>Calocarides sp</i>	Martin & Zimmerman 1997
Infraorder Gebiidea	
Family Laomediidae	
<i>Naushonia macginitiei</i>	(Glassell 1938)
<i>Hormoriscus macginitiei</i>	Glassell 1938
<i>Naushonia macginitiei</i>	of Wicksten 2012
Family Upogebiidae	
<i>Upogebia leptula</i>	Williams 1986
<i>Upogebia pugettensis</i>	of authors NEP in part not (Dana 1852)
<i>Upogebia macginitieorum</i>	Williams 1986
<i>Upogebia pugettensis</i>	of authors NEP in part not (Dana 1852)
Infraorder Achelata	
Superfamily Palinuroidea	
Family Palinuridae	
<i>Panulirus interruptus</i>	Randall 1839
Infraorder Polychelida	
Family Polychelidae	
unidentified	
Infraorder Anomura	
Superfamily Paguroidea	
Family Diogenidae	
<i>Isocheles pilosus</i>	(Holmes 1900)
<i>Holopagurus pilosus</i>	Holmes 1900
<i>Paguristes bakeri</i>	Holmes 1900
<i>Paguristes parvus</i>	Holmes 1900
<i>Paguristes turgidus</i>	(Stimpson 1857)
<i>Clibanarius turgidus</i>	Stimpson 1857
<i>Eupagurus turgidus</i>	of Stimpson 1859
<i>Paguristes ulreyi</i>	Schmitt 1921
<i>Paguristes occator</i>	Glassell 1937
Family Paguridae	
<i>Discorsopagurus schmitti</i>	(Stevens 1925)
<i>Pylopagurus schmitti</i>	Stevens 1925
<i>Orthopagurus schmitti</i>	of Stevens 1927
<i>Phylopagurus schmitti</i>	of Hart 1930
<i>Enallopaguropsis guatemoci</i>	(Glassell 1937)
<i>Pylopagurus guatemoci</i>	Glassell 1937
<i>Enallopaguropsis hancocki</i>	of McLaughlin 1982
<i>Pylopagurus hancocki</i>	Walton 1954
<i>Haigia diegensis</i>	(Scanland & Hopkins 1969)
<i>Pylopagurus diegensis</i>	Scanland & Hopkins 1969
<i>Orthopagurus minimus</i>	(Holmes 1900)

<i>Pagurus</i> (<i>Trigonocheirus</i>) <i>minimus</i>	Holmes 1900
<i>Parapagurus</i> <i>minimus</i>	of Hilton 1918
<i>Pylopagurus</i> <i>minimus</i>	of Schmitt 1921
<i>Pagurus armatus</i>	(Dana 1851)
<i>Bernhardus</i> <i>armatus</i>	Dana 1851
<i>Eupagurus</i> <i>alaskensis</i>	Harrington & Griffin 1897
<i>Eupagurus</i> <i>armatus</i>	of Stimpson 1857
<i>Pagurus</i> <i>ochotensis</i>	of authors not Brandt 1851
<i>Pagurus beringanus</i>	(Benedict 1892)
<i>Eupagurus</i> (<i>Trigonocheirus</i>) <i>beringanus</i>	Benedict 1892
<i>Eupagurus</i> (<i>Trigonocheirus</i>) <i>newcombei</i>	Benedict 1892
<i>Pagurus granosimanus</i>	(Stimpson 1859)
<i>Eupagurus</i> <i>granosimanus</i>	Stimpson 1859
<i>Pagurus</i> (<i>Trigonocheirus</i>) <i>granosimanus</i>	of Holmes 1900
<i>Pagurus hartae</i>	(McLaughlin & Jensen 1996)
<i>Parapagurodes</i> <i>hartae</i>	McLaughlin & Jensen 1996
<i>Pagurus quaylei</i>	Hart 1971
<i>Pagurus redondoensis</i>	Wicksten 1982
<i>Pagurus</i> sp 3	Haig 1977 §
<i>Pagurus retrorsimanus</i>	Wicksten & McLaughlin 1998
<i>Pagurus</i> sp 2	Haig 1977 §
<i>Pagurus samuelis</i>	(Stimpson 1857)
<i>Eupagurus</i> <i>samuelis</i>	Stimpson 1857
<i>Pagurus</i> (<i>Trigonocheirus</i>) <i>samuelis</i>	of Holmes 1900
<i>Pagurus spilocarpus</i>	Haig 1977
<i>Pagurus</i> sp 1	Haig 1977 §
<i>Pagurus tanneri</i>	(Benedict 1892)
<i>Eupagurus</i> (<i>Trigonocheirus</i>) <i>tanneri</i>	Benedict 1892
<i>Pagurus</i> (<i>Trigonocheirus</i>) <i>tanneri</i>	of Holmes 1900
<i>Pagurus</i> sp 4	Hart 1982
<i>Parapagurodes laurentae</i>	McLaughlin & Haig 1973
<i>Parapagurodes makarovi</i>	McLaughlin & Haig 1973
<i>Eupagurus</i> <i>mertensi</i>	of Benedict 1892
<i>Phimochirus californiensis</i>	(Benedict 1892)
<i>Eupagurus</i> <i>californiensis</i>	Benedict 1892
<i>Pagurus</i> <i>californiensis</i>	of Holmes 1900
<i>Pylopagurus</i> <i>californiensis</i>	of authors NEP
<i>Pylopagurus holmesi</i>	Schmitt 1921
<i>Pylopagurus</i> <i>longicarpus</i>	Walton 1954
Family Parapaguridae	
<i>Oncopagurus haigae</i>	(de Saint Laurent 1972)
<i>Parapagurus</i> <i>haigae</i>	de Saint Laurent 1972
<i>Sympagurus</i> <i>haigae</i>	off SCAMIT Ed 7
<i>Parapagurus benedicti</i>	de Saint Laurent 1972
Superfamily Galatheoidea	
Family Galatheidae	
<i>Janetogalathea californiensis</i>	(Benedict 1902)
<i>Galathea californiensis</i>	Benedict 1902
Family Munididae	
<i>Munida hispida</i>	Benedict 1902
<i>Munida quadrispina</i>	Benedict 1902
<i>Pleuroncodes planipes</i>	Stimpson 1860
Family Munidopsidae	
<i>Munidopsis depressa</i>	Faxon 1853
Family Porcellanidae	
<i>Pachycheles holosericus</i>	Schmitt 1921
<i>Pachycheles pubescens</i>	Holmes 1900
<i>Pachycheles rufus</i>	Stimpson 1859
<i>Petrolisthes cinctipes</i>	(Randall 1839)
<i>Porcellana cinctipes</i>	Randall 1839
<i>Petrolisthes rupiculus</i>	of Stimpson 1858
<i>Porcellana rupicola</i>	Stimpson 1857
<i>Petrolisthes manimaculatus</i>	Glassell 1945
<i>Polyonyx quadriungulatus</i>	Glassell 1935
Superfamily Lithodoidea	
Family Hapalogastridae	
<i>Acantholithodes hispidus</i>	(Stimpson 1860)
<i>Dermaturus hispidus</i>	Stimpson 1860
Family Lithodidae	
<i>Glyptolithodes cristatipes</i>	(Faxon 1893)

<i>Rhinolithodes cristatipes</i>	Faxon 1893
<i>Lopholithodes foraminatus</i>	(Stimpson 1859)
<i>Echinocerus foraminatus</i>	Stimpson 1859
<i>Paralithodes californiensis</i>	(Benedict 1894)
<i>Lithodes californiensis</i>	Benedict 1894
<i>Paralithodes rathbuni</i>	(Benedict 1894)
<i>Lithodes rathbuni</i>	Benedict 1894
Superfamily Hippoidea	
Family Albuneidae	
<i>Lepidopa californica</i>	Efford 1971
<i>Lepidopa myops</i>	of authors NEP not Stimpson 1860
Family Blepharipodidae	
<i>Blepharipoda occidentalis</i>	Randall 1839
Family Hippidae	
<i>Emerita analoga</i>	(Stimpson 1857)
<i>Hippa analoga</i>	Stimpson 1857
Infraorder Brachyura	
Superfamily Dromioidea	
Family Dromiidae	
<i>Moreiradromia sarraburei</i>	(Rathbun 1910)
<i>Dromidia sarraburei</i>	Rathbun 1910
<i>Cryptodromiopsis larraburei</i>	of SCAMIT Ed 6
<i>Dromidia segnipes</i>	Weymouth 1910
Superfamily Homoloidea	
Family Homolidae	
<i>Moloha faxoni</i>	(Schmitt 1921)
<i>Homola faxoni</i>	Schmitt 1921
<i>Paromola faxoni</i>	of Rathbun 1937
Superfamily Cyclodrippoidea	
Family Cyclodriippidae	
<i>Deilocerus decorus</i>	(Rathbun 1933)
<i>Clythrocerus decorus</i>	Rathbun 1933
<i>Deilocerus planus</i>	(Rathbun 1900)
<i>Cyclodriuppe plana</i>	Rathbun 1900
<i>Clythrocerus planus</i>	of Rathbun 1937
Superfamily Calappoidea	
Family Calappidae	
<i>Platymera gaudichaudii</i>	H. Milne Edwards 1837
<i>Mursia gaudichaudii</i>	of Rathbun 1917
<i>Platymera californiensis</i>	Rathbun 1893
Superfamily Leucosioidea	
Family Leucosiidae	
<i>Randallia bulligera</i>	Rathbun 1898
<i>Randallia ornata</i>	(Randall 1839)
<i>Ilia ornata</i>	Randall 1839
Superfamily Majoidea	
Family Epialtidae	
Subfamily Epialtinae	
<i>Epialtoides hiltoni</i>	(Rathbun 1923)
<i>Epialtus hiltoni</i>	Rathbun 1923
<i>Epialtus bituberculatus</i>	of Rathbun 1894 not H. Milne Edwards 1834
<i>Epialtus bituberculatus forma minima</i>	of Hilton 1916 not Lockington 1877
<i>Puggettia dalli</i>	Rathbun 1893
<i>Puggettia producta</i>	(Randall 1839)
<i>Epialtus productus</i>	Randall 1839
<i>Epialtus (Taliepus) productus</i>	of A. Milne Edwards 1878
<i>Puggettia producta</i>	of Clemens 1933
<i>Puggettia richii</i>	Dana 1851
<i>Puggettia richi</i>	of Garth 1958
<i>Puggettia venetiae</i>	Rathbun 1924
<i>Taliepus nuttallii</i>	(Randall 1839)
<i>Epialtus nuttallii</i>	Randall 1839
<i>Epialtus (Antilibinia) nuttallii</i>	of Rathbun 1894
Subfamily Pisinae	
<i>Chorilia longipes</i>	Dana 1851
<i>Chorilia longipes turgida</i>	Rathbun 1924
<i>Hyastenus longipes</i>	of Miers 1886
<i>Loxorhynchus crispatus</i>	Stimpson 1857
<i>Loxorhynchus grandis</i>	Stimpson 1857
<i>Loxorynchus grandis</i>	Stimpson 1857

	Loxorhynchus grandus	of Weymouth 1910
	Mithrax rostratus	Boone 1930
<i>Pelia tumida</i>	(?) tumidus	(Lockington 1877)
	Pelia clausa	Lockington 1877
	Pelia pacifica	Rathbun 1907
<i>Scyra acutifrons</i>	Scyra acutifrons	of Rathbun 1893 not A. Milne Edwards 1875
		Dana 1851
		of Taylor 1912
Family Inachidae		
<i>Eriocerodes hemphillii</i>		(Lockington 1877)
	Microrhynchus hemphilli	Lockington 1877
	<i>Podochela hemphillii</i>	of SCAMIT Ed. 7
	Podochela tenuipes	Rathbun 1893
<i>Erioleptus spinosus</i>	Anasimus rostratus	Rathbun 1893
	Anasimus spinosus	Rathbun 1893
<i>Podochela lobifrons</i>	Podochela (Coryrhynchus) lobifrons	of Schmitt 1921
	Podochela barbarensis	Rathbun 1893
<i>Stenorhynchus debilis</i>	Leptopodia debilis	Rathbun 1893
	Leptopodia sagittaria	Rathbun 1893
		of Bell 1835 not Leach 1815
Family Inachoididae		
<i>Pyromaia tuberculata</i>		(Lockington 1877)
	Microrhynchus (Inachus) tuberculatus	Lockington 1877
	Collodes granosus	of Boone 1930 not Stimpson 1860
	Dasygyius tuberculatus	of Rathbun 1898
	? Inachoides brevirostrum	Lockington 1877
	Inachoides magdalenensis	Rathbun 1893
	Inachoides tuberculatus	of Schmitt 1921
Family Oregoniidae		
<i>Chionoecetes tanneri</i>		Rathbun 1893
Superfamily Parthenopoidea		
Family Parthenopidae		
Subfamily Parthenopinae		
<i>Latulambrus occidentalis</i>		(Dana 1854)
	Cryptopodia occidentalis	Dana 1854
	<i>Heterocrypta occidentalis</i>	of SCAMIT Ed. 7
	Lambrus frons-acutis	Lockington 1877
Superfamily Cancroidea		
Family Cancridae		
<i>Cancer productus</i>		Randall 1839
	Cancer perlatus	Stimpson 1856
<i>Glebocarcinus amphioetus</i>		(Rathbun 1898)
	Cancer amphioetus	Rathbun 1898
	Cancer bullatus	Balss 1922
	Cancer pygmaeus	Ortmann 1893 not Fabricius 1787
	Trichocarcinus dentatus	Miers 1879 not Herbst 1785
<i>Glebocarcinus oregonensis</i>		(Dana 1852)
	Cancer oregonensis	(Dana 1852)
	Trichocera oregonensis	Dana 1852
	Lophopanopeus somaterianus	Rathbun 1930
	Platycarcinus recurvidens	Bate 1864
	Trichocarcinus walkeri	Holmes 1900
<i>Metacarcinus anthonyi</i>		(Rathbun 1897)
	Cancer anthonyi	Rathbun 1897
<i>Metacarcinus gracilis</i>		(Dana 1852)
	Cancer gracilis	Dana 1852
<i>Romaleon antennarium</i>		(Stimpson 1856)
	Cancer antennaria	Stimpson 1856
	Cancer antennarius	of Rathbun 1930
<i>Romaleon branneri</i>		(Rathbun 1926)
	Cancer branneri	Rathbun 1926
	Cancer gibbosulus	Rathbun 1898
<i>Romaleon jordani</i>		(Rathbun 1900)
	Cancer jordani	Rathbun 1900
Superfamily Portunoidea		
Family Portunidae		
<i>Portunus xantusii</i>		(Stimpson 1860)
	Achelous xantusii	Stimpson 1860

Neptunus xantusii	of A. Milne Edwards 1879
Superfamily Xanthoidea	
Family Panopeidae	
Subfamily Panopeinae	
<i>Lophopanopeus bellus</i>	(Stimpson 1860)
<i>Xanthe bella</i>	Stimpson 1860
<i>Lophoxanthus bellus</i>	of A. Milne Edwards 1879 in part
<i>Lophoxanthus diegensis</i>	Rathbun 1900
<i>Lophozozymus (Lophoxanthus) bellus</i>	of Miers 1886
<i>Xantho hemphilliana</i>	of Lockington 1877
<i>Xanthodes hemphilli</i>	Lockington 1877
<i>Lophopanopeus frontalis</i>	(Rathbun 1893)
<i>Lophozozymus (Lophoxanthus) frontalis</i>	Rathbun 1893
<i>Lophoxanthus frontalis</i>	of Holmes 1900
<i>Lophopanopeus leucomanus</i>	(Lockington 1877)
<i>Xanthodes leucomanus</i>	Lockington 1877
<i>Lophopanopeus heathi</i>	Rathbun 1900
<i>Lophoxanthus bellus</i>	of A. Milne Edwards 1879 in part
<i>Lophoxanthus leucomanus</i>	of Holmes 1900
Subfamily Eucratopsinae	
<i>Malacoplax californiensis</i>	(Lockington 1877)
<i>Eucrate ? californiensis</i>	Lockington 1877
<i>Speocarcinus californiensis</i>	of Schmitt 1921
Family Xanthidae	
Subfamily Xanthinae	
<i>Paraxanthias taylori</i>	(Stimpson 1861)
<i>Xanthodes taylori</i>	Stimpson 1861
<i>Xanthias taylori</i>	of Holmes 1900
Superfamily Pilumnoidea	
Family Pilumnidae	
<i>Pilumnus spinohirsutus</i>	(Lockington 1876)
<i>Acanthus spino-hirsutus</i>	Lockington 1876
Superfamily Pseudoziodea	
Family Pilumnoididae	
<i>Pilumnoides rotundus</i>	Garth 1940
Superfamily Pinnotheroidea	
Family Pinnotheridae	
Subfamily Pinnotherinae	
<i>Fabia concharum</i>	(Rathbun 1893)
<i>Cryptophrys concharum</i>	Rathbun 1893
<i>Fabia subquadrata</i>	Dana 1851
<i>Raphonotus subquadratus</i>	of Rathbun 1904
<i>Opisthopus transversus</i>	Rathbun 1893
<i>Pinnotheres pugettensis</i>	Holmes 1900
<i>Scleropax granulata</i>	Rathbun 1893
<i>Scleropax granulatus</i>	Rathbun 1893
<i>Pinnixa (Scleropax) granulata</i>	of Holmes 1900
Subfamily Pinnothereliinae	
<i>Pinnixa barnharti</i>	Rathbun 1918
<i>Pinnixa faba</i>	of Rathbun 1904 in part not (Dana 1851)
<i>Pinnixa tumida</i>	of Streets 1877 not Stimpson 1858
<i>Pinnixa forficulimanus</i>	Zmarzly 1992
<i>Pinnixa franciscana</i>	Rathbun 1918
<i>Pinnixa hiatus</i>	Rathbun 1918
<i>Pinnixa littoralis</i>	Holmes 1894
<i>Pinnixa longipes</i>	(Lockington 1876)
<i>Tubicola longipes</i>	Lockington 1876
<i>Pinnixa minuscula</i>	Zmarzly 1992
<i>Pinnixa occidentalis</i> Cmplx	
<i>Pinnixa californiensis</i>	Rathbun 1893
<i>Pinnixa occidentalis</i>	Rathbun 1893 in part
<i>Pinnixa scamit</i>	Martin & Zmarzly 1994
<i>Pinnixa schmitti</i>	Rathbun 1918
<i>Pinnixa occidentalis</i>	of Rathbun 1904 not Rathbun 1893
<i>Pinnixa tomentosa</i>	Lockington 1876
<i>Pinnixa ? nitida</i>	Lockington 1876
<i>Pinnixa tubicola</i>	Holmes 1894
<i>Pinnixa longipes</i>	of Weymouth 1910 not (Lockington 1876)
Superfamily Ocypodoidea	
Family Ocypodidae	

Uca crenulata
Gelasimus crenulata
Gelasimus gracilis

Superfamily Palicoidea

Family Palicidae

Palicus cortezi
Cymopodia cortezi
Palicus lucasii
Cymopolia lucasii

Superfamily Grapoidea

Family Grapsidae

Pachygrapsus crassipes
Grapsus eydouxi
Leptograpsus gonagrus
Planes minutus
Cancer minutus

Family Varunidae

Subfamily Varuninae

Hemigrapsus nudus
Pseudograpsus nudus
Brachynotus nudus
Heterograpsus nudus
Hemigrapsus oregonensis
Pseudograpsus oregonensis
Brachynotus oregonensis

(Lockington 1877)

Lockington 1877

Rathbun 1894

(Crane 1937)

Crane 1937

Rathbun 1898

of Rathbun 1930

Randall 1839

H. Milne Edwards 1853

H. Milne Edwards 1853

(Linnaeus 1758)

Linnaeus 1758

(Dana 1851)

Dana 1851

of Holmes 1900

of Stimpson 1858

(Dana 1851)

Dana 1851

of Holmes 1900

PHYLUM KINORHYNCHA

Order Homalorhagida

Suborder Homalorhagae

Family Pycnophyidae

Kinorhynchus sp

PHYLUM NEMATODA

unidentified

PHYLUM ECHINODERMATA

Subphylum Crinozoa

Class Crinoidea

Subclass Articulata

Order Comatulida

Superfamily Antedonoidea

Family Antedonidae

Florometra serratissima
Antedon serratissima
Antedon perplexa
Florometra perplexa
Promachocrinus (Florometra) serratissima

(A. H. Clark 1907)

A. H. Clark 1907

A. H. Clark 1907

of A. H. Clark 1921

of A. H. Clark 1915

Subphylum Asterozoa

Class Asteroidea

Superorder Platyasteracea

Order Paxillosida

Family Luidiidae

Luidia armata

Luidia ludwigi

Luidia asthenosoma

Luidia foliolata

Petalaster foliolata

Ludwig 1905

Fisher 1906

Fisher 1906

Grube 1866

of Fell 1963

Family Astropectinidae

Astropecten armatus

Astropecten (Braziliensis) armatus

Astropecten erinaceus

Astropecten oerstedi

Astropecten peruvianus

Astropecten siderialis

Astropecten californicus

Astropecten verrilli californicus

Astropecten verrilli

Astropecten ornatissimus

Astropecten (Braziliensis) ornatissimus

Thrissacanthias penicillatus

Persephonaster penicillatus

Gray 1840

Gray 1840

Gray 1840

Lütken 1859

Verrill 1867

Verrill 1914

Fisher 1906

of Fisher 1906

of authors NEP not de Lorol 1899

Fisher 1906

Fisher 1906

(Fisher 1905)

Fisher 1905

Superorder Valvatacea

Order Valvatida

Suborder Granulosina		
Family Odontasteridae		
<i>Odontaster crassus</i>	Fisher 1905	
Family Goniasteridae		
<i>Ceramaster leptoceramus</i>	(Fisher 1905)	
<i>Tosia leptoceramus</i>	Fisher 1905	
<i>Ceramaster patagonicus</i>	Sladen 1889	
<i>Hippasteria californica</i>	Fisher 1905	
<i>Hippasteria spinosa</i>	Verrill 1909	
<i>Mediaster aequalis</i>	Stimpson 1857	
<i>Pseudarchaster pusillus</i>	Fisher 1905	
Family Asterinidae		
<i>Patiria miniata</i>	(Brandt 1835)	
<i>Asterias miniata</i>	Brandt 1835	
<i>Asterina miniata</i>	of SCAMIT Ed 4	
Order Spinulosida		
Suborder Leptognathina		
Family Solasteridae		
<i>Solaster borealis</i>	(Fisher 1905)	
<i>Crossaster borealis</i>	Fisher 1905	
Family Poraniidae		
<i>Poraniopsis inflata</i>	(Fisher 1906)	
<i>Alexandraster inflatus</i>	Fisher 1906	
<i>Alexandraster mirus</i>	Ludwig 1905	
<i>Poraniopsis inflata flexilis</i>	Fisher 1910	
Family Echinasteridae		
<i>Henricia aspera</i>	Fisher 1906	
<i>Henricia sp</i>	Eernisse et al 2010	
<i>Henricia leviuscula</i>	of authors NEP not (Stimpson 1857)	
Order Forcipulatida		
Suborder Brisingida		
Family Brisingidae		
<i>Brisingella pusilla</i>	Fisher 1917	
Suborder Asteriadina		
Family Asteriidae		
<i>Astrometis sertulifera</i>	(Xantus 1860)	
<i>Asterias sertulifera</i>	Xantus 1860	
<i>Aphanasterias pycnopodia</i>	Caso 1943	
<i>Asterias forreri</i>	of Jennings 1907 not de Loriol 1887	
<i>Coscinasterias sertulifera</i>	of Baker 1912	
<i>Marthasterias sertulifera</i>	of Verrill 1914	
<i>Orthasterias dawsoni</i>	Verrill 1914	
<i>Orthasterias (Styasterias) gonolena</i>	Verrill 1914	
<i>Leptasterias hexactis</i>	(Stimpson 1853)	
<i>Asterias hexactis</i>	Stimpson 1853	
<i>Orthasterias koehleri</i>	(de Loriol 1897)	
<i>Asterias koehleri</i>	de Loriol 1887	
<i>Pisaster brevispinus</i>	(Stimpson 1857)	
<i>Asterias brevispina</i>	Stimpson 1857	
<i>Asterias paucispina</i>	Stimpson 1862	
<i>Asterias (Pisaster) papulosa</i>	Verrill 1909	
<i>Pisaster papulosus</i>	of Verrill 1914	
<i>Pisaster paucispina</i>	of Verrill 1914	
<i>Pisaster giganteus capitatus</i>	(Stimpson 1862)	
<i>Asterias capitata</i>	Stimpson 1862	
<i>Pisaster capitatus</i>	of Verrill 1909	
<i>Pisaster ochraceus</i>	(Brandt 1835)	
<i>Asterias ochracea</i>	Brandt 1835	
<i>Asteracanthion margaritifer</i>	J. Müller & Troschel 1842	
<i>Asterias conferta</i>	Stimpson 1862	
<i>Asterias fissispina</i>	Stimpson 1862	
<i>Pisaster ochraceus f. nodiferus</i>	Verrill 1914	
<i>Pisaster ochraceus segnis</i>	Fisher 1926	
<i>Pycnopodia helianthoides</i>	(Brandt 1835)	
<i>Asterias helianthoides</i>	Brandt 1835	
<i>Rathbunaster californicus</i>	Fisher 1906	
<i>Sclerasterias heteropaeas</i>	Fisher 1924	
<i>Styasterias forreri</i>	(de Loriol 1887)	
<i>Asterias forreri</i>	de Loriol 1887	
<i>Asterias (Urasterias) forcipulata</i>	Verrill 1909	

	Orthasterias forreri	of Verrill 1914
	Orthasterias forreri forcipulata	of Verrill 1914
	Orthasterias leptolena	Verrill 1914
Family Asterodiscididae		
	<i>Dermasterias imbricata</i>	(Grube 1857)
	Asteropsis imbricata	Grube 1857
Family Ophidiasteridae		
	<i>Linckia columbiae</i>	Gray 1840
Order Zorocallida		
Family Zoroasteridae		
	<i>Myxoderma platyacanthum</i>	(H. L. Clark 1913)
	Zoroaster platyacanthus	H. L. Clark 1913
Class Ophiuroidea		
Subclass Ophiuridea		
Order Euryalida		
Family Asteronychidae		
	<i>Asteronyx longifissus</i>	Döderlein 1927
Family Gorgonocephalidae		
	<i>Gorgonocephalus eucnemis</i>	(J. Müller & Troschel 1842)
	Astrophyton eucnemis	J. Müller & Troschel 1842
	Astrophyton caryi	Lyman 1860
	Astrophyton stimpsoni	Verrill 1869
	Gorgonocephalus caryi	of Verrill 1867
	Gorgonocephalus japonicus	Döderlein 1902
	Gorgonocephalus sagaminius	Doflein 1906
	Gorgonocephalus stimpsoni	of Döderlein 1911
Order Ophiurida		
Suborder Ophiomyxina		
Family Ophiomyxidae		
	<i>Ophioscolex corynetes</i>	(H. L. Clark 1911)
	Ophiocynodus corynetes	H. L. Clark 1911
Suborder Ophiurina		
Family Ophiacanthidae		
	<i>Ophiacantha diplasia</i>	H. L. Clark 1911
	Ophiophthalmus diplasia	Kyte 1982
	<i>Ophiacantha phragma</i>	Ziesenhenne 1940
Suborder Chilophiurina		
Family Ophiodermatidae		
	<i>Ophioderma panamense</i>	Lütken 1859
	Ophiocryptus granulosus	Nielsen 1932
	<i>Ophiuroconis bispinosa</i>	Ziesenhenne 1937
Family Ophiuridae		
Subfamily Ophiurinae		
	<i>Ophiocten</i> sp	(McClendon 1909)
	<i>Ophiosphalma jolliense</i>	McClendon 1909
	Ophiomusium jolliensis	H. L. Clark 1915
	Ophiomusium jolliense	H. L. Clark 1901
	<i>Ophiura leptocetaria</i>	(Lyman 1860)
	<i>Ophiura luetkenii</i>	Lyman 1860
	Ophioglypha luetkenii	of Lyman 1875
	Ophioglypha luetkeni	of McClendon 1909
	Ophiura luetkeni	Lütken 1855
	<i>Ophiura sarsi</i>	
Infraorder Gnathophiurina		
Superfamily Gnathophiuridea		
Family Amphiuridae		
	<i>Amphichondrius granulatus</i>	(Lütken & Mortensen 1899)
	Amphiura granulata	Lütken & Mortensen 1899
	Amenichondrius granulosus	of Parker 1964
	Amphichondrius granulosus	Nielsen 1932
	Amphichondrius unamexici	Caso 1983
	Amphipholis granulata	of H. L. Clark 1917
	Amphipholis puntarenae	McClendon 1909
	<i>Amphiodia digitata</i>	Nielsen 1932
	Amphiodia (Amphispinia) digitata	Nielsen 1932
	Amphiodia barbarea	of McClendon 1909
	Ophiophragmus digitata	of Fell 1962
	<i>Amphiodia psara</i>	H. L. Clark 1935
	Amphiodia occidentalis	of authors SCB not (Lyman 1860)
	Diamphiodia psara	of Fell 1962

<i>Amphiodia urtica</i>	(Lyman 1860)
<i>Amphiura urtica</i>	Lyman 1860
<i>Amphiodia barbarea</i>	of Lyman 1880
<i>Amphipholis urtica</i>	of Ljungman 1867
<i>Amphiura barbarea</i>	Lyman 1875
<i>Diamphiodia barbarea</i>	of Fell 1962
<i>Ophiothragmus urtica</i>	of Fell 1962
<i>Amphioplus macraspis</i>	(H. L. Clark 1911)
<i>Amphiodia macraspis</i>	H. L. Clark 1911
<i>Amphioplus strongyloplax</i>	(H. L. Clark 1911)
<i>Amphiodia strongyloplax</i>	H. L. Clark 1911
<i>Unioplus strongyloplax</i>	of Fell 1962
<i>Amphioplus</i> sp A	SCAMIT 2004 §
<i>Amphioplus</i> sp LA1	Cadien 1998 §
<i>Amphioplus hexacanthus</i>	of authors SCB not Clark 1911
<i>Amphipholis pugetana</i>	(Lyman 1860)
<i>Amphiura pugetana</i>	Lyman 1860
<i>Axiognathus pugetana</i>	of Thomas 1960
<i>Amphipholis squamata</i>	(delle Chiaje 1828)
<i>Asterias squamata</i>	delle Chiaje 1828
<i>Amphiura squamata</i>	of Koehler 1907
<i>Axiognathus squamata</i>	of Thomas 1966
<i>Ophiolepis squamata</i>	of J. Müller & Troschel 1842
<i>Amphiura arcystata</i>	H. L. Clark 1911
<i>Amphiura acrstata</i>	H. L. Clark 1911
<i>Hemilepis arcystata</i>	of Fell 1962
<i>Amphiura diomedae</i>	Lütken & Mortensen 1899
<i>Amphiura diastata</i>	of McClendon 1909
<i>Amphiura koreae</i>	of Matsumoto 1917 in part ? not Duncan 1879
<i>Amphiura verrilli</i>	of McClendon 1909
<i>Dougaloplus amphacanthus</i>	(McClendon 1909)
<i>Ophiocnida amphacantha</i>	McClendon 1909
<i>Amphiacantha amphacantha</i>	of Matsumoto 1917
<i>Amphiacantha pentacantha</i>	of Matsumoto 1917
<i>Amphilimna pentacantha</i>	H. L. Clark 1911
<i>Amphioplus hexacanthus</i>	H. L. Clark 1911
<i>Dougaloplus amphacantha</i>	of A. M. Clark 1970
<i>Dougaloplus</i> sp A	SCAMIT 2004 §
<i>Dougaloplus</i> sp SD1	CSD 1988 §
<i>Ophiochnida hispida</i>	(Le Conte 1851)
<i>Ophiolepis hispida</i>	Le Conte 1851
Family Ophiotrichidae	
<i>Ophiothrix spiculata</i>	Le Conte 1851
<i>Ophiothrix dumosa</i>	Lyman 1860
Family Ophictidae	
<i>Ophiactis simplex</i>	(Le Conte 1851)
<i>Ophiolepis simplex</i>	Le Conte 1851
<i>Ophiopholis bakeri</i>	McClendon 1909
<i>Ophiopholis longispina</i>	H. L. Clark 1911
Superfamily Ophiocomidea	
Family Ophionereidae	
<i>Ophionereis annulata</i>	(Le Conte 1851)
<i>Ophiolepis annulata</i>	Le Conte 1851
<i>Ophiolepis triloba</i>	Lütken 1856
<i>Ophionereis dictyota</i>	Ziesenhenne 1940
<i>Ophionereis xantusii</i>	Lyman 1860
<i>Ophionereis diaboloensis</i>	Hendler 2002
<i>Ophionereis eurybrachioplax</i>	H. L. Clark 1911
<i>Ophionereis eurybrachyplax</i>	of Nielsen 1932
Family Ophiocomidae	
Subfamily Ophiopsilinae	
<i>Ophiopsila californica</i>	A. H. Clark 1921
<i>Ophiopteris papillosa</i>	(Lyman 1875)
<i>Ophiocoma papillosa</i>	Lyman 1875
Infraorder Opholepidina	
Family Opholepididae	
<i>Ophioplocus esmarki</i>	Lyman 1874

Subphylum Echinzoa

Class Echinoidea

Subclass Euechinoidea

Superorder Diadematacea	
Order Diadematoida	
Family Diadematidae	
<i>Centrostephanus coronatus</i>	(Verrill 1867)
<i>Echinodiadema coronata</i>	Verrill 1867
Superorder Echinacea	
Order Camarodonta	
Superfamily Odontophora	
Family Toxopneustidae	
<i>Lytechinus pictus</i>	(Verrill 1867)
<i>Psammechinus pictus</i>	Verrill 1867
<i>Lytechinus anamesus</i>	H. L. Clark 1912
Family Strongylocentrotidae	
<i>Strongylocentrotus fragilis</i>	Jackson 1912
<i>Allocentrotus fragilis</i>	of authors NEP
<i>Strongylocentrotus franciscanus</i>	(A. Agassiz 1863)
<i>Toxocidaris franciscanus</i>	A. Agassiz 1863
<i>Strongylocentrotus purpuratus</i>	(Stimpson 1857)
<i>Echinus purpuratus</i>	Stimpson 1857
<i>Toxocidaris purpuratus</i>	of A. Agassiz 1863
Order Clypeasteroida	
Suborder Scutellina	
Family Dendrasteridae	
<i>Dendraster excentricus</i>	(Eschscholtz 1831)
<i>Scutella excentrica</i>	Eschscholtz 1831
<i>Dendraster excentricus</i> var <i>elongatus</i>	H. L. Clark 1935
<i>Echinarachinus excentricus</i>	of A. Agassiz 1873
<i>Dendraster terminalis</i>	(Grant & Hertlein 1938)
<i>Echinocyamus terminalis</i>	Grant & Hertlein 1938
<i>Dendraster laevis</i>	Clark 1948
Superorder Atelostomata	
Order Spathangoida	
Suborder Paleopneustina	
Family Schizasteridae	
<i>Brisaster latifrons</i>	(A. Agassiz 1898)
<i>Schizaster latifrons</i>	A. Agassiz 1898
<i>Oppissaster latifrons</i>	Lambert & Thierry 1924
<i>Brisaster townsendi</i>	(A. Agassiz 1898)
<i>Schizaster townsendi</i>	A. Agassiz 1898
<i>Brisaster latifrons</i>	of authors SCB not A. Agassiz 1898 in part
<i>Schizaster ventricosus</i>	A. Agassiz 1881
Suborder Brissidina	
Family Brissidae	
<i>Brissopsis pacifica</i>	(A. Agassiz 1898)
<i>Toxobrissus pacificus</i>	A. Agassiz 1898
<i>Kleinia pacifica</i>	Lambert & Thierry 1924
<i>Brissopsis</i> sp LA1	Haney 2004 §
Family Spatangidae	
<i>Nacospatangus laevis</i>	(H. L. Clark 1917)
<i>Gonimaretia laevis</i>	H. L. Clark 1917
<i>Nacospatangus depressus</i>	(H. L. Clark 1917)
<i>Spatangus californicus</i>	H. L. Clark 1917
Family Loveniidae	
<i>Lovenia cordiformis</i>	A. Agassiz 1872
Class Holothuroidea	
Order Dendrochirotida	
Family Psolidae	
<i>Lissothuria</i> sp	Lambert 1996
<i>Psolidium bidiscum</i>	Lilly 2004 §
<i>Psolidium</i> sp SD 1	H. L. Clark 1901
<i>Psolus chitonoides</i>	(Koren 1844)
<i>Psolus squamatus</i>	Koren 1844
<i>Cuvieria squamata</i>	
Family Sclerodactylidae	
<i>Eupentacta quinquesemita</i>	(Selenka 1867)
<i>Cucumaria quinquesemita</i>	Selenka 1867
<i>Pachythylene rubra</i>	(H. L. Clark 1901)
<i>Thyne rubra</i>	H. L. Clark 1901
Family Phyllophoridae	
<i>Havelockia benti</i>	(Deichmann 1937)

	Thyone benti	Deichmann 1937
	Havelockia benti var zacae	of Panning 1949
	Thyone benti var zacae	Deichmann 1938
	<i>Havelockia charlottae</i>	(Deichmann 1938)
	Pentamera charlottae	Deichmann 1938
	<i>Pentamera lissoplaca</i>	(H. L. Clark 1924)
	Cucumaria lissoplaca	H. L. Clark 1924
	<i>Pentamera pedestris</i>	Lambert 1998
	Pentamera sp B	Lambert 1997
	<i>Pentamera populifera</i>	(Stimpson 1857)
	Pentacta populifera	Stimpson 1857
	Allothyone tenuicornata	of Panning 1949
	Cladodactyla albida	Brandt 1835
	Cucumaria populifera	of Théel 1886
	Cucumaria tenuicornata	Wells 1924
	<i>Pentamera pseudocalcigera</i>	Deichmann 1938
	Cucumaria calcigera	of H. L. Clark 1901 not (Stimpson 1857)
	<i>Pentamera pseudopopulifera</i>	Deichmann 1938
	<i>Pentamera rigida</i>	Lambert 1998
	Pentamera sp A	Lambert 1997
	<i>Pentamera trachyplaca</i>	(Clark 1924)
	Cucumaria trachyplaca	Clark 1924
	<i>Pentamera sp C</i>	SCAMIT 2004 §
	Phyllophoridae sp A	SCAMIT 2004 §
	Phyllophoridae sp SD1	Lilly 1998 §
	Phyllophoridae sp B	SCAMIT 2004 §
Family Cucumariidae		
	<i>Cucumaria miniata</i>	(Brandt 1835)
	Cladodactyla miniata	Brandt 1835
	<i>Cucumaria piperata</i>	(Stimpson 1864)
	Pentacta piperata	Stimpson 1864
	Cucumaria fisheri	Wells 1924
	<i>Cucumaria pseudocurata</i>	Deichmann 1938
	<i>Cucumaria salma</i>	Yingst 1972
	<i>Cucumaria sp A</i>	SCAMIT 2004 §
	<i>Pseudocnus lubricus</i>	(H. L. Clark 1901)
	Cucumaria lubrica	H. L. Clark 1901
	Cucumaria fisheri astigmata	Wells 1924
	Pseudocnus astigmatus	of P. Lambert 1990
Subclass Aspidochotacea		
Order Aspidochirotida		
Family Stichopodidae		
	<i>Parastichopus californicus</i>	(Stimpson 1857)
	Holothuria californica	Stimpson 1857
	<i>Stichopus californicus</i>	of H. L. Clark 1901
	<i>Stichopus fuscus</i>	Théel 1886
	<i>Parastichopus leucothele</i>	Lambert 1986
	<i>Parastichopus parvimensis</i>	(H. L. Clark 1913)
	Stichopus parvimensis	H. L. Clark 1913
	<i>Parastichopus sp A</i>	SCAMIT 2004 §
	Parastichopus sp A	SCAMIT 1998 §
Family Synallactidae		
	<i>Synallactes virgulisolida</i>	Massin & Hendrickx 2010
	Synallactes alexandri	of SCAMIT Ed 5 not Ludwig 1894
Order Elasipodida		
Family Laetmogonidae		
	<i>Pannychia moseleyi</i>	Théel 1882
	Laetmopasma fecundum	Ludwig 1894
	Pannychia moseleyi var henrici	Ludwig 1894
	Pannychia pallida	Fisher 1907
Subclass Apodacea		
Order Apodida		
Family Synaptidae		
	<i>Leptosynapta</i> sp	
Family Chiridotidae		
	<i>Chiridota</i> sp	
Family Myriotrichidae		
	<i>Myriotrochus</i> sp	
Order Molpadida		
Family Molpadiidae		

<i>Molpadia intermedia</i>	(Ludwig 1894)
<i>Trochostoma intermedium</i>	Ludwig 1894
Family Caudinidae	
<i>Caudina arenicola</i>	(Stimpson 1857)
<i>Liosoma arenicola</i>	Stimpson 1857
<i>Molpadia arenicola</i>	of H. L. Clark 1907
<i>Trochostoma arenicola</i>	of Théel 1886
<i>Paracaudina chilensis</i>	(J. Müller 1850)
<i>Molpadia chilensis</i>	J. Müller 1850
<i>Caudina chilensis</i>	of H. L. Clark 1907
<i>Caudina pulchella</i>	R. Perrier 1905
<i>Caudina rugosa</i>	R. Perrier 1904
Family Eupyrigidae	
<i>unidentified</i>	
PHYLUM PHORONA	
Order Phoronida	
Family Phoronidae	
<i>Phoronis</i> sp SD1	Lilly 2006 §
<i>Phoronopsis</i> sp	
PHYLUM BRACHIOPODA	
Class Inarticulata	
Order Lingulida	
Superfamily Linguloidea	
Family Lingulidae	
<i>Glottidia albida</i>	(Hinds 1844)
<i>Lingula albida</i>	Hinds 1844
<i>Clottidea albida</i>	of Keep 1904
<i>Glottidia palmeri</i>	Dall 1920
Class Articulata	
Order Terebratulida	
Suborder Terebratulidina	
Superfamily Cancellothyridoidea	
Family Cancellothyrididae	
<i>Terebratulina crossei</i>	Davidson 1882
<i>Terebratulina crossii</i>	of Davidson 1886
<i>Terebratulina kiiensis</i>	Dall & Pilsby 1891
<i>Terebratulina unguicula</i>	(Carpenter 1864)
<i>Terebratulus unguicula</i>	Carpenter 1864
Suborder Terebratellidina	
Superfamily Terebratelloidea	
Family Laqueidae	
<i>Laqueus californianus</i>	Koch 1847
<i>Laqueus californicus</i>	of Dall 1870
<i>Laqueus erythraeus</i>	Dall 1920
<i>Laqueus vancouveriensis diegensis</i>	Hertlein & Grant 1960
<i>Megerlia Jeffreysi</i>	Dall 1877
<i>Terebratula californiana</i>	of Koch 1848
<i>Terebratula californianus forma vancouveriensis</i>	Davidson 1877
<i>Terebratula californica</i>	of G. B. Sowerby II 1847
<i>Terebratula kochii</i>	Küster in Martini-Chemnitz 1848
<i>Waldheimia californica</i>	of Gray 1853
Family Dallinidae	
<i>Terebratalia occidentalis</i>	(Dall 1871)
<i>Terebratella occidentalis</i>	Dall 1871
<i>Dallinella obsoleta</i>	of Thompson 1915
<i>Dallinella occidentalis</i>	of Thompson 1927
<i>Miogryphus willetti</i>	Hertlein & Grant 1944
<i>Terebratalia arnoldi</i>	Hertlein & Grant 1944
<i>Terebratella occidentalis var obsoleta</i>	Dall 1891
<i>Waldheimia Kennedyi</i>	Dall 1874
<i>Terebratalia transversa</i>	(G. B. Sowerby I 1846)
<i>Terebratula transversa</i>	G. B. Sowerby I 1846
<i>Terebratalia caurina rubescens</i>	of Dall 1920
<i>Terebratalia hemphilli</i>	Dall 1902
<i>Terebratalia hemphillii</i>	of Carson 1925
<i>Terebratalia obsoleta</i>	of DuBois 1916 not (G. B. Sowerby II 1846)
<i>Terebratalia rubescens</i>	Hatai 1936
<i>Terebratella coreanica</i>	of Carpenter 1864 not (Adams & Reeve 1850)
<i>Terebratula caurina</i>	Gould 1852
<i>Terebratula caurina transversa</i>	Gould 1850

	Terebratulina transversa Waldheimia grayi	of Dall 1907 of Carpenter 1864 not (Davidson 1852)
Family Platidiidae <i>Platidia hornii</i> Morrisia hornii	(Gabb 1861) Gabb 1861	
PHYLUM ECTOPROCTA Class Stenolaemata		
Order Cyclostomata		
Suborder Tubuliporina		
Family Annectocymidae <i>Diaperoforma californica</i> Idmonea californica Diaperoecia californica	(d'Orbigny 1852) d'Orbigny 1852 of Osburn 1953	
Family Tubuliporidae <i>Platonea</i> sp <i>Tubulipora tuba</i> Semitubigera tuba Tubulipora occidentalis	(Gabb & Horn 1862) Gabb & Horn 1862 Robertson 1910	
Suborder Articulata		
Family Crisiidae <i>Crisia occidentalis</i> Crisia eburnea <i>Filicrisia</i> sp	Trask 1857 Robertson 1903	
Family Crisuliporidae <i>Crisulipora occidentalis</i>	Robertson 1910	
Suborder Rectangulata		
Family Lichenoporidae <i>Disporella</i> sp		
Class Gymnolaemata		
Order Ctenostomata		
Suborder Protoctenostomata		
Superfamily Alcyonidioidea		
Family Alcyoniidae <i>Alcyonium</i> sp A	MEC 1991 §	
Family Clavoporidae <i>Clavopora occidentalis</i> Ascorhiza occidentalis Clavopora sp A	(Fewkes 1889) Fewkes 1889 MBC 1984 §	
Superfamily Valkeroioidea		
Family Triticellidae <i>Triticella elongata</i> Hippuraria elongata	(Osburn 1912) Osburn 1912	
Superfamily Arachnidioidea		
Family Arachnididae <i>Anguinella palmata</i> <i>Nolella</i> sp	van Beneden 1845	
Superfamily Vesicularoidea		
Family Vesiculariidae <i>Amathia distans</i> <i>Bowerbankia gracilis</i> Bowerbankia caudata <i>Zoobotryon verticillatum</i> Hydra verticillata Zoobotryon pellucidus	Busk 1886 Leidy 1855 Hincks 1880 (delle Chiaje 1828) delle Chiaje 1828 Ehrenberg 1831	
Order Cheiostomata		
Suborder Anasca		
Superfamily Malacostegoidea		
Family Membraniporidae <i>Conopeum commensale</i> <i>Flustra savartii</i> Acanthodesia savarti Acanthodesia savartii Biflustra savartii <i>Membranipora tenuis</i> Membranipora denticulata Acanthodesia denticulata Biflustra denticulata Hemiseptella denticulata <i>Jellyella tuberculata</i> Flustra tuberculata	Kirkpatrick & Metzelaar 1922 Audouin 1826 of Osburn 1947 of Canu & Bassler 1920 of Smitt 1873 Desor 1848 Busk 1856 of Hastings 1930 of Smitt 1873 of Canu & Bassler 1928 (Bosc 1802) Bosc 1802 in part	

	Membranipora tehuelcha	of Robertson 1908
	Membranipora tuberculata	of Osburn 1947
	Nichtina tuberculata	of Harmer 1926
Family Hincksinidae		
	<i>Antrypora tincta</i>	(Hastings 1930)
	Crassimarginatella tincta	Hastings 1930
	Membranipora lacroixii	of Robertson 1908 in part
Family Calloporidae		
	<i>Cauloramphus echinus</i>	(Hinks 1882)
	Membranipora echinus	Hincks 1882
	<i>Tegella aquilirostris</i>	(O'Donoghue 1923)
	Membranipora aquilirostris	O'Donoghue 1923
	<i>Tegella circumclathrata</i>	(Hincks 1881)
	Membranipora circumclathrata	Hincks 1881
	Calloporella circumclathrata	of Osburn 1950
	Retevirgula circumclathrata	of Brown 1948
Family Chapperiidae		
	<i>Chapperiopsis californica</i>	(Osburn 1950)
	Chapperia californica	Osburn 1950
	<i>Chapperiopsis patula</i>	(Hincks 1881)
	Membranipora patula	Hincks 1881
	Amphiblestrum patulum	of O'Donoghue 1926
	Chapperia patula	of Osburn 1950
Superfamily Coilostegoidea		
Family Microporidae		
	<i>Micropora</i> sp	
Family Thalamoporellidae		
	<i>Thalamoporella californica</i>	Levinsen 1909
	Thalamoporella rozieri var californica	Levinsen 1909
	Steganoporella rozieri form gothica	Hincks 1880
Family Lunulariidae		
	<i>Discoporella umbellata</i>	(Defrance 1823)
	Lunulites umbellata	Defrance 1823
Superfamily Pseudostegoidea		
Family Cellariidae		
	<i>Cellaria diffusa</i>	Robertson 1905
	Cellaria fissurifera	Canu & Bassler 1923
	<i>Cellaria mandibulata</i>	Hincks 1882
Superfamily Cellularoidea		
Family Candiae		
	<i>Scrupocellaria diegensis</i>	Robertson 1905
	<i>Scrupocellaria ferox</i>	Busk 1862
	Scrupocellaria cyclostomata	Kirkpatrick 1890
	<i>Scrupocellaria varians</i>	Hincks 1882
	<i>Tricellaria occidentalis</i>	(Trask 1857)
	Menipea occidentalis	Trask 1857
	<i>Tricellaria praescuta</i>	Osburn 1950
Family Epistomiidae		
	<i>Synnotum aegyptiacum</i>	(Audouin 1826)
	Loricaria aegyptiaca	Audouin 1826
	Synnotum aviculare	Robertson 1906
Family Bugulidae		
	<i>Bugula longirostata</i>	Robertson 1905
	<i>Bugula neritina</i>	(Linnaeus 1758)
	Sertularia neritina	Linnaeus 1758
	<i>Bugula pacifica</i>	Robertson 1905
	Bugula purpuroincta	of Robertson 1900 not Norman 1868
	<i>Caulibugula californica</i>	(Robertson 1905)
	Stirparia californica	Robertson 1905
	Stirpariella californica	of O'Donoghue 1926
	<i>Caulibugula ciliata</i>	(Robertson 1905)
	Stirparia ciliata	Robertson 1905
	<i>Dendrobeania curvirostrata</i>	(Robertson 1905)
	Bugula curvirostrata	Robertson 1905
Family Petraliidae		
	<i>Hippopodina californica</i>	Osburn 1952
Superfamily Scruparioidea		
Family Scrupariidae		
	<i>Scruparia ambigua</i>	(d'Orbigny 1841)
	Eucratea ambigua	d'Orbigny 1841

Suborder Ascophora	
Family Hippothoidae	
<i>Celleporella hyalina</i>	(Linnaeus 1767)
<i>Cellepora hyalina</i>	Linnaeus 1767
<i>Hippothoa hyalina</i>	of Osburn 1952
<i>Schizoporella hyalina</i>	of Robertson 1900
<i>Hippodiplosia insculpta</i>	(Hincks 1882)
<i>Schizoporella insculpta</i>	Hincks 1882
Family Schizoporellidae	
<i>Cryptosula pallasiana</i>	(Moll 1803)
<i>Eschara pallasiana</i>	Moll 1803
<i>Lepralia pallasiana</i>	of O'Donoghue 1925
<i>Schizoporella inarmata</i>	Hincks 1884
<i>Schizoporella linearia var inarmata</i>	Hincks 1884
Family Microporellidae	
<i>Microporella sp</i>	
Family Smittinidae	
<i>Parasmittina californica</i>	(Robertson 1908)
<i>Mucronella californica</i>	Robertson 1908
<i>Parasmittina trispinosa</i>	of SCAMIT Ed 4 not (Johnson 1838)
<i>Parasmittina tubulata</i>	
<i>Smittina sp</i>	Osborn 1952
Family Celleporidae	
<i>Celleporina robertsoniae</i>	(Canu & Bassler 1923)
<i>Costazzia robertsoniae</i>	Canu & Bassler 1923
<i>Cellepora costazi</i>	of Robertson 1908 in part
<i>Costazia robersoniae</i>	of Osborn 1952
<i>Celleporina souleae</i>	Morris 1979
<i>Costazia costazi</i>	of Osburn 1952 in part not (Audouin 1826)
Family Celloporariidae	
<i>Celleporaria brunnea</i>	(Hincks 1884)
<i>Cellepora brunnea</i>	Hincks 1884
<i>Holoporella brunnea</i>	of Osburn 1952
Family Phidoloporidae	
<i>Phidolopora labiata</i>	Gabb & Horn 1863
<i>Phidolopora pacifica</i>	(Robertson 1908)
<i>Rhynchozoon sp</i>	
Family Rhamphostomellidae	
<i>Rhamphostomella sp</i>	
Family Phylactellidae	
<i>Lagenicella sp</i>	
Family Myriaporidae	
<i>Myriozoum sp</i>	
Family Watersiporidae	
<i>Watersipora arcuata</i>	Banta 1969
<i>Watersipora subtorquata</i>	(d'Orbigny 1850)
<i>Escharina torquata</i>	d'Orbigny 1850
<i>Cellepora subtorquata</i>	d'Orbigny 1854
PHYLUM CHORDATA	
Subphylum Hemichordata	
Class Enteropneusta	
Subphylum Urochordata	
Class Ascidiacea	
Order Aplousobranchiata	
Family Polycitoridae	
<i>Cystodytes lobatus</i>	(Ritter 1900)
<i>Distoma lobata</i>	Ritter 1900
<i>Cystodites cretaceous</i>	of Ritter 1907 not von Drasche 1883
<i>Eudistoma lobatum</i>	of Hartmeyer 1909-1911
Family Clavelinidae	
<i>Clavelina huntsmani</i>	Van Name 1945
Family Holozoidae	
<i>Distaplia occidentalis</i>	Bancroft 1899

Distaplia californica	Michaelsen 1923
Holozoa occidentalis	of Hartmeyer 1909-1911
Family Polyclinidae	
<i>Apodium californicum</i>	Ritter & Forsyth 1917
<i>Apodium solidum</i>	(Ritter & Forsyth 1917)
Amaroucium solidum	Ritter & Forsyth 1917
<i>Eudistomia psammion</i>	Ritter & Forsyth 1917
<i>Euherdmania claviformis</i>	(Ritter 1903)
Herdmania claviformis	Ritter 1903
<i>Polyclinum planum</i>	(Ritter & Forsyth 1917)
Glossophorum planum	Ritter & Forsyth 1917
<i>Ritterella pulchra</i>	(Ritter 1901)
Distoma pulchra	Ritter 1901
Euherdmania pulchra	Ritter 1901
Family Didemnidae	
<i>Didemnum carnulentum</i>	Ritter & Forsyth 1917
<i>Diplosoma listerianum</i>	(Milne-Edwards 1841)
Leptoclinum listerianum	Milne-Edwards 1841
<i>Diplosoma macdonaldi</i>	Herdman 1886
<i>Trididemnum opacum</i>	(Ritter 1907)
Didemnum opacum	Ritter 1907
<i>Trididemnum dellavallei</i>	Ritter & Forsyth 1917
Order Phlebobranchiata	
Family Cionidae	
<i>Ciona intestinalis</i>	(Linnaeus 1767)
Ascidia intestinalis	Linnaeus 1767
Ascidia canina	O. F. Müller 1777
Ascidia ocellata	L. Agassiz 1850
Ciona canina	of Traustedt 1880
Ciona ocellata	of Verrill 1880
Ciona sociabilis	of Hartmeyer 1915
Tethyum sociabile	Gunnerus 1765
<i>Ciona savignyi</i>	Herdman 1882
Family Perophoridae	
<i>Perophora annexens</i>	Ritter 1893
Family Corellidae	
<i>Chelyosoma columbianum</i>	Huntsman 1912
<i>Chelyosoma productum</i>	Stimpson 1864
Chelyosoma producta	Stimpson 1864
<i>Corella willmeriana</i>	Herdman 1898
Corella rugosa	Huntsman 1912
Family Ascidiidae	
<i>Ascidia ceratodes</i>	(Huntsman 1912)
Phallusia ceratodes	Huntsman 1912
Ascidia californica	Ritter & Forsyth 1917
<i>Ascidia zara</i>	Oka 1935
Family Agneziidae	
<i>Agnezia septentrionalis</i>	(Huntsman 1912)
Agnesia septentrionalis	Huntsman 1912
Agnesia beringia	Ritter 1913
Order Stolidobranchiata	
Family Styelidae	
<i>Botrylloides diegensis</i>	Ritter & Forsyth 1917
<i>Botrylloides perspicuus</i>	(Herdman 1886)
Botrylloides perspicuum	Herdman 1886
<i>Botrylloides violaceus</i>	Oka 1927
<i>Botryllus schlosseri</i>	(Pallas 1766)
Alcyonium schlosseri	Pallas 1766
<i>Cnemidocarpa finmarkiensis</i>	(Kiaer 1893)
Polycarpa finmarkiensis	Kiaer 1893
<i>Cnemidocarpa rhizophorae</i>	(Redikorzev 1907)
<i>Styela rhizophora</i>	Redikorzev 1907
<i>Cnemidocarpa cirrata</i>	Ärnbäck 1922
<i>Cnemidocarpa sabulifera</i>	Hartmeyer 1923
<i>Styela sabulifera</i>	of Ritter 1913
<i>Metandrocarpa taylori</i>	Huntsman 1912
<i>Polyandrocarpa zorritensis</i>	(Van Name 1931)
<i>Stolonica zorritensis</i>	Van Name 1931
<i>Styela canopus</i>	Savigny 1816
<i>Styela barbaris</i>	Kott 1952

	Styela partita	(Stimpson 1852)
	Styela rectangularis	Kott 1952
<i>Styela clava</i>	Styela barnhardti	Herdman 1881
	<i>Styela coriacea</i>	of Van Name 1945 not Ritter & Forsyth 1917
	Cynthia coriacea	(Alder & Hancock 1848)
	Ascidia lovenii	Alder & Hancock 1848
	Cynthia placenta	M. Sars 1851
	Goniocarpa coccodes	Packard 1867
	Goniocarpa coriacea	Huntsman 1912
	Goniocarpa lovenii	of Huntsman 1912
	Goniocarpa placenta	of Huntsman 1912
	Styela loveni	of Ritter 1913
	Styela lovenii	of Hartmeyer 1914
	Tethyum coriaceum	of Hartmeyer 1912
	Tethyum loveni	of Hartmeyer 1912
<i>Styela gibbsii</i>	Cynthia gibbsii	(Stimpson 1864)
	Tethyum gibbsii	Stimpson 1864
<i>Styela montereyensis</i>	Cynthia montereyensis	of Hartmeyer 1909-1911
	Clavellinopsis rubra	(Dall 1872)
	Styela rubra	Dall 1872
	Tethyum montereyense	Fewkes 1889
<i>Styela plicata</i>	Ascidia plicata	of Ritter 1896
	Styela gyrosa	of Hartmeyer 1909-1911
	Styela barnharti	(Lesueur 1823)
	Tethyum plicatum	Lesueur 1823
<i>Styela truncata</i>	Katatropa uclueletensis	Heller 1877
	Katatropa vancouverensis	Ritter & Forsyth 1917
	Tethyum truncatum	of Hartmeyer 1909-1911
<i>Symplegma brakenhielmi</i>	Diandrocarpa brakenhielmi	(Michaelsen 1904)
	<i>Symplegma reptans</i>	Michaelsen 1904
	Synstyela reptans	(Oka 1927)
		Oka 1927
Family Pyuridae		
	<i>Bathypera feminalba</i>	Young & Vazquez 1995
	<i>Bathypera ovoida</i>	(Ritter 1907)
	Halomolgula ovoida	Ritter 1907
	Bathypera splendens	Herdman 1923 in part
	<i>Boltenia echinata</i>	(Linnaeus 1767)
	Ascidia echinata	Linnaeus 1767
	Ascidia hirsuta	Agassiz 1850
	Boltenia hirsuta	of Huntsman 1912
	Cynthia arctica	Hartmeyer 1899
	Cynthia echinata	of Stimpson 1854
	Halocynthia echinata	of Ritter 1913
	<i>Boltenia villosa</i>	(Stimpson 1864)
	Cynthia villosa	Stimpson 1864
	Halocynthia castaneiformis	of Ritter 1913
	Halocynthia villosa	of Ritter 1907
	<i>Halocynthia igaboja</i>	Oka 1906
	Halocynthia okai	Ritter 1907
	Pyura okai	of Hartmeyer 1909-1911
	Tethyum igaboja	of Huntsman 1912
	<i>Microcosmus squamiger</i>	Hartmeyer & Michaelsen 1926
	Microcosmos exasperatus	of authors NEP not Heller 1878
	<i>Pyura haustor</i>	(Stimpson 1864)
	Cynthia haustor	Stimpson 1864
	Cynthia erecta	Ritter 1900
	Cynthia macrosiphonius	Ritter 1900
	Halocynthia haustor	of Ritter 1909
	Halocynthia haustor foliacea	Ritter 1913
	Halocynthia johnsoni	Ritter 1909
	Halocynthia washingtonia	Ritter 1913
	<i>Pyura lignosa</i>	Michaelsen 1908
	<i>Pyura mirabilis</i>	(von Drasche 1884)
	Cynthia mirabilis	von Drasche 1884

Halocynthia mirabilis
Microcosmus transversus

of Oka 1906
Ritter 1907

Family Molgulidae

Bostriochobranchus pilularis
Molgula pilularis
Eugyra arenosa californica
Molgula ficus
Caesira ficus
Molgula manhattensis
Ascidea manhattensis
Molgula napiformis
Molgula pugetensis
Caesira apoploa
Caesira pugetensis
Molgula regularis
Caesira regularis
Molgula verrucifera
Molgula sp SD1

(Verrill 1871)
Verrill 1871
Van Name 1945
(Macdonald 1859)
Macdonald 1859
(DeKay 1843)
DeKay 1843
G. Lambert 1993
Herdman 1898
Huntsman 1912
of Huntsman 1912
Ritter 1907
of Hartmeyer 1901-1911
Ritter & Forsyth 1917
Lilly 1999 §

Subphylum Cephalochordata

Family Branchiostomatidae

Branchiostoma californiense
Amphioxus californiense

(Andrews 1893)
Andrews 1893