














Annotated Tabular Guide to the common shelf-depth Glyceridae off Southern California. Page 3 of 4

RML 11/02

	<i>G. lapidum</i> Quatrefages 1866	<i>G. brachiopoda</i> Moore 1911	<i>G. dibranchiata</i> Ehlers 1868	<i>G. sp LA 1</i> (Parker)	<i>Hemipodia californiensis</i> (Hartman 1938)	<i>Hemipodia simplex</i> (Grube 1857) <i>(=Hemipodus borealis)</i>
Annotations from SCAMIT meeting 21Oct02				Figures and character scores provided by Tom Parker • Possibly could be missidentified as <i>G. sp BB</i> (San Diego). Note: Dorsal cirrus on body wall distant from parapod.	Note nomenclatural change	Note nomenclatural change
Anterior ppd (* All figs from Böggemann, 2002), except where noted	 Fig. 19d, p. 92	 Fig. 25d, p. 96	 Fig. 58d, p. 118		 Fig. 133d, p. 168	 Fig. 127d, p. 164
Median ppd	 Fig. 19g, p. 92	 Fig. 25g, p. 96	 Fig. 58g, p. 118		 Fig. 133g, p. 168	 Fig. 127g, p. 164
Posterior ppd	 Fig. 19j, p. 92	 Fig. 25j, p. 96	 Fig. 58j, p. 118		 Fig. 133j, p. 168	 Fig. 127j, p. 164
Branchie	Absent	Absent	Non-retractile, simple digitiform	?	Absent	Absent
Dorsal cirrus	On body wall distant	On body wall distant	On body wall proximal	On body wall	On body wall proximal	On body wall proximal
Pre-setal lobes	2	2	2	?	1	1
Post-setal lobes	1	1	2	1	1	1