

# *Aoroides columbiae*

## Diagnostic Characters:

- Eyes small
- A2 flagellum strongly setose
- Mx 1 palp teeth weakly serrated
- Maxilliped outer plate teeth strongly serrated, lower teeth w/ 1-4 cusps each.
- G1 coxa broad, all setae simple 1 spine and a few setae at the anterodistal corner; A2 front and lateral margins densely setose, hind margin bare, A3 front margin densely setose, A4 tip abruptly narrowed, A5 broader than A2, upper margin bare except for a small distal bundle of short setae.




Figure 8. *Aoroides columbiae* Walker plesiotype ♂ 6.0 mm, Willis Beach, Victoria, Vancouver Is., B.C. 18 May 1977. Juvenile plesiotype ♂ 3.5 mm, Witty's Lagoon, Victoria, Vancouver Is., B.C. 17 May 1977




Figure 7. *Aoroides columbiae* Walker, plesiotype ♀ 6.0 mm, Willis Beach, Victoria, Vancouver Is., B.C. 17 May 1977




Figure 6. *Aoroides columbiae* Walker, lectotype ♀ 5.0 mm, Puget Sound, Washington, 1897. Illustration of appendages mounted on British Museum slide #1908.3.10.15. The dotted line demarcates an air bubble.